

General Electric Company

February 7, 2024

Final Report

**2023 ANNUAL PROGRESS
REPORT
FORMER INDIANAPOLIS
CONSUMER ELECTRONICS
PLANT (SHERMAN PARK
FACILITY),
INDIANAPOLIS, INDIANA
(VRP #6020801)**



Bright ideas. Sustainable change.

**2023 ANNUAL PROGRESS REPORT
FORMER INDIANAPOLIS CONSUMER ELECTRONICS PLANT
(SHERMAN PARK FACILITY), INDIANAPOLIS, INDIANA (VRP
#6020801)**

Project name **Former Indianapolis Consumer Electronics Plant (Sherman Park,
Indianapolis, IN**
Project no. **1940103494**
Document type **Final Report**
Date **February 7, 2024**
Prepared by **Matt Starrett – Ramboll**
Checked by **Chase Forman – Ramboll**

CONTENTS

1.	Introduction	1
2.	2023 Groundwater Monitoring Activities	5
2.1	Monitoring Well Network and Sampling Schedule	5
2.2	Field Procedures	6
2.3	Laboratory Analyses	7
3.	2023 Soil Gas Monitoring Activities	9
3.1	Soil-Gas Monitoring	9
3.2	Field Procedures	9
4.	Summary of 2023 Injection Activities	11
5.	Groundwater Monitoring Results	12
5.1	Well Conditions	12
5.2	Groundwater Elevation and Flow Direction	12
5.3	Field Parameters	13
5.4	Laboratory Analytical Results	14
5.4.1	General Summary	14
5.4.2	CVOCs and Trend Analyses	14
5.4.3	Dissolved Hydrocarbon Gases	18
6.	Summary, Recommendations and 2024 Activities	20
6.1	Reductive Dechlorination	20
6.2	Recommendations	20
6.3	2024 Activities	20
7.	References	21

LIST OF TABLES

- Table 1 – Summary of Monitoring Well Construction Details
- Table 2 – Monitoring Well Sampling Program Summary
- Table 3 – Groundwater Monitoring Well Elevations –2023
- Table 4a – Stabilized pH Measurements in Remedial Monitoring Wells
- Table 4b – Stabilized Temperature Measurements in Remedial Monitoring Wells
- Table 4c – Stabilized Specific Conductivity Measurements in Remedial Monitoring Wells
- Table 4d – Stabilized Dissolved Oxygen Measurements in Remedial Monitoring Wells
- Table 4e – Stabilized ORP Measurements in Remedial Monitoring Wells
- Table 5 – Groundwater VOC Analytical Results – 2023
- Table 6a – Concentrations of Methane in Selected Monitoring Wells
- Table 6b – Concentrations of Ethane in Selected Monitoring Wells
- Table 6c – Concentrations of Ethene in Selected Monitoring Wells

LIST OF FIGURES

- Figure 1 – Site Location Map
- Figure 2 – Site Layout
- Figure 3 – Injection Well Locations
- Figure 4 – Monitoring Well Sampling Location Map
- Figure 5a – Potentiometric Surface Map (Upper Water-Bearing Unit) – July 2023
- Figure 5b – Potentiometric Surface Map (Middle Water-Bearing Unit) – July 2023
- Figure 5c – Potentiometric Surface Map (Lower Water-Bearing Unit) – July 2023
- Figure 6a – TCE Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2023
- Figure 6b – TCE Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2023
- Figure 6c – TCE Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2023
- Figure 7a – cDCE Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2023
- Figure 7b – cDCE Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2023
- Figure 7c – cDCE Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2023
- Figure 8a – VC Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2023
- Figure 8b – VC Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2023
- Figure 8c – VC Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2023
- Figure 9a – TCA Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2023
- Figure 9b – TCA Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2023
- Figure 9c – TCA Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2023
- Figure 10a – 11DCE Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2023
- Figure 10b – 11DCE Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2023
- Figure 10c – 11DCE Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2023
- Figure 11a – 11DCA Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2023
- Figure 11b – 11DCA Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2023
- Figure 11c – 11DCA Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2023

LIST OF APPENDICES

- Appendix A – Field Forms and Notes
 - Appendix A-1 – January/February 2023 Groundwater Sampling Field Notes
 - Appendix A-2 – April 2023 Groundwater Sampling Field Notes
 - Appendix A-3 – July/September 2023 Groundwater Sampling Field Notes
 - Appendix A-4 – October/December 2023 Groundwater Sampling Field Notes
- Appendix B – Supplemental Amendment Injection Summary Report

Appendix C – Laboratory Analytical Reports

Appendix C-1 – January/February 2023 Groundwater Sampling Event

Appendix C-2 – April 2023 Groundwater Sampling Event

Appendix C-3 – July/September 2023 Groundwater Sampling Event

Appendix C-4 – October/December 2023 Groundwater Sampling Event

Appendix D – VOC Concentration Trend Charts

Appendix D-1 – TCE and Breakdown Products

Appendix D-2 – TCA and Breakdown Products

1. INTRODUCTION

The General Electric Company (GE) is submitting this Annual Progress Report (APR) for the 2023 calendar year for the Sherman Park Facility (also known as the Former Indianapolis Consumer Electronics [CE] Plant) (hereafter the "Site") located at 600 North Sherman Drive in Indianapolis, Marion County, Indiana (**Figure 1**). The Site is approximately 50 acres and is currently owned by the City of Indianapolis and is zoned "C-S", which designates Customized Commercial Mixed-Use. The Site is in a mixed-use setting that includes areas of industrial, commercial, and residential land use, and is bounded by North Sherman Drive to the east, East Michigan Street to the south, LaSalle Street and Tuxedo Street to the west, and 9th Street, St. Clair Street, and North Street to the north.

The CSX railroad line that runs in a northeast-southwest orientation separates the Site into eastern and western sides. There were historically seven buildings on the Site: five on the east side of the CSX railroad tracks and two on the west side. The largest building was on the east side and was generally referred to as the main building. The powerhouse was located to the immediate west of the main building (but still on the east side of the CSX railroad tracks). The east and west sides of the Site are still connected by an underpass that is located just to the north of the former powerhouse and west of the former main building.

As of the issuance of this APR, impervious surfaces (asphalt pavement and concrete building foundations) cover over 90 percent of the Site. The far western area of the Site (west of the existing CSX railroad tracks) consists generally of gravel covered lands. The western portion of the Site to the east of the railroad tracks is generally paved or has remaining foundations from previously demolished buildings. The far eastern portion of the Site consists of a large former building foundation.

The City of Indianapolis had been using the eastern portion of the Site for large soil stockpiles since they acquired the Site in 2017, but, as of the end of 2022, the stockpiled soils had been removed as part of the first phase of the planned re-development.¹ A new building is currently under construction on the parcel of land located adjacent to the northeast of the Site that was formerly part of the larger former Sherman Park complex. The land was acquired from the City by Recycleforce in November 2021 and will also be operated by the same entity. The facility will be a metals recycling facility.

Chlorinated volatile organic compounds (CVOCs) are present in groundwater in the upper water-bearing unit (UWBU) near the west side of the former main building as a result of the former use of chemicals near the former Chemical Storage Building (CSB), the former Solvent Tank Area (STA), the former Metal Plating Area (MPA) and the former 1,1,1-Trichloroethane Still Area (TSA). The CSB, STA, MPA and TSA are each collectively referred to as the "on-site source areas" and are shown on **Figure 2**.

On November 12, 2003, GE entered into a Voluntary Remediation Agreement (VRA) with the Indiana Department of Environmental Management (IDEM) under IDEM's Voluntary Remediation Program (VRP) and was assigned Site #6020801. Since 2003, there have been a significant number of environmental investigations performed at the Site to characterize the

¹ Based on information provided to GE by the City of Indianapolis, a large portion of the property (generally the southwest corner of the area east of the railroad tracks) had been slated to be redeveloped as the City's Animal Care Services (ACS) facility. In late 2023, the City informed GE that they would not be moving forward with the ACS at this location, and would be evaluating alternative redevelopment options.

geologic/hydrogeologic conditions at the Site, define the nature and extent of various contaminants of concern (COCs) and evaluate potential remedial options. The investigations identified several CVOCs as the COCs, primarily trichloroethene (TCE) and 1,1,1-trichloroethane (TCA) and their degradation products (i.e., cis-1,2-dichloroethene [cDCE], 1,1-dichloroethene [11DCE], 1,1-dichloroethane [11DCA], vinyl chloride [VC] and chloroethane [CA]).

GE submitted a Remediation Work Plan (RWP) to IDEM on May 17, 2010 in accordance with the requirements specified in Section VII of the VRA. IDEM approved the RWP on August 12, 2010, after which GE began implementing the remedial activities and monitoring specified in the RWP.

A high-level summary of the investigation and remediation activities completed at the Site since approval of the RWP include:

- Baseline Groundwater Monitoring
 - Pre-injection (baseline) groundwater monitoring was completed between 2009 and 2010 (during preparation of the RWP).
- Cap Installation (November 13 to 22, 2010)
 - An asphalt cap was installed as an engineering control adjacent to the west side of the main building.
- Injection Well Installation (January 10 to February 20, 2011)
 - 58 dual-screened injection wells (total of 116 well screens) were installed in and around the on-site source areas.
- First Round of Bioenhancement Injections (May 19 to June 20, 2011)
 - A total of 601,675 gallons of dilute emulsified vegetable oil (EVO) solution containing 91,500 pounds (lbs) of EVO was injected into 116 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and TCA in groundwater.
- Bioaugmentation Injections (August 15-18, 2011)
 - 72.6 liters of a bacteria culture specially adapted to high TCA concentrations was added to 22 injection locations in the area with the highest TCA concentrations
 - 154.8 liters of KB-1® bacteria culture was added to 43 injection locations in the remaining areas.
- Performance Groundwater Monitoring
 - Post-injection (performance) groundwater monitoring was completed between 2011 and 2013.
- Supplemental Injection Well Installation (May 13 to 17, 2013)

- Ten supplemental dual-screened injection wells (IW-566 to IW-575) were installed to allow carbon substrate injection at additional locations where persistent CVOCs remained in groundwater.
 - In addition, a groundwater extraction well was installed to provide makeup and chase water for the injections.
- Second Round of Bioenhancement Injections (July 17 to August 6, 2013)
 - A total of 706,715 gallons of dilute EVO solution containing 101,997 lbs of EVO was injected into 148 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and TCA in groundwater.
- Performance Groundwater Monitoring
 - Additional post-injection (performance) groundwater monitoring was completed between 2013 and 2015.
- Supplemental Injection Well Installation (August 17 to 19, 2015)
 - Seven supplemental dual-screened injection wells (IW-576 to IW-582) were installed to allow carbon substrate injection at additional locations where persistent CVOCs remained in groundwater.
- Third Round of Bioenhancement Injections (September 17 to October 6, 2015)
 - A total of 624,100 gallons of dilute EVO solution containing 88,213 lbs of EVO was injected into 128 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and TCA in groundwater.
- Performance Groundwater Monitoring
 - Additional post-injection (performance) groundwater monitoring was completed between 2015 and 2017.
- Limited Bioenhancement Injections (September 20 and 21, 2017)
 - Supplemental bioremediation injections proximal to monitoring wells MW-401, MW-402 and MW-404 were completed in accordance with a work plan dated July 26, 2017 (which was approved by IDEM in an email dated August 1, 2017).
- Methane Assessment (November 7 to 9, 2017)
 - A methane assessment was performed along the Michigan Street property line in accordance with a work plan dated August 2, 2017 (approved by IDEM in an email dated October 27, 2017).
- Performance Groundwater Monitoring

- Additional post-injection (performance) groundwater monitoring was completed between 2018 and 2022.

Groundwater monitoring is currently being performed quarterly, semi-annually, and annually (depending on the monitoring well) while methane monitoring via soil gas vapor probes is being performed quarterly. This ASR documents the monitoring activities that occurred in 2023 and the associated results. This report also documents the additional bioenhancement activities that were started in late 2022 and completed in April 2023.

2. 2023 GROUNDWATER MONITORING ACTIVITIES

2.1 Monitoring Well Network and Sampling Schedule

Table 1 includes a full listing of the over 200 wells installed on and adjacent to the property since 1987. Since that time, many of the wells have been decommissioned or destroyed; in accordance with the approved RWP, many others are no longer being monitored.

Table 2 details the 82 wells that are included as part of the 2023 scope of work in accordance with the IDEM-approved RWP. During 2023, 14 wells were sampled on a quarterly basis using low-flow sampling methodology for laboratory analysis of VOCs and total organic carbon (TOC), iron, sulfate, and chloride and field measurement of temperature, pH, specific conductivity, dissolved oxygen (DO), oxidation-reduction potential (ORP), and turbidity. These same wells were also analyzed for dissolved hydrocarbon gasses (DHGs, specifically, methane, ethane and ethene) on a semi-annual basis.

The remaining wells included within the monitoring plan were sampled using passive diffusion bags (PDBs). Twenty-nine wells were sampled on a quarterly bases for laboratory analysis of VOCs; samples from three of these wells were also analyzed for DHGs. An additional 26 wells were sampled on a semi-annual basis for analysis of VOCs, and an additional 13 wells were sampled once (i.e., annual frequency) for analysis of VOCs. Due to injection activities in late 2022 and April 2023, Ramboll requested and IDEM approved modifications to the typical sampling scope as noted for each quarter below. A breakdown of the number of wells sampled and when the sampling events occurred is provided below:

- January/February 2023
 - Quarterly and semi-annual event.
 - Ramboll submitted an e-mail on January 20, 2023 requesting a modification to the first and second quarterly events which was approved by IDEM on January 31, 2023.
 - Low-flow groundwater sampling at one monitoring well (MW-425).
 - The sample from this well was collected for analysis of VOCs, DHGs, TOC, dissolved iron, nitrate, and sulfate.
 - Field measurements during purging were collected for temperature, pH, specific conductivity, DO, ORP, and turbidity.
 - Groundwater sampling via the use of PDBs at 24 monitoring wells.
 - Samples collected for analysis of VOCs, and, for three wells, analysis of DHGs.
- April 2023 and October/December 2023
 - Quarterly events.
 - Modifications to the 2Q event were approved by IDEM on January 31, 2023 as noted above. Given the January 2023 approval email indicated that long-term plume behavior monitoring data cannot be utilized until four quarters have passed since the April 2023 injections, Ramboll utilized the same revised modification schedule for the October/December 2023 event as well.
 - Low-flow groundwater sampling at one monitoring well.

- The samples from this well were collected for analysis of VOCs, DHGs, TOC, dissolved iron, nitrate, and sulfate.
 - Field measurements during purging were collected for temperature, pH, specific conductivity, DO, ORP, and turbidity.
 - Groundwater sampling via the use of PDBs at 9 monitoring wells.
 - Samples were collected for analysis of VOCs, and, for three wells, analysis of DHGs.
- July/September 2023
 - Quarterly, semi-annual and annual event.
 - The typical full annual scope of work was conducted to evaluate remedial progress and recent injection efforts. In July, three of the monitoring wells (MW-402D, MW-411D and MW-413D) exhibited the presence of amendment materials within the well screen and were not sampled. In addition, many of the wells were found to be damaged or to have missing PDBs. PDBs were redeployed and well repairs were made, and the annual scope was completed in September 2023.
 - Low-flow groundwater sampling at 11 monitoring wells (typically 14, but amendment was identified at 3 locations).
 - Samples collected for analysis of VOCs, DHGs, TOC, dissolved iron, nitrate, and sulfate.
 - Field measurements during purging for temperature, pH, specific conductivity, DO, ORP, and turbidity.
 - Groundwater sampling via the use of PDBs at 68 monitoring wells.
 - Samples collected for analysis of VOCs, and, for three wells, analysis of DHGs.

A summary of the well construction details of the monitoring well network is provided in **Table 1**. The scope of the 2023 monitoring is summarized in **Table 2**.

2.2 Field Procedures

The sampling events for 2023 occurred in January/February, April, July/September, and October/December. Note that sampling during the first quarterly event (1Q), the annual sampling event (3Q), and the last quarterly sampling event (4Q) took place over two deployments due to theft of well assembly items, including PDB setups. During each event, Ramboll has continued to deploy security bolts within the wells that are part of the monitoring program. This has improved the likelihood of collecting samples but has not entirely eliminated others accessing the wells without permission.

As stated previously and consistent with the approach communicated with IDEM, only monitoring wells located outside of the injection area were sampled during the first (combined semi-annual and quarterly), second (quarterly), and fourth (quarterly) events of 2023 due to the potential groundwater effects from the recent amendments injections. The full scope of sampling was attempted during the annual event in July/September (including low-flow sampling in the remedial monitoring wells and PDB sampling in all other scoped locations) in an effort to evaluate remedial progress from the injection program.

During each sampling event, the following procedure was used for each monitoring well sampled using the low-flow method:

- Well conditions were inspected and noted on the sampling forms (**Appendix A**).
- Depth to water was measured prior to and during purging.
- Low-flow (less than 500 milliliters per minute [mL/min]) sampling techniques were utilized, and groundwater quality parameters (temperature, pH, specific conductivity, DO, ORP, and turbidity) were measured until stabilization was achieved.
- Samples were then collected into the appropriate laboratory-supplied containers and placed in a cooler with ice.
- Non-dedicated sampling equipment was decontaminated before use and between each sampling location.
- Investigation-derived waste (IDM), including purge water and decontamination water, was containerized in secured, labelled 55-gallon drum pending off-site disposal. Solid IDM (e.g., personal protective equipment [PPE] and debris [plastic sheeting, paper towels, etc.]) was placed in garbage bags and disposed of off-site as municipal solid waste.
- Maintenance of wells (securing of bolts and lids, replacement of caps, etc.) was performed as necessary and to the extent practical given the well conditions and issues associated with vandals.

For the sampling locations where PDBs were used to collect samples, a water level meter was used to measure and document water levels within each of the sampled wells. The PDB and associated equipment were then removed from the well, the bag was cut open, and the water from the bag poured directly into the laboratory-supplied containers. Upon completion at each well, a new PDB was attached to the line and the bag was lowered back into position in preparation for the next event.

During many of the 2023 sampling events, PDBs were found to be missing from some of the wells. Additional security bolts were installed after the July 2023 event (the annual event when all onsite wells are gauged and a majority sampled) to provide an additional layer of security for wells within the monitoring program. These efforts were generally successful, allowing for almost all monitoring wells that were a part of the RWP scope of work to be sampled. Similar to 2022, certain monitoring wells could not be located or accessed during the 2023 sampling events. A summary of these wells is provided in Section 5.1.

Table 3 includes collected water levels and calculated groundwater elevations for the 2023 monitoring events. This table also includes a vertical gradient calculation for monitoring wells that are clustered together to include more than one water-bearing unit (WBU). **Tables 4a through 4e** include stabilized field parameter measurements (pH, temperature, specific conductivity, DO, and ORP, respectively) for the low-flow monitoring wells.

2.3 Laboratory Analyses

Consistent with the approved RWP, samples collected during each of the 2023 monitoring events were placed in laboratory-supplied coolers on ice and were either picked up at the Site by a laboratory courier who delivered the samples directly to the laboratory or were transported to the laboratory directly by Ramboll. In both cases, the coolers maintained proper chain-of-custody. With the exception of the samples collected for DHGs, the laboratory analyses were performed by Pace Analytical Services, LLC (Pace) in Indianapolis, Indiana. The analyses for DHGs were

performed by Pace's laboratory in Baton Rouge, Louisiana; those samples were shipped internally by Pace from their Indianapolis laboratory to the Baton Rouge laboratory under proper chain-of-custody.

3. 2023 SOIL GAS MONITORING ACTIVITIES

3.1 Soil-Gas Monitoring

The current soil gas point monitoring network consists of three shallow vapor probes located along the southern boundary of the Site along East Michigan Street and east of the CSX railroad tracks that bisect the site. The locations of the soil gas points (identified as SGP-1, SGP-2 and SGP-3) are provided on **Figure 2**. These soil gas monitoring points are monitored for methane concentrations on a quarterly basis based on feedback from IDEM as part of the 2018 annual report submitted by Tetra Tech. In accordance with IDEM comments, continued monitoring is required until methane concentrations are consistently below 10 mg/L.

3.2 Field Procedures

Quarterly monitoring events for the soil gas points occurred in January, April, July, and October 2023. During each monitoring event, the soil gas was monitored using the following procedure:

- The protective lid was removed from the vault and water (if present) was removed from the interior of the vault.
- The stopcock on the soil gas probe was opened, and the tubing was connected directly to a multi-gas meter with readings for the photoionization detector (PID), methane (CH₄), carbon dioxide (CO₂), and oxygen (O₂). Levels were recorded as the maximum response above ambient background.
- The highest reading for each parameter at each location was recorded in a field notebook.
- When a soil gas probe had water within the tubing, a peristaltic pump was used in an attempt to purge the water from the tubing.

A summary of the soil gas probe readings for the quarterly events is provided in the embedded table below. Overall, the monitoring results in 2023 from the soil gas points located along the southern boundary of the Site continued to suggest that off-site migration of methane is non-existent with no methane detections throughout 2023. Detections of total VOCs were within historical, low-level/non-detect ranges, with the exception of readings from SGP-1 and SGP-3 in July 2023.

Location ID	Sampling Date	PID (ppm ^a)	CH ₄ (ppm)	CO ₂ (ppm)	O ₂ (% ^b)
SGP-1	1-24-2023	0.0	0.0	0.0	20.8
	4-25-2023	0.0	0.0	0.0	20.9
	7-20-2023	60.5	0.0	0.0	20.9
	10-17-2023	0.0	0.0	0.0	16.6
SGP-2	1-24-2023	0.0	0.0	0.0	20.4
	4-25-2023	0.0	0.0	0.0	20.9
	7-20-2023	0.06	0.0	0.0	20.9
	10-17-2023	0.0	0.0	0.0	20.9

Location ID	Sampling Date	PID (ppm ^a)	CH4 (ppm)	CO2 (ppm)	O2 (% ^b)
SGP-3	1-24-2023	0.0	0.0	0.0	20.6
	4-25-2023	0.0	0.0	0.0	20.9
	7-20-2023	60.7	0.0	0.0	17.0
	10-17-2023	0.5	0.0	0.0	17.0

- a. ppm = parts per million.
- b. % = percent by volume.

4. SUMMARY OF 2023 INJECTION ACTIVITIES

Ramboll prepared a Supplemental Injection Work Plan (Work Plan) for the Site in August 2022 that was approved by IDEM on August 30, 2022. The Work Plan utilized portions of the existing injection well infrastructure as well as installation of 30 new injection wells (some of which had double screens) to target the UWBU on the property. As summarized within the 2022 Annual Progress Report, approximately 60 percent of the injection efforts were completed before the cold weather forced a temporary shutdown of the project in late 2022. In April 2023, the remaining 40 percent of the injection volume was completed. In total, 592,700 gallons of amendments were injected into 121 well screens on the Site. Details regarding the full injection program completed in 2022 and 2023 are provided in the final Supplemental Amendment Injection Completion Report, which is included as **Appendix B** of this APR.

5. GROUNDWATER MONITORING RESULTS

5.1 Well Conditions

During each of the sampling events, the monitoring wells that were included as part of the work scope were inspected and conditions noted on the groundwater sampling forms. There were several monitoring wells that either could not be safely accessed, had been destroyed, or could not be located during one or more of the 2023 events. The following summary is provided:

- During the first quarterly and semiannual sampling event conducted in January, a total of 12 monitoring wells had been vandalized and were unable to be sampled. This included the following monitoring wells: W-9, MW-173, MW-22, MW-131, MW-253, W-10, W-8, MW-41, MW-333, MW-331, MW-153, and MW-322. On January 30, 2023, Ramboll redeployed PDBs and associated hanging equipment and also redistributed security bolts among each of these wells to be sampled later in the quarter. On February 20, 2023, Ramboll returned to the site to complete the monitoring event.
- During the second quarterly sampling event conducted in April 2023, one monitoring well (MW-131) was not sampled due to it being vandalized. This monitoring well was resecured for sampling during the next scheduled sampling event.
- During the quarterly, semiannual and annual sampling event in July, 31 additional monitoring wells were not able to be sampled due to vandalism, stripped bolts inhibiting access, obfuscation of monitoring wells by dirt, overgrown vegetation, and on-site debris, and/or missing PDB well sampling assemblies. As such, a limited number of samples were collected in July 2023, and a second mobilization was performed in August to secure and restore access to the monitoring wells. The annual sampling event was wrapped up in September 2023 and each of the monitoring wells was able to be sampled, with the exception of three wells which exhibited the presence of amendment materials within the well screen (MW-402D, MW-411D and MW-413D).
- During the fourth quarterly sampling event in October, 3 wells (W-10, W-8, and MW-241) were unable to be sampled either due to vandalism (W-8 and W-10) or access issues (vehicle parked over MW-241). The PDBs were replaced and the well lids secured with security bolts in W-8 and W-10. All three monitoring wells were sampled in December 2023.

5.2 Groundwater Elevation and Flow Direction

The static (pre-purging) depth to water measurements collected during the sampling events are provided in **Table 3**. Throughout 2023, the depth to water ranged from 10.40 feet below ground surface (ft bgs) to 32.61 ft bgs. The depth to water measurements were converted to groundwater elevations using previously surveyed and documented measuring point elevations and are shown on **Table 3**. Potentiometric surface maps were prepared for the upper, middle and lower WBUs (referred to as the UWBU, MWBU and LWBU, respectively) using the data from the July 2023 monitoring event (which includes the majority of wells). These maps are presented as **Figures 5a, 5b and 5c**, respectively.

The groundwater flow directions shown on **Figures 5a, 5b and 5c** are generally consistent with previous years. Flow for the UWBU is generally to the west/southwest, while flow in the MWBU is

to the southwest. Flow within the LWBU is toward the southwest in the northern portion of the property and to the northwest along the southern property boundary, near MW-33.

Table 3 also includes columns for vertical gradient differences among clustered wells on the Site. Many of the wells were historically installed within close proximity to one another and screen either the UWBU, MWBU or LWBU. Additionally, many of the wells installed within the remedial injection area have 'S' and 'D' wells which are both screened within the UWBU, but at differing depths. Overall, there was a large vertical gradient difference noted between the UWBU and MWBU, ranging from 15 to 18 feet in most circumstances from upper to middle. The MWBU and LWBU were more even and had consistent water level measurements. There was also a noted difference in vertical gradient between the shallow and deep portions of the UWBU, ranging in difference from 1 to 6 feet from shallow to deep. Each of these vertical gradient differences (high from UWBU to MWBU, low from MWBU to LWBU and varied from the shallow to deep within the UWBU) are consistent from prior years with no apparent changes noted.

5.3 Field Parameters

During purging of the monitoring wells sampled using low-flow methods (note that these low-flow wells are referred to as "remedial monitoring wells"), field parameters were collected via the use of a multi-parameter water quality meter in a flow-through cell as well as a standalone turbidity meter. The parameters, as well as water level measurements, were obtained every five minutes and recorded on the respective groundwater sampling forms (see **Appendix A**). Each remedial monitoring well was sampled upon achieving the required stabilization criteria. The static (pre-purging) depth to water measurements are provided in **Table 3**. The final, stabilized field parameter measurements are summarized in **Tables 4a through 4e** for pH, temperature, specific conductivity, DO and ORP, respectively. As discussed in prior sections of the report, a modified scope was implemented in 2023 following the initial round of amendment injections in late 2022 and the completion of injections in April 2023. As such, only one remedial monitoring well (MW-425) was sampled via low-flow methods during the first, second and fourth monitoring events in 2023 due to its location being outside of the injection zone. Eleven of the fourteen remedial monitoring wells were sampled during the annual event in July 2023, as evidence of amendment material was found within the remaining three wells at that time.

The pH, DO and ORP measurements are used to assess the groundwater geochemical conditions, which are important for reductive dechlorination of the CVOCs. The pH measurements during the July 2023 monitoring event were each within a relatively tight range, from 6.34 to 7.00 Standard Units (SU), with a mean of 6.73 SU. This mean (as well as each of the measured pH values) are within the 6.0 to 8.0 SU range deemed optimal for biodegradation. The DO measurements ranged from 0.00 to 0.78 milligrams per liter (mg/L), with a mean of 0.09 mg/L. These DO measurements are considered low, reflecting anaerobic conditions suitable for reductive dechlorination. The ORP measurements during the 2023 monitoring event ranged from -58.8 to -180.9 millivolts (mV), with a mean of -107.7mV. These data generally reflect iron-reducing conditions, with some measurements (at or below -200 mV) indicative of sulfate-reducing conditions. The more deeply reducing conditions were observed at MW-402 and MW-425; the less reducing conditions were at MW-428.

5.4 Laboratory Analytical Results

5.4.1 General Summary

As documented by the field notes, chain-of-custody records, and the laboratory analytical results, the following samples were collected during the four monitoring events conducted at the Site:

- January/February 2023
 - Quarterly and semi-annual event
 - Samples were collected from 19 monitoring wells for VOC analysis; samples from three monitoring wells for analysis of DHGs, and one monitoring well for analysis of TOC, dissolved iron, nitrate, and sulfate
 - One duplicate samples for VOC analysis only
 - Three trip blank samples for VOC analysis only

- April 2023
 - Quarterly Event
 - Samples were collected from 8 monitoring wells for VOC analysis; samples from two monitoring wells for analysis of DHGs, and one monitoring well for analysis of TOC, dissolved iron, nitrate, and sulfate
 - One duplicate samples for VOC analysis only
 - One trip blank samples for VOC analysis only

- July/September 2023
 - Annual, Semi-Annual and Quarterly Event
 - Samples were collected from 71 monitoring wells for VOC analysis; samples from 13 monitoring wells for analysis of DHGs, and 11 monitoring wells for analysis of TOC, dissolved iron, nitrate, and sulfate
 - Six duplicate samples for VOC analysis only
 - Four trip blank samples for VOC analysis

- October/December 2023
 - Quarterly Event
 - Samples were collected from 9 monitoring wells for VOC analysis; samples from two monitoring wells for analysis of DHGs, and one monitoring well for analysis of TOC, dissolved iron, nitrate, and sulfate
 - One duplicate samples for VOC analysis only
 - One laboratory trip blank samples for VOC analysis only

The varying number of quality control samples (duplicate samples, MS/MSDs and trip blanks) were a function of the scope of each sampling event (defined by the RWP and modified for 2023 with IDEM approval as noted previously), the number of days onsite (typically one per day), access to the monitoring wells, and condition of the wells. A summary of the laboratory analytical results for the four monitoring events is provided in **Table 5**. The laboratory analytical reports for the 2023 events are provided in **Appendix C**.

5.4.2 CVOCs and Trend Analyses

As stated previously, the primary CVOCs at the Site are TCE and TCA and their associated degradation products (i.e., cDCE, 11DCE, VC, 11DCA, and CA). A summary of the results for each

of these seven CVOCs follows below with comparison to IDEM's Risk-Based Closure Guide Screening Level (RCGSL) for groundwater.

- TCE was detected above its RCGSL of 5 micrograms per liter ($\mu\text{g/L}$) in 14 of the 71 monitoring wells sampled in 2023:
 - The highest detection of TCE was in MW-132 (627 $\mu\text{g/L}$ during the January 2023 event); this well is located in the western portion of the Site outside of the injection zone, though the concentration is consistent with prior years.
 - Other elevated TCE concentrations (above 200 $\mu\text{g/L}$) included MW-406S and W-2. Both of these wells are located proximate to a known source area and were targeted as part of the recent supplemental injections that occurred in 2022 and 2023.

- cDCE (the preferred biotic degradation product from TCE) was detected above its RCGSL of 70 $\mu\text{g/L}$ in 32 of the 71 monitoring wells sampled in 2023. cDCE is a biotic degradation breakdown product of TCE and its presence in multiple wells is attributed to the ongoing reductive dechlorination occurring at the Site:
 - The highest detection of cDCE was in MW-404 (47,000 $\mu\text{g/L}$ during the July 2023 event). This well is located in the TSA source area and is located proximate to areas targeted as part of the recent supplemental injections that occurred in 2022 and 2023.
 - Other elevated cDCE concentrations (above 2,000 $\mu\text{g/L}$) included MW-163, MW-253, MW-333, MW-402, MW-405D, MW-406S/D, MW-418S, MW-419D, and W-2. The majority of these wells are located within or proximate to a known source area that was targeted as part of the supplemental injections.

- VC (a biotic degradation product from cDCE and 11DCE) was detected above its RCGSL of 2 $\mu\text{g/L}$ in 58 of the 68 monitoring wells sampled in 2023.
 - The highest VC detection was in MW-404 (14,400 $\mu\text{g/L}$ during the July 2023 event). The elevated detection in this area of the Site is consistent with historical groundwater impacts as MW-404 lies within the TSA source area.
 - Other elevated VC concentrations (above 1,000 $\mu\text{g/L}$) included MW-163, MW-253, MW-333, MW-418S and MW-422S. The majority of these wells are located proximate to known source areas and were targeted as part of the recent supplemental injections

- TCA was detected above its RCGSL of 200 $\mu\text{g/L}$ in three of the 71 monitoring wells sampled in 2023:
 - The highest TCA detection was in MW-404 (45,800 $\mu\text{g/L}$ during the July 2023 event). The elevated detection in this area of the Site is consistent with MW-404 being located near the TSA source area.
 - Other elevated TCA concentrations (above 5,000 $\mu\text{g/L}$) included MW-406S and W-2. Both of these wells are located proximate to known source areas targeted as part of the supplemental injections.

- 11DCE was detected above its RCGSL of 7 $\mu\text{g/L}$ in 20 of the 68 monitoring wells sampled in 2022.
 - The highest 11DCE detection was in MW-411S (726 $\mu\text{g/L}$ during the April 2022 event). This well is located within the TSA source area.

- Other elevated 11DCE concentrations (above 100 µg/L) included MW-333, MW-404, MW-406 S/D, MW-418S and MW-423S. With the exception of MW-333, each of these wells is located proximate to a known source area and each were targeted as part of the supplemental injections. MW-333 is located within the LWBU and impacts within this zone have been attributed to an off-property source.
- 11DCA (generally present as a biotic degradation product from TCA) was detected above its RCGSL of 5 µg/L in 31 of the 71 monitoring wells sampled in 2023.
 - The highest 11DCA detection was noted in MW-404 (42,400 µg/L during the July 2023 event). The elevated detection in this area of the Site is consistent with the TSA source area.
 - Other elevated 11DCA concentrations (above 1,000 µg/L) included W-2, MW-405D and MW-406S/D. Each of these wells is located proximate to a known source area that was targeted as part of the supplemental injections that began in October 2022.
- CA was detected above its RCGSL of 21,000 µg/L in one monitoring well during the July 2023 event (MW-411S at a concentration of 28,000 µg/L). CA is a biotic degradation product from 11DCA (which is generally present as a biotic degradation product from TCA), so the presence of CA in varying concentrations across the Site suggests that breakdown of the TCA continues to occur. The MW-411S location is within the heart of the recent injection area, which suggest that the amendment may already be aiding in breakdown down TCE and TCA.

Ramboll generated isoconcentration maps for the individual CVOCs discussed above (the exception being CA, which was detected above its RCGSL in only one of the sampled wells), for each of the water-bearing units. **Figures 6a through 6f** include the UWBU, **Figures 7a through 7f** include the MWBU and **Figures 8a through 8f** include the LWBU.

VOC concentration versus time charts were prepared for selected monitoring wells and are included in **Appendix D**. Two sets of trend charts have been prepared; the first focusing on TCE and its breakdown products (**Appendix D-1**), and the second focusing on TCA and its breakdown products (**Appendix D-2**). In general, the charts show a stable or decreasing trend for the primary CVOCs for a majority of wells, with fluctuations and selected increases seemingly related to both seasonal variations in groundwater elevation as well as to ongoing reductive dechlorination within the UWBU. Given the recently completed injection efforts and the lack of a robust dataset from wells within the remedial/injection zone post-injection, the trends are not yet able to evaluate the effect of the recent injections on groundwater quality, though the initial round of sampling in July 2023 shows promising results.

A summary of the onsite and offsite wells that are worth noting is provided below:

- The charts for W-4R show generally persistent concentrations of TCE and cDCE throughout the last several years. Historically located on the outside edge of the areas of influence of the injection wells, new injection wells IW-619, IW-620 and IW-621 were installed around this monitoring well location. Initial post-injection results from the July 2023 event show promising results with daughter products on the decline and chloroethane increasing.

- The charts for MW-311 show elevated levels of TCA, 1,1-DCA and cDCE over the last three to four years. It is also noted that persistent concentrations of VC have occurred at this location dating back to around 2015. Historically located on the outside edge of the areas of influence of the injection wells, new injection wells IW-604 through IW-609 (six wells) were installed around this monitoring well location. Initial post-injection results from July 2023 show a significant decrease in daughter products.
- The charts for MW-321 show generally persistent concentrations of TCE and cDCE throughout the last several years. Historically located on the outside edge of the areas of influence of the injection wells, new injection wells IW-625, IW-626 and IW-627 were installed around this monitoring well location. Initial post-injection results from July 2023 show a significant decrease in daughter products and an increase in chloroethane.
- The charts for MW-331 shows a general decreasing trend of parent CVOCs TCE and TCA. Degradation products cDCE, VC and CA are all increasing, though the concentrations are low and do not appear to pose risk to off-site receptors. Results from July 2023 show a decrease in CVOCs, with the exception of 1,1-DCA which appears stable. Chloroethane shows a recent increase.
- The charts for MW-401 shows an overall stable and/or decreasing trend for most of the CVOCs on-site, though the remaining concentrations of TCE and cDCE are persistent. This monitoring well is located down-gradient of injection wells that were targeted for supplemental injections. Initial post-injection results from July 2023 show a significant decrease in daughter products and no detections of parent compounds.
- The charts for MW-411S and, to a lesser degree, MW-411D show a general increasing trend of TCA and also of TCE daughter products cDCE and VC in recent years. These monitoring wells are located down-gradient of several injection wells that were targeted for supplemental injections. Monitoring well MW-411S did not exhibit concentrations of CVOCs during the July 2023 event and MW-411D could not be sampled due to amendment product found within the well screen during sampling.
- The charts for MW-416D shows a general increasing trend for TCE daughter products cDCE and VC as well as for parent compound TCA and its breakdown product 1,1-DCA. Historically located on the outside edge of the areas of influence of the injection wells, six new injection wells (IW-610 through IW-615) were installed around this location. Results from July 2023 show that concentrations of CVOCs have decreased.
- The charts for MW-419D shows little to no detections of TCA and its daughter products. However, the TCE chart shows an increasing trend for TCE and cDCE and little to no evidence of VC. Historically located on the outside edge of the areas of influence of the existing injection wells, new injection wells IW-616, IW-617 and IW-618 were installed around this location. Results from July 2023 show that concentrations of TCE have decreased while cDCE has increased, which could suggest reductive dechlorination is occurring.
- The charts for MW-423D and MW-423S show increasing levels of cDCE and VC since approximately 2015. MW-423S has exhibited decreasing levels of TCA and its daughter

products, 11DCA and CA, although MW-423D has shown increasing levels of TCA, 11DCA and CA. Historically located near the up-gradient edge of the areas of influence of the injection wells, new injection wells IW-601, IW-602 and IW-603 were installed around this location. Initial post-injection results from the July 2023 event show decreasing results of TCA and increasing results of DCA and CA. Both cDCE and VC have declined.

- The charts for MW-425 show increasing levels of cDCE and VC. Concentrations of TCE have gradually decreased over time in this location and are currently just slightly above the RCGSL. MW-425 is located generally down-gradient of a line of existing injection wells targeted for supplemental injections. Results from the 2023 sampling events show decreasing levels of VC and little to no detections of TCE and TCA. DCA and CA are increasing.
- The charts for MW-426 show generally increasing concentrations of cDCE and VC. Concentrations of TCE have gradually decreased over time in this location and are currently just slightly above the RCGSL. MW-426 is located approximately 300 feet down-gradient of the closest injection points and ongoing monitoring will be performed to evaluate remedial progress. Based on July 2023 sampling, TCE was non-detect while the concentrations of other breakdown products are generally consistent.
- The chart for MW-131 shows a generally stable trend of TCA and a slight decreasing trend of TCE. Concentrations of cDCE appear to be trending upward slowly, suggesting ongoing breakdown. Concentrations of other breakdown products of TCE and TCA are generally consistent. MW-131 is located in the western portion of the property outside of the zones of injection in a down-gradient location.

5.4.3 Dissolved Hydrocarbon Gases

A summary of methane concentrations is provided in **Table 6a**. The methane results for the low-flow samples collected during the 2023 monitoring events ranged from non-detect (<50) to 47,000 ug/L with a mean of approximately 12,283 ug/L. The highest methane concentrations were in W-9 and were above 10,000 ug/L in a total of three locations, including MW413S, MW-425 and W-9. Elevated methane concentrations are evidence of the presence and activity of methanogenic bacteria, which require deeply reducing (at or below -300 mV) anaerobic conditions. These data suggest that there are microenvironments that are more reducing than evidenced by the ORP measurements, which showed iron-reducing and in some cases sulfate-reducing conditions. The presence of methanogenic conditions is favorable for complete reductive dechlorination (i.e., degradation to the non-toxic end products). It should be noted that samples for methane were only collected during the July/September 2023 annual event due to the amendment injections that occurred between 2022 and 2023. As such, the dataset for the presence of methane in 2023 is limited. Moreover, it is unlikely that enough time has passed for the generation of methane to occur post-injection.

A summary of ethane and ethene concentrations is provided in **Tables 6b and 6c**, respectively. The concentrations of ethane were generally lower than those of ethene, ranging from non-detect to 328 ug/L, with a mean of 85 ug/L. Ethane concentrations were above 100 ug/L in two wells (MW-418S and W-9). The presence of elevated ethane is evidence of the complete reductive dechlorination of TCE, cDCE, 11DCE (from TCA) and VC.

The concentrations of ethene for the low-flow samples collected during the 2023 monitoring events varied widely, from non-detect to 4,500 ug/L with a mean of approximately 689 ug/L. Ethene concentrations were above 1,000 ug/L in the same two wells as ethane (MW-418S and W-9). The varying concentrations of ethane and ethene suggest (like methane above) that microenvironments likely exist where degradation is occurring more rapidly than in other portions of the Site. Moreover, at locations where the source area is higher in TCA than TCE, there may be closer concentrations of ethane and ethene, since TCA tends to break down to both products.

Based on the lack of methane, ethane and ethene data collected during 2023, Ramboll did not generate trend plots for each of the DHGs, though they will be generated in 2024.

6. SUMMARY, RECOMMENDATIONS AND 2024 ACTIVITIES

6.1 Reductive Dechlorination

A review of the CVOC isoconcentration maps (**Figures 6a through 8f**) and CVOC concentrations versus time charts for individual wells (**Appendices D-1 and D-2**) show considerable progress in dechlorination has been made since the baseline conditions that existed prior to the first amendment injections in 2011.

The reductive dechlorination appears to be the greatest for TCE (a parent compound) and 11DCE (generally present as an abiotic degradation product from TCA). As expected, there has been an increase in the concentration of daughter products of both TCE and TCA which are both formed and destroyed during the reductive dechlorination process and are often observed in these results and in the individual well trend plots.

As discussed previously and detailed within Appendix B, supplemental amendment injection activities occurred on the Site between October 2022 and April 2023, resulting in almost 600,000 gallons of amendments being injected within the known source areas. The groundwater results and data from the July/September 2023 event seem to indicate initial positive reductive dechlorination, though additional data is needed to more fully evaluate the effectiveness of the recent injections.

6.2 Recommendations

Ramboll is recommending that the sampling methodology for W-8, W-9 and MW-426 be switched from PDB to low-flow during the annual sampling event in July 2024. These three wells are sampled for DHGs, and the low-flow methodology will provide better analytical results. In a more general sense, Ramboll intends to revert back to the original sampling scope identified in **Table 2** of this report and as provided in the 2010 RWP. This would include each of the monitoring wells both inside and outside of the injection zone.

6.3 2024 Activities

Ramboll will continue to implement the performance groundwater monitoring and soil gas monitoring at the Site following the same scope presented in this APR. The monitoring events will be performed during January, April, July, and October 2024. The monitoring locations, sampling frequencies, and parameters are generally shown in **Table 2**. The January, April, and October 2023 sampling events did not include monitoring wells within the active injection zone in the eastern portion of the Site (i.e., east of the CSX railroad tracks). During the annual July 2023 event, the full scope of wells was sampled to assess the initial effectiveness of the recent amendment injections. In 2024, sampling will include the full scope of quarterly, semi-annual and annual wells given the amount of time that has passed since completion of the supplemental injection efforts.

7. REFERENCES

GeoTrans, Inc. (a Tetra Tech company), 2010. Remediation Work Plan. Sherman Park Facility, 600 North Sherman Drive, Indianapolis, Indiana. May 17, 2010.

IDEM, Technical Resource Guidance Document. February 15, 2001, updated May 1, 2009.

Ramboll, 2022. Supplemental Amendment Injection Work Plan. Sherman Park Facility (Former Indianapolis CE Plant), 600 North Sherman Drive, Indianapolis, Indiana. August 9, 2022.

Ramboll, 2023. 2022 Annual Progress Report. Former Indianapolis CE Plant, 600 North Sherman Drive, Indianapolis, Indiana. February 28, 2023.

Tetra Tech, 2021. 2021 Annual Progress Report. Sherman Park Facility, 600 North Sherman Drive, Indianapolis, Indiana. December 14, 2021.

TABLES

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Installation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Diameter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
PW-1	Upper	8/12/1989	SEC	1649046.40	204380.20	769.41	769.69	29.0	22.2	6.5	28.7	5.9	3.9	---	---	---
TP-1	Abandoned	4/25/1989	SEC	Unknown				25.0	21.2	3.8	25.0	3.3	1.4	---	---	---
TP-1R	Upper	12/7/2001	BEAK	1649743.72	204175.73	768.46	768.86	25.0	10.0	15.0	25.0	12.7	7.8	---	---	---
TP-2	Upper	4/20/1989	SEC	1649119.98	204902.93	777.75	777.75	30.0	15.2	14.3	29.5	12.0	10.0	---	---	---
TP-3	Abandoned	7/25/1989	SEC	1649056.15	204330.75	769.29	769.61	25.3	15.2	9.0	24.2	8.8	7	---	---	---
TP-4	Abandoned			Unknown												
W-1	Upper	12/1/1987	D&M	1649872.37	205574.56	790.55	788.30	25.0	10.0	13.0	23.0	11	9	---	---	---
W-2	Upper	12/1/1987	D&M	1649776.67	204667.19	780.02	778.19	30.0	10.0	20.0	30.0	17	15	---	---	---
W-3	Abandoned	12/1/1987	D&M	1649579.13	204479.43	774.62	774.90	25.0	10.0	15.0	25.0	14	11	---	---	---
W-4	Abandoned	12/1/1987	D&M	1649434.96	204496.27	774.78	772.58	25.0	10.0	14.0	24.0	12	10	---	---	---
W4R	Upper	8/5/2008	GeoTrans	1649437.05	204492.98	772.44	772.72	25.3	10.0	15.0	25.0	13.0	1.0	---	---	---
W-4D	Middle	12/11/1990	SEC	1649437.84	204486.65	772.52	772.53	67.8	10.2	57.2	67.4	55.5	NA	16	0	34.1
W-4D	Middle	12/11/1990	SEC	1649437.84	204486.65									12	0	36
W-6	Not Located	8/4/1989	SEC	1649825.40	204474.56	771.61	771.80	35.0	15.5	11.5	27.0	10.8	7.8	---	---	---
W-7	Upper	11/9/1987	SEC	1649411.14	204195.83	765.75	766.08	19.0	10.4	7.1	17.5	5	3.9	---	---	---
W-8	Upper	11/8/1990	SEC	1648988.08	204080.25	770.53	770.92	33.5	10.4	21.1	31.5	17.3	16	---	---	---
W-8D	Middle	11/29/1990	SEC	1648996.17	204080.44	770.70	770.87	70.2	10.4	56.7	67.1	50	44.9	16	0	34
W-8D	Middle	11/29/1990	SEC	1648996.17	204080.44									12	0	37
W-9	Upper	11/12/1990	SEC	1648965.41	204585.85	771.37	771.87	43.8	9.4	32.3	41.7	20.5-29.3	17.1	---	---	---
W-10	Upper	11/13/1987	SEC	1648957.59	203784.16	768.61	768.88	36.0	10.5	21.4	31.9	17.6	15	---	---	---
W-11D	Middle	12/4/1990	SEC	1649137.17	204524.08	772.17	772.37	65.5	10.5	55.0	65.5	52.9	NA	16	0	34.9
W-11D	Middle	12/4/1990	SEC	1649137.17	204524.08									12	0	37.6
MW-22	Middle	5/8/1993	BEAK	1648973.31	204499.52	769.71	770.09	60.9	10.0	50.0	60.0	48.0	38.1	10	1.2	37
MW-32	Middle	4/16/1993	BEAK	1649846.93	204696.92	777.34	777.61	63.1	10.0	53.0	63.0	50.0	44.0	12	2	35.5
MW-33	Lower	3/13/2002	BEAK	1649837.21	204687.82	777.63	777.90	105.0	10.0	94.0	104.0	93.0	92.0	---	---	---
MW-41	Upper	4/19/1993	BEAK	1649108.45	204009.99	771.10	771.34	26.4	5.0	22.0	27.0	20.0	16.5	---	---	---
MW-81	Upper	12/7/2001	BEAK	1648978.18	204777.82	774.51	774.99	25.0	10.0	15.0	25.0	13.0	8.0	---	---	---
MW-82	Middle	6/30/1993	BEAK	1648966.92	204778.37	774.50	775.25	60.8	5.0	56.0	61.0	54.1	49.0	8	1.2	32
MW-91	Upper	7/16/1993	BEAK	1648668.59	204532.59	771.91	772.09	43.9	10.3	33.75	44.0	31.0	27.0	---	---	---
MW-92	Middle	7/20/1993	BEAK	1648678.14	204532.63	771.62	771.88	62.8	10.0	53.0	63.0	51.5	47.5	8	1.2	43.5
MW-112	Middle	11/20/2001	BEAK	1648983.97	204315.38	767.58	768.03	58.0	10.0	47.8	57.8	45.8	41.8	6	0	32.5
MW-122	Middle	12/3/2001	BEAK	1649413.25	204180.69	765.49	765.88	60.0	10.0	49.5	59.5	47.5	42.5	6	0	31
MW-123	Lower	3/12/2002	BEAK	1649422.02	204189.74	765.17	766.08	91.5	10.0	80.7	90.7	78.6	73.0	10	0	25.6
MW-123	Lower	3/12/2002	BEAK	1649422.02	204189.74									6	0	63
MW-131	Upper	3/5/2002	BEAK	1649174.39	204138.18	772.88	773.19	33.0	10.0	22.0	32.0	20.0	15.0	---	---	---
MW-132	Middle	11/27/2001	BEAK	1649152.71	204135.64	772.39	772.73	69.5	10.0	59.5	69.5	56.5	51.0	6	0	34
MW-133	Lower	12/5/2001	BEAK	1649164.78	204137.85	772.68	772.92	98.8	10.0	87.7	97.7	86.5	78.0	10	0	34
MW-133	Lower	12/5/2001	BEAK	1649164.78	204137.85									6	0	69.5
MW-142	Middle	12/2/2001	BEAK	1649099.71	203986.88	770.92	771.26	64.0	10.0	53.5	63.5	50.5	45.5	6	0	35
MW-153	Lower	11/30/2001	BEAK	1648970.72	203974.40	768.95	769.61	91.0	10.0	80.0	90.0	78.0	73.0	6	0	35
MW-163	Lower	12/2/2001	BEAK	1648990.75	204091.18	770.49	770.79	95.7	10.0	85.2	95.2	83.8	76.0	10	0	35
MW-163	Lower	12/2/2001	BEAK	1648990.75	204091.18									6	0	70
MW-173	Lower	12/3/2001	BEAK	1648974.22	204375.76	768.97	769.18	98.1	10.0	87.8	97.8	85.6	77.0	10	0	34
MW-173	Lower	12/3/2001	BEAK	1648974.22	204375.76									6	0	64.6
MW-183	Lower	11/29/2001	BEAK	1649147.67	204522.10	772.17	772.47	105.3	11.1	94.3	105.3	93.1	84.0	10	0	40
MW-183	Lower	11/29/2001	BEAK	1649147.67	204522.10									6	0	66
MW-191	Upper	12/4/2001	BEAK	1648971.91	205521.11	789.69	789.93	28.0	10.0	18.0	28.0	16.0	11.0	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Installation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Diameter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
MW-201	Upper	12/4/2001	BEAK	1649943.26	205226.17	782.21	782.32	22.0	10.0	12.0	22.0	10.0	1.0	---	---	---
MW-211	Upper	12/6/2001	BEAK	1648641.87	204612.71	772.52	772.81	37.5	10.0	27.5	37.5	25.5	20.5	---	---	---
MW-221	Upper	12/6/2001	BEAK	1648602.31	203971.31	766.69	767.10	32.5	10.0	22.5	32.5	20.2	15.0	---	---	---
MW-231	Upper	12/4/2001	BEAK	1648598.65	203765.17	767.98	768.05	24.0	10.0	13.8	23.8	12.7	8.0	---	---	---
MW-241	Upper	12/5/2001	BEAK	1648688.52	203555.08	767.58	767.91	34.0	10.0	24.0	34.0	22.0	17.0	---	---	---
MW-251	Upper	12/5/2001	BEAK	1648961.06	203639.45	767.81	768.06	30.0	10.0	20.0	30.0	18.0	13.0	---	---	---
MW-253	Lower	3/8/2002	BEAK	1648961.17	203646.03	767.70	768.04	93.0	10.0	82.0	92.0	79.9	75.0	10	0	39
MW-261	Upper	12/4/2001	BEAK	1649396.07	204046.87	764.14	764.52	20.0	10.0	10.0	20.0	8.0	1.0	---	---	---
MW-273	Lower	3/13/2002	BEAK	1649438.36	204476.63	772.44	772.51	99.0	10.0	88.0	98.0	86.2	81.0	10	0	39
MW-273.	Lower	3/13/2002	BEAK	1649438.36	204476.63									6	0	69
MW-281	Upper	3/8/2002	BEAK	1650324.50	205239.59	778.27	778.52	18.5	10.0	8.0	18.0	6.0	1.0	---	---	---
MW-301	Upper	6/23/2004	CRA	1649897.03	204499.80	771.67	771.86	30.0	10.0	18.5	28.5	16.0	1.5	---	---	---
MW-302	Middle	6/5/2004	CRA	1649273.43	204025.46	767.79	768.17	62.0	10.0	50.0	60.0	48.0	44.0	---	---	---
MW-303	Lower	6/3/2004	CRA	1649273.44	204017.72	766.19	766.79	95.0	10.0	79.0	89.0	77.0	73.0	---	---	---
MW-311	Upper	5/27/2004	CRA	1649664.73	204579.22	774.51	774.80	38.0	10.0	25.0	35.0	23.0	1.5	---	---	---
MW-312	Middle	6/4/2004	CRA	1649068.09	204147.28	771.75	772.04	68.0	10.0	56.0	66.0	54.0	50.0	---	---	---
MW-313	Lower	6/9/2004	CRA	1648977.22	204298.43	767.61	767.52	95.0	10.0	77.0	87.0	75.0	71.0	---	---	---
MW-321	Upper	5/25/2004	CRA	1649316.36	204449.53	770.54	770.93	34.0	10.0	23.0	33.0	21.0	1.5	---	---	---
MW-322	Middle	6/5/2004	CRA	1649169.34	204358.19	769.75	769.98	60.0	10.0	50.0	60.0	48.0	44.0	---	---	---
MW-323	Lower	5/25/2004	CRA	1649183.29	204355.13	770.23	770.44	95.0	10.0	80.0	90.0	78.0	72.0	---	---	---
MW-331	Upper	6/1/2004	CRA	1649179.73	204525.86	772.43	772.64	34.0	10.0	22.0	32.0	20.0	1.5	---	---	---
MW-332	Middle	6/22/2004	CRA	1649258.02	204348.01	773.82	770.92	65.0	10.0	52.5	62.5	50.0	46.0	---	---	---
MW-333	Lower	6/7/2004	CRA	1649356.73	203704.43	764.82	765.05	95.0	10.0	80.0	90.0	78.0	74.0	---	---	---
MW-341	Upper	5/24/2004	CRA	1649165.09	204507.98	771.60	771.82	34.0	10.0	22.0	32.0	20.0	1.5	---	---	---
MW-343	Lower	6/10/2004	CRA	1649721.00	203987.02	764.05	764.33	103.0	10.0	76.0	86.0	74.0	70.0	---	---	---
MW401	Upper	6/4/2008	GeoTrans	1649518.25	204623.64	777.62	778.02	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW402	Upper	6/4/2008	GeoTrans	1649460.75	204624.77	777.67	778.02	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW402D	Upper	1/28/2011	Tetra Tech	1649465.16	204624.53	777.75	778.04	40.0	10.0	30.0	40.0	28.0	1.0	---	---	---
MW403	Upper	6/5/2008	GeoTrans	1649465.25	204730.74	777.87	778.24	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW404	Upper	6/5/2008	GeoTrans	1649364.47	204626.78	777.76	778.05	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW405D	Upper	8/12/2008	GeoTrans	1649298.17	204669.89	777.85	778.23	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW405S	Upper	8/12/2008	GeoTrans	1649298.20	204669.48	777.83	778.23	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW406D	Upper	8/6/2008	GeoTrans	1649411.35	204662.09	777.53	778.00	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW406S	Upper	8/6/2008	GeoTrans	1649411.19	204662.14	777.72	778.00	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW407D	Upper	8/7/2008	GeoTrans	1649537.21	204722.37	777.64	778.04	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW407S	Upper	8/7/2008	GeoTrans	1649537.38	204722.51	777.71	778.04	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW408D	Upper	8/8/2008	GeoTrans	1649413.66	204813.02	777.79	778.26	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW408S	Upper	8/8/2008	GeoTrans	1649413.63	204813.26	777.92	778.26	21.7	7.0	14.7	21.7	13.0	1.0	---	---	---
MW409D	Upper	8/11/2008	GeoTrans	1649360.24	204789.80	777.77	778.22	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW409S	Upper	8/11/2008	GeoTrans	1649360.24	204790.04	777.82	778.22	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW410D	Upper	8/12/2008	GeoTrans	1649296.12	204571.85	772.20	772.76	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Installation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Diameter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
MW410S	Upper	8/12/2008	GeoTrans	1649296.46	204571.87	772.16	772.76	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW411D	Upper	8/12/2008	GeoTrans	1649390.43	204569.96	772.34	772.73	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW411S	Upper	8/12/2008	GeoTrans	1649390.23	204570.08	772.28	772.73	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW412D	Upper	8/13/2008	GeoTrans	1649484.96	204568.79	773.20	773.71	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW412S	Upper	8/13/2008	GeoTrans	1649485.16	204568.96	773.24	773.71	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW413D	Upper	11/11/2008	GeoTrans	1649248.03	204523.82	772.21	772.59	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW413S	Upper	11/11/2008	GeoTrans	1649248.23	204523.86	772.13	772.59	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW414D	Upper	11/12/2008	GeoTrans	1649349.33	204529.11	771.23	771.78	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW414S	Upper	11/12/2008	GeoTrans	1649349.16	204529.31	771.23	771.78	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW415D	Upper	11/13/2008	GeoTrans	1649439.54	204538.81	771.96	772.31	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW415S	Upper	11/13/2008	GeoTrans	1649439.31	204538.67	771.93	772.31	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW416D	Upper	11/14/2008	GeoTrans	1649557.28	204541.21	773.24	773.69	36.0	10.0	26.0	36.0	25.0	23.0	---	---	---
MW416S	Upper	11/14/2008	GeoTrans	1649557.20	204540.92	773.32	773.69	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW417D	Upper	11/15/2008	GeoTrans	1649574.45	204642.06	777.64	778.00	40.0	9.0	31.0	40.0	30.0	28.0	---	---	---
MW417S	Upper	11/15/2008	GeoTrans	1649574.59	204642.15	777.64	778.00	27.0	7.0	20.0	27.0	18.0	1.0	---	---	---
MW418D	Upper	11/15/2008	GeoTrans	1649606.57	204748.56	777.76	778.05	41.0	10.0	31.0	41.0	30.0	28.0	---	---	---
MW418S	Upper	11/15/2008	GeoTrans	1649606.34	204748.38	777.73	778.05	27.0	7.0	20.0	27.0	18.0	1.0	---	---	---
MW419D	Upper	11/18/2008	GeoTrans	1649543.15	204851.08	777.91	778.31	41.0	10.0	31.0	41.0	30.0	28.0	---	---	---
MW419S	Upper	11/18/2008	GeoTrans	1649543.17	204850.74	777.99	778.31	27.0	10.0	17.0	27.0	15.0	1.0	---	---	---
MW420D	Upper	1/16/2009	GeoTrans	1649655.51	204845.75	777.78	778.12	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW420S	Upper	1/16/2009	GeoTrans	1649655.46	204845.46	777.74	778.12	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW421D	Upper	1/16/2009	GeoTrans	1649680.52	204896.99	777.92	778.32	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW421S	Upper	1/16/2009	GeoTrans	1649680.67	204897.21	777.97	778.32	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW422D	Upper	1/14/2009	GeoTrans	1649736.34	204843.41	777.69	778.06	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW422S	Upper	1/14/2009	GeoTrans	1649736.55	204843.50	777.68	778.06	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW423D	Upper	1/14/2009	GeoTrans	1649728.53	204760.37	777.69	778.02	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW423S	Upper	1/14/2009	GeoTrans	1649728.85	204760.12	777.64	778.02	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW424D	Upper	1/17/2009	GeoTrans	1649387.71	204619.61	777.63	777.99	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW424S	Upper	1/17/2009	GeoTrans	1649387.47	204619.49	777.57	777.99	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW425	Upper	1/13/2009	GeoTrans	1649169.12	204404.91	769.39	769.72	30.0	20.0	10.0	30.0	8.0	1.0	---	---	---
MW426	Upper	1/12/2009	GeoTrans	1648988.24	204387.38	769.19	769.41	34.0	20.0	14.0	34.0	12.0	1.0	---	---	---
MW427	Upper	2/8/2011	Tetra Tech	1649144.03	204366.86	768.79	769.13	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW428	Upper	1/13/2011	Tetra Tech	1649677.22	204813.60	777.77	778.07	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-501	Upper	1/10/2011	Tetra Tech	1649710.28	204760.81	777.75	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
IW-502	Upper	1/11/2011	Tetra Tech	1649702.23	204783.75	777.69	778.01	40.0	10.0	30.0	40.0	30.0	29.5	---	---	---
									10.0	19.5	29.5	17.5	1.0	---	---	---
IW-503	Upper	1/12/2011	Tetra Tech	1649681.81	204796.93	777.74	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-504	Upper	1/12/2011	Tetra Tech	1649680.80	204829.84	777.78	778.09	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-505	Upper	(see MW-402 S&D)														
IW-506	Upper	1/13/2011	Tetra Tech	1649664.60	204635.47	777.67	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Installation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Diameter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-507	Upper	1/14/2011	Tetra Tech	1649651.57	204659.65	777.59	778.00	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
IW-508	Upper	1/14/2011	Tetra Tech	1649645.63	204681.25	777.75	778.05	40.0	10.0	30.0	40.0	30.0	29.5	---	---	---
									10.0	19.5	29.5	17.5	1.0	---	---	---
IW-509	Upper	1/14/2011	Tetra Tech	1649631.51	204702.79	777.81	778.08	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-510	Upper	1/17/2011	Tetra Tech	1649620.20	204724.69	777.78	778.04	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-511	Upper	1/17/2011	Tetra Tech	1649601.70	204742.66	777.72	778.08	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-512	Upper	1/17/2011	Tetra Tech	1649589.90	204764.60	777.77	778.08	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-513	Upper	1/16/2011	Tetra Tech	1649557.45	204776.04	777.61	778.00	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-514	Upper	1/15/2011	Tetra Tech	1649558.16	204814.05	777.84	778.20	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-515	Upper	1/18/2011	Tetra Tech	1649585.18	204615.16	777.62	777.91	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-516	Upper	(see MW-417 S&D)														
IW-517	Upper	1/19/2011	Tetra Tech	1649569.24	204666.08	777.73	778.02	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-518	Upper	1/24/2011	Tetra Tech	1649546.84	204673.33	777.63	777.98	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-519	Upper	1/24/2011	Tetra Tech	1649545.52	204702.91	777.63	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-520	Upper	1/30/2011	Tetra Tech	1649531.38	204724.13	777.64	778.02	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-521	Upper	1/16/2011	Tetra Tech	1649529.66	204742.82	777.73	778.04	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-522	Upper	1/26/2011	Tetra Tech	1649514.21	204765.55	777.67	778.07	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-523	Upper	1/25/2011	Tetra Tech	1649493.33	204781.48	777.93	778.18	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-524	Upper	(see MW-412 S&D)														
IW-525	Upper	2/12/2011	Tetra Tech	1649489.61	204597.25	776.84	777.20	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-526	Upper	1/27/2011	Tetra Tech	1649478.46	204617.28	777.41	777.95	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-527	Upper	1/28/2011	Tetra Tech	1649469.29	204638.10	777.75	778.04	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-528	Upper	1/30/2011	Tetra Tech	1649459.93	204669.52	777.82	778.12	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Installation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Diameter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-529	Upper	1/29/2011	Tetra Tech	1649445.11	204681.92	777.72	778.07	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
IW-530	Upper	1/27/2011	Tetra Tech	1649417.80	204682.24	777.70	778.06	40.0	10.0	30.0	40.0	30.0	29.5	---	---	---
									10.0	19.5	29.5	17.5	1.0	---	---	---
IW-531	Upper	1/27/2011	Tetra Tech	1649416.14	204734.47	777.93	778.23	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-532	Upper	1/26/2011	Tetra Tech	1649399.26	204747.20	777.83	778.19	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-533	Upper	(see MW-415 S&D)														
IW-534	Upper	2/15/2011	Tetra Tech	1649414.24	204554.49	772.04	772.37	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-535	Upper	2/15/2011	Tetra Tech	1649396.71	204567.33	772.33	772.65	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-536	Upper	2/14/2011	Tetra Tech	1649379.32	204582.87	772.53	773.00	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-537	Upper	2/14/2011	Tetra Tech	1649356.90	204581.14	772.63	772.90	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-538	Upper	(see MW-424 S&D)														
IW-539	Upper	1/31/2011	Tetra Tech	1649352.62	204625.57	777.71	778.05	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-540	Upper	1/31/2011	Tetra Tech	1649334.27	204634.56	777.81	778.08	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-541	Upper	1/31/2011	Tetra Tech	1649314.71	204654.18	777.78	778.12	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-542	Upper	(see MW-405 S&D)														
IW-543	Upper	2/18/2011	Tetra Tech	1649383.71	204489.21	771.00	771.35	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-544	Upper	2/16/2011	Tetra Tech	1649364.29	204513.36	771.68	772.00	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-545	Upper	(see MW-414 S&D)														
IW-546	Upper	2/16/2011	Tetra Tech	1649330.53	204545.69	771.40	771.77	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-547	Upper	2/15/2011	Tetra Tech	1649313.56	204563.70	772.01	772.31	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-548	Upper	2/12/2011	Tetra Tech	1649300.25	204581.25	772.72	773.12	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-549	Upper	2/12/2011	Tetra Tech	1649266.62	204588.38	775.93	776.18	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-550	Upper	1/30/2011	Tetra Tech	1649265.65	204620.41	777.78	778.18	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Installation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Diameter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-551	Upper	2/17/2011	Tetra Tech	1649305.11	204442.74	770.49	770.84	35	10.0	14.5	24.5	12.5	1.0	---	---	---
IW-552	Upper	2/16/2011	Tetra Tech	1649286.55	204462.58	770.52	770.95	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-553	Upper	2/17/2011	Tetra Tech	1649282.49	204489.58	770.60	771.18	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-554	Upper	3/16/2011	Tetra Tech	1649263.00	204512.70	771.32	771.82	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-555	Upper	2/20/2011	Tetra Tech	1649253.46	204528.56	772.31	772.67	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-556	Upper	2/19/2011	Tetra Tech	1649246.02	204547.40	772.82	773.25	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-557	Upper	2/18/2011	Tetra Tech	1649218.69	204564.87	773.18	773.60	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-558	Upper	2/11/2011	Tetra Tech	1649187.99	204369.46	770.42	770.79	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-559	Upper	2/9/2011	Tetra Tech	1649158.23	204383.48	769.25	769.62	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-560	Upper	2/9/2011	Tetra Tech	1649152.40	204409.73	769.29	769.64	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-561	Upper	2/10/2011	Tetra Tech	1649139.46	204430.83	769.94	770.29	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-562	Upper	2/12/2011	Tetra Tech	1649125.41	204451.71	770.34	770.57	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-563	Upper	2/13/2011	Tetra Tech	1649758.81	204605.20	779.29	779.63	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-564	Upper	2/13/2011	Tetra Tech	1649741.55	204624.11	777.79	778.13	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-565	Upper	2/19/2011	Tetra Tech	1649725.22	204639.85	775.88	776.24	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-566	Upper	5/17/2013	Tetra Tech	1649788.98	204662.98	777.72	778.03	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---
IW-567	Upper	5/17/2013	Tetra Tech	1649774.11	204682.82	776.66	777.01	34	10.0	13.5	23.5	11.5	1.0	---	---	---
									10.0	24.0	34.0	24.0	23.5	---	---	---
IW-568	Upper	5/15/2013	Tetra Tech	1649750.93	204842.22	778.01	778.31	30	10.0	20.0	30.0	18.0	1.0	---	---	---
									---	---	---	---	---	---	---	---
IW-569	Upper	5/15/2013	Tetra Tech	1649734.62	204856.18	777.70	778.10	27	10.0	17.0	27.0	15.0	1.0	---	---	---
									---	---	---	---	---	---	---	---
IW-570	Upper	5/16/2013	Tetra Tech	1649484.18	204691.14	777.54	777.95	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---
IW-571	Upper	5/16/2013	Tetra Tech	1649473.42	204714.94	777.95	778.23	38	10.0	17.5	27.5	15.5	1.0	---	---	---
									10.0	28.0	38.0	28.0	27.5	---	---	---
IW-572	Upper	5/16/2013	Tetra Tech	1649455.74	204738.93	777.75	778.25	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---
IW-573	Upper	5/14/2013	Tetra Tech	1649410.14	204650.18	777.72	778.05	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Installation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Diameter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-574	Upper	5/14/2013	Tetra Tech	1649391.43	204665.13	777.67	778.04	36	10.0	15.5	25.5	13.5	1.0	---	---	---
IW-575	Upper	5/14/2013	Tetra Tech	1649372.74	204682.44	777.63	778.01	36	10.0	26.0	36.0	26.0	25.5	---	---	---
									10.0	15.5	25.5	13.5	1.0	---	---	---
IW-576	Upper	8/18/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
									10.0	15.0	25.0	13.0	1.0	---	---	---
IW-577	Upper	8/18/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-578	Upper	8/17/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-579	Upper	8/17/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-580	Upper	8/17/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-581	Upper	8/19/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-582	Upper	8/19/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
EW-1	Upper	5/13/2013	Tetra Tech	1649053.57	204308.13	768.96	769.35	28	20.0	8.0	28.0	6.0	1.0	---	---	---
IW-601	Upper	10/5/2022	Ramboll	1649723.898	204741.4527	777.7*	778*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0	---	---	---
IW-602	Upper	10/5/2022	Ramboll	1649745.846	204755.4394	777.7*	778*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0	---	---	---
IW-603	Upper	10/6/2022	Ramboll	1649738.562	204779.0496	777.7*	778*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0	---	---	---
IW-604	Upper	10/12/2022	Ramboll	1649662.840	204559.1823	774.5*	774.8*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-605	Upper	10/11/2022	Ramboll	1649681.243	204564.9271	774.5*	774.8*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-606	Upper	10/11/2022	Ramboll	1649681.652	204586.0049	774.5*	774.8*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-607	Upper	10/23/2022	Ramboll	1649667.697	204608.0633	777.7*	778*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-608	Upper	10/24/2022	Ramboll	1649650.390	204592.0200	777.7*	778*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-609	Upper	10/12/2022	Ramboll	1649647.419	204571.4437	774.5*	774.8*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-610	Upper	10/18/2022	Ramboll	1649555.605	204523.0431	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0	---	---	---
IW-611	Upper	10/18/2022	Ramboll	1649572.368	204527.8957	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0	---	---	---
IW-612	Upper	10/22/2022	Ramboll	1649573.281	204550.5181	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0	---	---	---
IW-613	Upper	10/22/2022	Ramboll	1649557.866	204561.7514	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0	---	---	---
IW-614	Upper	10/23/2022	Ramboll	1649540.486	204556.0116	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0	---	---	---
IW-615	Upper	10/22/2022	Ramboll	1649538.029	204534.9237	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0	---	---	---
IW-616	Upper	9/28/2022	Ramboll	1649557.539	204837.2780	777.9*	778.3*	41	10.0	31.0	41.0	29.0	1.0	---	---	---
IW-617	Upper	9/28/2022	Ramboll	1649557.403	204865.0357	777.9*	778.3*	41	10.0	31.0	41.0	29.0	1.0	---	---	---
IW-618	Upper	9/27/2022	Ramboll	1649528.794	204852.0445	777.9*	778.3*	41	10.0	31.0	41.0	29.0	1.0	---	---	---
IW-619	Upper	10/13/2022	Ramboll	1649450.261	204474.3494	772.1*	772.5*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-620	Upper	10/13/2022	Ramboll	1649450.125	204502.1073	772.1*	772.5*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-621	Upper	10/13/2022	Ramboll	1649419.983	204488.5940	772.1*	772.5*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-622	Upper	9/30/2022	Ramboll	1649406.180	204797.4692	777.9*	778.3*	35	9.0	26.0	35.0	24.0	1.0	---	---	---
IW-623	Upper	9/30/2022	Ramboll	1649431.210	204808.9008	777.9*	778.3*	35	9.0	26.0	35.0	24.0	1.0	---	---	---
IW-624	Upper	10/3/2022	Ramboll	1649404.487	204829.3319	777.9*	778.3*	35	9.0	26.0	35.0	24.0	1.0	---	---	---
IW-625	Upper	10/17/2022	Ramboll	1649328.592	204435.7122	770.5*	770.9*	34	10.0	24.0	34.0	22.0	1.0	---	---	---
IW-626	Upper	10/17/2022	Ramboll	1649323.846	204463.9616	770.5*	770.9*	34	10.0	24.0	34.0	22.0	1.0	---	---	---

**Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana**

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Diameter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-627	Upper	10/14/2022	Ramboll	1649305.923	204464.3876	770.5*	770.9*	34	10.0	24.0	34.0	22.0	1.0	---	---	---
IW-628	Upper	10/7/2022	Ramboll	1649665.756	204799.7687	777.7*	778.1*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			
IW-629	Upper	10/10/2022	Ramboll	1649693.308	204819.4372	777.7*	778.1*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			
IW-630	Upper	10/7/2022	Ramboll	1649664.568	204829.5774	777.7*	778.1*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			

Notes:

* Denotes well was not historically surveyed

** Denotes well has not yet been surveyed and the top of casing and ground surface elevations are estimates based on LiDAR data.

D&M - Dames and Moore

SEC - Serrine Environmental Consultants, Inc.

BEAK - BEAK International, Inc.

CRA - Conestoga-Rovers & Associates

ft amsl - feet above ean sea level

ft bgs - feet below ground surface

Table 2
Monitoring Program Summary
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well ID	WBU	Purpose	Top of Casing Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Field Parameters ^a	VOCs	Dissolved Hydrocarbon Gasses ^b	TOC	PID	FID CH ₄ , CO ₂ , O ₂
W-2	Upper	Groundwater Monitoring	780.1	30	10		Q				
W-4R	Upper	Groundwater Monitoring	772.44	25.3	10		Q				
W-8	Upper	Groundwater Monitoring	770.53	33.5	10.4		Q	Q			
W-9	Upper	Groundwater Monitoring	771.37	43.8	9.4		Q	Q			
W-10	Upper	Groundwater Monitoring	768.61	36	10.5		Q				
MW-41	Upper	Groundwater Monitoring	771.1	26.4	5		Q				
MW-131	Upper	Groundwater Monitoring	772.88	33	10		Q				
MW-241	Upper	Groundwater Monitoring	767.58	34	10		Q				
MW-251	Upper	Groundwater Monitoring	767.81	30	10		Q				
MW-408D	Upper	Groundwater Monitoring	777.79	35	9		Q				
MW-408S	Upper	Groundwater Monitoring	777.92	21.7	7		Q				
MW-311	Upper	Groundwater Monitoring	774.51	38	10		Q				
MW-321	Upper	Groundwater Monitoring	770.54	34	10		Q				
MW-331	Upper	Groundwater Monitoring	772.43	34	10		Q				
MW-401	Upper	Groundwater Monitoring	777.62	25	10		Q				
MW-403	Upper	Groundwater Monitoring	777.87	25	10		Q				
MW-404	Upper	Groundwater Monitoring	777.76	25	10		Q				
MW-406D	Upper	Groundwater Monitoring	777.53	35	9		Q				
MW-406S	Upper	Groundwater Monitoring	777.72	22	7		Q				
MW-416D	Upper	Groundwater Monitoring	773.24	36	10		Q				
MW-416S	Upper	Groundwater Monitoring	773.32	22	7		Q				
MW-419D	Upper	Groundwater Monitoring	777.91	41	10		Q				
MW-419S	Upper	Groundwater Monitoring	777.99	27	10		Q				
MW-422D	Upper	Groundwater Monitoring	777.69	38	9		Q				
MW-422S	Upper	Groundwater Monitoring	777.68	26	7		Q				
MW-423D	Upper	Groundwater Monitoring	777.69	38	9		Q				
MW-423S	Upper	Groundwater Monitoring	777.64	26	7		Q				
MW-426	Upper	Groundwater Monitoring	769.19	34	20		Q	Q			
MW-427	Upper	Groundwater Monitoring	768.79	25	10		Q				
MW-402	Upper	Remedial Monitoring	777.67	25	10	Q	Q	S	Q		
MW-402D	Upper	Remedial Monitoring	777.75	40	10	Q	Q	S	Q		
MW-407D	Upper	Remedial Monitoring	777.64	35	9	Q	Q	S	Q		
MW-407S	Upper	Remedial Monitoring	777.71	22	7	Q	Q	S	Q		
MW-410D	Upper	Remedial Monitoring	772.2	35	9	Q	Q	S	Q		
MW-410S	Upper	Remedial Monitoring	772.16	22	7	Q	Q	S	Q		
MW-411D	Upper	Remedial Monitoring	772.34	35	9	Q	Q	S	Q		
MW-411S	Upper	Remedial Monitoring	772.28	22	7	Q	Q	S	Q		
MW-413D	Upper	Remedial Monitoring	772.21	35	9	Q	Q	S	Q		
MW-413S	Upper	Remedial Monitoring	772.13	22	7	Q	Q	S	Q		
MW-418D	Upper	Remedial Monitoring	777.76	41	10	Q	Q	S	Q		
MW-418S	Upper	Remedial Monitoring	777.73	27	7	Q	Q	S	Q		
MW-425	Upper	Remedial Monitoring	769.39	30	20	Q	Q	S	Q		
MW-428	Upper	Remedial Monitoring	777.77	25	10	Q	Q	S	Q		
MW-405D	Upper	Injection Monitoring	777.85	35	9		S				
MW-405S	Upper	Injection Monitoring	777.83	22	7		S				
MW-414D	Upper	Injection Monitoring	771.23	35	9		S				
MW-414S	Upper	Injection Monitoring	771.23	22	7		S				
MW-415D	Upper	Injection Monitoring	771.96	35	9		S				
MW-415S	Upper	Injection Monitoring	771.93	22	7		S				
MW-417D	Upper	Injection Monitoring	777.64	40	9		S				
MW-417S	Upper	Injection Monitoring	777.64	27	7		S				
MW-424D	Upper	Injection Monitoring	777.63	38	9		S				
MW-424S	Upper	Injection Monitoring	777.57	26	7		S				
W-4D	Middle	Groundwater Monitoring	772.52	67.8	10.2		A				
W-8D	Middle	Groundwater Monitoring	770.7	70.2	10.4		A				
W-11D	Middle	Groundwater Monitoring	772.17	65.5	10.5		S				
MW-22	Middle	Groundwater Monitoring	769.71	60.9	10		S				
MW-32	Middle	Groundwater Monitoring	777.34	63.1	10		A				
MW-82	Middle	Groundwater Monitoring	774.5	60.8	5		A				
MW-92	Middle	Groundwater Monitoring	771.62	62.8	10		A				
MW-112	Middle	Groundwater Monitoring	767.58	58	10		S				
MW-122	Middle	Groundwater Monitoring	765.49	60	10		A				
MW-132	Middle	Groundwater Monitoring	772.39	69.5	10		S				
MW-142	Middle	Groundwater Monitoring	770.92	64	10		A				
MW-302	Middle	Groundwater Monitoring	767.79	62	10		A				
MW-312	Middle	Groundwater Monitoring	771.75	68	10		S				
MW-322	Middle	Groundwater Monitoring	769.75	60	10		S				
MW-332	Middle	Groundwater Monitoring	773.82	65	10		A				
MW-33	Lower	Groundwater Monitoring	777.63	105	10		A				
MW-123	Lower	Groundwater Monitoring	765.17	91.5	10		S				
MW-133	Lower	Groundwater Monitoring	772.68	98.8	10		S				
MW-153	Lower	Groundwater Monitoring	769.24	91	10		S				
MW-163	Lower	Groundwater Monitoring	770.53	95.7	10		S				
MW-173	Lower	Groundwater Monitoring	768.97	98.1	10		S				
MW-183	Lower	Groundwater Monitoring	772.17	105.3	11.1		A				
MW-253	Lower	Groundwater Monitoring	767.83	93	10		S				
MW-273	Lower	Groundwater Monitoring	772.44	99	10		A				

Table 2
Monitoring Program Summary
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well ID	WBU	Purpose	Top of Casing Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Field Parameters ^a	VOCs	Dissolved Hydrocarbon Gasses ^b	TOC	PID	FID CH ₄ , CO ₂ , O ₂
MW-303	Lower	Groundwater Monitoring	767.71	95	10		S				
MW-313	Lower	Groundwater Monitoring	767.61	95	10		S				
MW-323	Lower	Groundwater Monitoring	770.23	95	10		S				
MW-333	Lower	Groundwater Monitoring	765.03	95	10		S				
MW-343	Lower	Groundwater Monitoring	764.05	103	10		A				
SGP-1	Vadose	Soil Gas	8	0.5						Q	Q
SGP-2	Vadose	Soil Gas	8	0.5						Q	Q
SGP-3	Vadose	Soil Gas	8	0.5						Q	Q

a. Field Parameters = pH, specific conductivity, temperature, dissolved oxygen (DO), oxidation-reduction potential (ORP) and turbidity.

b. Dissolved Hydrocarbon Gases = ethane, ethene, and methane.

A = Annual; S = Semiannual; Q = Quarterly.

* Nitrate, sulfate and dissolved iron are analyzed by laboratory.

ft - feet

ft bgs - feet below ground surface.

ft amsl - feet above mean sea level.

TOC - total organic carbon.

PID - photoionization detector.

FID - flame ionization detector.

CH₄ - methane (in parts per million).

CO₂ - carbon dioxide (in parts per million).

O₂ - percent oxygen.

Table 3
 Groundwater Monitoring Well Elevations
 Former Indianapolis Consumer Electronics Plant (Sherman Park)
 600 North Sherman Drive
 Indianapolis, Indiana

Well I.D.	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	WBU	Depth to Water Jan 2023 (ft bgs)	Water Elevation Jan 2023 (ft amsl)	Vertical Gradient (Jan 2023)	Depth to Water Apr 2023 (ft bgs)	Water Elevation Apr 2023 (ft amsl)	Vertical Gradient (Apr 2023)	Depth to Water July/Sept 2023 (ft bgs)	Water Elevation July/Sept 2023 (ft amsl)	Vertical Gradient (July/Sept 2023)	Depth to Water Oct/Nov 2023 (ft bgs)	Water Elevation Oct/Nov 2023 (ft amsl)	Vertical Gradient (Oct/Nov 2023)
	Eastings	Northing																
W-2	204667.19	1649776.67	780.02	778.19	30.0	Upper	20.97	759.05	N/A	Not Gauged	N/A	N/A	17.60	762.42	N/A	Not Gauged	Not Gauged	N/A
MW-32	204696.92	1649846.93	777.34	777.61	63.1	Middle	Not Gauged	Not Gauged	N/A	Not Gauged	N/A	N/A	13.40	763.94	1.52	Not Gauged	Not Gauged	N/A
MW-33	204687.82	1649837.21	777.63	777.90	105.0	Lower	Not Gauged	Not Gauged	N/A	Not Gauged	N/A	N/A	36.47	741.16	-22.78	Not Gauged	Not Gauged	N/A
W-4R	204492.98	1649437.05	772.44	772.72	25.3	Upper	14.12	758.32	N/A	Not Gauged	N/A	N/A	13.59	758.85	N/A	Not Gauged	Not Gauged	N/A
W-4D	204486.65	1649437.84	772.52	772.53	67.8	Middle	Not Gauged	Not Gauged	N/A	Not Gauged	N/A	N/A	30.71	741.81	-17.04	Not Gauged	Not Gauged	N/A
MW-273	204476.63	1649438.36	772.44	772.51	99.00	Lower	Not Gauged	Not Gauged	N/A	Not Gauged	N/A	N/A	32.57	739.87	-1.94	Not Gauged	Not Gauged	N/A
W-8	204080.25	1648988.08	770.53	770.92	33.5	Upper	14.00	756.53	N/A	12.75	757.78	N/A	13.51	757.02	N/A	14.29	756.24	N/A
W-8D	204080.44	1648996.17	770.70	770.87	70.2	Middle	Not Gauged	Not Gauged	N/A	Not Gauged	N/A	N/A	28.81	741.89	-15.13	Not Gauged	Not Gauged	N/A
MW-163	204091.18	1648990.75	770.49	770.79	95.70	Lower	Not Gauged	Not Gauged	N/A	Not Gauged	N/A	N/A	29.51	740.98	-0.91	Not Gauged	Not Gauged	N/A
W-9	204585.85	1648965.41	771.37	771.87	43.8	Upper	14.31	757.06	N/A	12.89	758.48	N/A	28	743.37	N/A	31.81	739.56	N/A
W-10	203784.16	1648957.59	768.61	768.88	36.0	Upper	12.92	755.69	N/A	12.03	756.58	N/A	12.33	756.28	N/A	13.06	755.55	N/A
MW-41	204009.99	1649108.45	771.10	771.34	26.4	Upper	12.18	758.92	N/A	10.88	760.22	N/A	11.26	759.84	N/A	16.45	754.65	N/A
MW-142	203986.88	1649099.71	770.92	771.26	64.00	Middle	Could Not Locate	Could Not Locate	N/A	Could Not Locate	N/A	N/A	Could Not Locate	Could Not Locate	N/A	Not Gauged	Not Gauged	N/A
MW-131	204138.18	1649174.39	772.88	773.19	33.0	Upper	15.76	757.12	N/A	14.35	758.53	N/A	15.87	757.01	N/A	17.12	755.76	N/A
MW-132	204135.64	1649152.71	772.39	772.73	69.5	Middle	31.78	740.61	-16.51	Not Gauged	Not Gauged	N/A	31.2	741.19	-15.82	Not Gauged	Not Gauged	N/A
MW-133	204137.85	1649164.78	772.68	772.92	98.80	Lower	32.39	740.29	-0.31	Not Gauged	Not Gauged	N/A	31.8	740.88	-0.30	Not Gauged	Not Gauged	N/A
MW-241	203555.08	1648688.52	767.58	767.91	34.00	Upper	12.01	755.57	N/A	11.05	756.53	N/A	12.6	754.98	N/A	13.15	754.43	N/A
MW-251	203639.45	1648961.06	767.81	768.06	30.00	Upper	11.75	756.06	N/A	26.15	741.66	N/A	11.59	755.99	N/A	Not Gauged	Not Gauged	N/A
MW-253	203646.03	1648961.17	767.70	768.04	93.00	Lower	27.4	740.30	-15.76	Not Gauged	Not Gauged	N/A	27.77	739.93	-16.06	28.7	739.00	N/A
MW-311	204579.22	1649664.73	774.51	774.80	38.00	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	14.55	759.96	N/A	Not Gauged	Not Gauged	N/A
MW-321	204449.53	1649316.36	770.54	770.93	34.00	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	12.54	758.00	N/A	Not Gauged	Not Gauged	N/A
MW-331	204525.86	1649179.73	772.43	772.64	34.00	Upper	14.50	757.93	N/A	13.54	758.89	N/A	13.84	758.59	N/A	16.66	755.77	N/A
W-11D	204524.08	1649137.17	772.17	772.37	65.5	Middle	31.48	740.69	-17.24	Not Gauged	Not Gauged	N/A	13.36	758.81	0.22	Not Gauged	Not Gauged	N/A
MW-183	204522.10	1649147.67	772.17	772.47	105.25	Lower	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	31.40	740.77	-18.04	Not Gauged	Not Gauged	N/A
MW-401	204623.64	1649518.25	777.62	778.02	25.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.23	760.39	N/A	Not Gauged	Not Gauged	N/A
MW-402	204624.77	1649460.75	777.67	778.02	25.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.35	760.32	N/A	Not Gauged	Not Gauged	N/A
MW-402D	204624.53	1649465.16	777.75	778.04	40.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A
MW-403	204730.74	1649465.25	777.87	778.24	25.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.15	760.72	N/A	Not Gauged	Not Gauged	N/A
MW-404	204626.78	1649364.47	777.76	778.05	25.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.14	760.62	N/A	Not Gauged	Not Gauged	N/A
MW-405S	204669.48	1649298.20	777.83	778.23	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	15.66	762.17	N/A	Not Gauged	Not Gauged	N/A
MW-405D	204669.89	1649298.17	777.85	778.23	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	19.32	758.53	-3.65	Not Gauged	Not Gauged	N/A
MW-406S	204662.14	1649411.19	777.72	778.00	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.86	759.86	N/A	Not Gauged	Not Gauged	N/A
MW-406D	204662.09	1649411.35	777.53	778.00	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	18.58	758.95	-0.91	Not Gauged	Not Gauged	N/A
MW-407S	204722.51	1649537.38	777.71	778.04	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	13.87	763.84	N/A	Not Gauged	Not Gauged	N/A
MW-407D	204722.37	1649537.21	777.64	778.04	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	18.65	758.99	-4.85	Not Gauged	Not Gauged	N/A
MW-408S	204813.26	1649413.63	777.92	778.26	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	12.00	765.92	N/A	Not Gauged	Not Gauged	N/A
MW-408D	204813.02	1649413.66	777.79	778.26	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	18.13	759.66	-6.27	Not Gauged	Not Gauged	N/A
MW-410S	204571.87	1649296.46	772.16	772.76	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	12.41	759.75	N/A	Not Gauged	Not Gauged	N/A
MW-410D	204571.85	1649296.12	772.20	772.76	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	14.15	758.05	-1.70	Not Gauged	Not Gauged	N/A
MW-411S	204570.08	1649390.23	772.28	772.73	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	12.32	759.96	N/A	Not Gauged	Not Gauged	N/A
MW-411D	204569.96	1649390.43	772.34	772.73	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A
MW-413S	204523.86	1649248.23	772.13	772.59	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	14.33	757.80	N/A	Not Gauged	Not Gauged	N/A
MW-413D	204523.82	1649248.03	772.21	772.59	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A
MW-414S	204529.31	1649349.16	771.23	771.78	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	11.18	760.05	N/A	Not Gauged	Not Gauged	N/A
MW-414D	204529.11	1649349.33	771.23	771.78	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	12.15	759.08	-0.97	Not Gauged	Not Gauged	N/A
MW-415S	204538.67	1649439.31	771.93	772.31	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	12.35	759.58	N/A	Not Gauged	Not Gauged	N/A
MW-415D	204538.81	1649439.54	771.96	772.31	35.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	12.50	759.46	-0.12	Not Gauged	Not Gauged	N/A
MW-416S	204540.92	1649557.20	773.32	773.69	36.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	13.49	759.83	N/A	Not Gauged	Not Gauged	N/A
MW-416D	204541.21	1649557.28	773.24	773.69	36.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	13.50	759.74	-0.08	Not Gauged	Not Gauged	N/A
MW-417S	204642.15	1649574.59	777.64	778.00	40.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	16.84	760.80	N/A	Not Gauged	Not Gauged	N/A
MW-417D	204642.06	1649574.45	777.64	778.00	40.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.92	759.72	-1.07	Not Gauged	Not Gauged	N/A
MW-418S	204748.38	1649606.34	777.73	778.05	41.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	16.19	761.54	N/A	Not Gauged	Not Gauged	N/A
MW-418D	204748.56	1649606.57	777.76	778.05	41.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.97	759.79	-1.75	Not Gauged	Not Gauged	N/A
MW-419S	204850.74	1649543.17	777.99	778.31	41.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	15.10	762.89	N/A	Not Gauged	Not Gauged	N/A
MW-419D	204851.08	1649543.15	777.91	778.31	41.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	15.40	762.51	-0.37	Not Gauged	Not Gauged	N/A
MW-422S	204843.50	1649736.55	777.68	778.06	26.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	13.37	764.31	N/A	Not Gauged	Not Gauged	N/A
MW-422D	204843.41	1649736.34	777.69	778.06	38.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	12.30	765.39	1.08	Not Gauged	Not Gauged	N/A
MW-423S	204760.12	1649728.85	777.64	778.02	26.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	13.95	763.69	N/A	Not Gauged	Not Gauged	N/A
MW-423D	204760.37	1649728.53	777.69	778.02	38.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.50	760.19	-3.51	Not Gauged	Not Gauged	N/A
MW-424S	204619.49	1649387.47	777.57	777.99	26.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.22	760.35	N/A	Not Gauged	Not Gauged	N/A
MW-424D	204619.61	1649387.71	777.63	777.99	38.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	17.15	760.48	0.12	Not Gauged	Not Gauged	N/A
MW-425	204404.91	1649169.12	769.39	769.72	30.0	Upper	10.4	758.99	N/A	10.4	758.99	N/A	11.48	757.91	N/A	12.89	756.50	N/A
MW-426	204387.38	1648988.24	769.19	769.41	34.0	Upper	Not Gauged	Not Gauged	N/A	Not Gauged	Not Gauged	N/A	11.35	757.84	N/A	Not Gauged	Not Gauged	N/A
MW-173	204375.76	1648974.22	768.97	769.18	98.10	Lower	28.57	740.40	N/A	Not Gauged	Not Gauged	N/A	28	740.97	-16.87	Not Gauged	Not Gauged	N/A
MW-427	204366.86	1649144.03	768.79	769.13	25.0	Upper	Could Not Locate	Could Not Locate	N/A	Could Not Locate	Could Not Locate	N/A	Could Not Locate	Could Not Locate	N/A	Not Gauged	Not Gauged	N/A
MW-																		

Table 3
 Groundwater Monitoring Well Elevations
 Former Indianapolis Consumer Electronics Plant (Sherman Park)
 600 North Sherman Drive
 Indianapolis, Indiana

Well I.D.	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	WBU	Depth to Water Jan 2023 (ft bgs)	Water Elevation Jan 2023 (ft amsl)	Vertical Gradient (Jan 2023)	Depth to Water Apr 2023 (ft bgs)	Water Elevation Apr 2023 (ft amsl)	Vertical Gradient (Apr 2023)	Depth to Water July/Sept 2023 (ft bgs)	Water Elevation July/Sept 2023 (ft amsl)	Vertical Gradient (July/Sept 2023)	Depth to Water Oct/Nov 2023 (ft bgs)	Water Elevation Oct/Nov 2023 (ft amsl)	Vertical Gradient (Oct/Nov 2023)
	Eastings	Northings																
MW-22	204499.52	1648973.31	769.71	770.09	60.9	Middle	28.62	741.09	N/A	Not Gauged	N/A	N/A	28.5	741.21	N/A	Not Gauged	N/A	N/A
MW-82	204778.37	1648966.92	774.50	775.25	60.8	Middle	Not Gauged	N/A	Not Gauged	N/A	N/A	N/A	32.3	742.20	N/A	Not Gauged	N/A	N/A
MW-92	204532.63	1648678.14	771.62	771.88	62.8	Middle	Not Gauged	N/A	Not Gauged	N/A	N/A	N/A	30.01	741.61	N/A	Not Gauged	N/A	N/A
MW-112	204315.38	1648983.97	767.58	768.03	58.0	Middle	26.89	740.69	N/A	Not Gauged	N/A	N/A	26.26	741.32	N/A	Not Gauged	N/A	N/A
MW-313	204298.43	1648977.22	767.61	767.52	95.00	Lower	26.77	740.84	0.15	Not Gauged	N/A	N/A	26.2	741.41	0.09	Not Gauged	N/A	N/A
MW-122	204180.69	1649413.25	765.49	765.88	60.0	Middle	Could Not Locate	N/A	Could Not Locate	N/A	N/A	N/A	Could Not Locate	N/A	N/A	Could Not Locate	N/A	N/A
MW-123	204189.74	1649422.02	765.17	766.08	91.5	Lower	Could Not Locate	N/A	Could Not Locate	N/A	N/A	N/A	Could Not Locate	N/A	N/A	Could Not Locate	N/A	N/A
MW-302	204025.46	1649273.43	767.79	768.17	62.00	Middle	Not Gauged	N/A	Not Gauged	N/A	N/A	N/A	25.66	742.13	N/A	Not Gauged	N/A	N/A
MW-303	204017.72	1649273.44	766.19	766.79	95.00	Lower	26.22	739.97	N/A	Not Gauged	N/A	N/A	25.03	741.16	-0.97	Not Gauged	N/A	N/A
MW-312	204147.28	1649068.09	771.75	772.04	68.00	Middle	30.90	740.85	N/A	Not Gauged	N/A	N/A	28.4	743.35	N/A	Not Gauged	N/A	N/A
MW-332	204348.01	1649258.02	773.82	770.92	65.00	Middle	Not Gauged	N/A	Not Gauged	N/A	N/A	N/A	32.61	741.21	N/A	Not Gauged	N/A	N/A
MW-153	203974.40	1648970.72	768.95	769.61	91.00	Lower	29.7	739.25	N/A	Not Gauged	N/A	N/A	27.51	741.44	N/A	Not Gauged	N/A	N/A
MW-333	203704.43	1649356.73	764.82	765.05	95.00	Lower	24.7	740.12	N/A	Not Gauged	N/A	N/A	23.95	740.87	N/A	Not Gauged	N/A	N/A
MW-343	203987.02	1649721.00	764.05	764.33	103.00	Lower	Not Gauged	N/A	Not Gauged	N/A	N/A	N/A	24.55	739.50	N/A	Not Gauged	N/A	N/A

ft amsl - feet above mean sea level

ft bgs - feet below ground surface

WBU - water-bearing unit

Not Gauged - Well not part of that particular event

Could Not Locate - Well likely destroyed

Well Inaccessible - Well was either within an area of injection or construction, or was covered at the time of sampling

Table 4a
Stabilized pH Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

pH (S.U.)

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	6.57	6.23	6.64	6.36	6.84	6.55	6.64	6.73	6.53	6.43	6.66	6.92	6.65	6.86	6.62
1/25/16	Month 55	6.33	5.46	6.56	6.41	6.55	6.43	6.20	5.18	6.81	6.71	6.49	6.74	7.09	7.19	6.44
4/20/16	Month 58	6.29	6.71	6.81	6.49	6.89	6.59	6.35	5.72	7.21	7.02	6.44	6.54	7.35	6.95	6.67
7/20/16	Month 61	6.41	5.63	6.61	6.65	6.59	6.56	6.24	5.29	6.65	6.78	6.59	6.85	7.19	7.09	6.51
10/17/16	Month 64	6.91	7.27	7.26	7.16	7.51	7.03	6.96	NM	7.49	7.65	7.05	7.15	7.36	7.57	7.26
1/9/17	Month 66	6.80	6.43	6.76	7.05	6.97	6.84	6.67	5.53	7.42	7.57	6.90	6.88	7.20	7.03	6.86
4/25/17	Month 70	6.65	6.74	6.77	6.72	7.01	6.60	6.45	6.74	6.86	7.15	6.85	6.60	7.06	7.15	6.81
7/12/17	Month 72	6.88	7.19	6.90	6.84	7.33	6.94	6.78	7.07	7.21	7.45	6.82	6.71	7.43	7.93	7.11
10/18/17	Month 76	6.21	6.87	7.02	6.83	7.38	6.69	6.78	6.95	7.15	7.01	7.10	6.95	7.21	7.26	6.96
1/25/18	Month 79	6.30	6.75	6.72	6.44	9.53	9.38	9.88	9.92	10.62	9.62	9.95	10.48	10.14	10.54	9.02
4/19/18	Month 82	6.50	6.39	6.83	7.00	7.31	6.80	6.77	6.67	6.96	7.11	6.65	6.91	7.07	7.19	6.87
7/19/18	Month 85	6.64	6.91	7.02	6.70	7.21	7.03	6.67	7.33	7.02	7.32	7.08	6.94	7.31	7.14	7.02
10/22/18	Month 88	6.85	7.01	6.48	6.70	6.76	6.63	6.42	6.71	6.91	7.09	6.25	6.78	6.54	7.16	6.74
1/28/19	Month 91	6.26	6.64	6.65	6.39	6.59	6.51	6.30	6.93	6.73	6.92	6.67	6.28	6.74	7.41	6.64
4/8/19	Month 93	6.19	6.52	6.39	6.27	6.32	6.33	6.02	6.64	6.43	6.61	6.28	6.40	6.42	6.75	6.40
7/15/19	Month 97	6.67	6.77	7.36	6.54	6.80	6.79	6.63	7.54	6.96	7.07	7.73	7.63	6.96	7.85	7.09
10/22/19	Month 100	6.41	6.87	6.76	6.48	6.55	6.63	6.47	6.52	6.89	6.86	6.57	6.89	6.99	6.85	6.70
1/14/20	Month 102	6.35	6.81	6.68	6.33	6.59	6.60	6.44	6.99	6.93	6.99	6.68	6.65	6.96	6.84	6.70
4/13/20	Month 105	6.42	7.01	6.72	6.59	6.59	6.58	6.62	6.67	6.94	6.93	6.55	6.71	6.92	6.84	6.72
7/21/20 ^a	Month 108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/19/20	Month 112	6.49	6.94	6.73	6.56	6.62	6.56	6.39	6.64	6.92	6.91	6.55	6.58	6.93	6.78	6.69
1/6/21	Month 114	6.83	6.91	6.85	6.70	6.68	6.57	6.50	6.85	7.06	6.47	6.47	6.59	7.02	6.61	6.72
4/19/21	Month 118	6.58	6.97	4.70	6.73	6.84	6.72	6.61	6.65	7.07	7.10	3.70	6.59	7.09	6.88	6.45
7/20/21	Month 121	6.42	6.71	6.84	6.54	6.75	7.08	6.63	6.38	7.27	7.02	6.29	6.23	-	6.50	6.67
10/4/21	Month 123	6.11	6.21	6.25	5.94	5.95	-	5.84	6.40	6.32	6.27	5.86	5.86	-	4.65	6.03
2/21/22	Month 128	6.59	6.88	6.87	6.74	6.88	6.79	6.65	6.74	7.18	7.11	6.75	6.83	7.13	-	6.86
4/21/22	Month 130	6.57	6.88	6.86	6.74	6.91	6.84	6.67	6.71	7.12	7.07	6.76	6.74	7.06	6.90	6.85
7/27/22	Month 133	6.75	7.00	6.94	6.83	6.96	6.98	6.69	6.82	7.15	7.10	6.86	6.66	7.10	6.92	6.91
10/25/22	Month 136	-	-	6.76	6.74	6.77	6.81	-	-	7.01	6.97	7.00	6.64	6.89	6.80	6.84
1/23/23 ^b	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	6.90	-	6.90
4/25/23 ^b	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	7.29	-	7.29
7/17/23 ^c	Month 145	6.57	-	6.64	6.73	6.65	6.73	6.34	-	6.76	-	6.90	6.70	6.96	7.00	6.73
10/17/23 ^b	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	7.17	-	7.17

^a = Sample not collected

a. pH readings were not obtained during the 7/21/2020 event due to a faulty sensor

b. Samples were not collected from remedial wells during the January, April and October 2023 events due to not enough timing from recent amendment injections.

c. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 4b
Stabilized Temperature Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Temp (degrees Celsius)

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	16.22	16.3	18.20	18.10	14.10	15.42	14.95	16.23	13.26	14.14	18.70	18.75	12.56	16.00	15.92
1/25/16	Month 55	14.08	10.33	10.96	10.56	14.24	12.26	14.06	12.30	13.59	12.85	11.71	11.46	11.89	11.36	12.26
4/20/16	Month 58	16.53	18.73	19.17	19.57	16.69	20.84	17.17	18.81	17.86	17.91	17.18	15.23	16.72	16.03	17.75
7/20/16	Month 61	24.77	24.23	24.65	24.13	24.97	25.19	25.63	24.68	26.33	26.63	24.06	24.21	24.22	24.56	24.88
10/17/16	Month 64	21.11	20.27	20.24	20.66	20.07	19.19	21.82	19.47	21.68	20.93	21.31	20.07	20.69	20.20	20.55
1/9/17	Month 66	11.97	11.18	11.36	11.83	13.60	11.92	13.38	11.84	13.27	12.45	11.53	11.32	11.90	11.70	12.09
4/25/17	Month 70	17.04	19.04	16.62	17.52	15.90	17.78	17.80	19.04	15.82	16.75	16.37	17.16	16.87	18.55	17.30
7/12/17	Month 72	21.17	20.51	20.56	20.18	19.53	19.39	19.81	19.82	20.13	19.10	22.32	20.63	19.33	20.04	20.18
10/18/17	Month 76	17.22	16.58	17.73	16.61	17.05	16.78	17.20	16.29	16.87	16.47	17.97	17.03	16.73	17.51	17.00
1/25/18	Month 79	15.79	16.23	14.99	15.85	13.86	12.72	13.74	14.39	9.33	14.62	13.21	13.30	10.40	13.99	13.74
4/19/18	Month 82	14.61	14.72	14.45	14.09	13.62	13.11	13.31	13.38	13.07	13.14	14.31	13.43	13.58	13.11	13.71
7/19/18	Month 85	21.86	23.59	23.09	-	24.76	23.04	25.61	21.97	22.64	20.97	21.25	23.78	20.66	22.36	22.74
10/22/18	Month 88	18.97	18.47	17.94	18.06	19.12	22.10	18.65	17.88	18.40	17.87	17.98	18.26	18.26	18.23	18.59
1/28/19	Month 91	15.10	14.10	12.70	14.60	10.20	11.20	12.20	11.10	11.40	11.90	12.10	13.50	10.60	12.20	12.35
4/8/19	Month 93	14.45	15.75	14.08	14.73	14.63	17.38	12.58	13.69	18.10	17.42	15.04	15.75	12.89	15.08	15.11
7/15/19	Month 97	20.01	22.56	31.39	24.23	17.58	17.64	18.56	17.06	22.79	19.33	29.91	29.41	19.67	27.53	22.69
10/22/19	Month 100	17.40	17.10	19.40	17.40	18.50	17.60	16.60	16.50	17.80	17.00	17.60	17.60	18.60	17.10	17.59
1/14/20	Month 102	16.00	15.90	13.30	16.30	15.80	15.70	15.60	15.90	14.90	14.90	13.90	13.20	14.50	14.30	15.01
4/13/20	Month 105	13.80	14.70	14.00	14.20	13.70	14.70	13.40	14.30	12.90	14.00	13.40	14.20	12.00	12.90	13.73
7/21/20	Month 109	18.40	18.20	20.10	18.40	18.70	18.00	20.80	18.60	17.70	17.10	19.10	20.10	18.00	18.00	18.66
10/19/20	Month 112	16.80	16.40	17.80	17.20	18.50	17.00	17.80	16.70	18.10	16.80	16.90	16.30	18.60	15.70	17.19
1/6/21	Month 114	16.10	15.30	15.20	15.90	15.80	15.30	15.40	15.60	15.80	15.70	14.50	13.90	15.60	13.10	15.23
4/19/21	Month 118	16.80	17.70	15.50	18.70	13.20	14.60	15.70	16.10	13.60	13.90	15.00	15.00	12.10	13.60	15.11
7/20/21	Month 121	18.30	19.10	20.10	18.80	20.20	19.80	19.90	17.50	18.70	18.80	17.50	17.00	-	17.40	18.70
10/4/21	Month 123	19.30	18.20	19.70	19.10	20.90	-	19.70	19.00	21.00	19.60	18.80	18.90	-	17.60	19.39
2/21/22	Month 128	14.31	16.40	13.13	16.30	15.89	16.40	16.69	14.30	13.54	14.47	15.35	12.86	12.38	-	14.77
4/21/22	Month 130	14.55	15.49	15.07	16.28	13.14	14.53	15.62	17.25	14.88	15.80	15.49	16.55	12.30	14.86	15.13
7/27/22	Month 133	20.11	18.57	19.51	21.73	18.17	17.68	18.79	18.08	17.49	16.85	18.07	17.93	16.72	18.31	18.43
10/25/22 ^a	Month 136	-	-	19.76	18.60	20.90	18.62	-	-	19.40	17.48	19.50	18.12	20.76	18.60	19.17
1/23/23 ^a	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	14.12	-	14.12
4/25/23 ^a	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	11.84	-	11.84
7/17/23 ^b	Month 145	20.33	-	23.46	18.40	20.78	19.99	18.40	-	18.19	-	19.55	20.42	17.70	20.11	19.76
10/17/23 ^a	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	17.80	-	17.80

a. Samples were not collected from remedial wells during these events due to not enough timing from recent amendment injections.

b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 4c
Stabilized Specific Conductivity Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Specific Conductivity [micro-Siemens per centimeter (µS/cm)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	2.62	1.21	1.96	1.48	1.42	1.77	1.73	1.21	1.70	1.15	2.34	1.35	1.19	1.60	1.62
1/25/16	Month 55	6.27	2.02	1.91	2.74	2.29	2.08	3.34	2.00	2.01	1.68	2.89	1.95	1.30	1.74	2.44
4/20/16	Month 58	7.26	1.91	1.73	2.83	1.42	2.81	2.96	1.37	2.02	1.76	3.15	1.31	1.53	1.73	2.41
7/20/16	Month 61	4.26	2.20	2.05	2.34	2.37	2.02	3.12	1.87	-	-	2.55	1.94	-	1.56	2.39
10/17/16	Month 64	6.75	2.49	1.09	2.64	1.45	2.45	2.64	2.78	1.61	0.99	3.59	2.23	1.17	1.64	2.39
1/9/17	Month 66	6.15	2.31	1.52	2.23	2.66	2.09	1.64	2.06	1.49	1.09	2.81	2.61	1.20	1.79	2.26
4/25/17	Month 70	6.54	2.59	1.48	2.73	1.35	2.35	3.15	2.17	1.42	1.20	1.67	1.53	1.43	1.29	2.21
7/12/17	Month 72	7.08	2.56	1.27	0.28	1.29	2.35	2.35	2.08	1.34	1.21	2.29	1.02	1.44	0.46	1.93
10/18/17	Month 76	9.42	2.45	1.22	0.34	1.02	2.44	2.24	2.27	1.22	0.92	2.05	1.22	1.57	0.52	2.06
1/25/18	Month 79	8.68	2.08	1.38	1.28	0.39	2.31	1.29	1.02	0.56	1.35	0.40	0.09	0.97	0.29	1.58
4/19/18	Month 82	3.35	2.20	1.01	0.53	0.97	2.12	2.51	2.71	0.81	1.02	1.46	1.82	1.32	1.15	1.64
7/19/18	Month 85	11.41	2.25	1.08	1.30	1.31	2.10	2.41	1.29	1.30	1.26	3.31	0.95	1.24	1.60	2.34
10/22/18	Month 88	1.14	2.12	1.21	1.14	1.24	1.24	1.42	0.66	1.21	1.20	3.03	3.04	1.22	1.26	1.51
1/28/19	Month 91	1.36	2.34	1.37	1.57	1.36	2.10	1.18	0.52	1.06	1.38	3.50	0.83	1.43	0.47	1.46
4/8/19	Month 93	1.46	2.25	0.88	1.54	1.16	1.85	1.89	1.19	0.95	1.19	2.56	1.34	1.36	0.96	1.47
7/15/19	Month 97	8.30	1.87	0.24	1.04	0.93	1.54	2.19	0.31	0.81	1.09	0.09	0.08	0.83	0.14	1.39
10/22/19	Month 100	12.56	2.04	1.39	1.37	1.05	1.65	2.42	1.10	1.04	1.19	2.14	0.59	0.92	1.47	2.21
1/14/20	Month 102	10.28	1.79	1.18	0.65	1.19	1.75	1.29	0.84	0.87	1.10	2.20	0.66	0.93	1.44	1.87
4/13/20	Month 105	9.31	1.33	1.42	1.28	1.13	1.77	1.44	0.63	0.91	1.07	2.22	1.16	0.89	1.46	1.86
7/21/20	Month 109	9.36	1.39	1.28	1.20	0.99	1.43	1.80	1.18	0.85	0.95	1.85	1.18	0.39	1.37	1.80
10/19/20	Month 112	10.10	1.19	1.04	1.18	0.90	1.18	1.25	1.02	0.90	0.95	1.72	1.22	0.67	1.25	1.75
1/6/21	Month 114	8.14	1.79	1.22	1.41	1.21	1.40	1.86	1.36	0.88	1.18	2.08	1.36	0.87	1.40	1.87
4/19/21	Month 118	7.07	2.08	2.18	1.36	1.10	1.60	2.13	1.90	0.91	1.13	2.16	1.17	0.85	1.52	1.94
7/20/21	Month 121	5.70	1.97	1.17	1.11	1.06	1.48	1.79	0.20	0.87	1.13	1.87	0.95	-	1.46	1.60
10/4/21	Month 123	3.40	1.58	0.64	1.27	0.84	-	1.11	0.68	0.81	0.93	0.46	0.17	-	1.39	1.04
2/21/22	Month 128	7.16	1.31	1.21	1.28	0.93	1.30	1.34	1.66	0.87	1.14	1.62	1.34	0.89	-	1.70
4/21/22	Month 130	6.03	1.23	1.35	1.29	0.88	1.17	2.08	2.13	0.93	1.11	1.64	1.19	0.79	1.36	1.66
7/27/22	Month 133	9.18	1.30	1.34	1.32	0.94	1.16	1.92	1.78	0.90	1.15	1.45	1.52	0.85	1.35	1.87
10/25/22 ^a	Month 136	-	-	1.20	1.28	1.49	1.14	-	-	0.95	1.09	0.02	1.01	0.95	1.24	1.04
1/23/23 ^a	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	0.88	-	0.88
4/25/23 ^a	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	0.85	-	0.85
7/17/23 ^b	Month 145	4.81	-	2.11	1.99	1.17	1.86	2.20	-	1.09	-	1.07	1.31	0.99	0.71	1.76
10/17/23 ^a	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	0.92	-	0.92

a. Samples were not collected from remedial wells during these events due to not enough timing from recent amendment injections.

b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 4d
Stabilized Dissolved Oxygen Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Dissolved Oxygen [milligrams/Liter (mg/L)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	1.79	0.60	-	0.83	0.67	0.54	0.67	0.48	0.65	0.61	-	3.11	0.61	-	0.96
1/25/16	Month 55	0.81	0.55	0.78	0.61	0.63	0.60	0.74	0.67	0.50	0.45	0.46	0.60	0.65	0.33	0.60
4/20/16	Month 58	0.57	0.38	0.62	0.40	0.28	0.34	0.36	0.32	0.33	0.28	0.31	0.97	0.35	0.76	0.45
7/20/16	Month 61	0.72	0.41	0.68	0.53	0.48	0.52	0.70	0.56	0.49	0.46	0.48	0.53	0.70	0.42	0.55
10/17/16	Month 64	0.94	0.56	0.84	0.55	0.63	0.57	0.76	0.64	0.67	0.63	0.95	0.80	0.74	1.03	0.74
1/9/17	Month 66	0.76	0.71	0.65	0.74	0.74	0.69	0.56	0.67	0.47	0.70	0.57	0.49	0.76	0.63	0.65
4/25/17	Month 70	0.94	0.61	0.71	0.28	5.50	0.39	0.38	0.62	4.20	3.90	0.94	1.10	0.85	0.87	1.52
7/12/17	Month 72	0.52	0.68	0.79	0.49	0.38	0.26	0.33	0.25	0.56	0.20	0.44	0.38	0.94	2.58	0.63
10/18/17	Month 76	0.86	0.51	0.74	0.66	0.65	0.68	0.44	0.29	0.96	0.77	0.52	0.41	1.03	1.20	0.69
1/25/18	Month 79	1.30	2.74	5.14	2.40	0.76	0.89	0.67	0.65	0.89	0.78	0.65	0.65	1.09	0.65	1.38
4/19/18	Month 82	0.82	0.68	0.75	1.10	0.98	0.94	0.69	0.58	0.82	1.06	0.62	1.17	1.14	0.97	0.88
7/19/18	Month 85	0.67	0.76	1.05	0.38	0.61	0.47	0.81	0.68	0.42	0.28	1.06	1.24	0.52	1.19	0.72
10/22/18	Month 88	0.44	0.48	1.11	1.87	0.84	0.61	1.11	0.42	0.60	0.47	1.18	1.36	1.44	1.02	0.93
1/28/19	Month 91	0.14	0.22	0.55	0.27	0.20	0.19	0.22	0.23	0.27	0.12	1.17	1.10	0.19	3.04	0.57
4/8/19	Month 93	0.01	0.00	1.69	2.28	0.00	0.00	0.00	0.24	0.00	0.00	0.00	1.54	0.00	0.08	0.42
7/15/19	Month 97	3.02	0.02	0.86	0.11	1.79	0.00	4.61	1.88	2.20	0.00	3.66	3.86	1.98	7.60	2.26
10/22/19	Month 100	0.23	0.37	1.21	0.30	0.27	0.20	0.28	0.13	0.30	0.29	1.15	1.21	0.29	2.47	0.62
1/14/20	Month 102	0.98	1.01	5.27	1.02	0.97	0.99	0.87	0.93	1.09	1.03	4.90	5.13	1.09	3.84	2.08
4/13/20	Month 105	0.24	0.22	1.70	0.35	0.21	0.24	0.20	0.24	0.28	0.28	1.70	1.48	0.34	3.01	0.75
7/21/20	Month 109	0.64	0.57	1.61	0.64	0.60	0.57	0.50	0.49	0.56	0.56	2.19	2.51	0.82	2.51	1.06
10/19/20	Month 112	0.89	0.96	5.73	1.30	1.10	1.00	0.90	0.94	1.05	1.10	3.38	4.82	1.02	3.71	1.99
1/6/21	Month 114	0.84	0.94	2.73	1.1	0.95	0.95	0.89	0.90	0.96	0.94	2.74	3.29	0.95	2.41	1.50
4/19/21	Month 118	4.92	5.56	5.11	4.67	5.63	5.32	5.07	4.98	5.51	5.54	5.26	5.41	5.91	6.74	5.40
7/20/21	Month 121	1.58	1.84	4.80	1.59	1.52	1.82	1.31	1.90	1.52	1.56	6.90	1.80	-	5.90	2.62
10/4/21	Month 123	2.30	1.80	4.91	1.81	1.66	-	1.57	2.28	1.62	2.17	2.45	3.39	-	4.68	2.40
2/21/22	Month 128	0.18	0.01	0.17	0.00	0.59	0.00	0.03	0.18	0.00	0.01	0.03	0.13	0.00	-	0.10
4/21/22	Month 130	0.04	0.05	0.07	0.00	0.00	0.04	0.00	0.05	0.00	0.09	0.00	0.00	0.01	0.15	0.04
7/27/22	Month 133	0.00	0.01	0.01	0.05	0.00	0.04	0.00	0.01	0.03	0.03	0.02	0.01	0.01	0.15	0.03
10/25/22 ^a	Month 136	-	-	0.35	0.00	0.00	0.00	-	-	0.00	0.00	0.02	0.03	0.05	0.15	0.06
1/23/23 ^a	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	0.00	-	0.00
4/25/23 ^a	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	0.05
7/17/23 ^b	Month 145	0.02	-	0.02	0.00	0.00	0.78	0.00	-	0.00	-	0.03	0.01	0.00	0.09	0.09
10/17/23 ^a	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	0.04	-	0.04

a. Samples were not collected from remedial wells during these events due to not enough timing from recent amendment injections.

b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 4e
Stabilized Oxidation Reduction Potential Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Oxidation Reduction Potential [millivolts (mV)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	73.0	29.0	-	28.0	49.0	53.0	76.0	35.0	163.0	36.0	-	21.0	35.0	-	54.4
1/25/16	Month 55	161.0	5.0	-62.0	-62.0	-106.0	-93.0	-81.0	-24.0	-126.0	-114.0	-74.0	-90.0	-138.0	-59.0	-61.6
4/20/16	Month 58	138.0	-171.0	-110.0	-85.0	-173.0	-151.0	-102.0	-50.0	-137.0	-120.0	-113.0	-79.0	-127.0	59.0	-87.2
7/20/16	Month 61	155.0	28.0	-36.0	-41.0	-88.0	-75.0	-71.0	-12.0	-115.0	-103.0	-66.0	-78.0	-128.0	-44.0	-48.1
10/17/16	Month 64	200.0	-25.0	30.0	-60.0	29.0	15.0	-21.0	31.0	-81.0	-77.0	13.0	-18.0	33.0	131.0	14.3
1/9/17	Month 66	171.0	-28.0	-9.0	-30.0	24.0	37.0	-11.0	25.0	-70.0	-54.0	-44.0	-24.0	-38.0	16.0	-2.5
4/25/17	Month 70	8.0	-93.0	-72.0	-70.0	-184.0	-137.0	-95.0	-213.0	-207.0	-153.0	-21.0	-36.0	-67.0	-92.0	-102.3
7/12/17	Month 72	21.0	-117.0	-89.0	-11.0	-174.0	-151.0	-125.0	-215.0	-152.0	-167.0	-95.0	-72.0	-105.0	-60.0	-108.0
10/18/17	Month 76	-107.0	-105.0	-62.0	9.0	-112.0	-117.0	-139.0	-164.0	-122.0	-140.0	-78.0	-66.0	-88.0	-44.0	-95.4
1/25/18	Month 79	-125.0	-113.0	-98.0	-74.0	-	-	-	-	-	-	-	-	-	-	-102.5
4/19/18	Month 82	-122.0	-132.0	-16.0	-13.0	-102.0	-115.0	-90.0	-99.0	-52.0	-40.0	-13.0	-43.0	-45.0	-80.0	-68.7
7/19/18	Month 85	-226.0	-171.0	-124.0	-132.0	-119.0	-106.0	-111.0	-107.0	-79.0	-94.0	-117.0	-101.0	-85.0	-115.0	-120.5
10/22/18	Month 88	-277.0	-224.0	-64.0	-89.0	-115.0	-80.0	-178.0	-256.0	-161.0	-180.0	-70.0	-64.0	-48.0	-207.0	-143.8
1/28/19	Month 91	-21.7	-36.8	124.3	-25.6	-31.3	-64.5	-285.7	-269.3	-75.1	-67.7	42.9	138.3	-62.2	50.4	-41.7
4/8/19	Month 93	-201.0	-83.0	-107.0	-126.0	-102.0	-97.0	-242.0	-182.0	-181.0	-114.0	-92.0	-88.0	-88.0	5.0	-121.3
7/15/19	Month 97	-230.0	-89.0	-60.0	-94.0	-67.0	-78.0	-240.0	-58.0	-145.0	-88.0	51.0	100.0	-75.0	70.0	-71.6
10/22/19	Month 100	-204.1	-109.2	-89.6	-86.8	-67.9	-112.7	-107.8	-162.5	-126.4	-99.8	-78.1	-35.9	-98.7	22.3	-96.9
1/14/20	Month 102	-77.2	-102.1	-44.9	-41.5	-214.5	-232.8	-308.7	-256.2	-108.4	-99.0	-65.8	-6.8	-82.4	0.8	-117.1
4/13/20	Month 105	-340.2	-262.3	-56.3	-62.3	-153.2	-175.9	-316.1	-240.8	-102.3	-74.1	-57.2	-53.6	-76.3	6.2	-140.3
7/21/20	Month 109	-249.9	-201.3	-59.4	-89.8	-156.4	-161.7	-286.5	-268.3	-171.4	-132.2	-49.4	-28.3	-74.3	23.9	-136.1
10/19/20	Month 112	-342.7	-272.8	-74.0	-79.9	-228.2	-238.9	-294.1	-279.6	-272.3	-210.7	-101.6	-66.8	-188.8	28.3	-187.3
1/6/21	Month 114	-261.0	-197.0	-78.3	-84.0	-155.0	-127.8	-247.0	-223.0	-126.0	-111.8	-69.3	-65.6	-113.9	3.2	-132.6
4/19/21	Month 118	-100.0	-141.5	-77.8	-84.5	-84.2	-120.7	-285.0	-258.0	-125.1	-119.0	-88.7	-39.0	-89.1	26.7	-113.3
7/20/21	Month 121	-83.4	-70.3	-86.7	-59.1	-58.3	-66.1	-202.0	-203.0	-97.1	-82.0	-66.2	-34.2	-	107.0	-77.0
10/4/21	Month 123	-78.4	-64.5	-17.8	-42.6	-64.5	-	-58.9	57.5	-96.5	-78.5	24.0	8.4	-	187.1	-20.7
2/21/22	Month 128	-210.4	-175.4	-111.2	-101.4	-152.1	-171.4	-197.7	-193.3	-135.7	-107.1	-117.1	-105.7	-111.2	-	-145.4
4/21/22	Month 130	-84.3	-86.9	-120.3	-101.7	-91.6	-110.8	-135.0	-284.5	-107.7	-88.4	-109.4	-89.7	-85.4	-5.8	-107.3
7/27/22	Month 133	-281.2	-159.0	-133.4	-113.5	-187.6	-182.0	-216.9	-273.2	-180.6	-155.4	-142.3	-102.0	-119.1	-110.4	-168.3
10/25/22 ^a	Month 136	-	-	-79.4	-75.2	-153.1	-145.8	-	-	-117.5	-77.2	-103.2	-63.2	-106.0	2.9	-91.8
1/23/23 ^a	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	-189.1	-	-189.1
4/25/23 ^a	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	-180.3	-	-180.3
7/17/23 ^b	Month 145	-180.9	-	-132.3	-94.8	-112.8	-89.5	-85.1	-	-115.6	-	-98.6	-73.7	-142.2	-58.8	-107.7
10/17/23 ^a	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	-124.90	-	-124.9

a. Samples were not collected from remedial wells during these events due to not enough timing from recent amendment injections.

b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 5
 Groundwater VOC Analytical Results - 2023
 Former Indianapolis Consumer Electronics Plant (Sherman Park)
 600 North Sherman Drive
 Indianapolis, Indiana

Well ID	Sample Type	Sample Date	1,1,1-Trichloroethane	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	1,2-Dichloropropane	2-Butanone (MEK)	2-Hexanone	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene	Bromochloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethane	cis-1,3-Dichloropropene	Dibromochloromethane	Ethylbenzene	Methylene Chloride	Styrene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Vinyl chloride	Xylene (Total)				
AD-100-012323 (MW-425)	Sample	1/23/2023	<5.0	<5.0	<5.0	21.5	<5.0	5.9	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	164	<5.0	<5.0	734	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.8	502	<10.0		
MW-112	Sample	1/23/2023	<5.0	<5.0	<5.0	8.6	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	235	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	312	<10.0		
MW-132	Sample	1/23/2023	<5.0	<5.0	<5.0	74.6	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	22.5	<5.0	<5.0	526	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	38.4	<5.0	627	175	<10.0
MW-133	Sample	1/23/2023	<5.0	<5.0	<5.0	8.4	5.5	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	583	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	81.2	<5.0	42.9	345	<10.0		
MW-153	Sample	2/20/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	2.3	<10.0			
MW-163	Sample	1/24/2023	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<5000	<250	<250	<250	<250	<500	<250	<250	<250	<250	<250	7070	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	<250	1460	<500		
MW-173	Sample	2/20/2023	<125	<125	<125	<125	<125	<125	<125	<625	<625	<625	<2500	<125	<125	<125	<125	<250	<125	<125	<125	<125	<125	988	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	91.6	<250	
MW-22	Sample	2/20/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	64	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	121	<10.0		
MW-253	Sample	1/24/2023	<5.0	<5.0	<5.0	671	33.7	123	<5.0	<25.0	<25.0	<25.0	<100	25.2	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	797	<5.0	<5.0	19300	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	188	<5.0	<5.0	2300	<10.0	
MW-303	Sample	1/24/2023	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<125	<125	<125	<500	<25.0	<25.0	<25.0	<25.0	<50.0	<25.0	<25.0	<25.0	<25.0	<25.0	1060	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	402	<50.0		
MW-322	Sample	2/20/2023	<125	<125	<125	<125	<125	<125	<125	<625	<625	<625	<2500	<125	<125	<125	<125	<250	<125	<125	2340	<125	<125	645	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	<125	815	<250		
MW-331	Sample	2/20/2023	<5.0	<5.0	<5.0	5.4	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	26.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	2.4	<10.0			
MW-333	Sample	1/24/2023	<5.0	<5.0	<5.0	<5.0	23	28.5	<5.0	<25.0	<25.0	<25.0	<100	10.1	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	11000	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	108	<5.0	1800	<10.0	
MW-425	Sample	1/23/2023	<5.0	<5.0	<5.0	21.8	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	167	<5.0	<5.0	737	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.9	497	<10.0		
W-10	Sample	2/20/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0			
W-11D	Sample	1/24/2023	<5.0	<5.0	<5.0	127	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	14.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	3.4	<10.0		
MW-312	Sample	1/23/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	86.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	55.5	35	<10.0		
MW-313	Sample	1/23/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	282	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	6.5	<5.0	5.9	20.3	<10.0	
W-8	Sample	2/20/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0				
W-9	Sample	2/20/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.3	<10.0			

All results are in micrograms per liter (µg/L).
 '<' - Concentration is less than the laboratory reporting limit.
 'J' - Constituent detected above the method detection limit but below the laboratory's reporting limit and is an estimate.
 BOLD values represent concentrations above laboratory reporting limits.

Table 5
 Groundwater VOC Analytical Results - 2023
 Former Indianapolis Consumer Electronics Plant (Sherman Park)
 600 North Sherman Drive
 Indianapolis, Indiana

Well ID	Sample Type	Sample Date	1,1,1-Trichloroethane	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	1,2-Dichloropropane	2-Butanone (MEK)	2-Hexanone	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene	Bromochloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromochloromethane	Ethylbenzene	Methylene Chloride	Styrene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Vinyl chloride	Xylene (Total)			
AD-100-042523 (MW-425)	Sample	4/25/2023	<5.0	<5.0	<5.0	17.1	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	150	<5.0	<5.0	99.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	5.8	279	<10.0
MW-41	Sample	4/25/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0	
MW-241	Sample	4/25/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0	
MW-253	Sample	4/25/2023	<5.0	<5.0	<5.0	308	<5.0	98.8	<5.0	<25.0	<25.0	<25.0	<100	25.2	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	732	<5.0	<5.0	17300	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	233	<5.0	<5.0	<5.0	1770	<10.0
MW-331	Sample	4/25/2023	<5.0	<5.0	<5.0	5.4	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	56.4	<5.0	<5.0	30.7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	379	<10.0	
MW-425	Sample	4/25/2023	<5.0	<5.0	<5.0	17.4	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	131	<5.0	<5.0	87.7	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	242	<10.0	
W-10	Sample	4/25/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0		
W-8	Sample	4/25/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0		
W-9	Sample	4/25/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	11.8	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	2.2	<10.0		

All results are in micrograms per liter (µg/L).
 < - Concentration is less than the laboratory reporting limit.
 J - Constituent detected above the method detection limit but below the laboratory's reporting limit and is an estimate.
 BOLD values represent concentrations above laboratory reporting limits.

Table 5
 Groundwater VOC Analytical Results - 2023
 Former Indianapolis Consumer Electronics Plant (Sherman Park)
 600 North Sherman Drive
 Indianapolis, Indiana

Well ID	Sample Type	Sample Date	1,1,1-Trichloroethane	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	1,2-Dichloropropane	2-Butanone (MEK)	2-Hexanone	4-Methyl-2-pentanone (MIBK)	Acetone	Benzene	Bromochloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Cis-1,2-Dichloroethene	Cis-1,3-Dichloropropene	Dibromochloromethane	Ethylbenzene	Methylene Chloride	Styrene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Vinyl chloride	Xylene (Total)		
AD-100-042523 (MW-425)	Sample	10/17/2023	<5.0	<5.0	<5.0	21.2	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	284	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	4.6	<10.0
MW-41	Sample	10/17/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0	
MW-131	Sample	10/17/2023	132	<5.0	<5.0	14.3	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	9.3	<5.0	<5.0	8.8	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	38	<2.0	<10.0
MW-241	Sample	12/11/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0	
MW-253	Sample	10/17/2023	<5.0	<5.0	<5.0	123	<5.0	68.5	<5.0	<25.0	<25.0	<25.0	<100	<50.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	1030	<5.0	<5.0	17800	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	161	<5.0	<5.0	2480	<10.0
MW-331	Sample	10/17/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	689	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0	
MW-425	Sample	10/17/2023	<5.0	<5.0	<5.0	21.2	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	275	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	4.7	<10.0
W-10	Sample	12/11/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0		
W-8	Sample	12/11/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0		
W-9	Sample	10/17/2023	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<25.0	<25.0	<25.0	<100	<5.0	<5.0	<5.0	<5.0	<10.0	<5.0	<5.0	20.6	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<2.0	<10.0	

All results are in micrograms per liter (µg/L).
 < - Concentration is less than the laboratory reporting limit.
 'J' - Constituent detected above the method detection limit but below the laboratory's reporting limit and is an estimate.
 BOLD values represent concentrations above laboratory reporting limits.

Table 6a
Concentrations of Methane in Selected Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Methane [micrograms per Liter (µg/L)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-426*	MW-428	W-9*	MW Avg
3/17/11	Prior	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/25/16	Month 55	22900	15200	19500	14600	22000	14700	16700	17800	19200	19100	12900	10000	24800	11100	648	22000	16447
4/20/16	Month 58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/20/16	Month 61	22100	8210	15600	13700	19900	9550	16200	8310	17900	21500	12800	8810	4160	23500	24500	279	14189
10/17/16	Month 64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/9/17	Month 66	29100	15500	19400	19700	34700	39600	28000	26800	31300	8120	18100	26900	24800	22700	5530	23000	23328
4/25/17	Month 70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/12/17	Month 72	26200	20700	19600	27700	28500	31800	24300	27000	25700	2860	22900	27300	8800	11800	117	10800	19755
10/18/17	Month 76	-	-	-	-	-	-	-	-	-	-	-	-	-	14400	-	16600	10400
1/25/18	Month 79	25200	28800	-	-	30900	32900	27700	19300	34700	5080	31600	17500	5600	20100	5640	11800	19799
4/19/18	Month 82	-	-	-	-	-	-	-	-	-	-	-	-	-	5670	-	1890	2580
7/19/18	Month 85	36600	27300	28100	28400	29700	37300	13200	8320	33400	5830	38400	27300	12100	17100	5310	2080	20629
10/22/18	Month 88	18100	13600	22100	24100	25300	28600	17800	740	20100	2990	25300	23400	7150	156	1130	< 10	13593
1/28/19	Month 91	23400	19500	15600	25300	25900	16900	23500	6650	21500	2330	25700	22300	13800	-	155	< 10	16169
4/8/19	Month 93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/15/19	Month 97	25000	18900	3050	27400	36500	31700	28700	589	29100	2770	304	138	8280	4900	< 10	924	12840
10/22/19	Month 100	-	-	-	-	-	-	-	-	-	-	-	-	-	19200	-	477	6643
1/14/20	Month 102	32200	19400	50000	33600	39600	32600	38600	6200	39300	2970	24600	28700	5190	6960	69880	662	25324
4/13/20	Month 105	-	-	-	-	-	-	-	-	-	-	-	-	-	7530	-	1320	2952
7/21/20	Month 109	20900	9860	24900	27200	29300	30800	26000	9570	15600	1370	25100	25500	2160	< 4	1800	< 4	14710
10/19/20	Month 112	-	-	-	-	-	-	-	-	-	-	-	-	-	17600	-	391	6008
1/6/21	Month 114	20600	10500	17300	25100	22100	22500	25200	9750	18600	1970	19300	25100	2310	13600	2860	291	13946
4/19/21	Month 118	-	-	-	-	-	-	-	-	-	-	-	-	-	14700	-	90	4957
7/20/21	Month 121	33200	27200	28200	48100	50100	53500	47400	34200	42500	973	37200	145000	-	19400	6560	1180	35920
10/4/21	Month 123	-	-	-	-	-	-	-	-	-	-	-	-	-	641	-	1230	628
2/21/22	Month 128	13000	3300	18000	18000	18000	12000	18000	12000	10000	770	16000	16000	2000	-	1900	-	11355
4/21/22	Month 130	-	-	-	-	-	-	-	-	-	-	-	-	-	1300	-	900	1100
7/27/22	Month 133	15000	4100	13000	16000	17000	6400	24000	12000	15000	1600	11000	15000	2300	-	2600	-	11071
10/25/22	Month 136	-	-	-	-	-	-	-	-	-	-	-	-	-	6600	-	1700	4150
1/23/23 ^a	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	800	-	-	-	800
4/25/23	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	840	-	-	-	840
7/17/23 ^b	Month 145	7300	-	5100	6700	9200	8800	7300	-	10000	-	8300	8900	20000	<50	8800	47000	12283
10/17/23	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57400	57400

¹- = Sample not collected

a. Samples were not collected from remedial wells during this event due to not enough timing from recent amendment injections.

b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

<' = Methane not detected above laboratory reporting limits

* Samples collected from MW-426 and W-9 were collected via PDB, which is not the preferred method of sample collection for DHG analysis. Results may not be accurate.

Table 6b
Concentrations of Ethane in Selected Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Ethane [micrograms per liter (µg/L)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-426*	MW-428	W-9*	MW Avg
3/17/11	Prior	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1/25/16	Month 55	100	51	90	103	125	102	173	113	< 10	< 10	< 10	36	< 10	94	<10	72	68
4/20/16	Month 58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/20/16	Month 61	120	14	50	61	99	90	118	54	<10	325	234	<10	4	116	137	<10	90
10/17/16	Month 64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1/9/17	Month 66	105	36	712	55	488	675	137	282	310	67	317	34	44	78	6	<50	223
4/25/17	Month 70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/12/17	Month 72	44	173	815	29	84	326	234	2140	427	94	44	47	26	42	<10	<50	285
10/18/17	Month 76	-	-	-	-	-	-	-	-	-	-	-	-	-	53	-	38	32
1/25/18	Month 79	95	234	-	-	65	41	65	361	618	70	97	60	24	102	25	50	127
4/19/18	Month 82	-	-	-	-	-	-	-	-	-	-	-	-	-	39	-	27	24
7/19/18	Month 85	28	353	745	125	34	<50	<50	36	557	63	<50	49	41	55	<10	29	129
10/22/18	Month 88	151	379	795	116	54	251	207	43	752	44	212	91	39	<20.0	4	< 10	187
1/28/19	Month 91	84	326	326	177	39.2 J	39.8 J	66	< 50	445	45	85	51	79	-	8.2 J	9.0 J	120
4/8/19	Month 93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/15/19	Month 97	77	642	16	64.8 J	< 100	< 100	< 100	< 10	480	21	< 10	< 10	31	47	< 10	28	93
10/22/19	Month 100	-	-	-	-	-	-	-	-	-	-	-	-	-	61	-	37	35
1/14/20	Month 102	484	510	317	112	< 100	209	505	63	1130	24	595	85.2 J	41	17	20	42	248
4/13/20	Month 105	-	-	-	-	-	-	-	-	-	-	-	-	-	38	-	41	28
7/21/20	Month 109	253	407	161	285	< 50	< 50	< 50	120	380	9.00 J	1290	93	12	63	< 10	31	188
10/19/20	Month 112	-	-	-	-	-	-	-	-	-	-	-	-	-	56	-	29	30
1/6/21	Month 114	269	572	111	268	<100	<100	<100	95	636	12	990	98.9 J	17	35.6 J	<20.0	24	194
4/19/21	Month 118	-	-	-	-	-	-	-	-	-	-	-	-	-	129	-	7.2 J	47
7/20/21	Month 121	196	1680	<400	428	<100	<100	109	89	817	4.9 J	1060	335	-	51	6.3 J	22	316
10/4/21	Month 123	-	-	-	-	-	-	-	-	-	-	-	-	-	<20.0	-	20	12
2/21/22	Month 128	210	260	110	200	31	21	80	200	46	6	940	80	12	-	4	-	157
4/21/22	Month 130	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	14	10
7/27/22	Month 133	130	230	<0.17	<0.17	32	30	31	36	230	17	<0.17	<0.17	13	-	5	-	75
10/25/22	Month 136	-	-	-	-	-	-	-	-	-	-	-	-	-	22	-	26	22
1/23/23 ^a	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	11
4/25/23	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	7
7/17/23 ^b	Month 145	93	-	12	40	34	44	5	-	36	-	300	36	<100	<100	5	328	85
10/17/23	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	302	302

¹ = Sample not collected

a. Samples were not collected from remedial wells during this event due to not enough timing from recent amendment injections.

b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

<' = Ethane not detected above laboratory reporting limits

J' = Concentration is below laboratory reporting limits but above method detection limited and is considered an estimated value

* Samples collected from MW-426 and W-9 were collected via PDB, which is not the preferred method of sample collection for DHG analysis. Results may not be accurate.

Table 6c
Concentrations of Ethene in Selected Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Ethene [micrograms per liter (µg/L)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-426*	MW-428	W-9 *	MW Avg
3/17/11	Prior	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/25/16	Month 55	1410	166	3960	2270	7220	8390	6560	3900	601	47	28600	98	382	6390	31	39	4379
4/20/16	Month 58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/20/16	Month 61	1440	112	676	1040	4050	8930	11200	4390	767	48	27700	68	20	2250	1200	327	4014
10/17/16	Month 64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/9/17	Month 66	1130	68	603	1080	3610	17600	13500	2000	1710	895	23400	65	125	1620	148	63	4226
4/25/17	Month 70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/12/17	Month 72	832	787	596	733	3090	14500	16900	2850	2730	16	16000	229	<20	451	10	23.6	3982
10/18/17	Month 76	-	-	-	-	-	-	-	-	-	-	-	-	-	1280	-	<50	437
1/25/18	Month 79	3200	64	-	-	3060	12200	11400	2100	2110	37	14500	28	7	2980	50	50	3699
4/19/18	Month 82	-	-	-	-	-	-	-	-	-	-	-	-	-	381	-	<20	381
7/19/18	Month 85	5380	<50	18	1230	3420	12800	8670	2810	5340	48	9960	42	34	944	61	<10	2988
10/22/18	Month 88	2990	76	173	1500	3070	9360	10200	1310	4180	140	8480	57	33	<20.0	24	< 10	2448
1/28/19	Month 91	1180	27	194	1130	1200	4550	4540	3720	4070	21	1730	25	69	-	7	7.3	1605
4/8/19	Month 93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/15/19	Month 97	2350	41	< 10	1350	2320	3210	5310	190	5940	< 10	22	< 10	47	< 10	< 10	< 10	1224
10/22/19	Month 100	-	-	-	-	-	-	-	-	-	-	-	-	-	40	-	< 10	17
1/14/20	Month 102	1670	84	888	1280	1210	2380	7350	719	3330	31	3990	47.8 J	47	31	34	7.4 J	1359
4/13/20	Month 105	-	-	-	-	-	-	-	-	-	-	-	-	-	26	-	< 10	12
7/21/20	Month 109	1190	50	1030	1460	606	2840	6670	742	2280	65	8440	29.7 J	25	40	9.90 J	< 10	1499
10/19/20	Month 112	-	-	-	-	-	-	-	-	-	-	-	-	-	393	-	< 10	134
1/6/21	Month 114	921	<100	554	2290	262	1930	6150	3210	1570	38	8940	<100	23	357	<20.0	<10.0	1551
4/19/21	Month 118	-	-	-	-	-	-	-	-	-	-	-	-	-	577	-	<10.0	196
7/20/21	Month 121	973	97.6 J	1090	2050	122	3410	6270	10600	1490	25	19900	427	-	462	10	<10.0	2934
10/4/21	Month 123	-	-	-	-	-	-	-	-	-	-	-	-	-	16.3 J	-	<10.0	9
2/21/22	Month 128	480	43	90	1600	17	740	3800	450	19	11	6800	1	37	-	8	-	1007
4/21/22	Month 130	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	<0.24	16
7/27/22	Month 133	890	120	440	1100	70	380	2700	5900	490	36	11000	97	38	-	15	-	1663
10/25/22	Month 136	-	-	-	-	-	-	-	-	-	-	-	-	-	260	-	<0.24	260
1/23/23 ^a	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	40	-	-	-	40
4/25/23	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	1100	-	-	-	1100
7/17/23 ^b	Month 145	98	-	1	68	96	290	360	-	140	-	1900	53	4500	<100	75	<50	689
10/17/23	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

'-' = Sample not collected

a. Samples were not collected from remedial wells during this event due to not enough timing from recent amendment injections.


b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

<' = Ethene not detected above laboratory reporting limits

J' = Concentration is below laboratory reporting limits but above method detection limited and is considered an estimated value

* Samples collected from MW-426 and W-9 were collected via PDB, which is not the preferred method of sample collection for DHG analysis. Results may not be accurate.

FIGURES



Service Layer Credits: USGS Topo; USGS The National Map; National Boundaries Dataset; 3DEP Elevation Program; Geographic Names Information System; National Hydrography Dataset; National Land Cover Database; National Structures Dataset; and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road Data; National Earth Data; U.S. Department of State Humanitarian Information; and NOAA National Centers for Environmental Information; U.S. Coastal Relief Model. Data refreshed April, 2023.

Map Scale: 1:24,000 | Map Center: 86°6'22"W 39°46'37"N

 Property Boundary



KEY MAP (not to scale)

0 1,000 2,000 Feet


SITE LOCATION 2023 ANNUAL PROGRESS REPORT

FIGURE 01

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana





- ▲ 2022/2023 Injection Wells for Supplemental Injection
- ▲ 2022/2023 Injection Wells for Supplemental Injection Lower Zone Only
- ▲ 2022/2023 Injection Wells for Supplemental Injection Upper Zone Only
- 2022/2023 New Injection Point Locations
- 2022/2023 New Injection Point Locations Upper Zone Only

- Injection Well
- Abandoned/Not Located Monitoring Well Location
- ✱ Former Extraction Well
- Lower Water-Bearing Unit Monitoring Well Location
- Middle Water-Bearing Unit Monitoring Well Location
- Upper Water-Bearing Unit Monitoring Well Location

- ⊗ Historical Water Supply Well
- RWP Source Area
- Surface Cap Area
- ▨ Environmental Restrictive Covenant Area
- ▭ Demolished Building
- ▭ Soil Management Area
- ▭ Covenant Not To Sue Area (CNTS)
- ▭ Property Boundary

INJECTION WELL LAYOUT MAP
2023 ANNUAL PROGRESS REPORT


Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana



FIGURE 03

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY





- Upper Water-Bearing Unit Monitoring Well Location
- Flow Direction
- Groundwater Elevation Contour
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
 (755.83) - Groundwater elevation.
 NL - Could not locate.
 Potentiometric contours were derived from water levels collected during the July 2023 annual sampling event.




**POTENTIOMETRIC SURFACE MAP (UPPER WATER BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**

Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 05a

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY





- Middle Water-Bearing Unit Monitoring Well Location
- ➔ Flow Direction
- Groundwater Elevation Contour
- RWP Source Area
- - - Surface Cap Area
- ▨ Environmental Restrictive Covenant Area
- - - Demolished Building
- ▨ Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
 (755.83) - Groundwater elevation.
 NL - Could not locate.
 MW-32 and W-11D were not used in contouring.
 Potentiometric contours were derived from water levels collected during the July 2023 annual sampling event.




POTENTIOMETRIC SURFACE MAP (MIDDLE WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 05b


RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY





- Lower Water-Bearing Unit Monitoring Well Location
- Flow Direction
- Groundwater Elevation Contour
- RWP Source Area
- - - Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
 (755.83) - Groundwater elevation.
 NL - Could not locate.
 Potentiometric contours were derived from water levels collected during the July 2023 annual sampling event.



POTENTIOMETRIC SURFACE MAP (LOWER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 05c

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\IGI_Proj\2023_Annual_Report_REVISED\Figure 6a - TCE Concentrations in Groundwater (Upper Water-Bearing Unit)_rev



- ◆ Upper Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- TCE Concentration**
- 5 µg/L
 - 50 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 TCE - Trichloroethene.
 NS - Not sampled.
 ND - Not detected.



**TCE CONCENTRATIONS IN GROUNDWATER
 (UPPER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 06a

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP-1087692\GIS\GE_IndyPro\2023_Annual_Report_REVISED\Figure 6b - cDCE Concentrations in Groundwater (Upper Water-Bearing Unit)_rev



- Upper Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- | cDCE Concentration | |
|--|-------------|
| — | 70 µg/L |
| — | 500 µg/L |
| — | 5,000 µg/L |
| — | 30,000 µg/L |

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 cDCE - cis-1,2-Dichloroethene.
 NS - Not sampled.
 ND - Not detected.



**cDCE CONCENTRATIONS IN GROUNDWATER
 (UPPER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 06b

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP-1087692\GIS\IGE_Indy2023_Annual_Report_REVISED\Figure 6c - VC Concentrations in Groundwater (Upper Water-Bearing Unit)_rev



- Upper Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - - - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- VC Concentration**
- 2 µg/L
 - 50 µg/L
 - 500 µg/L
 - 5,000 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 VC - Vinyl Chloride.
 NS - Not sampled.
 ND - Not detected.



**VC CONCENTRATIONS IN GROUNDWATER
 (UPPER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 06c

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\IGI_Indy\Pro\2023_Annual_Report_REVISED\Figure 6d - TCA Concentrations in Groundwater (Upper Water-Bearing Unit)_rev



- ◆ Upper Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - - - Surface Cap Area
 - ▬ Environmental Restrictive Covenant Area
 - ▭ Demolished Building
 - ▭ Soil Management Area
 - ▭ Covenant Not To Sue Area (CNTS)
 - ▭ Property Boundary
- TCA Concentration**
- 200 µg/L
 - 500 µg/L
 - 1,500 µg/L
 - 10,000 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 TCA - 1,1,1-Trichloroethane.
 NS - Not sampled.
 ND - Not detected.



**TCA CONCENTRATIONS IN GROUNDWATER
 (UPPER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 06d

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\GE_Indy\Pro\2023_Annual_Report_REVISED\Figure 6e - 11DCE Concentrations in Groundwater (Upper Water-Bearing Unit)_rev



- ⊕ Upper Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - - - Surface Cap Area
 - ▨ Environmental Restrictive Covenant Area
 - ▭ Demolished Building
 - ▨ Soil Management Area
 - ▨ Covenant Not To Sue Area (CNTS)
 - - - Property Boundary
- | | |
|----------------------------|--|
| 11DCE Concentration | — 7 µg/L |
| | — 20 µg/L |
| | — 100 µg/L |
| | — 500 µg/L |

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 11DCE - 1,1-Dichloroethene.
 NS - Not sampled.
 ND - Not detected.



**11DCE CONCENTRATIONS IN GROUNDWATER
 (UPPER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 06e

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1067692\GIS\GE_Indy\Pro\2023_Annual_Report_REVISED\Figure 6f-11 DCA Concentrations in Groundwater (Upper Water-Bearing Unit)_rev



- Upper Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- 11DCA Concentration**
- 28 µg/L
 - 100 µg/L
 - 500 µg/L
 - 10,000 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 11DCA - 1,1-Dichloroethane.
 NS - Not sampled.
 ND - Not detected.



**11DCA CONCENTRATIONS IN GROUNDWATER
 (UPPER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 06f

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/21/2024 | DESIGNER: MONETANT
 I:\GCEP-1087692\GIS\GCEP_InchyPro\2023_Annual_Report_REVISED\Figure 7a - TCE Concentrations in Groundwater (Middle Water-Bearing Unit)



- ⊕ Middle Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - - - Surface Cap Area
 - ▭ Environmental Restrictive Covenant Area
 - ▭ Demolished Building
 - ▭ Soil Management Area
 - ▭ Covenant Not To Sue Area (CNTS)
 - ▭ Property Boundary
- TCE Concentration**
- 5 µg/L
 - 50 µg/L
 - 500 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 through September 8, 2023.
 TCE - Trichloroethene.
 NS - Not sampled.
 ND - Not detected.



**TCE CONCENTRATIONS IN GROUNDWATER
 (MIDDLE WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 07a

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/21/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1067692\GIS\GE_Indy\Pro\2023_Annual_Report_REVISED\Figure 7b - cDCE Concentrations in Groundwater (Middle Water-Bearing Unit)



- Middle Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- cDCE Concentration**
- 70 µg/L
 - 500 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 through September 8, 2023.
 cDCE - cis-1,2-Dichloroethene.
 NS - Not sampled.
 ND - Not detected.



**cDCE CONCENTRATIONS IN GROUNDWATER
 (MIDDLE WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 07b

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/21/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\GE_Indy\Proj\2023_Annual_Report_REVISED\Figure 7c - VC Concentrations in Groundwater (Middle Water-Bearing Unit)



- ⊕ Middle Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - - - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- VC Concentration**
- 2 µg/L
 - 50 µg/L
 - 500 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 VC - Vinyl Chloride.
 NS - Not sampled.
 ND - Not detected.



**VC CONCENTRATIONS IN GROUNDWATER
 (MIDDLE WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 07c

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/21/2024 | DESIGNER: MONETANT
 I:\GCEP-1087692\GIS\GCEP_IndyPro\2023_Annual_Report_REVISED\Figure 7d - TCA Concentrations in Groundwater (Middle Water-Bearing Unit)



- ⊕ Middle Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- - - Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 TCA - 1,1,1-Trichloroethane.
 NS - Not sampled.
 ND - Not detected.



**TCA CONCENTRATIONS IN GROUNDWATER
 (MIDDLE WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 07d

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/21/2024 | DESIGNER: MONETANT
 I:\GE-CEP-1087692\GIS\IGI_Indy\Pro\2023_Annual_Report_REVISED\Figure 7e - 11DCE Concentrations in Groundwater (Middle Water-Bearing Unit)



11DCE was not detected in the monitoring wells screening the middle water-bearing unit during this sampling event.

- ⊕ Middle Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- - - Surface Cap Area
- ▬ Environmental Restrictive Covenant Area
- ▭ Demolished Building
- ▭ Soil Management Area
- ▭ Covenant Not To Sue Area (CNTS)
- ▭ Property Boundary

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 25-29, 2022.
 11DCE - 1,1-Dichloroethene.
 NS - Not sampled.
 ND - Not detected.



**11DCE CONCENTRATIONS IN GROUNDWATER
 (MIDDLE WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 07e

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/21/2024 | DESIGNER: MONETANT
 I:\GCEP_1087692\GIS\GCEP_1087692\Annual_Report_REVISED\Figure 7f - 11DCA Concentrations in Groundwater (Middle Water-Bearing Unit)



- ⊕ Middle Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- - - Surface Cap Area
- Ⓜ Environmental Restrictive Covenant Area
- ▭ Demolished Building
- ▨ Soil Management Area
- ▭ Covenant Not To Sue Area (CNTS)
- ▭ Property Boundary

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 through September 8, 2023.
 11DCA - 1,1-Dichloroethane.
 NS - Not sampled.
 ND - Not detected.



**11DCA CONCENTRATIONS IN GROUNDWATER
 (MIDDLE WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 07f

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\GE_Indy\Pro\2023_Annual_Report_REVISED\Figure 8a - TCE Concentrations in Groundwater (Lower Water-Bearing Unit)



TCE was not detected in the monitoring wells screening the lower water-bearing unit during this sampling event.

- Lower Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- - - Surface Cap Area
- ▭ Environmental Restrictive Covenant Area
- ▭ Demolished Building
- ▭ Soil Management Area
- ▭ Covenant Not To Sue Area (CNTS)
- ▭ Property Boundary

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 TCE - Trichloroethene.
 NS - Not sampled.
 ND - Not detected.



**TCE CONCENTRATIONS IN GROUNDWATER
 (LOWER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 08a

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\GE_Indy\Proj\2023_Annual_Report_REVISED\Figure 8b - cDCE Concentrations in Groundwater (Lower Water-Bearing Unit)



- + Lower Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- cDCE Concentration**
- 70 µg/L
 - 500 µg/L
 - 5,000 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 cDCE - cis-1,2-Dichloroethene.
 NS - Not sampled.
 ND - Not detected.



**cDCE CONCENTRATIONS IN GROUNDWATER
 (LOWER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 08b

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\GE_Indy\Proj\2023_Annual_Report_REVISED\Figure 8c - VC Concentrations in Groundwater (Lower Water-Bearing Unit)



- + Lower Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- VC Concentration**
- 2 µg/L
 - 50 µg/L
 - 500 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 VC - Vinyl Chloride.
 NS - Not sampled.
 ND - Not detected.



**VC CONCENTRATIONS IN GROUNDWATER
 (LOWER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 08c

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\GE_Indy\Pro\2023_Annual_Report_REVISED\Figure 8d - TCA Concentrations in Groundwater (Lower Water-Bearing Unit)



- + Lower Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 TCA - 1,1,1-Trichloroethane.
 NS - Not sampled.
 ND - Not detected.



**TCA CONCENTRATIONS IN GROUNDWATER
 (LOWER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 08d

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GCE-CEP_1087692\GIS\GCE_Indy\Pro\2023_Annual_Report_REVISED\Figure 8e - 11DCE Concentrations in Groundwater (Lower Water-Bearing Unit)



- + Lower Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- 11DCE Concentration**
- 7 µg/L
 - 20 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 11DCE - 1,1-Dichloroethene.
 NS - Not sampled.
 ND - Not detected.



**11DCE CONCENTRATIONS IN GROUNDWATER
 (LOWER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**


Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 08e

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



PROJECT: 1940103994 | DATED: 1/22/2024 | DESIGNER: MONETANT
 I:\GE-CEP_1087692\GIS\GE_Indy\Pro\2023_Annual_Report_REVISED\Figure 8f - 11DCA Concentrations in Groundwater (Lower Water-Bearing Unit)



- ◆ Lower Water-Bearing Unit Monitoring Well Location
 - RWP Source Area
 - Surface Cap Area
 - Environmental Restrictive Covenant Area
 - Demolished Building
 - Soil Management Area
 - Covenant Not To Sue Area (CNTS)
 - Property Boundary
- 11DCA Concentration**
- 28 µg/L
 - 100 µg/L

Notes
 µg/L - Micrograms per liter.
 Samples were collected from July 17 though September 8, 2023.
 11DCA - 1,1-Dichloroethane.
 NS - Not sampled.
 ND - Not detected.



**11DCA CONCENTRATIONS IN GROUNDWATER
 (LOWER WATER-BEARING UNIT)
 2023 ANNUAL PROGRESS REPORT**

Former Indianapolis CE Plant Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 08f

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY



APPENDIX A
FIELD NOTES AND FORMS

APPENDIX A-1
JANUARY/FEBRUARY 2023 GROUNDWATER SAMPLING FIELD NOTES

Time 16-23 Indy CE PDB Sampling

Well ID	DNW	DTW		
W-9	1500	13.63	* No bag	
MW-313	1535	26.77		1-23-23
MW-112	1540	26.89		
MW-173	1545	28.57	* No bag	
MW-22	1600	28.62	* No bag	
MW-132	1615	31.78		
MW-133	1620	22.39		
MW-131	1625	15.01	* No bag	
MW-312	1700	30.40		
MW-253	905	27.40		
MW-251	0910	11.75	* No bag	1-24-23
MW-70	0913	12.42	* No bag	
MW-163	930	30.16		
W-8	---	---	* Bolt stripped, bag gone	
MW-41	0945	11.38	* No bag	
MW-303	950	26.22		
MW-333	1000	13.20 24.70	* No bag	
MW-241	1030	12.01		
W-11D	1050	31.48		
MW-331	1100	14.50	No bag	
MW-153	1115	12.40	No bag	
MW-123	---	---	* tried to locate w/ metal detector, can't locate *	
MW-427	---	---		
MW-322	1110	28.65	* No bag	

Well ID	Time	pH	CH ₄	CO ₂	O ₂
SGP-1	1135	0.0	0%	0ppm	20.8
SGP-2	1200	0.0	0%	0ppm	20.4
SGP-3	1205	0.0	0%	3ppm	20.6



Groundwater
Low Flow Form

Sample Location: Indy CF Well ID: MW-425
Sampling Personnel M. Starett, C. Navate 1-23-23 Weather _____

MEASUREMENT SUMMARY:
Measuring Point TOC Initial Depth to Water 11.45 Date and Time 1-23-23
Total Well Depth _____ Casing Diameter _____ Screen Interval _____

SAMPLING SUMMARY: Date and Time 1-23-23

Sampling Method: Grab Composite GeoSub Bladder Pump Peristaltic Pump Bailor
Pump Started 1258 Pump Stopped 1350 Total Gallons 2.0 gal

Time (24-hr)	DTW (ft)	Flow Rate (ml/min)	pH 0.1 (S.U.)	Temp (°C)	SC 3% (µS/cm)	D.O. 10% (mg/L)	ORP 10 (mV)	Turb. 10% (NTU)
<u>1258</u>	<u>11.45</u>	<u>Static</u>	<u>6.71</u>	<u>14.48</u>	<u>0.88</u>	<u>0.28</u>	<u>-83.9</u>	<u>56.6</u>
<u>1305</u>	<u>11.45</u>	<u>150</u>	<u>6.83</u>	<u>14.16</u>	<u>0.88</u>	<u>0.10</u>	<u>-169.8</u>	<u>51.5</u>
<u>1308</u>	<u>11.45</u>	<u>150</u>	<u>6.88</u>	<u>13.92</u>	<u>0.87</u>	<u>0.05</u>	<u>-180.3</u>	<u>48.3</u>
<u>1313</u>	<u>11.45</u>	<u>150</u>	<u>6.91</u>	<u>14.04</u>	<u>0.88</u>	<u>0.02</u>	<u>-184.8</u>	<u>40.6</u>
<u>1318</u>	<u>11.45</u>	<u>150</u>	<u>6.93</u>	<u>14.07</u>	<u>0.88</u>	<u>0.01</u>	<u>-186.6</u>	<u>31.2</u>
<u>1323</u>	<u>11.45</u>	<u>150</u>	<u>6.95</u>	<u>14.12</u>	<u>0.87</u>	<u>0.00</u>	<u>-187.4</u>	<u>21.0</u>
<u>1328</u>	<u>11.45</u>	<u>150</u>	<u>6.95</u>	<u>14.14</u>	<u>0.87</u>	<u>0.00</u>	<u>-188.0</u>	<u>11.6</u>
<u>1333</u>	<u>11.45</u>	<u>150</u>	<u>6.96</u>	<u>14.08</u>	<u>0.87</u>	<u>0.00</u>	<u>-188.5</u>	<u>8.15</u>
<u>1338</u>	<u>11.45</u>	<u>150</u>	<u>6.9</u>	<u>14.12</u>	<u>0.88</u>	<u>0.00</u>	<u>-189.1</u>	<u>7.47</u>
_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____

Comments: DUP taken -

Calibration: _____ Date and Time: _____ Equipment: _____
Sample Name: T-23 (dup) Time: 1345
 VOC's Total Metals* Dissolved Metals
Equip. Blank _____ Blind Dup _____ Blind Dup Name _____ TB _____

1-30-23

PDB Deployment

Well ID	Time	DTW	
W-MD	1220	31.15	
MW-331	1225	14.16	
W-9	1240	14.42	*restrung ^(ms) due to vandalism
MW-173	1250	28.80	*restrung ^(ms) due to vandalism
MW-313	1305	26.95	*Same as above ^(ms)
MW-112	1320	27.02	* ^(ms)
MW-22	1325	28.68	*Same as above*
MW-333	1330	24.75	
MW-253	1350	11.51	
W-10	1400	12.21	*restrung due to vandalism
W-8	1420	13.16	*restrung due to vandalism
MW-163	1425	30.40	*
MW-53	—	—	*bag already placed, misidentified last time out*
MW-131	1430	14.76	
MW-133	1435	32.68	
MW-132	1440	32.03	
MW-312	1445	31.15	
MW-41	1450	10.95	
MW-203	1455	26.00	
MW-241	1510	11.83	
MW-322	1515	28.55	*restrung due to vandalism*
MW-251	1500	27.66	*restrung due to vandalism ^(ms)

APPENDIX A-2
APRIL 2023 GROUNDWATER SAMPLING FIELD NOTES

4-25-23

GE Indy CE

Well ID	Time	DTW	
MW-427			*cannot locate*
MW-33	1100	13.54	
MW-25			
W-9	1130	12.89	*DHG*
MW-251	1150	26.15	
W-10	1205	12.03	
W-8	1215	12.75	*DHG*
MW-131	1225	14.35	*No bag, whole assembly stolen*
MW-41	1230	10.88	
MW-241	1245	11.05	

Well ID	Time	PID	CH4	CO2	O2
SGP-1	1312	0.0 ppm	0% LEL	0 ppm	20.9
SGP-2	1315	0.0 ppm	0%	0 ppm	20.9
SGP-3	1320	0.0 ppm	0%	0 ppm	20.9

Water intake →

Sample Location: GE Marion Indy Well ID: MW-425
 Sampling Personnel: MS Date: 4-25-23 Weather: 40s, cloudy

MEASUREMENT SUMMARY:
 Measuring Point: TOC Initial Depth to Water: 10.40 Date and Time: 4-25-23
 Total Well Depth: _____ Casing Diameter: 2" Screen Interval: _____

SAMPLING SUMMARY: Date and Time: 4-25-23

Sampling Method: Grab Composite Hurricane Bladder Pump Peristaltic Pump Bailer
 Pump Started: 1015 Pump Stopped: 1058 Total Gallons: 3.5 gal

Time (24-hr)	DTW (ft)	Flow Rate (ml/min) Static	pH 0.1 (S.U.)	Temp (°C)	SC 3% (mS/cm)	D.O. 10% (mg/L)	ORP 10 (mV)	Turb. 10% (NTU)
1015	10.40	150	7.13	11.91	0.90	0.17	-223.8	73.1
1020	10.42	150	7.17	11.97	0.89	0.10	-185.5	62.4
1025	11.65	150	7.25	12.01	0.87	0.07	-184.4	47.3
1030	11.70	150	7.27	11.98	0.86	0.05	-183.0	21.9
1035	11.70	150	7.29	11.83	0.85	0.05	-180.9	11.8
1040	11.70	150	7.29	11.84	0.85	0.03	-180.3	4.45
1045	11.70	150	7.29	11.84	0.85	0.03	-180.3	4.45

Sampled

Comments: DUP taken

Calibration: _____ Date and Time: _____ Equipment: _____
 Sample Name: _____ Time: 1050
 VOC's Total Metals* Dissolved Metals
 Equip. Blank: _____ Blind Dup: _____ Blind Dup Name: AD-100-0425 ST 1200
23

APPENDIX A-3
JULY/SEPTEMBER 2023 GROUNDWATER SAMPLING FIELD NOTES

3Q-23 Indv CE PDBs

Well ID	Time	DIW	
MW-408S	1600	12.00	*no bag, restrung
MW-408D	1605	18.13	*no bag, restrung
MW-404	1607		*could not open; bolt stripped
MW-405S	1610	15.66	*no assembly, no sample*
MW-405D	1612	14.32	
MW-424S	1613	17.22	
MW-424D	1614	17.15	
MW-403	1615	17.15	
MW-401	1620	17.23	
MW-417S	1625	18.84	
MW-417D	1630	17.92	
MW-422S	1645	13.57	*no bag, restrung
MW-422D	1650	12.30	*no bag, restrung
MW-423S	1655	13.95	*no bag, restrung
MW-423D	1700	17.50	*no cap, no assembly
MW-322	27.60	848	*no assembly*
MW-323	29.62	850	" "
MW-321	852	12.54	" "
W-11D	855	13.36	" "
MW-331	900	13.84	
MW-414S	910	11.18	*no bag, no assembly
MW-414D	915	12.19	*no bag, no assembly
MW-427			*could not locate w/ metal detector*
MW-416S	926	13.49	*
MW-416D	922	13.50	*
MW-311	930	14.55	
W-2	935	17.60	*strung new bag*
W-4R	955		*could not locate, over grown*
MW-415S	1000	12.35	*in dirt, no cap, no assembly* added cap*
MW-415D	1005	12.50	" "
W-9	1015	28.00	*DHG & VOCs*
MW-426	1020	11.35	*restrung, no bag*
MW-173	1022	28.00	*assembly missing*
MW-913	1025	26.20	
MW-112	1035	26.26	
MW-853	1055	11.59	
MW-251	1105	27.77	
W-10	1115	12.33	
MW-153	1120	27.51	
W-8	1130	13.51	*DHG & VOCs*

Well ID	Time	DTW				
MW-163	1135	29.51				
MW-312	1140	31.20 28.40				
MW-132	1155	31.20				
MW-133	1205	31.80	* No bag, assembly missing			
MW-131	1210	15.87	"			
MW-41	1215	11.26	"			
MW-303	1220	25.03				
MW-123	—	—	* buried under debris pile *			
MW-302	1225	25.66				
W-4D	—	—	* could not locate, overgrown *			
MW-142	—	—	* could not locate, buried			
W-8D	1230	28.81	* no assembly, no bag *			
MW-333	1235	23.95				
MW-343	1240	24.55				
MW-241	1245	12.60				
MW-332	1335	32.61				
MW-273	—	—	* could not locate, overgrown *			
MW-32	1340	15.82				
MW-33	1345	36.47	* DUP 4 AD-400-072023 ST:1206			
MW-183	1400	31.40				
MW-82	1405	32.30	not locate			
MW-122	—	—	* could soil Gas			
MW-92	—	—	* under car			
MW-4065	—	—				
MW-406D	—	—				
MW-419B	1430	15.10	SGP-3	PID 60.7	O ₂ 17.0	CH ₄ 0%
MW-419D	1432	15.40	SGP-1	60.5	26.9	0%
MW-22	* no bag *		SGP-2	0.06	26.9	0%
						CO ₂ 0ppm
						0ppm
						0ppm

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-17-23
 Site Name Indy GE
 Site Location Indy, IN

Personnel Bladde M. Starrett
 Evacuation Method per Hurricane (w/)
 Sampling Method LOW FLOW

Weather MW-425
 Well # ~~1588-002~~
 Project # _____

Well information:

Depth of Well * _____ ft.
 Depth to Water * 11.48 ft.
 Length of Water Column _____ ft.
 Depth to Intake * _____ ft.

* Measurements taken from

<u>X</u>	Top of Well Casing
_____	Top of Protective Casing
_____	(Other, Specify)

Start Purge Time: _____

Elapsed Time (Time)	Depth To Water (ft)	Temperature (°C)	pH	Conductivity (µS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
1121	11.48	23.41	6.87	0.90	-115.9	0.75	16.8	15.2 200
1126	11.48	23.82	6.91	0.92	-149.9	0.24	25.0	200
1131	11.48	23.82	6.93	0.91	-169.3	0.10	15.6	200
1136	11.48	24.80	6.94	0.91	-173.7	0.04	18.5	200
1141	11.48	25.03	6.95	0.90	-173.5	0.07	21.7	200
1146	11.48	18.76	6.99	0.89	-156.7	0.06	56.3	200
1151	11.48	17.97	6.98	0.90	-155.7	0.00	35.7	200
1156	11.48	17.66	6.97	0.94	-149.1	0.00	49.9	200
1201	11.48	17.57	6.96	0.93	-145.6	0.00	38.9	200
1206	11.48	17.70	6.96	0.99	-142.2	0.00	31.0	200

Sampled

End Purge Time: _____

Water sample: 1210

Time collected: 1210

Total volume of purged water removed: 2.0 gal

Physical appearance at start

Color black, cloudy
 Odor none
 Sheen/Free Product none

Physical appearance at sampling

Color _____
 Odor _____
 Sheen/Free Product _____

Field Test Results:

Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-17-23 Personnel _____ Weather _____
 Site Name _____ Evacuation Method _____ Well # MW-4135
 Site Location _____ Sampling Method _____ Project # _____

Well information:

Depth of Well * _____ ft.
 Depth to Water * 14.33 ft. * Measurements taken from
 Length of Water Column _____ ft. Top of Well Casing
 Depth to Intake * _____ ft. Top of Protective Casing
 _____ ft. (Other, Specify)

Start Purge Time: 1331

Elapsed Time (Time)	Depth To Water (ft)	Temperature (°C)	pH	Conductivity (µS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
1336	14.59	18.15	6.70	1.18	-103.1	0.03	28.2	200
1341	14.43	18.07	6.71	1.17	-104.8	0.00	18.8	200
1346	14.53	17.99	6.72	1.15	-105.9	0.00	15.2	200
1351	14.50	18.11	6.73	1.14	-108.3	0.00	18.1	200
1356	14.50	18.14	6.74	1.12	-110.0	0.00	16.2	200
1401	14.58	18.06	6.75	1.11	-111.3	0.00	13.4	200
1406	14.45	18.12	6.75	1.10	-112.7	0.00	10.9	200
1411	14.50	18.15	6.76	1.10	-114.4	0.00	8.5	200
1416	14.51	18.14	6.75	1.10	-115.1	0.00	5.25	200
1421	14.54	18.14	6.76	1.09	-115.6	0.00	6.70	200
<i>Sampled</i>								

End Purge Time: 1435

Water sample: 1425 Total volume of purged water removed: 3.5 gal
 Time collected: _____ Physical appearance at sampling: clear
 Physical appearance at start: _____ Color: whitish, cloudy Color: _____
 Odor: _____ Odor: _____
 Sheen/Free Product: _____ Sheen/Free Product: _____

Field Test Results:
 Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-17-23 Personnel Bladder M. Starrett Weather MW-410S
 Site Name _____ Evacuation Method perfluorocaine Well # 75881.002
 Site Location _____ Sampling Method LOW FLOW Project # _____

Well information:

Depth of Well * _____ ft.
 Depth to Water * 12.41 ft. * Measurements taken from Top of Well Casing
 Length of Water Column _____ ft. Top of Protective Casing
 Depth to Intake * _____ ft. (Other, Specify)

Start Purge Time: 1458

Elapsed Time (Time)	Depth To Water (ft. below)	Temperature (°C)	pH	Conductivity (µS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
1503	12.67	21.03	6.63	1.13	-99.2	0.06	5.21	250
1508	12.69	20.21	6.65	1.14	-103.2	0.09	3.57	250
1513	12.60	20.29	6.64	1.14	-107.1	0.07	2.54	220
1518	12.69	20.65	6.65	1.15	-109.5	0.01	2.04	220
1523	12.61	20.40	6.67	1.16	-112.2	0.01	1.67	250
1528	12.71	20.10	6.65	1.17	-112.5	0.00	0.98	250
1533	12.75	20.18	6.65	1.17	-112.8	0.00	0.64	250

Sampled

End Purge Time: _____

Water sample: 1535

Total volume of purged water removed: 3.5 gal

Physical appearance at start
 Color _____
 Odor _____
 Sheen/Free Product _____

Physical appearance at sampling
 Color _____
 Odor _____
 Sheen/Free Product _____

Field Test Results:
 Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-17-23 Personnel M. Starrett Weather MW-410D
 Site Name _____ Evacuation Method HURRICANE Well # 1538L000
 Site Location _____ Sampling Method LOW FLOW Project # _____

Well information:

Depth of Well * _____ ft.
 Depth to Water * 14.15 ft. * Measurements taken from Top of Well Casing
 Length of Water Column _____ ft. Top of Protective Casing
 Depth to Intake * _____ ft. (Other, Specify)

Start Purge Time: 1556

Elapsed Time (Time)	Depth To Water (ft b+OC)	Temperature (°C)	pH	Conductivity (mS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
1601	14.07	21.26	6.71	1.87	-117.9	0.58	4.84	200
1606	14.11	20.60	6.73	1.84	-164.5	0.98	5.42	200
1611	14.11	20.35	6.73	1.82	-99.0	0.45	9.39	200
1616	14.11	20.04	6.73	1.84	-95.0	0.86	3.59	200
1621	14.11	20.28	6.73	1.84	-93.7	0.83	11.7	200
1626	14.11	20.06	6.73	1.85	-96.7	0.78	7.81	200
1631	14.11	19.99	6.73	1.86	-89.5	0.78	6.75	200
<i>SAMPLED</i>								

End Purge Time: _____

Water sample: 1635
 Time collected: 1635

Total volume of purged water removed: 2.0 gal

Physical appearance at start
 Color _____
 Odor _____
 Sheen/Free Product _____

Physical appearance at sampling
 Color _____
 Odor _____
 Sheen/Free Product _____

Field Test Results:
 Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-18-23 Personnel Bladder M. Starrett Weather MW-4115
 Site Name Indy CE Evacuation Method pump Well # ~~15381.002~~
 Site Location _____ Sampling Method LOW FLOW Project # _____

Well information:

Depth of Well * _____ ft. * Measurements taken from _____
 Depth to Water * 12.32 ft. _____ Top of Well Casing
 Length of Water Column _____ ft. _____ Top of Protective Casing
 Depth to Intake * _____ ft. _____ (Other, Specify)

Start Purge Time: _____

Elapsed Time (Time)	Depth To Water (ft btae)	Temperature (°C)	pH	Conductivity (mS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
0954	13.58	19.13	6.17	2.13	-46.4	0.08	68.8	200
0959	13.49	19.67	6.27	2.12	-64.1	0.03	69.3	200
1004	15.40	18.41	6.26	2.15	-77.6	0.00	71.6	200
1009	13.16.84	18.25	6.28	2.16	-80.2	0.00	72.3	200
1014	16.15	18.36	6.29	2.16	-82.8	0.00	77.5	200
1019	16.45	18.32	6.31	2.19	-84.8	0.00	73.8	200
1024	16.68	18.40	6.34	2.20	-85.1	0.00	72.2	200
<i>Sampled</i>								

End Purge Time: 1040

Water sample: _____ Total volume of purged water removed: 2.5 gdl
 Time collected: 1025

Physical appearance at start _____ Physical appearance at sampling _____
 Color _____ Color _____
 Odor _____ Odor _____
 Sheen/Free Product _____ Sheen/Free Product _____

Field Test Results: Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-18-23 Personnel M. Starrett Weather MW-402
 Site Name Judy CE Evacuation Method HURRICANE Well # 75381.002 (W)
 Site Location _____ Sampling Method LOW FLOW Project # _____

Well information:

Depth of Well * _____ ft.
 Depth to Water * 17.35 ft.
 Length of Water Column _____ ft.
 Depth to Intake * _____ ft.

* Measurements taken from
 Top of Well Casing
 Top of Protective Casing
 (Other, Specify)

Start Purge Time: 1126

Elapsed Time (time)	Depth To Water (ft. btpc)	Temperature (°C)	pH	Conductivity (µS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
1131	18.69	19.48	6.57	5.53	-174.1	0.09	7.4	200
1136	19.85	19.68	6.57	5.10	-165.4	0.04	10.4	200
1141	20.45	19.74	6.58	4.36	-174.0	0.02	7.13	200
1146	21.74	19.68	6.58	4.48	-169.9	0.02	9.67	200
1151	* below pump	20.33	6.57	4.81	-180.9	0.02	7.96	200
1154	* well dry, wait for recharge *							
1230	2.52	* sampled *						

Sampled

End Purge Time: _____

Water sample: D30
 Time collected: D30
 Physical appearance at start
 Color clear
 Odor _____
 Sheen/Free Product _____

Total volume of purged water removed: 1.0 gal
 Physical appearance at sampling
 Color clear
 Odor _____
 Sheen/Free Product _____

Field Test Results:
 Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-18-23 Personnel M. Starrett Weather MW-4078
 Site Name Indy CE Evacuation Method Handcar Well # 7598-002
 Site Location _____ Sampling Method Low Flow Project # _____

Well information:

Depth of Well * _____ ft. * Measurements taken from _____
 Depth to Water * 13.87 ft. Top of Well Casing
 Length of Water Column _____ ft. Top of Protective Casing
 Depth to Intake * _____ ft. (Other, Specify) _____

Start Purge Time: _____

Elapsed Time (Time)	Depth To Water (ft b/c)	Temperature (°C)	pH	Conductivity (mS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
1457	15.24	19.39	6.77	2.10	-158.4	0.07	53.2	200
1502	15.57	19.29	6.67	2.09	-179.4	0.04	49.6	200
1507	15.79	20.99	6.64	2.06	-132.2	0.02	36.1	200
1512	16.01	21.24	6.64	2.05	-131.6	0.03	34.3	200
1517	16.24	21.47	6.63	2.06	-130.6	0.03	29.9	200
1522	16.24 38	21.93	6.63	2.09	-131.2	0.02	28.4	200
1527	16.60	23.27	6.63	2.10	-133.0	0.02	27.1	200
1532	16.76	23.46	6.64	2.11	-132.3	0.02	26.3	200
<div style="font-size: 4em; opacity: 0.5;">Sampled</div>								

End Purge Time: _____

Water sample: _____ * AD-200-071823
 Time collected: 1535 Total volume of purged water removed: 3.0 gal
 Physical appearance at start ST-1200 Physical appearance at sampling _____

Color _____
 Odor _____
 Sheen/Free Product _____

Field Test Results:
 Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc. **Low Flow Ground Water Sampling Log**

Date: 7-19-23 Personnel: M. Starrett Weather: MW-4070
 Site Name: Judy CE Evacuation Method: PHOTOCAM Well #: ~~75381.002~~ (ms)
 Site Location: _____ Sampling Method: LOW FLOW Project #: _____

Well information:
 Depth of Well * _____ ft.
 Depth to Water * 18.65 ft. * Measurements taken from Top of Well Casing
 Length of Water Column _____ ft. Top of Protective Casing
 Depth to Intake * _____ ft. (Other, Specify)

Start Purge Time: 854

Elapsed Time (Time)	Depth To Water (ft b/c)	Temperature (°C)	pH	Conductivity (mS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
859	20.86	18.23	6.81	1.94	-88.1	0.10	110	200
904	22.06	18.10	6.80	1.95	-90.2	0.04	84.1	200
909	23.90	18.37	6.79	1.93	-91.2	0.01	84.8	200
914	24.75	18.09	6.78	1.97	-91.9	0.00	100	200
919	25.25	18.26	6.77	1.95	-92.7	0.00	104	200
924	25.43	18.36	6.76	1.96	-93.6	0.00	83.1	200
929	25.46	18.48	6.75	1.97	-94.2	0.00	77.6	200
934	25.50	18.39	6.73	1.98	-94.6	0.00	73.3	200
939	25.57	18.40	6.73	1.99	-94.8	0.00	74.5	200
<i>Sampled</i>								

End Purge Time: _____

Water sample: 940 Total volume of purged water removed: 2.0 gal
 Time collected: _____ Physical appearance at sampling
 Physical appearance at start: Color _____, Odor _____, Sheen/Free Product _____
 Physical appearance at sampling: Color _____, Odor _____, Sheen/Free Product _____

Field Test Results:
 Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-19-23
 Site Name _____
 Site Location _____

Personnel Bradley M. Starrett
 Evacuation Method HURRICANE
 Sampling Method PUMP LOW FLOW

Weather HW-4185
 Well # 7588-002
 Project # _____

Well information:

Depth of Well * _____ ft.
 Depth to Water * 16.19 ft.
 Length of Water Column _____ ft.
 Depth to Intake * _____ ft.

* Measurements taken from

<input checked="" type="checkbox"/>	Top of Well Casing
<input type="checkbox"/>	Top of Protective Casing
<input type="checkbox"/>	(Other, Specify)

Start Purge Time: 1014

Elapsed Time (min)	Depth To Water (ft)	Temperature (°C)	pH	Conductivity (mS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
1014	16.60	21.26	6.90	5.46	-102.4	0.46	562	200
1024	16.63	21.01	6.87	1.11	-103.2	0.27	645	200
1029	17.80	21.11	6.87	1.11	-104.4	0.15	617	200
1034	17.75	21.11	6.87	1.10	-105.1	0.11	489	200
1039	17.31	20.95	6.87	1.09	-105.9	0.07	445	200
1044	17.59	21.15	6.87	1.09	-105.4	0.06	573	200
1049	17.79	20.40	6.87	1.08	-103.6	0.05	340	200
1054	18.79	19.14	6.89	1.07	-99.0	0.05	332	200
1059	18.79	19.55	6.90	1.07	-98.6	0.03	247	200

Sampled

End Purge Time: _____

* Full Dup: AD-300-071423

Water sample: 1100

Total volume of purged water removed: 3.0 gal

Physical appearance at start
 Color _____
 Odor _____
 Sheen/Free Product _____

Physical appearance at sampling
 Color _____
 Odor _____
 Sheen/Free Product _____

Field Test Results:
 Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-19-23 Personnel M. Starrett Weather MW-4180
 Site Name _____ Evacuation Method Hurricane Well # 7538.002
 Site Location _____ Sampling Method Low Flow Project # _____

Well information:

Depth of Well * _____ ft.
 Depth to Water * 17.97 ft. * Measurements taken from Top of Well Casing
 Length of Water Column _____ ft. Top of Protective Casing
 Depth to Intake * _____ ft. (Other, Specify) _____

Start Purge Time: 11:38

Elapsed Time (Time)	Depth To Water	Temperature (°C)	pH	Conductivity (mS/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
11:43	20.41	19.79	6.67	1.46	-88.7	0.20	154	200
11:48	22.51	19.56	6.67	1.46	-86.5	0.10	136	200
11:53	24.08	19.57	6.68	1.46	-84.2	0.06	148	200
11:58	24.00	20.11	6.68	1.46	-81.6	0.01	171	200
12:03	25.45	20.30	6.69	1.42	-82.6	0.00	192	200
12:08	26.06	20.27	6.69	1.34	-79.5	0.03	238	200
12:13	26.05	20.27	6.69	1.34	-79.5	0.03	227	200
12:18	27.09	20.42	6.70	1.31	-73.7	0.01	229	200
Sampled								

End Purge Time: _____

Water sample: 1220

Time collected: _____

Total volume of purged water removed: 3.0 gal

Physical appearance at start
 Color _____
 Odor _____
 Sheen/Free Product _____

Physical appearance at sampling
 Color _____
 Odor _____
 Sheen/Free Product _____

Field Test Results:
 Dissolved ferrous iron: _____
 Dissolved total iron: _____
 Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

O'Brien & Gere Engineers, Inc.

Low Flow Ground Water Sampling Log

Date 7-19-23 Personnel M. Starrett Weather MW-428
 Site Name Indy CF Evacuation Method HURRICANE Well # 15381.00R
 Site Location _____ Sampling Method LOW FLOW Project # _____

Well information:

Depth of Well * _____ ft. * Measurements taken from _____
 Depth to Water * 17.11 ft. Top of Well Casing
 Length of Water Column _____ ft. Top of Protective Casing
 Depth to Intake * _____ ft. (Other, Specify) _____

Start Purge Time: 1401

Elapsed Time (Time)	Depth To Water (ft b TOC)	Temperature (°C)	pH	Conductivity (µM/cm)	Oxidation Reduction Potential	Dissolved Oxygen (mg/l)	Turbidity (NTU)	Flow Rate (ml/min)
1406	17.7	21.03	7.06	0.73	-50.4	0.33	247	200
1411	17.7	20.77	7.04	0.71	-52.9	0.19	314	200
1416	17.7	20.63	7.03	0.69	-54.0	0.16	249	200
1421	17.7	20.77	7.03	0.68	-55.2	0.14	717	200
1426	17.7	20.87	7.02	0.68	-56.7	0.13	183	200
1431	17.7	20.95	7.02	0.68	-57.9	0.12	163	200
1436	17.7	20.92	7.02	0.68	-58.7	0.11	147	200
1441	17.7	20.98	7.01	0.70	-58.0	0.10	127	200
1446	14.7	20.71	7.03	0.71	-58.8	0.09	118	200

Sampled

End Purge Time: _____

Water sample:

Time collected: 1450

Total volume of purged water removed:

2.5 gal

Physical appearance at start

Color _____
 Odor _____

Physical appearance at sampling

Color _____
 Odor _____

Sheen/Free Product _____

Sheen/Free Product _____

Field Test Results:

Dissolved ferrous iron: _____

Dissolved total iron: _____

Dissolved total manganese: _____

Analytical Parameters:

Container Size	Container Type	# Collected	Field Filtered	Preservative	Container pH

9-7-23

Annual Indy CE Cont. Sampling

Well ID	Time	DTW	9-8-23 Cont.	Well ID	Time	DTW
MW-322	1130	18.75		MW-302	0950	26.11
MW-323	1135	29.87		MW-303	0955	25.89
W-4R	1205	13.59		MW-92	1010	26.01
W-4D	1210	30.71		MW-332	1025	33.11
MW-273	1215	33.57				*restoring, added lock, no sample
MW-415S	1230	13.30				
MW-415D	1225	13.21				
MW-416S	1240	14.36				
MW-416D	1245	13.99				
W-2	1300	18.80				
MW-423S	1405	15.93				
MW-423D	1410	18.77				
MW-4223	1420	13.86				
MW-422D	1425	13.85				
MW-419S	1435	15.62				
MW-419D	1440	15.56				

DUP 1: AD - 101-090723 ST:1200

MW-417S	1450	18.55
MW-417D	1455	18.75
MW-401	1505	18.21
MW-406S	1520	17.86
MW-406D	1525	18.58
MW-424S	1535	18.82
MW-424D	1540	18.75
MW-404	1550	17.14
MW-405S	1600	18.77
MW-405D	1605	20.14
MW-403	1620	16.71
MW-414S	1630	12.42
MW-414D	1635	14.21
MW-321	1645	13.38

W-11D 820 30.84 * bay stolen, bolts are stripped, no sample 9-8-23

MW-183 830 31.95

MW-22 845 30.28.50 * Resampled due to potential well switchup

W-9	850	14.17
W-82	900	32.82
MW-173	915	28.41
MW-426	920	2.06
W-8D	930	29.46

MW-131 940 15.54 *DUP 2: AD - 201-090823 ST:1200

MW-133	945	32.31
--------	-----	-------

APPENDIX A-4
OCTOBER/DECEMBER 2023 GROUNDWATER SAMPLING FIELD NOTES

Indy CE 2023

10-17-23

Well ID	Time	D/W	
MW-331	1205	16.66	
MW-9	1215	31.81	*ADMG
MW-251	1230	28.70	
W-10	1245	14.25	* No sample * bag taken *
W-8	1250	15.36	* No Sample * ↓ ↓
MW-131	1305	17.12	
MW-41	1320	16.45	
MW-241	* covered by cars *		
MW-425	* low flow log * DUP taken (AD-100-101723) ST: 1200		
	ST: 1125		
MW-427	* could not locate *		

Soil Gas

Well ID	PID	O ₂	CH ₄	CO ₂
* SG P-1	0.0 ppm	16.6%	0% <small>LEL</small>	0 ppm
SG P-2	0.0 ppm	20.9	0%	0 ppm
SG P-3	0.5 ppm	17.0	0%	0 ppm

Sample Location: Indy CE Well ID: MW-425
 Sampling Personnel: MS, PV Date: 10-17-23 Weather: 50s, cloudy

MEASUREMENT SUMMARY:
 Measuring Point: TOC Initial Depth to Water: 12.89 Date and Time: 10-17-23
 Total Well Depth: _____ Casing Diameter: 2" Screen Interval: _____

SAMPLING SUMMARY: Date and Time: 10-17-23
 Sampling Method: Grab Composite Hurricane Bladder Pump Peristaltic Pump Bailer
 Pump Started: 1057 Pump Stopped: _____ Total Gallons: 2.5 gal

Time (24-hr)	DTW (ft)	Flow Rate (ml/min)	pH 0.1 (S.U.)	Temp (°C)	SC 3% (mS/cm)	D.O. 10% (mg/L)	ORP 10 (mV)	Turb. 10% (NTU)
<u>1057</u>	<u>12.89</u>	Static						
<u>1102</u>	<u>13.57</u>	<u>150</u>	<u>7.12</u>	<u>17.73</u>	<u>0.95</u>	<u>0.09</u>	<u>-125.9</u>	<u>38.1</u>
<u>1107</u>	<u>13.55</u>	<u>150</u>	<u>7.14</u>	<u>17.86</u>	<u>0.95</u>	<u>0.06</u>	<u>-126.1</u>	<u>37.1</u>
<u>1112</u>	<u>13.55</u>	<u>150</u>	<u>7.16</u>	<u>17.87</u>	<u>0.94</u>	<u>0.05</u>	<u>-126.3</u>	<u>36.8</u>
<u>1117</u>	<u>13.55</u>	<u>150</u>	<u>7.17</u>	<u>17.81</u>	<u>0.93</u>	<u>0.04</u>	<u>-125.1</u>	<u>37.1</u>
<u>1122</u>	<u>13.55</u>	<u>150</u>	<u>7.17</u>	<u>17.80</u>	<u>0.92</u>	<u>0.04</u>	<u>-124.9</u>	<u>38.4</u>

SAMPLED

Notes: _____

Calibration: _____ Date and Time: _____ Equipment: _____

Sample Name: _____ Time: 1125

VOC's Total Metals* Dissolved Metals

Equip. Blank _____ Blind Dup _____ Blind Dup Name _____ TB _____

12-11-23 | Indy 4Q-23 Cont. Sampling

~~W-8 | 210 | 14.29~~

~~W-10 | 220 | 13.06~~

MW-24 | 230 | 13.15

**APPENDIX B
SUPPLEMENTAL AMENDMENT INJECTION SUMMARY REPORT**

General Electric Company

January 17, 2024

Final Report

**SUPPLEMENTAL
AMENDMENT INJECTION
SUMMARY REPORT
FORMER INDIANAPOLIS
CONSUMER ELECTRONICS
PLANT (SHERMAN PARK
FACILITY),
INDIANAPOLIS, INDIANA
(VRP #6020801)**



Bright ideas. Sustainable change.

**SUPPLEMENTAL AMENDMENT INJECTION SUMMARY REPORT
FORMER INDIANAPOLIS CONSUMER ELECTRONICS PLANT
(SHERMAN PARK FACILITY), INDIANAPOLIS, INDIANA (VRP
#6020801)**

Project name **Former Indianapolis Consumer Electronics Plant (Sherman Park,
Indianapolis, IN**
Project no. **1940103494**
Document type **Final Report**
Date **January 17, 2024**
Prepared by **Desmond Weber – Ramboll**
Checked by **Chase Forman, Paul Hare – Ramboll**

CONTENTS

1.	Introduction	1
2.	Summary of Work Plan and Schedules	4
2.1	Work Plan Summary	4
2.2	Site Development and Initial Schedule	4
2.3	Work Plan and Schedule Modifications	5
3.	Additional Injection Well Installation Activities	6
3.1	Injection Well Installation Efforts	6
3.2	Deviations from Work Plan	6
3.3	Investigation-Derived Waste	6
4.	Summary of Supplemental Injection Activities	8
4.1	Supplemental Injections Completed in 2022	8
4.1.1	Modifications from Work Plan	8
4.2	Supplemental Injections Completed in 2023	9
4.2.1	Modifications from Work Plan	10
4.3	Spoiled Product and Disposal	11
5.	Completion Summary	12

LIST OF TABLES

Table 1 – Summary of Supplemental Amendment Injection Efforts

LIST OF FIGURES

Figure 1 – Site Location Map

Figure 2 – Site Layout

Figure 3 – Injection Well Locations

LIST OF APPENDICES

Appendix A – Photographic Log

1. INTRODUCTION

Ramboll has prepared this Supplemental Amendment Injection Summary Report (the "Report") in order to summarize the supplemental amendment injection activities performed between October 2022 and April 2023 for the Sherman Park Facility (also known as the Former Indianapolis Consumer Electronics [CE] Plant) (hereafter the "Site") located at 604 North Sherman Drive in Indianapolis, Marion County, Indiana (**Figure 1**). The Site is approximately 50 acres and is currently owned by the City of Indianapolis (the "City") and is zoned "C-S", which designates Customized Commercial Mixed-Use. The Site is in a mixed-use setting that includes areas of industrial, commercial, and residential land use, and is generally bounded by North Sherman Drive to the east, East Michigan Street to the south, LaSalle Street and Tuxedo Street to the west, and 9th Street, St. Clair Street, and North Street to the north.

As noted in prior documentation, including the most recently submitted 2022 Annual Progress Report (APR), chlorinated volatile organic compounds (CVOCs) are present in groundwater in the upper water-bearing unit (UWBU) near the west side of the former main building as a result of the former use of chemicals near the former Chemical Storage Building (CSB), the former Solvent Tank Area (STA), the former Metal Plating Area (MPA) and the former 1,1,1-Trichloroethane Still Area (TSA). The CSB, STA, MPA and TSA are each collectively referred to as the "on-site source areas" and are shown on **Figure 2**.

On November 12, 2003, GE entered into a Voluntary Remediation Agreement (VRA) with the Indiana Department of Environmental Management (IDEM) under IDEM's Voluntary Remediation Program (VRP) and was assigned Site #6020801. Since 2003, there have been a significant number of environmental investigations performed at the Site to characterize the geologic/hydrogeologic conditions at the Site, define the nature and extent of various contaminants of concern (COCs) and evaluate potential remedial options. The investigations identified several CVOCs as the COCs, primarily trichloroethene (TCE) and 1,1,1-trichloroethane (TCA) and their degradation products (i.e., cis-1,2-dichloroethene [cDCE], 1,1-dichloroethene [11DCE], 1,1-dichloroethane [11DCA], vinyl chloride [VC] and chloroethane [CA]).

GE submitted a Remediation Work Plan (RWP) to IDEM on May 17, 2010 in accordance with the requirements specified in Section VII of the VRA. IDEM approved the RWP on August 12, 2010, after which GE began implementing the remedial activities and monitoring specified in the RWP.

A high-level summary of the investigation and remediation activities completed at the Site since approval of the RWP include:

- Baseline Groundwater Monitoring
 - Pre-injection (baseline) groundwater monitoring was completed between 2009 and 2010 (during preparation of the RWP).
- Cap Installation (November 13 to 22, 2010)
 - An asphalt cap was installed as an engineering control adjacent to the west side of the main building.
- Injection Well Installation (January 10 to February 20, 2011)

- 58 dual-screened injection wells (total of 116 well screens) were installed in and around the on-site source areas.
- First Round of Bioenhancement Injections (May 19 to June 20, 2011)
 - A total of 601,675 gallons of dilute emulsified vegetable oil (EVO) solution containing 91,500 pounds (lbs) of EVO was injected into 116 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and TCA in groundwater.
- Bioaugmentation Injections (August 15-18, 2011)
 - 72.6 liters of a bacteria culture specially adapted to high TCA concentrations was added to 22 injection locations in the area with the highest TCA concentrations.
 - 154.8 liters of KB-1® bacteria culture was added to 43 injection locations in the remaining areas.
- Performance Groundwater Monitoring
 - Post-injection (performance) groundwater monitoring was completed between 2011 and 2013.
- Supplemental Injection Well Installation (May 13 to 17, 2013)
 - Ten supplemental dual-screened injection wells (IW-566 to IW-575) were installed to allow carbon substrate injection at additional locations where persistent CVOCs remained in groundwater.
 - In addition, a groundwater extraction well was installed to provide makeup and chase water for the injections.
- Second Round of Bioenhancement Injections (July 17 to August 6, 2013)
 - A total of 706,715 gallons of dilute EVO solution containing 101,997 lbs of EVO was injected into 148 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and TCA in groundwater.
- Performance Groundwater Monitoring
 - Additional post-injection (performance) groundwater monitoring was completed between 2013 and 2015.
- Supplemental Injection Well Installation (August 17 to 19, 2015)
 - Seven supplemental dual-screened injection wells (IW-576 to IW-582) were installed to allow carbon substrate injection at additional locations where persistent CVOCs remained in groundwater.

- Third Round of Bioenhancement Injections (September 17 to October 6, 2015)
 - A total of 624,100 gallons of dilute EVO solution containing 88,213 lbs of EVO was injected into 128 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and TCA in groundwater.
- Performance Groundwater Monitoring
 - Additional post-injection (performance) groundwater monitoring was completed between 2015 and 2017.
- Limited Bioenhancement Injections (September 20 and 21, 2017)
 - Supplemental bioremediation injections proximal to monitoring wells MW-401, MW-402 and MW-404 were completed in accordance with a work plan dated July 26, 2017 (which was approved by IDEM in an email dated August 1, 2017).
- Methane Assessment (November 7 to 9, 2017)
 - A methane assessment was performed along the Michigan Street property line in accordance with a work plan dated August 2, 2017 (approved by IDEM in an email dated October 27, 2017).
- Performance Groundwater Monitoring
 - Additional post-injection (performance) groundwater monitoring was completed between 2018 and 2021.

Additional bioenhancement activities were completed on the property to address much of the remaining CVOC concentrations above IDEM's Risk-Based Closure Guide Screening Levels in the UWBU. This report documents those additional activities that were performed between October 2022 and April 2023. Please note that photographs taken throughout the implementation of these supplemental activities are provided in **Appendix A**.

2. SUMMARY OF WORK PLAN AND SCHEDULES

2.1 Work Plan Summary

The primary purpose of the supplemental injections is to treat CVOCs in isolated areas at the Site where evidence of rebound of one or more CVOCs has been observed. Ramboll prepared a Supplemental Amendment Injection Work Plan (Work Plan) for the Site in August 2022. The Work Plan was approved by IDEM on August 30, 2022. Because the Work Plan involved the injection of amendments in several additional locations, Ramboll also submitted an updated Inventory of Injection Wells form to the United States Environmental Protection Agency (USEPA) and IDEM on August 18, 2022, which was 30 days or more in advance of the drilling/injections, as required by the Underground Injection Control (UIC) regulations.

The Work Plan utilized the existing injection well infrastructure in targeted areas, as well as installation of 30 additional injection wells (some of which had double well screens) in areas of the Site where previous injections had not been performed and where elevated CVOc concentrations existed based on recent results. The injection scope also took into consideration the planned re-development of portions of the subject property by the City of Indianapolis, which is expected to result in the required decommissioning of numerous monitoring and injection wells.

The following summarizes the total quantities of the amendment mixture included in the approved Work Plan:

- 10,890 gallons (88,209 lbs) of 60% EVO concentrate
- 423.5 gallons (4,659 lbs) of 60% sodium lactate solution
- 442 lbs of diammonium phosphate (DAP) (0.5% by weight of EVO concentrate)
- Vitamin B12 solution (as specified by the EVO manufacturer)

The Work Plan also included the separate/subsequent injection of a buffer mixture. The following summarizes the total quantities of the buffer mixture included in the approved Work Plan:

- 24,200 lbs of potassium bicarbonate
- 290,400 gallons of Site groundwater

Overall, a total of 121 well screens were proposed for injection, each of which were to receive the following breakdown of amendments in the following sequence:

- Amendment mixture: 2,400 gal
- Chase water #1: 100 gal
- Buffer mixture: 2,400 gal
- Chase water #2: 100 gal

2.2 Site Development and Initial Schedule

The Site is currently owned by the City, and the City established a conceptual plan to redevelop the southern portion of Site (currently known as "Parcel D") into the City's new Animal Control Shelter. Some of the existing infrastructure (i.e., monitoring wells, injection wells) would likely need to be decommissioned or modified to support the redevelopment. Therefore, GE preferred to implement a supplemental injection event before the redevelopment activities begin. As stated within the work plan, the tentative schedule was:

- August 2022:
 - Prepare and submit an updated Inventory of Injection Wells form to USEPA.
 - Procure and schedule delivery of the components of the amendment and buffer mixtures.
 - Procure and schedule the drilling/injection subcontractor.
- September 2022 (estimated duration three weeks):
 - Mark and clear utilities at the new injection well locations
 - Utilize sonic drilling rig to install 30 injection wells (some of which were dual screened)
- October and November 2022 (estimated eight weeks):
 - Onsite preparation of the amendment mixture and buffer mixture and injection of these mixtures (with chase water after each) into the existing injection wells and the newly installed injection points.
- January 2023:
 - Perform the first post-injection groundwater monitoring event, which will coincide with the first quarterly O&M event.
- March 2023:
 - Submittal of the 2022 APR to IDEM, which will summarize the groundwater performance monitoring activities and results as well as the supplemental injection activities.

2.3 Work Plan and Schedule Modifications

Due to scheduling delays, the additional temporary well injection points were installed between September 26 and October 26, 2022. As such, amendment materials were not delivered to the site until the middle of October 2022 to give the drillers enough time to finish their work prior to the commencement of injections. As described in later sections of the report, other delays occurred that were related to a lack of a viable groundwater source, equipment issues, poor weather, and buffer amendment mixing issues. This ultimately caused the injection event to only be partially completed in 2022 (~60%), with completion of the work in April 2023.

3. ADDITIONAL INJECTION WELL INSTALLATION ACTIVITIES

3.1 Injection Well Installation Efforts

In order to support the supplemental injection efforts and to facilitate the injection of the amendment materials in areas without existing injection well infrastructure, 30 new injection wells (IW-601 through IW-630) were installed at strategic locations. The new injection well locations were installed around the perimeter of the existing injection well network and near existing monitoring wells that have exhibited persistent or recently increasing concentrations of CVOs, as shown on **Figure 3**. RockWater Drilling Company (RockWater) was contracted for the work, which took place from September 26 to October 26, 2022.

The new wells were installed using a sonic drilling rig to drill to the targeted depth, as specified in the approved Work Plan. The well casings (some of which were dual-screened) were then placed into the borehole inside of the drilling casings. Filter sand was then slowly added into the annular space between the well casing and drilling rods while the rig was subsequently pulling the rods from the ground. At each single-screen injection well location, sand was added to a depth of one foot above the top of the well screen. At each dual-screen injection well location, bentonite pellets were placed in between the two screens (generally a 3- to 4-foot thick layer) before the placement of additional sand pack around the annular space of the upper screen. A 2-foot thick layer of bentonite pellets was then placed above the top of the upper injection well screen and hydrated. Cement bentonite grout was then added via tremie pipe (to fill the grout from the bottom up) to approximately 1 foot below ground surface. The new injection wells were capped with an expandable J-plug upon completion. At each location, the top 6 to 10 inches of the injection well boreholes were cored by RockWater, or their subcontractor, based on the placement of the wells within concrete or asphalt. The coring was performed in order to facilitate installation of concrete-encased flushmount lids.

3.2 Deviations from Work Plan

Little to no deviations from the Work Plan occurred regarding the additional injection well installation efforts, aside from the project schedule. The initial work plan indicated that drilling efforts would occur over a 2-3 business week period during September 2022. Rockwater had multiple drill rig maintenance issues that caused significant delays. Additionally, to facilitate completion of the wells with flushmount protective covers, Rockwater utilized a subcontractor to perform the coring of concrete and asphalt at the locations of new wells where they were completed through hard surfaces. Based on their scheduling and availability, this affected the ability to complete the new injection wells prior to the initiation of the supplemental injection efforts, though the injection efforts were not affected by the drilling as the final wells installed were hundreds of feet to the southwest of the areas of initial injection.

3.3 Investigation-Derived Waste

During the drilling and installation of the new injection wells, the soil cuttings and recovered groundwater (including decontamination fluids) were collected and containerized in 55-gallon open-top steel drums which were staged on the property pending off-site disposal. As part of

waste characterization efforts, Ramboll collected both grab and composite samples from the drums for analysis of VOCs and Toxicity Characteristic Leaching Procedure (TCLP) metals in order to create a new waste profile. Solid IDM (e.g., personal protective equipment [PPE] and debris [plastic sheeting, paper towels, etc.]) was placed in garbage bags and disposed of off-site as municipal solid waste.

A total of 38 drums were generated as part of the drilling process. The drums remained onsite through the winter until the new waste profile was generated and approved and the disposal firm (US Ecology) could arrange for pickup. The drums were staged together in an area in the north central portion of the site just east of the MW-311 (IW-604 through IW-609) location. US Ecology removed the drums from the site permanently on April 4, 2023, under a signed manifest.

4. SUMMARY OF SUPPLEMENTAL INJECTION ACTIVITIES

4.1 Supplemental Injections Completed in 2022

Ramboll contracted with Cascade Remediation Services (Cascade) to implement the supplemental amendment injection activities in accordance with the approved Work Plan. As mentioned prior, a total of 121 injection screens were targeted in the approved Work Plan, with 43 existing injection well locations inside the prior treatment area and 30 new locations generally outside or along the periphery of the prior treatment area. During the 2022 amendment injection efforts, Ramboll and Cascade were able to complete the injections in 86 of the 121 proposed injection screens. This equated to one or more well screens in 33 of the 43 prior locations and in 18 of the 30 new locations. There were a few screens where only the EVO material was injected but the buffer solution could not be injected, as shown on the table in **Appendix B**. Overall, a total of 355,520 gallons of amendments were injected during 2022.

4.1.1 Modifications from Work Plan

During the supplemental amendment injection activities in 2022, several issues were encountered which required modifications to the methods described in the approved Work Plan. The first modification involved the use of extracted groundwater for the makeup and chase water. Consistent with the prior injections, the Work Plan called for the use of extracted groundwater from the same UWBU in the area of the property. However, when the supplemental injection activities began in October 2022, there was not enough UWBU groundwater (the same hydrogeologic zone as the injections) to efficiently perform the injections.¹ Given the lack of a viable groundwater source, Ramboll and Cascade initially decided to rent a 21,000-gallon temporary storage tank (e.g. frac tank) and utilized a delivered, clean water source based out of Lebanon, Indiana² to supplement and intended to use a mixture of groundwater and delivered water. After 1-2 days of attempting to use a mixture of sources, the decision was made to bring a second frac tank onsite and switch to the exclusive use of supplied water for the injections.

An additional modification to the approved injection plan was the need to mix the sodium lactate stock solution in with the potassium bicarbonate buffer rather than with the EVO material. As stated within the approved Work Plan, the original intention was to mix the lactate in with the EVO, however, Ramboll was informed by the EVO supplier that this mixing would lead to separation of the EVO, decreasing the effectiveness of the amendment treatment. This deviation in mixing strategies from the approved work plan is not expected to affect the overall remedial action. As discussed below, the lower air temperatures experienced during the final weeks of injection efforts in December resulted in a lowered solubility of the potassium bicarbonate buffer solution in water. As such, a further modification was made in that the stock potassium bicarbonate solution was directly injected into the wells followed by clean chase water. This modification was made to resolve an issue with the accumulation of a solid precipitate. Overall, five cycles of alternating bicarbonate stock and chase water were injected into each well screen (i.e., 30 gallons of stock solution followed by ~450 gallons of chase water per cycle)

¹ In most circumstances, the groundwater extraction caused the well(s) to go dry or the pumping rate(s) declined significantly, severely limiting the ability to efficiently perform the supplemental injection activities. The drought conditions during Summer and early Fall 2022 likely contributed to the difficulty getting sufficient groundwater for use as makeup and chase water.

² This source is approved and licensed for water distribution services.

A significant challenge for the injection process was the approach of winter weather conditions. Overnight temperatures below freezing in November 2022, and day-time and overnight temperatures below freezing in December 2022 posed additional challenges for water management. To complete as much of the additional injection activities as feasible, Ramboll and Cascade equipped the stock tanks, mixing vessels, and other large water containers with immersible heaters and recirculation pumps; however, not all of the equipment could be similarly protected. As discussed above, the lower air temperatures also resulted in a lowered solubility of the potassium bicarbonate buffer solution in water. As a result of the lowered temperatures and the formation of a precipitate material within the hosing and flow meters, the above-mentioned stock solution modification was made, which resolved the issue with the accumulating solids.

Given the slow progress and lack of efficiency with the cold weather, the decision was made to shut down the injection activities until Spring 2023; the last injections were performed on December 20, 2022. After stopping the injection activities, Cascade transferred the remaining amendments to its local shop in Indianapolis for indoor storage over the winter months. The EVO totes and plastic drums of sodium lactate were stored within a heated building to avoid freezing (which would have broken the emulsion). The pallets of potassium bicarbonate were also transferred to Cascade's local shop. The two large frac tanks were emptied and returned to the supplier. The remainder of the equipment was either returned to equipment vendors or was staged in Cascade's local shop.

It is worth noting that Ramboll and Cascade were performing the supplemental injection activities while some re-development activities were occurring at the Site by the City of Indianapolis' contractor(s). Between August and December 2022, fill material that had been placed on the eastern portion of the Site (referred to as "Taupe Mountain" by the City of Indianapolis) was removed via excavators and dump trucks. Given the need for the trucks to pass through the area of injections, these re-development activities caused some additional delays and mechanical issues (broken hoses and wellheads). In addition, equipment such as generators were stolen from the Site during the night on several occasions. This also caused additional delays as that equipment had to be replaced. Daytime safety delays also occurred due to varying types of criminal activity.

4.2 Supplemental Injections Completed in 2023

Once the winter weather had moved out, Ramboll and Cascade remobilized to the site to complete the supplemental amendment injection activities. As mentioned previously, Ramboll and Cascade were able to complete the injection process in 86 of the 121 planned injection screens in 2022. Note that at some of the locations, only the EVO material was able to be injected prior to the winter shutdown. As such, those well screens were targeted first in order to complete the buffer and chase water injections at those locations. The additional injection efforts occurred between April 3 and April 28, 2023. At project completion, a total of 592,908 gallons of product, buffer solution and chase water had been injected into the ground.

4.2.1 Modifications from Work Plan

Similar to the first round of injection efforts in 2022, there were several challenges to overcome in this second phase of injections. First, Ramboll was forced to make some substitutions to the planned, targeting injections for the previously existing wells due to clogged and/or damaged well screens, improper installation, missing wells, or other unknown reasons. Second, the safety and security of the site itself were frequently an issue and presented challenges that caused delays of varying lengths.

Given the cold weather and departure of the injection crew in December, some of the well screens had received only EVO (full or partial dose). This lack of injected chase water during the 2022 injection efforts resulted in the EVO product bonding directly to the soils around the well casings and reduced much of the pore space in the soils surrounding the well screens. As such, during the completion of the injections in Spring 2023, this thickening of the material increased the pressure needed to push the EVO outward from the screen and into the radius-of-influence, and frequently caused the flexible fittings at the surface of the wells to pop off the well stems. This resulted in a lower-than-anticipated flow rate being used for injections at several locations during the Spring injections. At some locations a non-VOC glue was used to affix the wellhead to the top of the well screen which did improve the injection efforts; although care had to be taken not to over-pressurize the individual wells to avoid amendment products daylighting to the surface. On several occasions during the Spring injections, the PVC used to construct the injection equipment became more brittle in storage, leading to several breakages in essential parts and causing multiple-hour delays in production.

Some of the targeted injection wells were simply too damaged and had to be replaced with nearby locations in hopes of targeting remediation near the intended areas. Those wells are summarized below:

- IW-605 (newly installed well)
 - This well was found to be filled with bentonite grout (presumably due to a failed fitting or cracked PVC casing) and could not be used; therefore, the product intended for IW-605 was injected into IW-604 (IW-604 received a double volume of amendment).
- IW-570 (previously existing well)
 - This well was found to be full of dirt and debris and could not be used for injections; IW-521 was chosen to replace IW-570 but during the 2023 injection efforts IW-521 would not stop daylighting (it would not accept any additional material) around the well stem and surrounding concrete. It was subsequently replaced with the nearby IW-522.
- IW-566 (previously existing well)
 - This well could not be located in 2022 and due to the lack of existing infrastructure in the area, it was replaced with existing monitoring well W-2. Given the single screen construction (as opposed to the dual-screen setup of IW-566), a full round (which would have included two screen's worth) of EVO and buffer solution amendments was not able to be injected. The stick up well was modified via cutting down close to ground level to facilitate injections. In order to add an additional round of amendments into the ground in the area, an additional round of amendment was injected into nearby IW-565 as well (shallow screen only).

- IW-525 (previously existing well)
 - This injection well could not be located as it was covered by compacted aggregate base materials laid down as part of the ramp leading up onto the slab by contractors associated with the city’s removal of the soils of “Taupe Mountain.” This injection well was replaced by nearby IW-524.
- IW-539 (previously existing well)
 - This injection well did not allow for the infiltration of the amendments and was very slow to accept materials (0.2 gallons-per-minute or less). Given the importance of the EVO materials, the full volume of EVO was injected, but only a partial volume of bicarbonate was injected.
- IW-575 (previously existing well)
 - This injection well was only partially completed with EVO given that the amount of this material ran short. Unfortunately, a few of the injection wells on the project were slightly overdosed (including IW-518, IW-528, IW-535, IW-567, IW-616 and IW-618) such that only a partial volume of material could be injected at this location.

In addition to the challenges associated with the work itself, several other environmental factors caused delays during the 2023 injection activities. The weather, while generally staying above freezing, was volatile—particularly on April 5th, 2023, when there was a tornado warning issued for the area encompassing the site from 10am to 5pm and the crew lost the majority of the day for safety concerns. Other activities impeded progress, though they were considered relatively minor, including small fires in the adjacent woods, a transformer explosion near the project site and some vehicular traffic which drove over hosing and caused some minor damage and delays.

4.3 Spoiled Product and Disposal

An unexpected but significant challenge in the injection process was sourcing the amendment mixtures. The initial supply of 60% EVO delivered to the site in Fall 2022 was delayed in customs for weeks longer than anticipated, resulting in the material sitting for several weeks in the Port of Houston, Texas. This caused several totes of the initial shipment of EVO to separate and de-emulsify, creating a layer of separated oil at the top. As such, Ramboll reached out to the supplier for replacement product. Replacement product was able to be supplied, but that left several totes of spoiled and separated product on the site, which were properly disposed of by a local oil recycler (Liquid Waste Disposal) on December 21, 2022. Due to a shortage of the 60% EVO, some of the replacement material was provided at a 55% strength instead of 60%. The Vitamin B12 and Diammonium Phosphate (DAP) were also provided separately and mixed into the totes of 55% EVO. This is not anticipated to result in changes to the remediation or effectiveness of the remedy. The 55% EVO was diluted with slightly less water such that the strength of the EVO was the same as part of injections.

While in storage at Cascade’s Indianapolis shop over the winter, seven of the eight totes of the 55% EVO separated. During the first week of April, the chemical supplier arranged to pick these totes up and replace them with the same number of 55% totes from a different batch. Each of these replacement totes (along with the original supply of 60% EVO that went unused following the 2022 injection efforts) stayed in emulsion until project completion.

5. COMPLETION SUMMARY

Based on elevated CVOC concentrations in groundwater within the UWBU in areas of the western portion of the former main building and beneath the asphalt cap area to the west of said building, Ramboll prepared a Supplemental Amendment Injection Work Plan for the Site in August 2022. The work was to involve 121 existing and new injection well screens being injected with two different amendment products; a 60% fortified EVO product and a bicarbonate and sodium lactate buffer solution designed to encourage anaerobic activity to promote dechlorination and the reduction of CVOCs without lowering the pH of the groundwater. Between the chemical amendments and the water sources mixed with them, a total of 605,000 gallons of amendment materials were to be injected into the target screens between September and December of 2022.

Though the work was ultimately completed, several complications occurred throughout the project and ultimately led to the delay in the commencement of the project (to October 2022) and the shutdown of the project in December 2022 with a restart for completion in April 2023. As discussed prior, the complications at the site ranged from crime/theft of equipment, a poorly producing groundwater zone, damaged wells, and very cold weather; all of which severely inhibited production. Many of these items contributed to the decision to suspend injection activities on December 21, 2022 and continue them in April 2023. The work was ultimately completed following remobilization on April 28, 2023.

Overall, a total of 592,700 gallons of amendments were injected into 121 well screens. Of that, 11,309 gallons were EVO and the remaining 581,391 gallons consisted of sodium lactate (total of 301 gallons) and potassium bicarbonate buffer solution (24,278 pounds). The water sources used for mixing the lactate and bicarbonate were a mixture of extracted groundwater and imported clean water from a commercial water supplier. Each of the intended well screens identified within the approved Work Plan received their targeted volume of amendment mixtures, with the exceptions of IW-539 (which was missing part of the dosage of sodium lactate bicarbonate buffer) and IW-575 (which only received half the allotted amount of EVO).

In July 2023, Ramboll performed a full round of quarterly groundwater sampling to begin gathering data to evaluate the initial efficacy of these supplemental injection efforts. It is also expected that the City of Indianapolis could proceed with the redevelopment efforts at the site at any time, continuing the ongoing construction of the recycling facility and beginning the removal of concrete slabs across what is identified as "Parcel D." It is expected that many of the existing monitoring wells will need to be decommissioned as part of the process and that new, strategically placed monitoring well locations will be needed (which will require redrilling and redevelopment) for continued monitoring in the future.

TABLES

Table 1 - Summary of Supplemental Injection Efforts

Former Indianapolis CE Plant (Sherman Park), Indianapolis, Indiana

IW #	Screen	Status	EVO (gals)	Mix Water (gals)	EVO Completion Date	Sodium Lactate (gals)	Potassium Bicarbonate (lbs)	Mix Water (gals)	Bicarbonate Completion Date	Chase Water* (gals)	Notes
501	Upper	Complete	90	2309.96	10/25/2022	2.48	200	2246.25	11/21/2022	255	
501	Lower	Complete	90	2309.99	10/25/2022	2.48	200	2246.25	11/21/2022	255	
518	Upper	Complete	90.06	2311.61	12/12/2022	2.48	200.04	2246.67	12/16/2022	255	
518	Lower	Complete	141.22	1814.03	4/19/2023	2.18	175.58	1972.02	4/27/2023	255	
519	Upper	Complete	90.01	2310.29	4/6/2023	2.48	200.03	2246.6	4/14/2023	255	
519	Lower	Complete	90.01	2310.29	4/6/2023	2.48	200.07	2247.05	4/14/2023	255	
520	Upper	Complete	64.33	1651.17	12/20/2022	2.48	200.05	2246.85	4/14/2023	255	IW-520 Upper was broken and could not be utilized; lower screen was injected at double volume
520	Lower	Complete	115.7	2969.54	4/6/2023	2.48	200	2246.25	4/28/2023	255	
525	Single	Complete	100.46	2414.46	4/24/2023	2.48	200	2246.25	4/26/2023	255	IW- 525 located beneath building slab access ramp; replaced with IW-524
525	Lower	Complete	97.56	2348.4	4/24/2023	2.48	200	2246.25	4/26/2023	255	
526	Single	Complete	90	2309.95	12/2/2022	2.48	200	2246.2	12/6/2022	255	
526	Lower	Complete	98.2	2301.8	4/24/2023	2.48	200	2246.2	4/26/2023	255	
527	Single	Complete	90	2309.96	12/2/2022	2.48	200.02	2246.42	12/6/2022	255	
527	Lower	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/18/2023	255	
528	Upper	Complete	118.35	3037.7	11/1/2022	2.48	200.06	2246.91	11/21/2022	255	
528	Lower	Complete	90	2309.98	11/1/2022	2.48	200	2246.25	11/21/2022	255	
529	Upper	Complete	90.16	2314.2	11/5/2022	2.48	200.13	2247.75	11/16/2022	255	
529	Lower	Complete	90	2309.98	11/6/2022	3.66	295.25	3316.03	11/15/2022	255	Lower screen inaccessible, double product on upper screen
530	Upper	Complete	90	2309.97	12/2/2022	2.48	200.05	2246.78	12/6/2022	255	
530	Lower	Complete	90	2310	12/2/2022	2.48	200.05	2246.79	12/6/2022	255	
531	Upper	Complete	90	2310.04	12/2/2022	2.48	200.1	2247.4	12/6/2022	255	
531	Lower	Complete	90	2310.04	12/2/2022	2.48	200.05	2246.83	12/6/2022	255	
532	Upper	Complete	90.05	2311.35	12/17/2022	2.48	200	2246.25	12/20/2022	255	
532	Lower	Complete	90.06	2311.44	12/17/2022	2.48	200	2246.25	12/20/2022	255	
535	Upper	Complete	90	2310.02	11/1/2022	2.48	200	2246.25	11/21/2022	255	
535	Lower	Complete	104.62	2685.35	11/1/2022	2.48	200	2246.25	11/21/2022	255	
536	Upper	Complete	90.35	2319.04	11/5/2022	2.48	200.01	2246.34	11/16/2022	255	
536	Lower	Complete	90	2309.98	11/6/2022	2.48	200.04	2246.72	11/16/2022	255	
537	Upper	Complete	93.61	2402.78	11/6/2022	2.48	200.08	2247.09	11/16/2022	255	
537	Lower	Complete	90.15	2313.87	11/5/2022	2.48	200.03	2246.63	11/16/2022	255	
538	Single	Complete	90	2310.01	12/2/2022	2.48	200.01	2246.34	12/6/2022	255	
538	Lower	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/18/2023	255	
539	Single	Complete	90.01	2310.19	12/16/2022	2.48	200	2246.25	4/18/2023	255	
539	Lower	Complete	34.83	893.87	4/13/2023	2.48	200	2246.25	4/28/2023	255	Very tight formation causing a low flow rate, did not complete second round of EVO
540	Single	Complete	90	2310	11/1/2022	2.48	200.05	2246.81	11/16/2022	255	
540	Lower	Incomplete	90	2310	11/1/2022	2.48	200.1	2246.8	11/16/2022	255	
544	Upper	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
544	Lower	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
545	Upper	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
545	Lower	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
546	Upper	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/18/2023	255	

Table 1 - Summary of Supplemental Injection Efforts

Former Indianapolis CE Plant (Sherman Park), Indianapolis, Indiana

IW #	Screen	Status	EVO (gals)	Mix Water (gals)	EVO Completion Date	Sodium Lactate (gals)	Potassium Bicarbonate (lbs)	Mix Water (gals)	Bicarbonate Completion Date	Chase Water* (gals)	Notes
546	Lower	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/18/2023	255	
547	Upper	Complete	90	2309.95	11/1/2022	2.48	200	2246.25	11/21/2022	255	
547	Lower	Complete	90	2309.97	11/1/2022	2.48	200	2246.25	11/21/2022	255	
548	Upper	Complete	90.01	2310.29	12/17/2022	2.48	200	2246.25	11/20/2022	255	
548	Lower	Complete	90	2310	12/17/2022	2.48	200	2246.25	12/20/2022	255	
549	Upper	Complete	90	2310	12/17/2022	2.48	200	2246.25	12/20/2022	255	
549	Lower	Complete	90.02	2310.48	12/17/2022	2.48	200	2246.25	12/20/2022	255	
551	Upper	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
551	Lower	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
553	Upper	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
553	Lower	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
554	Upper	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
554	Lower	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
555	Upper	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
555	Lower	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
556	Upper	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
556	Lower	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
557	Upper	Complete	90.01	2310.29	12/17/2022	2.48	200	2246.25	11/20/2022	255	
557	Lower	Complete	90.03	2310.87	12/17/2022	2.48	200	2246.25	12/20/2022	255	
566	Upper	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	Replaced with monitoring well W-2
566	Lower	Complete	99.19	2371.58	4/24/2023	2.48	200.04	2246.64	4/26/2023	255	Replaced with IW-565
567	Upper	Complete	90.18	2314.72	10/25/2022	2.48	200	2246.27	11/17/2022	255	
567	Lower	Complete	135.08	1936.96	4/19/2023	2.48	200	2246.25	4/28/2023	255	
570	Upper	Complete	90	2310.03	4/6/2023	2.48	200.05	2246.85	4/14/2023	255	
570	Lower	Complete	98.2	2301.76	4/24/2023	2.48	200	2246.23	4/26/2023	255	Well full of dirt, replaced with IW-521. IW-521 damaged, replaced with IW-522
571	Upper	Complete	90	2309.99	12/2/2022	2.48	200.04	2246.67	12/6/2022	255	
571	Lower	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/18/2023	255	
572	Upper	Complete	90.02	2310.48	12/17/2022	2.48	200	2246.25	4/18/2023	255	
572	Lower	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/28/2023	255	
575	Upper	Complete	90	2310	11/1/2022	2.48	200	2246.25	11/21/2022	255	
575	Lower	Complete	90	2310	11/1/2022	2.48	200	2246.25	4/28/2023	255	
576	Single	Complete	91.09	2337.97	4/6/2023	2.48	200.01	2246.34	4/14/2023	255	
577	Single	Complete	90	2310.01	4/6/2023	2.48	200.05	2246.76	4/14/2023	255	
578	Single	Complete	90	2310	12/2/2022	2.48	200	2246.2	12/6/2022	255	
579	Single	Complete	92.11	2364.28	11/6/2022	2.48	200.05	2246.81	11/16/2022	255	
580	Single	Complete	92.24	2367.37	11/6/2022	2.48	200.06	2246.91	11/16/2022	255	
581	Single	Complete	90	2310	11/1/2022	2.48	200	2246.25	11/21/2022	255	
582	Single	Complete	90.81	2330.7	11/6/2022	2.48	200.02	2246.44	11/16/2022	255	
601	Upper	Complete	90	2310.08	11/6/2022	2.48	200	2246.25	11/17/2022	255	
601	Lower	Complete	90	2310	11/6/2022	2.48	200.08	2247.1	11/17/2022	255	
602	Upper	Complete	90	2310.03	11/6/2022	2.54	204.92	2301.47	11/17/2022	255	
602	Lower	Complete	90	2309.98	11/6/2022	2.48	200	2246.21	11/17/2022	255	
603	Upper	Complete	88.88	2281.13	10/25/2022	2.48	200.08	2247.19	11/21/2022	255	
603	Lower	Complete	90	2309.99	10/25/2022	2.48	200	2246.25	11/21/2022	255	

Table 1 - Summary of Supplemental Injection Efforts


Former Indianapolis CE Plant (Sherman Park), Indianapolis, Indiana

IW #	Screen	Status	EVO (gals)	Mix Water (gals)	EVO Completion Date	Sodium Lactate (gals)	Potassium Bicarbonate (lbs)	Mix Water (gals)	Bicarbonate Completion Date	Chase Water* (gals)	Notes
604	Single	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	
605	Single	Complete	92.29	2368.78	4/6/2023	2.48	200.02	2246.45	4/14/2023	255	Well full of mortar (suspect cracked well casing), IW-604 double injected to make up the material
606	Single	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	
607	Single	Complete	90.02	2310.6	12/13/2022	2.48	200	2246.25	12/16/2022	255	
608	Single	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	
609	Single	Complete	90	2310.04	12/12/2022	2.48	200.04	2246.69	12/16/2022	255	
610	Upper	Complete	90	2310.08	12/12/2022	2.48	200.03	2246.54	12/16/2022	255	
610	Lower	Complete	90.08	2312.04	12/12/2022	2.48	200.02	2246.48	12/16/2022	255	
611	Upper	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	Lower screen inaccessible, double product on upper screen
611	Lower	Complete	90.03	2310.78	12/13/2022	2.48	200.01	2246.37	12/16/2022	255	
612	Upper	Complete	90.07	2311.73	12/12/2022	2.48	200.04	2246.69	12/16/2022	255	
612	Lower	Complete	90.11	2312.71	12/12/2022	2.48	200.01	2246.4	12/16/2022	255	
613	Upper	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	
613	Lower	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	
614	Upper	Complete	90.03	2310.67	12/12/2022	2.48	200.04	2246.72	12/16/2022	255	
614	Lower	Complete	90.05	2311.29	12/12/2022	2.48	200.04	2246.68	12/16/2022	255	
615	Upper	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	
615	Lower	Complete	90	2310	12/1/2022	2.48	200	2246.25	12/3/2022	255	
616	Single	Complete	134.21	1946.89	4/19/2023	2.48	200	2246.25	4/27/2023	255	
617	Single	Complete	95.32	1863.9	4/23/2023	2.48	200	2246.29	4/27/2023	255	
618	Single	Complete	155.31	2002.15	4/19/2023	2.48	200	2246.25	4/27/2023	255	
619	Single	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
620	Single	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
621	Single	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
622	Single	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/18/2023	255	
623	Single	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/18/2023	255	
624	Single	Complete	90	2310	4/13/2023	2.48	200	2246.25	4/18/2023	255	
625	Single	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
626	Single	Complete	98.2	2301.8	4/22/2023	2.48	200	2246.25	4/25/2023	255	
627	Single	Complete	98.2	2301.8	4/27/2023	2.48	200	2246.25	4/28/2023	255	
628	Upper	Complete	90	2310.05	11/6/2022	2.48	200	2246.27	11/17/2022	255	
628	Lower	Complete	90	2309.96	11/6/2022	2.49	200.48	2251.61	11/17/2022	255	
629	Upper	Complete	90	2310.01	11/6/2022	2.48	200	2246.26	11/17/2022	255	
629	Lower	Complete	90	2310.01	11/6/2022	2.48	200.01	2246.34	11/17/2022	255	
630	Upper	Complete	90.01	2310.16	4/6/2023	2.48	200.01	2246.4	4/14/2023	255	
630	Lower	Complete	90.24	2316.07	4/6/2023	2.48	200.02	2246.47	4/14/2023	255	

Subtotals: 11309.38 277564.09 301.03 24277.97 272670.98 30855
 Total Volume of Fluids Injected: 592700.48

* Chase water is estimated based on well averages for EVO and Bicarbonate phases combined, but had not been recorded on a per-well basis during injections.

FIGURES



Service Layer Credits: Hybrid Reference Layer: Esri Community Maps Contributors, City of Indianapolis Marion Co, © OpenStreetMap contributors, © Garmin, SafeGraph, GeoTechnologies, Inc., METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, World Imagery - Maxar, Microsoft

- ⊕ Abandoned/Not Located Monitoring Well Location
- * Former Extraction Well
- ⊕ Lower Water-Bearing Unit Monitoring Well Location
- ⊕ Middle Water-Bearing Unit Monitoring Well Location
- ⊕ Upper Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
 Sampled Quarterly
 Sampled Semi-Annually
 Sampled Annually




SITE PLAN
SUPPLEMENTAL INJECTION SUMMARY REPORT

Sherman Park Facility
 600 N Sherman Dr.
 Indianapolis, Indiana

FIGURE 02

RAMBOLL AMERICAS
 ENGINEERING SOLUTIONS, INC.
 A RAMBOLL COMPANY





- ▲ 2022/2023 Injection Wells for Supplemental Injection
- ▲ 2022/2023 Injection Wells for Supplemental Injection Lower Zone Only
- ▲ 2022/2023 Injection Wells for Supplemental Injection Upper Zone Only
- 2022/2023 New Injection Point Locations
- 2022/2023 New Injection Point Locations Upper Zone Only

- Injection Well
- Abandoned/Not Located Monitoring Well Location
- ✱ Former Extraction Well
- Lower Water-Bearing Unit Monitoring Well Location
- Middle Water-Bearing Unit Monitoring Well Location
- Upper Water-Bearing Unit Monitoring Well Location

- ⊗ Historical Water Supply Well
- RWP Source Area
- Surface Cap Area
- ⊘ Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

**INJECTION WELL LAYOUT MAP
SUPPLEMENTAL INJECTION
SUMMARY REPORT**

Sherman Park Facility
600 N Sherman Dr.
Indianapolis, Indiana



FIGURE 03

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



**APPENDIX A
PHOTOGRAPHIC LOG**

PHOTO LOG

Appendix **A**

Client name General Electric Company		Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
Photo no. 1	10/23/2022		
<p>Description</p> <p>General view of the site from near the ramp toward the RecycleForce building under construction. Note the equipment in the background generally associated with the removal of the stockpiled soils in the eastern portion of the site. Photo faces northeast.</p>			
Client name General Electric Company		Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
Photo no. 2	12/5/2022		
<p>Description</p> <p>General view of the site facing east. Most of the fill shown in the background of the photo (constituting "Taupe Mountain") has now been removed.</p>			

Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/21/2022
3

Description

General view of the site facing south toward East Michigan Street toward residential properties. Several injection wellheads are shown connected via hosing.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/17/2022
4

Description

General photograph showing the drilling and installation of the new injection well IW-617; photo (facing west) shows the sonic drill rig and support truck.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/18/2022
5

Description

General view of the installation of new injection well IW-604.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/23/2022
6

Description

Northwest well cluster (showing IW 604, 605, and 606) in the area of monitoring well MW-311. Photo shows the completion of drilling as the wells are being prepared for pumping of bentonite grout. Photo faces northeast.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/21/2022
7

Description

Photo showing delivery of the emulsified vegetable oil (EVO) material.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/21/2022
8

Description

Photo showing several separated totes of EVO material that were returned to the vendor for replacement material.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/21/2022
9

Description

Photo showing the Crew 1 (south team) injection setup. Photo faces northeast.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/21/2022
10

Description

Photo showing the Crew 2 (north team) injection setup. Photo faces north.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/23/2022
11

Description

Example photograph showing minor leakage of supplemental injection amendments due to a leaky valve and over pressurization on an injection well (IW-536 here). Photo faces southwest. Note the material was allowed to evaporate and soak into underlying soils.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 10/21/2022
12

Description

Photo showing a groundwater extraction pump setup on IW-573, leading to an extraction manifold, connected to a bag filter, and then on to water stock tank. Note this was the intended setup of the amendment injection process but due to lower than anticipated extraction rates for groundwater, bulk water was brought onsite and staged in a frac tank later in the project.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 11/4/2022
13

Description

Example photograph of a clogged bag filter from the groundwater extraction pumps. The poor quality of the groundwater (debris-filled and an insufficient water extraction) led to replacing water extraction with imported water deliveries.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 11/3/2022
14

Description

Example damage from dirty groundwater and insufficient bag filtering of extracted groundwater on flowmeter parts.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 15	10/24/2022	
Description Photograph showing the delivery of one of two (2) 21,000-gallon water frac tanks for water import deliveries. Photo faces west.		

Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 16	11/4/2022	
Description Photo showing imported water deliveries that were diverted into the frac tanks for injection usage. Photo faces north.		

Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 11/8/2022
17

Description

Photograph of bags of powdered potassium bicarbonate and 50-gallon drums of sodium lactate with a hand-operated pump for product extraction. These materials were mixed to form a buffer solution for injection following the EVO injection efforts.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 12/6/2022
18

Description

Photograph showing the new injection well installation spoils drums, sampled and staged in a safe area out of main travel paths across the slab. Drums were removed from the site on April 4, 2023.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 4/20/2023
19

Description

Crew 1 (south side), final setup. Left chemical tote contains potassium bicarbonate sodium lactate mixture, right tote contains EVO. Note the main blue pump at the center of the photograph and the 10-well manifold setup at right.



Client name General Electric Company	Site location Former Indianapolis CE Plant, 604 North Sherman Drive, Indianapolis, IN 46201	Project no. 1940103494
--	---	----------------------------------

Photo no. 4/15/2023
20

Description

Crew 2 (north side), final setup. EVO is being transferred from the stock tote (left, on the ground) to the mixing tote (right, on the trailer). Again, note the manifold setup. Minor spillage of EVO was contained and allowed to soak into underlying soils.



APPENDIX C
LABORATORY ANALYTICAL REPORTS

**APPENDIX C-1
JANUARY/FEBRUARY 2023 GROUNDWATER SAMPLING EVENT**

February 09, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50336060

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on January 24, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Gulf Coast
- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50336060

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

Pace Analytical Gulf Coast

7979 Innovation Park Drive, Baton Rouge, LA 70820
Arkansas Certification #: 88-0655
DoD ELAP Certification #: 6429-01
Florida Certification #: E87854
Illinois Certification #: 004585
Kansas Certification #: E-10354
Louisiana/LELAP Certification #: 01955
North Carolina Certification #: 618

North Dakota Certification #: R-195
Oklahoma Certification #: 2019-101
South Carolina Certification #: 73006001
Texas Certification #: T104704178-19-11
USDA Soil Permit # P330-19-00209
Virginia Certification #: 460215
Washington Certification #: C929

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50336060

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50336060001	MW-425-012323	Water	01/23/23 13:45	01/24/23 13:45
50336060002	AD-100-012323	Water	01/23/23 12:00	01/24/23 13:45
50336060003	MW-313-012323	Water	01/23/23 15:35	01/24/23 13:45
50336060004	MW-112-012323	Water	01/23/23 15:40	01/24/23 13:45
50336060005	MW-132-012323	Water	01/23/23 16:15	01/24/23 13:45
50336060006	MW-133-012323	Water	01/23/23 16:20	01/24/23 13:45
50336060007	MW-312-012323	Water	01/23/23 17:00	01/24/23 13:45
50336060008	MW-253-012423	Water	01/24/23 09:05	01/24/23 13:45
50336060009	MW-163-012423	Water	01/24/23 09:30	01/24/23 13:45
50336060010	MW-303-012423	Water	01/24/23 09:50	01/24/23 13:45
50336060011	MW-333-012423	Water	01/24/23 10:00	01/24/23 13:45
50336060012	W-11D-012423	Water	01/24/23 10:50	01/24/23 13:45
50336060014	Trip Blank-012423	Water	01/23/23 08:00	01/24/23 13:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50336060

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50336060001	MW-425-012323	EPA 300.0	ADM	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	MTM	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	OAS	1	PASI-I
		SM 5310C	ATS	1	PASI-I
50336060002	AD-100-012323	EPA 5030/8260	TMW	75	PASI-I
50336060003	MW-313-012323	EPA 5030/8260	TMW	75	PASI-I
50336060004	MW-112-012323	EPA 5030/8260	TMW	75	PASI-I
50336060005	MW-132-012323	EPA 5030/8260	TMW	75	PASI-I
50336060006	MW-133-012323	EPA 5030/8260	TMW	75	PASI-I
50336060007	MW-312-012323	EPA 5030/8260	TMW	75	PASI-I
50336060008	MW-253-012423	EPA 5030/8260	TMW	75	PASI-I
50336060009	MW-163-012423	EPA 5030/8260	TMW	75	PASI-I
50336060010	MW-303-012423	EPA 5030/8260	TMW	75	PASI-I
50336060011	MW-333-012423	EPA 5030/8260	TMW	75	PASI-I
50336060012	W-11D-012423	EPA 5030/8260	TMW	75	PASI-I
50336060014	Trip Blank-012423	EPA 5030/8260	TMW	75	PASI-I

GCLA = Pace Analytical Gulf Coast

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50336060

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50336060001	MW-425-012323					
EPA 300.0	Sulfate	106000	ug/L	2500	01/28/23 20:39	
AM20GAX	Methane	800	ug/L	5.0	01/27/23 10:39	
AM20GAX	Ethane	11	ug/L	1.0	01/27/23 10:39	
AM20GAX	Ethene	40	ug/L	1.0	01/27/23 10:39	
EPA 6010	Iron, Dissolved	5610	ug/L	100	02/02/23 15:47	
EPA 5030/8260	Chloroethane	167	ug/L	5.0	01/30/23 12:54	
EPA 5030/8260	1,1-Dichloroethane	21.8	ug/L	5.0	01/30/23 12:54	
EPA 5030/8260	1,2-Dichloroethane	5.7	ug/L	5.0	01/30/23 12:54	
EPA 5030/8260	cis-1,2-Dichloroethene	737	ug/L	25.0	01/30/23 13:24	
EPA 5030/8260	Trichloroethene	5.9	ug/L	5.0	01/30/23 12:54	
EPA 5030/8260	Vinyl chloride	497	ug/L	10.0	01/30/23 13:24	
SM 5310C	Total Organic Carbon	2110	ug/L	1000	01/31/23 17:39	
50336060002	AD-100-012323					
EPA 5030/8260	Chloroethane	164	ug/L	5.0	01/30/23 13:55	
EPA 5030/8260	1,1-Dichloroethane	21.5	ug/L	5.0	01/30/23 13:55	
EPA 5030/8260	1,2-Dichloroethane	5.9	ug/L	5.0	01/30/23 13:55	
EPA 5030/8260	cis-1,2-Dichloroethene	734	ug/L	50.0	01/31/23 19:06	
EPA 5030/8260	Trichloroethene	5.8	ug/L	5.0	01/30/23 13:55	
EPA 5030/8260	Vinyl chloride	502	ug/L	20.0	01/31/23 19:06	
50336060003	MW-313-012323					
EPA 5030/8260	cis-1,2-Dichloroethene	282	ug/L	5.0	01/30/23 14:25	
EPA 5030/8260	trans-1,2-Dichloroethene	6.5	ug/L	5.0	01/30/23 14:25	
EPA 5030/8260	Vinyl chloride	20.3	ug/L	2.0	01/30/23 14:25	
50336060004	MW-112-012323					
EPA 5030/8260	1,1-Dichloroethane	8.6	ug/L	5.0	01/30/23 14:55	
EPA 5030/8260	cis-1,2-Dichloroethene	235	ug/L	5.0	01/30/23 14:55	
EPA 5030/8260	Vinyl chloride	312	ug/L	20.0	01/31/23 19:36	
50336060005	MW-132-012323					
EPA 5030/8260	Chloroethane	22.5	ug/L	5.0	01/30/23 15:26	
EPA 5030/8260	1,1-Dichloroethane	74.6	ug/L	5.0	01/30/23 15:26	
EPA 5030/8260	cis-1,2-Dichloroethene	526	ug/L	50.0	01/31/23 19:21	
EPA 5030/8260	trans-1,2-Dichloroethene	38.4	ug/L	5.0	01/30/23 15:26	
EPA 5030/8260	Trichloroethene	627	ug/L	50.0	01/31/23 19:21	
EPA 5030/8260	Vinyl chloride	175	ug/L	2.0	01/30/23 15:26	
50336060006	MW-133-012323					
EPA 5030/8260	1,1-Dichloroethane	8.4	ug/L	5.0	01/30/23 15:56	
EPA 5030/8260	1,1-Dichloroethene	5.5	ug/L	5.0	01/30/23 15:56	
EPA 5030/8260	cis-1,2-Dichloroethene	583	ug/L	50.0	01/31/23 19:52	
EPA 5030/8260	trans-1,2-Dichloroethene	81.2	ug/L	5.0	01/30/23 15:56	
EPA 5030/8260	Trichloroethene	42.9	ug/L	5.0	01/30/23 15:56	
EPA 5030/8260	Vinyl chloride	345	ug/L	20.0	01/31/23 19:52	
50336060007	MW-312-012323					
EPA 5030/8260	cis-1,2-Dichloroethene	86.6	ug/L	5.0	01/30/23 16:27	
EPA 5030/8260	Trichloroethene	55.5	ug/L	5.0	01/30/23 16:27	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50336060

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50336060007	MW-312-012323					
EPA 5030/8260	Vinyl chloride	35.0	ug/L	2.0	01/30/23 16:27	
50336060008	MW-253-012423					
EPA 5030/8260	Benzene	25.2	ug/L	5.0	01/30/23 16:57	
EPA 5030/8260	Chloroethane	797	ug/L	50.0	01/31/23 20:07	
EPA 5030/8260	1,1-Dichloroethane	671	ug/L	50.0	01/31/23 20:07	
EPA 5030/8260	1,2-Dichloroethane	123	ug/L	5.0	01/30/23 16:57	
EPA 5030/8260	1,1-Dichloroethene	33.7	ug/L	5.0	01/30/23 16:57	
EPA 5030/8260	cis-1,2-Dichloroethene	19300	ug/L	500	01/31/23 20:37	
EPA 5030/8260	trans-1,2-Dichloroethene	188	ug/L	5.0	01/30/23 16:57	
EPA 5030/8260	Vinyl chloride	2300	ug/L	20.0	01/31/23 20:07	
50336060009	MW-163-012423					
EPA 5030/8260	cis-1,2-Dichloroethene	7070	ug/L	250	01/30/23 20:15	
EPA 5030/8260	Vinyl chloride	1460	ug/L	100	01/30/23 20:15	
50336060010	MW-303-012423					
EPA 5030/8260	cis-1,2-Dichloroethene	1060	ug/L	25.0	01/30/23 20:45	
EPA 5030/8260	Vinyl chloride	402	ug/L	10.0	01/30/23 20:45	
50336060011	MW-333-012423					
EPA 5030/8260	Benzene	10.1	ug/L	5.0	01/30/23 21:46	
EPA 5030/8260	Chloroethane	152	ug/L	5.0	01/30/23 21:46	
EPA 5030/8260	1,2-Dichloroethane	28.5	ug/L	5.0	01/30/23 21:46	
EPA 5030/8260	1,1-Dichloroethene	23.0	ug/L	5.0	01/30/23 21:46	
EPA 5030/8260	cis-1,2-Dichloroethene	11000	ug/L	500	01/31/23 20:22	
EPA 5030/8260	trans-1,2-Dichloroethene	108	ug/L	5.0	01/30/23 21:46	
EPA 5030/8260	Vinyl chloride	1800	ug/L	20.0	01/30/23 22:16	
50336060012	W-11D-012423					
EPA 5030/8260	1,1-Dichloroethane	127	ug/L	5.0	01/30/23 19:59	
EPA 5030/8260	cis-1,2-Dichloroethene	14.6	ug/L	5.0	01/30/23 19:59	
EPA 5030/8260	Vinyl chloride	3.4	ug/L	2.0	01/30/23 19:59	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-425-012323 Lab ID: 50336060001 Collected: 01/23/23 13:45 Received: 01/24/23 13:45 Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis									
Sulfate	106000	ug/L	2500	850	10		01/28/23 20:39	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	800	ug/L	5.0	2.0	1		01/27/23 10:39	74-82-8	
Ethane	11	ug/L	1.0	0.17	1		01/27/23 10:39	74-84-0	
Ethene	40	ug/L	1.0	0.24	1		01/27/23 10:39	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		01/27/23 10:39	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		01/27/23 10:39	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		01/27/23 10:39	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		01/27/23 10:39	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis									
Iron, Dissolved	5610	ug/L	100	48.8	1	01/31/23 09:47	02/02/23 15:47	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 12:54	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 12:54	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 12:54	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 12:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 12:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 12:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 12:54	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 12:54	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 12:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 12:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 12:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 12:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 12:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 12:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 12:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 12:54	108-90-7	
Chloroethane	167	ug/L	5.0	0.15	1		01/30/23 12:54	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 12:54	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 12:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 12:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 12:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 12:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 12:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 12:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 12:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 12:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 12:54	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-425-012323 Lab ID: 50336060001 Collected: 01/23/23 13:45 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 12:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 12:54	75-71-8	
1,1-Dichloroethane	21.8	ug/L	5.0	0.28	1		01/30/23 12:54	75-34-3	
1,2-Dichloroethane	5.7	ug/L	5.0	0.17	1		01/30/23 12:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		01/30/23 12:54	75-35-4	
cis-1,2-Dichloroethene	737	ug/L	25.0	1.5	5		01/30/23 13:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		01/30/23 12:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 12:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 12:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 12:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 12:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 12:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 12:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 12:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 12:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 12:54	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 12:54	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 12:54	591-78-6	
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 12:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 12:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 12:54	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 12:54	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 12:54	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 12:54	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 12:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 12:54	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 12:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 12:54	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 12:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 12:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 12:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 12:54	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 12:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 12:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 12:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 12:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 12:54	79-00-5	
Trichloroethene	5.9	ug/L	5.0	0.37	1		01/30/23 12:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 12:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 12:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 12:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 12:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 12:54	108-05-4	
Vinyl chloride	497	ug/L	10.0	0.65	5		01/30/23 13:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 12:54	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-425-012323		Lab ID: 50336060001		Collected: 01/23/23 13:45	Received: 01/24/23 13:45	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		01/30/23 12:54	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		01/30/23 12:54	460-00-4	
Toluene-d8 (S)	108	%.	73-122		1		01/30/23 12:54	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		01/24/23 18:34	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	2110	ug/L	1000	236	1		01/31/23 17:39	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: AD-100-012323 Lab ID: 50336060002 Collected: 01/23/23 12:00 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 13:55	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 13:55	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 13:55	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 13:55	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 13:55	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 13:55	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 13:55	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 13:55	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 13:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 13:55	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 13:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 13:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 13:55	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 13:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 13:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 13:55	108-90-7	
Chloroethane	164	ug/L	5.0	0.15	1		01/30/23 13:55	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 13:55	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 13:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 13:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 13:55	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 13:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 13:55	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 13:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 13:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 13:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 13:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 13:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 13:55	75-71-8	
1,1-Dichloroethane	21.5	ug/L	5.0	0.28	1		01/30/23 13:55	75-34-3	
1,2-Dichloroethane	5.9	ug/L	5.0	0.17	1		01/30/23 13:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		01/30/23 13:55	75-35-4	
cis-1,2-Dichloroethene	734	ug/L	50.0	3.0	10		01/31/23 19:06	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		01/30/23 13:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 13:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 13:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 13:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 13:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 13:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 13:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 13:55	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 13:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 13:55	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 13:55	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 13:55	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: AD-100-012323 Lab ID: 50336060002 Collected: 01/23/23 12:00 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 13:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 13:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 13:55	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 13:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 13:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 13:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 13:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 13:55	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 13:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 13:55	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 13:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 13:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 13:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 13:55	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 13:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 13:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 13:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 13:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 13:55	79-00-5	
Trichloroethene	5.8	ug/L	5.0	0.37	1		01/30/23 13:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 13:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 13:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 13:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 13:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 13:55	108-05-4	
Vinyl chloride	502	ug/L	20.0	1.3	10		01/31/23 19:06	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 13:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%	82-128		1		01/30/23 13:55	1868-53-7	
4-Bromofluorobenzene (S)	106	%	79-124		1		01/30/23 13:55	460-00-4	
Toluene-d8 (S)	108	%	73-122		1		01/30/23 13:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-313-012323 **Lab ID: 50336060003** Collected: 01/23/23 15:35 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 14:25	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 14:25	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 14:25	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 14:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 14:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 14:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 14:25	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 14:25	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 14:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 14:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 14:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 14:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 14:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 14:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 14:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 14:25	108-90-7	
Chloroethane	ND	ug/L	5.0	0.15	1		01/30/23 14:25	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 14:25	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 14:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 14:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 14:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 14:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 14:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 14:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 14:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 14:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 14:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 14:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 14:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 14:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.17	1		01/30/23 14:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		01/30/23 14:25	75-35-4	
cis-1,2-Dichloroethene	282	ug/L	5.0	0.30	1		01/30/23 14:25	156-59-2	
trans-1,2-Dichloroethene	6.5	ug/L	5.0	0.36	1		01/30/23 14:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 14:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 14:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 14:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 14:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 14:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 14:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 14:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 14:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 14:25	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 14:25	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 14:25	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-313-012323 Lab ID: 50336060003 Collected: 01/23/23 15:35 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 14:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 14:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 14:25	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 14:25	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 14:25	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 14:25	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 14:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 14:25	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 14:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 14:25	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 14:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 14:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 14:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 14:25	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 14:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 14:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 14:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 14:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 14:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.37	1		01/30/23 14:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 14:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 14:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 14:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 14:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 14:25	108-05-4	
Vinyl chloride	20.3	ug/L	2.0	0.13	1		01/30/23 14:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 14:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%	82-128		1		01/30/23 14:25	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		01/30/23 14:25	460-00-4	
Toluene-d8 (S)	106	%	73-122		1		01/30/23 14:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-112-012323 Lab ID: 50336060004 Collected: 01/23/23 15:40 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 14:55	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 14:55	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 14:55	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 14:55	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 14:55	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 14:55	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 14:55	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 14:55	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 14:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 14:55	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 14:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 14:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 14:55	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 14:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 14:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 14:55	108-90-7	
Chloroethane	ND	ug/L	5.0	0.15	1		01/30/23 14:55	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 14:55	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 14:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 14:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 14:55	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 14:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 14:55	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 14:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 14:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 14:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 14:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 14:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 14:55	75-71-8	
1,1-Dichloroethane	8.6	ug/L	5.0	0.28	1		01/30/23 14:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.17	1		01/30/23 14:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		01/30/23 14:55	75-35-4	
cis-1,2-Dichloroethene	235	ug/L	5.0	0.30	1		01/30/23 14:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		01/30/23 14:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 14:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 14:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 14:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 14:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 14:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 14:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 14:55	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 14:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 14:55	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 14:55	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 14:55	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50336060

Sample: MW-112-012323 Lab ID: 50336060004 Collected: 01/23/23 15:40 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 14:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 14:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 14:55	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 14:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 14:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 14:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 14:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 14:55	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 14:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 14:55	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 14:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 14:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 14:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 14:55	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 14:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 14:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 14:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 14:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 14:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.37	1		01/30/23 14:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 14:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 14:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 14:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 14:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 14:55	108-05-4	
Vinyl chloride	312	ug/L	20.0	1.3	10		01/31/23 19:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 14:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%	82-128		1		01/30/23 14:55	1868-53-7	
4-Bromofluorobenzene (S)	110	%	79-124		1		01/30/23 14:55	460-00-4	
Toluene-d8 (S)	109	%	73-122		1		01/30/23 14:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-132-012323 Lab ID: 50336060005 Collected: 01/23/23 16:15 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 15:26	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 15:26	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 15:26	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 15:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 15:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 15:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 15:26	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 15:26	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 15:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 15:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 15:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 15:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 15:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 15:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 15:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 15:26	108-90-7	
Chloroethane	22.5	ug/L	5.0	0.15	1		01/30/23 15:26	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 15:26	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 15:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 15:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 15:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 15:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 15:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 15:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 15:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 15:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 15:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 15:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 15:26	75-71-8	
1,1-Dichloroethane	74.6	ug/L	5.0	0.28	1		01/30/23 15:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.17	1		01/30/23 15:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		01/30/23 15:26	75-35-4	
cis-1,2-Dichloroethene	526	ug/L	50.0	2.5	10		01/31/23 19:21	156-59-2	
trans-1,2-Dichloroethene	38.4	ug/L	5.0	0.36	1		01/30/23 15:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 15:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 15:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 15:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 15:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 15:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 15:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 15:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 15:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 15:26	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 15:26	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 15:26	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-132-012323 **Lab ID: 50336060005** Collected: 01/23/23 16:15 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 15:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 15:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 15:26	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 15:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 15:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 15:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 15:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 15:26	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 15:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 15:26	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 15:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 15:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 15:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 15:26	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 15:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 15:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 15:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 15:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 15:26	79-00-5	
Trichloroethene	627	ug/L	50.0	3.0	10		01/31/23 19:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 15:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 15:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 15:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 15:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 15:26	108-05-4	
Vinyl chloride	175	ug/L	2.0	0.13	1		01/30/23 15:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 15:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%	82-128		1		01/30/23 15:26	1868-53-7	
4-Bromofluorobenzene (S)	109	%	79-124		1		01/30/23 15:26	460-00-4	
Toluene-d8 (S)	108	%	73-122		1		01/30/23 15:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-133-012323 **Lab ID: 50336060006** Collected: 01/23/23 16:20 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 15:56	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 15:56	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 15:56	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 15:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 15:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 15:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 15:56	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 15:56	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 15:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 15:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 15:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 15:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 15:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 15:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 15:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 15:56	108-90-7	
Chloroethane	ND	ug/L	5.0	0.15	1		01/30/23 15:56	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 15:56	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 15:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 15:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 15:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 15:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 15:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 15:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 15:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 15:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 15:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 15:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 15:56	75-71-8	
1,1-Dichloroethane	8.4	ug/L	5.0	0.28	1		01/30/23 15:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.17	1		01/30/23 15:56	107-06-2	
1,1-Dichloroethene	5.5	ug/L	5.0	0.29	1		01/30/23 15:56	75-35-4	
cis-1,2-Dichloroethene	583	ug/L	50.0	2.5	10		01/31/23 19:52	156-59-2	
trans-1,2-Dichloroethene	81.2	ug/L	5.0	0.36	1		01/30/23 15:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 15:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 15:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 15:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 15:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 15:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 15:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 15:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 15:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 15:56	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 15:56	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 15:56	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-133-012323 Lab ID: 50336060006 Collected: 01/23/23 16:20 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 15:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 15:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 15:56	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 15:56	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 15:56	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 15:56	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 15:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 15:56	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 15:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 15:56	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 15:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 15:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 15:56	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 15:56	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 15:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 15:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 15:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 15:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 15:56	79-00-5	
Trichloroethene	42.9	ug/L	5.0	0.37	1		01/30/23 15:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 15:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 15:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 15:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 15:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 15:56	108-05-4	
Vinyl chloride	345	ug/L	20.0	1.4	10		01/31/23 19:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 15:56	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%	82-128		1		01/30/23 15:56	1868-53-7	
4-Bromofluorobenzene (S)	108	%	79-124		1		01/30/23 15:56	460-00-4	
Toluene-d8 (S)	107	%	73-122		1		01/30/23 15:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-312-012323 Lab ID: 50336060007 Collected: 01/23/23 17:00 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 16:27	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 16:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 16:27	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 16:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 16:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 16:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 16:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 16:27	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 16:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 16:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 16:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 16:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 16:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 16:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 16:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 16:27	108-90-7	
Chloroethane	ND	ug/L	5.0	0.15	1		01/30/23 16:27	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 16:27	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 16:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 16:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 16:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 16:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 16:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 16:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 16:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 16:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 16:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 16:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 16:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 16:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.17	1		01/30/23 16:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		01/30/23 16:27	75-35-4	
cis-1,2-Dichloroethene	86.6	ug/L	5.0	0.30	1		01/30/23 16:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		01/30/23 16:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 16:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 16:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 16:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 16:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 16:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 16:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 16:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 16:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 16:27	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 16:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 16:27	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-312-012323 Lab ID: 50336060007 Collected: 01/23/23 17:00 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 16:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 16:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 16:27	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 16:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 16:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 16:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 16:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 16:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 16:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 16:27	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 16:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 16:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 16:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 16:27	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 16:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 16:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 16:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 16:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 16:27	79-00-5	
Trichloroethene	55.5	ug/L	5.0	0.37	1		01/30/23 16:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 16:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 16:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 16:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 16:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 16:27	108-05-4	
Vinyl chloride	35.0	ug/L	2.0	0.13	1		01/30/23 16:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 16:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%	82-128		1		01/30/23 16:27	1868-53-7	
4-Bromofluorobenzene (S)	110	%	79-124		1		01/30/23 16:27	460-00-4	
Toluene-d8 (S)	109	%	73-122		1		01/30/23 16:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50336060

Sample: MW-253-012423 Lab ID: 50336060008 Collected: 01/24/23 09:05 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 16:57	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 16:57	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 16:57	107-13-1	
Benzene	25.2	ug/L	5.0	0.30	1		01/30/23 16:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 16:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 16:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 16:57	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 16:57	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 16:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 16:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 16:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 16:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 16:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 16:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 16:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 16:57	108-90-7	
Chloroethane	797	ug/L	50.0	1.5	10		01/31/23 20:07	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 16:57	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 16:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 16:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 16:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 16:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 16:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 16:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 16:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 16:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 16:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 16:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 16:57	75-71-8	
1,1-Dichloroethane	671	ug/L	50.0	2.8	10		01/31/23 20:07	75-34-3	
1,2-Dichloroethane	123	ug/L	5.0	0.17	1		01/30/23 16:57	107-06-2	
1,1-Dichloroethene	33.7	ug/L	5.0	0.29	1		01/30/23 16:57	75-35-4	
cis-1,2-Dichloroethene	19300	ug/L	500	29.8	100		01/31/23 20:37	156-59-2	
trans-1,2-Dichloroethene	188	ug/L	5.0	0.36	1		01/30/23 16:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 16:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 16:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 16:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 16:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 16:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 16:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 16:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 16:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 16:57	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 16:57	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 16:57	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-253-012423 Lab ID: 50336060008 Collected: 01/24/23 09:05 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 16:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 16:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 16:57	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 16:57	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 16:57	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 16:57	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 16:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 16:57	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 16:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 16:57	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 16:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 16:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 16:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 16:57	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 16:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 16:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 16:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 16:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 16:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.37	1		01/30/23 16:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 16:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 16:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 16:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 16:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 16:57	108-05-4	
Vinyl chloride	2300	ug/L	20.0	1.3	10		01/31/23 20:07	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 16:57	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		1		01/30/23 16:57	1868-53-7	
4-Bromofluorobenzene (S)	107	%	79-124		1		01/30/23 16:57	460-00-4	
Toluene-d8 (S)	108	%	73-122		1		01/30/23 16:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-163-012423 Lab ID: 50336060009 Collected: 01/24/23 09:30 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	5000	188	50		01/30/23 20:15	67-64-1	
Acrolein	ND	ug/L	2500	118	50		01/30/23 20:15	107-02-8	
Acrylonitrile	ND	ug/L	5000	53.0	50		01/30/23 20:15	107-13-1	
Benzene	ND	ug/L	250	13.2	50		01/30/23 20:15	71-43-2	
Bromobenzene	ND	ug/L	250	12.2	50		01/30/23 20:15	108-86-1	
Bromochloromethane	ND	ug/L	250	11.4	50		01/30/23 20:15	74-97-5	
Bromodichloromethane	ND	ug/L	250	9.3	50		01/30/23 20:15	75-27-4	
Bromoform	ND	ug/L	250	9.2	50		01/30/23 20:15	75-25-2	
Bromomethane	ND	ug/L	250	7.8	50		01/30/23 20:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	39.6	50		01/30/23 20:15	78-93-3	
n-Butylbenzene	ND	ug/L	250	18.6	50		01/30/23 20:15	104-51-8	
sec-Butylbenzene	ND	ug/L	250	17.0	50		01/30/23 20:15	135-98-8	
tert-Butylbenzene	ND	ug/L	250	19.0	50		01/30/23 20:15	98-06-6	
Carbon disulfide	ND	ug/L	500	13.9	50		01/30/23 20:15	75-15-0	
Carbon tetrachloride	ND	ug/L	250	13.0	50		01/30/23 20:15	56-23-5	
Chlorobenzene	ND	ug/L	250	14.6	50		01/30/23 20:15	108-90-7	
Chloroethane	ND	ug/L	250	7.4	50		01/30/23 20:15	75-00-3	
Chloroform	ND	ug/L	250	29.0	50		01/30/23 20:15	67-66-3	
Chloromethane	ND	ug/L	250	8.4	50		01/30/23 20:15	74-87-3	
2-Chlorotoluene	ND	ug/L	250	16.0	50		01/30/23 20:15	95-49-8	
4-Chlorotoluene	ND	ug/L	250	14.8	50		01/30/23 20:15	106-43-4	
Dibromochloromethane	ND	ug/L	250	6.4	50		01/30/23 20:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	9.8	50		01/30/23 20:15	106-93-4	
Dibromomethane	ND	ug/L	250	6.8	50		01/30/23 20:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	12.8	50		01/30/23 20:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	16.6	50		01/30/23 20:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	13.5	50		01/30/23 20:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	17.4	50		01/30/23 20:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	5.7	50		01/30/23 20:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	250	11.4	50		01/30/23 20:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	9.2	50		01/30/23 20:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	250	10.8	50		01/30/23 20:15	75-35-4	
cis-1,2-Dichloroethene	7070	ug/L	250	12.6	50		01/30/23 20:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	250	18.0	50		01/30/23 20:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	11.8	50		01/30/23 20:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	8.3	50		01/30/23 20:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	14.9	50		01/30/23 20:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	14.3	50		01/30/23 20:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	11.3	50		01/30/23 20:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	8.4	50		01/30/23 20:15	10061-02-6	
Ethylbenzene	ND	ug/L	250	16.7	50		01/30/23 20:15	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	9.8	50		01/30/23 20:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	15.9	50		01/30/23 20:15	87-68-3	
n-Hexane	ND	ug/L	250	9.2	50		01/30/23 20:15	110-54-3	
2-Hexanone	ND	ug/L	1250	39.7	50		01/30/23 20:15	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50336060

Sample: MW-163-012423 Lab ID: 5033606009 Collected: 01/24/23 09:30 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	500	11.0	50		01/30/23 20:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	18.3	50		01/30/23 20:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	19.8	50		01/30/23 20:15	99-87-6	
Methylene Chloride	ND	ug/L	250	36.4	50		01/30/23 20:15	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	8.6	50		01/30/23 20:15	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	9.5	50		01/30/23 20:15	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	45.9	50		01/30/23 20:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	8.4	50		01/30/23 20:15	1634-04-4	
Naphthalene	ND	ug/L	60.0	11.4	50		01/30/23 20:15	91-20-3	
n-Propylbenzene	ND	ug/L	250	16.7	50		01/30/23 20:15	103-65-1	
Styrene	ND	ug/L	250	13.2	50		01/30/23 20:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	11.8	50		01/30/23 20:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	11.2	50		01/30/23 20:15	79-34-5	
Tetrachloroethene	ND	ug/L	250	14.7	50		01/30/23 20:15	127-18-4	
Toluene	ND	ug/L	250	21.4	50		01/30/23 20:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	14.1	50		01/30/23 20:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	17.2	50		01/30/23 20:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	250	13.8	50		01/30/23 20:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	7.0	50		01/30/23 20:15	79-00-5	
Trichloroethene	ND	ug/L	250	14.9	50		01/30/23 20:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	7.1	50		01/30/23 20:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	14.4	50		01/30/23 20:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	17.8	50		01/30/23 20:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	18.0	50		01/30/23 20:15	108-67-8	
Vinyl acetate	ND	ug/L	2500	22.6	50		01/30/23 20:15	108-05-4	
Vinyl chloride	1460	ug/L	100	7.2	50		01/30/23 20:15	75-01-4	
Xylene (Total)	ND	ug/L	500	18.6	50		01/30/23 20:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%	82-128		50		01/30/23 20:15	1868-53-7	D4
4-Bromofluorobenzene (S)	108	%	79-124		50		01/30/23 20:15	460-00-4	
Toluene-d8 (S)	106	%	73-122		50		01/30/23 20:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-303-012423 Lab ID: 50336060010 Collected: 01/24/23 09:50 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	500	18.8	5		01/30/23 20:45	67-64-1	
Acrolein	ND	ug/L	250	11.8	5		01/30/23 20:45	107-02-8	
Acrylonitrile	ND	ug/L	500	5.3	5		01/30/23 20:45	107-13-1	
Benzene	ND	ug/L	25.0	1.3	5		01/30/23 20:45	71-43-2	
Bromobenzene	ND	ug/L	25.0	1.2	5		01/30/23 20:45	108-86-1	
Bromochloromethane	ND	ug/L	25.0	1.1	5		01/30/23 20:45	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	0.93	5		01/30/23 20:45	75-27-4	
Bromoform	ND	ug/L	25.0	0.92	5		01/30/23 20:45	75-25-2	
Bromomethane	ND	ug/L	25.0	0.78	5		01/30/23 20:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	4.0	5		01/30/23 20:45	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	1.9	5		01/30/23 20:45	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	1.7	5		01/30/23 20:45	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	1.9	5		01/30/23 20:45	98-06-6	
Carbon disulfide	ND	ug/L	50.0	1.4	5		01/30/23 20:45	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	1.3	5		01/30/23 20:45	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.5	5		01/30/23 20:45	108-90-7	
Chloroethane	ND	ug/L	25.0	0.74	5		01/30/23 20:45	75-00-3	
Chloroform	ND	ug/L	25.0	2.9	5		01/30/23 20:45	67-66-3	
Chloromethane	ND	ug/L	25.0	0.84	5		01/30/23 20:45	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	1.6	5		01/30/23 20:45	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	1.5	5		01/30/23 20:45	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	0.64	5		01/30/23 20:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	0.98	5		01/30/23 20:45	106-93-4	
Dibromomethane	ND	ug/L	25.0	0.68	5		01/30/23 20:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	1.3	5		01/30/23 20:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	1.7	5		01/30/23 20:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	1.4	5		01/30/23 20:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	1.7	5		01/30/23 20:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	0.57	5		01/30/23 20:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	1.1	5		01/30/23 20:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	0.92	5		01/30/23 20:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	1.1	5		01/30/23 20:45	75-35-4	
cis-1,2-Dichloroethene	1060	ug/L	25.0	1.3	5		01/30/23 20:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	1.8	5		01/30/23 20:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	1.2	5		01/30/23 20:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	0.83	5		01/30/23 20:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	1.5	5		01/30/23 20:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	1.4	5		01/30/23 20:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.1	5		01/30/23 20:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	0.84	5		01/30/23 20:45	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.7	5		01/30/23 20:45	100-41-4	
Ethyl methacrylate	ND	ug/L	500	0.98	5		01/30/23 20:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	1.6	5		01/30/23 20:45	87-68-3	
n-Hexane	ND	ug/L	25.0	0.92	5		01/30/23 20:45	110-54-3	
2-Hexanone	ND	ug/L	125	4.0	5		01/30/23 20:45	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-303-012423 Lab ID: 50336060010 Collected: 01/24/23 09:50 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	50.0	1.1	5	01/30/23 20:45	74-88-4		
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.8	5	01/30/23 20:45	98-82-8		
p-Isopropyltoluene	ND	ug/L	25.0	2.0	5	01/30/23 20:45	99-87-6		
Methylene Chloride	ND	ug/L	25.0	3.6	5	01/30/23 20:45	75-09-2		
1-Methylnaphthalene	ND	ug/L	50.0	0.86	5	01/30/23 20:45	90-12-0		
2-Methylnaphthalene	ND	ug/L	50.0	0.95	5	01/30/23 20:45	91-57-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	4.6	5	01/30/23 20:45	108-10-1		
Methyl-tert-butyl ether	ND	ug/L	20.0	0.84	5	01/30/23 20:45	1634-04-4		
Naphthalene	ND	ug/L	6.0	1.1	5	01/30/23 20:45	91-20-3		
n-Propylbenzene	ND	ug/L	25.0	1.7	5	01/30/23 20:45	103-65-1		
Styrene	ND	ug/L	25.0	1.3	5	01/30/23 20:45	100-42-5		
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.2	5	01/30/23 20:45	630-20-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	1.1	5	01/30/23 20:45	79-34-5		
Tetrachloroethene	ND	ug/L	25.0	1.5	5	01/30/23 20:45	127-18-4		
Toluene	ND	ug/L	25.0	2.1	5	01/30/23 20:45	108-88-3		
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.4	5	01/30/23 20:45	87-61-6		
1,2,4-Trichlorobenzene	ND	ug/L	25.0	1.7	5	01/30/23 20:45	120-82-1		
1,1,1-Trichloroethane	ND	ug/L	25.0	1.4	5	01/30/23 20:45	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	25.0	0.70	5	01/30/23 20:45	79-00-5		
Trichloroethene	ND	ug/L	25.0	1.5	5	01/30/23 20:45	79-01-6		
Trichlorofluoromethane	ND	ug/L	25.0	0.71	5	01/30/23 20:45	75-69-4		
1,2,3-Trichloropropane	ND	ug/L	25.0	1.4	5	01/30/23 20:45	96-18-4		
1,2,4-Trimethylbenzene	ND	ug/L	25.0	1.8	5	01/30/23 20:45	95-63-6		
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.8	5	01/30/23 20:45	108-67-8		
Vinyl acetate	ND	ug/L	250	2.3	5	01/30/23 20:45	108-05-4		
Vinyl chloride	402	ug/L	10.0	0.72	5	01/30/23 20:45	75-01-4		
Xylene (Total)	ND	ug/L	50.0	1.9	5	01/30/23 20:45	1330-20-7		
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		5	01/30/23 20:45	1868-53-7		D4
4-Bromofluorobenzene (S)	108	%	79-124		5	01/30/23 20:45	460-00-4		
Toluene-d8 (S)	109	%	73-122		5	01/30/23 20:45	2037-26-5		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-333-012423 Lab ID: 50336060011 Collected: 01/24/23 10:00 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.8	1	01/30/23 21:46	67-64-1		
Acrolein	ND	ug/L	50.0	2.4	1	01/30/23 21:46	107-02-8		
Acrylonitrile	ND	ug/L	100	1.1	1	01/30/23 21:46	107-13-1		
Benzene	10.1	ug/L	5.0	0.26	1	01/30/23 21:46	71-43-2		
Bromobenzene	ND	ug/L	5.0	0.24	1	01/30/23 21:46	108-86-1		
Bromochloromethane	ND	ug/L	5.0	0.23	1	01/30/23 21:46	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	0.19	1	01/30/23 21:46	75-27-4		
Bromoform	ND	ug/L	5.0	0.18	1	01/30/23 21:46	75-25-2		
Bromomethane	ND	ug/L	5.0	0.16	1	01/30/23 21:46	74-83-9		
2-Butanone (MEK)	ND	ug/L	25.0	0.79	1	01/30/23 21:46	78-93-3		
n-Butylbenzene	ND	ug/L	5.0	0.37	1	01/30/23 21:46	104-51-8		
sec-Butylbenzene	ND	ug/L	5.0	0.34	1	01/30/23 21:46	135-98-8		
tert-Butylbenzene	ND	ug/L	5.0	0.38	1	01/30/23 21:46	98-06-6		
Carbon disulfide	ND	ug/L	10.0	0.28	1	01/30/23 21:46	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	0.26	1	01/30/23 21:46	56-23-5		
Chlorobenzene	ND	ug/L	5.0	0.29	1	01/30/23 21:46	108-90-7		
Chloroethane	152	ug/L	5.0	0.15	1	01/30/23 21:46	75-00-3		
Chloroform	ND	ug/L	5.0	0.58	1	01/30/23 21:46	67-66-3		
Chloromethane	ND	ug/L	5.0	0.17	1	01/30/23 21:46	74-87-3		
2-Chlorotoluene	ND	ug/L	5.0	0.32	1	01/30/23 21:46	95-49-8		
4-Chlorotoluene	ND	ug/L	5.0	0.30	1	01/30/23 21:46	106-43-4		
Dibromochloromethane	ND	ug/L	5.0	0.13	1	01/30/23 21:46	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.20	1	01/30/23 21:46	106-93-4		
Dibromomethane	ND	ug/L	5.0	0.14	1	01/30/23 21:46	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1	01/30/23 21:46	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	5.0	0.33	1	01/30/23 21:46	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	5.0	0.27	1	01/30/23 21:46	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.35	1	01/30/23 21:46	110-57-6		
Dichlorodifluoromethane	ND	ug/L	5.0	0.11	1	01/30/23 21:46	75-71-8		
1,1-Dichloroethane	ND	ug/L	5.0	0.23	1	01/30/23 21:46	75-34-3		
1,2-Dichloroethane	28.5	ug/L	5.0	0.18	1	01/30/23 21:46	107-06-2		
1,1-Dichloroethene	23.0	ug/L	5.0	0.22	1	01/30/23 21:46	75-35-4		
cis-1,2-Dichloroethene	11000	ug/L	500	25.1	100	01/31/23 20:22	156-59-2		
trans-1,2-Dichloroethene	108	ug/L	5.0	0.36	1	01/30/23 21:46	156-60-5		
1,2-Dichloropropane	ND	ug/L	5.0	0.24	1	01/30/23 21:46	78-87-5		
1,3-Dichloropropane	ND	ug/L	5.0	0.17	1	01/30/23 21:46	142-28-9		
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1	01/30/23 21:46	594-20-7		
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1	01/30/23 21:46	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.23	1	01/30/23 21:46	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.17	1	01/30/23 21:46	10061-02-6		
Ethylbenzene	ND	ug/L	5.0	0.33	1	01/30/23 21:46	100-41-4		
Ethyl methacrylate	ND	ug/L	100	0.20	1	01/30/23 21:46	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.32	1	01/30/23 21:46	87-68-3		
n-Hexane	ND	ug/L	5.0	0.18	1	01/30/23 21:46	110-54-3		
2-Hexanone	ND	ug/L	25.0	0.79	1	01/30/23 21:46	591-78-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: MW-333-012423 Lab ID: 50336060011 Collected: 01/24/23 10:00 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.22	1		01/30/23 21:46	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.37	1		01/30/23 21:46	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		01/30/23 21:46	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.73	1		01/30/23 21:46	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.17	1		01/30/23 21:46	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.19	1		01/30/23 21:46	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.92	1		01/30/23 21:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.17	1		01/30/23 21:46	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.23	1		01/30/23 21:46	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		01/30/23 21:46	103-65-1	
Styrene	ND	ug/L	5.0	0.26	1		01/30/23 21:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.24	1		01/30/23 21:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		01/30/23 21:46	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.29	1		01/30/23 21:46	127-18-4	
Toluene	ND	ug/L	5.0	0.43	1		01/30/23 21:46	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 21:46	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.34	1		01/30/23 21:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 21:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.14	1		01/30/23 21:46	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.30	1		01/30/23 21:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.14	1		01/30/23 21:46	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.29	1		01/30/23 21:46	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.36	1		01/30/23 21:46	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		01/30/23 21:46	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.45	1		01/30/23 21:46	108-05-4	
Vinyl chloride	1800	ug/L	20.0	1.4	10		01/30/23 22:16	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.37	1		01/30/23 21:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		01/30/23 21:46	1868-53-7	
4-Bromofluorobenzene (S)	107	%	79-124		1		01/30/23 21:46	460-00-4	
Toluene-d8 (S)	107	%	73-122		1		01/30/23 21:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50336060

Sample: W-11D-012423 Lab ID: 50336060012 Collected: 01/24/23 10:50 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 19:59	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 19:59	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 19:59	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 19:59	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 19:59	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 19:59	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 19:59	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 19:59	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 19:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 19:59	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 19:59	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 19:59	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 19:59	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 19:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 19:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 19:59	108-90-7	
Chloroethane	ND	ug/L	5.0	0.15	1		01/30/23 19:59	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 19:59	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 19:59	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 19:59	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 19:59	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 19:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 19:59	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 19:59	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 19:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 19:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 19:59	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 19:59	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 19:59	75-71-8	
1,1-Dichloroethane	127	ug/L	5.0	0.28	1		01/30/23 19:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.17	1		01/30/23 19:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		01/30/23 19:59	75-35-4	
cis-1,2-Dichloroethene	14.6	ug/L	5.0	0.30	1		01/30/23 19:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		01/30/23 19:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 19:59	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 19:59	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 19:59	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 19:59	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 19:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 19:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 19:59	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 19:59	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 19:59	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 19:59	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 19:59	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: W-11D-012423 **Lab ID: 50336060012** Collected: 01/24/23 10:50 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 19:59	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 19:59	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 19:59	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 19:59	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 19:59	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 19:59	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 19:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 19:59	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 19:59	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 19:59	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 19:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 19:59	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 19:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 19:59	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 19:59	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 19:59	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 19:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 19:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 19:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.37	1		01/30/23 19:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 19:59	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 19:59	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 19:59	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 19:59	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 19:59	108-05-4	
Vinyl chloride	3.4	ug/L	2.0	0.13	1		01/30/23 19:59	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 19:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%	82-128		1		01/30/23 19:59	1868-53-7	
4-Bromofluorobenzene (S)	106	%	79-124		1		01/30/23 19:59	460-00-4	
Toluene-d8 (S)	106	%	73-122		1		01/30/23 19:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: Trip Blank-012423 Lab ID: 50336060014 Collected: 01/23/23 08:00 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.6	1		01/30/23 20:30	67-64-1	
Acrolein	ND	ug/L	50.0	3.5	1		01/30/23 20:30	107-02-8	
Acrylonitrile	ND	ug/L	100	1.3	1		01/30/23 20:30	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		01/30/23 20:30	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		01/30/23 20:30	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.10	1		01/30/23 20:30	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.14	1		01/30/23 20:30	75-27-4	
Bromoform	ND	ug/L	5.0	0.16	1		01/30/23 20:30	75-25-2	
Bromomethane	ND	ug/L	5.0	0.22	1		01/30/23 20:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	0.92	1		01/30/23 20:30	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 20:30	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 20:30	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.41	1		01/30/23 20:30	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.29	1		01/30/23 20:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		01/30/23 20:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.28	1		01/30/23 20:30	108-90-7	
Chloroethane	ND	ug/L	5.0	0.15	1		01/30/23 20:30	75-00-3	
Chloroform	ND	ug/L	5.0	0.60	1		01/30/23 20:30	67-66-3	
Chloromethane	ND	ug/L	5.0	0.16	1		01/30/23 20:30	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.36	1		01/30/23 20:30	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		01/30/23 20:30	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.20	1		01/30/23 20:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.19	1		01/30/23 20:30	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.16	1		01/30/23 20:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.26	1		01/30/23 20:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.37	1		01/30/23 20:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.30	1		01/30/23 20:30	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.33	1		01/30/23 20:30	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.17	1		01/30/23 20:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 20:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.17	1		01/30/23 20:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		01/30/23 20:30	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.30	1		01/30/23 20:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		01/30/23 20:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.23	1		01/30/23 20:30	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.15	1		01/30/23 20:30	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		01/30/23 20:30	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.29	1		01/30/23 20:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.21	1		01/30/23 20:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.19	1		01/30/23 20:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		01/30/23 20:30	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.15	1		01/30/23 20:30	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.38	1		01/30/23 20:30	87-68-3	
n-Hexane	ND	ug/L	5.0	0.17	1		01/30/23 20:30	110-54-3	
2-Hexanone	ND	ug/L	25.0	0.81	1		01/30/23 20:30	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50336060

Sample: Trip Blank-012423 **Lab ID: 50336060014** Collected: 01/23/23 08:00 Received: 01/24/23 13:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.25	1		01/30/23 20:30	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.38	1		01/30/23 20:30	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		01/30/23 20:30	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		01/30/23 20:30	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 20:30	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.23	1		01/30/23 20:30	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	0.88	1		01/30/23 20:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		01/30/23 20:30	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.20	1		01/30/23 20:30	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.39	1		01/30/23 20:30	103-65-1	
Styrene	ND	ug/L	5.0	0.30	1		01/30/23 20:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.28	1		01/30/23 20:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		01/30/23 20:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		01/30/23 20:30	127-18-4	
Toluene	ND	ug/L	5.0	0.44	1		01/30/23 20:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		01/30/23 20:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.33	1		01/30/23 20:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		01/30/23 20:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.28	1		01/30/23 20:30	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.37	1		01/30/23 20:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.16	1		01/30/23 20:30	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.20	1		01/30/23 20:30	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		01/30/23 20:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.37	1		01/30/23 20:30	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.46	1		01/30/23 20:30	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.13	1		01/30/23 20:30	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		01/30/23 20:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%	82-128		1		01/30/23 20:30	1868-53-7	
4-Bromofluorobenzene (S)	110	%	79-124		1		01/30/23 20:30	460-00-4	
Toluene-d8 (S)	108	%	73-122		1		01/30/23 20:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

QC Batch: 716155	Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0	Analysis Description: 300.0 IC Anions
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50336060001

METHOD BLANK: 3288907 Matrix: Water

Associated Lab Samples: 50336060001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	85.0	01/28/23 13:00	

LABORATORY CONTROL SAMPLE: 3288908

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	2500	2490	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3288913 3288914

Parameter	Units	50336010001		MS		MSD		% Rec		Max		Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	Limits	RPD	RPD	
Sulfate	ug/L	<0.25 mg/L	2500	2500	2470	2440	98	97	80-120	1	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3288915 3288916

Parameter	Units	50336083001		MS		MSD		% Rec		Max		Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	Limits	RPD	RPD	
Sulfate	ug/L	117 mg/L	25000	25000	135000	135000	75	75	80-120	0	15 M0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

QC Batch: 758713	Analysis Method: AM20GAX
QC Batch Method: AM20GAX	Analysis Description: Indicator Gases Water LHC
	Laboratory: Pace Analytical Gulf Coast

Associated Lab Samples: 50336060001

METHOD BLANK: 2445566 Matrix: Water

Associated Lab Samples: 50336060001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Methane	ug/L	ND	5.0	2.0	01/27/23 10:27	
Ethane	ug/L	ND	1.0	0.17	01/27/23 10:27	
Ethene	ug/L	ND	1.0	0.24	01/27/23 10:27	
n-Propane	ug/L	ND	1.0	0.29	01/27/23 10:27	
Propylene	ug/L	ND	1.0	0.31	01/27/23 10:27	
Isobutane	ug/L	ND	2.0	0.065	01/27/23 10:27	
n-Butane	ug/L	ND	2.0	0.54	01/27/23 10:27	

LABORATORY CONTROL SAMPLE & LCSD: 2445567

2445568

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Methane	ug/L	750	700	640	93	86	70-130	8	20	
Ethane	ug/L	38	39	40	104	107	70-130	3	20	
Ethene	ug/L	35	37	39	106	110	70-130	4	20	
n-Propane	ug/L	56	56	56	100	100	70-130	0	20	
Propylene	ug/L	53	50	50	95	94	70-130	1	20	
Isobutane	ug/L	73	71	64	97	88	70-130	10	20	
n-Butane	ug/L	73	65	53	89	72	70-130	21	20	R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

QC Batch: 716632	Analysis Method: EPA 6010
QC Batch Method: EPA 3010	Analysis Description: 6010 MET Dissolved
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50336060001

METHOD BLANK: 3290734 Matrix: Water

Associated Lab Samples: 50336060001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	48.8	02/02/23 15:21	

LABORATORY CONTROL SAMPLE: 3290735

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9910	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3290736 3290737

Parameter	Units	3290736		3290737		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50336356003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Iron, Dissolved	ug/L	118	10000	10000	9160	9290	90	92	75-125	1	20 CL

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

QC Batch: 716659 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50336060001, 50336060002, 50336060003, 50336060004, 50336060005, 50336060006, 50336060007, 50336060008, 50336060012, 50336060014

METHOD BLANK: 3290786 Matrix: Water
Associated Lab Samples: 50336060001, 50336060002, 50336060003, 50336060004, 50336060005, 50336060006, 50336060007, 50336060008, 50336060012, 50336060014

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.28	01/30/23 11:53	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.30	01/30/23 11:53	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.20	01/30/23 11:53	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.28	01/30/23 11:53	
1,1-Dichloroethane	ug/L	ND	5.0	0.28	01/30/23 11:53	
1,1-Dichloroethene	ug/L	ND	5.0	0.29	01/30/23 11:53	
1,1-Dichloropropene	ug/L	ND	5.0	0.29	01/30/23 11:53	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.32	01/30/23 11:53	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.20	01/30/23 11:53	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.33	01/30/23 11:53	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.35	01/30/23 11:53	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.19	01/30/23 11:53	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.26	01/30/23 11:53	
1,2-Dichloroethane	ug/L	ND	5.0	0.17	01/30/23 11:53	
1,2-Dichloropropane	ug/L	ND	5.0	0.23	01/30/23 11:53	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.37	01/30/23 11:53	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.37	01/30/23 11:53	
1,3-Dichloropropane	ug/L	ND	5.0	0.15	01/30/23 11:53	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.30	01/30/23 11:53	
1-Methylnaphthalene	ug/L	ND	10.0	0.23	01/30/23 11:53	
2,2-Dichloropropane	ug/L	ND	5.0	0.27	01/30/23 11:53	
2-Butanone (MEK)	ug/L	ND	25.0	0.92	01/30/23 11:53	
2-Chlorotoluene	ug/L	ND	5.0	0.36	01/30/23 11:53	
2-Hexanone	ug/L	ND	25.0	0.81	01/30/23 11:53	
2-Methylnaphthalene	ug/L	ND	10.0	0.23	01/30/23 11:53	
4-Chlorotoluene	ug/L	ND	5.0	0.34	01/30/23 11:53	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	0.88	01/30/23 11:53	
Acetone	ug/L	ND	100	3.6	01/30/23 11:53	
Acrolein	ug/L	ND	50.0	3.5	01/30/23 11:53	
Acrylonitrile	ug/L	ND	100	1.3	01/30/23 11:53	
Benzene	ug/L	ND	5.0	0.30	01/30/23 11:53	
Bromobenzene	ug/L	ND	5.0	0.30	01/30/23 11:53	
Bromochloromethane	ug/L	ND	5.0	0.10	01/30/23 11:53	
Bromodichloromethane	ug/L	ND	5.0	0.14	01/30/23 11:53	
Bromoform	ug/L	ND	5.0	0.16	01/30/23 11:53	
Bromomethane	ug/L	ND	5.0	0.22	01/30/23 11:53	
Carbon disulfide	ug/L	ND	10.0	0.29	01/30/23 11:53	
Carbon tetrachloride	ug/L	ND	5.0	0.25	01/30/23 11:53	
Chlorobenzene	ug/L	ND	5.0	0.28	01/30/23 11:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

METHOD BLANK: 3290786

Matrix: Water

Associated Lab Samples: 50336060001, 50336060002, 50336060003, 50336060004, 50336060005, 50336060006, 50336060007, 50336060008, 50336060012, 50336060014

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.15	01/30/23 11:53	
Chloroform	ug/L	ND	5.0	0.60	01/30/23 11:53	
Chloromethane	ug/L	ND	5.0	0.16	01/30/23 11:53	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.30	01/30/23 11:53	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.21	01/30/23 11:53	
Dibromochloromethane	ug/L	ND	5.0	0.20	01/30/23 11:53	
Dibromomethane	ug/L	ND	5.0	0.16	01/30/23 11:53	
Dichlorodifluoromethane	ug/L	ND	5.0	0.17	01/30/23 11:53	
Ethyl methacrylate	ug/L	ND	100	0.15	01/30/23 11:53	
Ethylbenzene	ug/L	ND	5.0	0.38	01/30/23 11:53	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.38	01/30/23 11:53	
Iodomethane	ug/L	ND	10.0	0.25	01/30/23 11:53	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.38	01/30/23 11:53	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.15	01/30/23 11:53	
Methylene Chloride	ug/L	ND	5.0	0.70	01/30/23 11:53	
n-Butylbenzene	ug/L	ND	5.0	0.37	01/30/23 11:53	
n-Hexane	ug/L	ND	5.0	0.17	01/30/23 11:53	
n-Propylbenzene	ug/L	ND	5.0	0.39	01/30/23 11:53	
Naphthalene	ug/L	ND	1.2	0.20	01/30/23 11:53	
p-Isopropyltoluene	ug/L	ND	5.0	0.41	01/30/23 11:53	
sec-Butylbenzene	ug/L	ND	5.0	0.37	01/30/23 11:53	
Styrene	ug/L	ND	5.0	0.30	01/30/23 11:53	
tert-Butylbenzene	ug/L	ND	5.0	0.41	01/30/23 11:53	
Tetrachloroethene	ug/L	ND	5.0	0.38	01/30/23 11:53	
Toluene	ug/L	ND	5.0	0.44	01/30/23 11:53	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	01/30/23 11:53	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.19	01/30/23 11:53	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.33	01/30/23 11:53	
Trichloroethene	ug/L	ND	5.0	0.37	01/30/23 11:53	
Trichlorofluoromethane	ug/L	ND	5.0	0.16	01/30/23 11:53	
Vinyl acetate	ug/L	ND	50.0	0.46	01/30/23 11:53	
Vinyl chloride	ug/L	ND	2.0	0.13	01/30/23 11:53	
Xylene (Total)	ug/L	ND	10.0	0.38	01/30/23 11:53	
4-Bromofluorobenzene (S)	%	107	79-124		01/30/23 11:53	
Dibromofluoromethane (S)	%	112	82-128		01/30/23 11:53	
Toluene-d8 (S)	%	108	73-122		01/30/23 11:53	

LABORATORY CONTROL SAMPLE: 3290787

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	46.3	93	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	47.0	94	72-123	
1,1-Dichloroethene	ug/L	50	50.1	100	63-138	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50336060

LABORATORY CONTROL SAMPLE: 3290787

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trimethylbenzene	ug/L	50	45.4	91	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	49.4	99	75-123	
1,2-Dichloroethane	ug/L	50	46.1	92	68-126	
1,2-Dichloropropane	ug/L	50	44.1	88	73-127	
1,3,5-Trimethylbenzene	ug/L	50	46.1	92	72-120	
Benzene	ug/L	50	46.3	93	76-121	
Chlorobenzene	ug/L	50	46.3	93	74-119	
Chloroform	ug/L	50	46.0	92	68-123	
cis-1,2-Dichloroethene	ug/L	50	45.7	91	73-122	
Ethylbenzene	ug/L	50	46.6	93	74-122	
Isopropylbenzene (Cumene)	ug/L	50	46.7	93	75-124	
Methyl-tert-butyl ether	ug/L	50	47.8	96	71-125	
n-Hexane	ug/L	50	44.2	88	60-132	
Naphthalene	ug/L	50	47.0	94	69-128	
Tetrachloroethene	ug/L	50	45.3	91	74-129	
Toluene	ug/L	50	43.9	88	70-118	
trans-1,2-Dichloroethene	ug/L	50	46.6	93	69-124	
Trichloroethene	ug/L	50	44.5	89	73-125	
Vinyl chloride	ug/L	50	45.1	90	46-134	
Xylene (Total)	ug/L	150	138	92	71-123	
4-Bromofluorobenzene (S)	%			106	79-124	
Dibromofluoromethane (S)	%			106	82-128	
Toluene-d8 (S)	%			109	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3290788 3290789

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50336315006 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	ND	50	50	50	49.2	51.1	98	102	60-143	4	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	50	53.5	54.3	107	109	64-135	2	20	
1,1-Dichloroethene	ug/L	ND	50	50	50	53.5	54.8	107	110	55-158	2	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	50	48.7	49.1	97	98	41-140	1	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	50	53.4	54.0	107	108	68-136	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	50	51.6	52.9	103	106	61-144	3	20	
1,2-Dichloropropane	ug/L	ND	50	50	50	48.4	50.1	97	100	67-141	3	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	50	49.1	49.9	98	100	40-141	2	20	
Benzene	ug/L	ND	50	50	50	49.8	51.3	100	103	68-139	3	20	
Chlorobenzene	ug/L	ND	50	50	50	49.8	51.0	100	102	57-137	2	20	
Chloroform	ug/L	ND	50	50	50	49.7	51.6	99	103	61-138	4	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	50	51.3	54.2	98	104	58-142	5	20	
Ethylbenzene	ug/L	ND	50	50	50	49.7	51.1	99	102	54-141	3	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	50	50.3	51.8	101	104	48-145	3	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	50	52.3	54.1	105	108	62-143	3	20	
n-Hexane	ug/L	ND	50	50	50	49.1	50.6	98	101	44-145	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3290788		3290789		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50336315006 Result	MS Spike Conc.	MSD Spike Conc.									
Naphthalene	ug/L	ND	50	50	51.7	51.7	103	103	56-136	0	20		
Tetrachloroethene	ug/L	ND	50	50	47.3	47.7	95	95	50-149	1	20		
Toluene	ug/L	ND	50	50	48.0	48.6	96	97	59-134	1	20		
trans-1,2-Dichloroethene	ug/L	ND	50	50	49.9	51.9	100	104	57-141	4	20		
Trichloroethene	ug/L	ND	50	50	47.6	49.2	95	98	55-147	3	20		
Vinyl chloride	ug/L	ND	50	50	47.4	48.6	95	97	36-154	3	20		
Xylene (Total)	ug/L	ND	150	150	148	151	99	101	50-143	2	20		
4-Bromofluorobenzene (S)	%						107	107	79-124				
Dibromofluoromethane (S)	%						108	108	82-128				
Toluene-d8 (S)	%						111	110	73-122				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

QC Batch: 716665 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50336060009, 50336060010, 50336060011

METHOD BLANK: 3290802 Matrix: Water

Associated Lab Samples: 50336060009, 50336060010, 50336060011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.24	01/30/23 12:08	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.28	01/30/23 12:08	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.22	01/30/23 12:08	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.14	01/30/23 12:08	
1,1-Dichloroethane	ug/L	ND	5.0	0.23	01/30/23 12:08	
1,1-Dichloroethene	ug/L	ND	5.0	0.22	01/30/23 12:08	
1,1-Dichloropropene	ug/L	ND	5.0	0.29	01/30/23 12:08	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.28	01/30/23 12:08	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.29	01/30/23 12:08	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.34	01/30/23 12:08	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.36	01/30/23 12:08	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.20	01/30/23 12:08	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.26	01/30/23 12:08	
1,2-Dichloroethane	ug/L	ND	5.0	0.18	01/30/23 12:08	
1,2-Dichloropropane	ug/L	ND	5.0	0.24	01/30/23 12:08	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.36	01/30/23 12:08	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.33	01/30/23 12:08	
1,3-Dichloropropane	ug/L	ND	5.0	0.17	01/30/23 12:08	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.27	01/30/23 12:08	
1-Methylnaphthalene	ug/L	ND	10.0	0.17	01/30/23 12:08	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	01/30/23 12:08	
2-Butanone (MEK)	ug/L	ND	25.0	0.79	01/30/23 12:08	
2-Chlorotoluene	ug/L	ND	5.0	0.32	01/30/23 12:08	
2-Hexanone	ug/L	ND	25.0	0.79	01/30/23 12:08	
2-Methylnaphthalene	ug/L	ND	10.0	0.19	01/30/23 12:08	
4-Chlorotoluene	ug/L	ND	5.0	0.30	01/30/23 12:08	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	0.92	01/30/23 12:08	
Acetone	ug/L	ND	100	3.8	01/30/23 12:08	
Acrolein	ug/L	ND	50.0	2.4	01/30/23 12:08	
Acrylonitrile	ug/L	ND	100	1.1	01/30/23 12:08	
Benzene	ug/L	ND	5.0	0.26	01/30/23 12:08	
Bromobenzene	ug/L	ND	5.0	0.24	01/30/23 12:08	
Bromochloromethane	ug/L	ND	5.0	0.23	01/30/23 12:08	
Bromodichloromethane	ug/L	ND	5.0	0.19	01/30/23 12:08	
Bromoform	ug/L	ND	5.0	0.18	01/30/23 12:08	
Bromomethane	ug/L	ND	5.0	0.16	01/30/23 12:08	
Carbon disulfide	ug/L	ND	10.0	0.28	01/30/23 12:08	
Carbon tetrachloride	ug/L	ND	5.0	0.26	01/30/23 12:08	
Chlorobenzene	ug/L	ND	5.0	0.29	01/30/23 12:08	
Chloroethane	ug/L	ND	5.0	0.15	01/30/23 12:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

METHOD BLANK: 3290802 Matrix: Water

Associated Lab Samples: 50336060009, 50336060010, 50336060011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.58	01/30/23 12:08	
Chloromethane	ug/L	ND	5.0	0.17	01/30/23 12:08	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.25	01/30/23 12:08	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.23	01/30/23 12:08	
Dibromochloromethane	ug/L	ND	5.0	0.13	01/30/23 12:08	
Dibromomethane	ug/L	ND	5.0	0.14	01/30/23 12:08	
Dichlorodifluoromethane	ug/L	ND	5.0	0.11	01/30/23 12:08	
Ethyl methacrylate	ug/L	ND	100	0.20	01/30/23 12:08	
Ethylbenzene	ug/L	ND	5.0	0.33	01/30/23 12:08	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.32	01/30/23 12:08	
Iodomethane	ug/L	ND	10.0	0.22	01/30/23 12:08	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.37	01/30/23 12:08	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.17	01/30/23 12:08	
Methylene Chloride	ug/L	ND	5.0	0.73	01/30/23 12:08	
n-Butylbenzene	ug/L	ND	5.0	0.37	01/30/23 12:08	
n-Hexane	ug/L	ND	5.0	0.18	01/30/23 12:08	
n-Propylbenzene	ug/L	ND	5.0	0.33	01/30/23 12:08	
Naphthalene	ug/L	ND	1.2	0.23	01/30/23 12:08	
p-Isopropyltoluene	ug/L	ND	5.0	0.40	01/30/23 12:08	
sec-Butylbenzene	ug/L	ND	5.0	0.34	01/30/23 12:08	
Styrene	ug/L	ND	5.0	0.26	01/30/23 12:08	
tert-Butylbenzene	ug/L	ND	5.0	0.38	01/30/23 12:08	
Tetrachloroethene	ug/L	ND	5.0	0.29	01/30/23 12:08	
Toluene	ug/L	ND	5.0	0.43	01/30/23 12:08	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	01/30/23 12:08	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.17	01/30/23 12:08	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.35	01/30/23 12:08	
Trichloroethene	ug/L	ND	5.0	0.30	01/30/23 12:08	
Trichlorofluoromethane	ug/L	ND	5.0	0.14	01/30/23 12:08	
Vinyl acetate	ug/L	ND	50.0	0.45	01/30/23 12:08	
Vinyl chloride	ug/L	ND	2.0	0.14	01/30/23 12:08	
Xylene (Total)	ug/L	ND	10.0	0.37	01/30/23 12:08	
4-Bromofluorobenzene (S)	%	108	79-124		01/30/23 12:08	
Dibromofluoromethane (S)	%	110	82-128		01/30/23 12:08	1d
Toluene-d8 (S)	%	107	73-122		01/30/23 12:08	

LABORATORY CONTROL SAMPLE: 3290803

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.9	102	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	46.5	93	72-123	
1,1-Dichloroethene	ug/L	50	54.6	109	63-138	
1,2,4-Trimethylbenzene	ug/L	50	47.3	95	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	49.6	99	75-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

LABORATORY CONTROL SAMPLE: 3290803

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	47.9	96	68-126	
1,2-Dichloropropane	ug/L	50	46.1	92	73-127	
1,3,5-Trimethylbenzene	ug/L	50	48.3	97	72-120	
Benzene	ug/L	50	49.2	98	76-121	
Chlorobenzene	ug/L	50	48.6	97	74-119	
Chloroform	ug/L	50	48.7	97	68-123	
cis-1,2-Dichloroethene	ug/L	50	48.7	97	73-122	
Ethylbenzene	ug/L	50	49.1	98	74-122	
Isopropylbenzene (Cumene)	ug/L	50	49.2	98	75-124	
Methyl-tert-butyl ether	ug/L	50	48.9	98	71-125	
n-Hexane	ug/L	50	50.8	102	60-132	
Naphthalene	ug/L	50	45.7	91	69-128	
Tetrachloroethene	ug/L	50	48.3	97	74-129	
Toluene	ug/L	50	46.7	93	70-118	
trans-1,2-Dichloroethene	ug/L	50	49.7	99	69-124	
Trichloroethene	ug/L	50	47.7	95	73-125	
Vinyl chloride	ug/L	50	50.9	102	46-134	
Xylene (Total)	ug/L	150	148	99	71-123	
4-Bromofluorobenzene (S)	%			107	79-124	
Dibromofluoromethane (S)	%			108	82-128	
Toluene-d8 (S)	%			109	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

QC Batch: 715956	Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2	Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50336060001

METHOD BLANK: 3288261 Matrix: Water
Associated Lab Samples: 50336060001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.011	01/24/23 18:04	

LABORATORY CONTROL SAMPLE: 3288262

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3288263 3288264

Parameter	Units	50335959002		3288264		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Nitrogen, Nitrate	mg/L	1.2	1	1	2.2	2.2	104	104	90-110	0	20 H3

MATRIX SPIKE SAMPLE: 3288265

Parameter	Units	50335959004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	0.68	1	1.7	106	90-110	H3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50336060

QC Batch: 716602	Analysis Method: SM 5310C
QC Batch Method: SM 5310C	Analysis Description: 5310C Total Organic Carbon
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50336060001

METHOD BLANK: 3290661 Matrix: Water
Associated Lab Samples: 50336060001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	236	01/31/23 12:33	

LABORATORY CONTROL SAMPLE: 3290662

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	10300	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3290663 3290664

Parameter	Units	50335927001		3290664		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
Total Organic Carbon	ug/L	55.0 mg/L	200000	200000	261000	260000	103	103	80-120	0	20	

MATRIX SPIKE SAMPLE: 3290665

Parameter	Units	50335927002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	12.3 mg/L	80000	95900	104	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: GE Indy
Pace Project No.: 50336060

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
CL	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.
D4	Sample was diluted due to the presence of high levels of target analytes.
H3	Sample was received or analysis requested beyond the recognized method holding time.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
R1	RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

METHOD CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50336060

Parameter	Matrix	Analytical Method	Preparation Method
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50336060

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50336060001	MW-425-012323	EPA 300.0	716155		
50336060001	MW-425-012323	AM20GAX	758713		
50336060001	MW-425-012323	EPA 3010	716632	EPA 6010	716923
50336060001	MW-425-012323	EPA 5030/8260	716659		
50336060002	AD-100-012323	EPA 5030/8260	716659		
50336060003	MW-313-012323	EPA 5030/8260	716659		
50336060004	MW-112-012323	EPA 5030/8260	716659		
50336060005	MW-132-012323	EPA 5030/8260	716659		
50336060006	MW-133-012323	EPA 5030/8260	716659		
50336060007	MW-312-012323	EPA 5030/8260	716659		
50336060008	MW-253-012423	EPA 5030/8260	716659		
50336060009	MW-163-012423	EPA 5030/8260	716665		
50336060010	MW-303-012423	EPA 5030/8260	716665		
50336060011	MW-333-012423	EPA 5030/8260	716665		
50336060012	W-11D-012423	EPA 5030/8260	716659		
50336060014	Trip Blank-012423	EPA 5030/8260	716659		
50336060001	MW-425-012323	EPA 353.2	715956		
50336060001	MW-425-012323	SM 5310C	716602		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed.

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at <https://info.pacelabs.com>

WO# : 50336060



50336060

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Regulatory Agency	
Company: Chase Forman	Address: 8805 Governor's Hill Drive Suite 205 Cincinnati, OH 45249	Report To: Chase Forman	Copy To:	Attention:	Company Name:		
Email: chase.forman@ramboll.com	Phone: (740)403-1387 Fax:	Purchase Order #:	Project Name: GE Indy	Address:	Pace Quote:		
Requested Due Date:		Project #:		Pace Project Manager: heather.patterson@pacelabs.com	Pace Profile #: 9761-8	State / Location IN	

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / . -) Sample Ids must be unique	MATRIX Drinking Water DW Water WT Waste Water WW Product P Soil/Solid SL Oil OL Wipe WP Air AR Other OT Tissue TS	CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)						
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other				VOC by 8260	Dissolved Gases by AM20GA	TOC 5310	Sulfate 300.0	Nitrate 353.2	6010 Dis. Fe (FF)
						DATE	TIME	DATE	TIME																			
1	MW-425-012322					1-23-23	1345			8	1	1	1	3										001				
2	AD-100-012322						1200			3														002				
3	MW-813-012322						1535																	003				
4	MW-112-012322						1540																	004				
5	MW-132-012322						1615																	005				
6	MW-133-012322						1620																	006				
7	MW-312-012323						1700																	007				
8	MW-253-012423					1-24-23	905																	008				
9	MW-163-012423						930																	009				
10	MW-303-012423						950																	010				
11	MW-333-012423						1005																	011				
12	MW-24 W-110-012423						1050																	012				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
Nitrate 48 hour hold time	Matt Stewart	1-24-23	1345	[Signature]	1/24/23	1345	12	Y	Y	Y

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on Ice (Y/N)	Custody Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER: Matt Stewart	SIGNATURE of SAMPLER: [Signature]					



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 1-24-23 / 1411 - MW

1. Courier: FED EX UPS CLIENT PACE USPS OTHER _____

2. Custody Seal on Cooler/Box Present: Yes No
 (If yes)Seals Intact: Yes No (leave blank if no seals were present)

3. Thermometer: **1 2 3 4 5 6 A B C D E F**

4. Cooler Temperature(s): 1.2/1.2
 (Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: Bubble Wrap Bubble Bags
 None Other _____

6. Ice Type: Wet Blue None

7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
 Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		<input checked="" type="checkbox"/>	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis: <u>Nitrate</u>	<input checked="" type="checkbox"/>		Circle: <u>HNO3</u> (*2) <u>H2SO4</u> (*2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			
Time 5035A TC placed in Freezer or Short Holds To Lab Time:			Residual Chlorine Check (SVOC 625 Pest/PCB 608)	<u>Present</u>	<u>Absent</u>	<u>N/A</u>
Rush TAT Requested (4 days or less):	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Residual Chlorine Check (Total/Amenable/Free Cyanide)			<input checked="" type="checkbox"/>
Custody Signatures Present?	<input checked="" type="checkbox"/>		Headspace Wisconsin Sulfide?			<input checked="" type="checkbox"/>
Containers Intact?:	<input checked="" type="checkbox"/>		Headspace in VOA Vials (>6mm): See Container Count form for details	<u>Present</u>	<u>Absent</u>	<u>No VOA Vials Sent</u>
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	<input checked="" type="checkbox"/>		Trip Blank Present?	<input checked="" type="checkbox"/>		
Extra labels on Terracore Vials? (soils only)			Trip Blank Custody Seals?:	<input checked="" type="checkbox"/>		

COMMENTS: Containers - MW - 425 - 012322, AD - 100 - 012322, MW - 313 - 012322, MW - 112 - 012322, MW - 132 - 012322, MW - 133 - 012322 were all labelled incorrectly and didn't match COC - MW 1-24-23
3 VOA vials for MW - 153 - 012423 not received
 MW-153 was not sampled per MStarrett. 012623hmp

March 07, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50337890

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on February 20, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Gulf Coast
- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50337890

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

Pace Analytical Gulf Coast

7979 Innovation Park Drive, Baton Rouge, LA 70820
Arkansas Certification #: 88-0655
DoD ELAP Certification #: 6429-01
Florida Certification #: E87854
Illinois Certification #: 004585
Kansas Certification #: E-10354
Louisiana/LELAP Certification #: 01955
North Carolina Certification #: 618

North Dakota Certification #: R-195
Oklahoma Certification #: 2019-101
South Carolina Certification #: 73006001
Texas Certification #: T104704178-19-11
USDA Soil Permit # P330-19-00209
Virginia Certification #: 460215
Washington Certification #: C929

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50337890

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50337890001	MW-322-022023	Water	02/20/23 10:50	02/20/23 14:15
50337890002	MW-331-022023	Water	02/20/23 11:15	02/20/23 14:15
50337890003	W-9-022023	Water	02/20/23 11:30	02/20/23 14:15
50337890004	MW-22-022023	Water	02/20/23 11:45	02/20/23 14:15
50337890005	MW-173-022023	Water	02/20/23 11:55	02/20/23 14:15
50337890006	MW-313-022023	Water	02/20/23 12:10	02/20/23 14:15
50337890007	W-10-022023	Water	02/20/23 12:40	02/20/23 14:15
50337890008	W-8-022023	Water	02/20/23 12:55	02/20/23 14:15
50337890009	MW-153-022023	Water	02/20/23 13:05	02/20/23 14:15
50337890010	Trip Blank-022023	Water	02/20/23 08:00	02/20/23 14:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50337890

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50337890001	MW-322-022023	EPA 5030/8260	DAP	75	PASI-I
50337890002	MW-331-022023	EPA 5030/8260	DAP	75	PASI-I
50337890003	W-9-022023	AM20GAX	LMB	7	GCLA
		EPA 5030/8260	DAP	75	PASI-I
50337890004	MW-22-022023	EPA 5030/8260	DAP	75	PASI-I
50337890005	MW-173-022023	EPA 5030/8260	DAP	75	PASI-I
50337890006	MW-313-022023	EPA 5030/8260	DAP	75	PASI-I
50337890007	W-10-022023	EPA 5030/8260	DAP	75	PASI-I
50337890008	W-8-022023	AM20GAX	LMB	7	GCLA
		EPA 5030/8260	DAP	75	PASI-I
50337890009	MW-153-022023	EPA 5030/8260	DAP	75	PASI-I
50337890010	Trip Blank-022023	EPA 5030/8260	DAP	75	PASI-I

GCLA = Pace Analytical Gulf Coast

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50337890

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50337890001	MW-322-022023					
EPA 5030/8260	Chloroethane	2340	ug/L	125	02/21/23 16:27	
EPA 5030/8260	cis-1,2-Dichloroethene	645	ug/L	125	02/21/23 16:27	
EPA 5030/8260	Vinyl chloride	815	ug/L	50.0	02/21/23 16:27	
50337890002	MW-331-022023					
EPA 5030/8260	1,1-Dichloroethane	5.4	ug/L	5.0	02/21/23 17:00	
EPA 5030/8260	cis-1,2-Dichloroethene	26.6	ug/L	5.0	02/21/23 17:00	
EPA 5030/8260	Vinyl chloride	2.4	ug/L	2.0	02/21/23 17:00	
50337890003	W-9-022023					
AM20GAX	Methane	8400	ug/L	5.0	03/01/23 09:41	
AM20GAX	Ethane	41	ug/L	1.0	03/01/23 09:41	
AM20GAX	Ethene	6.8	ug/L	1.0	03/01/23 09:41	
EPA 5030/8260	Vinyl chloride	22.3	ug/L	2.0	02/21/23 17:32	
50337890004	MW-22-022023					
EPA 5030/8260	cis-1,2-Dichloroethene	64.0	ug/L	5.0	02/21/23 18:05	
EPA 5030/8260	Vinyl chloride	121	ug/L	2.0	02/21/23 18:05	
50337890005	MW-173-022023					
EPA 5030/8260	cis-1,2-Dichloroethene	988	ug/L	125	02/21/23 18:38	
EPA 5030/8260	Vinyl chloride	91.6	ug/L	50.0	02/21/23 18:38	
50337890006	MW-313-022023					
EPA 5030/8260	Chloroethane	5.3	ug/L	5.0	02/21/23 19:10	
EPA 5030/8260	cis-1,2-Dichloroethene	209	ug/L	5.0	02/21/23 19:10	
EPA 5030/8260	Vinyl chloride	46.5	ug/L	2.0	02/21/23 19:10	
50337890009	MW-153-022023					
EPA 5030/8260	Vinyl chloride	2.3	ug/L	2.0	02/21/23 20:48	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-322-022023 **Lab ID: 50337890001** Collected: 02/20/23 10:50 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	2500	121	25		02/21/23 16:27	67-64-1	
Acrolein	ND	ug/L	1250	250	25		02/21/23 16:27	107-02-8	
Acrylonitrile	ND	ug/L	2500	61.2	25		02/21/23 16:27	107-13-1	
Benzene	ND	ug/L	125	20.6	25		02/21/23 16:27	71-43-2	
Bromobenzene	ND	ug/L	125	22.2	25		02/21/23 16:27	108-86-1	
Bromochloromethane	ND	ug/L	125	24.0	25		02/21/23 16:27	74-97-5	
Bromodichloromethane	ND	ug/L	125	20.6	25		02/21/23 16:27	75-27-4	
Bromoform	ND	ug/L	125	18.3	25		02/21/23 16:27	75-25-2	
Bromomethane	ND	ug/L	125	11.0	25		02/21/23 16:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	625	109	25		02/21/23 16:27	78-93-3	
n-Butylbenzene	ND	ug/L	125	20.8	25		02/21/23 16:27	104-51-8	
sec-Butylbenzene	ND	ug/L	125	19.8	25		02/21/23 16:27	135-98-8	
tert-Butylbenzene	ND	ug/L	125	20.4	25		02/21/23 16:27	98-06-6	
Carbon disulfide	ND	ug/L	250	17.5	25		02/21/23 16:27	75-15-0	
Carbon tetrachloride	ND	ug/L	125	17.0	25		02/21/23 16:27	56-23-5	
Chlorobenzene	ND	ug/L	125	23.7	25		02/21/23 16:27	108-90-7	
Chloroethane	2340	ug/L	125	15.7	25		02/21/23 16:27	75-00-3	
Chloroform	ND	ug/L	125	20.8	25		02/21/23 16:27	67-66-3	
Chloromethane	ND	ug/L	125	11.0	25		02/21/23 16:27	74-87-3	
2-Chlorotoluene	ND	ug/L	125	22.2	25		02/21/23 16:27	95-49-8	
4-Chlorotoluene	ND	ug/L	125	22.7	25		02/21/23 16:27	106-43-4	
Dibromochloromethane	ND	ug/L	125	22.4	25		02/21/23 16:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	125	24.4	25		02/21/23 16:27	106-93-4	
Dibromomethane	ND	ug/L	125	21.8	25		02/21/23 16:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	125	20.2	25		02/21/23 16:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	125	20.1	25		02/21/23 16:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	125	21.7	25		02/21/23 16:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	2500	15.4	25		02/21/23 16:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	125	12.5	25		02/21/23 16:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	125	21.1	25		02/21/23 16:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	125	21.2	25		02/21/23 16:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	125	14.0	25		02/21/23 16:27	75-35-4	
cis-1,2-Dichloroethene	645	ug/L	125	22.0	25		02/21/23 16:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	125	18.0	25		02/21/23 16:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	125	19.8	25		02/21/23 16:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	125	21.3	25		02/21/23 16:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	125	22.0	25		02/21/23 16:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	125	19.6	25		02/21/23 16:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	125	21.4	25		02/21/23 16:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	125	23.0	25		02/21/23 16:27	10061-02-6	
Ethylbenzene	ND	ug/L	125	23.8	25		02/21/23 16:27	100-41-4	
Ethyl methacrylate	ND	ug/L	2500	21.8	25		02/21/23 16:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	125	16.2	25		02/21/23 16:27	87-68-3	
n-Hexane	ND	ug/L	125	11.9	25		02/21/23 16:27	110-54-3	
2-Hexanone	ND	ug/L	625	89.0	25		02/21/23 16:27	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-322-022023 **Lab ID: 50337890001** Collected: 02/20/23 10:50 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	250	8.4	25		02/21/23 16:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	125	20.3	25		02/21/23 16:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	125	22.5	25		02/21/23 16:27	99-87-6	
Methylene Chloride	ND	ug/L	125	17.6	25		02/21/23 16:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	250	22.7	25		02/21/23 16:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	250	21.6	25		02/21/23 16:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	625	90.2	25		02/21/23 16:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	100	16.4	25		02/21/23 16:27	1634-04-4	
Naphthalene	ND	ug/L	30.0	20.2	25		02/21/23 16:27	91-20-3	
n-Propylbenzene	ND	ug/L	125	20.8	25		02/21/23 16:27	103-65-1	
Styrene	ND	ug/L	125	21.6	25		02/21/23 16:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	125	24.8	25		02/21/23 16:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	125	23.0	25		02/21/23 16:27	79-34-5	
Tetrachloroethene	ND	ug/L	125	18.8	25		02/21/23 16:27	127-18-4	
Toluene	ND	ug/L	125	21.5	25		02/21/23 16:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	125	22.8	25		02/21/23 16:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	125	19.8	25		02/21/23 16:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	125	18.6	25		02/21/23 16:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	125	22.0	25		02/21/23 16:27	79-00-5	
Trichloroethene	ND	ug/L	125	19.9	25		02/21/23 16:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	125	14.6	25		02/21/23 16:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	125	24.0	25		02/21/23 16:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	125	22.4	25		02/21/23 16:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	125	22.2	25		02/21/23 16:27	108-67-8	
Vinyl acetate	ND	ug/L	1250	40.2	25		02/21/23 16:27	108-05-4	L1
Vinyl chloride	815	ug/L	50.0	13.0	25		02/21/23 16:27	75-01-4	
Xylene (Total)	ND	ug/L	250	23.0	25		02/21/23 16:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		25		02/21/23 16:27	1868-53-7	D4
4-Bromofluorobenzene (S)	89	%	79-124		25		02/21/23 16:27	460-00-4	
Toluene-d8 (S)	93	%	73-122		25		02/21/23 16:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-331-022023 Lab ID: 50337890002 Collected: 02/20/23 11:15 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.8	1		02/21/23 17:00	67-64-1	
Acrolein	ND	ug/L	50.0	10	1		02/21/23 17:00	107-02-8	
Acrylonitrile	ND	ug/L	100	2.4	1		02/21/23 17:00	107-13-1	
Benzene	ND	ug/L	5.0	0.82	1		02/21/23 17:00	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.89	1		02/21/23 17:00	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.96	1		02/21/23 17:00	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.82	1		02/21/23 17:00	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		02/21/23 17:00	75-25-2	
Bromomethane	ND	ug/L	5.0	0.44	1		02/21/23 17:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.4	1		02/21/23 17:00	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 17:00	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.79	1		02/21/23 17:00	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.82	1		02/21/23 17:00	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		02/21/23 17:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.68	1		02/21/23 17:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.95	1		02/21/23 17:00	108-90-7	
Chloroethane	ND	ug/L	5.0	0.63	1		02/21/23 17:00	75-00-3	
Chloroform	ND	ug/L	5.0	0.83	1		02/21/23 17:00	67-66-3	
Chloromethane	ND	ug/L	5.0	0.44	1		02/21/23 17:00	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.89	1		02/21/23 17:00	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.91	1		02/21/23 17:00	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		02/21/23 17:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.97	1		02/21/23 17:00	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.87	1		02/21/23 17:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.81	1		02/21/23 17:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.80	1		02/21/23 17:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.87	1		02/21/23 17:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.62	1		02/21/23 17:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.50	1		02/21/23 17:00	75-71-8	
1,1-Dichloroethane	5.4	ug/L	5.0	0.84	1		02/21/23 17:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.85	1		02/21/23 17:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.56	1		02/21/23 17:00	75-35-4	
cis-1,2-Dichloroethene	26.6	ug/L	5.0	0.88	1		02/21/23 17:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.72	1		02/21/23 17:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.79	1		02/21/23 17:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.85	1		02/21/23 17:00	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		02/21/23 17:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		02/21/23 17:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.86	1		02/21/23 17:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.92	1		02/21/23 17:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.95	1		02/21/23 17:00	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.87	1		02/21/23 17:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.65	1		02/21/23 17:00	87-68-3	
n-Hexane	ND	ug/L	5.0	0.48	1		02/21/23 17:00	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.6	1		02/21/23 17:00	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-331-022023 **Lab ID: 50337890002** Collected: 02/20/23 11:15 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.33	1		02/21/23 17:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.81	1		02/21/23 17:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		02/21/23 17:00	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		02/21/23 17:00	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.91	1		02/21/23 17:00	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.86	1		02/21/23 17:00	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	3.6	1		02/21/23 17:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		02/21/23 17:00	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.81	1		02/21/23 17:00	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 17:00	103-65-1	
Styrene	ND	ug/L	5.0	0.86	1		02/21/23 17:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.99	1		02/21/23 17:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.92	1		02/21/23 17:00	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.75	1		02/21/23 17:00	127-18-4	
Toluene	ND	ug/L	5.0	0.86	1		02/21/23 17:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.91	1		02/21/23 17:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.79	1		02/21/23 17:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.74	1		02/21/23 17:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.88	1		02/21/23 17:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.80	1		02/21/23 17:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.58	1		02/21/23 17:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.96	1		02/21/23 17:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.90	1		02/21/23 17:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.89	1		02/21/23 17:00	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		02/21/23 17:00	108-05-4	L1
Vinyl chloride	2.4	ug/L	2.0	0.52	1		02/21/23 17:00	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.92	1		02/21/23 17:00	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		02/21/23 17:00	1868-53-7	
4-Bromofluorobenzene (S)	91	%	79-124		1		02/21/23 17:00	460-00-4	
Toluene-d8 (S)	94	%	73-122		1		02/21/23 17:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: W-9-022023 **Lab ID: 50337890003** Collected: 02/20/23 11:30 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Indicator Gases Water LHC									
Analytical Method: AM20GAX									
Pace Analytical Gulf Coast									
Methane	8400	ug/L	5.0	2.0	1		03/01/23 09:41	74-82-8	
Ethane	41	ug/L	1.0	0.17	1		03/01/23 09:41	74-84-0	
Ethene	6.8	ug/L	1.0	0.24	1		03/01/23 09:41	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		03/01/23 09:41	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		03/01/23 09:41	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		03/01/23 09:41	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		03/01/23 09:41	JUNK42	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.8	1		02/21/23 17:32	67-64-1	
Acrolein	ND	ug/L	50.0	10	1		02/21/23 17:32	107-02-8	
Acrylonitrile	ND	ug/L	100	2.4	1		02/21/23 17:32	107-13-1	
Benzene	ND	ug/L	5.0	0.82	1		02/21/23 17:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.89	1		02/21/23 17:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.96	1		02/21/23 17:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.82	1		02/21/23 17:32	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		02/21/23 17:32	75-25-2	
Bromomethane	ND	ug/L	5.0	0.44	1		02/21/23 17:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.4	1		02/21/23 17:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 17:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.79	1		02/21/23 17:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.82	1		02/21/23 17:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		02/21/23 17:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.68	1		02/21/23 17:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.95	1		02/21/23 17:32	108-90-7	
Chloroethane	ND	ug/L	5.0	0.63	1		02/21/23 17:32	75-00-3	
Chloroform	ND	ug/L	5.0	0.83	1		02/21/23 17:32	67-66-3	
Chloromethane	ND	ug/L	5.0	0.44	1		02/21/23 17:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.89	1		02/21/23 17:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.91	1		02/21/23 17:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		02/21/23 17:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.97	1		02/21/23 17:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.87	1		02/21/23 17:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.81	1		02/21/23 17:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.80	1		02/21/23 17:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.87	1		02/21/23 17:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.62	1		02/21/23 17:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.50	1		02/21/23 17:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.84	1		02/21/23 17:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.85	1		02/21/23 17:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.56	1		02/21/23 17:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.88	1		02/21/23 17:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.72	1		02/21/23 17:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.79	1		02/21/23 17:32	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: W-9-022023 **Lab ID: 50337890003** Collected: 02/20/23 11:30 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
1,3-Dichloropropane	ND	ug/L	5.0	0.85	1		02/21/23 17:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		02/21/23 17:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		02/21/23 17:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.86	1		02/21/23 17:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.92	1		02/21/23 17:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.95	1		02/21/23 17:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.87	1		02/21/23 17:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.65	1		02/21/23 17:32	87-68-3	
n-Hexane	ND	ug/L	5.0	0.48	1		02/21/23 17:32	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.6	1		02/21/23 17:32	591-78-6	
Iodomethane	ND	ug/L	10.0	0.33	1		02/21/23 17:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.81	1		02/21/23 17:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		02/21/23 17:32	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		02/21/23 17:32	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.91	1		02/21/23 17:32	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.86	1		02/21/23 17:32	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	3.6	1		02/21/23 17:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		02/21/23 17:32	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.81	1		02/21/23 17:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 17:32	103-65-1	
Styrene	ND	ug/L	5.0	0.86	1		02/21/23 17:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.99	1		02/21/23 17:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.92	1		02/21/23 17:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.75	1		02/21/23 17:32	127-18-4	
Toluene	ND	ug/L	5.0	0.86	1		02/21/23 17:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.91	1		02/21/23 17:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.79	1		02/21/23 17:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.74	1		02/21/23 17:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.88	1		02/21/23 17:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.80	1		02/21/23 17:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.58	1		02/21/23 17:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.96	1		02/21/23 17:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.90	1		02/21/23 17:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.89	1		02/21/23 17:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		02/21/23 17:32	108-05-4	L1
Vinyl chloride	22.3	ug/L	2.0	0.52	1		02/21/23 17:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.92	1		02/21/23 17:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		02/21/23 17:32	1868-53-7	
4-Bromofluorobenzene (S)	89	%	79-124		1		02/21/23 17:32	460-00-4	
Toluene-d8 (S)	93	%	73-122		1		02/21/23 17:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-22-022023 Lab ID: 50337890004 Collected: 02/20/23 11:45 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.8	1		02/21/23 18:05	67-64-1	
Acrolein	ND	ug/L	50.0	10	1		02/21/23 18:05	107-02-8	
Acrylonitrile	ND	ug/L	100	2.4	1		02/21/23 18:05	107-13-1	
Benzene	ND	ug/L	5.0	0.82	1		02/21/23 18:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.89	1		02/21/23 18:05	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.96	1		02/21/23 18:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.82	1		02/21/23 18:05	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		02/21/23 18:05	75-25-2	
Bromomethane	ND	ug/L	5.0	0.44	1		02/21/23 18:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.4	1		02/21/23 18:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 18:05	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.79	1		02/21/23 18:05	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.82	1		02/21/23 18:05	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		02/21/23 18:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.68	1		02/21/23 18:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.95	1		02/21/23 18:05	108-90-7	
Chloroethane	ND	ug/L	5.0	0.63	1		02/21/23 18:05	75-00-3	
Chloroform	ND	ug/L	5.0	0.83	1		02/21/23 18:05	67-66-3	
Chloromethane	ND	ug/L	5.0	0.44	1		02/21/23 18:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.89	1		02/21/23 18:05	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.91	1		02/21/23 18:05	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		02/21/23 18:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.97	1		02/21/23 18:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.87	1		02/21/23 18:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.81	1		02/21/23 18:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.80	1		02/21/23 18:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.87	1		02/21/23 18:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.62	1		02/21/23 18:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.50	1		02/21/23 18:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.84	1		02/21/23 18:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.85	1		02/21/23 18:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.56	1		02/21/23 18:05	75-35-4	
cis-1,2-Dichloroethene	64.0	ug/L	5.0	0.88	1		02/21/23 18:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.72	1		02/21/23 18:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.79	1		02/21/23 18:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.85	1		02/21/23 18:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		02/21/23 18:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		02/21/23 18:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.86	1		02/21/23 18:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.92	1		02/21/23 18:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.95	1		02/21/23 18:05	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.87	1		02/21/23 18:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.65	1		02/21/23 18:05	87-68-3	
n-Hexane	ND	ug/L	5.0	0.48	1		02/21/23 18:05	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.6	1		02/21/23 18:05	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-22-022023 **Lab ID: 50337890004** Collected: 02/20/23 11:45 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.33	1		02/21/23 18:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.81	1		02/21/23 18:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		02/21/23 18:05	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		02/21/23 18:05	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.91	1		02/21/23 18:05	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.86	1		02/21/23 18:05	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	3.6	1		02/21/23 18:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		02/21/23 18:05	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.81	1		02/21/23 18:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 18:05	103-65-1	
Styrene	ND	ug/L	5.0	0.86	1		02/21/23 18:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.99	1		02/21/23 18:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.92	1		02/21/23 18:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.75	1		02/21/23 18:05	127-18-4	
Toluene	ND	ug/L	5.0	0.86	1		02/21/23 18:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.91	1		02/21/23 18:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.79	1		02/21/23 18:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.74	1		02/21/23 18:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.88	1		02/21/23 18:05	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.80	1		02/21/23 18:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.58	1		02/21/23 18:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.96	1		02/21/23 18:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.90	1		02/21/23 18:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.89	1		02/21/23 18:05	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		02/21/23 18:05	108-05-4	L1
Vinyl chloride	121	ug/L	2.0	0.52	1		02/21/23 18:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.92	1		02/21/23 18:05	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		02/21/23 18:05	1868-53-7	
4-Bromofluorobenzene (S)	89	%	79-124		1		02/21/23 18:05	460-00-4	
Toluene-d8 (S)	92	%	73-122		1		02/21/23 18:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-173-022023 Lab ID: 50337890005 Collected: 02/20/23 11:55 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	2500	121	25		02/21/23 18:38	67-64-1	
Acrolein	ND	ug/L	1250	250	25		02/21/23 18:38	107-02-8	
Acrylonitrile	ND	ug/L	2500	61.2	25		02/21/23 18:38	107-13-1	
Benzene	ND	ug/L	125	20.6	25		02/21/23 18:38	71-43-2	
Bromobenzene	ND	ug/L	125	22.2	25		02/21/23 18:38	108-86-1	
Bromochloromethane	ND	ug/L	125	24.0	25		02/21/23 18:38	74-97-5	
Bromodichloromethane	ND	ug/L	125	20.6	25		02/21/23 18:38	75-27-4	
Bromoform	ND	ug/L	125	18.3	25		02/21/23 18:38	75-25-2	
Bromomethane	ND	ug/L	125	11.0	25		02/21/23 18:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	625	109	25		02/21/23 18:38	78-93-3	
n-Butylbenzene	ND	ug/L	125	20.8	25		02/21/23 18:38	104-51-8	
sec-Butylbenzene	ND	ug/L	125	19.8	25		02/21/23 18:38	135-98-8	
tert-Butylbenzene	ND	ug/L	125	20.4	25		02/21/23 18:38	98-06-6	
Carbon disulfide	ND	ug/L	250	17.5	25		02/21/23 18:38	75-15-0	
Carbon tetrachloride	ND	ug/L	125	17.0	25		02/21/23 18:38	56-23-5	
Chlorobenzene	ND	ug/L	125	23.7	25		02/21/23 18:38	108-90-7	
Chloroethane	ND	ug/L	125	15.7	25		02/21/23 18:38	75-00-3	
Chloroform	ND	ug/L	125	20.8	25		02/21/23 18:38	67-66-3	
Chloromethane	ND	ug/L	125	11.0	25		02/21/23 18:38	74-87-3	
2-Chlorotoluene	ND	ug/L	125	22.2	25		02/21/23 18:38	95-49-8	
4-Chlorotoluene	ND	ug/L	125	22.7	25		02/21/23 18:38	106-43-4	
Dibromochloromethane	ND	ug/L	125	22.4	25		02/21/23 18:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	125	24.4	25		02/21/23 18:38	106-93-4	
Dibromomethane	ND	ug/L	125	21.8	25		02/21/23 18:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	125	20.2	25		02/21/23 18:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	125	20.1	25		02/21/23 18:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	125	21.7	25		02/21/23 18:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	2500	15.4	25		02/21/23 18:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	125	12.5	25		02/21/23 18:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	125	21.1	25		02/21/23 18:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	125	21.2	25		02/21/23 18:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	125	14.0	25		02/21/23 18:38	75-35-4	
cis-1,2-Dichloroethene	988	ug/L	125	22.0	25		02/21/23 18:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	125	18.0	25		02/21/23 18:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	125	19.8	25		02/21/23 18:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	125	21.3	25		02/21/23 18:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	125	22.0	25		02/21/23 18:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	125	19.6	25		02/21/23 18:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	125	21.4	25		02/21/23 18:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	125	23.0	25		02/21/23 18:38	10061-02-6	
Ethylbenzene	ND	ug/L	125	23.8	25		02/21/23 18:38	100-41-4	
Ethyl methacrylate	ND	ug/L	2500	21.8	25		02/21/23 18:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	125	16.2	25		02/21/23 18:38	87-68-3	
n-Hexane	ND	ug/L	125	11.9	25		02/21/23 18:38	110-54-3	
2-Hexanone	ND	ug/L	625	89.0	25		02/21/23 18:38	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-173-022023 **Lab ID: 50337890005** Collected: 02/20/23 11:55 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	250	8.4	25		02/21/23 18:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	125	20.3	25		02/21/23 18:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	125	22.5	25		02/21/23 18:38	99-87-6	
Methylene Chloride	ND	ug/L	125	17.6	25		02/21/23 18:38	75-09-2	
1-Methylnaphthalene	ND	ug/L	250	22.7	25		02/21/23 18:38	90-12-0	
2-Methylnaphthalene	ND	ug/L	250	21.6	25		02/21/23 18:38	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	625	90.2	25		02/21/23 18:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	100	16.4	25		02/21/23 18:38	1634-04-4	
Naphthalene	ND	ug/L	30.0	20.2	25		02/21/23 18:38	91-20-3	
n-Propylbenzene	ND	ug/L	125	20.8	25		02/21/23 18:38	103-65-1	
Styrene	ND	ug/L	125	21.6	25		02/21/23 18:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	125	24.8	25		02/21/23 18:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	125	23.0	25		02/21/23 18:38	79-34-5	
Tetrachloroethene	ND	ug/L	125	18.8	25		02/21/23 18:38	127-18-4	
Toluene	ND	ug/L	125	21.5	25		02/21/23 18:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	125	22.8	25		02/21/23 18:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	125	19.8	25		02/21/23 18:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	125	18.6	25		02/21/23 18:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	125	22.0	25		02/21/23 18:38	79-00-5	
Trichloroethene	ND	ug/L	125	19.9	25		02/21/23 18:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	125	14.6	25		02/21/23 18:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	125	24.0	25		02/21/23 18:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	125	22.4	25		02/21/23 18:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	125	22.2	25		02/21/23 18:38	108-67-8	
Vinyl acetate	ND	ug/L	1250	40.2	25		02/21/23 18:38	108-05-4	L1
Vinyl chloride	91.6	ug/L	50.0	13.0	25		02/21/23 18:38	75-01-4	
Xylene (Total)	ND	ug/L	250	23.0	25		02/21/23 18:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		25		02/21/23 18:38	1868-53-7	D4
4-Bromofluorobenzene (S)	90	%	79-124		25		02/21/23 18:38	460-00-4	
Toluene-d8 (S)	92	%	73-122		25		02/21/23 18:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-313-022023 Lab ID: 50337890006 Collected: 02/20/23 12:10 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.8	1		02/21/23 19:10	67-64-1	
Acrolein	ND	ug/L	50.0	10	1		02/21/23 19:10	107-02-8	
Acrylonitrile	ND	ug/L	100	2.4	1		02/21/23 19:10	107-13-1	
Benzene	ND	ug/L	5.0	0.82	1		02/21/23 19:10	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.89	1		02/21/23 19:10	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.96	1		02/21/23 19:10	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.82	1		02/21/23 19:10	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		02/21/23 19:10	75-25-2	
Bromomethane	ND	ug/L	5.0	0.44	1		02/21/23 19:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.4	1		02/21/23 19:10	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 19:10	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.79	1		02/21/23 19:10	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.82	1		02/21/23 19:10	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		02/21/23 19:10	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.68	1		02/21/23 19:10	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.95	1		02/21/23 19:10	108-90-7	
Chloroethane	5.3	ug/L	5.0	0.63	1		02/21/23 19:10	75-00-3	
Chloroform	ND	ug/L	5.0	0.83	1		02/21/23 19:10	67-66-3	
Chloromethane	ND	ug/L	5.0	0.44	1		02/21/23 19:10	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.89	1		02/21/23 19:10	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.91	1		02/21/23 19:10	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		02/21/23 19:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.97	1		02/21/23 19:10	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.87	1		02/21/23 19:10	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.81	1		02/21/23 19:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.80	1		02/21/23 19:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.87	1		02/21/23 19:10	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.62	1		02/21/23 19:10	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.50	1		02/21/23 19:10	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.84	1		02/21/23 19:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.85	1		02/21/23 19:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.56	1		02/21/23 19:10	75-35-4	
cis-1,2-Dichloroethene	209	ug/L	5.0	0.88	1		02/21/23 19:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.72	1		02/21/23 19:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.79	1		02/21/23 19:10	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.85	1		02/21/23 19:10	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		02/21/23 19:10	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		02/21/23 19:10	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.86	1		02/21/23 19:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.92	1		02/21/23 19:10	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.95	1		02/21/23 19:10	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.87	1		02/21/23 19:10	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.65	1		02/21/23 19:10	87-68-3	
n-Hexane	ND	ug/L	5.0	0.48	1		02/21/23 19:10	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.6	1		02/21/23 19:10	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-313-022023 **Lab ID: 50337890006** Collected: 02/20/23 12:10 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.33	1		02/21/23 19:10	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.81	1		02/21/23 19:10	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		02/21/23 19:10	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		02/21/23 19:10	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.91	1		02/21/23 19:10	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.86	1		02/21/23 19:10	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	3.6	1		02/21/23 19:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		02/21/23 19:10	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.81	1		02/21/23 19:10	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 19:10	103-65-1	
Styrene	ND	ug/L	5.0	0.86	1		02/21/23 19:10	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.99	1		02/21/23 19:10	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.92	1		02/21/23 19:10	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.75	1		02/21/23 19:10	127-18-4	
Toluene	ND	ug/L	5.0	0.86	1		02/21/23 19:10	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.91	1		02/21/23 19:10	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.79	1		02/21/23 19:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.74	1		02/21/23 19:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.88	1		02/21/23 19:10	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.80	1		02/21/23 19:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.58	1		02/21/23 19:10	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.96	1		02/21/23 19:10	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.90	1		02/21/23 19:10	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.89	1		02/21/23 19:10	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		02/21/23 19:10	108-05-4	L1
Vinyl chloride	46.5	ug/L	2.0	0.52	1		02/21/23 19:10	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.92	1		02/21/23 19:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%	82-128		1		02/21/23 19:10	1868-53-7	
4-Bromofluorobenzene (S)	88	%	79-124		1		02/21/23 19:10	460-00-4	
Toluene-d8 (S)	93	%	73-122		1		02/21/23 19:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50337890

Sample: W-10-022023 Lab ID: 50337890007 Collected: 02/20/23 12:40 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.8	1		02/21/23 19:43	67-64-1	
Acrolein	ND	ug/L	50.0	10	1		02/21/23 19:43	107-02-8	
Acrylonitrile	ND	ug/L	100	2.4	1		02/21/23 19:43	107-13-1	
Benzene	ND	ug/L	5.0	0.82	1		02/21/23 19:43	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.89	1		02/21/23 19:43	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.96	1		02/21/23 19:43	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.82	1		02/21/23 19:43	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		02/21/23 19:43	75-25-2	
Bromomethane	ND	ug/L	5.0	0.44	1		02/21/23 19:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.4	1		02/21/23 19:43	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 19:43	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.79	1		02/21/23 19:43	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.82	1		02/21/23 19:43	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		02/21/23 19:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.68	1		02/21/23 19:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.95	1		02/21/23 19:43	108-90-7	
Chloroethane	ND	ug/L	5.0	0.63	1		02/21/23 19:43	75-00-3	
Chloroform	ND	ug/L	5.0	0.83	1		02/21/23 19:43	67-66-3	
Chloromethane	ND	ug/L	5.0	0.44	1		02/21/23 19:43	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.89	1		02/21/23 19:43	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.91	1		02/21/23 19:43	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		02/21/23 19:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.97	1		02/21/23 19:43	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.87	1		02/21/23 19:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.81	1		02/21/23 19:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.80	1		02/21/23 19:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.87	1		02/21/23 19:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.62	1		02/21/23 19:43	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.50	1		02/21/23 19:43	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.84	1		02/21/23 19:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.85	1		02/21/23 19:43	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.56	1		02/21/23 19:43	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.88	1		02/21/23 19:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.72	1		02/21/23 19:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.79	1		02/21/23 19:43	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.85	1		02/21/23 19:43	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		02/21/23 19:43	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		02/21/23 19:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.86	1		02/21/23 19:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.92	1		02/21/23 19:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.95	1		02/21/23 19:43	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.87	1		02/21/23 19:43	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.65	1		02/21/23 19:43	87-68-3	
n-Hexane	ND	ug/L	5.0	0.48	1		02/21/23 19:43	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.6	1		02/21/23 19:43	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: W-10-022023 **Lab ID: 50337890007** Collected: 02/20/23 12:40 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.33	1		02/21/23 19:43	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.81	1		02/21/23 19:43	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		02/21/23 19:43	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		02/21/23 19:43	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.91	1		02/21/23 19:43	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.86	1		02/21/23 19:43	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	3.6	1		02/21/23 19:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		02/21/23 19:43	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.81	1		02/21/23 19:43	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 19:43	103-65-1	
Styrene	ND	ug/L	5.0	0.86	1		02/21/23 19:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.99	1		02/21/23 19:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.92	1		02/21/23 19:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.75	1		02/21/23 19:43	127-18-4	
Toluene	ND	ug/L	5.0	0.86	1		02/21/23 19:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.91	1		02/21/23 19:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.79	1		02/21/23 19:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.74	1		02/21/23 19:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.88	1		02/21/23 19:43	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.80	1		02/21/23 19:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.58	1		02/21/23 19:43	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.96	1		02/21/23 19:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.90	1		02/21/23 19:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.89	1		02/21/23 19:43	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		02/21/23 19:43	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.52	1		02/21/23 19:43	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.92	1		02/21/23 19:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		1		02/21/23 19:43	1868-53-7	
4-Bromofluorobenzene (S)	89	%	79-124		1		02/21/23 19:43	460-00-4	
Toluene-d8 (S)	93	%	73-122		1		02/21/23 19:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: W-8-022023 **Lab ID: 50337890008** Collected: 02/20/23 12:55 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	ND	ug/L	5.0	2.0	1		03/01/23 10:03	74-82-8	
Ethane	ND	ug/L	1.0	0.17	1		03/01/23 10:03	74-84-0	
Ethene	ND	ug/L	1.0	0.24	1		03/01/23 10:03	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		03/01/23 10:03	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		03/01/23 10:03	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		03/01/23 10:03	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		03/01/23 10:03	JUNK42	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.8	1		02/21/23 20:16	67-64-1	
Acrolein	ND	ug/L	50.0	10	1		02/21/23 20:16	107-02-8	
Acrylonitrile	ND	ug/L	100	2.4	1		02/21/23 20:16	107-13-1	
Benzene	ND	ug/L	5.0	0.82	1		02/21/23 20:16	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.89	1		02/21/23 20:16	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.96	1		02/21/23 20:16	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.82	1		02/21/23 20:16	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		02/21/23 20:16	75-25-2	
Bromomethane	ND	ug/L	5.0	0.44	1		02/21/23 20:16	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.4	1		02/21/23 20:16	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 20:16	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.79	1		02/21/23 20:16	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.82	1		02/21/23 20:16	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		02/21/23 20:16	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.68	1		02/21/23 20:16	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.95	1		02/21/23 20:16	108-90-7	
Chloroethane	ND	ug/L	5.0	0.63	1		02/21/23 20:16	75-00-3	
Chloroform	ND	ug/L	5.0	0.83	1		02/21/23 20:16	67-66-3	
Chloromethane	ND	ug/L	5.0	0.44	1		02/21/23 20:16	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.89	1		02/21/23 20:16	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.91	1		02/21/23 20:16	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		02/21/23 20:16	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.97	1		02/21/23 20:16	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.87	1		02/21/23 20:16	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.81	1		02/21/23 20:16	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.80	1		02/21/23 20:16	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.87	1		02/21/23 20:16	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.62	1		02/21/23 20:16	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.50	1		02/21/23 20:16	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.84	1		02/21/23 20:16	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.85	1		02/21/23 20:16	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.56	1		02/21/23 20:16	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.88	1		02/21/23 20:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.72	1		02/21/23 20:16	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.79	1		02/21/23 20:16	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50337890

Sample: **W-8-022023** Lab ID: **50337890008** Collected: 02/20/23 12:55 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
1,3-Dichloropropane	ND	ug/L	5.0	0.85	1		02/21/23 20:16	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		02/21/23 20:16	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		02/21/23 20:16	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.86	1		02/21/23 20:16	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.92	1		02/21/23 20:16	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.95	1		02/21/23 20:16	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.87	1		02/21/23 20:16	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.65	1		02/21/23 20:16	87-68-3	
n-Hexane	ND	ug/L	5.0	0.48	1		02/21/23 20:16	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.6	1		02/21/23 20:16	591-78-6	
Iodomethane	ND	ug/L	10.0	0.33	1		02/21/23 20:16	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.81	1		02/21/23 20:16	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		02/21/23 20:16	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		02/21/23 20:16	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.91	1		02/21/23 20:16	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.86	1		02/21/23 20:16	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	3.6	1		02/21/23 20:16	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		02/21/23 20:16	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.81	1		02/21/23 20:16	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 20:16	103-65-1	
Styrene	ND	ug/L	5.0	0.86	1		02/21/23 20:16	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.99	1		02/21/23 20:16	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.92	1		02/21/23 20:16	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.75	1		02/21/23 20:16	127-18-4	
Toluene	ND	ug/L	5.0	0.86	1		02/21/23 20:16	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.91	1		02/21/23 20:16	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.79	1		02/21/23 20:16	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.74	1		02/21/23 20:16	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.88	1		02/21/23 20:16	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.80	1		02/21/23 20:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.58	1		02/21/23 20:16	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.96	1		02/21/23 20:16	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.90	1		02/21/23 20:16	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.89	1		02/21/23 20:16	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		02/21/23 20:16	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.52	1		02/21/23 20:16	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.92	1		02/21/23 20:16	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%	82-128		1		02/21/23 20:16	1868-53-7	
4-Bromofluorobenzene (S)	91	%	79-124		1		02/21/23 20:16	460-00-4	
Toluene-d8 (S)	93	%	73-122		1		02/21/23 20:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50337890

Sample: MW-153-022023 Lab ID: 50337890009 Collected: 02/20/23 13:05 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.8	1		02/21/23 20:48	67-64-1	
Acrolein	ND	ug/L	50.0	10	1		02/21/23 20:48	107-02-8	
Acrylonitrile	ND	ug/L	100	2.4	1		02/21/23 20:48	107-13-1	
Benzene	ND	ug/L	5.0	0.82	1		02/21/23 20:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.89	1		02/21/23 20:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.96	1		02/21/23 20:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.82	1		02/21/23 20:48	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		02/21/23 20:48	75-25-2	
Bromomethane	ND	ug/L	5.0	0.44	1		02/21/23 20:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.4	1		02/21/23 20:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 20:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.79	1		02/21/23 20:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.82	1		02/21/23 20:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		02/21/23 20:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.68	1		02/21/23 20:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.95	1		02/21/23 20:48	108-90-7	
Chloroethane	ND	ug/L	5.0	0.63	1		02/21/23 20:48	75-00-3	
Chloroform	ND	ug/L	5.0	0.83	1		02/21/23 20:48	67-66-3	
Chloromethane	ND	ug/L	5.0	0.44	1		02/21/23 20:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.89	1		02/21/23 20:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.91	1		02/21/23 20:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		02/21/23 20:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.97	1		02/21/23 20:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.87	1		02/21/23 20:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.81	1		02/21/23 20:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.80	1		02/21/23 20:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.87	1		02/21/23 20:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.62	1		02/21/23 20:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.50	1		02/21/23 20:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.84	1		02/21/23 20:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.85	1		02/21/23 20:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.56	1		02/21/23 20:48	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.88	1		02/21/23 20:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.72	1		02/21/23 20:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.79	1		02/21/23 20:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.85	1		02/21/23 20:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		02/21/23 20:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		02/21/23 20:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.86	1		02/21/23 20:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.92	1		02/21/23 20:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.95	1		02/21/23 20:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.87	1		02/21/23 20:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.65	1		02/21/23 20:48	87-68-3	
n-Hexane	ND	ug/L	5.0	0.48	1		02/21/23 20:48	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.6	1		02/21/23 20:48	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: MW-153-022023 **Lab ID: 50337890009** Collected: 02/20/23 13:05 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.33	1		02/21/23 20:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.81	1		02/21/23 20:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		02/21/23 20:48	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		02/21/23 20:48	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.91	1		02/21/23 20:48	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.86	1		02/21/23 20:48	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	3.6	1		02/21/23 20:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		02/21/23 20:48	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.81	1		02/21/23 20:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 20:48	103-65-1	
Styrene	ND	ug/L	5.0	0.86	1		02/21/23 20:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.99	1		02/21/23 20:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.92	1		02/21/23 20:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.75	1		02/21/23 20:48	127-18-4	
Toluene	ND	ug/L	5.0	0.86	1		02/21/23 20:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.91	1		02/21/23 20:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.79	1		02/21/23 20:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.74	1		02/21/23 20:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.88	1		02/21/23 20:48	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.80	1		02/21/23 20:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.58	1		02/21/23 20:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.96	1		02/21/23 20:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.90	1		02/21/23 20:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.89	1		02/21/23 20:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		02/21/23 20:48	108-05-4	L1
Vinyl chloride	2.3	ug/L	2.0	0.52	1		02/21/23 20:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.92	1		02/21/23 20:48	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		1		02/21/23 20:48	1868-53-7	
4-Bromofluorobenzene (S)	88	%	79-124		1		02/21/23 20:48	460-00-4	
Toluene-d8 (S)	92	%	73-122		1		02/21/23 20:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: Trip Blank-022023 Lab ID: 50337890010 Collected: 02/20/23 08:00 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.8	1		02/21/23 15:55	67-64-1	
Acrolein	ND	ug/L	50.0	10	1		02/21/23 15:55	107-02-8	
Acrylonitrile	ND	ug/L	100	2.4	1		02/21/23 15:55	107-13-1	
Benzene	ND	ug/L	5.0	0.82	1		02/21/23 15:55	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.89	1		02/21/23 15:55	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.96	1		02/21/23 15:55	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.82	1		02/21/23 15:55	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		02/21/23 15:55	75-25-2	
Bromomethane	ND	ug/L	5.0	0.44	1		02/21/23 15:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.4	1		02/21/23 15:55	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 15:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.79	1		02/21/23 15:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.82	1		02/21/23 15:55	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		02/21/23 15:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.68	1		02/21/23 15:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.95	1		02/21/23 15:55	108-90-7	
Chloroethane	ND	ug/L	5.0	0.63	1		02/21/23 15:55	75-00-3	
Chloroform	ND	ug/L	5.0	0.83	1		02/21/23 15:55	67-66-3	
Chloromethane	ND	ug/L	5.0	0.44	1		02/21/23 15:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.89	1		02/21/23 15:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.91	1		02/21/23 15:55	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		02/21/23 15:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.97	1		02/21/23 15:55	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.87	1		02/21/23 15:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.81	1		02/21/23 15:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.80	1		02/21/23 15:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.87	1		02/21/23 15:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.62	1		02/21/23 15:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.50	1		02/21/23 15:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.84	1		02/21/23 15:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.85	1		02/21/23 15:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.56	1		02/21/23 15:55	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.88	1		02/21/23 15:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.72	1		02/21/23 15:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.79	1		02/21/23 15:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.85	1		02/21/23 15:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		02/21/23 15:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		02/21/23 15:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.86	1		02/21/23 15:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.92	1		02/21/23 15:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.95	1		02/21/23 15:55	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.87	1		02/21/23 15:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.65	1		02/21/23 15:55	87-68-3	
n-Hexane	ND	ug/L	5.0	0.48	1		02/21/23 15:55	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.6	1		02/21/23 15:55	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50337890

Sample: Trip Blank-022023 Lab ID: 50337890010 Collected: 02/20/23 08:00 Received: 02/20/23 14:15 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.33	1		02/21/23 15:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.81	1		02/21/23 15:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		02/21/23 15:55	99-87-6	
Methylene Chloride	ND	ug/L	5.0	0.70	1		02/21/23 15:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.91	1		02/21/23 15:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.86	1		02/21/23 15:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	3.6	1		02/21/23 15:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		02/21/23 15:55	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.81	1		02/21/23 15:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.83	1		02/21/23 15:55	103-65-1	
Styrene	ND	ug/L	5.0	0.86	1		02/21/23 15:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.99	1		02/21/23 15:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.92	1		02/21/23 15:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.75	1		02/21/23 15:55	127-18-4	
Toluene	ND	ug/L	5.0	0.86	1		02/21/23 15:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.91	1		02/21/23 15:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.79	1		02/21/23 15:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.74	1		02/21/23 15:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.88	1		02/21/23 15:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.80	1		02/21/23 15:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.58	1		02/21/23 15:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.96	1		02/21/23 15:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.90	1		02/21/23 15:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.89	1		02/21/23 15:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		02/21/23 15:55	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.52	1		02/21/23 15:55	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.92	1		02/21/23 15:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		02/21/23 15:55	1868-53-7	
4-Bromofluorobenzene (S)	90	%	79-124		1		02/21/23 15:55	460-00-4	
Toluene-d8 (S)	93	%	73-122		1		02/21/23 15:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50337890

QC Batch: 760768 Analysis Method: AM20GAX
QC Batch Method: AM20GAX Analysis Description: Indicator Gases Water LHC
Laboratory: Pace Analytical Gulf Coast

Associated Lab Samples: 50337890003, 50337890008

METHOD BLANK: 2456306 Matrix: Water

Associated Lab Samples: 50337890003, 50337890008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Methane	ug/L	ND	5.0	2.0	03/01/23 07:00	
Ethane	ug/L	ND	1.0	0.17	03/01/23 07:00	
Ethene	ug/L	ND	1.0	0.24	03/01/23 07:00	
n-Propane	ug/L	ND	1.0	0.29	03/01/23 07:00	
Propylene	ug/L	ND	1.0	0.31	03/01/23 07:00	
Isobutane	ug/L	ND	2.0	0.065	03/01/23 07:00	
n-Butane	ug/L	ND	2.0	0.54	03/01/23 07:00	

LABORATORY CONTROL SAMPLE & LCSD: 2456307

Parameter	Units	2456308							RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits				
Methane	ug/L	750	610	700	82	94	70-130	14	20		
Ethane	ug/L	38	38	37	100	98	70-130	2	20		
Ethene	ug/L	35	36	35	101	99	70-130	2	20		
n-Propane	ug/L	56	53	50	96	90	70-130	7	20		
Propylene	ug/L	53	48	44	90	83	70-130	9	20		
Isobutane	ug/L	73	63	62	86	85	70-130	2	20		
n-Butane	ug/L	73	56	56	77	77	70-130	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50337890

QC Batch: 719672 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50337890001, 50337890002, 50337890003, 50337890004, 50337890005, 50337890006, 50337890007, 50337890008, 50337890009, 50337890010

METHOD BLANK: 3303572 Matrix: Water
Associated Lab Samples: 50337890001, 50337890002, 50337890003, 50337890004, 50337890005, 50337890006, 50337890007, 50337890008, 50337890009, 50337890010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.99	02/21/23 11:02	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.74	02/21/23 11:02	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.92	02/21/23 11:02	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.88	02/21/23 11:02	
1,1-Dichloroethane	ug/L	ND	5.0	0.84	02/21/23 11:02	
1,1-Dichloroethene	ug/L	ND	5.0	0.56	02/21/23 11:02	
1,1-Dichloropropene	ug/L	ND	5.0	0.78	02/21/23 11:02	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.91	02/21/23 11:02	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.96	02/21/23 11:02	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.79	02/21/23 11:02	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.90	02/21/23 11:02	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.97	02/21/23 11:02	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.81	02/21/23 11:02	
1,2-Dichloroethane	ug/L	ND	5.0	0.85	02/21/23 11:02	
1,2-Dichloropropane	ug/L	ND	5.0	0.79	02/21/23 11:02	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.89	02/21/23 11:02	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.80	02/21/23 11:02	
1,3-Dichloropropane	ug/L	ND	5.0	0.85	02/21/23 11:02	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.87	02/21/23 11:02	
1-Methylnaphthalene	ug/L	ND	10.0	0.91	02/21/23 11:02	
2,2-Dichloropropane	ug/L	ND	5.0	0.88	02/21/23 11:02	
2-Butanone (MEK)	ug/L	ND	25.0	4.4	02/21/23 11:02	
2-Chlorotoluene	ug/L	ND	5.0	0.89	02/21/23 11:02	
2-Hexanone	ug/L	ND	25.0	3.6	02/21/23 11:02	
2-Methylnaphthalene	ug/L	ND	10.0	0.86	02/21/23 11:02	
4-Chlorotoluene	ug/L	ND	5.0	0.91	02/21/23 11:02	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	3.6	02/21/23 11:02	
Acetone	ug/L	ND	100	4.8	02/21/23 11:02	
Acrolein	ug/L	ND	50.0	10	02/21/23 11:02	
Acrylonitrile	ug/L	ND	100	2.4	02/21/23 11:02	
Benzene	ug/L	ND	5.0	0.82	02/21/23 11:02	
Bromobenzene	ug/L	ND	5.0	0.89	02/21/23 11:02	
Bromochloromethane	ug/L	ND	5.0	0.96	02/21/23 11:02	
Bromodichloromethane	ug/L	ND	5.0	0.82	02/21/23 11:02	
Bromoform	ug/L	ND	5.0	0.73	02/21/23 11:02	
Bromomethane	ug/L	ND	5.0	0.44	02/21/23 11:02	
Carbon disulfide	ug/L	ND	10.0	0.70	02/21/23 11:02	
Carbon tetrachloride	ug/L	ND	5.0	0.68	02/21/23 11:02	
Chlorobenzene	ug/L	ND	5.0	0.95	02/21/23 11:02	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50337890

METHOD BLANK: 3303572

Matrix: Water

Associated Lab Samples: 50337890001, 50337890002, 50337890003, 50337890004, 50337890005, 50337890006, 50337890007, 50337890008, 50337890009, 50337890010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.63	02/21/23 11:02	
Chloroform	ug/L	ND	5.0	0.83	02/21/23 11:02	
Chloromethane	ug/L	ND	5.0	0.44	02/21/23 11:02	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.88	02/21/23 11:02	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.86	02/21/23 11:02	
Dibromochloromethane	ug/L	ND	5.0	0.89	02/21/23 11:02	
Dibromomethane	ug/L	ND	5.0	0.87	02/21/23 11:02	
Dichlorodifluoromethane	ug/L	ND	5.0	0.50	02/21/23 11:02	
Ethyl methacrylate	ug/L	ND	100	0.87	02/21/23 11:02	
Ethylbenzene	ug/L	ND	5.0	0.95	02/21/23 11:02	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.65	02/21/23 11:02	
Iodomethane	ug/L	ND	10.0	0.33	02/21/23 11:02	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.81	02/21/23 11:02	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.66	02/21/23 11:02	
Methylene Chloride	ug/L	ND	5.0	0.70	02/21/23 11:02	
n-Butylbenzene	ug/L	ND	5.0	0.83	02/21/23 11:02	
n-Hexane	ug/L	ND	5.0	0.48	02/21/23 11:02	
n-Propylbenzene	ug/L	ND	5.0	0.83	02/21/23 11:02	
Naphthalene	ug/L	ND	1.2	0.81	02/21/23 11:02	
p-Isopropyltoluene	ug/L	ND	5.0	0.90	02/21/23 11:02	
sec-Butylbenzene	ug/L	ND	5.0	0.79	02/21/23 11:02	
Styrene	ug/L	ND	5.0	0.86	02/21/23 11:02	
tert-Butylbenzene	ug/L	ND	5.0	0.82	02/21/23 11:02	
Tetrachloroethene	ug/L	ND	5.0	0.75	02/21/23 11:02	
Toluene	ug/L	ND	5.0	0.86	02/21/23 11:02	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.72	02/21/23 11:02	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.92	02/21/23 11:02	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.62	02/21/23 11:02	
Trichloroethene	ug/L	ND	5.0	0.80	02/21/23 11:02	
Trichlorofluoromethane	ug/L	ND	5.0	0.58	02/21/23 11:02	
Vinyl acetate	ug/L	ND	50.0	1.6	02/21/23 11:02	
Vinyl chloride	ug/L	ND	2.0	0.52	02/21/23 11:02	
Xylene (Total)	ug/L	ND	10.0	0.92	02/21/23 11:02	
4-Bromofluorobenzene (S)	%	91	79-124		02/21/23 11:02	
Dibromofluoromethane (S)	%	107	82-128		02/21/23 11:02	1d
Toluene-d8 (S)	%	93	73-122		02/21/23 11:02	

LABORATORY CONTROL SAMPLE: 3303573

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	49.0	98	77-125	
1,1,1-Trichloroethane	ug/L	50	52.7	105	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	41.2	82	72-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50337890

LABORATORY CONTROL SAMPLE: 3303573

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	42.0	84	73-124	
1,1-Dichloroethane	ug/L	50	44.3	89	71-124	
1,1-Dichloroethene	ug/L	50	51.3	103	63-138	
1,1-Dichloropropene	ug/L	50	52.4	105	80-142	
1,2,3-Trichlorobenzene	ug/L	50	53.0	106	67-134	
1,2,3-Trichloropropane	ug/L	50	44.5	89	75-122	
1,2,4-Trichlorobenzene	ug/L	50	50.3	101	68-132	
1,2,4-Trimethylbenzene	ug/L	50	48.7	97	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	45.2	90	75-123	
1,2-Dichlorobenzene	ug/L	50	47.4	95	76-118	
1,2-Dichloroethane	ug/L	50	53.7	107	68-126	
1,2-Dichloropropane	ug/L	50	46.7	93	73-127	
1,3,5-Trimethylbenzene	ug/L	50	49.5	99	72-120	
1,3-Dichlorobenzene	ug/L	50	50.3	101	75-119	
1,3-Dichloropropane	ug/L	50	41.4	83	77-125	
1,4-Dichlorobenzene	ug/L	50	48.6	97	74-118	
1-Methylnaphthalene	ug/L	50	57.4	115	51-164	
2,2-Dichloropropane	ug/L	50	49.3	99	52-137	
2-Butanone (MEK)	ug/L	250	234	94	57-130	
2-Chlorotoluene	ug/L	50	45.5	91	69-123	
2-Hexanone	ug/L	250	230	92	57-130	
2-Methylnaphthalene	ug/L	50	57.3	115	57-159	
4-Chlorotoluene	ug/L	50	49.0	98	74-122	
4-Methyl-2-pentanone (MIBK)	ug/L	250	231	93	58-134	
Acetone	ug/L	250	200	80	41-133	
Acrolein	ug/L	1000	915	91	43-124	
Acrylonitrile	ug/L	250	249	100	66-131	
Benzene	ug/L	50	45.8	92	76-121	
Bromobenzene	ug/L	50	46.0	92	67-127	
Bromochloromethane	ug/L	50	42.3	85	65-126	
Bromodichloromethane	ug/L	50	53.5	107	72-125	
Bromoform	ug/L	50	46.8	94	57-134	
Bromomethane	ug/L	50	42.2	84	10-187	
Carbon disulfide	ug/L	50	44.8	90	59-125	
Carbon tetrachloride	ug/L	50	54.1	108	71-134	
Chlorobenzene	ug/L	50	48.3	97	74-119	
Chloroethane	ug/L	50	46.1	92	49-152	
Chloroform	ug/L	50	46.2	92	68-123	
Chloromethane	ug/L	50	38.7	77	33-133	
cis-1,2-Dichloroethene	ug/L	50	48.1	96	73-122	
cis-1,3-Dichloropropene	ug/L	50	42.8	86	69-128	
Dibromochloromethane	ug/L	50	47.2	94	69-127	
Dibromomethane	ug/L	50	46.4	93	74-126	
Dichlorodifluoromethane	ug/L	50	31.9	64	19-136	
Ethyl methacrylate	ug/L	50	44.1J	88	65-127	
Ethylbenzene	ug/L	50	50.7	101	74-122	
Hexachloro-1,3-butadiene	ug/L	50	52.8	106	65-140	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50337890

LABORATORY CONTROL SAMPLE: 3303573

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	27.6	55	10-181	
Isopropylbenzene (Cumene)	ug/L	50	52.7	105	75-124	
Methyl-tert-butyl ether	ug/L	50	45.6	91	71-125	
Methylene Chloride	ug/L	50	47.9	96	71-125	
n-Butylbenzene	ug/L	50	48.9	98	68-124	
n-Hexane	ug/L	50	46.9	94	60-132	
n-Propylbenzene	ug/L	50	48.4	97	75-122	
Naphthalene	ug/L	50	50.2	100	69-128	
p-Isopropyltoluene	ug/L	50	51.2	102	73-125	
sec-Butylbenzene	ug/L	50	50.4	101	76-125	
Styrene	ug/L	50	52.5	105	74-126	
tert-Butylbenzene	ug/L	50	50.6	101	69-123	
Tetrachloroethene	ug/L	50	51.3	103	74-129	
Toluene	ug/L	50	45.4	91	70-118	
trans-1,2-Dichloroethene	ug/L	50	49.2	98	69-124	
trans-1,3-Dichloropropene	ug/L	50	43.6	87	66-125	
trans-1,4-Dichloro-2-butene	ug/L	50	47.6J	95	43-155	
Trichloroethene	ug/L	50	47.5	95	73-125	
Trichlorofluoromethane	ug/L	50	51.1	102	56-139	
Vinyl acetate	ug/L	200	229	114	46-101	L1
Vinyl chloride	ug/L	50	40.3	81	46-134	
Xylene (Total)	ug/L	150	151	101	71-123	
4-Bromofluorobenzene (S)	%			96	79-124	
Dibromofluoromethane (S)	%			104	82-128	
Toluene-d8 (S)	%			94	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: GE Indy
Pace Project No.: 50337890

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume DAP 02/22/23

D4 Sample was diluted due to the presence of high levels of target analytes.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50337890

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50337890003	W-9-022023	AM20GAX	760768		
50337890008	W-8-022023	AM20GAX	760768		
50337890001	MW-322-022023	EPA 5030/8260	719672		
50337890002	MW-331-022023	EPA 5030/8260	719672		
50337890003	W-9-022023	EPA 5030/8260	719672		
50337890004	MW-22-022023	EPA 5030/8260	719672		
50337890005	MW-173-022023	EPA 5030/8260	719672		
50337890006	MW-313-022023	EPA 5030/8260	719672		
50337890007	W-10-022023	EPA 5030/8260	719672		
50337890008	W-8-022023	EPA 5030/8260	719672		
50337890009	MW-153-022023	EPA 5030/8260	719672		
50337890010	Trip Blank-022023	EPA 5030/8260	719672		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: JC 1500 2/20/23

1. Courier: FED EX UPS CLIENT PACE USPS OTHER _____
2. Custody Seal on Cooler/Box Present: Yes No
 (If yes)Seals Intact: Yes No (leave blank if no seals were present)
3. Thermometer: **1 2 3 4 5 6 A B C D E F**
4. Cooler Temperature(s): 1.9/8.0
 (Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: Bubble Wrap Bubble Bags
 None Other _____
6. Ice Type: Wet Blue None
7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
 Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		<input checked="" type="checkbox"/>	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis:		<input checked="" type="checkbox"/>	Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			<input checked="" type="checkbox"/>
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:		Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A
Rush TAT Requested (4 days or less):	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Residual Chlorine Check (Total/Amenable/Free Cyanide)			<input checked="" type="checkbox"/>
Custody Signatures Present?	<input checked="" type="checkbox"/>		Headspace Wisconsin Sulfide?			<input checked="" type="checkbox"/>
Containers Intact?:	<input checked="" type="checkbox"/>		Headspace in VOA Vials (>6mm): See Containter Count form for details	Present	Absent	No VOA Vials Sent
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	<input checked="" type="checkbox"/>		Trip Blank Present?	<input checked="" type="checkbox"/>		
Extra labels on Terracore Vials? (soils only)			Trip Blank Custody Seals?:	<input checked="" type="checkbox"/>		

COMMENTS: LOW volume 1/2 VOA for W-8-022023, JC 2/20/23

March 28, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50339745

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on March 15, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Matt Starrett, Ramboll
Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50339745

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50339745

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50339745001	MW-323-031523	Water	03/15/23 13:55	03/15/23 16:00
50339745002	MW-251-031523	Water	03/15/23 14:05	03/15/23 16:00
50339745003	MW-41-031523	Water	03/15/23 14:15	03/15/23 16:00
50339745004	MW-131-031523	Water	03/15/23 14:25	03/15/23 16:00
50339745005	MW-241-031523	Water	03/15/23 14:45	03/15/23 16:00
50339745006	Trip Blank-031523	Water	03/15/23 08:00	03/15/23 16:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50339745

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50339745001	MW-323-031523	EPA 5030/8260	TMW	75	PASI-I
50339745002	MW-251-031523	EPA 5030/8260	ALA, TMW	75	PASI-I
50339745003	MW-41-031523	EPA 5030/8260	TMW	75	PASI-I
50339745004	MW-131-031523	EPA 5030/8260	KLP	75	PASI-I
50339745005	MW-241-031523	EPA 5030/8260	KLP	75	PASI-I
50339745006	Trip Blank-031523	EPA 5030/8260	KLP	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50339745

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50339745001	MW-323-031523					
EPA 5030/8260	cis-1,2-Dichloroethene	51.2	ug/L	5.0	03/23/23 05:52	
EPA 5030/8260	Vinyl chloride	2.6	ug/L	2.0	03/23/23 05:52	
50339745002	MW-251-031523					
EPA 5030/8260	Benzene	27.7	ug/L	25.0	03/23/23 06:23	
EPA 5030/8260	Chloroethane	708	ug/L	25.0	03/23/23 06:23	
EPA 5030/8260	1,1-Dichloroethane	581	ug/L	25.0	03/23/23 06:23	
EPA 5030/8260	1,2-Dichloroethane	142	ug/L	25.0	03/23/23 06:23	
EPA 5030/8260	1,1-Dichloroethene	35.9	ug/L	25.0	03/23/23 06:23	
EPA 5030/8260	cis-1,2-Dichloroethene	15700	ug/L	1250	03/25/23 00:22	
EPA 5030/8260	trans-1,2-Dichloroethene	179	ug/L	25.0	03/23/23 06:23	
EPA 5030/8260	Vinyl chloride	2260	ug/L	50.0	03/23/23 06:55	
50339745004	MW-131-031523					
EPA 5030/8260	Carbon tetrachloride	5.3	ug/L	5.0	03/24/23 07:38	
EPA 5030/8260	Chloroform	8.0	ug/L	5.0	03/24/23 07:38	
EPA 5030/8260	1,1-Dichloroethane	19.1	ug/L	5.0	03/24/23 07:38	
EPA 5030/8260	cis-1,2-Dichloroethene	9.5	ug/L	5.0	03/24/23 07:38	
EPA 5030/8260	1,1,1-Trichloroethane	164	ug/L	5.0	03/24/23 07:38	
EPA 5030/8260	Trichloroethene	40.7	ug/L	5.0	03/24/23 07:38	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: MW-323-031523 Lab ID: 50339745001 Collected: 03/15/23 13:55 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	15.3	1		03/23/23 05:52	67-64-1	
Acrolein	ND	ug/L	50.0	20.4	1		03/23/23 05:52	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		03/23/23 05:52	107-13-1	
Benzene	ND	ug/L	5.0	0.27	1		03/23/23 05:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		03/23/23 05:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		03/23/23 05:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.49	1		03/23/23 05:52	75-27-4	
Bromoform	ND	ug/L	5.0	4.0	1		03/23/23 05:52	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		03/23/23 05:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	10.5	1		03/23/23 05:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.33	1		03/23/23 05:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		03/23/23 05:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.30	1		03/23/23 05:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.79	1		03/23/23 05:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.44	1		03/23/23 05:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.33	1		03/23/23 05:52	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		03/23/23 05:52	75-00-3	
Chloroform	ND	ug/L	5.0	2.0	1		03/23/23 05:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		03/23/23 05:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		03/23/23 05:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.35	1		03/23/23 05:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.54	1		03/23/23 05:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.72	1		03/23/23 05:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	4.0	1		03/23/23 05:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.33	1		03/23/23 05:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.34	1		03/23/23 05:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.33	1		03/23/23 05:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	2.2	1		03/23/23 05:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.57	1		03/23/23 05:52	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.29	1		03/23/23 05:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.52	1		03/23/23 05:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.42	1		03/23/23 05:52	75-35-4	
cis-1,2-Dichloroethene	51.2	ug/L	5.0	0.29	1		03/23/23 05:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.65	1		03/23/23 05:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		03/23/23 05:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.35	1		03/23/23 05:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.35	1		03/23/23 05:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.46	1		03/23/23 05:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.43	1		03/23/23 05:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.45	1		03/23/23 05:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/23/23 05:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.63	1		03/23/23 05:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.56	1		03/23/23 05:52	87-68-3	
n-Hexane	ND	ug/L	5.0	0.47	1		03/23/23 05:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.3	1		03/23/23 05:52	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: MW-323-031523 **Lab ID: 50339745001** Collected: 03/15/23 13:55 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.5	1		03/23/23 05:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/23/23 05:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.33	1		03/23/23 05:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.8	1		03/23/23 05:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.6	1		03/23/23 05:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.2	1		03/23/23 05:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.6	1		03/23/23 05:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		03/23/23 05:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.1	1		03/23/23 05:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.28	1		03/23/23 05:52	103-65-1	
Styrene	ND	ug/L	5.0	0.35	1		03/23/23 05:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.42	1		03/23/23 05:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/23/23 05:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.50	1		03/23/23 05:52	127-18-4	
Toluene	ND	ug/L	5.0	0.32	1		03/23/23 05:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.93	1		03/23/23 05:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.75	1		03/23/23 05:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/23/23 05:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		03/23/23 05:52	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.52	1		03/23/23 05:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.53	1		03/23/23 05:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.3	1		03/23/23 05:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.28	1		03/23/23 05:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		03/23/23 05:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		03/23/23 05:52	108-05-4	
Vinyl chloride	2.6	ug/L	2.0	0.52	1		03/23/23 05:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		03/23/23 05:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		03/23/23 05:52	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		03/23/23 05:52	460-00-4	
Toluene-d8 (S)	93	%	73-122		1		03/23/23 05:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50339745

Sample: MW-251-031523 **Lab ID: 50339745002** Collected: 03/15/23 14:05 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	500	76.5	5		03/23/23 06:23	67-64-1	
Acrolein	ND	ug/L	250	102	5		03/23/23 06:23	107-02-8	
Acrylonitrile	ND	ug/L	500	15.1	5		03/23/23 06:23	107-13-1	
Benzene	27.7	ug/L	25.0	1.3	5		03/23/23 06:23	71-43-2	
Bromobenzene	ND	ug/L	25.0	2.0	5		03/23/23 06:23	108-86-1	
Bromochloromethane	ND	ug/L	25.0	2.3	5		03/23/23 06:23	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	2.5	5		03/23/23 06:23	75-27-4	
Bromoform	ND	ug/L	25.0	20.2	5		03/23/23 06:23	75-25-2	
Bromomethane	ND	ug/L	25.0	3.6	5		03/23/23 06:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	52.5	5		03/23/23 06:23	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	1.6	5		03/23/23 06:23	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	1.7	5		03/23/23 06:23	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	1.5	5		03/23/23 06:23	98-06-6	
Carbon disulfide	ND	ug/L	50.0	3.9	5		03/23/23 06:23	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	2.2	5		03/23/23 06:23	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.7	5		03/23/23 06:23	108-90-7	
Chloroethane	708	ug/L	25.0	8.0	5		03/23/23 06:23	75-00-3	
Chloroform	ND	ug/L	25.0	10.0	5		03/23/23 06:23	67-66-3	
Chloromethane	ND	ug/L	25.0	2.5	5		03/23/23 06:23	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	1.9	5		03/23/23 06:23	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	1.8	5		03/23/23 06:23	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	2.7	5		03/23/23 06:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	3.6	5		03/23/23 06:23	106-93-4	
Dibromomethane	ND	ug/L	25.0	20.0	5		03/23/23 06:23	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	1.6	5		03/23/23 06:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	1.7	5		03/23/23 06:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	1.7	5		03/23/23 06:23	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	11.0	5		03/23/23 06:23	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	2.8	5		03/23/23 06:23	75-71-8	
1,1-Dichloroethane	581	ug/L	25.0	1.4	5		03/23/23 06:23	75-34-3	
1,2-Dichloroethane	142	ug/L	25.0	2.6	5		03/23/23 06:23	107-06-2	
1,1-Dichloroethene	35.9	ug/L	25.0	2.1	5		03/23/23 06:23	75-35-4	
cis-1,2-Dichloroethene	15700	ug/L	1250	63.2	250		03/25/23 00:22	156-59-2	
trans-1,2-Dichloroethene	179	ug/L	25.0	3.2	5		03/23/23 06:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	2.1	5		03/23/23 06:23	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.8	5		03/23/23 06:23	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	1.7	5		03/23/23 06:23	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	2.3	5		03/23/23 06:23	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	2.1	5		03/23/23 06:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	2.2	5		03/23/23 06:23	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.7	5		03/23/23 06:23	100-41-4	
Ethyl methacrylate	ND	ug/L	500	3.2	5		03/23/23 06:23	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	2.8	5		03/23/23 06:23	87-68-3	
n-Hexane	ND	ug/L	25.0	2.4	5		03/23/23 06:23	110-54-3	
2-Hexanone	ND	ug/L	125	16.4	5		03/23/23 06:23	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50339745

Sample: MW-251-031523 **Lab ID: 50339745002** Collected: 03/15/23 14:05 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	50.0	7.6	5		03/23/23 06:23	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.8	5		03/23/23 06:23	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	1.6	5		03/23/23 06:23	99-87-6	
Methylene Chloride	ND	ug/L	25.0	19.0	5		03/23/23 06:23	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	28.0	5		03/23/23 06:23	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	26.0	5		03/23/23 06:23	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	12.8	5		03/23/23 06:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	1.6	5		03/23/23 06:23	1634-04-4	
Naphthalene	ND	ug/L	6.0	5.4	5		03/23/23 06:23	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	1.4	5		03/23/23 06:23	103-65-1	
Styrene	ND	ug/L	25.0	1.8	5		03/23/23 06:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	2.1	5		03/23/23 06:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	2.0	5		03/23/23 06:23	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	2.5	5		03/23/23 06:23	127-18-4	
Toluene	ND	ug/L	25.0	1.6	5		03/23/23 06:23	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	4.7	5		03/23/23 06:23	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	3.8	5		03/23/23 06:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	2.1	5		03/23/23 06:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	4.0	5		03/23/23 06:23	79-00-5	
Trichloroethene	ND	ug/L	25.0	2.6	5		03/23/23 06:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	2.7	5		03/23/23 06:23	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	6.5	5		03/23/23 06:23	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	1.4	5		03/23/23 06:23	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.7	5		03/23/23 06:23	108-67-8	
Vinyl acetate	ND	ug/L	250	6.0	5		03/23/23 06:23	108-05-4	
Vinyl chloride	2260	ug/L	50.0	13.0	25		03/23/23 06:55	75-01-4	
Xylene (Total)	ND	ug/L	50.0	6.5	5		03/23/23 06:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		5		03/23/23 06:23	1868-53-7	D4
4-Bromofluorobenzene (S)	102	%	79-124		5		03/23/23 06:23	460-00-4	
Toluene-d8 (S)	92	%	73-122		5		03/23/23 06:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50339745

Sample: MW-41-031523 Lab ID: 50339745003 Collected: 03/15/23 14:15 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	15.3	1		03/23/23 07:26	67-64-1	
Acrolein	ND	ug/L	50.0	20.4	1		03/23/23 07:26	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		03/23/23 07:26	107-13-1	
Benzene	ND	ug/L	5.0	0.27	1		03/23/23 07:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		03/23/23 07:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		03/23/23 07:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.49	1		03/23/23 07:26	75-27-4	
Bromoform	ND	ug/L	5.0	4.0	1		03/23/23 07:26	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		03/23/23 07:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	10.5	1		03/23/23 07:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.33	1		03/23/23 07:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		03/23/23 07:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.30	1		03/23/23 07:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.79	1		03/23/23 07:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.44	1		03/23/23 07:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.33	1		03/23/23 07:26	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		03/23/23 07:26	75-00-3	
Chloroform	ND	ug/L	5.0	2.0	1		03/23/23 07:26	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		03/23/23 07:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		03/23/23 07:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.35	1		03/23/23 07:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.54	1		03/23/23 07:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.72	1		03/23/23 07:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	4.0	1		03/23/23 07:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.33	1		03/23/23 07:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.34	1		03/23/23 07:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.33	1		03/23/23 07:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	2.2	1		03/23/23 07:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.57	1		03/23/23 07:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.29	1		03/23/23 07:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.52	1		03/23/23 07:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.42	1		03/23/23 07:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.29	1		03/23/23 07:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.65	1		03/23/23 07:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		03/23/23 07:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.35	1		03/23/23 07:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.35	1		03/23/23 07:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.46	1		03/23/23 07:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.43	1		03/23/23 07:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.45	1		03/23/23 07:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/23/23 07:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.63	1		03/23/23 07:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.56	1		03/23/23 07:26	87-68-3	
n-Hexane	ND	ug/L	5.0	0.47	1		03/23/23 07:26	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.3	1		03/23/23 07:26	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: MW-41-031523 **Lab ID: 50339745003** Collected: 03/15/23 14:15 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.5	1		03/23/23 07:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/23/23 07:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.33	1		03/23/23 07:26	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.8	1		03/23/23 07:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.6	1		03/23/23 07:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.2	1		03/23/23 07:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.6	1		03/23/23 07:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		03/23/23 07:26	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.1	1		03/23/23 07:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.28	1		03/23/23 07:26	103-65-1	
Styrene	ND	ug/L	5.0	0.35	1		03/23/23 07:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.42	1		03/23/23 07:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/23/23 07:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.50	1		03/23/23 07:26	127-18-4	
Toluene	ND	ug/L	5.0	0.32	1		03/23/23 07:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.93	1		03/23/23 07:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.75	1		03/23/23 07:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/23/23 07:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		03/23/23 07:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.52	1		03/23/23 07:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.53	1		03/23/23 07:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.3	1		03/23/23 07:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.28	1		03/23/23 07:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		03/23/23 07:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		03/23/23 07:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.52	1		03/23/23 07:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		03/23/23 07:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		1		03/23/23 07:26	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		03/23/23 07:26	460-00-4	
Toluene-d8 (S)	92	%	73-122		1		03/23/23 07:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: MW-131-031523 **Lab ID: 50339745004** Collected: 03/15/23 14:25 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.6	1		03/24/23 07:38	67-64-1	
Acrolein	ND	ug/L	50.0	27.1	1		03/24/23 07:38	107-02-8	
Acrylonitrile	ND	ug/L	100	5.8	1		03/24/23 07:38	107-13-1	
Benzene	ND	ug/L	5.0	0.86	1		03/24/23 07:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.75	1		03/24/23 07:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1.2	1		03/24/23 07:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.70	1		03/24/23 07:38	75-27-4	
Bromoform	ND	ug/L	5.0	1.0	1		03/24/23 07:38	75-25-2	
Bromomethane	ND	ug/L	5.0	0.56	1		03/24/23 07:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.4	1		03/24/23 07:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.97	1		03/24/23 07:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 07:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1.0	1		03/24/23 07:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.97	1		03/24/23 07:38	75-15-0	
Carbon tetrachloride	5.3	ug/L	5.0	0.76	1		03/24/23 07:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.90	1		03/24/23 07:38	108-90-7	
Chloroethane	ND	ug/L	5.0	1.3	1		03/24/23 07:38	75-00-3	
Chloroform	8.0	ug/L	5.0	0.84	1		03/24/23 07:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/24/23 07:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.95	1		03/24/23 07:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.94	1		03/24/23 07:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.80	1		03/24/23 07:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		03/24/23 07:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.0	1		03/24/23 07:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1.0	1		03/24/23 07:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.92	1		03/24/23 07:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.91	1		03/24/23 07:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.0	1		03/24/23 07:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		03/24/23 07:38	75-71-8	
1,1-Dichloroethane	19.1	ug/L	5.0	0.95	1		03/24/23 07:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.84	1		03/24/23 07:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.83	1		03/24/23 07:38	75-35-4	
cis-1,2-Dichloroethene	9.5	ug/L	5.0	0.91	1		03/24/23 07:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.93	1		03/24/23 07:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.89	1		03/24/23 07:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.1	1		03/24/23 07:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.75	1		03/24/23 07:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1.0	1		03/24/23 07:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		03/24/23 07:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.82	1		03/24/23 07:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.72	1		03/24/23 07:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.89	1		03/24/23 07:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.1	1		03/24/23 07:38	87-68-3	
n-Hexane	ND	ug/L	5.0	0.74	1		03/24/23 07:38	110-54-3	
2-Hexanone	ND	ug/L	25.0	8.0	1		03/24/23 07:38	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: MW-131-031523 Lab ID: 50339745004 Collected: 03/15/23 14:25 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.67	1		03/24/23 07:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.75	1		03/24/23 07:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		03/24/23 07:38	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.9	1		03/24/23 07:38	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.0	1		03/24/23 07:38	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.5	1		03/24/23 07:38	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.5	1		03/24/23 07:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.72	1		03/24/23 07:38	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.98	1		03/24/23 07:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 07:38	103-65-1	
Styrene	ND	ug/L	5.0	0.85	1		03/24/23 07:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.79	1		03/24/23 07:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.83	1		03/24/23 07:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.87	1		03/24/23 07:38	127-18-4	
Toluene	ND	ug/L	5.0	0.88	1		03/24/23 07:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1.4	1		03/24/23 07:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.2	1		03/24/23 07:38	120-82-1	
1,1,1-Trichloroethane	164	ug/L	5.0	0.83	1		03/24/23 07:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.98	1		03/24/23 07:38	79-00-5	
Trichloroethene	40.7	ug/L	5.0	0.97	1		03/24/23 07:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		03/24/23 07:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		03/24/23 07:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 07:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.80	1		03/24/23 07:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.0	1		03/24/23 07:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1.5	1		03/24/23 07:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.77	1		03/24/23 07:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%	82-128		1		03/24/23 07:38	1868-53-7	
4-Bromofluorobenzene (S)	108	%	79-124		1		03/24/23 07:38	460-00-4	
Toluene-d8 (S)	94	%	73-122		1		03/24/23 07:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: MW-241-031523 Lab ID: 50339745005 Collected: 03/15/23 14:45 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.6	1		03/24/23 08:03	67-64-1	
Acrolein	ND	ug/L	50.0	27.1	1		03/24/23 08:03	107-02-8	
Acrylonitrile	ND	ug/L	100	5.8	1		03/24/23 08:03	107-13-1	
Benzene	ND	ug/L	5.0	0.86	1		03/24/23 08:03	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.75	1		03/24/23 08:03	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1.2	1		03/24/23 08:03	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.70	1		03/24/23 08:03	75-27-4	
Bromoform	ND	ug/L	5.0	1.0	1		03/24/23 08:03	75-25-2	
Bromomethane	ND	ug/L	5.0	0.56	1		03/24/23 08:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.4	1		03/24/23 08:03	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.97	1		03/24/23 08:03	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 08:03	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1.0	1		03/24/23 08:03	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.97	1		03/24/23 08:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.76	1		03/24/23 08:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.90	1		03/24/23 08:03	108-90-7	
Chloroethane	ND	ug/L	5.0	1.3	1		03/24/23 08:03	75-00-3	
Chloroform	ND	ug/L	5.0	0.84	1		03/24/23 08:03	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/24/23 08:03	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.95	1		03/24/23 08:03	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.94	1		03/24/23 08:03	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.80	1		03/24/23 08:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		03/24/23 08:03	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.0	1		03/24/23 08:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1.0	1		03/24/23 08:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.92	1		03/24/23 08:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.91	1		03/24/23 08:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.0	1		03/24/23 08:03	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		03/24/23 08:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.95	1		03/24/23 08:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.84	1		03/24/23 08:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.83	1		03/24/23 08:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.91	1		03/24/23 08:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.93	1		03/24/23 08:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.89	1		03/24/23 08:03	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.1	1		03/24/23 08:03	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.75	1		03/24/23 08:03	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1.0	1		03/24/23 08:03	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		03/24/23 08:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.82	1		03/24/23 08:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.72	1		03/24/23 08:03	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.89	1		03/24/23 08:03	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.1	1		03/24/23 08:03	87-68-3	
n-Hexane	ND	ug/L	5.0	0.74	1		03/24/23 08:03	110-54-3	
2-Hexanone	ND	ug/L	25.0	8.0	1		03/24/23 08:03	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: MW-241-031523 Lab ID: 50339745005 Collected: 03/15/23 14:45 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.67	1		03/24/23 08:03	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.75	1		03/24/23 08:03	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		03/24/23 08:03	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.9	1		03/24/23 08:03	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.0	1		03/24/23 08:03	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.5	1		03/24/23 08:03	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.5	1		03/24/23 08:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.72	1		03/24/23 08:03	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.98	1		03/24/23 08:03	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 08:03	103-65-1	
Styrene	ND	ug/L	5.0	0.85	1		03/24/23 08:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.79	1		03/24/23 08:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.83	1		03/24/23 08:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.87	1		03/24/23 08:03	127-18-4	
Toluene	ND	ug/L	5.0	0.88	1		03/24/23 08:03	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1.4	1		03/24/23 08:03	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.2	1		03/24/23 08:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.83	1		03/24/23 08:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.98	1		03/24/23 08:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.97	1		03/24/23 08:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		03/24/23 08:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		03/24/23 08:03	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 08:03	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.80	1		03/24/23 08:03	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.0	1		03/24/23 08:03	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1.5	1		03/24/23 08:03	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.77	1		03/24/23 08:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		03/24/23 08:03	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		03/24/23 08:03	460-00-4	
Toluene-d8 (S)	94	%	73-122		1		03/24/23 08:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: Trip Blank-031523 **Lab ID: 50339745006** Collected: 03/15/23 08:00 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.6	1		03/24/23 08:28	67-64-1	
Acrolein	ND	ug/L	50.0	27.1	1		03/24/23 08:28	107-02-8	
Acrylonitrile	ND	ug/L	100	5.8	1		03/24/23 08:28	107-13-1	
Benzene	ND	ug/L	5.0	0.86	1		03/24/23 08:28	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.75	1		03/24/23 08:28	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1.2	1		03/24/23 08:28	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.70	1		03/24/23 08:28	75-27-4	
Bromoform	ND	ug/L	5.0	1.0	1		03/24/23 08:28	75-25-2	
Bromomethane	ND	ug/L	5.0	0.56	1		03/24/23 08:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.4	1		03/24/23 08:28	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.97	1		03/24/23 08:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 08:28	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	1.0	1		03/24/23 08:28	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.97	1		03/24/23 08:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.76	1		03/24/23 08:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.90	1		03/24/23 08:28	108-90-7	
Chloroethane	ND	ug/L	5.0	1.3	1		03/24/23 08:28	75-00-3	
Chloroform	ND	ug/L	5.0	0.84	1		03/24/23 08:28	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/24/23 08:28	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.95	1		03/24/23 08:28	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.94	1		03/24/23 08:28	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.80	1		03/24/23 08:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		03/24/23 08:28	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.0	1		03/24/23 08:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	1.0	1		03/24/23 08:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.92	1		03/24/23 08:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.91	1		03/24/23 08:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.0	1		03/24/23 08:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		03/24/23 08:28	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.95	1		03/24/23 08:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.84	1		03/24/23 08:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.83	1		03/24/23 08:28	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.91	1		03/24/23 08:28	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.93	1		03/24/23 08:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.89	1		03/24/23 08:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.1	1		03/24/23 08:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.75	1		03/24/23 08:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	1.0	1		03/24/23 08:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		03/24/23 08:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.82	1		03/24/23 08:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.72	1		03/24/23 08:28	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.89	1		03/24/23 08:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	1.1	1		03/24/23 08:28	87-68-3	
n-Hexane	ND	ug/L	5.0	0.74	1		03/24/23 08:28	110-54-3	
2-Hexanone	ND	ug/L	25.0	8.0	1		03/24/23 08:28	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50339745

Sample: Trip Blank-031523 **Lab ID: 50339745006** Collected: 03/15/23 08:00 Received: 03/15/23 16:00 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.67	1		03/24/23 08:28	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.75	1		03/24/23 08:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.90	1		03/24/23 08:28	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.9	1		03/24/23 08:28	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.0	1		03/24/23 08:28	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.5	1		03/24/23 08:28	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.5	1		03/24/23 08:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.72	1		03/24/23 08:28	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.98	1		03/24/23 08:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 08:28	103-65-1	
Styrene	ND	ug/L	5.0	0.85	1		03/24/23 08:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.79	1		03/24/23 08:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.83	1		03/24/23 08:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.87	1		03/24/23 08:28	127-18-4	
Toluene	ND	ug/L	5.0	0.88	1		03/24/23 08:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1.4	1		03/24/23 08:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.2	1		03/24/23 08:28	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.83	1		03/24/23 08:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.98	1		03/24/23 08:28	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.97	1		03/24/23 08:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		03/24/23 08:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		03/24/23 08:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.87	1		03/24/23 08:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.80	1		03/24/23 08:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.0	1		03/24/23 08:28	108-05-4	
Vinyl chloride	ND	ug/L	2.0	1.5	1		03/24/23 08:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.77	1		03/24/23 08:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		1		03/24/23 08:28	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		03/24/23 08:28	460-00-4	
Toluene-d8 (S)	95	%	73-122		1		03/24/23 08:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50339745

QC Batch: 724400 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50339745001, 50339745002, 50339745003

METHOD BLANK: 3324081 Matrix: Water

Associated Lab Samples: 50339745001, 50339745002, 50339745003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.42	03/22/23 23:28	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	03/22/23 23:28	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	03/22/23 23:28	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.81	03/22/23 23:28	
1,1-Dichloroethane	ug/L	ND	5.0	0.29	03/22/23 23:28	
1,1-Dichloroethene	ug/L	ND	5.0	0.42	03/22/23 23:28	
1,1-Dichloropropene	ug/L	ND	5.0	0.46	03/22/23 23:28	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.93	03/22/23 23:28	
1,2,3-Trichloropropane	ug/L	ND	5.0	1.3	03/22/23 23:28	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.75	03/22/23 23:28	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.28	03/22/23 23:28	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.72	03/22/23 23:28	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.33	03/22/23 23:28	
1,2-Dichloroethane	ug/L	ND	5.0	0.52	03/22/23 23:28	
1,2-Dichloropropane	ug/L	ND	5.0	0.42	03/22/23 23:28	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.34	03/22/23 23:28	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.34	03/22/23 23:28	
1,3-Dichloropropane	ug/L	ND	5.0	0.35	03/22/23 23:28	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.33	03/22/23 23:28	
1-Methylnaphthalene	ug/L	ND	10.0	5.6	03/22/23 23:28	
2,2-Dichloropropane	ug/L	ND	5.0	0.35	03/22/23 23:28	
2-Butanone (MEK)	ug/L	ND	25.0	10.5	03/22/23 23:28	
2-Chlorotoluene	ug/L	ND	5.0	0.38	03/22/23 23:28	
2-Hexanone	ug/L	ND	25.0	3.3	03/22/23 23:28	
2-Methylnaphthalene	ug/L	ND	10.0	5.2	03/22/23 23:28	
4-Chlorotoluene	ug/L	ND	5.0	0.35	03/22/23 23:28	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.6	03/22/23 23:28	
Acetone	ug/L	ND	100	15.3	03/22/23 23:28	
Acrolein	ug/L	ND	50.0	20.4	03/22/23 23:28	
Acrylonitrile	ug/L	ND	100	3.0	03/22/23 23:28	
Benzene	ug/L	ND	5.0	0.27	03/22/23 23:28	
Bromobenzene	ug/L	ND	5.0	0.40	03/22/23 23:28	
Bromochloromethane	ug/L	ND	5.0	0.46	03/22/23 23:28	
Bromodichloromethane	ug/L	ND	5.0	0.49	03/22/23 23:28	
Bromoform	ug/L	ND	5.0	4.0	03/22/23 23:28	
Bromomethane	ug/L	ND	5.0	0.72	03/22/23 23:28	
Carbon disulfide	ug/L	ND	10.0	0.79	03/22/23 23:28	
Carbon tetrachloride	ug/L	ND	5.0	0.44	03/22/23 23:28	
Chlorobenzene	ug/L	ND	5.0	0.33	03/22/23 23:28	
Chloroethane	ug/L	ND	5.0	1.6	03/22/23 23:28	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50339745

METHOD BLANK: 3324081 Matrix: Water
Associated Lab Samples: 50339745001, 50339745002, 50339745003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	2.0	03/22/23 23:28	
Chloromethane	ug/L	ND	5.0	0.50	03/22/23 23:28	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.29	03/22/23 23:28	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.43	03/22/23 23:28	
Dibromochloromethane	ug/L	ND	5.0	0.54	03/22/23 23:28	
Dibromomethane	ug/L	ND	5.0	4.0	03/22/23 23:28	
Dichlorodifluoromethane	ug/L	ND	5.0	0.57	03/22/23 23:28	
Ethyl methacrylate	ug/L	ND	100	0.63	03/22/23 23:28	
Ethylbenzene	ug/L	ND	5.0	0.34	03/22/23 23:28	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.56	03/22/23 23:28	
Iodomethane	ug/L	ND	10.0	1.5	03/22/23 23:28	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	03/22/23 23:28	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.31	03/22/23 23:28	
Methylene Chloride	ug/L	ND	5.0	3.8	03/22/23 23:28	
n-Butylbenzene	ug/L	ND	5.0	0.33	03/22/23 23:28	
n-Hexane	ug/L	ND	5.0	0.47	03/22/23 23:28	
n-Propylbenzene	ug/L	ND	5.0	0.28	03/22/23 23:28	
Naphthalene	ug/L	ND	1.2	1.1	03/22/23 23:28	
p-Isopropyltoluene	ug/L	ND	5.0	0.33	03/22/23 23:28	
sec-Butylbenzene	ug/L	ND	5.0	0.33	03/22/23 23:28	
Styrene	ug/L	ND	5.0	0.35	03/22/23 23:28	
tert-Butylbenzene	ug/L	ND	5.0	0.30	03/22/23 23:28	
Tetrachloroethene	ug/L	ND	5.0	0.50	03/22/23 23:28	
Toluene	ug/L	ND	5.0	0.32	03/22/23 23:28	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.65	03/22/23 23:28	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.45	03/22/23 23:28	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	2.2	03/22/23 23:28	
Trichloroethene	ug/L	ND	5.0	0.52	03/22/23 23:28	
Trichlorofluoromethane	ug/L	ND	5.0	0.53	03/22/23 23:28	
Vinyl acetate	ug/L	ND	50.0	1.2	03/22/23 23:28	
Vinyl chloride	ug/L	ND	2.0	0.52	03/22/23 23:28	
Xylene (Total)	ug/L	ND	10.0	1.3	03/22/23 23:28	
4-Bromofluorobenzene (S)	%	99	79-124		03/22/23 23:28	
Dibromofluoromethane (S)	%	100	82-128		03/22/23 23:28	
Toluene-d8 (S)	%	92	73-122		03/22/23 23:28	

LABORATORY CONTROL SAMPLE: 3324082

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	48.7	97	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	45.5	91	72-123	
1,1-Dichloroethene	ug/L	50	52.7	105	63-138	
1,2,4-Trimethylbenzene	ug/L	50	41.6	83	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	48.0	96	75-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50339745

LABORATORY CONTROL SAMPLE: 3324082

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	54.3	109	68-126	
1,2-Dichloropropane	ug/L	50	51.2	102	73-127	
Benzene	ug/L	50	48.0	96	76-121	
Chlorobenzene	ug/L	50	44.9	90	74-119	
Chloroform	ug/L	50	47.9	96	68-123	
cis-1,2-Dichloroethene	ug/L	50	48.8	98	73-122	
Ethylbenzene	ug/L	50	43.8	88	74-122	
Isopropylbenzene (Cumene)	ug/L	50	43.6	87	75-124	
Methyl-tert-butyl ether	ug/L	50	54.0	108	71-125	
n-Hexane	ug/L	50	49.4	99	60-132	
Naphthalene	ug/L	50	46.0	92	69-128	
Tetrachloroethene	ug/L	50	43.6	87	74-129	
Toluene	ug/L	50	42.1	84	70-118	
trans-1,2-Dichloroethene	ug/L	50	48.0	96	69-124	
Trichloroethene	ug/L	50	49.3	99	73-125	
Vinyl chloride	ug/L	50	45.6	91	46-134	
Xylene (Total)	ug/L	150	133	88	71-123	
4-Bromofluorobenzene (S)	%			99	79-124	
Dibromofluoromethane (S)	%			99	82-128	
Toluene-d8 (S)	%			93	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3324083 3324084

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50339974008	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/L	ND	50	50	57.1	59.7	114	119	60-143	5	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	51.8	54.6	104	109	64-135	5	20		
1,1-Dichloroethene	ug/L	ND	50	50	60.0	61.1	118	120	55-158	2	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	45.5	47.9	91	96	41-140	5	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	56.2	58.3	112	117	68-136	4	20		
1,2-Dichloroethane	ug/L	ND	50	50	61.6	65.4	123	131	61-144	6	20		
1,2-Dichloropropane	ug/L	ND	50	50	59.9	62.5	120	125	67-141	4	20		
Benzene	ug/L	ND	50	50	56.8	59.1	114	118	68-139	4	20		
Chlorobenzene	ug/L	ND	50	50	52.7	53.5	105	107	57-137	2	20		
Chloroform	ug/L	ND	50	50	54.3	56.7	107	112	61-138	4	20		
cis-1,2-Dichloroethene	ug/L	544	50	50	553	545	17	2	58-142	1	20	E,M1	
Ethylbenzene	ug/L	ND	50	50	51.0	53.3	102	107	54-141	4	20		
Isopropylbenzene (Cumene)	ug/L	ND	50	50	50.5	53.9	101	108	48-145	7	20		
Methyl-tert-butyl ether	ug/L	ND	50	50	61.7	64.4	123	129	62-143	4	20		
n-Hexane	ug/L	ND	50	50	57.4	61.2	115	122	44-145	6	20		
Naphthalene	ug/L	ND	50	50	53.1	56.2	106	112	56-136	6	20		
Tetrachloroethene	ug/L	ND	50	50	51.5	53.7	103	107	50-149	4	20		
Toluene	ug/L	ND	50	50	49.5	52.4	99	105	59-134	6	20		
trans-1,2-Dichloroethene	ug/L	429	50	50	392	396	-75	-67	57-141	1	20	E,M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50339745

Parameter	Units	3324083		3324084		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50339974008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Trichloroethene	ug/L	9.4	50	50	64.3	65.0	110	111	55-147	1	20		
Vinyl chloride	ug/L	218	50	50	223	229	10	23	36-154	3	20	M1	
Xylene (Total)	ug/L	ND	150	150	152	159	101	106	50-143	5	20		
4-Bromofluorobenzene (S)	%						96	98	79-124				
Dibromofluoromethane (S)	%						100	103	82-128				
Toluene-d8 (S)	%						91	96	73-122				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50339745

QC Batch: 724540 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50339745004, 50339745005, 50339745006

METHOD BLANK: 3324775 Matrix: Water

Associated Lab Samples: 50339745004, 50339745005, 50339745006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.79	03/24/23 03:53	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.83	03/24/23 03:53	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.83	03/24/23 03:53	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.98	03/24/23 03:53	
1,1-Dichloroethane	ug/L	ND	5.0	0.95	03/24/23 03:53	
1,1-Dichloroethene	ug/L	ND	5.0	0.83	03/24/23 03:53	
1,1-Dichloropropene	ug/L	ND	5.0	1.0	03/24/23 03:53	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	1.4	03/24/23 03:53	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.82	03/24/23 03:53	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	1.2	03/24/23 03:53	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.87	03/24/23 03:53	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.68	03/24/23 03:53	
1,2-Dichlorobenzene	ug/L	ND	5.0	1.0	03/24/23 03:53	
1,2-Dichloroethane	ug/L	ND	5.0	0.84	03/24/23 03:53	
1,2-Dichloropropane	ug/L	ND	5.0	0.89	03/24/23 03:53	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.80	03/24/23 03:53	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.92	03/24/23 03:53	
1,3-Dichloropropane	ug/L	ND	5.0	1.1	03/24/23 03:53	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.91	03/24/23 03:53	
1-Methylnaphthalene	ug/L	ND	10.0	2.0	03/24/23 03:53	
2,2-Dichloropropane	ug/L	ND	5.0	0.75	03/24/23 03:53	
2-Butanone (MEK)	ug/L	ND	25.0	5.4	03/24/23 03:53	
2-Chlorotoluene	ug/L	ND	5.0	0.95	03/24/23 03:53	
2-Hexanone	ug/L	ND	25.0	8.0	03/24/23 03:53	
2-Methylnaphthalene	ug/L	ND	10.0	1.5	03/24/23 03:53	
4-Chlorotoluene	ug/L	ND	5.0	0.94	03/24/23 03:53	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	5.5	03/24/23 03:53	
Acetone	ug/L	ND	100	7.6	03/24/23 03:53	
Acrolein	ug/L	ND	50.0	27.1	03/24/23 03:53	
Acrylonitrile	ug/L	ND	100	5.8	03/24/23 03:53	
Benzene	ug/L	ND	5.0	0.86	03/24/23 03:53	
Bromobenzene	ug/L	ND	5.0	0.75	03/24/23 03:53	
Bromochloromethane	ug/L	ND	5.0	1.2	03/24/23 03:53	
Bromodichloromethane	ug/L	ND	5.0	0.70	03/24/23 03:53	
Bromoform	ug/L	ND	5.0	1.0	03/24/23 03:53	
Bromomethane	ug/L	ND	5.0	0.56	03/24/23 03:53	
Carbon disulfide	ug/L	ND	10.0	0.97	03/24/23 03:53	
Carbon tetrachloride	ug/L	ND	5.0	0.76	03/24/23 03:53	
Chlorobenzene	ug/L	ND	5.0	0.90	03/24/23 03:53	
Chloroethane	ug/L	ND	5.0	1.3	03/24/23 03:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50339745

METHOD BLANK: 3324775 Matrix: Water
Associated Lab Samples: 50339745004, 50339745005, 50339745006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.84	03/24/23 03:53	
Chloromethane	ug/L	ND	5.0	1.4	03/24/23 03:53	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.91	03/24/23 03:53	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.67	03/24/23 03:53	
Dibromochloromethane	ug/L	ND	5.0	0.80	03/24/23 03:53	
Dibromomethane	ug/L	ND	5.0	1.0	03/24/23 03:53	
Dichlorodifluoromethane	ug/L	ND	5.0	2.4	03/24/23 03:53	
Ethyl methacrylate	ug/L	ND	100	0.89	03/24/23 03:53	
Ethylbenzene	ug/L	ND	5.0	0.72	03/24/23 03:53	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	1.1	03/24/23 03:53	
Iodomethane	ug/L	ND	10.0	0.67	03/24/23 03:53	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.75	03/24/23 03:53	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.72	03/24/23 03:53	
Methylene Chloride	ug/L	ND	5.0	3.9	03/24/23 03:53	
n-Butylbenzene	ug/L	ND	5.0	0.97	03/24/23 03:53	
n-Hexane	ug/L	ND	5.0	0.74	03/24/23 03:53	
n-Propylbenzene	ug/L	ND	5.0	0.87	03/24/23 03:53	
Naphthalene	ug/L	ND	1.2	0.98	03/24/23 03:53	
p-Isopropyltoluene	ug/L	ND	5.0	0.90	03/24/23 03:53	
sec-Butylbenzene	ug/L	ND	5.0	0.87	03/24/23 03:53	
Styrene	ug/L	ND	5.0	0.85	03/24/23 03:53	
tert-Butylbenzene	ug/L	ND	5.0	1.0	03/24/23 03:53	
Tetrachloroethene	ug/L	ND	5.0	0.87	03/24/23 03:53	
Toluene	ug/L	ND	5.0	0.88	03/24/23 03:53	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.93	03/24/23 03:53	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.82	03/24/23 03:53	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.0	03/24/23 03:53	
Trichloroethene	ug/L	ND	5.0	0.97	03/24/23 03:53	
Trichlorofluoromethane	ug/L	ND	5.0	1.0	03/24/23 03:53	
Vinyl acetate	ug/L	ND	50.0	3.0	03/24/23 03:53	
Vinyl chloride	ug/L	ND	2.0	1.5	03/24/23 03:53	
Xylene (Total)	ug/L	ND	10.0	0.77	03/24/23 03:53	
4-Bromofluorobenzene (S)	%	106	79-124		03/24/23 03:53	
Dibromofluoromethane (S)	%	107	82-128		03/24/23 03:53	
Toluene-d8 (S)	%	95	73-122		03/24/23 03:53	

LABORATORY CONTROL SAMPLE: 3324776

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.5	103	77-125	
1,1,1-Trichloroethane	ug/L	50	47.3	95	69-125	
1,1,2,2-Tetrachloroethane	ug/L	50	48.4	97	72-123	
1,1,2-Trichloroethane	ug/L	50	51.8	104	73-124	
1,1-Dichloroethane	ug/L	50	45.1	90	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50339745

LABORATORY CONTROL SAMPLE: 3324776

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	47.8	96	63-138	
1,1-Dichloropropene	ug/L	50	51.2	102	80-142	
1,2,3-Trichlorobenzene	ug/L	50	49.5	99	67-134	
1,2,3-Trichloropropane	ug/L	50	48.9	98	75-122	
1,2,4-Trichlorobenzene	ug/L	50	47.0	94	68-132	
1,2,4-Trimethylbenzene	ug/L	50	51.3	103	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	53.6	107	75-123	
1,2-Dichlorobenzene	ug/L	50	47.1	94	76-118	
1,2-Dichloroethane	ug/L	50	46.3	93	68-126	
1,2-Dichloropropane	ug/L	50	51.3	103	73-127	
1,3,5-Trimethylbenzene	ug/L	50	48.1	96	72-120	
1,3-Dichlorobenzene	ug/L	50	46.7	93	75-119	
1,3-Dichloropropane	ug/L	50	51.2	102	77-125	
1,4-Dichlorobenzene	ug/L	50	46.3	93	74-118	
1-Methylnaphthalene	ug/L	50	55.1	110	51-164	
2,2-Dichloropropane	ug/L	50	45.9	92	52-137	
2-Butanone (MEK)	ug/L	250	238	95	57-130	
2-Chlorotoluene	ug/L	50	48.2	96	69-123	
2-Hexanone	ug/L	250	241	96	57-130	
2-Methylnaphthalene	ug/L	50	56.1	112	57-159	
4-Chlorotoluene	ug/L	50	45.8	92	74-122	
4-Methyl-2-pentanone (MIBK)	ug/L	250	244	98	58-134	
Acetone	ug/L	250	236	95	41-133	
Acrolein	ug/L	1000	694	69	43-124	
Acrylonitrile	ug/L	250	229	92	66-131	
Benzene	ug/L	50	51.3	103	76-121	
Bromobenzene	ug/L	50	48.2	96	67-127	
Bromochloromethane	ug/L	50	45.7	91	65-126	
Bromodichloromethane	ug/L	50	49.2	98	72-125	
Bromoform	ug/L	50	48.6	97	57-134	
Bromomethane	ug/L	50	42.1	84	10-187	
Carbon disulfide	ug/L	50	43.8	88	59-125	
Carbon tetrachloride	ug/L	50	48.8	98	71-134	
Chlorobenzene	ug/L	50	48.5	97	74-119	
Chloroethane	ug/L	50	36.7	73	49-152	
Chloroform	ug/L	50	45.4	91	68-123	
Chloromethane	ug/L	50	37.2	74	33-133	
cis-1,2-Dichloroethene	ug/L	50	47.7	95	73-122	
cis-1,3-Dichloropropene	ug/L	50	53.3	107	69-128	
Dibromochloromethane	ug/L	50	50.7	101	69-127	
Dibromomethane	ug/L	50	46.4	93	74-126	
Dichlorodifluoromethane	ug/L	50	36.7	73	19-136	
Ethyl methacrylate	ug/L	50	51.3J	103	65-127	
Ethylbenzene	ug/L	50	51.3	103	74-122	
Hexachloro-1,3-butadiene	ug/L	50	47.1	94	65-140	
Iodomethane	ug/L	50	49.1	98	10-181	
Isopropylbenzene (Cumene)	ug/L	50	48.8	98	75-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50339745

LABORATORY CONTROL SAMPLE: 3324776

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	52.8	106	71-125	
Methylene Chloride	ug/L	50	35.5	71	71-125	
n-Butylbenzene	ug/L	50	46.0	92	68-124	
n-Hexane	ug/L	50	53.7	107	60-132	
n-Propylbenzene	ug/L	50	48.8	98	75-122	
Naphthalene	ug/L	50	53.1	106	69-128	
p-Isopropyltoluene	ug/L	50	46.9	94	73-125	
sec-Butylbenzene	ug/L	50	48.2	96	76-125	
Styrene	ug/L	50	48.3	97	74-126	
tert-Butylbenzene	ug/L	50	47.2	94	69-123	
Tetrachloroethene	ug/L	50	49.5	99	74-129	
Toluene	ug/L	50	49.0	98	70-118	
trans-1,2-Dichloroethene	ug/L	50	47.2	94	69-124	
trans-1,3-Dichloropropene	ug/L	50	51.0	102	66-125	
trans-1,4-Dichloro-2-butene	ug/L	50	46.2J	92	43-155	
Trichloroethene	ug/L	50	51.6	103	73-125	
Trichlorofluoromethane	ug/L	50	37.2	74	56-139	
Vinyl acetate	ug/L	200	165	82	46-101	
Vinyl chloride	ug/L	50	39.7	79	46-134	
Xylene (Total)	ug/L	100	101	101	71-123	
4-Bromofluorobenzene (S)	%			101	79-124	
Dibromofluoromethane (S)	%			89	82-128	
Toluene-d8 (S)	%			99	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3324777 3324778

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50339953001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	58.8	58.8	118	118	64-142	0	20		
1,1,1-Trichloroethane	ug/L	ND	50	50	55.0	53.7	110	107	60-143	2	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	58.1	58.1	116	116	64-135	0	20		
1,1,2-Trichloroethane	ug/L	ND	50	50	61.0	60.9	122	122	66-137	0	20		
1,1-Dichloroethane	ug/L	ND	50	50	53.9	52.6	108	105	62-144	2	20		
1,1-Dichloroethene	ug/L	ND	50	50	53.1	52.5	106	105	55-158	1	20		
1,1-Dichloropropene	ug/L	ND	50	50	59.4	58.4	119	117	65-164	2	20		
1,2,3-Trichlorobenzene	ug/L	ND	50	50	50.9	51.9	102	104	35-149	2	20		
1,2,3-Trichloropropane	ug/L	ND	50	50	56.9	56.9	114	114	66-135	0	20		
1,2,4-Trichlorobenzene	ug/L	ND	50	50	46.1	46.6	92	93	27-149	1	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	50.6	51.2	98	100	41-140	1	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	61.7	62.3	123	125	68-136	1	20		
1,2-Dichlorobenzene	ug/L	ND	50	50	51.0	50.9	102	102	47-140	0	20		
1,2-Dichloroethane	ug/L	ND	50	50	55.7	53.9	111	108	61-144	3	20		
1,2-Dichloropropane	ug/L	ND	50	50	60.4	59.8	121	120	67-141	1	20		
1,3,5-Trimethylbenzene	ug/L	ND	50	50	50.2	50.3	100	101	40-141	0	20		
1,3-Dichlorobenzene	ug/L	ND	50	50	48.8	49.0	98	98	39-142	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50339745

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3324777 3324778												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		50339953001 Result	Spike Conc.	Spike Conc.	MS Result							
1,3-Dichloropropane	ug/L	ND	50	50	59.0	58.7	118	117	67-141	1	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	48.6	48.4	97	97	39-140	0	20	
1-Methylnaphthalene	ug/L	ND	50	50	ND	65.5	-10	121	31-172		20	M1
2,2-Dichloropropane	ug/L	ND	50	50	48.1	47.0	96	94	32-144	2	20	
2-Butanone (MEK)	ug/L	ND	250	250	301	294	120	118	49-149	2	20	
2-Chlorotoluene	ug/L	ND	50	50	50.3	50.0	101	100	37-144	1	20	
2-Hexanone	ug/L	ND	250	250	287	286	112	112	48-147	0	20	
2-Methylnaphthalene	ug/L	ND	50	50	55.8	62.9	102	116	39-163	12	20	
4-Chlorotoluene	ug/L	ND	50	50	48.0	48.6	96	97	34-148	1	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	308	308	123	123	50-152	0	20	
Acetone	ug/L	ND	250	250	302	306	121	122	23-157	1	20	
Acrolein	ug/L	ND	1000	1000	869	862	87	86	25-137	1	20	
Acrylonitrile	ug/L	ND	250	250	271	270	108	108	56-149	1	20	
Benzene	ug/L	64.1	50	50	111	109	93	89	68-139	2	20	
Bromobenzene	ug/L	ND	50	50	53.3	53.7	107	107	49-142	1	20	
Bromochloromethane	ug/L	ND	50	50	52.8	51.2	106	102	58-143	3	20	
Bromodichloromethane	ug/L	ND	50	50	59.7	59.6	119	119	65-139	0	20	
Bromoform	ug/L	ND	50	50	55.9	56.2	112	112	51-139	1	20	
Bromomethane	ug/L	ND	50	50	55.4	57.5	111	115	10-189	4	20	
Carbon disulfide	ug/L	ND	50	50	48.6	47.5	97	95	45-143	2	20	
Carbon tetrachloride	ug/L	ND	50	50	55.0	54.2	110	108	61-153	1	20	
Chlorobenzene	ug/L	ND	50	50	53.1	53.1	106	106	57-137	0	20	
Chloroethane	ug/L	ND	50	50	49.7	47.9	99	96	41-183	4	20	
Chloroform	ug/L	ND	50	50	55.0	53.4	110	107	61-138	3	20	
Chloromethane	ug/L	ND	50	50	51.9	51.6	104	103	25-150	1	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	53.1	50.9	106	102	58-142	4	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	61.5	60.4	123	121	53-140	2	20	
Dibromochloromethane	ug/L	ND	50	50	59.0	59.8	118	120	61-139	1	20	
Dibromomethane	ug/L	ND	50	50	55.1	54.4	110	109	69-138	1	20	
Dichlorodifluoromethane	ug/L	ND	50	50	44.6	43.8	89	88	10-150	2	20	
Ethyl methacrylate	ug/L	ND	50	50	62.5J	63.2J	125	126	57-141		20	
Ethylbenzene	ug/L	ND	50	50	54.4	54.9	107	108	54-141	1	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	46.9	47.2	94	94	10-173	1	20	
Iodomethane	ug/L	ND	50	50	64.9	62.3	130	125	10-184	4	20	
Isopropylbenzene (Cumene)	ug/L	12.7	50	50	63.7	64.6	102	104	48-145	1	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	62.0	61.6	124	123	62-143	1	20	
Methylene Chloride	ug/L	ND	50	50	36.4	39.9	73	80	59-141	9	20	
n-Butylbenzene	ug/L	ND	50	50	50.0	49.8	96	95	19-150	0	20	
n-Hexane	ug/L	24.5	50	50	77.8	77.4	107	106	44-145	0	20	
n-Propylbenzene	ug/L	23.8	50	50	71.5	72.1	95	97	36-150	1	20	
Naphthalene	ug/L	ND	50	50	54.6	56.0	108	111	56-136	3	20	
p-Isopropyltoluene	ug/L	ND	50	50	49.1	49.7	98	99	28-152	1	20	
sec-Butylbenzene	ug/L	ND	50	50	53.3	53.7	103	104	36-151	1	20	
Styrene	ug/L	ND	50	50	51.8	52.2	104	104	51-146	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50339745

Parameter	Units	50339953001		3324777		3324778		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec							
tert-Butylbenzene	ug/L	ND	50	50	51.1	57.3	100	113	42-142	11	20			
Tetrachloroethene	ug/L	ND	50	50	54.6	53.6	109	107	50-149	2	20			
Toluene	ug/L	ND	50	50	57.0	57.0	106	106	59-134	0	20			
trans-1,2-Dichloroethene	ug/L	ND	50	50	50.9	50.4	102	101	57-141	1	20			
trans-1,3-Dichloropropene	ug/L	ND	50	50	59.3	59.8	119	120	51-136	1	20			
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	55J	50.6J	110	101	26-157		20			
Trichloroethene	ug/L	ND	50	50	56.7	57.7	113	115	55-147	2	20			
Trichlorofluoromethane	ug/L	ND	50	50	50.1	48.8	100	98	55-160	3	20			
Vinyl acetate	ug/L	ND	200	200	177	174	89	87	24-109	2	20			
Vinyl chloride	ug/L	ND	50	50	49.3	49.1	99	98	36-154	0	20			
Xylene (Total)	ug/L	12.4	150	150	166	166	103	103	50-143	0	20			
4-Bromofluorobenzene (S)	%						101	104	79-124					
Dibromofluoromethane (S)	%						90	90	82-128					
Toluene-d8 (S)	%						100	102	73-122					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: GE Indy

Pace Project No.: 50339745

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4 Sample was diluted due to the presence of high levels of target analytes.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50339745

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50339745001	MW-323-031523	EPA 5030/8260	724400		
50339745002	MW-251-031523	EPA 5030/8260	724400		
50339745003	MW-41-031523	EPA 5030/8260	724400		
50339745004	MW-131-031523	EPA 5030/8260	724540		
50339745005	MW-241-031523	EPA 5030/8260	724540		
50339745006	Trip Blank-031523	EPA 5030/8260	724540		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 3/15/23 16:43 TH

- 1. Courier: FED EX UPS CLIENT PACE USPS OTHER
- 2. Custody Seal on Cooler/Box Present: Yes No
(If yes) Seals Intact: Yes No (leave blank if no seals were present)
- 3. Thermometer: 1 2 3 4 5 6 A B C D E F
- 4. Cooler Temperature(s): 33/3.2
(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

- 5. Packing Material: Bubble Wrap Bubble Bags
 None Other Plastic bags
- 6. Ice Type: Wet Blue None
- 7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		<input checked="" type="checkbox"/>	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			<input checked="" type="checkbox"/>
Short Hold Time Analysis (48 hours or less)? Analysis:		<input checked="" type="checkbox"/>	Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			<input checked="" type="checkbox"/>
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:			<u>Present</u>	<u>Absent</u>	<u>N/A</u>
Rush TAT Requested (4 days or less):	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Residual Chlorine Check (SVOC 625 Pest/PCB 608)			<input checked="" type="checkbox"/>
Custody Signatures Present?	<input checked="" type="checkbox"/>		Residual Chlorine Check (Total/Amenable/Free Cyanide)			<input checked="" type="checkbox"/>
Containers Intact?:	<input checked="" type="checkbox"/>		Headspace Wisconsin Sulfide?			<input checked="" type="checkbox"/>
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	<input checked="" type="checkbox"/>		Headspace in VOA Vials (>6mm): See Container Count form for details	<u>Present</u>	<u>Absent</u>	<u>No VOA Vials Sent</u>
Extra labels on Terracore Vials? (soils only)			Trip Blank Present?	<input checked="" type="checkbox"/>		
			Trip Blank Custody Seals?:	<input checked="" type="checkbox"/>		

COMMENTS:

APPENDIX C-2
APRIL 2023 GROUNDWATER SAMPLING EVENT

May 24, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50343061

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on April 25, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Gulf Coast
- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Matt Starrett, Ramboll
Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50343061

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

Pace Analytical Gulf Coast

7979 Innovation Park Drive, Baton Rouge, LA 70820
Arkansas Certification #: 88-0655
DoD ELAP Certification #: 6429-01
Florida Certification #: E87854
Illinois Certification #: 004585
Kansas Certification #: E-10354
Louisiana/LELAP Certification #: 01955
North Carolina Certification #: 618

North Dakota Certification #: R-195
Oklahoma Certification #: 2019-101
South Carolina Certification #: 73006001
Texas Certification #: T104704178-19-11
USDA Soil Permit # P330-19-00209
Virginia Certification #: 460215
Washington Certification #: C929

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: GE Indy

Pace Project No.: 50343061

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50343061001	MW-425-042523	Water	04/25/23 10:50	04/25/23 15:10
50343061002	MW-331-042523	Water	04/25/23 11:00	04/25/23 15:10
50343061003	W-9-042523	Water	04/25/23 11:30	04/25/23 15:10
50343061004	MW-251-042523	Water	04/25/23 11:50	04/25/23 15:10
50343061005	AD-100-042523	Water	04/25/23 12:00	04/25/23 15:10
50343061006	W-10-042523	Water	04/25/23 12:05	04/25/23 15:10
50343061007	W-8-042523	Water	04/25/23 12:15	04/25/23 15:10
50343061008	MW-41-042523	Water	04/25/23 12:30	04/25/23 15:10
50343061009	MW-241-042523	Water	04/25/23 12:45	04/25/23 15:10
50343061010	Trip Blank-042523	Water	04/25/23 08:00	04/25/23 15:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50343061

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50343061001	MW-425-042523	EPA 300.0	ADM	1	PASI-I
		AM20GAX	SAG, SMR	7	GCLA
		EPA 6010	MTM	1	PASI-I
		EPA 5030/8260	TKG	75	PASI-I
		EPA 353.2	ZM	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50343061002	MW-331-042523	EPA 5030/8260	TKG	75	PASI-I
50343061003	W-9-042523	AM20GAX	SMR	7	GCLA
		EPA 5030/8260	TKG	75	PASI-I
50343061004	MW-251-042523	EPA 5030/8260	TKG	75	PASI-I
50343061005	AD-100-042523	EPA 5030/8260	TKG	75	PASI-I
50343061006	W-10-042523	EPA 5030/8260	TKG	75	PASI-I
50343061007	W-8-042523	AM20GAX	SMR	7	GCLA
		EPA 5030/8260	TKG	75	PASI-I
50343061008	MW-41-042523	EPA 5030/8260	TKG	75	PASI-I
50343061009	MW-241-042523	EPA 5030/8260	TKG	75	PASI-I
50343061010	Trip Blank-042523	EPA 5030/8260	TKG	75	PASI-I

GCLA = Pace Analytical Gulf Coast

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50343061

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50343061001	MW-425-042523					
EPA 300.0	Sulfate	17300	ug/L	250	05/10/23 10:16	
AM20GAX	Methane	840	ug/L	5.0	05/08/23 15:43	
AM20GAX	Ethane	7.3	ug/L	1.0	05/08/23 15:43	
AM20GAX	Ethene	1100	ug/L	1.0	05/17/23 17:27	H1
EPA 6010	Iron, Dissolved	5740	ug/L	100	05/03/23 18:17	
EPA 5030/8260	Chloroethane	131	ug/L	5.0	05/02/23 23:53	
EPA 5030/8260	1,1-Dichloroethane	17.4	ug/L	5.0	05/02/23 23:53	
EPA 5030/8260	cis-1,2-Dichloroethene	87.7	ug/L	5.0	05/02/23 23:53	
EPA 5030/8260	Vinyl chloride	242	ug/L	2.0	05/02/23 23:53	
SM 5310C	Total Organic Carbon	12300	ug/L	4000	05/06/23 06:05	
50343061002	MW-331-042523					
EPA 5030/8260	Chloroethane	56.4	ug/L	5.0	05/03/23 07:11	
EPA 5030/8260	1,1-Dichloroethane	5.4	ug/L	5.0	05/03/23 07:11	
EPA 5030/8260	cis-1,2-Dichloroethene	30.7	ug/L	5.0	05/03/23 07:11	
EPA 5030/8260	Vinyl chloride	379	ug/L	20.0	05/03/23 12:27	
50343061003	W-9-042523					
AM20GAX	Methane	4300	ug/L	5.0	05/08/23 16:09	
AM20GAX	Ethane	53	ug/L	1.0	05/08/23 16:09	
AM20GAX	Ethene	83	ug/L	1.0	05/08/23 16:09	
EPA 5030/8260	Chloroethane	11.8	ug/L	5.0	05/03/23 00:52	
EPA 5030/8260	Vinyl chloride	2.2	ug/L	2.0	05/03/23 00:52	
50343061004	MW-251-042523					
EPA 5030/8260	Chloroethane	732	ug/L	50.0	05/03/23 01:50	
EPA 5030/8260	1,1-Dichloroethane	308	ug/L	50.0	05/03/23 01:50	
EPA 5030/8260	1,2-Dichloroethane	98.8	ug/L	50.0	05/03/23 01:50	
EPA 5030/8260	cis-1,2-Dichloroethene	17300	ug/L	500	05/03/23 02:19	
EPA 5030/8260	trans-1,2-Dichloroethene	233	ug/L	50.0	05/03/23 01:50	
EPA 5030/8260	Vinyl chloride	1770	ug/L	20.0	05/03/23 01:50	
50343061005	AD-100-042523					
EPA 5030/8260	Chloroethane	150	ug/L	5.0	05/03/23 02:48	
EPA 5030/8260	1,1-Dichloroethane	17.1	ug/L	5.0	05/03/23 02:48	
EPA 5030/8260	cis-1,2-Dichloroethene	99.6	ug/L	5.0	05/03/23 02:48	
EPA 5030/8260	Vinyl chloride	279	ug/L	2.0	05/03/23 02:48	
50343061007	W-8-042523					
AM20GAX	Methane	12	ug/L	5.0	05/08/23 16:22	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-425-042523 **Lab ID: 50343061001** Collected: 04/25/23 10:50 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis									
Sulfate	17300	ug/L	250	85.0	1		05/10/23 10:16	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	840	ug/L	5.0	2.0	1		05/08/23 15:43	74-82-8	
Ethane	7.3	ug/L	1.0	0.17	1		05/08/23 15:43	74-84-0	
Ethene	1100	ug/L	1.0	0.24	1		05/17/23 17:27	74-85-1	H1
n-Propane	ND	ug/L	1.0	0.29	1		05/08/23 15:43	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		05/08/23 15:43	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		05/08/23 15:43	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		05/08/23 15:43	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis									
Iron, Dissolved	5740	ug/L	100	48.8	1	05/03/23 17:29	05/03/23 18:17	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/02/23 23:53	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/02/23 23:53	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/02/23 23:53	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/02/23 23:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/02/23 23:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/02/23 23:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/02/23 23:53	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/02/23 23:53	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/02/23 23:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/02/23 23:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/02/23 23:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/02/23 23:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/02/23 23:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/02/23 23:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/02/23 23:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/02/23 23:53	108-90-7	
Chloroethane	131	ug/L	5.0	0.77	1		05/02/23 23:53	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/02/23 23:53	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/02/23 23:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/02/23 23:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/02/23 23:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/02/23 23:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/02/23 23:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/02/23 23:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/02/23 23:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/02/23 23:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/02/23 23:53	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-425-042523 Lab ID: 50343061001 Collected: 04/25/23 10:50 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/02/23 23:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/02/23 23:53	75-71-8	
1,1-Dichloroethane	17.4	ug/L	5.0	0.35	1		05/02/23 23:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/02/23 23:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/02/23 23:53	75-35-4	
cis-1,2-Dichloroethene	87.7	ug/L	5.0	0.39	1		05/02/23 23:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/02/23 23:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/02/23 23:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/02/23 23:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/02/23 23:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/02/23 23:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/02/23 23:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/02/23 23:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/02/23 23:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/02/23 23:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/02/23 23:53	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/02/23 23:53	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/02/23 23:53	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		05/02/23 23:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/02/23 23:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/02/23 23:53	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/02/23 23:53	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/02/23 23:53	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/02/23 23:53	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/02/23 23:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/02/23 23:53	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/02/23 23:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/02/23 23:53	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/02/23 23:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/02/23 23:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/02/23 23:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/02/23 23:53	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/02/23 23:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/02/23 23:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/02/23 23:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/02/23 23:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/02/23 23:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/02/23 23:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/02/23 23:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/02/23 23:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/02/23 23:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/02/23 23:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/02/23 23:53	108-05-4	
Vinyl chloride	242	ug/L	2.0	0.62	1		05/02/23 23:53	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/02/23 23:53	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-425-042523 Lab ID: 50343061001 Collected: 04/25/23 10:50 Received: 04/25/23 15:10 Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		05/02/23 23:53	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		05/02/23 23:53	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		05/02/23 23:53	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres									
Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis									
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		04/25/23 22:57		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		04/25/23 22:57	14797-55-8	
5310C TOC									
Analytical Method: SM 5310C Pace Analytical Services - Indianapolis									
Total Organic Carbon	12300	ug/L	4000	944	4		05/06/23 06:05	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-331-042523 **Lab ID: 50343061002** Collected: 04/25/23 11:00 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/03/23 07:11	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/03/23 07:11	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/03/23 07:11	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/03/23 07:11	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/03/23 07:11	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/03/23 07:11	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/03/23 07:11	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/03/23 07:11	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/03/23 07:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/03/23 07:11	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/03/23 07:11	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/03/23 07:11	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 07:11	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/03/23 07:11	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/03/23 07:11	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/03/23 07:11	108-90-7	
Chloroethane	56.4	ug/L	5.0	0.77	1		05/03/23 07:11	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/03/23 07:11	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/03/23 07:11	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/03/23 07:11	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/03/23 07:11	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/03/23 07:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/03/23 07:11	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/03/23 07:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/03/23 07:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 07:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/03/23 07:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/03/23 07:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/03/23 07:11	75-71-8	
1,1-Dichloroethane	5.4	ug/L	5.0	0.35	1		05/03/23 07:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 07:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/03/23 07:11	75-35-4	
cis-1,2-Dichloroethene	30.7	ug/L	5.0	0.39	1		05/03/23 07:11	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/03/23 07:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/03/23 07:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/03/23 07:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/03/23 07:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/03/23 07:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/03/23 07:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/03/23 07:11	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/03/23 07:11	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/03/23 07:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/03/23 07:11	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/03/23 07:11	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/03/23 07:11	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-331-042523 **Lab ID: 50343061002** Collected: 04/25/23 11:00 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.82	1		05/03/23 07:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/03/23 07:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/03/23 07:11	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/03/23 07:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/03/23 07:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/03/23 07:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/03/23 07:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/03/23 07:11	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/03/23 07:11	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 07:11	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/03/23 07:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/03/23 07:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/03/23 07:11	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/03/23 07:11	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/03/23 07:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/03/23 07:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 07:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/03/23 07:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/03/23 07:11	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/03/23 07:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/03/23 07:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/03/23 07:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 07:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 07:11	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/03/23 07:11	108-05-4	
Vinyl chloride	379	ug/L	20.0	4.9	10		05/03/23 12:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/03/23 07:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		1		05/03/23 07:11	1868-53-7	
4-Bromofluorobenzene (S)	100	%	79-124		1		05/03/23 07:11	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		05/03/23 07:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: W-9-042523 **Lab ID: 50343061003** Collected: 04/25/23 11:30 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	4300	ug/L	5.0	2.0	1		05/08/23 16:09	74-82-8	
Ethane	53	ug/L	1.0	0.17	1		05/08/23 16:09	74-84-0	
Ethene	83	ug/L	1.0	0.24	1		05/08/23 16:09	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		05/08/23 16:09	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		05/08/23 16:09	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		05/08/23 16:09	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		05/08/23 16:09	JUNK42	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/03/23 00:52	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/03/23 00:52	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/03/23 00:52	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/03/23 00:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/03/23 00:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/03/23 00:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/03/23 00:52	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/03/23 00:52	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/03/23 00:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/03/23 00:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/03/23 00:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/03/23 00:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 00:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/03/23 00:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/03/23 00:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/03/23 00:52	108-90-7	
Chloroethane	11.8	ug/L	5.0	0.77	1		05/03/23 00:52	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/03/23 00:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/03/23 00:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/03/23 00:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/03/23 00:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/03/23 00:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/03/23 00:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/03/23 00:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/03/23 00:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 00:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/03/23 00:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/03/23 00:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/03/23 00:52	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 00:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 00:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/03/23 00:52	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.39	1		05/03/23 00:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/03/23 00:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/03/23 00:52	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: W-9-042523 **Lab ID: 50343061003** Collected: 04/25/23 11:30 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/03/23 00:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/03/23 00:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/03/23 00:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/03/23 00:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/03/23 00:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/03/23 00:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/03/23 00:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/03/23 00:52	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/03/23 00:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/03/23 00:52	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		05/03/23 00:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/03/23 00:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/03/23 00:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/03/23 00:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/03/23 00:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/03/23 00:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/03/23 00:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/03/23 00:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/03/23 00:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 00:52	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/03/23 00:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/03/23 00:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/03/23 00:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/03/23 00:52	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/03/23 00:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/03/23 00:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 00:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/03/23 00:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/03/23 00:52	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/03/23 00:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/03/23 00:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/03/23 00:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 00:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 00:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/03/23 00:52	108-05-4	
Vinyl chloride	2.2	ug/L	2.0	0.62	1		05/03/23 00:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/03/23 00:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%	82-128		1		05/03/23 00:52	1868-53-7	
4-Bromofluorobenzene (S)	100	%	79-124		1		05/03/23 00:52	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		05/03/23 00:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-251-042523 Lab ID: 50343061004 Collected: 04/25/23 11:50 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	1000	38.6	10		05/03/23 01:50	67-64-1	
Acrolein	ND	ug/L	500	89.3	10		05/03/23 01:50	107-02-8	
Acrylonitrile	ND	ug/L	1000	15.3	10		05/03/23 01:50	107-13-1	
Benzene	ND	ug/L	50.0	3.3	10		05/03/23 01:50	71-43-2	
Bromobenzene	ND	ug/L	50.0	6.7	10		05/03/23 01:50	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.5	10		05/03/23 01:50	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.5	10		05/03/23 01:50	75-27-4	
Bromoform	ND	ug/L	50.0	8.0	10		05/03/23 01:50	75-25-2	
Bromomethane	ND	ug/L	50.0	24.3	10		05/03/23 01:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	13.8	10		05/03/23 01:50	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.5	10		05/03/23 01:50	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.0	10		05/03/23 01:50	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.3	10		05/03/23 01:50	98-06-6	
Carbon disulfide	ND	ug/L	100	3.3	10		05/03/23 01:50	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	7.4	10		05/03/23 01:50	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.1	10		05/03/23 01:50	108-90-7	
Chloroethane	732	ug/L	50.0	7.7	10		05/03/23 01:50	75-00-3	
Chloroform	ND	ug/L	50.0	8.9	10		05/03/23 01:50	67-66-3	
Chloromethane	ND	ug/L	50.0	6.3	10		05/03/23 01:50	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	3.3	10		05/03/23 01:50	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	3.6	10		05/03/23 01:50	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	7.0	10		05/03/23 01:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.1	10		05/03/23 01:50	106-93-4	
Dibromomethane	ND	ug/L	50.0	5.1	10		05/03/23 01:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	3.4	10		05/03/23 01:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	4.0	10		05/03/23 01:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	3.5	10		05/03/23 01:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	6.0	10		05/03/23 01:50	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	9.3	10		05/03/23 01:50	75-71-8	
1,1-Dichloroethane	308	ug/L	50.0	3.5	10		05/03/23 01:50	75-34-3	
1,2-Dichloroethane	98.8	ug/L	50.0	3.5	10		05/03/23 01:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	3.1	10		05/03/23 01:50	75-35-4	
cis-1,2-Dichloroethene	17300	ug/L	500	38.8	100		05/03/23 02:19	156-59-2	
trans-1,2-Dichloroethene	233	ug/L	50.0	3.5	10		05/03/23 01:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	3.6	10		05/03/23 01:50	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.7	10		05/03/23 01:50	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	4.7	10		05/03/23 01:50	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	5.8	10		05/03/23 01:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	6.9	10		05/03/23 01:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	6.8	10		05/03/23 01:50	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.2	10		05/03/23 01:50	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.0	10		05/03/23 01:50	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	6.4	10		05/03/23 01:50	87-68-3	
n-Hexane	ND	ug/L	50.0	42.5	10		05/03/23 01:50	110-54-3	
2-Hexanone	ND	ug/L	250	20.8	10		05/03/23 01:50	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-251-042523 Lab ID: 50343061004 Collected: 04/25/23 11:50 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	100	8.2	10		05/03/23 01:50	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	2.9	10		05/03/23 01:50	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.5	10		05/03/23 01:50	99-87-6	
Methylene Chloride	ND	ug/L	50.0	27.9	10		05/03/23 01:50	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	14.1	10		05/03/23 01:50	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	13.3	10		05/03/23 01:50	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	19.2	10		05/03/23 01:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.9	10		05/03/23 01:50	1634-04-4	
Naphthalene	ND	ug/L	12.0	7.5	10		05/03/23 01:50	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	3.3	10		05/03/23 01:50	103-65-1	
Styrene	ND	ug/L	50.0	3.1	10		05/03/23 01:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	7.3	10		05/03/23 01:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	2.2	10		05/03/23 01:50	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	2.5	10		05/03/23 01:50	127-18-4	
Toluene	ND	ug/L	50.0	3.0	10		05/03/23 01:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	4.1	10		05/03/23 01:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.0	10		05/03/23 01:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	6.7	10		05/03/23 01:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	3.6	10		05/03/23 01:50	79-00-5	
Trichloroethene	ND	ug/L	50.0	4.4	10		05/03/23 01:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	4.3	10		05/03/23 01:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	4.2	10		05/03/23 01:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	3.4	10		05/03/23 01:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.4	10		05/03/23 01:50	108-67-8	
Vinyl acetate	ND	ug/L	500	16.7	10		05/03/23 01:50	108-05-4	
Vinyl chloride	1770	ug/L	20.0	6.2	10		05/03/23 01:50	75-01-4	
Xylene (Total)	ND	ug/L	100	3.2	10		05/03/23 01:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		10		05/03/23 01:50	1868-53-7	D4
4-Bromofluorobenzene (S)	101	%	79-124		10		05/03/23 01:50	460-00-4	
Toluene-d8 (S)	97	%	73-122		10		05/03/23 01:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: AD-100-042523 Lab ID: 50343061005 Collected: 04/25/23 12:00 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/03/23 02:48	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/03/23 02:48	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/03/23 02:48	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/03/23 02:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/03/23 02:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/03/23 02:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/03/23 02:48	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/03/23 02:48	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/03/23 02:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/03/23 02:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/03/23 02:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/03/23 02:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 02:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/03/23 02:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/03/23 02:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/03/23 02:48	108-90-7	
Chloroethane	150	ug/L	5.0	0.77	1		05/03/23 02:48	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/03/23 02:48	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/03/23 02:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/03/23 02:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/03/23 02:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/03/23 02:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/03/23 02:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/03/23 02:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/03/23 02:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 02:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/03/23 02:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/03/23 02:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/03/23 02:48	75-71-8	
1,1-Dichloroethane	17.1	ug/L	5.0	0.35	1		05/03/23 02:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 02:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/03/23 02:48	75-35-4	
cis-1,2-Dichloroethene	99.6	ug/L	5.0	0.39	1		05/03/23 02:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/03/23 02:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/03/23 02:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/03/23 02:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/03/23 02:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/03/23 02:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/03/23 02:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/03/23 02:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/03/23 02:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/03/23 02:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/03/23 02:48	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/03/23 02:48	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/03/23 02:48	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: AD-100-042523 **Lab ID: 50343061005** Collected: 04/25/23 12:00 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.82	1		05/03/23 02:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/03/23 02:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/03/23 02:48	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/03/23 02:48	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/03/23 02:48	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/03/23 02:48	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/03/23 02:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/03/23 02:48	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/03/23 02:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 02:48	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/03/23 02:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/03/23 02:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/03/23 02:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/03/23 02:48	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/03/23 02:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/03/23 02:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 02:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/03/23 02:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/03/23 02:48	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/03/23 02:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/03/23 02:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/03/23 02:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 02:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 02:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/03/23 02:48	108-05-4	
Vinyl chloride	279	ug/L	2.0	0.62	1		05/03/23 02:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/03/23 02:48	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		05/03/23 02:48	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		05/03/23 02:48	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		05/03/23 02:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: **W-10-042523** Lab ID: **50343061006** Collected: 04/25/23 12:05 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/03/23 03:47	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/03/23 03:47	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/03/23 03:47	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/03/23 03:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/03/23 03:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/03/23 03:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/03/23 03:47	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/03/23 03:47	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/03/23 03:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/03/23 03:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/03/23 03:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/03/23 03:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 03:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/03/23 03:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/03/23 03:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/03/23 03:47	108-90-7	
Chloroethane	ND	ug/L	5.0	0.77	1		05/03/23 03:47	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/03/23 03:47	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/03/23 03:47	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/03/23 03:47	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/03/23 03:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/03/23 03:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/03/23 03:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/03/23 03:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/03/23 03:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 03:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/03/23 03:47	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/03/23 03:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/03/23 03:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 03:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 03:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/03/23 03:47	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.39	1		05/03/23 03:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/03/23 03:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/03/23 03:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/03/23 03:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/03/23 03:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/03/23 03:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/03/23 03:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/03/23 03:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/03/23 03:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/03/23 03:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/03/23 03:47	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/03/23 03:47	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/03/23 03:47	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: **W-10-042523** Lab ID: **50343061006** Collected: 04/25/23 12:05 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.82	1		05/03/23 03:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/03/23 03:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/03/23 03:47	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/03/23 03:47	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/03/23 03:47	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/03/23 03:47	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/03/23 03:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/03/23 03:47	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/03/23 03:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 03:47	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/03/23 03:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/03/23 03:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/03/23 03:47	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/03/23 03:47	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/03/23 03:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/03/23 03:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 03:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/03/23 03:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/03/23 03:47	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/03/23 03:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/03/23 03:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/03/23 03:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 03:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 03:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/03/23 03:47	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.62	1		05/03/23 03:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/03/23 03:47	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		1		05/03/23 03:47	1868-53-7	
4-Bromofluorobenzene (S)	99	%	79-124		1		05/03/23 03:47	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		05/03/23 03:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: W-8-042523 **Lab ID: 50343061007** Collected: 04/25/23 12:15 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	12	ug/L	5.0	2.0	1		05/08/23 16:22	74-82-8	
Ethane	ND	ug/L	1.0	0.17	1		05/08/23 16:22	74-84-0	
Ethene	ND	ug/L	1.0	0.24	1		05/08/23 16:22	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		05/08/23 16:22	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		05/08/23 16:22	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		05/08/23 16:22	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		05/08/23 16:22	JUNK42	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/03/23 18:03	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/03/23 18:03	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/03/23 18:03	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/03/23 18:03	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/03/23 18:03	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/03/23 18:03	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/03/23 18:03	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/03/23 18:03	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/03/23 18:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/03/23 18:03	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/03/23 18:03	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/03/23 18:03	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 18:03	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/03/23 18:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/03/23 18:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/03/23 18:03	108-90-7	
Chloroethane	ND	ug/L	5.0	0.77	1		05/03/23 18:03	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/03/23 18:03	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/03/23 18:03	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/03/23 18:03	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/03/23 18:03	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/03/23 18:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/03/23 18:03	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/03/23 18:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/03/23 18:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 18:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/03/23 18:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/03/23 18:03	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/03/23 18:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 18:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 18:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/03/23 18:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.39	1		05/03/23 18:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/03/23 18:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/03/23 18:03	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: W-8-042523 **Lab ID: 50343061007** Collected: 04/25/23 12:15 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/03/23 18:03	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/03/23 18:03	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/03/23 18:03	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/03/23 18:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/03/23 18:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/03/23 18:03	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/03/23 18:03	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/03/23 18:03	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/03/23 18:03	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/03/23 18:03	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		05/03/23 18:03	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/03/23 18:03	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/03/23 18:03	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/03/23 18:03	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/03/23 18:03	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/03/23 18:03	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/03/23 18:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/03/23 18:03	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/03/23 18:03	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 18:03	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/03/23 18:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/03/23 18:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/03/23 18:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/03/23 18:03	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/03/23 18:03	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/03/23 18:03	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 18:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/03/23 18:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/03/23 18:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/03/23 18:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/03/23 18:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/03/23 18:03	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 18:03	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 18:03	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/03/23 18:03	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.62	1		05/03/23 18:03	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/03/23 18:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	100	%	82-128		1		05/03/23 18:03	1868-53-7	
4-Bromofluorobenzene (S)	99	%	79-124		1		05/03/23 18:03	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		05/03/23 18:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-41-042523 Lab ID: 50343061008 Collected: 04/25/23 12:30 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/03/23 18:32	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/03/23 18:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/03/23 18:32	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/03/23 18:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/03/23 18:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/03/23 18:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/03/23 18:32	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/03/23 18:32	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/03/23 18:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/03/23 18:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/03/23 18:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/03/23 18:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 18:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/03/23 18:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/03/23 18:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/03/23 18:32	108-90-7	
Chloroethane	ND	ug/L	5.0	0.77	1		05/03/23 18:32	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/03/23 18:32	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/03/23 18:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/03/23 18:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/03/23 18:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/03/23 18:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/03/23 18:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/03/23 18:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/03/23 18:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 18:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/03/23 18:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/03/23 18:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/03/23 18:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 18:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 18:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/03/23 18:32	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.39	1		05/03/23 18:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/03/23 18:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/03/23 18:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/03/23 18:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/03/23 18:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/03/23 18:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/03/23 18:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/03/23 18:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/03/23 18:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/03/23 18:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/03/23 18:32	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/03/23 18:32	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/03/23 18:32	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: **MW-41-042523** Lab ID: **50343061008** Collected: 04/25/23 12:30 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.82	1		05/03/23 18:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/03/23 18:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/03/23 18:32	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/03/23 18:32	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/03/23 18:32	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/03/23 18:32	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/03/23 18:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/03/23 18:32	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/03/23 18:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 18:32	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/03/23 18:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/03/23 18:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/03/23 18:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/03/23 18:32	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/03/23 18:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/03/23 18:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 18:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/03/23 18:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/03/23 18:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/03/23 18:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/03/23 18:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/03/23 18:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 18:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 18:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/03/23 18:32	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.62	1		05/03/23 18:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/03/23 18:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	100	%	82-128		1		05/03/23 18:32	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		05/03/23 18:32	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		05/03/23 18:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: MW-241-042523 Lab ID: 50343061009 Collected: 04/25/23 12:45 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/03/23 19:01	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/03/23 19:01	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/03/23 19:01	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/03/23 19:01	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/03/23 19:01	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/03/23 19:01	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/03/23 19:01	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/03/23 19:01	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/03/23 19:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/03/23 19:01	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/03/23 19:01	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/03/23 19:01	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 19:01	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/03/23 19:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/03/23 19:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/03/23 19:01	108-90-7	
Chloroethane	ND	ug/L	5.0	0.77	1		05/03/23 19:01	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/03/23 19:01	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/03/23 19:01	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/03/23 19:01	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/03/23 19:01	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/03/23 19:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/03/23 19:01	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/03/23 19:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/03/23 19:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 19:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/03/23 19:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/03/23 19:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/03/23 19:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 19:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 19:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/03/23 19:01	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.39	1		05/03/23 19:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/03/23 19:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/03/23 19:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/03/23 19:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/03/23 19:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/03/23 19:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/03/23 19:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/03/23 19:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/03/23 19:01	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/03/23 19:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/03/23 19:01	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/03/23 19:01	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/03/23 19:01	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50343061

Sample: MW-241-042523 Lab ID: 50343061009 Collected: 04/25/23 12:45 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.82	1		05/03/23 19:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/03/23 19:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/03/23 19:01	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/03/23 19:01	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/03/23 19:01	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/03/23 19:01	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/03/23 19:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/03/23 19:01	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/03/23 19:01	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 19:01	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/03/23 19:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/03/23 19:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/03/23 19:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/03/23 19:01	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/03/23 19:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/03/23 19:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 19:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/03/23 19:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/03/23 19:01	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/03/23 19:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/03/23 19:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/03/23 19:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 19:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 19:01	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/03/23 19:01	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.62	1		05/03/23 19:01	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/03/23 19:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	100	%	82-128		1		05/03/23 19:01	1868-53-7	
4-Bromofluorobenzene (S)	99	%	79-124		1		05/03/23 19:01	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		05/03/23 19:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: Trip Blank-042523 Lab ID: 50343061010 Collected: 04/25/23 08:00 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		05/03/23 23:24	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		05/03/23 23:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/03/23 23:24	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		05/03/23 23:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		05/03/23 23:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		05/03/23 23:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		05/03/23 23:24	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		05/03/23 23:24	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		05/03/23 23:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		05/03/23 23:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		05/03/23 23:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/03/23 23:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 23:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		05/03/23 23:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		05/03/23 23:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		05/03/23 23:24	108-90-7	
Chloroethane	ND	ug/L	5.0	0.77	1		05/03/23 23:24	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		05/03/23 23:24	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		05/03/23 23:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/03/23 23:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		05/03/23 23:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		05/03/23 23:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		05/03/23 23:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		05/03/23 23:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		05/03/23 23:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 23:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		05/03/23 23:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		05/03/23 23:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		05/03/23 23:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 23:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		05/03/23 23:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		05/03/23 23:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.39	1		05/03/23 23:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		05/03/23 23:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		05/03/23 23:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		05/03/23 23:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		05/03/23 23:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		05/03/23 23:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		05/03/23 23:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		05/03/23 23:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		05/03/23 23:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		05/03/23 23:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		05/03/23 23:24	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		05/03/23 23:24	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/03/23 23:24	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50343061

Sample: Trip Blank-042523 **Lab ID: 50343061010** Collected: 04/25/23 08:00 Received: 04/25/23 15:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.82	1		05/03/23 23:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		05/03/23 23:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		05/03/23 23:24	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		05/03/23 23:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		05/03/23 23:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/03/23 23:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		05/03/23 23:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/03/23 23:24	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		05/03/23 23:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		05/03/23 23:24	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/03/23 23:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		05/03/23 23:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		05/03/23 23:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		05/03/23 23:24	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		05/03/23 23:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		05/03/23 23:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		05/03/23 23:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		05/03/23 23:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		05/03/23 23:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		05/03/23 23:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		05/03/23 23:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		05/03/23 23:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 23:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		05/03/23 23:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		05/03/23 23:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.62	1		05/03/23 23:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		05/03/23 23:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		05/03/23 23:24	1868-53-7	
4-Bromofluorobenzene (S)	100	%	79-124		1		05/03/23 23:24	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		05/03/23 23:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

QC Batch: 730253 Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50343061001

METHOD BLANK: 3351254 Matrix: Water
Associated Lab Samples: 50343061001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	85.0	04/30/23 08:14	

LABORATORY CONTROL SAMPLE: 3351255

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4640	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3351256 3351257

Parameter	Units	50342584001		3351257		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Sulfate	ug/L	20700	50000	64400	67100	87	93	80-120	4	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3351258 3351259

Parameter	Units	50343012001		3351259		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Sulfate	ug/L	ND	5000	4380	4250	88	85	80-120	3	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

QC Batch: 765427 Analysis Method: AM20GAX
QC Batch Method: AM20GAX Analysis Description: Indicator Gases Water LHC
Laboratory: Pace Analytical Gulf Coast

Associated Lab Samples: 50343061001, 50343061003, 50343061007

METHOD BLANK: 2481509 Matrix: Water

Associated Lab Samples: 50343061001, 50343061003, 50343061007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Methane	ug/L	ND	5.0	2.0	05/08/23 15:30	
Ethane	ug/L	ND	1.0	0.17	05/08/23 15:30	
Ethene	ug/L	ND	1.0	0.24	05/08/23 15:30	
n-Propane	ug/L	ND	1.0	0.29	05/08/23 15:30	
Propylene	ug/L	ND	1.0	0.31	05/08/23 15:30	
Isobutane	ug/L	ND	2.0	0.065	05/08/23 15:30	
n-Butane	ug/L	ND	2.0	0.54	05/08/23 15:30	

LABORATORY CONTROL SAMPLE & LCSD: 2481510

2481511

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Methane	ug/L	750	690	600	92	81	70-130	13	20	
Ethane	ug/L	38	43	43	113	114	70-130	1	20	
Ethene	ug/L	35	40	40	113	113	70-130	0	20	
n-Propane	ug/L	56	60	60	108	109	70-130	0	20	
Propylene	ug/L	53	51	51	96	96	70-130	0	20	
Isobutane	ug/L	73	76	77	104	105	70-130	0	20	
n-Butane	ug/L	73	73	72	100	98	70-130	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

QC Batch: 766040	Analysis Method: AM20GAX
QC Batch Method: AM20GAX	Analysis Description: Indicator Gases Water LHC
	Laboratory: Pace Analytical Gulf Coast

Associated Lab Samples: 50343061001

METHOD BLANK: 2484950 Matrix: Water

Associated Lab Samples: 50343061001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethene	ug/L	ND	1.0	0.24	05/17/23 14:44	

LABORATORY CONTROL SAMPLE & LCSD: 2484951

2484952

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethene	ug/L	120	110	110	93	89	70-130	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

QC Batch: 731465	Analysis Method: EPA 6010
QC Batch Method: EPA 3010	Analysis Description: 6010 MET Dissolved
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50343061001

METHOD BLANK: 3356640 Matrix: Water

Associated Lab Samples: 50343061001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	48.8	05/03/23 18:30	

LABORATORY CONTROL SAMPLE: 3356641

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9790	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3356642 3356643

Parameter	Units	50343127001		3356642		3356643		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Result				
Iron, Dissolved	ug/L	<0.10 mg/L	10000	10000	10500	10700	105	106	75-125	2	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

QC Batch: 731038 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50343061001, 50343061002, 50343061003, 50343061004, 50343061005, 50343061006

METHOD BLANK: 3354977 Matrix: Water
Associated Lab Samples: 50343061001, 50343061002, 50343061003, 50343061004, 50343061005, 50343061006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.73	05/02/23 22:55	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.67	05/02/23 22:55	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.22	05/02/23 22:55	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	05/02/23 22:55	
1,1-Dichloroethane	ug/L	ND	5.0	0.35	05/02/23 22:55	
1,1-Dichloroethene	ug/L	ND	5.0	0.31	05/02/23 22:55	
1,1-Dichloropropene	ug/L	ND	5.0	0.58	05/02/23 22:55	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.41	05/02/23 22:55	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.42	05/02/23 22:55	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.40	05/02/23 22:55	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.34	05/02/23 22:55	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.41	05/02/23 22:55	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	05/02/23 22:55	
1,2-Dichloroethane	ug/L	ND	5.0	0.35	05/02/23 22:55	
1,2-Dichloropropane	ug/L	ND	5.0	0.36	05/02/23 22:55	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.34	05/02/23 22:55	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	05/02/23 22:55	
1,3-Dichloropropane	ug/L	ND	5.0	0.27	05/02/23 22:55	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.35	05/02/23 22:55	
1-Methylnaphthalene	ug/L	ND	10.0	1.4	05/02/23 22:55	
2,2-Dichloropropane	ug/L	ND	5.0	0.47	05/02/23 22:55	
2-Butanone (MEK)	ug/L	ND	25.0	1.4	05/02/23 22:55	
2-Chlorotoluene	ug/L	ND	5.0	0.33	05/02/23 22:55	
2-Hexanone	ug/L	ND	25.0	2.1	05/02/23 22:55	
2-Methylnaphthalene	ug/L	ND	10.0	1.3	05/02/23 22:55	
4-Chlorotoluene	ug/L	ND	5.0	0.36	05/02/23 22:55	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.9	05/02/23 22:55	
Acetone	ug/L	ND	100	3.9	05/02/23 22:55	
Acrolein	ug/L	ND	50.0	8.9	05/02/23 22:55	
Acrylonitrile	ug/L	ND	100	1.5	05/02/23 22:55	
Benzene	ug/L	ND	5.0	0.33	05/02/23 22:55	
Bromobenzene	ug/L	ND	5.0	0.67	05/02/23 22:55	
Bromochloromethane	ug/L	ND	5.0	0.35	05/02/23 22:55	
Bromodichloromethane	ug/L	ND	5.0	0.55	05/02/23 22:55	
Bromoform	ug/L	ND	5.0	0.80	05/02/23 22:55	
Bromomethane	ug/L	ND	5.0	2.4	05/02/23 22:55	
Carbon disulfide	ug/L	ND	10.0	0.33	05/02/23 22:55	
Carbon tetrachloride	ug/L	ND	5.0	0.74	05/02/23 22:55	
Chlorobenzene	ug/L	ND	5.0	0.31	05/02/23 22:55	
Chloroethane	ug/L	ND	5.0	0.77	05/02/23 22:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

METHOD BLANK: 3354977 Matrix: Water
Associated Lab Samples: 50343061001, 50343061002, 50343061003, 50343061004, 50343061005, 50343061006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.89	05/02/23 22:55	
Chloromethane	ug/L	ND	5.0	0.63	05/02/23 22:55	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.39	05/02/23 22:55	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.69	05/02/23 22:55	
Dibromochloromethane	ug/L	ND	5.0	0.70	05/02/23 22:55	
Dibromomethane	ug/L	ND	5.0	0.51	05/02/23 22:55	
Dichlorodifluoromethane	ug/L	ND	5.0	0.93	05/02/23 22:55	
Ethyl methacrylate	ug/L	ND	100	0.50	05/02/23 22:55	
Ethylbenzene	ug/L	ND	5.0	0.32	05/02/23 22:55	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.64	05/02/23 22:55	
Iodomethane	ug/L	ND	10.0	0.82	05/02/23 22:55	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.29	05/02/23 22:55	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.29	05/02/23 22:55	
Methylene Chloride	ug/L	ND	5.0	2.8	05/02/23 22:55	
n-Butylbenzene	ug/L	ND	5.0	0.35	05/02/23 22:55	
n-Hexane	ug/L	ND	5.0	4.2	05/02/23 22:55	
n-Propylbenzene	ug/L	ND	5.0	0.33	05/02/23 22:55	
Naphthalene	ug/L	ND	1.2	0.75	05/02/23 22:55	
p-Isopropyltoluene	ug/L	ND	5.0	0.35	05/02/23 22:55	
sec-Butylbenzene	ug/L	ND	5.0	0.30	05/02/23 22:55	
Styrene	ug/L	ND	5.0	0.31	05/02/23 22:55	
tert-Butylbenzene	ug/L	ND	5.0	0.33	05/02/23 22:55	
Tetrachloroethene	ug/L	ND	5.0	0.25	05/02/23 22:55	
Toluene	ug/L	ND	5.0	0.30	05/02/23 22:55	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.35	05/02/23 22:55	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.68	05/02/23 22:55	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.60	05/02/23 22:55	
Trichloroethene	ug/L	ND	5.0	0.44	05/02/23 22:55	
Trichlorofluoromethane	ug/L	ND	5.0	0.43	05/02/23 22:55	
Vinyl acetate	ug/L	ND	50.0	1.7	05/02/23 22:55	
Vinyl chloride	ug/L	ND	2.0	0.62	05/02/23 22:55	
Xylene (Total)	ug/L	ND	10.0	0.32	05/02/23 22:55	
4-Bromofluorobenzene (S)	%	98	79-124		05/02/23 22:55	
Dibromofluoromethane (S)	%	101	82-128		05/02/23 22:55	
Toluene-d8 (S)	%	96	73-122		05/02/23 22:55	

LABORATORY CONTROL SAMPLE: 3354978

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	56.4	113	81-130	
1,1,1-Trichloroethane	ug/L	50	56.5	113	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	53.8	108	70-126	
1,1,2-Trichloroethane	ug/L	50	56.4	113	79-124	
1,1-Dichloroethane	ug/L	50	57.0	114	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50343061

LABORATORY CONTROL SAMPLE: 3354978

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	54.9	110	73-133	
1,1-Dichloropropene	ug/L	50	58.1	116	78-144	
1,2,3-Trichlorobenzene	ug/L	50	52.1	104	72-138	
1,2,3-Trichloropropane	ug/L	50	51.7	103	75-121	
1,2,4-Trichlorobenzene	ug/L	50	51.2	102	71-138	
1,2,4-Trimethylbenzene	ug/L	50	51.6	103	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	55.8	112	80-126	
1,2-Dichlorobenzene	ug/L	50	52.3	105	79-123	
1,2-Dichloroethane	ug/L	50	53.5	107	70-124	
1,2-Dichloropropane	ug/L	50	56.6	113	74-128	
1,3,5-Trimethylbenzene	ug/L	50	51.8	104	71-124	
1,3-Dichlorobenzene	ug/L	50	51.0	102	77-124	
1,3-Dichloropropane	ug/L	50	55.1	110	77-126	
1,4-Dichlorobenzene	ug/L	50	50.6	101	77-120	
1-Methylnaphthalene	ug/L	50	55.8	112	49-175	
2,2-Dichloropropane	ug/L	50	46.1	92	65-136	
2-Butanone (MEK)	ug/L	250	270	108	59-134	
2-Chlorotoluene	ug/L	50	51.6	103	74-121	
2-Hexanone	ug/L	250	261	105	63-134	
2-Methylnaphthalene	ug/L	50	55.2	110	52-170	
4-Chlorotoluene	ug/L	50	51.7	103	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	281	112	67-133	
Acetone	ug/L	250	275	110	32-133	
Acrolein	ug/L	1000	1020	102	35-166	
Acrylonitrile	ug/L	250	291	116	69-137	
Benzene	ug/L	50	54.4	109	74-124	
Bromobenzene	ug/L	50	52.6	105	76-122	
Bromochloromethane	ug/L	50	55.3	111	66-127	
Bromodichloromethane	ug/L	50	60.9	122	80-126	
Bromoform	ug/L	50	47.4	95	75-128	
Bromomethane	ug/L	50	23.9	48	10-183	
Carbon disulfide	ug/L	50	52.1	104	68-123	
Carbon tetrachloride	ug/L	50	56.8	114	78-132	
Chlorobenzene	ug/L	50	52.7	105	77-121	
Chloroethane	ug/L	50	54.7	109	43-140	
Chloroform	ug/L	50	55.6	111	75-118	
Chloromethane	ug/L	50	59.9	120	45-130	
cis-1,2-Dichloroethene	ug/L	50	55.7	111	76-125	
cis-1,3-Dichloropropene	ug/L	50	58.7	117	76-132	
Dibromochloromethane	ug/L	50	58.0	116	79-130	
Dibromomethane	ug/L	50	55.6	111	79-124	
Dichlorodifluoromethane	ug/L	50	26.9	54	10-124	
Ethyl methacrylate	ug/L	50	58.8J	118	73-137	
Ethylbenzene	ug/L	50	53.9	108	74-125	
Hexachloro-1,3-butadiene	ug/L	50	50.2	100	66-141	
Iodomethane	ug/L	50	18.0	36	10-160	
Isopropylbenzene (Cumene)	ug/L	50	52.9	106	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

LABORATORY CONTROL SAMPLE: 3354978

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	56.5	113	74-129	
Methylene Chloride	ug/L	50	47.0	94	77-126	
n-Butylbenzene	ug/L	50	52.1	104	72-131	
n-Hexane	ug/L	50	50.2	100	58-131	
n-Propylbenzene	ug/L	50	52.6	105	76-127	
Naphthalene	ug/L	50	52.3	105	70-132	
p-Isopropyltoluene	ug/L	50	52.1	104	76-126	
sec-Butylbenzene	ug/L	50	52.6	105	76-129	
Styrene	ug/L	50	54.2	108	81-129	
tert-Butylbenzene	ug/L	50	50.9	102	76-129	
Tetrachloroethene	ug/L	50	51.8	104	73-132	
Toluene	ug/L	50	53.0	106	72-119	
trans-1,2-Dichloroethene	ug/L	50	55.7	111	74-125	
trans-1,3-Dichloropropene	ug/L	50	57.6	115	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	54J	108	66-152	
Trichloroethene	ug/L	50	54.9	110	75-127	
Trichlorofluoromethane	ug/L	50	61.8	124	64-136	
Vinyl acetate	ug/L	200	277	139	62-159	
Vinyl chloride	ug/L	50	52.4	105	48-133	
Xylene (Total)	ug/L	150	158	105	73-123	
4-Bromofluorobenzene (S)	%			101	79-124	
Dibromofluoromethane (S)	%			102	82-128	
Toluene-d8 (S)	%			100	73-122	

MATRIX SPIKE SAMPLE: 3354980

Parameter	Units	50343061002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	61.8	124	60-150	
1,1,1-Trichloroethane	ug/L	ND	50	64.5	129	63-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	59.4	119	58-146	
1,1,2-Trichloroethane	ug/L	ND	50	62.9	126	63-142	
1,1-Dichloroethane	ug/L	5.4	50	69.4	128	64-138	
1,1-Dichloroethene	ug/L	ND	50	60.0	118	65-139	
1,1-Dichloropropene	ug/L	ND	50	63.5	127	68-155	
1,2,3-Trichlorobenzene	ug/L	ND	50	52.6	105	32-141	
1,2,3-Trichloropropane	ug/L	ND	50	57.7	115	54-144	
1,2,4-Trichlorobenzene	ug/L	ND	50	51.5	103	31-140	
1,2,4-Trimethylbenzene	ug/L	ND	50	55.9	112	34-144	
1,2-Dibromoethane (EDB)	ug/L	ND	50	61.3	123	64-139	
1,2-Dichlorobenzene	ug/L	ND	50	55.9	112	50-136	
1,2-Dichloroethane	ug/L	ND	50	59.3	119	55-146	
1,2-Dichloropropane	ug/L	ND	50	62.8	126	66-134	
1,3,5-Trimethylbenzene	ug/L	ND	50	55.5	111	29-151	
1,3-Dichlorobenzene	ug/L	ND	50	53.6	107	47-133	
1,3-Dichloropropane	ug/L	ND	50	60.9	122	61-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

MATRIX SPIKE SAMPLE:		3354980		50343061002		Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Result	% Rec	Limits	Qualifiers	
1,4-Dichlorobenzene	ug/L	ND	50	53.1	106	50-131				
1-Methylnaphthalene	ug/L	ND	50	54.9	110	20-176				
2,2-Dichloropropane	ug/L	ND	50	44.0	88	33-146				
2-Butanone (MEK)	ug/L	ND	250	306	122	45-155				
2-Chlorotoluene	ug/L	ND	50	56.0	112	43-142				
2-Hexanone	ug/L	ND	250	296	118	48-157				
2-Methylnaphthalene	ug/L	ND	50	53.4	107	21-175				
4-Chlorotoluene	ug/L	ND	50	55.4	111	47-137				
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	320	128	53-156				
Acetone	ug/L	ND	250	316	120	16-162				
Acrolein	ug/L	ND	1000	907	91	39-184				
Acrylonitrile	ug/L	ND	250	318	127	58-140				
Benzene	ug/L	ND	50	60.9	122	65-137				
Bromobenzene	ug/L	ND	50	57.0	114	56-137				
Bromochloromethane	ug/L	ND	50	61.7	123	56-139				
Bromodichloromethane	ug/L	ND	50	67.3	135	61-149				
Bromoform	ug/L	ND	50	53.0	106	51-138				
Bromomethane	ug/L	ND	50	11.9	24	10-169				
Carbon disulfide	ug/L	ND	50	50.4	101	55-126				
Carbon tetrachloride	ug/L	ND	50	63.5	127	65-156				
Chlorobenzene	ug/L	ND	50	58.3	117	54-135				
Chloroethane	ug/L	56.4	50	112	111	46-142				
Chloroform	ug/L	ND	50	62.6	125	64-133				
Chloromethane	ug/L	ND	50	57.9	116	30-139				
cis-1,2-Dichloroethene	ug/L	30.7	50	92.2	123	59-141				
cis-1,3-Dichloropropene	ug/L	ND	50	62.7	125	57-141				
Dibromochloromethane	ug/L	ND	50	64.9	130	59-147				
Dibromomethane	ug/L	ND	50	61.9	124	64-142				
Dichlorodifluoromethane	ug/L	ND	50	15.4	31	10-144				
Ethyl methacrylate	ug/L	ND	50	64.6J	129	58-147				
Ethylbenzene	ug/L	ND	50	59.0	118	50-143				
Hexachloro-1,3-butadiene	ug/L	ND	50	49.5	99	16-155				
Iodomethane	ug/L	ND	50	16.2	32	10-154				
Isopropylbenzene (Cumene)	ug/L	ND	50	57.7	115	36-151				
Methyl-tert-butyl ether	ug/L	ND	50	61.7	123	66-138				
Methylene Chloride	ug/L	ND	50	51.0	102	53-126				
n-Butylbenzene	ug/L	ND	50	52.9	106	31-142				
n-Hexane	ug/L	ND	50	46.0	92	53-129				
n-Propylbenzene	ug/L	ND	50	57.1	114	39-145				
Naphthalene	ug/L	ND	50	54.2	108	51-135				
p-Isopropyltoluene	ug/L	ND	50	54.2	108	38-145				
sec-Butylbenzene	ug/L	ND	50	55.6	111	33-153				
Styrene	ug/L	ND	50	59.2	118	57-141				
tert-Butylbenzene	ug/L	ND	50	55.5	111	45-145				
Tetrachloroethene	ug/L	ND	50	56.8	114	43-149				
Toluene	ug/L	ND	50	59.4	119	57-137				
trans-1,2-Dichloroethene	ug/L	ND	50	61.6	118	63-133				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

MATRIX SPIKE SAMPLE: 3354980		50343061002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	ND	50	61.5	123	56-140	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	56.5J	113	36-169	
Trichloroethene	ug/L	ND	50	62.5	121	52-145	
Trichlorofluoromethane	ug/L	ND	50	64.3	129	52-144	
Vinyl acetate	ug/L	ND	200	220	110	27-179	
Vinyl chloride	ug/L	379	50	306	-145	43-139 E	
Xylene (Total)	ug/L	ND	150	175	116	52-137	
4-Bromofluorobenzene (S)	%				101	79-124	
Dibromofluoromethane (S)	%				102	82-128	
Toluene-d8 (S)	%				100	73-122	

SAMPLE DUPLICATE: 3354979

Parameter	Units	50343061003	Dup	RPD	Max	Qualifiers
		Result	Result		RPD	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
1-Methylnaphthalene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
2-Methylnaphthalene	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	21.1J		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

SAMPLE DUPLICATE: 3354979

Parameter	Units	50343061003 Result	Dup Result	RPD	Max RPD	Qualifiers
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	11.8	11.4	4	20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Hexane	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	ND		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	2.2	2.1	4	20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%	100	101			
Dibromofluoromethane (S)	%	103	102			
Toluene-d8 (S)	%	98	98			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

QC Batch: 731291 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50343061007, 50343061008, 50343061009

METHOD BLANK: 3356043 Matrix: Water

Associated Lab Samples: 50343061007, 50343061008, 50343061009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.73	05/03/23 10:45	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.67	05/03/23 10:45	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.22	05/03/23 10:45	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	05/03/23 10:45	
1,1-Dichloroethane	ug/L	ND	5.0	0.35	05/03/23 10:45	
1,1-Dichloroethene	ug/L	ND	5.0	0.31	05/03/23 10:45	
1,1-Dichloropropene	ug/L	ND	5.0	0.58	05/03/23 10:45	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.41	05/03/23 10:45	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.42	05/03/23 10:45	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.40	05/03/23 10:45	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.34	05/03/23 10:45	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.41	05/03/23 10:45	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	05/03/23 10:45	
1,2-Dichloroethane	ug/L	ND	5.0	0.35	05/03/23 10:45	
1,2-Dichloropropane	ug/L	ND	5.0	0.36	05/03/23 10:45	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.34	05/03/23 10:45	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	05/03/23 10:45	
1,3-Dichloropropane	ug/L	ND	5.0	0.27	05/03/23 10:45	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.35	05/03/23 10:45	
1-Methylnaphthalene	ug/L	ND	10.0	1.4	05/03/23 10:45	
2,2-Dichloropropane	ug/L	ND	5.0	0.47	05/03/23 10:45	
2-Butanone (MEK)	ug/L	ND	25.0	1.4	05/03/23 10:45	
2-Chlorotoluene	ug/L	ND	5.0	0.33	05/03/23 10:45	
2-Hexanone	ug/L	ND	25.0	2.1	05/03/23 10:45	
2-Methylnaphthalene	ug/L	ND	10.0	1.3	05/03/23 10:45	
4-Chlorotoluene	ug/L	ND	5.0	0.36	05/03/23 10:45	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.9	05/03/23 10:45	
Acetone	ug/L	ND	100	3.9	05/03/23 10:45	
Acrolein	ug/L	ND	50.0	8.9	05/03/23 10:45	
Acrylonitrile	ug/L	ND	100	1.5	05/03/23 10:45	
Benzene	ug/L	ND	5.0	0.33	05/03/23 10:45	
Bromobenzene	ug/L	ND	5.0	0.67	05/03/23 10:45	
Bromochloromethane	ug/L	ND	5.0	0.35	05/03/23 10:45	
Bromodichloromethane	ug/L	ND	5.0	0.55	05/03/23 10:45	
Bromoform	ug/L	ND	5.0	0.80	05/03/23 10:45	
Bromomethane	ug/L	ND	5.0	2.4	05/03/23 10:45	
Carbon disulfide	ug/L	ND	10.0	0.33	05/03/23 10:45	
Carbon tetrachloride	ug/L	ND	5.0	0.74	05/03/23 10:45	
Chlorobenzene	ug/L	ND	5.0	0.31	05/03/23 10:45	
Chloroethane	ug/L	ND	5.0	0.77	05/03/23 10:45	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

METHOD BLANK: 3356043 Matrix: Water
Associated Lab Samples: 50343061007, 50343061008, 50343061009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.89	05/03/23 10:45	
Chloromethane	ug/L	ND	5.0	0.63	05/03/23 10:45	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.39	05/03/23 10:45	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.69	05/03/23 10:45	
Dibromochloromethane	ug/L	ND	5.0	0.70	05/03/23 10:45	
Dibromomethane	ug/L	ND	5.0	0.51	05/03/23 10:45	
Dichlorodifluoromethane	ug/L	ND	5.0	0.93	05/03/23 10:45	
Ethyl methacrylate	ug/L	ND	100	0.50	05/03/23 10:45	
Ethylbenzene	ug/L	ND	5.0	0.32	05/03/23 10:45	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.64	05/03/23 10:45	
Iodomethane	ug/L	ND	10.0	0.82	05/03/23 10:45	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.29	05/03/23 10:45	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.29	05/03/23 10:45	
Methylene Chloride	ug/L	ND	5.0	2.8	05/03/23 10:45	
n-Butylbenzene	ug/L	ND	5.0	0.35	05/03/23 10:45	
n-Hexane	ug/L	ND	5.0	4.2	05/03/23 10:45	
n-Propylbenzene	ug/L	ND	5.0	0.33	05/03/23 10:45	
Naphthalene	ug/L	ND	1.2	0.75	05/03/23 10:45	
p-Isopropyltoluene	ug/L	ND	5.0	0.35	05/03/23 10:45	
sec-Butylbenzene	ug/L	ND	5.0	0.30	05/03/23 10:45	
Styrene	ug/L	ND	5.0	0.31	05/03/23 10:45	
tert-Butylbenzene	ug/L	ND	5.0	0.33	05/03/23 10:45	
Tetrachloroethene	ug/L	ND	5.0	0.25	05/03/23 10:45	
Toluene	ug/L	ND	5.0	0.30	05/03/23 10:45	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.35	05/03/23 10:45	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.68	05/03/23 10:45	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.60	05/03/23 10:45	
Trichloroethene	ug/L	ND	5.0	0.44	05/03/23 10:45	
Trichlorofluoromethane	ug/L	ND	5.0	0.43	05/03/23 10:45	
Vinyl acetate	ug/L	ND	50.0	1.7	05/03/23 10:45	
Vinyl chloride	ug/L	ND	2.0	0.62	05/03/23 10:45	
Xylene (Total)	ug/L	ND	10.0	0.32	05/03/23 10:45	
4-Bromofluorobenzene (S)	%	100	79-124		05/03/23 10:45	
Dibromofluoromethane (S)	%	101	82-128		05/03/23 10:45	1d
Toluene-d8 (S)	%	98	73-122		05/03/23 10:45	

LABORATORY CONTROL SAMPLE: 3356044

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	55.3	111	81-130	
1,1,1-Trichloroethane	ug/L	50	54.9	110	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	52.8	106	70-126	
1,1,2-Trichloroethane	ug/L	50	55.3	111	79-124	
1,1-Dichloroethane	ug/L	50	53.8	108	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

LABORATORY CONTROL SAMPLE: 3356044

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	52.3	105	73-133	
1,1-Dichloropropene	ug/L	50	57.4	115	78-144	
1,2,3-Trichlorobenzene	ug/L	50	50.1	100	72-138	
1,2,3-Trichloropropane	ug/L	50	52.0	104	75-121	
1,2,4-Trichlorobenzene	ug/L	50	50.8	102	71-138	
1,2,4-Trimethylbenzene	ug/L	50	51.9	104	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	54.4	109	80-126	
1,2-Dichlorobenzene	ug/L	50	50.8	102	79-123	
1,2-Dichloroethane	ug/L	50	51.9	104	70-124	
1,2-Dichloropropane	ug/L	50	55.2	110	74-128	
1,3,5-Trimethylbenzene	ug/L	50	51.3	103	71-124	
1,3-Dichlorobenzene	ug/L	50	50.6	101	77-124	
1,3-Dichloropropane	ug/L	50	54.7	109	77-126	
1,4-Dichlorobenzene	ug/L	50	50.1	100	77-120	
1-Methylnaphthalene	ug/L	50	53.0	106	49-175	
2,2-Dichloropropane	ug/L	50	58.9	118	65-136	
2-Butanone (MEK)	ug/L	250	284	114	59-134	
2-Chlorotoluene	ug/L	50	51.4	103	74-121	
2-Hexanone	ug/L	250	264	105	63-134	
2-Methylnaphthalene	ug/L	50	52.9	106	52-170	
4-Chlorotoluene	ug/L	50	51.2	102	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	282	113	67-133	
Acetone	ug/L	250	272	109	32-133	
Acrolein	ug/L	1000	1030	103	35-166	
Acrylonitrile	ug/L	250	290	116	69-137	
Benzene	ug/L	50	53.0	106	74-124	
Bromobenzene	ug/L	50	51.7	103	76-122	
Bromochloromethane	ug/L	50	54.1	108	66-127	
Bromodichloromethane	ug/L	50	58.9	118	80-126	
Bromoform	ug/L	50	47.6	95	75-128	
Bromomethane	ug/L	50	17.6	35	10-183	
Carbon disulfide	ug/L	50	48.1	96	68-123	
Carbon tetrachloride	ug/L	50	55.1	110	78-132	
Chlorobenzene	ug/L	50	52.4	105	77-121	
Chloroethane	ug/L	50	51.1	102	43-140	
Chloroform	ug/L	50	54.3	109	75-118	
Chloromethane	ug/L	50	50.1	100	45-130	
cis-1,2-Dichloroethene	ug/L	50	54.1	108	76-125	
cis-1,3-Dichloropropene	ug/L	50	60.2	120	76-132	
Dibromochloromethane	ug/L	50	57.4	115	79-130	
Dibromomethane	ug/L	50	54.4	109	79-124	
Dichlorodifluoromethane	ug/L	50	19.3	39	10-124	
Ethyl methacrylate	ug/L	50	58.3J	117	73-137	
Ethylbenzene	ug/L	50	52.8	106	74-125	
Hexachloro-1,3-butadiene	ug/L	50	51.6	103	66-141	
Iodomethane	ug/L	50	15.8	32	10-160	
Isopropylbenzene (Cumene)	ug/L	50	52.9	106	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

LABORATORY CONTROL SAMPLE: 3356044

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	55.0	110	74-129	
Methylene Chloride	ug/L	50	45.1	90	77-126	
n-Butylbenzene	ug/L	50	53.8	108	72-131	
n-Hexane	ug/L	50	52.1	104	58-131	
n-Propylbenzene	ug/L	50	53.9	108	76-127	
Naphthalene	ug/L	50	50.4	101	70-132	
p-Isopropyltoluene	ug/L	50	52.2	104	76-126	
sec-Butylbenzene	ug/L	50	53.3	107	76-129	
Styrene	ug/L	50	53.4	107	81-129	
tert-Butylbenzene	ug/L	50	51.2	102	76-129	
Tetrachloroethene	ug/L	50	52.8	106	73-132	
Toluene	ug/L	50	52.5	105	72-119	
trans-1,2-Dichloroethene	ug/L	50	54.0	108	74-125	
trans-1,3-Dichloropropene	ug/L	50	59.5	119	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	59.7J	119	66-152	
Trichloroethene	ug/L	50	53.9	108	75-127	
Trichlorofluoromethane	ug/L	50	56.5	113	64-136	
Vinyl acetate	ug/L	200	276	138	62-159	
Vinyl chloride	ug/L	50	46.3	93	48-133	
Xylene (Total)	ug/L	150	158	105	73-123	
4-Bromofluorobenzene (S)	%			102	79-124	
Dibromofluoromethane (S)	%			103	82-128	
Toluene-d8 (S)	%			101	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

QC Batch: 731360 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50343061010

METHOD BLANK: 3356253 Matrix: Water

Associated Lab Samples: 50343061010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.73	05/03/23 22:55	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.67	05/03/23 22:55	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.22	05/03/23 22:55	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	05/03/23 22:55	
1,1-Dichloroethane	ug/L	ND	5.0	0.35	05/03/23 22:55	
1,1-Dichloroethene	ug/L	ND	5.0	0.31	05/03/23 22:55	
1,1-Dichloropropene	ug/L	ND	5.0	0.58	05/03/23 22:55	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.41	05/03/23 22:55	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.42	05/03/23 22:55	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.40	05/03/23 22:55	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.34	05/03/23 22:55	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.41	05/03/23 22:55	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	05/03/23 22:55	
1,2-Dichloroethane	ug/L	ND	5.0	0.35	05/03/23 22:55	
1,2-Dichloropropane	ug/L	ND	5.0	0.36	05/03/23 22:55	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.34	05/03/23 22:55	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	05/03/23 22:55	
1,3-Dichloropropane	ug/L	ND	5.0	0.27	05/03/23 22:55	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.35	05/03/23 22:55	
1-Methylnaphthalene	ug/L	ND	10.0	1.4	05/03/23 22:55	
2,2-Dichloropropane	ug/L	ND	5.0	0.47	05/03/23 22:55	
2-Butanone (MEK)	ug/L	ND	25.0	1.4	05/03/23 22:55	
2-Chlorotoluene	ug/L	ND	5.0	0.33	05/03/23 22:55	
2-Hexanone	ug/L	ND	25.0	2.1	05/03/23 22:55	
2-Methylnaphthalene	ug/L	ND	10.0	1.3	05/03/23 22:55	
4-Chlorotoluene	ug/L	ND	5.0	0.36	05/03/23 22:55	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.9	05/03/23 22:55	
Acetone	ug/L	ND	100	3.9	05/03/23 22:55	
Acrolein	ug/L	ND	50.0	8.9	05/03/23 22:55	
Acrylonitrile	ug/L	ND	100	1.5	05/03/23 22:55	
Benzene	ug/L	ND	5.0	0.33	05/03/23 22:55	
Bromobenzene	ug/L	ND	5.0	0.67	05/03/23 22:55	
Bromochloromethane	ug/L	ND	5.0	0.35	05/03/23 22:55	
Bromodichloromethane	ug/L	ND	5.0	0.55	05/03/23 22:55	
Bromoform	ug/L	ND	5.0	0.80	05/03/23 22:55	
Bromomethane	ug/L	ND	5.0	2.4	05/03/23 22:55	
Carbon disulfide	ug/L	ND	10.0	0.33	05/03/23 22:55	
Carbon tetrachloride	ug/L	ND	5.0	0.74	05/03/23 22:55	
Chlorobenzene	ug/L	ND	5.0	0.31	05/03/23 22:55	
Chloroethane	ug/L	ND	5.0	0.77	05/03/23 22:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

METHOD BLANK: 3356253

Matrix: Water

Associated Lab Samples: 50343061010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.89	05/03/23 22:55	
Chloromethane	ug/L	ND	5.0	0.63	05/03/23 22:55	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.39	05/03/23 22:55	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.69	05/03/23 22:55	
Dibromochloromethane	ug/L	ND	5.0	0.70	05/03/23 22:55	
Dibromomethane	ug/L	ND	5.0	0.51	05/03/23 22:55	
Dichlorodifluoromethane	ug/L	ND	5.0	0.93	05/03/23 22:55	
Ethyl methacrylate	ug/L	ND	100	0.50	05/03/23 22:55	
Ethylbenzene	ug/L	ND	5.0	0.32	05/03/23 22:55	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.64	05/03/23 22:55	
Iodomethane	ug/L	ND	10.0	0.82	05/03/23 22:55	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.29	05/03/23 22:55	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.29	05/03/23 22:55	
Methylene Chloride	ug/L	ND	5.0	2.8	05/03/23 22:55	
n-Butylbenzene	ug/L	ND	5.0	0.35	05/03/23 22:55	
n-Hexane	ug/L	ND	5.0	4.2	05/03/23 22:55	
n-Propylbenzene	ug/L	ND	5.0	0.33	05/03/23 22:55	
Naphthalene	ug/L	ND	1.2	0.75	05/03/23 22:55	
p-Isopropyltoluene	ug/L	ND	5.0	0.35	05/03/23 22:55	
sec-Butylbenzene	ug/L	ND	5.0	0.30	05/03/23 22:55	
Styrene	ug/L	ND	5.0	0.31	05/03/23 22:55	
tert-Butylbenzene	ug/L	ND	5.0	0.33	05/03/23 22:55	
Tetrachloroethene	ug/L	ND	5.0	0.25	05/03/23 22:55	
Toluene	ug/L	ND	5.0	0.30	05/03/23 22:55	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.35	05/03/23 22:55	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.68	05/03/23 22:55	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.60	05/03/23 22:55	
Trichloroethene	ug/L	ND	5.0	0.44	05/03/23 22:55	
Trichlorofluoromethane	ug/L	ND	5.0	0.43	05/03/23 22:55	
Vinyl acetate	ug/L	ND	50.0	1.7	05/03/23 22:55	
Vinyl chloride	ug/L	ND	2.0	0.62	05/03/23 22:55	
Xylene (Total)	ug/L	ND	10.0	0.32	05/03/23 22:55	
4-Bromofluorobenzene (S)	%	101	79-124		05/03/23 22:55	
Dibromofluoromethane (S)	%	101	82-128		05/03/23 22:55	1d
Toluene-d8 (S)	%	97	73-122		05/03/23 22:55	

LABORATORY CONTROL SAMPLE: 3356254

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	54.3	109	81-130	
1,1,1-Trichloroethane	ug/L	50	55.3	111	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	54.6	109	70-126	
1,1,2-Trichloroethane	ug/L	50	55.4	111	79-124	
1,1-Dichloroethane	ug/L	50	55.6	111	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50343061

LABORATORY CONTROL SAMPLE: 3356254

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	51.5	103	73-133	
1,1-Dichloropropene	ug/L	50	57.0	114	78-144	
1,2,3-Trichlorobenzene	ug/L	50	50.8	102	72-138	
1,2,3-Trichloropropane	ug/L	50	52.8	106	75-121	
1,2,4-Trichlorobenzene	ug/L	50	50.2	100	71-138	
1,2,4-Trimethylbenzene	ug/L	50	52.1	104	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	54.5	109	80-126	
1,2-Dichlorobenzene	ug/L	50	51.1	102	79-123	
1,2-Dichloroethane	ug/L	50	52.7	105	70-124	
1,2-Dichloropropane	ug/L	50	55.5	111	74-128	
1,3,5-Trimethylbenzene	ug/L	50	50.7	101	71-124	
1,3-Dichlorobenzene	ug/L	50	50.3	101	77-124	
1,3-Dichloropropane	ug/L	50	53.5	107	77-126	
1,4-Dichlorobenzene	ug/L	50	49.8	100	77-120	
1-Methylnaphthalene	ug/L	50	54.4	109	49-175	
2,2-Dichloropropane	ug/L	50	44.0	88	65-136	
2-Butanone (MEK)	ug/L	250	284	114	59-134	
2-Chlorotoluene	ug/L	50	52.1	104	74-121	
2-Hexanone	ug/L	250	263	105	63-134	
2-Methylnaphthalene	ug/L	50	52.8	106	52-170	
4-Chlorotoluene	ug/L	50	51.4	103	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	281	113	67-133	
Acetone	ug/L	250	270	108	32-133	
Acrolein	ug/L	1000	1020	102	35-166	
Acrylonitrile	ug/L	250	293	117	69-137	
Benzene	ug/L	50	53.1	106	74-124	
Bromobenzene	ug/L	50	51.4	103	76-122	
Bromochloromethane	ug/L	50	54.3	109	66-127	
Bromodichloromethane	ug/L	50	59.6	119	80-126	
Bromoform	ug/L	50	48.3	97	75-128	
Bromomethane	ug/L	50	20.9	42	10-183	
Carbon disulfide	ug/L	50	46.3	93	68-123	
Carbon tetrachloride	ug/L	50	55.0	110	78-132	
Chlorobenzene	ug/L	50	51.0	102	77-121	
Chloroethane	ug/L	50	49.8	100	43-140	
Chloroform	ug/L	50	54.5	109	75-118	
Chloromethane	ug/L	50	49.3	99	45-130	
cis-1,2-Dichloroethene	ug/L	50	54.2	108	76-125	
cis-1,3-Dichloropropene	ug/L	50	57.0	114	76-132	
Dibromochloromethane	ug/L	50	57.6	115	79-130	
Dibromomethane	ug/L	50	55.2	110	79-124	
Dichlorodifluoromethane	ug/L	50	17.5	35	10-124	
Ethyl methacrylate	ug/L	50	58.7J	117	73-137	
Ethylbenzene	ug/L	50	52.2	104	74-125	
Hexachloro-1,3-butadiene	ug/L	50	49.1	98	66-141	
Iodomethane	ug/L	50	13.0	26	10-160	
Isopropylbenzene (Cumene)	ug/L	50	51.9	104	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

LABORATORY CONTROL SAMPLE: 3356254

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	56.2	112	74-129	
Methylene Chloride	ug/L	50	45.4	91	77-126	
n-Butylbenzene	ug/L	50	51.9	104	72-131	
n-Hexane	ug/L	50	45.1	90	58-131	
n-Propylbenzene	ug/L	50	52.0	104	76-127	
Naphthalene	ug/L	50	51.1	102	70-132	
p-Isopropyltoluene	ug/L	50	51.4	103	76-126	
sec-Butylbenzene	ug/L	50	52.2	104	76-129	
Styrene	ug/L	50	52.3	105	81-129	
tert-Butylbenzene	ug/L	50	51.6	103	76-129	
Tetrachloroethene	ug/L	50	50.5	101	73-132	
Toluene	ug/L	50	51.1	102	72-119	
trans-1,2-Dichloroethene	ug/L	50	53.3	107	74-125	
trans-1,3-Dichloropropene	ug/L	50	56.5	113	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	52.9J	106	66-152	
Trichloroethene	ug/L	50	53.7	107	75-127	
Trichlorofluoromethane	ug/L	50	55.9	112	64-136	
Vinyl acetate	ug/L	200	279	139	62-159	
Vinyl chloride	ug/L	50	45.5	91	48-133	
Xylene (Total)	ug/L	150	154	103	73-123	
4-Bromofluorobenzene (S)	%			100	79-124	
Dibromofluoromethane (S)	%			102	82-128	
Toluene-d8 (S)	%			98	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50343061

QC Batch: 729837 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50343061001

METHOD BLANK: 3349512 Matrix: Water

Associated Lab Samples: 50343061001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.011	04/25/23 22:11	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.011	04/25/23 22:11	

LABORATORY CONTROL SAMPLE: 3349513

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	0.94	94	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	1.9	97	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3349514 3349515

Parameter	Units	50343102001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	1.7	1	1	2.6	2.6	91	90	90-110	0	20	
Nitrogen, NO2 plus NO3	mg/L	1.7	2	2	3.7	3.6	99	98	90-110	0	20	

MATRIX SPIKE SAMPLE: 3349516

Parameter	Units	50343102002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1.5	1	2.4	96	90-110	
Nitrogen, NO2 plus NO3	mg/L	1.5	2	3.5	103	90-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: GE Indy
Pace Project No.: 50343061

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

WORKORDER QUALIFIERS

WO: 50343061

[1] In the RSK-175 analysis sample 22304261301 was analyzed outside holding time.

ANALYTE QUALIFIERS

1d A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

D4 Sample was diluted due to the presence of high levels of target analytes.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

H1 Analysis was conducted outside of the recognized method holding time.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

METHOD CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50343061

Parameter	Matrix	Analytical Method	Preparation Method
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50343061

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50343061001	MW-425-042523	EPA 300.0	730253		
50343061001	MW-425-042523	AM20GAX	765427		
50343061001	MW-425-042523	AM20GAX	766040		
50343061003	W-9-042523	AM20GAX	765427		
50343061007	W-8-042523	AM20GAX	765427		
50343061001	MW-425-042523	EPA 3010	731465	EPA 6010	731469
50343061001	MW-425-042523	EPA 5030/8260	731038		
50343061002	MW-331-042523	EPA 5030/8260	731038		
50343061003	W-9-042523	EPA 5030/8260	731038		
50343061004	MW-251-042523	EPA 5030/8260	731038		
50343061005	AD-100-042523	EPA 5030/8260	731038		
50343061006	W-10-042523	EPA 5030/8260	731038		
50343061007	W-8-042523	EPA 5030/8260	731291		
50343061008	MW-41-042523	EPA 5030/8260	731291		
50343061009	MW-241-042523	EPA 5030/8260	731291		
50343061010	Trip Blank-042523	EPA 5030/8260	731360		
50343061001	MW-425-042523	EPA 353.2	729837		
50343061001	MW-425-042523	SM 5310C	731673		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.




WO#: 50343061

DY / Analytical Request Document

GAL DOCUMENT. All relevant fields must be completed accurately. Terms and Conditions found at <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>.

Submitting a sample via this cha



Page: / Of

Section A

Required Client Information:

Company: Chase Forman	Copy To:	Address:	Regulatory Agency:
Address: 8805 Governor's Hill Drive Suite 205 Cincinnati, OH 45249	Copy To:	Address:	State / Location:
Email: chase.forman@ramboll.com	Purchase Order #:	Pace Quote:	IN
Phone: (740)403-1387 Fax:	Project Name: GE Indy	Pace Project Manager: heather.patterson@pacelabs.com	
Requested Due Date:	Project #:	Pace Profile #: 9761-8	

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample IDs must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N	Requested Analysis Filtered (Y/N)						Residual Chlorine (Y/N)	
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other		Analyses Test	VOC by 8260	Dissolved Gases by AM20GF	VOC 5310	Sulfate 300.0	Nitrate 353.2		6010 Diss Fe (FF)
						DATE	TIME	DATE	TIME																			
1	MW-425-042523			WG	G	4-25-23	1050		8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	001	
2	MW-331-042523						1100																				002	
3	W-9-042523						1130																				003	
4	MW-251-042523						1150																				004	
5	AD-100-042523						1200																				005	
6	W-10-042523						1205																				006	
7	W-8-042523						1215																				007	
8	MW-41-042523						1230																				008	
9	MW-241-042523						1245																				009	
10	Trip Blank-042523						-																				010	

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
Nitrate 48 hour hold time	Matt Starnett	4-25-23	1510	Heather Patterson	4/25/23	1510	7.1	Y	N	Y

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER: Matt Starnett					
SIGNATURE of SAMPLER: Matt Starnett					



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: MD 4/25/23 1540

- 1. Courier: FED EX UPS CLIENT PACE USPS OTHER _____
- 2. Custody Seal on Cooler/Box Present: Yes No
 (If yes)Seals Intact: Yes No (leave blank if no seals were present)
- 3. Thermometer: 1 2 3 4 5 6 A B C D E F
- 4. Cooler Temperature(s): 2.3/7.1
 (Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

- 5. Packing Material: Bubble Wrap Bubble Bags
 None Other _____
- 6. Ice Type: Wet Blue None
- 7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
 Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		<input checked="" type="checkbox"/>	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis: <u>No3</u>	<input checked="" type="checkbox"/>		Circle: <u>HNO3</u> (<2) <u>H2SO4</u> (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	<input checked="" type="checkbox"/>		
Time 5035A TC placed in Freezer or Short Holds To Lab	Time: <u>1610</u>		Residual Chlorine Check (SVOC 625 Pest/PCB 608)	<u>Present</u>	<u>Absent</u>	<u>N/A</u>
Rush TAT Requested (4 days or less):		<input checked="" type="checkbox"/>	Residual Chlorine Check (Total/Amenable/Free Cyanide)			<input checked="" type="checkbox"/>
Custody Signatures Present?	<input checked="" type="checkbox"/>		Headspace Wisconsin Sulfide?			<input checked="" type="checkbox"/>
Containers Intact?:	<input checked="" type="checkbox"/>		Headspace in VOA Vials (>6mm): See Containter Count form for details	<u>Present</u>	<u>Absent</u>	<u>No VOA Vials Sent</u>
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	<input checked="" type="checkbox"/>		Trip Blank Present?	<input checked="" type="checkbox"/>		
Extra labels on Terracore Vials? (soils only)			Trip Blank Custody Seals?:	<input checked="" type="checkbox"/>		

COMMENTS:

Sample Container Count

** Place a RED dot on containers that are out of conformance **

COC Line Item	WGUFU	MeOH (only) SBS DI	VIALS			AMBER GLASS							PLASTIC							OTHER			Matrix	Nitric Red	Sulfuric Yellow	Sodium Hydroxide Green	Sodium Hydroxide/ ZnAc Black				
			DG9H	VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B						BP3Z	CG3H	CG3F	Syringe Kit
			R	DG9H	VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3C	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S						BP3B	BP3Z	CG3H	CG3F
1			5							1					1												5	✓	✓		
2			3																												
3			5																												
4			3																												
5			3																												
6			3																												
7			5																												
8			3																												
9			3																												
10			3																												
11																															
12																															

Container Codes

Glass				Plastic			
DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic	BP4U	125mL unpreserved plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic	BP4N	125mL HNO3 plastic
DG9S	40mL H2SO4 amber vial	BG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic	BP4S	125mL H2SO4 plastic
DG9T	40mL Na Thio amber vial	BG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic	Miscellaneous	
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac		
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic	Syringe Kit	LL Cr+6 sampling kit
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic	ZPLC	Ziploc Bag
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic	R	Terracore Kit
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic	SP5T	120mL Coliform Sodium Thiosulfate
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac	GN	General Container
WGUFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic	U	Summa Can (air sample)
JGUFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic	WT	Water
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered	SL	Solid Solid
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic	OL:	Oil
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic	NAL	Non-aqueous liquid
BG1S	1L H2SO4 clear glass	AG3C	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic	WP	Wipe

**APPENDIX C-3
JULY/SEPTEMBER 2023 GROUNDWATER SAMPLING EVENT**



August 01, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50349526

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on July 18, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Gulf Coast
- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Mr. Tyler Carter, Ramboll Environ
Matt Starrett, Ramboll
Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50349526

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

Pace Analytical Gulf Coast

7979 Innovation Park Drive, Baton Rouge, LA 70820
Arkansas Certification #: 88-0655
DoD ELAP Certification #: 6429-01
Florida Certification #: E87854
Illinois Certification #: 004585
Kansas Certification #: E-10354
Louisiana/LELAP Certification #: 01955
North Carolina Certification #: 618

North Dakota Certification #: R-195
Oklahoma Certification #: 2019-101
South Carolina Certification #: 73006001
Texas Certification #: T104704178-19-11
USDA Soil Permit # P330-19-00209
Virginia Certification #: 460215
Washington Certification #: C929

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50349526

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50349526001	MW-425-071723	Water	07/17/23 12:10	07/18/23 12:10
50349526002	MW-413S-071723	Water	07/17/23 14:25	07/18/23 12:10
50349526003	MW-410S-071723	Water	07/17/23 15:35	07/18/23 12:10
50349526004	MW-410D-071723	Water	07/17/23 16:35	07/18/23 12:10
50349526005	AD-100-071723	Water	07/17/23 12:00	07/18/23 12:10
50349526006	Trip Blank-071723	Water	07/17/23 08:00	07/18/23 12:10
50349526007	MW-411S-071823	Water	07/18/23 10:25	07/18/23 12:10

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GE Indy
 Pace Project No.: 50349526

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50349526001	MW-425-071723	EPA 300.0	KBB	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	KLP	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349526002	MW-413S-071723	EPA 300.0	KBB	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	KLP	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349526003	MW-410S-071723	EPA 300.0	KBB	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	KLP	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349526004	MW-410D-071723	EPA 300.0	KBB	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	KLP	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349526005	AD-100-071723	EPA 5030/8260	KLP	75	PASI-I
50349526006	Trip Blank-071723	EPA 5030/8260	KLP	75	PASI-I
50349526007	MW-411S-071823	EPA 300.0	KBB	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	KLP	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I

GCLA = Pace Analytical Gulf Coast
 PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
 Pace Project No.: 50349526

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50349526001	MW-425-071723					
EPA 300.0	Sulfate	4440	ug/L	250	07/22/23 07:50	
AM20GAX	Methane	20000	ug/L	500	07/26/23 09:15	
AM20GAX	Ethene	4500	ug/L	100	07/26/23 09:15	
EPA 6010	Iron, Dissolved	10900	ug/L	100	07/25/23 04:18	
EPA 5030/8260	Chloroethane	274	ug/L	5.0	07/20/23 23:11	M1
EPA 5030/8260	1,1-Dichloroethane	15.5	ug/L	5.0	07/20/23 23:11	
EPA 5030/8260	Vinyl chloride	3.2	ug/L	2.0	07/20/23 23:11	
SM 5310C	Total Organic Carbon	38200	ug/L	4000	07/19/23 22:54	
50349526002	MW-413S-071723					
EPA 300.0	Sulfate	12200	ug/L	250	07/22/23 08:42	
AM20GAX	Methane	10000	ug/L	5.0	07/26/23 09:29	
AM20GAX	Ethane	36	ug/L	1.0	07/26/23 09:29	
AM20GAX	Ethene	140	ug/L	1.0	07/26/23 09:29	
EPA 6010	Iron, Dissolved	9290	ug/L	100	07/25/23 04:20	
EPA 5030/8260	Chloroethane	931	ug/L	50.0	07/20/23 16:24	
EPA 5030/8260	1,1-Dichloroethane	18.2	ug/L	5.0	07/20/23 15:49	
EPA 5030/8260	cis-1,2-Dichloroethene	49.6	ug/L	5.0	07/20/23 15:49	
EPA 5030/8260	Vinyl chloride	168	ug/L	2.0	07/20/23 15:49	
SM 5310C	Total Organic Carbon	62800	ug/L	8000	07/20/23 14:13	
50349526003	MW-410S-071723					
EPA 300.0	Sulfate	294	ug/L	250	07/22/23 10:08	
AM20GAX	Methane	9200	ug/L	5.0	07/26/23 09:44	
AM20GAX	Ethane	34	ug/L	1.0	07/26/23 09:44	
AM20GAX	Ethene	96	ug/L	1.0	07/26/23 09:44	
EPA 6010	Iron, Dissolved	16400	ug/L	100	07/25/23 04:23	
EPA 5030/8260	Chloroethane	5210	ug/L	500	07/21/23 15:46	
EPA 5030/8260	1,1-Dichloroethane	12.9	ug/L	5.0	07/20/23 16:58	
EPA 5030/8260	trans-1,2-Dichloroethene	15.0	ug/L	5.0	07/20/23 16:58	
SM 5310C	Total Organic Carbon	11300	ug/L	4000	07/19/23 23:16	
50349526004	MW-410D-071723					
EPA 300.0	Sulfate	5230	ug/L	250	07/22/23 11:00	
AM20GAX	Methane	8800	ug/L	5.0	07/26/23 09:57	
AM20GAX	Ethane	44	ug/L	1.0	07/26/23 09:57	
AM20GAX	Ethene	290	ug/L	1.0	07/26/23 09:57	
EPA 6010	Iron, Dissolved	13100	ug/L	100	07/25/23 04:25	
EPA 5030/8260	Chloroethane	6130	ug/L	500	07/21/23 16:20	
EPA 5030/8260	1,1-Dichloroethane	736	ug/L	50.0	07/20/23 18:40	
EPA 5030/8260	cis-1,2-Dichloroethene	762	ug/L	50.0	07/20/23 18:40	
EPA 5030/8260	trans-1,2-Dichloroethene	30.0	ug/L	5.0	07/20/23 18:06	
EPA 5030/8260	1,1,1-Trichloroethane	6.6	ug/L	5.0	07/20/23 18:06	
EPA 5030/8260	Vinyl chloride	269	ug/L	2.0	07/20/23 18:06	
SM 5310C	Total Organic Carbon	12600	ug/L	4000	07/19/23 23:26	
50349526005	AD-100-071723					
EPA 5030/8260	Chloroethane	4800	ug/L	500	07/21/23 16:54	
EPA 5030/8260	1,1-Dichloroethane	13.8	ug/L	5.0	07/20/23 19:14	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50349526

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50349526005	AD-100-071723					
EPA 5030/8260	trans-1,2-Dichloroethene	15.2	ug/L	5.0	07/20/23 19:14	
50349526007	MW-411S-071823					
EPA 300.0	Sulfate	3930	ug/L	250	07/22/23 11:52	
AM20GAX	Methane	7300	ug/L	10	07/26/23 10:10	
AM20GAX	Ethane	4.9	ug/L	2.0	07/26/23 10:10	
AM20GAX	Ethene	360	ug/L	2.0	07/26/23 10:10	
EPA 6010	Iron, Dissolved	58600	ug/L	100	07/25/23 04:27	
EPA 5030/8260	Chloroethane	28000	ug/L	2500	07/20/23 20:56	
EPA 5030/8260	Vinyl chloride	478	ug/L	100	07/20/23 20:22	
SM 5310C	Total Organic Carbon	442000	ug/L	32000	07/20/23 14:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: MW-425-071723 **Lab ID: 50349526001** Collected: 07/17/23 12:10 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis									
Sulfate	4440	ug/L	250	190	1		07/22/23 07:50	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	20000	ug/L	500	200	100		07/26/23 09:15	74-82-8	
Ethane	ND	ug/L	100	17	100		07/26/23 09:15	74-84-0	
Ethene	4500	ug/L	100	24	100		07/26/23 09:15	74-85-1	
n-Propane	ND	ug/L	100	29	100		07/26/23 09:15	74-98-6	
Propylene	ND	ug/L	100	31	100		07/26/23 09:15	115-07-1	
Isobutane	ND	ug/L	200	6.5	100		07/26/23 09:15	JUNK40	
n-Butane	ND	ug/L	200	54	100		07/26/23 09:15	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis									
Iron, Dissolved	10900	ug/L	100	28.6	1	07/25/23 03:34	07/25/23 04:18	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/20/23 23:11	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/20/23 23:11	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/20/23 23:11	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/20/23 23:11	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/20/23 23:11	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/20/23 23:11	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/20/23 23:11	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/20/23 23:11	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/20/23 23:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/20/23 23:11	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/20/23 23:11	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/20/23 23:11	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 23:11	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/20/23 23:11	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/20/23 23:11	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/20/23 23:11	108-90-7	
Chloroethane	274	ug/L	5.0	0.55	1		07/20/23 23:11	75-00-3	M1
Chloroform	ND	ug/L	5.0	0.44	1		07/20/23 23:11	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/20/23 23:11	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/20/23 23:11	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/20/23 23:11	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/20/23 23:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/20/23 23:11	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/20/23 23:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 23:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/20/23 23:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/20/23 23:11	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: MW-425-071723 Lab ID: 50349526001 Collected: 07/17/23 12:10 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/20/23 23:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/20/23 23:11	75-71-8	
1,1-Dichloroethane	15.5	ug/L	5.0	0.46	1		07/20/23 23:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/20/23 23:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/20/23 23:11	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/20/23 23:11	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/20/23 23:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/20/23 23:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/20/23 23:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/20/23 23:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/20/23 23:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/20/23 23:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/20/23 23:11	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 23:11	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/20/23 23:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/20/23 23:11	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/20/23 23:11	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/20/23 23:11	591-78-6	
Iodomethane	ND	ug/L	10.0	0.31	1		07/20/23 23:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/20/23 23:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/20/23 23:11	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/20/23 23:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/20/23 23:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/20/23 23:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/20/23 23:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/20/23 23:11	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/20/23 23:11	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/20/23 23:11	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/20/23 23:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/20/23 23:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/20/23 23:11	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/20/23 23:11	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/20/23 23:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/20/23 23:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 23:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/20/23 23:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/20/23 23:11	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/20/23 23:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/20/23 23:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/20/23 23:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 23:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/20/23 23:11	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/20/23 23:11	108-05-4	
Vinyl chloride	3.2	ug/L	2.0	0.59	1		07/20/23 23:11	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/20/23 23:11	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: MW-425-071723		Lab ID: 50349526001		Collected: 07/17/23 12:10	Received: 07/18/23 12:10	Matrix: Water				
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Surrogates										
Dibromofluoromethane (S)	101	%.	82-128		1		07/20/23 23:11	1868-53-7		
4-Bromofluorobenzene (S)	106	%.	79-124		1		07/20/23 23:11	460-00-4		
Toluene-d8 (S)	96	%.	73-122		1		07/20/23 23:11	2037-26-5		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 00:15			
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 00:15	14797-55-8		
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	38200	ug/L	4000	944	4		07/19/23 22:54	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: MW-413S-071723 **Lab ID: 50349526002** Collected: 07/17/23 14:25 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis									
Sulfate	12200	ug/L	250	190	1		07/22/23 08:42	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	10000	ug/L	5.0	2.0	1		07/26/23 09:29	74-82-8	
Ethane	36	ug/L	1.0	0.17	1		07/26/23 09:29	74-84-0	
Ethene	140	ug/L	1.0	0.24	1		07/26/23 09:29	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/26/23 09:29	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/26/23 09:29	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/26/23 09:29	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/26/23 09:29	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis									
Iron, Dissolved	9290	ug/L	100	28.6	1	07/25/23 03:34	07/25/23 04:20	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/20/23 15:49	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/20/23 15:49	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/20/23 15:49	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/20/23 15:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/20/23 15:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/20/23 15:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/20/23 15:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/20/23 15:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/20/23 15:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/20/23 15:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/20/23 15:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/20/23 15:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 15:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/20/23 15:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/20/23 15:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/20/23 15:49	108-90-7	
Chloroethane	931	ug/L	50.0	5.5	10		07/20/23 16:24	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/20/23 15:49	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/20/23 15:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/20/23 15:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/20/23 15:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/20/23 15:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/20/23 15:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/20/23 15:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 15:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/20/23 15:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/20/23 15:49	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349526

Sample: MW-413S-071723 Lab ID: 50349526002 Collected: 07/17/23 14:25 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/20/23 15:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/20/23 15:49	75-71-8	
1,1-Dichloroethane	18.2	ug/L	5.0	0.46	1		07/20/23 15:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/20/23 15:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/20/23 15:49	75-35-4	
cis-1,2-Dichloroethene	49.6	ug/L	5.0	0.53	1		07/20/23 15:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/20/23 15:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/20/23 15:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/20/23 15:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/20/23 15:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/20/23 15:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/20/23 15:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/20/23 15:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 15:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/20/23 15:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/20/23 15:49	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/20/23 15:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/20/23 15:49	591-78-6	
Iodomethane	ND	ug/L	10.0	0.31	1		07/20/23 15:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/20/23 15:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/20/23 15:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/20/23 15:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/20/23 15:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/20/23 15:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/20/23 15:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/20/23 15:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/20/23 15:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/20/23 15:49	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/20/23 15:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/20/23 15:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/20/23 15:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/20/23 15:49	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/20/23 15:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/20/23 15:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 15:49	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/20/23 15:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/20/23 15:49	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/20/23 15:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/20/23 15:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/20/23 15:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 15:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/20/23 15:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/20/23 15:49	108-05-4	
Vinyl chloride	168	ug/L	2.0	0.59	1		07/20/23 15:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/20/23 15:49	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Sample: MW-413S-071723 Lab ID: 50349526002 Collected: 07/17/23 14:25 Received: 07/18/23 12:10 Matrix: Water									
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		07/20/23 15:49	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		07/20/23 15:49	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/20/23 15:49	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres									
Analytical Method: EPA 353.2									
Pace Analytical Services - Indianapolis									
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 00:19		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 00:19	14797-55-8	
5310C TOC									
Analytical Method: SM 5310C									
Pace Analytical Services - Indianapolis									
Total Organic Carbon	62800	ug/L	8000	1890	8		07/20/23 14:13	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349526

Sample: MW-410S-071723		Lab ID: 50349526003		Collected: 07/17/23 15:35		Received: 07/18/23 12:10		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Pace Analytical Services - Indianapolis									
Sulfate	294	ug/L	250	190	1		07/22/23 10:08	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX									
Pace Analytical Gulf Coast									
Methane	9200	ug/L	5.0	2.0	1		07/26/23 09:44	74-82-8	
Ethane	34	ug/L	1.0	0.17	1		07/26/23 09:44	74-84-0	
Ethene	96	ug/L	1.0	0.24	1		07/26/23 09:44	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/26/23 09:44	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/26/23 09:44	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/26/23 09:44	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/26/23 09:44	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Pace Analytical Services - Indianapolis									
Iron, Dissolved	16400	ug/L	100	28.6	1	07/25/23 03:34	07/25/23 04:23	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/20/23 16:58	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/20/23 16:58	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/20/23 16:58	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/20/23 16:58	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/20/23 16:58	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/20/23 16:58	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/20/23 16:58	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/20/23 16:58	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/20/23 16:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/20/23 16:58	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/20/23 16:58	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/20/23 16:58	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 16:58	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/20/23 16:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/20/23 16:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/20/23 16:58	108-90-7	
Chloroethane	5210	ug/L	500	49.6	100		07/21/23 15:46	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/20/23 16:58	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/20/23 16:58	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/20/23 16:58	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/20/23 16:58	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/20/23 16:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/20/23 16:58	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/20/23 16:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 16:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/20/23 16:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/20/23 16:58	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349526

Sample: MW-410S-071723 Lab ID: 50349526003 Collected: 07/17/23 15:35 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/20/23 16:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/20/23 16:58	75-71-8	
1,1-Dichloroethane	12.9	ug/L	5.0	0.46	1		07/20/23 16:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/20/23 16:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/20/23 16:58	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/20/23 16:58	156-59-2	
trans-1,2-Dichloroethene	15.0	ug/L	5.0	0.35	1		07/20/23 16:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/20/23 16:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/20/23 16:58	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/20/23 16:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/20/23 16:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/20/23 16:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/20/23 16:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 16:58	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/20/23 16:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/20/23 16:58	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/20/23 16:58	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/20/23 16:58	591-78-6	
Iodomethane	ND	ug/L	10.0	0.31	1		07/20/23 16:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/20/23 16:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/20/23 16:58	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/20/23 16:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/20/23 16:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/20/23 16:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/20/23 16:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/20/23 16:58	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/20/23 16:58	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/20/23 16:58	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/20/23 16:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/20/23 16:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/20/23 16:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/20/23 16:58	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/20/23 16:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/20/23 16:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 16:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/20/23 16:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/20/23 16:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/20/23 16:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/20/23 16:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/20/23 16:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 16:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/20/23 16:58	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/20/23 16:58	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.59	1		07/20/23 16:58	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/20/23 16:58	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: MW-410S-071723		Lab ID: 50349526003		Collected: 07/17/23 15:35	Received: 07/18/23 12:10	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	103	%	82-128		1		07/20/23 16:58	1868-53-7	
4-Bromofluorobenzene (S)	107	%	79-124		1		07/20/23 16:58	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		07/20/23 16:58	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 00:21		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 00:21	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	11300	ug/L	4000	944	4		07/19/23 23:16	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349526

Sample: MW-410D-071723 Lab ID: 50349526004 Collected: 07/17/23 16:35 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Pace Analytical Services - Indianapolis									
Sulfate	5230	ug/L	250	190	1		07/22/23 11:00	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX									
Pace Analytical Gulf Coast									
Methane	8800	ug/L	5.0	2.0	1		07/26/23 09:57	74-82-8	
Ethane	44	ug/L	1.0	0.17	1		07/26/23 09:57	74-84-0	
Ethene	290	ug/L	1.0	0.24	1		07/26/23 09:57	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/26/23 09:57	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/26/23 09:57	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/26/23 09:57	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/26/23 09:57	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Pace Analytical Services - Indianapolis									
Iron, Dissolved	13100	ug/L	100	28.6	1	07/25/23 03:34	07/25/23 04:25	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/20/23 18:06	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/20/23 18:06	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/20/23 18:06	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/20/23 18:06	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/20/23 18:06	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/20/23 18:06	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/20/23 18:06	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/20/23 18:06	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/20/23 18:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/20/23 18:06	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/20/23 18:06	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/20/23 18:06	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 18:06	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/20/23 18:06	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/20/23 18:06	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/20/23 18:06	108-90-7	
Chloroethane	6130	ug/L	500	49.6	100		07/21/23 16:20	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/20/23 18:06	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/20/23 18:06	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/20/23 18:06	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/20/23 18:06	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/20/23 18:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/20/23 18:06	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/20/23 18:06	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 18:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/20/23 18:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/20/23 18:06	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349526

Sample: MW-410D-071723 Lab ID: 50349526004 Collected: 07/17/23 16:35 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/20/23 18:06	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/20/23 18:06	75-71-8	
1,1-Dichloroethane	736	ug/L	50.0	4.6	10		07/20/23 18:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/20/23 18:06	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/20/23 18:06	75-35-4	
cis-1,2-Dichloroethene	762	ug/L	50.0	5.3	10		07/20/23 18:40	156-59-2	
trans-1,2-Dichloroethene	30.0	ug/L	5.0	0.35	1		07/20/23 18:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/20/23 18:06	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/20/23 18:06	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/20/23 18:06	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/20/23 18:06	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/20/23 18:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/20/23 18:06	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 18:06	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/20/23 18:06	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/20/23 18:06	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/20/23 18:06	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/20/23 18:06	591-78-6	
Iodomethane	ND	ug/L	10.0	0.31	1		07/20/23 18:06	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/20/23 18:06	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/20/23 18:06	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/20/23 18:06	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/20/23 18:06	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/20/23 18:06	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/20/23 18:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/20/23 18:06	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/20/23 18:06	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/20/23 18:06	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/20/23 18:06	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/20/23 18:06	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/20/23 18:06	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/20/23 18:06	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/20/23 18:06	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/20/23 18:06	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 18:06	120-82-1	
1,1,1-Trichloroethane	6.6	ug/L	5.0	0.47	1		07/20/23 18:06	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/20/23 18:06	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/20/23 18:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/20/23 18:06	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/20/23 18:06	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 18:06	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/20/23 18:06	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/20/23 18:06	108-05-4	
Vinyl chloride	269	ug/L	2.0	0.59	1		07/20/23 18:06	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/20/23 18:06	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: MW-410D-071723		Lab ID: 50349526004		Collected: 07/17/23 16:35	Received: 07/18/23 12:10	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		07/20/23 18:06	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		07/20/23 18:06	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		07/20/23 18:06	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 00:23		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 00:23	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	12600	ug/L	4000	944	4		07/19/23 23:26	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349526

Sample: AD-100-071723 Lab ID: 50349526005 Collected: 07/17/23 12:00 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/20/23 19:14	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/20/23 19:14	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/20/23 19:14	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/20/23 19:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/20/23 19:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/20/23 19:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/20/23 19:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/20/23 19:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/20/23 19:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/20/23 19:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/20/23 19:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/20/23 19:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 19:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/20/23 19:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/20/23 19:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/20/23 19:14	108-90-7	
Chloroethane	4800	ug/L	500	49.6	100		07/21/23 16:54	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/20/23 19:14	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/20/23 19:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/20/23 19:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/20/23 19:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/20/23 19:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/20/23 19:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/20/23 19:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 19:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/20/23 19:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/20/23 19:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/20/23 19:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/20/23 19:14	75-71-8	
1,1-Dichloroethane	13.8	ug/L	5.0	0.46	1		07/20/23 19:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/20/23 19:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/20/23 19:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/20/23 19:14	156-59-2	
trans-1,2-Dichloroethene	15.2	ug/L	5.0	0.35	1		07/20/23 19:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/20/23 19:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/20/23 19:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/20/23 19:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/20/23 19:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/20/23 19:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/20/23 19:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 19:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/20/23 19:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/20/23 19:14	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/20/23 19:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/20/23 19:14	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349526

Sample: AD-100-071723 Lab ID: 50349526005 Collected: 07/17/23 12:00 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/20/23 19:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/20/23 19:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/20/23 19:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/20/23 19:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/20/23 19:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/20/23 19:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/20/23 19:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/20/23 19:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/20/23 19:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/20/23 19:14	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/20/23 19:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/20/23 19:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/20/23 19:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/20/23 19:14	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/20/23 19:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/20/23 19:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 19:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/20/23 19:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/20/23 19:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/20/23 19:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/20/23 19:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/20/23 19:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 19:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/20/23 19:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/20/23 19:14	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.59	1		07/20/23 19:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/20/23 19:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%	82-128		1		07/20/23 19:14	1868-53-7	
4-Bromofluorobenzene (S)	107	%	79-124		1		07/20/23 19:14	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		07/20/23 19:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: Trip Blank-071723 Lab ID: 50349526006 Collected: 07/17/23 08:00 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/20/23 19:48	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/20/23 19:48	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/20/23 19:48	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/20/23 19:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/20/23 19:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/20/23 19:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/20/23 19:48	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/20/23 19:48	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/20/23 19:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/20/23 19:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/20/23 19:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/20/23 19:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 19:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/20/23 19:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/20/23 19:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/20/23 19:48	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/20/23 19:48	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/20/23 19:48	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/20/23 19:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/20/23 19:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/20/23 19:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/20/23 19:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/20/23 19:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/20/23 19:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 19:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/20/23 19:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/20/23 19:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/20/23 19:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/20/23 19:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/20/23 19:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/20/23 19:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/20/23 19:48	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/20/23 19:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/20/23 19:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/20/23 19:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/20/23 19:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/20/23 19:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/20/23 19:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/20/23 19:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/20/23 19:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 19:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/20/23 19:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/20/23 19:48	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/20/23 19:48	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/20/23 19:48	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: Trip Blank-071723 **Lab ID: 50349526006** Collected: 07/17/23 08:00 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/20/23 19:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/20/23 19:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/20/23 19:48	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/20/23 19:48	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/20/23 19:48	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/20/23 19:48	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/20/23 19:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/20/23 19:48	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/20/23 19:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/20/23 19:48	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/20/23 19:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/20/23 19:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/20/23 19:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/20/23 19:48	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/20/23 19:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/20/23 19:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/20/23 19:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/20/23 19:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/20/23 19:48	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/20/23 19:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/20/23 19:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/20/23 19:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/20/23 19:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/20/23 19:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/20/23 19:48	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.59	1		07/20/23 19:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/20/23 19:48	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%	82-128		1		07/20/23 19:48	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		07/20/23 19:48	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		07/20/23 19:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349526

Sample: MW-411S-071823 Lab ID: 50349526007 Collected: 07/18/23 10:25 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Pace Analytical Services - Indianapolis									
Sulfate	3930	ug/L	250	190	1		07/22/23 11:52	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX									
Pace Analytical Gulf Coast									
Methane	7300	ug/L	10	4.0	2		07/26/23 10:10	74-82-8	
Ethane	4.9	ug/L	2.0	0.34	2		07/26/23 10:10	74-84-0	
Ethene	360	ug/L	2.0	0.48	2		07/26/23 10:10	74-85-1	
n-Propane	ND	ug/L	2.0	0.58	2		07/26/23 10:10	74-98-6	
Propylene	ND	ug/L	2.0	0.61	2		07/26/23 10:10	115-07-1	
Isobutane	ND	ug/L	4.0	0.13	2		07/26/23 10:10	JUNK40	
n-Butane	ND	ug/L	4.0	1.1	2		07/26/23 10:10	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Pace Analytical Services - Indianapolis									
Iron, Dissolved	58600	ug/L	100	28.6	1	07/25/23 03:34	07/25/23 04:27	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	5000	444	50		07/20/23 20:22	67-64-1	
Acrolein	ND	ug/L	2500	635	50		07/20/23 20:22	107-02-8	
Acrylonitrile	ND	ug/L	5000	110	50		07/20/23 20:22	107-13-1	
Benzene	ND	ug/L	250	19.3	50		07/20/23 20:22	71-43-2	
Bromobenzene	ND	ug/L	250	24.8	50		07/20/23 20:22	108-86-1	
Bromochloromethane	ND	ug/L	250	21.4	50		07/20/23 20:22	74-97-5	
Bromodichloromethane	ND	ug/L	250	28.4	50		07/20/23 20:22	75-27-4	
Bromoform	ND	ug/L	250	36.7	50		07/20/23 20:22	75-25-2	
Bromomethane	ND	ug/L	250	28.6	50		07/20/23 20:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	233	50		07/20/23 20:22	78-93-3	
n-Butylbenzene	ND	ug/L	250	19.2	50		07/20/23 20:22	104-51-8	
sec-Butylbenzene	ND	ug/L	250	16.0	50		07/20/23 20:22	135-98-8	
tert-Butylbenzene	ND	ug/L	250	17.4	50		07/20/23 20:22	98-06-6	
Carbon disulfide	ND	ug/L	500	41.4	50		07/20/23 20:22	75-15-0	
Carbon tetrachloride	ND	ug/L	250	20.1	50		07/20/23 20:22	56-23-5	
Chlorobenzene	ND	ug/L	250	18.2	50		07/20/23 20:22	108-90-7	
Chloroethane	28000	ug/L	2500	274	500		07/20/23 20:56	75-00-3	
Chloroform	ND	ug/L	250	21.8	50		07/20/23 20:22	67-66-3	
Chloromethane	ND	ug/L	250	25.1	50		07/20/23 20:22	74-87-3	
2-Chlorotoluene	ND	ug/L	250	19.0	50		07/20/23 20:22	95-49-8	
4-Chlorotoluene	ND	ug/L	250	19.8	50		07/20/23 20:22	106-43-4	
Dibromochloromethane	ND	ug/L	250	27.8	50		07/20/23 20:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	27.4	50		07/20/23 20:22	106-93-4	
Dibromomethane	ND	ug/L	250	38.2	50		07/20/23 20:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	22.4	50		07/20/23 20:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	19.4	50		07/20/23 20:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	21.7	50		07/20/23 20:22	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: MW-411S-071823 Lab ID: 50349526007 Collected: 07/18/23 10:25 Received: 07/18/23 12:10 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	35.9	50		07/20/23 20:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	30.1	50		07/20/23 20:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	250	23.0	50		07/20/23 20:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	26.9	50		07/20/23 20:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	250	23.0	50		07/20/23 20:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	250	26.3	50		07/20/23 20:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	250	17.4	50		07/20/23 20:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	35.5	50		07/20/23 20:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	24.4	50		07/20/23 20:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	31.2	50		07/20/23 20:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	32.0	50		07/20/23 20:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	25.0	50		07/20/23 20:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	25.4	50		07/20/23 20:22	10061-02-6	
Ethylbenzene	ND	ug/L	250	17.6	50		07/20/23 20:22	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	32.0	50		07/20/23 20:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	23.0	50		07/20/23 20:22	87-68-3	
n-Hexane	ND	ug/L	250	22.8	50		07/20/23 20:22	110-54-3	
2-Hexanone	ND	ug/L	1250	151	50		07/20/23 20:22	591-78-6	
Iodomethane	ND	ug/L	500	15.6	50		07/20/23 20:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	16.8	50		07/20/23 20:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	17.8	50		07/20/23 20:22	99-87-6	
Methylene Chloride	ND	ug/L	250	110	50		07/20/23 20:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	30.6	50		07/20/23 20:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	22.0	50		07/20/23 20:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	126	50		07/20/23 20:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	24.0	50		07/20/23 20:22	1634-04-4	
Naphthalene	ND	ug/L	60.0	21.1	50		07/20/23 20:22	91-20-3	
n-Propylbenzene	ND	ug/L	250	17.2	50		07/20/23 20:22	103-65-1	
Styrene	ND	ug/L	250	20.0	50		07/20/23 20:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	25.2	50		07/20/23 20:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	26.1	50		07/20/23 20:22	79-34-5	
Tetrachloroethene	ND	ug/L	250	16.0	50		07/20/23 20:22	127-18-4	
Toluene	ND	ug/L	250	16.8	50		07/20/23 20:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	18.8	50		07/20/23 20:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	22.7	50		07/20/23 20:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	250	23.4	50		07/20/23 20:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	38.9	50		07/20/23 20:22	79-00-5	
Trichloroethene	ND	ug/L	250	34.8	50		07/20/23 20:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	31.1	50		07/20/23 20:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	41.1	50		07/20/23 20:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	17.4	50		07/20/23 20:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	15.2	50		07/20/23 20:22	108-67-8	
Vinyl acetate	ND	ug/L	2500	48.2	50		07/20/23 20:22	108-05-4	
Vinyl chloride	478	ug/L	100	29.7	50		07/20/23 20:22	75-01-4	
Xylene (Total)	ND	ug/L	500	17.6	50		07/20/23 20:22	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349526

Sample: MW-411S-071823 Lab ID: 50349526007 Collected: 07/18/23 10:25 Received: 07/18/23 12:10 Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		50		07/20/23 20:22	1868-53-7	D4
4-Bromofluorobenzene (S)	108	%	79-124		50		07/20/23 20:22	460-00-4	
Toluene-d8 (S)	98	%	73-122		50		07/20/23 20:22	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres									
Analytical Method: EPA 353.2									
Pace Analytical Services - Indianapolis									
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 00:45		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 00:45	14797-55-8	
5310C TOC									
Analytical Method: SM 5310C									
Pace Analytical Services - Indianapolis									
Total Organic Carbon	442000	ug/L	32000	7550	32		07/20/23 14:47	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349526

QC Batch: 744398 Analysis Method: EPA 300.0
 QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

METHOD BLANK: 3413252 Matrix: Water
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	07/21/23 15:11	

LABORATORY CONTROL SAMPLE: 3413253

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4880	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3413258 3413259

Parameter	Units	50349396002		3413259		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MS Spike Conc.	MS Result	MS Spike Conc.						
Sulfate	ug/L	51.4 mg/L	50000	97900	50000	93	92	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3413260 3413261

Parameter	Units	50349467001		3413261		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MS Spike Conc.	MS Result	MS Spike Conc.						
Sulfate	ug/L	739 mg/L	500000	1090000	500000	71	71	80-120	0	15 M0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349526

QC Batch: 769496 Analysis Method: AM20GAX
 QC Batch Method: AM20GAX Analysis Description: Indicator Gases Water LHC
 Laboratory: Pace Analytical Gulf Coast

Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

METHOD BLANK: 2503491 Matrix: Water
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Methane	ug/L	ND	5.0	2.0	07/26/23 06:24	
Ethane	ug/L	ND	1.0	0.17	07/26/23 06:24	
Ethene	ug/L	ND	1.0	0.24	07/26/23 06:24	
n-Propane	ug/L	ND	1.0	0.29	07/26/23 06:24	
Propylene	ug/L	ND	1.0	0.31	07/26/23 06:24	
Isobutane	ug/L	ND	2.0	0.065	07/26/23 06:24	
n-Butane	ug/L	ND	2.0	0.54	07/26/23 06:24	

Parameter	Units	2503492		2503493			% Rec Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec				
Methane	ug/L	750	810	760	109	101	70-130	7	20	
Ethane	ug/L	38	34	35	90	92	70-130	2	20	
Ethene	ug/L	35	32	33	92	95	70-130	3	20	
n-Propane	ug/L	56	46	47	83	85	70-130	3	20	
Propylene	ug/L	53	41	42	78	80	70-130	3	20	
Isobutane	ug/L	73	58	62	79	85	70-130	7	20	
n-Butane	ug/L	73	50	66	68	90	70-130	28	20	L0,R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349526

QC Batch: 745041 Analysis Method: EPA 6010
 QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

METHOD BLANK: 3415799 Matrix: Water
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	28.6	07/25/23 03:54	

LABORATORY CONTROL SAMPLE: 3415800

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	10400	104	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3415801 3415802

Parameter	Units	50349378001		3415802		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Iron, Dissolved	ug/L	838	10000	11300	11000	104	101	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349526

QC Batch: 744535 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526005, 50349526006, 50349526007

METHOD BLANK: 3413849 Matrix: Water
Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526005, 50349526006, 50349526007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.50	07/20/23 14:06	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.47	07/20/23 14:06	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.52	07/20/23 14:06	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.78	07/20/23 14:06	
1,1-Dichloroethane	ug/L	ND	5.0	0.46	07/20/23 14:06	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	07/20/23 14:06	
1,1-Dichloropropene	ug/L	ND	5.0	0.64	07/20/23 14:06	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.38	07/20/23 14:06	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.82	07/20/23 14:06	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	07/20/23 14:06	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.35	07/20/23 14:06	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.55	07/20/23 14:06	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.45	07/20/23 14:06	
1,2-Dichloroethane	ug/L	ND	5.0	0.54	07/20/23 14:06	
1,2-Dichloropropane	ug/L	ND	5.0	0.71	07/20/23 14:06	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.30	07/20/23 14:06	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.39	07/20/23 14:06	
1,3-Dichloropropane	ug/L	ND	5.0	0.49	07/20/23 14:06	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.43	07/20/23 14:06	
1-Methylnaphthalene	ug/L	ND	10.0	0.61	07/20/23 14:06	
2,2-Dichloropropane	ug/L	ND	5.0	0.62	07/20/23 14:06	
2-Butanone (MEK)	ug/L	ND	25.0	4.7	07/20/23 14:06	
2-Chlorotoluene	ug/L	ND	5.0	0.38	07/20/23 14:06	
2-Hexanone	ug/L	ND	25.0	3.0	07/20/23 14:06	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	07/20/23 14:06	
4-Chlorotoluene	ug/L	ND	5.0	0.40	07/20/23 14:06	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.5	07/20/23 14:06	
Acetone	ug/L	ND	100	8.9	07/20/23 14:06	
Acrolein	ug/L	ND	50.0	12.7	07/20/23 14:06	
Acrylonitrile	ug/L	ND	100	2.2	07/20/23 14:06	
Benzene	ug/L	ND	5.0	0.39	07/20/23 14:06	
Bromobenzene	ug/L	ND	5.0	0.50	07/20/23 14:06	
Bromochloromethane	ug/L	ND	5.0	0.43	07/20/23 14:06	
Bromodichloromethane	ug/L	ND	5.0	0.57	07/20/23 14:06	
Bromoform	ug/L	ND	5.0	0.73	07/20/23 14:06	
Bromomethane	ug/L	ND	5.0	0.57	07/20/23 14:06	
Carbon disulfide	ug/L	ND	10.0	0.83	07/20/23 14:06	
Carbon tetrachloride	ug/L	ND	5.0	0.40	07/20/23 14:06	
Chlorobenzene	ug/L	ND	5.0	0.36	07/20/23 14:06	
Chloroethane	ug/L	ND	5.0	0.55	07/20/23 14:06	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349526

METHOD BLANK: 3413849 Matrix: Water
Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526005, 50349526006, 50349526007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.44	07/20/23 14:06	
Chloromethane	ug/L	ND	5.0	0.50	07/20/23 14:06	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.53	07/20/23 14:06	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.50	07/20/23 14:06	
Dibromochloromethane	ug/L	ND	5.0	0.56	07/20/23 14:06	
Dibromomethane	ug/L	ND	5.0	0.76	07/20/23 14:06	
Dichlorodifluoromethane	ug/L	ND	5.0	0.60	07/20/23 14:06	
Ethyl methacrylate	ug/L	ND	100	0.64	07/20/23 14:06	
Ethylbenzene	ug/L	ND	5.0	0.35	07/20/23 14:06	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.46	07/20/23 14:06	
Iodomethane	ug/L	ND	10.0	0.31	07/20/23 14:06	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	07/20/23 14:06	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.48	07/20/23 14:06	
Methylene Chloride	ug/L	ND	5.0	2.2	07/20/23 14:06	
n-Butylbenzene	ug/L	ND	5.0	0.38	07/20/23 14:06	
n-Hexane	ug/L	ND	5.0	0.46	07/20/23 14:06	
n-Propylbenzene	ug/L	ND	5.0	0.34	07/20/23 14:06	
Naphthalene	ug/L	ND	1.2	0.42	07/20/23 14:06	
p-Isopropyltoluene	ug/L	ND	5.0	0.36	07/20/23 14:06	
sec-Butylbenzene	ug/L	ND	5.0	0.32	07/20/23 14:06	
Styrene	ug/L	ND	5.0	0.40	07/20/23 14:06	
tert-Butylbenzene	ug/L	ND	5.0	0.35	07/20/23 14:06	
Tetrachloroethene	ug/L	ND	5.0	0.32	07/20/23 14:06	
Toluene	ug/L	ND	5.0	0.34	07/20/23 14:06	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.35	07/20/23 14:06	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.51	07/20/23 14:06	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.72	07/20/23 14:06	
Trichloroethene	ug/L	ND	5.0	0.70	07/20/23 14:06	
Trichlorofluoromethane	ug/L	ND	5.0	0.62	07/20/23 14:06	
Vinyl acetate	ug/L	ND	50.0	0.96	07/20/23 14:06	
Vinyl chloride	ug/L	ND	2.0	0.59	07/20/23 14:06	
Xylene (Total)	ug/L	ND	10.0	0.35	07/20/23 14:06	
4-Bromofluorobenzene (S)	%	104	79-124		07/20/23 14:06	
Dibromofluoromethane (S)	%	103	82-128		07/20/23 14:06	
Toluene-d8 (S)	%	98	73-122		07/20/23 14:06	

LABORATORY CONTROL SAMPLE: 3413850

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	49.3	99	81-130	
1,1,1-Trichloroethane	ug/L	50	53.5	107	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	45.6	91	70-126	
1,1,2-Trichloroethane	ug/L	50	52.5	105	79-124	
1,1-Dichloroethane	ug/L	50	48.2	96	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349526

LABORATORY CONTROL SAMPLE: 3413850

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	49.2	98	73-133	
1,1-Dichloropropene	ug/L	50	55.3	111	78-144	
1,2,3-Trichlorobenzene	ug/L	50	44.5	89	72-138	
1,2,3-Trichloropropane	ug/L	50	47.9	96	75-121	
1,2,4-Trichlorobenzene	ug/L	50	43.9	88	71-138	
1,2,4-Trimethylbenzene	ug/L	50	44.6	89	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	54.9	110	80-126	
1,2-Dichlorobenzene	ug/L	50	46.8	94	79-123	
1,2-Dichloroethane	ug/L	50	49.2	98	70-124	
1,2-Dichloropropane	ug/L	50	51.5	103	74-128	
1,3,5-Trimethylbenzene	ug/L	50	44.5	89	71-124	
1,3-Dichlorobenzene	ug/L	50	46.8	94	77-124	
1,3-Dichloropropane	ug/L	50	51.1	102	77-126	
1,4-Dichlorobenzene	ug/L	50	47.8	96	77-120	
1-Methylnaphthalene	ug/L	50	46.0	92	49-175	
2,2-Dichloropropane	ug/L	50	51.2	102	65-136	
2-Butanone (MEK)	ug/L	250	211	85	59-134	
2-Chlorotoluene	ug/L	50	45.6	91	74-121	
2-Hexanone	ug/L	250	207	83	63-134	
2-Methylnaphthalene	ug/L	50	44.6	89	52-170	
4-Chlorotoluene	ug/L	50	45.7	91	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	216	86	67-133	
Acetone	ug/L	250	169	68	32-133	
Acrolein	ug/L	1000	1040	104	35-166	
Acrylonitrile	ug/L	250	242	97	69-137	
Benzene	ug/L	50	49.2	98	74-124	
Bromobenzene	ug/L	50	47.5	95	76-122	
Bromochloromethane	ug/L	50	46.7	93	66-127	
Bromodichloromethane	ug/L	50	53.1	106	80-126	
Bromoform	ug/L	50	46.8	94	75-128	
Bromomethane	ug/L	50	53.5	107	10-183	
Carbon disulfide	ug/L	50	50.2	100	68-123	
Carbon tetrachloride	ug/L	50	52.2	104	78-132	
Chlorobenzene	ug/L	50	49.0	98	77-121	
Chloroethane	ug/L	50	52.4	105	43-140	
Chloroform	ug/L	50	48.7	97	75-118	
Chloromethane	ug/L	50	48.2	96	45-130	
cis-1,2-Dichloroethene	ug/L	50	49.3	99	76-125	
cis-1,3-Dichloropropene	ug/L	50	52.3	105	76-132	
Dibromochloromethane	ug/L	50	50.8	102	79-130	
Dibromomethane	ug/L	50	52.2	104	79-124	
Dichlorodifluoromethane	ug/L	50	46.0	92	10-124	
Ethyl methacrylate	ug/L	50	46.3J	93	73-137	
Ethylbenzene	ug/L	50	48.8	98	74-125	
Hexachloro-1,3-butadiene	ug/L	50	44.5	89	66-141	
Iodomethane	ug/L	50	45.4	91	10-160	
Isopropylbenzene (Cumene)	ug/L	50	48.0	96	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349526

LABORATORY CONTROL SAMPLE: 3413850

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	50.3	101	74-129	
Methylene Chloride	ug/L	50	57.5	115	77-126	
n-Butylbenzene	ug/L	50	47.8	96	72-131	
n-Hexane	ug/L	50	49.3	99	58-131	
n-Propylbenzene	ug/L	50	49.0	98	76-127	
Naphthalene	ug/L	50	44.5	89	70-132	
p-Isopropyltoluene	ug/L	50	48.1	96	76-126	
sec-Butylbenzene	ug/L	50	48.4	97	76-129	
Styrene	ug/L	50	45.5	91	81-129	
tert-Butylbenzene	ug/L	50	46.8	94	76-129	
Tetrachloroethene	ug/L	50	49.5	99	73-132	
Toluene	ug/L	50	43.4	87	72-119	
trans-1,2-Dichloroethene	ug/L	50	49.9	100	74-125	
trans-1,3-Dichloropropene	ug/L	50	50.9	102	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	45.1J	90	66-152	
Trichloroethene	ug/L	50	54.3	109	75-127	
Trichlorofluoromethane	ug/L	50	64.5	129	64-136	
Vinyl acetate	ug/L	200	297	149	62-159	
Vinyl chloride	ug/L	50	55.1	110	48-133	
Xylene (Total)	ug/L	150	139	93	73-123	
4-Bromofluorobenzene (S)	%			98	79-124	
Dibromofluoromethane (S)	%			97	82-128	
Toluene-d8 (S)	%			98	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3413851 3413852

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50349526001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	49.1	49.4	98	99	60-150	0	20		
1,1,1-Trichloroethane	ug/L	ND	50	50	52.9	52.5	100	100	63-138	1	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	46.5	45.2	93	90	58-146	3	20		
1,1,2-Trichloroethane	ug/L	ND	50	50	50.9	50.5	102	101	63-142	1	20		
1,1-Dichloroethane	ug/L	15.5	50	50	60.0	58.6	89	86	64-138	2	20		
1,1-Dichloroethene	ug/L	ND	50	50	47.6	46.7	95	93	65-139	2	20		
1,1-Dichloropropene	ug/L	ND	50	50	53.3	52.6	107	105	68-155	1	20		
1,2,3-Trichlorobenzene	ug/L	ND	50	50	40.5	39.7	81	79	32-141	2	20		
1,2,3-Trichloropropane	ug/L	ND	50	50	48.6	46.9	97	94	54-144	4	20		
1,2,4-Trichlorobenzene	ug/L	ND	50	50	39.0	38.2	78	76	31-140	2	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	43.2	41.7	86	83	34-144	4	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	53.0	53.5	106	107	64-139	1	20		
1,2-Dichlorobenzene	ug/L	ND	50	50	46.1	44.6	92	89	50-136	3	20		
1,2-Dichloroethane	ug/L	ND	50	50	51.9	50.7	104	101	55-146	2	20		
1,2-Dichloropropane	ug/L	ND	50	50	52.6	51.0	105	102	66-134	3	20		
1,3,5-Trimethylbenzene	ug/L	ND	50	50	43.1	42.3	86	85	29-151	2	20		
1,3-Dichlorobenzene	ug/L	ND	50	50	45.1	43.2	90	86	47-133	4	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349526

Parameter	Units	3413851		3413852		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		50349526001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,3-Dichloropropane	ug/L	ND	50	50	50.0	50.8	100	102	61-144	2	20		
1,4-Dichlorobenzene	ug/L	ND	50	50	46.0	43.8	92	88	50-131	5	20		
1-Methylnaphthalene	ug/L	ND	50	50	41.7	41.5	83	83	20-176	0	20		
2,2-Dichloropropane	ug/L	ND	50	50	46.3	45.5	93	91	33-146	2	20		
2-Butanone (MEK)	ug/L	ND	250	250	204	211	82	85	45-155	3	20		
2-Chlorotoluene	ug/L	ND	50	50	45.1	43.2	90	86	43-142	4	20		
2-Hexanone	ug/L	ND	250	250	196	203	78	81	48-157	4	20		
2-Methylnaphthalene	ug/L	ND	50	50	40.3	39.6	81	79	21-175	2	20		
4-Chlorotoluene	ug/L	ND	50	50	44.3	43.2	89	86	47-137	3	20		
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	205	212	82	85	53-156	4	20		
Acetone	ug/L	ND	250	250	152	165	61	66	16-162	8	20		
Acrolein	ug/L	ND	1000	1000	860	831	86	83	39-184	3	20		
Acrylonitrile	ug/L	ND	250	250	236	237	94	95	58-140	0	20		
Benzene	ug/L	ND	50	50	51.4	50.4	98	96	65-137	2	20		
Bromobenzene	ug/L	ND	50	50	46.7	45.6	93	91	56-137	2	20		
Bromochloromethane	ug/L	ND	50	50	48.5	45.9	97	92	56-139	6	20		
Bromodichloromethane	ug/L	ND	50	50	53.0	52.1	106	104	61-149	2	20		
Bromoform	ug/L	ND	50	50	45.4	45.3	91	91	51-138	0	20		
Bromomethane	ug/L	ND	50	50	39.3	43.5	79	87	10-169	10	20		
Carbon disulfide	ug/L	ND	50	50	47.7	46.4	93	91	55-126	3	20		
Carbon tetrachloride	ug/L	ND	50	50	50.0	49.4	100	99	65-156	1	20		
Chlorobenzene	ug/L	ND	50	50	48.6	48.2	97	96	54-135	1	20		
Chloroethane	ug/L	274	50	50	255	256	-39	-37	46-142	0	20	M1	
Chloroform	ug/L	ND	50	50	48.7	48.2	97	96	64-133	1	20		
Chloromethane	ug/L	ND	50	50	45.9	44.1	92	88	30-139	4	20		
cis-1,2-Dichloroethene	ug/L	ND	50	50	50.9	50.4	97	96	59-141	1	20		
cis-1,3-Dichloropropene	ug/L	ND	50	50	50.7	50.4	101	101	57-141	1	20		
Dibromochloromethane	ug/L	ND	50	50	50.0	49.6	100	99	59-147	1	20		
Dibromomethane	ug/L	ND	50	50	50.8	51.8	102	104	64-142	2	20		
Dichlorodifluoromethane	ug/L	ND	50	50	42.5	43.8	85	88	10-144	3	20		
Ethyl methacrylate	ug/L	ND	50	50	44.2J	45.2J	88	90	58-147		20		
Ethylbenzene	ug/L	ND	50	50	47.4	46.7	95	93	50-143	1	20		
Hexachloro-1,3-butadiene	ug/L	ND	50	50	39.3	38.6	79	77	16-155	2	20		
Iodomethane	ug/L	ND	50	50	57.6	55.6	115	111	10-154	4	20		
Isopropylbenzene (Cumene)	ug/L	ND	50	50	46.1	45.6	92	91	36-151	1	20		
Methyl-tert-butyl ether	ug/L	ND	50	50	50.6	50.7	101	101	66-138	0	20		
Methylene Chloride	ug/L	ND	50	50	53.4	53.2	107	106	53-126	0	20		
n-Butylbenzene	ug/L	ND	50	50	44.3	42.3	89	85	31-142	5	20		
n-Hexane	ug/L	ND	50	50	47.7	47.2	95	94	53-129	1	20		
n-Propylbenzene	ug/L	ND	50	50	47.3	45.7	95	91	39-145	3	20		
Naphthalene	ug/L	ND	50	50	42.7	41.5	85	83	51-135	3	20		
p-Isopropyltoluene	ug/L	ND	50	50	45.2	43.8	90	88	38-145	3	20		
sec-Butylbenzene	ug/L	ND	50	50	47.4	45.9	95	92	33-153	3	20		
Styrene	ug/L	ND	50	50	43.4	43.8	87	88	57-141	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349526

Parameter	Units	3413851		3413852		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50349526001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
tert-Butylbenzene	ug/L	ND	50	50	46.4	44.9	93	90	45-145	3	20		
Tetrachloroethene	ug/L	ND	50	50	46.1	45.7	92	91	43-149	1	20		
Toluene	ug/L	ND	50	50	43.9	43.4	84	84	57-137	1	20		
trans-1,2-Dichloroethene	ug/L	ND	50	50	47.8	47.5	96	95	63-133	1	20		
trans-1,3-Dichloropropene	ug/L	ND	50	50	48.2	47.8	96	96	56-140	1	20		
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	40.8J	40.5J	82	81	36-169		20		
Trichloroethene	ug/L	ND	50	50	54.2	52.7	108	105	52-145	3	20		
Trichlorofluoromethane	ug/L	ND	50	50	58.2	57.8	116	116	52-144	1	20		
Vinyl acetate	ug/L	ND	200	200	255	253	128	126	27-179	1	20		
Vinyl chloride	ug/L	3.2	50	50	53.3	53.0	100	99	43-139	1	20		
Xylene (Total)	ug/L	ND	150	150	134	132	90	88	52-137	2	20		
4-Bromofluorobenzene (S)	%						96	94	79-124				
Dibromofluoromethane (S)	%						95	95	82-128				
Toluene-d8 (S)	%						98	99	73-122				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349526

QC Batch: 744196 Analysis Method: EPA 353.2
 QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

METHOD BLANK: 3412299 Matrix: Water
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.011	07/18/23 23:53	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.011	07/18/23 23:53	

LABORATORY CONTROL SAMPLE: 3412300

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	102	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3412301 3412302

Parameter	Units	50349482001		3412302		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Nitrogen, Nitrate	mg/L	1.8	1	1	2.8	2.8	105	106	90-110	0	20
Nitrogen, NO2 plus NO3	mg/L	1.8	2	2	3.8	3.9	103	104	90-110	0	20

MATRIX SPIKE SAMPLE: 3412303

Parameter	Units	50349482003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1.5	1	2.6	106	90-110	
Nitrogen, NO2 plus NO3	mg/L	1.5	2	3.6	104	90-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349526

QC Batch: 744310 Analysis Method: SM 5310C
 QC Batch Method: SM 5310C Analysis Description: 5310C Total Organic Carbon
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

METHOD BLANK: 3412748 Matrix: Water
 Associated Lab Samples: 50349526001, 50349526002, 50349526003, 50349526004, 50349526007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	236	07/19/23 20:11	

LABORATORY CONTROL SAMPLE: 3412749

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	10100	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3412750 3412751

Parameter	Units	50348454011		3412751		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Total Organic Carbon	ug/L	19.8 mg/L	100000	121000	120000	101	101	80-120	0	20	

MATRIX SPIKE SAMPLE: 3412752

Parameter	Units	50348454012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	35.3 mg/L	80000	107000	90	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GE Indy
Pace Project No.: 50349526

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D4 Sample was diluted due to the presence of high levels of target analytes.
L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



METHOD CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50349526

Parameter	Matrix	Analytical Method	Preparation Method
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50349526

Table with 6 columns: Lab ID, Sample ID, QC Batch Method, QC Batch, Analytical Method, Analytical Batch. It lists various sample IDs and their corresponding QC and analytical data.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 7/18/23 1215 CR2

1. Courier: FED EX UPS CLIENT PACE NOW/JETT OTHER

2. Custody Seal on Cooler/Box Present: Yes No
 (If yes)Seals Intact: Yes No (leave blank if no seals were present)

3. Thermometer: 1 2 3 4 5 6 7 8 A B C D E F G H

4. Cooler Temperature(s): 2.2/2.2
 (Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: Bubble Wrap Bubble Bags
 None Other _____

6. Ice Type: Wet Blue None

7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
 Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		/	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis: <u>Nitrate</u>	/		Circles: <u>HNO3 (<2)</u> <u>H2SO4 (>2)</u> NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	/		
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:		Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A
Rush TAT Requested (4 days or less):		/	Residual Chlorine Check (Total/Amenable/Free Cyanide)			/
Custody Signatures Present?	/		Headspace Wisconsin Sulfide?			/
Containers Intact?:	/		Headspace in VOA Vials (>6mm): See Container Count form for details	Present	Absent	No VOA Vials Sent
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID		/	Trip Blank Present?	/		
Extra labels on Terracore Vials? (soils only)			Trip Blank Custody Seals?:	/		

COMMENTS: Sample ID MW-4105 071723 BP34 and AG35 don't have collection time (1535) (7/18/23 CR2)



August 02, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50349621

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on July 19, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Gulf Coast
- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Mr. Tyler Carter, Ramboll Environ
Matt Starrett, Ramboll
Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50349621

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

Pace Analytical Gulf Coast

7979 Innovation Park Drive, Baton Rouge, LA 70820
Arkansas Certification #: 88-0655
DoD ELAP Certification #: 6429-01
Florida Certification #: E87854
Illinois Certification #: 004585
Kansas Certification #: E-10354
Louisiana/LELAP Certification #: 01955
North Carolina Certification #: 618

North Dakota Certification #: R-195
Oklahoma Certification #: 2019-101
South Carolina Certification #: 73006001
Texas Certification #: T104704178-19-11
USDA Soil Permit # P330-19-00209
Virginia Certification #: 460215
Washington Certification #: C929

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50349621

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50349621001	MW-402-071823	Water	07/18/23 12:30	07/19/23 12:20
50349621002	AD-200-071823	Water	07/18/23 12:00	07/19/23 12:20
50349621003	MW-407S-071823	Water	07/18/23 15:35	07/19/23 12:20
50349621004	MW-407D-071923	Water	07/19/23 09:40	07/19/23 12:20
50349621005	Trip Blank-071923	Water	07/19/23 08:00	07/19/23 12:20
50349621006	MW-418S-071923	Water	07/19/23 11:00	07/19/23 12:20
50349621007	AD-300-071923	Water	07/19/23 12:00	07/19/23 12:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GE Indy
 Pace Project No.: 50349621

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50349621001	MW-402-071823	EPA 300.0	ADM	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	SLB	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349621002	AD-200-071823	EPA 5030/8260	SLB, TMW	75	PASI-I
50349621003	MW-407S-071823	EPA 300.0	ADM	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	SLB, TMW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349621004	MW-407D-071923	EPA 300.0	ADM	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	SLB	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349621005	Trip Blank-071923	EPA 5030/8260	SLB	75	PASI-I
50349621006	MW-418S-071923	EPA 300.0	ADM	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	SLB	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349621007	AD-300-071923	EPA 300.0	ADM	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	SLB	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I

GCLA = Pace Analytical Gulf Coast
 PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50349621

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50349621001	MW-402-071823					
EPA 300.0	Sulfate	58600	ug/L	2500	07/27/23 10:57	
AM20GAX	Methane	7300	ug/L	5.0	07/27/23 06:54	
AM20GAX	Ethane	93	ug/L	1.0	07/27/23 06:54	
AM20GAX	Ethene	98	ug/L	1.0	07/27/23 06:54	
EPA 6010	Iron, Dissolved	12900	ug/L	100	07/27/23 02:24	
EPA 5030/8260	Chloroethane	880	ug/L	125	07/24/23 12:55	
EPA 5030/8260	1,1-Dichloroethane	253	ug/L	5.0	07/21/23 16:21	
EPA 5030/8260	1,1-Dichloroethene	6.9	ug/L	5.0	07/21/23 16:21	1d,CH
EPA 5030/8260	cis-1,2-Dichloroethene	5240	ug/L	125	07/24/23 12:55	
EPA 5030/8260	trans-1,2-Dichloroethene	57.3	ug/L	5.0	07/21/23 16:21	
EPA 5030/8260	Methylene Chloride	13.5	ug/L	5.0	07/21/23 16:21	
EPA 5030/8260	1,1,1-Trichloroethane	60.8	ug/L	5.0	07/21/23 16:21	
EPA 5030/8260	Trichloroethene	102	ug/L	5.0	07/21/23 16:21	
EPA 5030/8260	Vinyl chloride	264	ug/L	50.0	07/24/23 12:55	
SM 5310C	Total Organic Carbon	14400	ug/L	8000	07/25/23 16:18	
50349621002	AD-200-071823					
EPA 5030/8260	Acetone	282	ug/L	100	07/24/23 14:50	
EPA 5030/8260	Chloroethane	31.0	ug/L	5.0	07/24/23 14:50	
50349621003	MW-407S-071823					
EPA 300.0	Sulfate	512	ug/L	250	07/27/23 11:30	
AM20GAX	Methane	5100	ug/L	5.0	07/27/23 07:06	
AM20GAX	Ethane	12	ug/L	1.0	07/27/23 07:06	
AM20GAX	Ethene	1.4	ug/L	1.0	07/27/23 07:06	
EPA 6010	Iron, Dissolved	29300	ug/L	100	07/27/23 02:30	
EPA 5030/8260	Acetone	239	ug/L	100	07/24/23 15:21	
EPA 5030/8260	Chloroethane	18.6	ug/L	5.0	07/24/23 15:21	
SM 5310C	Total Organic Carbon	169000	ug/L	16000	07/25/23 16:37	
50349621004	MW-407D-071923					
EPA 300.0	Sulfate	523	ug/L	250	07/27/23 12:23	
AM20GAX	Methane	6700	ug/L	5.0	07/27/23 07:20	
AM20GAX	Ethane	40	ug/L	1.0	07/27/23 07:20	
AM20GAX	Ethene	68	ug/L	1.0	07/27/23 07:20	
EPA 6010	Iron, Dissolved	15600	ug/L	100	07/27/23 02:42	
EPA 5030/8260	Chloroethane	290	ug/L	5.0	07/24/23 14:31	
EPA 5030/8260	1,1-Dichloroethane	7.9	ug/L	5.0	07/21/23 17:57	
EPA 5030/8260	cis-1,2-Dichloroethene	9.9	ug/L	5.0	07/21/23 17:57	
EPA 5030/8260	Vinyl chloride	33.3	ug/L	2.0	07/24/23 14:31	
SM 5310C	Total Organic Carbon	84900	ug/L	16000	07/25/23 16:48	
50349621006	MW-418S-071923					
EPA 300.0	Sulfate	318	ug/L	250	07/27/23 13:58	
AM20GAX	Methane	8300	ug/L	5.0	07/27/23 07:33	
AM20GAX	Ethane	300	ug/L	1.0	07/27/23 07:33	
AM20GAX	Ethene	1900	ug/L	1.0	07/27/23 07:33	
EPA 6010	Iron, Dissolved	14000	ug/L	100	07/27/23 02:34	
EPA 5030/8260	Chloroethane	131	ug/L	50.0	07/21/23 19:01	1d,CH

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50349621

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50349621006	MW-418S-071923					
EPA 5030/8260	1,1-Dichloroethane	119	ug/L	50.0	07/21/23 19:01	
EPA 5030/8260	1,1-Dichloroethene	51.0	ug/L	50.0	07/21/23 19:01	1d,CH
EPA 5030/8260	cis-1,2-Dichloroethene	11400	ug/L	500	07/25/23 11:01	HS
EPA 5030/8260	Vinyl chloride	10500	ug/L	200	07/25/23 11:01	HS
SM 5310C	Total Organic Carbon	7710	ug/L	4000	07/25/23 17:02	
50349621007	AD-300-071923					
EPA 300.0	Sulfate	290	ug/L	250	07/27/23 14:47	
AM20GAX	Methane	7900	ug/L	5.0	07/27/23 07:47	
AM20GAX	Ethane	280	ug/L	1.0	07/27/23 07:47	
AM20GAX	Ethene	1800	ug/L	1.0	07/27/23 07:47	
EPA 6010	Iron, Dissolved	13700	ug/L	100	07/27/23 02:37	
EPA 5030/8260	Chloroethane	125	ug/L	50.0	07/21/23 19:33	1d,CH
EPA 5030/8260	1,1-Dichloroethane	118	ug/L	50.0	07/21/23 19:33	
EPA 5030/8260	1,1-Dichloroethene	50.5	ug/L	50.0	07/21/23 19:33	1d,CH
EPA 5030/8260	cis-1,2-Dichloroethene	12400	ug/L	500	07/25/23 12:37	
EPA 5030/8260	Vinyl chloride	10900	ug/L	200	07/25/23 12:37	
SM 5310C	Total Organic Carbon	9430	ug/L	4000	07/25/23 17:12	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349621

Sample: MW-402-071823		Lab ID: 50349621001		Collected: 07/18/23 12:30		Received: 07/19/23 12:20		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis							
Sulfate	58600	ug/L	2500	1900	10		07/27/23 10:57	14808-79-8	
Indicator Gases Water LHC		Analytical Method: AM20GAX Pace Analytical Gulf Coast							
Methane	7300	ug/L	5.0	2.0	1		07/27/23 06:54	74-82-8	
Ethane	93	ug/L	1.0	0.17	1		07/27/23 06:54	74-84-0	
Ethene	98	ug/L	1.0	0.24	1		07/27/23 06:54	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 06:54	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 06:54	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 06:54	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 06:54	JUNK42	
6010 MET ICP, Dissolved		Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis							
Iron, Dissolved	12900	ug/L	100	28.6	1	07/27/23 01:58	07/27/23 02:24	7439-89-6	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	37.5	1		07/21/23 16:21	67-64-1	
Acrolein	ND	ug/L	50.0	24.1	1		07/21/23 16:21	107-02-8	
Acrylonitrile	ND	ug/L	100	2.5	1		07/21/23 16:21	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/21/23 16:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/21/23 16:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1.0	1		07/21/23 16:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.51	1		07/21/23 16:21	75-27-4	
Bromoform	ND	ug/L	5.0	3.4	1		07/21/23 16:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.87	1		07/21/23 16:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.4	1		07/21/23 16:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.42	1		07/21/23 16:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.44	1		07/21/23 16:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		07/21/23 16:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.72	1		07/21/23 16:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.2	1		07/21/23 16:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/21/23 16:21	108-90-7	
Chloroethane	880	ug/L	125	42.0	25		07/24/23 12:55	75-00-3	
Chloroform	ND	ug/L	5.0	1.4	1		07/21/23 16:21	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		07/21/23 16:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		07/21/23 16:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.44	1		07/21/23 16:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.41	1		07/21/23 16:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	4.4	1		07/21/23 16:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.4	1		07/21/23 16:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/21/23 16:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.41	1		07/21/23 16:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/21/23 16:21	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349621

Sample: MW-402-071823 Lab ID: 50349621001 Collected: 07/18/23 12:30 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	2.6	1		07/21/23 16:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 16:21	75-71-8	
1,1-Dichloroethane	253	ug/L	5.0	0.40	1		07/21/23 16:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.2	1		07/21/23 16:21	107-06-2	
1,1-Dichloroethene	6.9	ug/L	5.0	0.31	1		07/21/23 16:21	75-35-4	1d,CH
cis-1,2-Dichloroethene	5240	ug/L	125	9.5	25		07/24/23 12:55	156-59-2	
trans-1,2-Dichloroethene	57.3	ug/L	5.0	0.41	1		07/21/23 16:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.59	1		07/21/23 16:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.50	1		07/21/23 16:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.35	1		07/21/23 16:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.44	1		07/21/23 16:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.47	1		07/21/23 16:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.88	1		07/21/23 16:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/21/23 16:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.6	1		07/21/23 16:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.60	1		07/21/23 16:21	87-68-3	
n-Hexane	ND	ug/L	5.0	0.53	1		07/21/23 16:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/21/23 16:21	591-78-6	
Iodomethane	ND	ug/L	10.0	3.2	1		07/21/23 16:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.43	1		07/21/23 16:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		07/21/23 16:21	99-87-6	
Methylene Chloride	13.5	ug/L	5.0	3.9	1		07/21/23 16:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.2	1		07/21/23 16:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	4.8	1		07/21/23 16:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.2	1		07/21/23 16:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.41	1		07/21/23 16:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.1	1		07/21/23 16:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.32	1		07/21/23 16:21	103-65-1	
Styrene	ND	ug/L	5.0	0.38	1		07/21/23 16:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/21/23 16:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.62	1		07/21/23 16:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.52	1		07/21/23 16:21	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		07/21/23 16:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1.4	1		07/21/23 16:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/21/23 16:21	120-82-1	
1,1,1-Trichloroethane	60.8	ug/L	5.0	0.36	1		07/21/23 16:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	3.6	1		07/21/23 16:21	79-00-5	
Trichloroethene	102	ug/L	5.0	4.6	1		07/21/23 16:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 16:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	4.1	1		07/21/23 16:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.65	1		07/21/23 16:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.39	1		07/21/23 16:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		07/21/23 16:21	108-05-4	
Vinyl chloride	264	ug/L	50.0	12.0	25		07/24/23 12:55	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.2	1		07/21/23 16:21	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: MW-402-071823		Lab ID: 50349621001		Collected: 07/18/23 12:30	Received: 07/19/23 12:20	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		07/21/23 16:21	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		07/21/23 16:21	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		07/21/23 16:21	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 23:26		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 23:26	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	14400	ug/L	8000	1890	8		07/25/23 16:18	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349621

Sample: AD-200-071823 Lab ID: 50349621002 Collected: 07/18/23 12:00 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	282	ug/L	100	6.4	1		07/24/23 14:50	67-64-1	
Acrolein	ND	ug/L	50.0	24.1	1		07/21/23 16:53	107-02-8	
Acrylonitrile	ND	ug/L	100	2.5	1		07/21/23 16:53	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/21/23 16:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/21/23 16:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1.0	1		07/21/23 16:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.51	1		07/21/23 16:53	75-27-4	
Bromoform	ND	ug/L	5.0	3.4	1		07/21/23 16:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.87	1		07/21/23 16:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.4	1		07/21/23 16:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.42	1		07/21/23 16:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.44	1		07/21/23 16:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		07/21/23 16:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.72	1		07/21/23 16:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.2	1		07/21/23 16:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/21/23 16:53	108-90-7	
Chloroethane	31.0	ug/L	5.0	0.87	1		07/24/23 14:50	75-00-3	
Chloroform	ND	ug/L	5.0	1.4	1		07/21/23 16:53	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		07/21/23 16:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		07/21/23 16:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.44	1		07/21/23 16:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.41	1		07/21/23 16:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	4.4	1		07/21/23 16:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.4	1		07/21/23 16:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/21/23 16:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.41	1		07/21/23 16:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/21/23 16:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	2.6	1		07/21/23 16:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 16:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.40	1		07/21/23 16:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.2	1		07/21/23 16:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		07/21/23 16:53	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/21/23 16:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/21/23 16:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.59	1		07/21/23 16:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.50	1		07/21/23 16:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.35	1		07/21/23 16:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.44	1		07/21/23 16:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.47	1		07/21/23 16:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.88	1		07/21/23 16:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/21/23 16:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.6	1		07/21/23 16:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.60	1		07/21/23 16:53	87-68-3	
n-Hexane	ND	ug/L	5.0	0.53	1		07/21/23 16:53	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/21/23 16:53	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349621

Sample: AD-200-071823 Lab ID: 50349621002 Collected: 07/18/23 12:00 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	3.2	1		07/21/23 16:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.43	1		07/21/23 16:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		07/21/23 16:53	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.9	1		07/21/23 16:53	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.2	1		07/21/23 16:53	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	4.8	1		07/21/23 16:53	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.2	1		07/21/23 16:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.41	1		07/21/23 16:53	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.1	1		07/21/23 16:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.32	1		07/21/23 16:53	103-65-1	
Styrene	ND	ug/L	5.0	0.38	1		07/21/23 16:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/21/23 16:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.62	1		07/21/23 16:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.52	1		07/21/23 16:53	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		07/21/23 16:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1.4	1		07/21/23 16:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/21/23 16:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.36	1		07/21/23 16:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	3.6	1		07/21/23 16:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	4.6	1		07/21/23 16:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 16:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	4.1	1		07/21/23 16:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.65	1		07/21/23 16:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.39	1		07/21/23 16:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		07/21/23 16:53	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.48	1		07/21/23 16:53	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.2	1		07/21/23 16:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		07/21/23 16:53	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		07/21/23 16:53	460-00-4	
Toluene-d8 (S)	102	%	73-122		1		07/21/23 16:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349621

Sample: MW-407S-071823 Lab ID: 50349621003 Collected: 07/18/23 15:35 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Pace Analytical Services - Indianapolis									
Sulfate	512	ug/L	250	190	1		07/27/23 11:30	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX									
Pace Analytical Gulf Coast									
Methane	5100	ug/L	5.0	2.0	1		07/27/23 07:06	74-82-8	
Ethane	12	ug/L	1.0	0.17	1		07/27/23 07:06	74-84-0	
Ethene	1.4	ug/L	1.0	0.24	1		07/27/23 07:06	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 07:06	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 07:06	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 07:06	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 07:06	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Pace Analytical Services - Indianapolis									
Iron, Dissolved	29300	ug/L	100	28.6	1	07/27/23 01:58	07/27/23 02:30	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	239	ug/L	100	6.4	1		07/24/23 15:21	67-64-1	
Acrolein	ND	ug/L	50.0	24.1	1		07/21/23 17:25	107-02-8	
Acrylonitrile	ND	ug/L	100	2.5	1		07/21/23 17:25	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/21/23 17:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/21/23 17:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1.0	1		07/21/23 17:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.51	1		07/21/23 17:25	75-27-4	
Bromoform	ND	ug/L	5.0	3.4	1		07/21/23 17:25	75-25-2	
Bromomethane	ND	ug/L	5.0	0.87	1		07/21/23 17:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.4	1		07/21/23 17:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.42	1		07/21/23 17:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.44	1		07/21/23 17:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		07/21/23 17:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.72	1		07/21/23 17:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.2	1		07/21/23 17:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/21/23 17:25	108-90-7	
Chloroethane	18.6	ug/L	5.0	0.87	1		07/24/23 15:21	75-00-3	
Chloroform	ND	ug/L	5.0	1.4	1		07/21/23 17:25	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		07/21/23 17:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		07/21/23 17:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.44	1		07/21/23 17:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.41	1		07/21/23 17:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	4.4	1		07/21/23 17:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.4	1		07/21/23 17:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/21/23 17:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.41	1		07/21/23 17:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/21/23 17:25	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: MW-407S-071823 Lab ID: 50349621003 Collected: 07/18/23 15:35 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	2.6	1		07/21/23 17:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 17:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.40	1		07/21/23 17:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.2	1		07/21/23 17:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		07/21/23 17:25	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/21/23 17:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/21/23 17:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.59	1		07/21/23 17:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.50	1		07/21/23 17:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.35	1		07/21/23 17:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.44	1		07/21/23 17:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.47	1		07/21/23 17:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.88	1		07/21/23 17:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/21/23 17:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.6	1		07/21/23 17:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.60	1		07/21/23 17:25	87-68-3	
n-Hexane	ND	ug/L	5.0	0.53	1		07/21/23 17:25	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/21/23 17:25	591-78-6	
Iodomethane	ND	ug/L	10.0	3.2	1		07/21/23 17:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.43	1		07/21/23 17:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		07/21/23 17:25	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.9	1		07/21/23 17:25	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.2	1		07/21/23 17:25	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	4.8	1		07/21/23 17:25	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.2	1		07/21/23 17:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.41	1		07/21/23 17:25	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.1	1		07/21/23 17:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.32	1		07/21/23 17:25	103-65-1	
Styrene	ND	ug/L	5.0	0.38	1		07/21/23 17:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/21/23 17:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.62	1		07/21/23 17:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.52	1		07/21/23 17:25	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		07/21/23 17:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1.4	1		07/21/23 17:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/21/23 17:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.36	1		07/21/23 17:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	3.6	1		07/21/23 17:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	4.6	1		07/21/23 17:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 17:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	4.1	1		07/21/23 17:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.65	1		07/21/23 17:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.39	1		07/21/23 17:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		07/21/23 17:25	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.48	1		07/21/23 17:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.2	1		07/21/23 17:25	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: MW-407S-071823		Lab ID: 50349621003		Collected: 07/18/23 15:35	Received: 07/19/23 12:20	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		07/21/23 17:25	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		07/21/23 17:25	460-00-4	
Toluene-d8 (S)	101	%	73-122		1		07/21/23 17:25	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 23:47		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 23:47	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	169000	ug/L	16000	3780	16		07/25/23 16:37	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: MW-407D-071923 **Lab ID: 50349621004** Collected: 07/19/23 09:40 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis									
Sulfate	523	ug/L	250	190	1		07/27/23 12:23	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	6700	ug/L	5.0	2.0	1		07/27/23 07:20	74-82-8	
Ethane	40	ug/L	1.0	0.17	1		07/27/23 07:20	74-84-0	
Ethene	68	ug/L	1.0	0.24	1		07/27/23 07:20	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 07:20	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 07:20	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 07:20	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 07:20	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis									
Iron, Dissolved	15600	ug/L	100	28.6	1	07/27/23 01:58	07/27/23 02:42	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	37.5	1		07/21/23 17:57	67-64-1	
Acrolein	ND	ug/L	50.0	24.1	1		07/21/23 17:57	107-02-8	
Acrylonitrile	ND	ug/L	100	2.5	1		07/21/23 17:57	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/21/23 17:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/21/23 17:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1.0	1		07/21/23 17:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.51	1		07/21/23 17:57	75-27-4	
Bromoform	ND	ug/L	5.0	3.4	1		07/21/23 17:57	75-25-2	
Bromomethane	ND	ug/L	5.0	0.87	1		07/21/23 17:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.4	1		07/21/23 17:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.42	1		07/21/23 17:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.44	1		07/21/23 17:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		07/21/23 17:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.72	1		07/21/23 17:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.2	1		07/21/23 17:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/21/23 17:57	108-90-7	
Chloroethane	290	ug/L	5.0	1.7	1		07/24/23 14:31	75-00-3	
Chloroform	ND	ug/L	5.0	1.4	1		07/21/23 17:57	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		07/21/23 17:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		07/21/23 17:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.44	1		07/21/23 17:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.41	1		07/21/23 17:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	4.4	1		07/21/23 17:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.4	1		07/21/23 17:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/21/23 17:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.41	1		07/21/23 17:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/21/23 17:57	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: MW-407D-071923 Lab ID: 50349621004 Collected: 07/19/23 09:40 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	2.6	1		07/21/23 17:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 17:57	75-71-8	
1,1-Dichloroethane	7.9	ug/L	5.0	0.40	1		07/21/23 17:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.2	1		07/21/23 17:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		07/21/23 17:57	75-35-4	
cis-1,2-Dichloroethene	9.9	ug/L	5.0	0.38	1		07/21/23 17:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/21/23 17:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.59	1		07/21/23 17:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.50	1		07/21/23 17:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.35	1		07/21/23 17:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.44	1		07/21/23 17:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.47	1		07/21/23 17:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.88	1		07/21/23 17:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/21/23 17:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.6	1		07/21/23 17:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.60	1		07/21/23 17:57	87-68-3	
n-Hexane	ND	ug/L	5.0	0.53	1		07/21/23 17:57	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/21/23 17:57	591-78-6	
Iodomethane	ND	ug/L	10.0	3.2	1		07/21/23 17:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.43	1		07/21/23 17:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		07/21/23 17:57	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.9	1		07/21/23 17:57	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.2	1		07/21/23 17:57	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	4.8	1		07/21/23 17:57	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.2	1		07/21/23 17:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.41	1		07/21/23 17:57	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.1	1		07/21/23 17:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.32	1		07/21/23 17:57	103-65-1	
Styrene	ND	ug/L	5.0	0.38	1		07/21/23 17:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/21/23 17:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.62	1		07/21/23 17:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.52	1		07/21/23 17:57	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		07/21/23 17:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1.4	1		07/21/23 17:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/21/23 17:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.36	1		07/21/23 17:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	3.6	1		07/21/23 17:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	4.6	1		07/21/23 17:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 17:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	4.1	1		07/21/23 17:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.65	1		07/21/23 17:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.39	1		07/21/23 17:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		07/21/23 17:57	108-05-4	
Vinyl chloride	33.3	ug/L	2.0	0.48	1		07/24/23 14:31	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.2	1		07/21/23 17:57	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349621

Sample: MW-407D-071923		Lab ID: 50349621004		Collected: 07/19/23 09:40	Received: 07/19/23 12:20	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		1		07/21/23 17:57	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		07/21/23 17:57	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		07/21/23 17:57	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 23:52		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 23:52	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	84900	ug/L	16000	3780	16		07/25/23 16:48	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: Trip Blank-071923 Lab ID: 50349621005 Collected: 07/19/23 08:00 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	37.5	1		07/21/23 18:29	67-64-1	
Acrolein	ND	ug/L	50.0	24.1	1		07/21/23 18:29	107-02-8	
Acrylonitrile	ND	ug/L	100	2.5	1		07/21/23 18:29	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/21/23 18:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/21/23 18:29	108-86-1	
Bromochloromethane	ND	ug/L	5.0	1.0	1		07/21/23 18:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.51	1		07/21/23 18:29	75-27-4	
Bromoform	ND	ug/L	5.0	3.4	1		07/21/23 18:29	75-25-2	
Bromomethane	ND	ug/L	5.0	0.87	1		07/21/23 18:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.4	1		07/21/23 18:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.42	1		07/21/23 18:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.44	1		07/21/23 18:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		07/21/23 18:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.72	1		07/21/23 18:29	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.2	1		07/21/23 18:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/21/23 18:29	108-90-7	
Chloroethane	ND	ug/L	5.0	1.7	1		07/21/23 18:29	75-00-3	
Chloroform	ND	ug/L	5.0	1.4	1		07/21/23 18:29	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		07/21/23 18:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		07/21/23 18:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.44	1		07/21/23 18:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.41	1		07/21/23 18:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	4.4	1		07/21/23 18:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.4	1		07/21/23 18:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/21/23 18:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.41	1		07/21/23 18:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/21/23 18:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	2.6	1		07/21/23 18:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 18:29	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.40	1		07/21/23 18:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.2	1		07/21/23 18:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		07/21/23 18:29	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/21/23 18:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/21/23 18:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.59	1		07/21/23 18:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.50	1		07/21/23 18:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.35	1		07/21/23 18:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.44	1		07/21/23 18:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.47	1		07/21/23 18:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.88	1		07/21/23 18:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/21/23 18:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.6	1		07/21/23 18:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.60	1		07/21/23 18:29	87-68-3	
n-Hexane	ND	ug/L	5.0	0.53	1		07/21/23 18:29	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/21/23 18:29	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: Trip Blank-071923 Lab ID: 50349621005 Collected: 07/19/23 08:00 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	3.2	1		07/21/23 18:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.43	1		07/21/23 18:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		07/21/23 18:29	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.9	1		07/21/23 18:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.2	1		07/21/23 18:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	4.8	1		07/21/23 18:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.2	1		07/21/23 18:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.41	1		07/21/23 18:29	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.1	1		07/21/23 18:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.32	1		07/21/23 18:29	103-65-1	
Styrene	ND	ug/L	5.0	0.38	1		07/21/23 18:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/21/23 18:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.62	1		07/21/23 18:29	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.52	1		07/21/23 18:29	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		07/21/23 18:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	1.4	1		07/21/23 18:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/21/23 18:29	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.36	1		07/21/23 18:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	3.6	1		07/21/23 18:29	79-00-5	
Trichloroethene	ND	ug/L	5.0	4.6	1		07/21/23 18:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.48	1		07/21/23 18:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	4.1	1		07/21/23 18:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.65	1		07/21/23 18:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.39	1		07/21/23 18:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		07/21/23 18:29	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.48	1		07/21/23 18:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.2	1		07/21/23 18:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		1		07/21/23 18:29	1868-53-7	
4-Bromofluorobenzene (S)	106	%	79-124		1		07/21/23 18:29	460-00-4	
Toluene-d8 (S)	105	%	73-122		1		07/21/23 18:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349621

Sample: MW-418S-071923 Lab ID: 50349621006 Collected: 07/19/23 11:00 Received: 07/19/23 12:20 Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis									
Sulfate	318	ug/L	250	190	1		07/27/23 13:58	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	8300	ug/L	5.0	2.0	1		07/27/23 07:33	74-82-8	
Ethane	300	ug/L	1.0	0.17	1		07/27/23 07:33	74-84-0	
Ethene	1900	ug/L	1.0	0.24	1		07/27/23 07:33	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 07:33	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 07:33	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 07:33	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 07:33	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis									
Iron, Dissolved	14000	ug/L	100	28.6	1	07/27/23 01:58	07/27/23 02:34	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	1000	375	10		07/21/23 19:01	67-64-1	
Acrolein	ND	ug/L	500	241	10		07/21/23 19:01	107-02-8	
Acrylonitrile	ND	ug/L	1000	24.6	10		07/21/23 19:01	107-13-1	
Benzene	ND	ug/L	50.0	4.1	10		07/21/23 19:01	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.0	10		07/21/23 19:01	108-86-1	
Bromochloromethane	ND	ug/L	50.0	10	10		07/21/23 19:01	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.1	10		07/21/23 19:01	75-27-4	
Bromoform	ND	ug/L	50.0	34.4	10		07/21/23 19:01	75-25-2	
Bromomethane	ND	ug/L	50.0	8.7	10		07/21/23 19:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	33.9	10		07/21/23 19:01	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	4.2	10		07/21/23 19:01	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	4.4	10		07/21/23 19:01	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.8	10		07/21/23 19:01	98-06-6	
Carbon disulfide	ND	ug/L	100	7.2	10		07/21/23 19:01	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	11.7	10		07/21/23 19:01	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.6	10		07/21/23 19:01	108-90-7	
Chloroethane	131	ug/L	50.0	16.8	10		07/21/23 19:01	75-00-3	1d,CH
Chloroform	ND	ug/L	50.0	14.0	10		07/21/23 19:01	67-66-3	
Chloromethane	ND	ug/L	50.0	4.2	10		07/21/23 19:01	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	3.3	10		07/21/23 19:01	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	4.4	10		07/21/23 19:01	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	4.1	10		07/21/23 19:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	43.8	10		07/21/23 19:01	106-93-4	
Dibromomethane	ND	ug/L	50.0	14.3	10		07/21/23 19:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.6	10		07/21/23 19:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	4.1	10		07/21/23 19:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	5.0	10		07/21/23 19:01	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: MW-418S-071923 Lab ID: 50349621006 Collected: 07/19/23 11:00 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	25.5	10		07/21/23 19:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	4.8	10		07/21/23 19:01	75-71-8	
1,1-Dichloroethane	119	ug/L	50.0	4.0	10		07/21/23 19:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	12.2	10		07/21/23 19:01	107-06-2	
1,1-Dichloroethene	51.0	ug/L	50.0	3.1	10		07/21/23 19:01	75-35-4	1d,CH
cis-1,2-Dichloroethene	11400	ug/L	500	37.9	100		07/25/23 11:01	156-59-2	HS
trans-1,2-Dichloroethene	ND	ug/L	50.0	4.1	10		07/21/23 19:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	5.9	10		07/21/23 19:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	5.0	10		07/21/23 19:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.5	10		07/21/23 19:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	4.4	10		07/21/23 19:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	4.7	10		07/21/23 19:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	8.8	10		07/21/23 19:01	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.0	10		07/21/23 19:01	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	15.6	10		07/21/23 19:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	6.0	10		07/21/23 19:01	87-68-3	
n-Hexane	ND	ug/L	50.0	5.3	10		07/21/23 19:01	110-54-3	
2-Hexanone	ND	ug/L	250	29.6	10		07/21/23 19:01	591-78-6	
Iodomethane	ND	ug/L	100	32.5	10		07/21/23 19:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	4.3	10		07/21/23 19:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	4.1	10		07/21/23 19:01	99-87-6	
Methylene Chloride	ND	ug/L	50.0	39.0	10		07/21/23 19:01	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	52.2	10		07/21/23 19:01	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	47.5	10		07/21/23 19:01	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	22.0	10		07/21/23 19:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.1	10		07/21/23 19:01	1634-04-4	
Naphthalene	ND	ug/L	12.0	11.2	10		07/21/23 19:01	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	3.2	10		07/21/23 19:01	103-65-1	
Styrene	ND	ug/L	50.0	3.8	10		07/21/23 19:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	4.6	10		07/21/23 19:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	6.2	10		07/21/23 19:01	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	5.2	10		07/21/23 19:01	127-18-4	
Toluene	ND	ug/L	50.0	3.8	10		07/21/23 19:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	13.9	10		07/21/23 19:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	11.0	10		07/21/23 19:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.6	10		07/21/23 19:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	36.3	10		07/21/23 19:01	79-00-5	
Trichloroethene	ND	ug/L	50.0	45.5	10		07/21/23 19:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	4.8	10		07/21/23 19:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	40.9	10		07/21/23 19:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	6.5	10		07/21/23 19:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.9	10		07/21/23 19:01	108-67-8	
Vinyl acetate	ND	ug/L	500	13.0	10		07/21/23 19:01	108-05-4	
Vinyl chloride	10500	ug/L	200	48.1	100		07/25/23 11:01	75-01-4	HS
Xylene (Total)	ND	ug/L	100	12.2	10		07/21/23 19:01	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: MW-418S-071923		Lab ID: 50349621006		Collected: 07/19/23 11:00	Received: 07/19/23 12:20	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		10		07/21/23 19:01	1868-53-7	D4
4-Bromofluorobenzene (S)	103	%	79-124		10		07/21/23 19:01	460-00-4	
Toluene-d8 (S)	99	%	73-122		10		07/21/23 19:01	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 23:56		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 23:56	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	7710	ug/L	4000	944	4		07/25/23 17:02	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: AD-300-071923 **Lab ID: 50349621007** Collected: 07/19/23 12:00 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis									
Sulfate	290	ug/L	250	190	1		07/27/23 14:47	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	7900	ug/L	5.0	2.0	1		07/27/23 07:47	74-82-8	
Ethane	280	ug/L	1.0	0.17	1		07/27/23 07:47	74-84-0	
Ethene	1800	ug/L	1.0	0.24	1		07/27/23 07:47	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 07:47	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 07:47	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 07:47	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 07:47	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis									
Iron, Dissolved	13700	ug/L	100	28.6	1	07/27/23 01:58	07/27/23 02:37	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	1000	375	10		07/21/23 19:33	67-64-1	
Acrolein	ND	ug/L	500	241	10		07/21/23 19:33	107-02-8	
Acrylonitrile	ND	ug/L	1000	24.6	10		07/21/23 19:33	107-13-1	
Benzene	ND	ug/L	50.0	4.1	10		07/21/23 19:33	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.0	10		07/21/23 19:33	108-86-1	
Bromochloromethane	ND	ug/L	50.0	10	10		07/21/23 19:33	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.1	10		07/21/23 19:33	75-27-4	
Bromoform	ND	ug/L	50.0	34.4	10		07/21/23 19:33	75-25-2	
Bromomethane	ND	ug/L	50.0	8.7	10		07/21/23 19:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	33.9	10		07/21/23 19:33	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	4.2	10		07/21/23 19:33	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	4.4	10		07/21/23 19:33	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.8	10		07/21/23 19:33	98-06-6	
Carbon disulfide	ND	ug/L	100	7.2	10		07/21/23 19:33	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	11.7	10		07/21/23 19:33	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.6	10		07/21/23 19:33	108-90-7	
Chloroethane	125	ug/L	50.0	16.8	10		07/21/23 19:33	75-00-3	1d,CH
Chloroform	ND	ug/L	50.0	14.0	10		07/21/23 19:33	67-66-3	
Chloromethane	ND	ug/L	50.0	4.2	10		07/21/23 19:33	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	3.3	10		07/21/23 19:33	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	4.4	10		07/21/23 19:33	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	4.1	10		07/21/23 19:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	43.8	10		07/21/23 19:33	106-93-4	
Dibromomethane	ND	ug/L	50.0	14.3	10		07/21/23 19:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.6	10		07/21/23 19:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	4.1	10		07/21/23 19:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	5.0	10		07/21/23 19:33	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: AD-300-071923 Lab ID: 50349621007 Collected: 07/19/23 12:00 Received: 07/19/23 12:20 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	25.5	10		07/21/23 19:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	4.8	10		07/21/23 19:33	75-71-8	
1,1-Dichloroethane	118	ug/L	50.0	4.0	10		07/21/23 19:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	12.2	10		07/21/23 19:33	107-06-2	
1,1-Dichloroethene	50.5	ug/L	50.0	3.1	10		07/21/23 19:33	75-35-4	1d,CH
cis-1,2-Dichloroethene	12400	ug/L	500	37.9	100		07/25/23 12:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	4.1	10		07/21/23 19:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	5.9	10		07/21/23 19:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	5.0	10		07/21/23 19:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.5	10		07/21/23 19:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	4.4	10		07/21/23 19:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	4.7	10		07/21/23 19:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	8.8	10		07/21/23 19:33	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.0	10		07/21/23 19:33	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	15.6	10		07/21/23 19:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	6.0	10		07/21/23 19:33	87-68-3	
n-Hexane	ND	ug/L	50.0	5.3	10		07/21/23 19:33	110-54-3	
2-Hexanone	ND	ug/L	250	29.6	10		07/21/23 19:33	591-78-6	
Iodomethane	ND	ug/L	100	32.5	10		07/21/23 19:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	4.3	10		07/21/23 19:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	4.1	10		07/21/23 19:33	99-87-6	
Methylene Chloride	ND	ug/L	50.0	39.0	10		07/21/23 19:33	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	52.2	10		07/21/23 19:33	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	47.5	10		07/21/23 19:33	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	22.0	10		07/21/23 19:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.1	10		07/21/23 19:33	1634-04-4	
Naphthalene	ND	ug/L	12.0	11.2	10		07/21/23 19:33	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	3.2	10		07/21/23 19:33	103-65-1	
Styrene	ND	ug/L	50.0	3.8	10		07/21/23 19:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	4.6	10		07/21/23 19:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	6.2	10		07/21/23 19:33	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	5.2	10		07/21/23 19:33	127-18-4	
Toluene	ND	ug/L	50.0	3.8	10		07/21/23 19:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	13.9	10		07/21/23 19:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	11.0	10		07/21/23 19:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.6	10		07/21/23 19:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	36.3	10		07/21/23 19:33	79-00-5	
Trichloroethene	ND	ug/L	50.0	45.5	10		07/21/23 19:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	4.8	10		07/21/23 19:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	40.9	10		07/21/23 19:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	6.5	10		07/21/23 19:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.9	10		07/21/23 19:33	108-67-8	
Vinyl acetate	ND	ug/L	500	13.0	10		07/21/23 19:33	108-05-4	
Vinyl chloride	10900	ug/L	200	48.1	100		07/25/23 12:37	75-01-4	
Xylene (Total)	ND	ug/L	100	12.2	10		07/21/23 19:33	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349621

Sample: AD-300-071923		Lab ID: 50349621007		Collected: 07/19/23 12:00	Received: 07/19/23 12:20	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	103	%	82-128		10		07/21/23 19:33	1868-53-7	D4
4-Bromofluorobenzene (S)	101	%	79-124		10		07/21/23 19:33	460-00-4	
Toluene-d8 (S)	95	%	73-122		10		07/21/23 19:33	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/19/23 23:58		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/19/23 23:58	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	9430	ug/L	4000	944	4		07/25/23 17:12	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

QC Batch: 745310 Analysis Method: EPA 300.0
 QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349621001, 50349621003, 50349621004, 50349621006, 50349621007

METHOD BLANK: 3416795 Matrix: Water
 Associated Lab Samples: 50349621001, 50349621003, 50349621004, 50349621006, 50349621007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	07/27/23 01:38	

LABORATORY CONTROL SAMPLE: 3416796

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4670	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3416797 3416798

Parameter	Units	50349557001		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Sulfate	ug/L	45.3 mg/L	50000	50000	88900	88800	87	87	80-120	0	15		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3416799 3416800

Parameter	Units	52120593002		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Sulfate	ug/L	19.4 mg/L	5000	5000	24100	24100	94	94	80-120	0	15		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

QC Batch: 769638 Analysis Method: AM20GAX
 QC Batch Method: AM20GAX Analysis Description: Indicator Gases Water LHC
 Laboratory: Pace Analytical Gulf Coast

Associated Lab Samples: 50349621001, 50349621003, 50349621004, 50349621006, 50349621007

METHOD BLANK: 2504236 Matrix: Water
 Associated Lab Samples: 50349621001, 50349621003, 50349621004, 50349621006, 50349621007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Methane	ug/L	ND	5.0	2.0	07/27/23 06:40	
Ethane	ug/L	ND	1.0	0.17	07/27/23 06:40	
Ethene	ug/L	ND	1.0	0.24	07/27/23 06:40	
n-Propane	ug/L	ND	1.0	0.29	07/27/23 06:40	
Propylene	ug/L	ND	1.0	0.31	07/27/23 06:40	
Isobutane	ug/L	ND	2.0	0.065	07/27/23 06:40	
n-Butane	ug/L	ND	2.0	0.54	07/27/23 06:40	

LABORATORY CONTROL SAMPLE & LCSD: 2504237

Parameter	Units	2504238								Qualifiers
		Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	
Methane	ug/L	750	730	670	98	90	70-130	8	20	
Ethane	ug/L	38	31	29	82	77	70-130	5	20	
Ethene	ug/L	35	28	28	79	78	70-130	0	20	
n-Propane	ug/L	56	40	41	72	74	70-130	2	20	
Propylene	ug/L	53	36	36	68	68	70-130	1	20	L0
Isobutane	ug/L	73	52	56	72	76	70-130	6	20	
n-Butane	ug/L	73	54	60	73	83	70-130	12	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

QC Batch: 745454 Analysis Method: EPA 6010
 QC Batch Method: EPA 3010 Analysis Description: 6010 MET Dissolved
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349621001, 50349621003, 50349621004, 50349621006, 50349621007

METHOD BLANK: 3417594 Matrix: Water
 Associated Lab Samples: 50349621001, 50349621003, 50349621004, 50349621006, 50349621007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	28.6	07/27/23 02:16	

LABORATORY CONTROL SAMPLE: 3417595

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9440	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3417596 3417597

Parameter	Units	50349682004		3417597		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Iron, Dissolved	ug/L	27000	10000	35000	35900	80	88	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349621

QC Batch: 744671 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50349621001, 50349621002, 50349621003, 50349621004, 50349621005, 50349621006, 50349621007

METHOD BLANK: 3414371 Matrix: Water
Associated Lab Samples: 50349621001, 50349621002, 50349621003, 50349621004, 50349621005, 50349621006, 50349621007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.46	07/21/23 11:04	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.36	07/21/23 11:04	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.62	07/21/23 11:04	
1,1,2-Trichloroethane	ug/L	ND	5.0	3.6	07/21/23 11:04	
1,1-Dichloroethane	ug/L	ND	5.0	0.40	07/21/23 11:04	
1,1-Dichloroethene	ug/L	ND	5.0	0.31	07/21/23 11:04	
1,1-Dichloropropene	ug/L	ND	5.0	0.44	07/21/23 11:04	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	1.4	07/21/23 11:04	
1,2,3-Trichloropropane	ug/L	ND	5.0	4.1	07/21/23 11:04	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	1.1	07/21/23 11:04	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.65	07/21/23 11:04	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	4.4	07/21/23 11:04	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	07/21/23 11:04	
1,2-Dichloroethane	ug/L	ND	5.0	1.2	07/21/23 11:04	
1,2-Dichloropropane	ug/L	ND	5.0	0.59	07/21/23 11:04	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.39	07/21/23 11:04	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.41	07/21/23 11:04	
1,3-Dichloropropane	ug/L	ND	5.0	0.50	07/21/23 11:04	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	07/21/23 11:04	
1-Methylnaphthalene	ug/L	ND	10.0	5.2	07/21/23 11:04	
2,2-Dichloropropane	ug/L	ND	5.0	0.35	07/21/23 11:04	
2-Butanone (MEK)	ug/L	ND	25.0	3.4	07/21/23 11:04	
2-Chlorotoluene	ug/L	ND	5.0	0.33	07/21/23 11:04	
2-Hexanone	ug/L	ND	25.0	3.0	07/21/23 11:04	
2-Methylnaphthalene	ug/L	ND	10.0	4.8	07/21/23 11:04	
4-Chlorotoluene	ug/L	ND	5.0	0.44	07/21/23 11:04	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.2	07/21/23 11:04	
Acetone	ug/L	ND	100	37.5	07/21/23 11:04	
Acrolein	ug/L	ND	50.0	24.1	07/21/23 11:04	
Acrylonitrile	ug/L	ND	100	2.5	07/21/23 11:04	
Benzene	ug/L	ND	5.0	0.41	07/21/23 11:04	
Bromobenzene	ug/L	ND	5.0	0.50	07/21/23 11:04	
Bromochloromethane	ug/L	ND	5.0	1.0	07/21/23 11:04	
Bromodichloromethane	ug/L	ND	5.0	0.51	07/21/23 11:04	
Bromoform	ug/L	ND	5.0	3.4	07/21/23 11:04	
Bromomethane	ug/L	ND	5.0	0.87	07/21/23 11:04	
Carbon disulfide	ug/L	ND	10.0	0.72	07/21/23 11:04	
Carbon tetrachloride	ug/L	ND	5.0	1.2	07/21/23 11:04	
Chlorobenzene	ug/L	ND	5.0	0.36	07/21/23 11:04	
Chloroethane	ug/L	ND	5.0	1.7	07/21/23 11:04	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

METHOD BLANK: 3414371 Matrix: Water
 Associated Lab Samples: 50349621001, 50349621002, 50349621003, 50349621004, 50349621005, 50349621006, 50349621007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	1.4	07/21/23 11:04	
Chloromethane	ug/L	ND	5.0	0.42	07/21/23 11:04	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.38	07/21/23 11:04	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.47	07/21/23 11:04	
Dibromochloromethane	ug/L	ND	5.0	0.41	07/21/23 11:04	
Dibromomethane	ug/L	ND	5.0	1.4	07/21/23 11:04	
Dichlorodifluoromethane	ug/L	ND	5.0	0.48	07/21/23 11:04	
Ethyl methacrylate	ug/L	ND	100	1.6	07/21/23 11:04	
Ethylbenzene	ug/L	ND	5.0	0.40	07/21/23 11:04	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.60	07/21/23 11:04	
Iodomethane	ug/L	ND	10.0	3.2	07/21/23 11:04	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.43	07/21/23 11:04	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.41	07/21/23 11:04	
Methylene Chloride	ug/L	ND	5.0	3.9	07/21/23 11:04	
n-Butylbenzene	ug/L	ND	5.0	0.42	07/21/23 11:04	
n-Hexane	ug/L	ND	5.0	0.53	07/21/23 11:04	
n-Propylbenzene	ug/L	ND	5.0	0.32	07/21/23 11:04	
Naphthalene	ug/L	ND	1.2	1.1	07/21/23 11:04	
p-Isopropyltoluene	ug/L	ND	5.0	0.41	07/21/23 11:04	
sec-Butylbenzene	ug/L	ND	5.0	0.44	07/21/23 11:04	
Styrene	ug/L	ND	5.0	0.38	07/21/23 11:04	
tert-Butylbenzene	ug/L	ND	5.0	0.38	07/21/23 11:04	
Tetrachloroethene	ug/L	ND	5.0	0.52	07/21/23 11:04	
Toluene	ug/L	ND	5.0	0.38	07/21/23 11:04	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.41	07/21/23 11:04	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.88	07/21/23 11:04	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	2.6	07/21/23 11:04	
Trichloroethene	ug/L	ND	5.0	4.6	07/21/23 11:04	
Trichlorofluoromethane	ug/L	ND	5.0	0.48	07/21/23 11:04	
Vinyl acetate	ug/L	ND	50.0	1.3	07/21/23 11:04	
Vinyl chloride	ug/L	ND	2.0	0.48	07/21/23 11:04	
Xylene (Total)	ug/L	ND	10.0	1.2	07/21/23 11:04	
4-Bromofluorobenzene (S)	%	101	79-124		07/21/23 11:04	
Dibromofluoromethane (S)	%	100	82-128		07/21/23 11:04	
Toluene-d8 (S)	%	102	73-122		07/21/23 11:04	

LABORATORY CONTROL SAMPLE: 3414372

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.1	98	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	41.7	83	70-126	
1,1-Dichloroethene	ug/L	50	48.3	97	73-133	
1,2,4-Trimethylbenzene	ug/L	50	43.5	87	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	46.8	94	80-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

LABORATORY CONTROL SAMPLE: 3414372

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	46.3	93	70-124	
1,2-Dichloropropane	ug/L	50	45.0	90	74-128	
Benzene	ug/L	50	43.4	87	74-124	
Chlorobenzene	ug/L	50	44.7	89	77-121	
Chloroform	ug/L	50	45.4	91	75-118	
cis-1,2-Dichloroethene	ug/L	50	44.2	88	76-125	
Ethylbenzene	ug/L	50	44.2	88	74-125	
Isopropylbenzene (Cumene)	ug/L	50	46.0	92	75-126	
Methyl-tert-butyl ether	ug/L	50	43.3	87	74-129	
n-Hexane	ug/L	50	45.4	91	58-131	
Naphthalene	ug/L	50	41.9	84	70-132	
Tetrachloroethene	ug/L	50	47.2	94	73-132	
Toluene	ug/L	50	41.3	83	72-119	
trans-1,2-Dichloroethene	ug/L	50	47.8	96	74-125	
Trichloroethene	ug/L	50	45.4	91	75-127	
Vinyl chloride	ug/L	50	52.6	105	48-133	
Xylene (Total)	ug/L	150	127	85	73-123	
4-Bromofluorobenzene (S)	%			102	79-124	
Dibromofluoromethane (S)	%			99	82-128	
Toluene-d8 (S)	%			101	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3414373 3414374

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50349550001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	ND	50	50	58.3	61.5	117	123	63-138	5	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	53.8	53.0	108	106	58-146	1	20		
1,1-Dichloroethene	ug/L	ND	50	50	59.2	61.1	118	122	65-139	3	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	54.6	51.5	109	103	34-144	6	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	58.2	59.8	116	120	64-139	3	20		
1,2-Dichloroethane	ug/L	ND	50	50	56.9	59.6	114	119	55-146	5	20		
1,2-Dichloropropane	ug/L	ND	50	50	54.9	57.2	110	114	66-134	4	20		
Benzene	ug/L	ND	50	50	52.9	56.4	106	113	65-137	6	20		
Chlorobenzene	ug/L	ND	50	50	55.3	54.7	111	109	54-135	1	20		
Chloroform	ug/L	ND	50	50	54.5	57.2	109	114	64-133	5	20		
cis-1,2-Dichloroethene	ug/L	ND	50	50	52.9	56.2	106	112	59-141	6	20		
Ethylbenzene	ug/L	ND	50	50	55.9	56.0	112	112	50-143	0	20		
Isopropylbenzene (Cumene)	ug/L	ND	50	50	56.5	56.3	113	113	36-151	0	20		
Methyl-tert-butyl ether	ug/L	ND	50	50	54.9	58.9	109	117	66-138	7	20		
n-Hexane	ug/L	ND	50	50	58.2	60.8	116	122	53-129	4	20		
Naphthalene	ug/L	ND	50	50	54.9	54.2	110	108	51-135	1	20		
Tetrachloroethene	ug/L	ND	50	50	57.8	57.6	116	115	43-149	0	20		
Toluene	ug/L	ND	50	50	52.8	51.7	101	99	57-137	2	20		
trans-1,2-Dichloroethene	ug/L	ND	50	50	57.8	57.6	116	115	63-133	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

Parameter	Units	3414373		3414374		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		50349550001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Trichloroethene	ug/L	ND	50	50	56.3	58.6	113	117	52-145	4	20		
Vinyl chloride	ug/L	ND	50	50	62.1	62.7	124	125	43-139	1	20		
Xylene (Total)	ug/L	ND	150	150	161	159	107	106	52-137	1	20		
4-Bromofluorobenzene (S)	%						105	103	79-124				
Dibromofluoromethane (S)	%						97	103	82-128				
Toluene-d8 (S)	%						99	103	73-122				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

QC Batch: 744381 Analysis Method: EPA 353.2
 QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
 Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50349621001

METHOD BLANK: 3413204 Matrix: Water
 Associated Lab Samples: 50349621001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.011	07/19/23 23:00	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.011	07/19/23 23:00	

LABORATORY CONTROL SAMPLE: 3413205

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	102	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3413206 3413207

Parameter	Units	50349603003		3413206		3413207		% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec				
Nitrogen, Nitrate	mg/L	0.49	1	1	1.5	1.5	105	106	90-110	0	20
Nitrogen, NO2 plus NO3	mg/L	1.8	2	2	3.9	3.9	102	102	90-110	0	20

MATRIX SPIKE SAMPLE: 3413208

Parameter	Units	50349621001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	ND	1	1.0	101	90-110	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2.0	100	90-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

QC Batch: 744382 Analysis Method: EPA 353.2
 QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349621003, 50349621004, 50349621006, 50349621007

METHOD BLANK: 3413212 Matrix: Water
 Associated Lab Samples: 50349621003, 50349621004, 50349621006, 50349621007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.011	07/19/23 23:34	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.011	07/19/23 23:34	

LABORATORY CONTROL SAMPLE: 3413213

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	104	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.1	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3413214 3413215

Parameter	Units	50349603004		3413215		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Nitrogen, Nitrate	mg/L	0.54	1	1	1.6	104	102	90-110	1	20	
Nitrogen, NO2 plus NO3	mg/L	1.7	2	2	3.8	101	101	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349621

QC Batch: 744515 Analysis Method: SM 5310C
 QC Batch Method: SM 5310C Analysis Description: 5310C Total Organic Carbon
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349621001, 50349621003, 50349621004, 50349621006, 50349621007

METHOD BLANK: 3413766 Matrix: Water
 Associated Lab Samples: 50349621001, 50349621003, 50349621004, 50349621006, 50349621007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	236	07/25/23 13:19	

LABORATORY CONTROL SAMPLE: 3413767

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9220	92	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3413768 3413769

Parameter	Units	50349577001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	4110	40000	40000	42000	41500	95	93	80-120	1	20	

MATRIX SPIKE SAMPLE: 3413770

Parameter	Units	50349577002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	1700	10000	6920	52	80-120	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GE Indy
Pace Project No.: 50349621

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d Due to the high analyte concentration of target compounds the sample was not reanalyzed at 1X.

CH The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

D4 Sample was diluted due to the presence of high levels of target analytes.

HS Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



METHOD CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50349621

Parameter	Matrix	Analytical Method	Preparation Method
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50349621

Table with 6 columns: Lab ID, Sample ID, QC Batch Method, QC Batch, Analytical Method, Analytical Batch. It lists various sample IDs and their corresponding QC and analytical data.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 7/19/23 1248 LR

1. Courier: FED EX UPS CLIENT PACE NOW/JETT OTHER

2. Custody Seal on Cooler/Box Present: Yes No
 (If yes)Seals Intact: Yes No (leave blank if no seals were present)

3. Thermometer: 1 2 3 4 5 6 7 8 A B C D E F G H

4. Cooler Temperature(s): 2.6/2.4
 (Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: Bubble Wrap Bubble Bags
 None Other _____

6. Ice Type: Wet Blue None

7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
 Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		X	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl. Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	X		
Short Hold Time Analysis (48 hours or less)? Analysis: <u>Nitrate</u>	X					
Time 5035A TC placed in Freezer or Short Holds To Lab	Time: <u>1434</u>		Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A
Rush TAT Requested (4 days or less):		X	Residual Chlorine Check (Total/Amenable/Free Cyanide)			X
Custody Signatures Present?	X		Headspace Wisconsin Sulfide?			X
Containers Intact?:	X		Headspace in VOA Vials (>6mm): See Containter Count form for details	Present X	Absent	No VOA Vials Sent
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	X		Trip Blank Present?	X		
Extra labels on Terracore Vials? (soils only)		X	Trip Blank Custody Seals?:	X		

COMMENTS: MW-4185-07/19/23, Trip Blank-07/19/23, AD-300-07/19/23 Did not have date on COC but line 006-007 had dates on container - MDW 7/19/23



August 04, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50349809

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on July 20, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Gulf Coast
- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Mr. Tyler Carter, Ramboll Environ
Matt Starrett, Ramboll
Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50349809

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

Pace Analytical Gulf Coast

7979 Innovation Park Drive, Baton Rouge, LA 70820
Arkansas Certification #: 88-0655
DoD ELAP Certification #: 6429-01
Florida Certification #: E87854
Illinois Certification #: 004585
Kansas Certification #: E-10354
Louisiana/LELAP Certification #: 01955
North Carolina Certification #: 618

North Dakota Certification #: R-195
Oklahoma Certification #: 2019-101
South Carolina Certification #: 73006001
Texas Certification #: T104704178-19-11
USDA Soil Permit # P330-19-00209
Virginia Certification #: 460215
Washington Certification #: C929

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50349809

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50349809001	MW-428-071923	Water	07/19/23 14:50	07/20/23 16:45
50349809002	MW-418D-071923	Water	07/19/23 12:20	07/20/23 16:45
50349809003	MW-331-072023	Water	07/20/23 09:00	07/20/23 16:45
50349809004	MW-311-072023	Water	07/20/23 09:30	07/20/23 16:45
50349809005	W-9-072023	Water	07/20/23 10:15	07/20/23 16:45
50349809006	MW-313-072023	Water	07/20/23 10:25	07/20/23 16:45
50349809007	MW-112-072023	Water	07/20/23 10:35	07/20/23 16:45
50349809008	MW-253-072023	Water	07/20/23 10:55	07/20/23 16:45
50349809009	MW-251-072023	Water	07/20/23 11:05	07/20/23 16:45
50349809010	W-10-072023	Water	07/20/23 11:15	07/20/23 16:45
50349809011	MW-153-072023	Water	07/20/23 11:20	07/20/23 16:45
50349809012	W-8-072023	Water	07/20/23 11:30	07/20/23 16:45
50349809013	MW-163-072023	Water	07/20/23 11:35	07/20/23 16:45
50349809014	MW-312-072023	Water	07/20/23 11:40	07/20/23 16:45
50349809015	MW-132-072023	Water	07/20/23 11:55	07/20/23 16:45
50349809016	MW-41-072023	Water	07/20/23 12:15	07/20/23 16:45
50349809017	MW-333-072023	Water	07/20/23 12:35	07/20/23 16:45
50349809018	MW-343-072023	Water	07/20/23 12:40	07/20/23 16:45
50349809019	AD-400-072023	Water	07/20/23 12:00	07/20/23 16:45
50349809020	MW-241-072023	Water	07/20/23 12:45	07/20/23 16:45
50349809021	MW-32-072023	Water	07/20/23 13:40	07/20/23 16:45
50349809022	MW-33-072023	Water	07/20/23 13:45	07/20/23 16:45
50349809023	Trip Blank-072023	Water	07/19/23 08:00	07/20/23 16:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50349809

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50349809001	MW-428-071923	EPA 300.0	ADM	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	KLP	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349809002	MW-418D-071923	EPA 300.0	ADM	1	PASI-I
		AM20GAX	LMB	7	GCLA
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	KLP	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50349809003	MW-331-072023	EPA 5030/8260	KLP	75	PASI-I
50349809004	MW-311-072023	EPA 5030/8260	KLP	75	PASI-I
50349809005	W-9-072023	AM20GAX	LMB	7	GCLA
		EPA 5030/8260	KLP	75	PASI-I
50349809006	MW-313-072023	EPA 5030/8260	KLP	75	PASI-I
50349809007	MW-112-072023	EPA 5030/8260	KLP	75	PASI-I
50349809008	MW-253-072023	EPA 5030/8260	KLP	75	PASI-I
50349809009	MW-251-072023	EPA 5030/8260	KLP	75	PASI-I
50349809010	W-10-072023	EPA 5030/8260	KLP	75	PASI-I
50349809011	MW-153-072023	EPA 5030/8260	KLP	75	PASI-I
50349809012	W-8-072023	AM20GAX	LMB	7	GCLA
		EPA 5030/8260	KLP	75	PASI-I
50349809013	MW-163-072023	EPA 5030/8260	KLP	75	PASI-I
50349809014	MW-312-072023	EPA 5030/8260	KLP	75	PASI-I
50349809015	MW-132-072023	EPA 5030/8260	KLP	75	PASI-I
50349809016	MW-41-072023	EPA 5030/8260	KLP	75	PASI-I
50349809017	MW-333-072023	EPA 5030/8260	KLP	75	PASI-I
50349809018	MW-343-072023	EPA 5030/8260	KLP	75	PASI-I
50349809019	AD-400-072023	EPA 5030/8260	KLP	75	PASI-I
50349809020	MW-241-072023	EPA 5030/8260	KLP	75	PASI-I
50349809021	MW-32-072023	EPA 5030/8260	KLP	75	PASI-I
50349809022	MW-33-072023	EPA 5030/8260	KLP	75	PASI-I
50349809023	Trip Blank-072023	EPA 5030/8260	KLP	75	PASI-I

GCLA = Pace Analytical Gulf Coast
PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
 Pace Project No.: 50349809

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50349809001	MW-428-071923					
EPA 300.0	Sulfate	48800	ug/L	2500	07/27/23 23:43	
AM20GAX	Methane	8800	ug/L	5.0	07/27/23 08:00	
AM20GAX	Ethane	4.6	ug/L	1.0	07/27/23 08:00	
AM20GAX	Ethene	75	ug/L	1.0	07/27/23 08:00	
EPA 6010	Iron, Dissolved	3780	ug/L	100	07/27/23 03:19	
EPA 5030/8260	1,1,1-Trichloroethane	6.4	ug/L	5.0	07/25/23 19:47	
EPA 5030/8260	Vinyl chloride	33.3	ug/L	2.0	07/25/23 19:47	
SM 5310C	Total Organic Carbon	5230	ug/L	1000	07/25/23 04:36	
50349809002	MW-418D-071923					
EPA 300.0	Sulfate	354	ug/L	250	07/28/23 00:01	
AM20GAX	Methane	8900	ug/L	5.0	07/27/23 08:12	
AM20GAX	Ethane	36	ug/L	1.0	07/27/23 08:12	
AM20GAX	Ethene	53	ug/L	1.0	07/27/23 08:12	
EPA 6010	Iron, Dissolved	14600	ug/L	100	07/27/23 03:26	
EPA 5030/8260	Chloroethane	7.7	ug/L	5.0	07/24/23 16:37	
EPA 5030/8260	Vinyl chloride	190	ug/L	2.0	07/24/23 16:37	
SM 5310C	Total Organic Carbon	4290	ug/L	4000	07/25/23 04:51	
50349809003	MW-331-072023					
EPA 5030/8260	Chloroethane	610	ug/L	50.0	07/25/23 20:21	
EPA 5030/8260	1,1-Dichloroethane	6.2	ug/L	5.0	07/24/23 17:11	
EPA 5030/8260	Vinyl chloride	2.5	ug/L	2.0	07/24/23 17:11	
50349809004	MW-311-072023					
EPA 5030/8260	Chloroethane	411	ug/L	50.0	07/24/23 17:45	
50349809005	W-9-072023					
AM20GAX	Methane	20	ug/L	5.0	07/27/23 08:26	
EPA 5030/8260	cis-1,2-Dichloroethene	8.8	ug/L	5.0	07/24/23 18:53	
EPA 5030/8260	Vinyl chloride	5.5	ug/L	2.0	07/24/23 18:53	
50349809006	MW-313-072023					
EPA 5030/8260	1,1-Dichloroethane	5.1	ug/L	5.0	07/24/23 19:27	
EPA 5030/8260	cis-1,2-Dichloroethene	728	ug/L	50.0	07/25/23 20:54	
EPA 5030/8260	Vinyl chloride	62.2	ug/L	2.0	07/24/23 19:27	
50349809007	MW-112-072023					
EPA 5030/8260	cis-1,2-Dichloroethene	369	ug/L	25.0	07/24/23 20:01	
EPA 5030/8260	Vinyl chloride	511	ug/L	10.0	07/24/23 20:01	
50349809009	MW-251-072023					
EPA 5030/8260	Chloroethane	957	ug/L	50.0	07/24/23 21:09	
EPA 5030/8260	1,1-Dichloroethane	159	ug/L	50.0	07/24/23 21:09	
EPA 5030/8260	1,2-Dichloroethane	78.6	ug/L	50.0	07/24/23 21:09	
EPA 5030/8260	cis-1,2-Dichloroethene	15400	ug/L	500	07/24/23 21:42	
EPA 5030/8260	trans-1,2-Dichloroethene	166	ug/L	50.0	07/24/23 21:09	
EPA 5030/8260	Vinyl chloride	2530	ug/L	20.0	07/24/23 21:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50349809

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50349809013	MW-163-072023					
EPA 5030/8260	cis-1,2-Dichloroethene	7230	ug/L	250	07/25/23 00:32	
EPA 5030/8260	trans-1,2-Dichloroethene	76.8	ug/L	25.0	07/24/23 23:58	
EPA 5030/8260	Vinyl chloride	1610	ug/L	100	07/25/23 00:32	
50349809014	MW-312-072023					
EPA 5030/8260	cis-1,2-Dichloroethene	61.8	ug/L	5.0	07/25/23 01:05	
EPA 5030/8260	Trichloroethene	23.1	ug/L	5.0	07/25/23 01:05	
EPA 5030/8260	Vinyl chloride	38.6	ug/L	2.0	07/25/23 01:05	
50349809015	MW-132-072023					
EPA 5030/8260	1,1-Dichloroethane	56.8	ug/L	5.0	07/25/23 12:58	
EPA 5030/8260	cis-1,2-Dichloroethene	528	ug/L	50.0	07/25/23 13:33	
EPA 5030/8260	trans-1,2-Dichloroethene	38.9	ug/L	5.0	07/25/23 12:58	
EPA 5030/8260	Trichloroethene	530	ug/L	50.0	07/25/23 13:33	
EPA 5030/8260	Vinyl chloride	218	ug/L	2.0	07/25/23 12:58	
50349809017	MW-333-072023					
EPA 5030/8260	Benzene	13.1	ug/L	5.0	07/25/23 14:41	
EPA 5030/8260	1,2-Dichloroethane	32.0	ug/L	5.0	07/25/23 14:41	
EPA 5030/8260	1,1-Dichloroethene	28.9	ug/L	5.0	07/25/23 14:41	
EPA 5030/8260	cis-1,2-Dichloroethene	10100	ug/L	500	07/26/23 21:22	
EPA 5030/8260	trans-1,2-Dichloroethene	162	ug/L	5.0	07/25/23 14:41	
EPA 5030/8260	Vinyl chloride	2340	ug/L	20.0	07/25/23 15:15	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: MW-428-071923		Lab ID: 50349809001		Collected: 07/19/23 14:50		Received: 07/20/23 16:45		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis							
Sulfate	48800	ug/L	2500	1900	10		07/27/23 23:43	14808-79-8	
Indicator Gases Water LHC		Analytical Method: AM20GAX Pace Analytical Gulf Coast							
Methane	8800	ug/L	5.0	2.0	1		07/27/23 08:00	74-82-8	
Ethane	4.6	ug/L	1.0	0.17	1		07/27/23 08:00	74-84-0	
Ethene	75	ug/L	1.0	0.24	1		07/27/23 08:00	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 08:00	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 08:00	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 08:00	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 08:00	JUNK42	
6010 MET ICP, Dissolved		Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis							
Iron, Dissolved	3780	ug/L	100	28.6	1	07/27/23 01:58	07/27/23 03:19	7439-89-6	
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Acetone	ND	ug/L	100	7.4	1		07/25/23 19:47	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 19:47	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 19:47	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/25/23 19:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 19:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 19:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 19:47	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 19:47	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 19:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 19:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 19:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 19:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 19:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 19:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 19:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 19:47	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 19:47	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 19:47	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 19:47	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 19:47	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 19:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 19:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 19:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 19:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 19:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 19:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 19:47	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-428-071923 Lab ID: 50349809001 Collected: 07/19/23 14:50 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 19:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 19:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.42	1		07/25/23 19:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.61	1		07/25/23 19:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.55	1		07/25/23 19:47	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.67	1		07/25/23 19:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/25/23 19:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 19:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 19:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 19:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 19:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 19:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 19:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 19:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 19:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 19:47	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 19:47	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 19:47	591-78-6	
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 19:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 19:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 19:47	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 19:47	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 19:47	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 19:47	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 19:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 19:47	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 19:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 19:47	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 19:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 19:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 19:47	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 19:47	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 19:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 19:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 19:47	120-82-1	
1,1,1-Trichloroethane	6.4	ug/L	5.0	0.57	1		07/25/23 19:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 19:47	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.65	1		07/25/23 19:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 19:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 19:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 19:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 19:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 19:47	108-05-4	
Vinyl chloride	33.3	ug/L	2.0	0.53	1		07/25/23 19:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 19:47	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-428-071923		Lab ID: 50349809001		Collected: 07/19/23 14:50	Received: 07/20/23 16:45	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	126	%.	82-128		1		07/25/23 19:47	1868-53-7	
4-Bromofluorobenzene (S)	112	%.	79-124		1		07/25/23 19:47	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/25/23 19:47	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/20/23 22:44		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/20/23 22:44	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	5230	ug/L	1000	236	1		07/25/23 04:36	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-418D-071923 **Lab ID: 50349809002** Collected: 07/19/23 12:20 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis									
Sulfate	354	ug/L	250	190	1		07/28/23 00:01	14808-79-8	
Indicator Gases Water LHC									
Analytical Method: AM20GAX Pace Analytical Gulf Coast									
Methane	8900	ug/L	5.0	2.0	1		07/27/23 08:12	74-82-8	
Ethane	36	ug/L	1.0	0.17	1		07/27/23 08:12	74-84-0	
Ethene	53	ug/L	1.0	0.24	1		07/27/23 08:12	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 08:12	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 08:12	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 08:12	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 08:12	JUNK42	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis									
Iron, Dissolved	14600	ug/L	100	28.6	1	07/27/23 01:58	07/27/23 03:26	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/24/23 16:37	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/24/23 16:37	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/24/23 16:37	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/24/23 16:37	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/24/23 16:37	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/24/23 16:37	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/24/23 16:37	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/24/23 16:37	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/24/23 16:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/24/23 16:37	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/24/23 16:37	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/24/23 16:37	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 16:37	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/24/23 16:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/24/23 16:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/24/23 16:37	108-90-7	
Chloroethane	7.7	ug/L	5.0	0.55	1		07/24/23 16:37	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/24/23 16:37	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/24/23 16:37	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/24/23 16:37	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/24/23 16:37	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/24/23 16:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/24/23 16:37	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/24/23 16:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 16:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/24/23 16:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/24/23 16:37	106-46-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-418D-071923 Lab ID: 50349809002 Collected: 07/19/23 12:20 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/24/23 16:37	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/24/23 16:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/24/23 16:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/24/23 16:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/24/23 16:37	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/24/23 16:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/24/23 16:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/24/23 16:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/24/23 16:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/24/23 16:37	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/24/23 16:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/24/23 16:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/23 16:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 16:37	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/24/23 16:37	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/24/23 16:37	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/24/23 16:37	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/24/23 16:37	591-78-6	
Iodomethane	ND	ug/L	10.0	0.31	1		07/24/23 16:37	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/24/23 16:37	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/24/23 16:37	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/24/23 16:37	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/24/23 16:37	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/24/23 16:37	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/24/23 16:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/24/23 16:37	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/24/23 16:37	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/24/23 16:37	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/24/23 16:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/24/23 16:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/24/23 16:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/24/23 16:37	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/24/23 16:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/24/23 16:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 16:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/24/23 16:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/24/23 16:37	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/24/23 16:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/24/23 16:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/24/23 16:37	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 16:37	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/24/23 16:37	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/24/23 16:37	108-05-4	
Vinyl chloride	190	ug/L	2.0	0.59	1		07/24/23 16:37	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/24/23 16:37	1330-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-418D-071923		Lab ID: 50349809002		Collected: 07/19/23 12:20	Received: 07/20/23 16:45	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana		Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis							
Surrogates									
Dibromofluoromethane (S)	103	%	82-128		1		07/24/23 16:37	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		07/24/23 16:37	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		07/24/23 16:37	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis							
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.011	1		07/20/23 22:37		
Nitrogen, Nitrate	ND	mg/L	0.10	0.011	1		07/20/23 22:37	14797-55-8	
5310C TOC		Analytical Method: SM 5310C Pace Analytical Services - Indianapolis							
Total Organic Carbon	4290	ug/L	4000	944	4		07/25/23 04:51	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-331-072023 Lab ID: 50349809003 Collected: 07/20/23 09:00 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/24/23 17:11	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/24/23 17:11	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/24/23 17:11	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/24/23 17:11	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/24/23 17:11	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/24/23 17:11	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/24/23 17:11	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/24/23 17:11	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/24/23 17:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/24/23 17:11	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/24/23 17:11	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/24/23 17:11	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 17:11	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/24/23 17:11	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/24/23 17:11	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/24/23 17:11	108-90-7	
Chloroethane	610	ug/L	50.0	5.0	10		07/25/23 20:21	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/24/23 17:11	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/24/23 17:11	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/24/23 17:11	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/24/23 17:11	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/24/23 17:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/24/23 17:11	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/24/23 17:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 17:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/24/23 17:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/24/23 17:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/24/23 17:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/24/23 17:11	75-71-8	
1,1-Dichloroethane	6.2	ug/L	5.0	0.46	1		07/24/23 17:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/24/23 17:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/24/23 17:11	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/24/23 17:11	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/24/23 17:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/24/23 17:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/24/23 17:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/24/23 17:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/24/23 17:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/24/23 17:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/23 17:11	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 17:11	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/24/23 17:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/24/23 17:11	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/24/23 17:11	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/24/23 17:11	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-331-072023 **Lab ID: 50349809003** Collected: 07/20/23 09:00 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/24/23 17:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/24/23 17:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/24/23 17:11	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/24/23 17:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/24/23 17:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/24/23 17:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/24/23 17:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/24/23 17:11	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/24/23 17:11	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/24/23 17:11	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/24/23 17:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/24/23 17:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/24/23 17:11	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/24/23 17:11	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/24/23 17:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/24/23 17:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 17:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/24/23 17:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/24/23 17:11	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/24/23 17:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/24/23 17:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/24/23 17:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 17:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/24/23 17:11	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/24/23 17:11	108-05-4	
Vinyl chloride	2.5	ug/L	2.0	0.59	1		07/24/23 17:11	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/24/23 17:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%	82-128		1		07/24/23 17:11	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		07/24/23 17:11	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		07/24/23 17:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: MW-311-072023 Lab ID: 50349809004 Collected: 07/20/23 09:30 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	1000	88.9	10		07/24/23 17:45	67-64-1	
Acrolein	ND	ug/L	500	127	10		07/24/23 17:45	107-02-8	
Acrylonitrile	ND	ug/L	1000	22.1	10		07/24/23 17:45	107-13-1	
Benzene	ND	ug/L	50.0	3.9	10		07/24/23 17:45	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.0	10		07/24/23 17:45	108-86-1	
Bromochloromethane	ND	ug/L	50.0	4.3	10		07/24/23 17:45	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.7	10		07/24/23 17:45	75-27-4	
Bromoform	ND	ug/L	50.0	7.3	10		07/24/23 17:45	75-25-2	
Bromomethane	ND	ug/L	50.0	5.7	10		07/24/23 17:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	46.6	10		07/24/23 17:45	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.8	10		07/24/23 17:45	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.2	10		07/24/23 17:45	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.5	10		07/24/23 17:45	98-06-6	
Carbon disulfide	ND	ug/L	100	8.3	10		07/24/23 17:45	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	4.0	10		07/24/23 17:45	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.6	10		07/24/23 17:45	108-90-7	
Chloroethane	411	ug/L	50.0	5.5	10		07/24/23 17:45	75-00-3	
Chloroform	ND	ug/L	50.0	4.4	10		07/24/23 17:45	67-66-3	
Chloromethane	ND	ug/L	50.0	5.0	10		07/24/23 17:45	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	3.8	10		07/24/23 17:45	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	4.0	10		07/24/23 17:45	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	5.6	10		07/24/23 17:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	5.5	10		07/24/23 17:45	106-93-4	
Dibromomethane	ND	ug/L	50.0	7.6	10		07/24/23 17:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.5	10		07/24/23 17:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.9	10		07/24/23 17:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	4.3	10		07/24/23 17:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	7.2	10		07/24/23 17:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	6.0	10		07/24/23 17:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	4.6	10		07/24/23 17:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	5.4	10		07/24/23 17:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.6	10		07/24/23 17:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	50.0	5.3	10		07/24/23 17:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	3.5	10		07/24/23 17:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	7.1	10		07/24/23 17:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	4.9	10		07/24/23 17:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	6.2	10		07/24/23 17:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	6.4	10		07/24/23 17:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	5.0	10		07/24/23 17:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	5.1	10		07/24/23 17:45	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.5	10		07/24/23 17:45	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	6.4	10		07/24/23 17:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	4.6	10		07/24/23 17:45	87-68-3	
n-Hexane	ND	ug/L	50.0	4.6	10		07/24/23 17:45	110-54-3	
2-Hexanone	ND	ug/L	250	30.2	10		07/24/23 17:45	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-311-072023 Lab ID: 50349809004 Collected: 07/20/23 09:30 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	100	3.1	10		07/24/23 17:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.4	10		07/24/23 17:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.6	10		07/24/23 17:45	99-87-6	
Methylene Chloride	ND	ug/L	50.0	22.0	10		07/24/23 17:45	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	6.1	10		07/24/23 17:45	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		07/24/23 17:45	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	25.3	10		07/24/23 17:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.8	10		07/24/23 17:45	1634-04-4	
Naphthalene	ND	ug/L	12.0	4.2	10		07/24/23 17:45	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	3.4	10		07/24/23 17:45	103-65-1	
Styrene	ND	ug/L	50.0	4.0	10		07/24/23 17:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	5.0	10		07/24/23 17:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	5.2	10		07/24/23 17:45	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		07/24/23 17:45	127-18-4	
Toluene	ND	ug/L	50.0	3.4	10		07/24/23 17:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.8	10		07/24/23 17:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.5	10		07/24/23 17:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	4.7	10		07/24/23 17:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	7.8	10		07/24/23 17:45	79-00-5	
Trichloroethene	ND	ug/L	50.0	7.0	10		07/24/23 17:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	6.2	10		07/24/23 17:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	8.2	10		07/24/23 17:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	3.5	10		07/24/23 17:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.0	10		07/24/23 17:45	108-67-8	
Vinyl acetate	ND	ug/L	500	9.6	10		07/24/23 17:45	108-05-4	
Vinyl chloride	ND	ug/L	20.0	5.9	10		07/24/23 17:45	75-01-4	
Xylene (Total)	ND	ug/L	100	3.5	10		07/24/23 17:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		10		07/24/23 17:45	1868-53-7	D4
4-Bromofluorobenzene (S)	102	%	79-124		10		07/24/23 17:45	460-00-4	
Toluene-d8 (S)	98	%	73-122		10		07/24/23 17:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: W-9-072023 Lab ID: 50349809005 Collected: 07/20/23 10:15 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Indicator Gases Water LHC									
Analytical Method: AM20GAX									
Pace Analytical Gulf Coast									
Methane	20	ug/L	5.0	2.0	1		07/27/23 08:26	74-82-8	
Ethane	ND	ug/L	1.0	0.17	1		07/27/23 08:26	74-84-0	
Ethene	ND	ug/L	1.0	0.24	1		07/27/23 08:26	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 08:26	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 08:26	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 08:26	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 08:26	JUNK42	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/24/23 18:53	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/24/23 18:53	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/24/23 18:53	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/24/23 18:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/24/23 18:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/24/23 18:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/24/23 18:53	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/24/23 18:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/24/23 18:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/24/23 18:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/24/23 18:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/24/23 18:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 18:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/24/23 18:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/24/23 18:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/24/23 18:53	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/24/23 18:53	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/24/23 18:53	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/24/23 18:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/24/23 18:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/24/23 18:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/24/23 18:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/24/23 18:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/24/23 18:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 18:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/24/23 18:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/24/23 18:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/24/23 18:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/24/23 18:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/24/23 18:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/24/23 18:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/24/23 18:53	75-35-4	
cis-1,2-Dichloroethene	8.8	ug/L	5.0	0.53	1		07/24/23 18:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/24/23 18:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/24/23 18:53	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: W-9-072023 Lab ID: 50349809005 Collected: 07/20/23 10:15 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/24/23 18:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/24/23 18:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/24/23 18:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/24/23 18:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/23 18:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 18:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/24/23 18:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/24/23 18:53	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/24/23 18:53	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/24/23 18:53	591-78-6	
Iodomethane	ND	ug/L	10.0	0.31	1		07/24/23 18:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/24/23 18:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/24/23 18:53	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/24/23 18:53	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/24/23 18:53	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/24/23 18:53	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/24/23 18:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/24/23 18:53	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/24/23 18:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/24/23 18:53	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/24/23 18:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/24/23 18:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/24/23 18:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/24/23 18:53	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/24/23 18:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/24/23 18:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 18:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/24/23 18:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/24/23 18:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/24/23 18:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/24/23 18:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/24/23 18:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 18:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/24/23 18:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/24/23 18:53	108-05-4	
Vinyl chloride	5.5	ug/L	2.0	0.59	1		07/24/23 18:53	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/24/23 18:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%	82-128		1		07/24/23 18:53	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		07/24/23 18:53	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		07/24/23 18:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-313-072023 Lab ID: 50349809006 Collected: 07/20/23 10:25 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/24/23 19:27	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/24/23 19:27	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/24/23 19:27	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/24/23 19:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/24/23 19:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/24/23 19:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/24/23 19:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/24/23 19:27	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/24/23 19:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/24/23 19:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/24/23 19:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/24/23 19:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 19:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/24/23 19:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/24/23 19:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/24/23 19:27	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/24/23 19:27	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/24/23 19:27	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/24/23 19:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/24/23 19:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/24/23 19:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/24/23 19:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/24/23 19:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/24/23 19:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 19:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/24/23 19:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/24/23 19:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/24/23 19:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/24/23 19:27	75-71-8	
1,1-Dichloroethane	5.1	ug/L	5.0	0.46	1		07/24/23 19:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/24/23 19:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/24/23 19:27	75-35-4	
cis-1,2-Dichloroethene	728	ug/L	50.0	6.7	10		07/25/23 20:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/24/23 19:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/24/23 19:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/24/23 19:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/24/23 19:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/24/23 19:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/24/23 19:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/23 19:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 19:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/24/23 19:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/24/23 19:27	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/24/23 19:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/24/23 19:27	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-313-072023 **Lab ID: 50349809006** Collected: 07/20/23 10:25 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/24/23 19:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/24/23 19:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/24/23 19:27	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/24/23 19:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/24/23 19:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/24/23 19:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/24/23 19:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/24/23 19:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/24/23 19:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/24/23 19:27	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/24/23 19:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/24/23 19:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/24/23 19:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/24/23 19:27	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/24/23 19:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/24/23 19:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 19:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/24/23 19:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/24/23 19:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/24/23 19:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/24/23 19:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/24/23 19:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 19:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/24/23 19:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/24/23 19:27	108-05-4	
Vinyl chloride	62.2	ug/L	2.0	0.59	1		07/24/23 19:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/24/23 19:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		07/24/23 19:27	1868-53-7	
4-Bromofluorobenzene (S)	106	%	79-124		1		07/24/23 19:27	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		07/24/23 19:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-112-072023 Lab ID: 50349809007 Collected: 07/20/23 10:35 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	500	44.4	5		07/24/23 20:01	67-64-1	
Acrolein	ND	ug/L	250	63.5	5		07/24/23 20:01	107-02-8	
Acrylonitrile	ND	ug/L	500	11.0	5		07/24/23 20:01	107-13-1	
Benzene	ND	ug/L	25.0	1.9	5		07/24/23 20:01	71-43-2	
Bromobenzene	ND	ug/L	25.0	2.5	5		07/24/23 20:01	108-86-1	
Bromochloromethane	ND	ug/L	25.0	2.1	5		07/24/23 20:01	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	2.8	5		07/24/23 20:01	75-27-4	
Bromoform	ND	ug/L	25.0	3.7	5		07/24/23 20:01	75-25-2	
Bromomethane	ND	ug/L	25.0	2.9	5		07/24/23 20:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	23.3	5		07/24/23 20:01	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	1.9	5		07/24/23 20:01	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	1.6	5		07/24/23 20:01	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	1.7	5		07/24/23 20:01	98-06-6	
Carbon disulfide	ND	ug/L	50.0	4.1	5		07/24/23 20:01	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	2.0	5		07/24/23 20:01	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.8	5		07/24/23 20:01	108-90-7	
Chloroethane	ND	ug/L	25.0	2.7	5		07/24/23 20:01	75-00-3	
Chloroform	ND	ug/L	25.0	2.2	5		07/24/23 20:01	67-66-3	
Chloromethane	ND	ug/L	25.0	2.5	5		07/24/23 20:01	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	1.9	5		07/24/23 20:01	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	2.0	5		07/24/23 20:01	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	2.8	5		07/24/23 20:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	2.7	5		07/24/23 20:01	106-93-4	
Dibromomethane	ND	ug/L	25.0	3.8	5		07/24/23 20:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	2.2	5		07/24/23 20:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	1.9	5		07/24/23 20:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	2.2	5		07/24/23 20:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	3.6	5		07/24/23 20:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	3.0	5		07/24/23 20:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	2.3	5		07/24/23 20:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	2.7	5		07/24/23 20:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	2.3	5		07/24/23 20:01	75-35-4	
cis-1,2-Dichloroethene	369	ug/L	25.0	2.6	5		07/24/23 20:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	1.7	5		07/24/23 20:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	3.6	5		07/24/23 20:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	2.4	5		07/24/23 20:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	3.1	5		07/24/23 20:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	3.2	5		07/24/23 20:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	2.5	5		07/24/23 20:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	2.5	5		07/24/23 20:01	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.8	5		07/24/23 20:01	100-41-4	
Ethyl methacrylate	ND	ug/L	500	3.2	5		07/24/23 20:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	2.3	5		07/24/23 20:01	87-68-3	
n-Hexane	ND	ug/L	25.0	2.3	5		07/24/23 20:01	110-54-3	
2-Hexanone	ND	ug/L	125	15.1	5		07/24/23 20:01	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-112-072023 **Lab ID: 50349809007** Collected: 07/20/23 10:35 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	50.0	1.6	5		07/24/23 20:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.7	5		07/24/23 20:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	1.8	5		07/24/23 20:01	99-87-6	
Methylene Chloride	ND	ug/L	25.0	11.0	5		07/24/23 20:01	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	3.1	5		07/24/23 20:01	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	2.2	5		07/24/23 20:01	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	12.6	5		07/24/23 20:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	2.4	5		07/24/23 20:01	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.1	5		07/24/23 20:01	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	1.7	5		07/24/23 20:01	103-65-1	
Styrene	ND	ug/L	25.0	2.0	5		07/24/23 20:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	2.5	5		07/24/23 20:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	2.6	5		07/24/23 20:01	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	1.6	5		07/24/23 20:01	127-18-4	
Toluene	ND	ug/L	25.0	1.7	5		07/24/23 20:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.9	5		07/24/23 20:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.3	5		07/24/23 20:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	2.3	5		07/24/23 20:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	3.9	5		07/24/23 20:01	79-00-5	
Trichloroethene	ND	ug/L	25.0	3.5	5		07/24/23 20:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	3.1	5		07/24/23 20:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	4.1	5		07/24/23 20:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	1.7	5		07/24/23 20:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.5	5		07/24/23 20:01	108-67-8	
Vinyl acetate	ND	ug/L	250	4.8	5		07/24/23 20:01	108-05-4	
Vinyl chloride	511	ug/L	10.0	3.0	5		07/24/23 20:01	75-01-4	
Xylene (Total)	ND	ug/L	50.0	1.8	5		07/24/23 20:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		5		07/24/23 20:01	1868-53-7	D4
4-Bromofluorobenzene (S)	103	%	79-124		5		07/24/23 20:01	460-00-4	
Toluene-d8 (S)	95	%	73-122		5		07/24/23 20:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-253-072023 Lab ID: 50349809008 Collected: 07/20/23 10:55 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/24/23 20:35	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/24/23 20:35	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/24/23 20:35	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/24/23 20:35	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/24/23 20:35	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/24/23 20:35	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/24/23 20:35	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/24/23 20:35	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/24/23 20:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/24/23 20:35	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/24/23 20:35	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/24/23 20:35	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 20:35	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/24/23 20:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/24/23 20:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/24/23 20:35	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/24/23 20:35	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/24/23 20:35	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/24/23 20:35	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/24/23 20:35	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/24/23 20:35	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/24/23 20:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/24/23 20:35	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/24/23 20:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 20:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/24/23 20:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/24/23 20:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/24/23 20:35	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/24/23 20:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/24/23 20:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/24/23 20:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/24/23 20:35	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/24/23 20:35	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/24/23 20:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/24/23 20:35	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/24/23 20:35	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/24/23 20:35	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/24/23 20:35	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/24/23 20:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/23 20:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 20:35	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/24/23 20:35	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/24/23 20:35	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/24/23 20:35	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/24/23 20:35	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: MW-253-072023 Lab ID: 50349809008 Collected: 07/20/23 10:55 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/24/23 20:35	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/24/23 20:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/24/23 20:35	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/24/23 20:35	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/24/23 20:35	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/24/23 20:35	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/24/23 20:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/24/23 20:35	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/24/23 20:35	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/24/23 20:35	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/24/23 20:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/24/23 20:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/24/23 20:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/24/23 20:35	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/24/23 20:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/24/23 20:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 20:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/24/23 20:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/24/23 20:35	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/24/23 20:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/24/23 20:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/24/23 20:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 20:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/24/23 20:35	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/24/23 20:35	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.59	1		07/24/23 20:35	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/24/23 20:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%	82-128		1		07/24/23 20:35	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		07/24/23 20:35	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		07/24/23 20:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-251-072023 Lab ID: 50349809009 Collected: 07/20/23 11:05 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	1000	88.9	10		07/24/23 21:09	67-64-1	
Acrolein	ND	ug/L	500	127	10		07/24/23 21:09	107-02-8	
Acrylonitrile	ND	ug/L	1000	22.1	10		07/24/23 21:09	107-13-1	
Benzene	ND	ug/L	50.0	3.9	10		07/24/23 21:09	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.0	10		07/24/23 21:09	108-86-1	
Bromochloromethane	ND	ug/L	50.0	4.3	10		07/24/23 21:09	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.7	10		07/24/23 21:09	75-27-4	
Bromoform	ND	ug/L	50.0	7.3	10		07/24/23 21:09	75-25-2	
Bromomethane	ND	ug/L	50.0	5.7	10		07/24/23 21:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	46.6	10		07/24/23 21:09	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.8	10		07/24/23 21:09	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.2	10		07/24/23 21:09	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.5	10		07/24/23 21:09	98-06-6	
Carbon disulfide	ND	ug/L	100	8.3	10		07/24/23 21:09	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	4.0	10		07/24/23 21:09	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.6	10		07/24/23 21:09	108-90-7	
Chloroethane	957	ug/L	50.0	5.5	10		07/24/23 21:09	75-00-3	
Chloroform	ND	ug/L	50.0	4.4	10		07/24/23 21:09	67-66-3	
Chloromethane	ND	ug/L	50.0	5.0	10		07/24/23 21:09	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	3.8	10		07/24/23 21:09	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	4.0	10		07/24/23 21:09	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	5.6	10		07/24/23 21:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	5.5	10		07/24/23 21:09	106-93-4	
Dibromomethane	ND	ug/L	50.0	7.6	10		07/24/23 21:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.5	10		07/24/23 21:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.9	10		07/24/23 21:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	4.3	10		07/24/23 21:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	7.2	10		07/24/23 21:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	6.0	10		07/24/23 21:09	75-71-8	
1,1-Dichloroethane	159	ug/L	50.0	4.6	10		07/24/23 21:09	75-34-3	
1,2-Dichloroethane	78.6	ug/L	50.0	5.4	10		07/24/23 21:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.6	10		07/24/23 21:09	75-35-4	
cis-1,2-Dichloroethene	15400	ug/L	500	52.6	100		07/24/23 21:42	156-59-2	
trans-1,2-Dichloroethene	166	ug/L	50.0	3.5	10		07/24/23 21:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	7.1	10		07/24/23 21:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	4.9	10		07/24/23 21:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	6.2	10		07/24/23 21:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	6.4	10		07/24/23 21:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	5.0	10		07/24/23 21:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	5.1	10		07/24/23 21:09	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.5	10		07/24/23 21:09	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	6.4	10		07/24/23 21:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	4.6	10		07/24/23 21:09	87-68-3	
n-Hexane	ND	ug/L	50.0	4.6	10		07/24/23 21:09	110-54-3	
2-Hexanone	ND	ug/L	250	30.2	10		07/24/23 21:09	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-251-072023 Lab ID: 50349809009 Collected: 07/20/23 11:05 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	100	3.1	10		07/24/23 21:09	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.4	10		07/24/23 21:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.6	10		07/24/23 21:09	99-87-6	
Methylene Chloride	ND	ug/L	50.0	22.0	10		07/24/23 21:09	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	6.1	10		07/24/23 21:09	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		07/24/23 21:09	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	25.3	10		07/24/23 21:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.8	10		07/24/23 21:09	1634-04-4	
Naphthalene	ND	ug/L	12.0	4.2	10		07/24/23 21:09	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	3.4	10		07/24/23 21:09	103-65-1	
Styrene	ND	ug/L	50.0	4.0	10		07/24/23 21:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	5.0	10		07/24/23 21:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	5.2	10		07/24/23 21:09	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		07/24/23 21:09	127-18-4	
Toluene	ND	ug/L	50.0	3.4	10		07/24/23 21:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.8	10		07/24/23 21:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.5	10		07/24/23 21:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	4.7	10		07/24/23 21:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	7.8	10		07/24/23 21:09	79-00-5	
Trichloroethene	ND	ug/L	50.0	7.0	10		07/24/23 21:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	6.2	10		07/24/23 21:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	8.2	10		07/24/23 21:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	3.5	10		07/24/23 21:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.0	10		07/24/23 21:09	108-67-8	
Vinyl acetate	ND	ug/L	500	9.6	10		07/24/23 21:09	108-05-4	
Vinyl chloride	2530	ug/L	20.0	5.9	10		07/24/23 21:09	75-01-4	
Xylene (Total)	ND	ug/L	100	3.5	10		07/24/23 21:09	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%	82-128		10		07/24/23 21:09	1868-53-7	D4
4-Bromofluorobenzene (S)	104	%	79-124		10		07/24/23 21:09	460-00-4	
Toluene-d8 (S)	99	%	73-122		10		07/24/23 21:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: W-10-072023 Lab ID: 50349809010 Collected: 07/20/23 11:15 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/24/23 22:16	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/24/23 22:16	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/24/23 22:16	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/24/23 22:16	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/24/23 22:16	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/24/23 22:16	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/24/23 22:16	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/24/23 22:16	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/24/23 22:16	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/24/23 22:16	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/24/23 22:16	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/24/23 22:16	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 22:16	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/24/23 22:16	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/24/23 22:16	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/24/23 22:16	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/24/23 22:16	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/24/23 22:16	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/24/23 22:16	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/24/23 22:16	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/24/23 22:16	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/24/23 22:16	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/24/23 22:16	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/24/23 22:16	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 22:16	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/24/23 22:16	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/24/23 22:16	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/24/23 22:16	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/24/23 22:16	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/24/23 22:16	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/24/23 22:16	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/24/23 22:16	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/24/23 22:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/24/23 22:16	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/24/23 22:16	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/24/23 22:16	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/24/23 22:16	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/24/23 22:16	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/24/23 22:16	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/23 22:16	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 22:16	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/24/23 22:16	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/24/23 22:16	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/24/23 22:16	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/24/23 22:16	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: W-10-072023 Lab ID: 50349809010 Collected: 07/20/23 11:15 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/24/23 22:16	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/24/23 22:16	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/24/23 22:16	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/24/23 22:16	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/24/23 22:16	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/24/23 22:16	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/24/23 22:16	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/24/23 22:16	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/24/23 22:16	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/24/23 22:16	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/24/23 22:16	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/24/23 22:16	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/24/23 22:16	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/24/23 22:16	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/24/23 22:16	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/24/23 22:16	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 22:16	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/24/23 22:16	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/24/23 22:16	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/24/23 22:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/24/23 22:16	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/24/23 22:16	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 22:16	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/24/23 22:16	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/24/23 22:16	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.59	1		07/24/23 22:16	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/24/23 22:16	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		1		07/24/23 22:16	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		07/24/23 22:16	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		07/24/23 22:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-153-072023 Lab ID: 50349809011 Collected: 07/20/23 11:20 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/24/23 22:50	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/24/23 22:50	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/24/23 22:50	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/24/23 22:50	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/24/23 22:50	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/24/23 22:50	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/24/23 22:50	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/24/23 22:50	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/24/23 22:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/24/23 22:50	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/24/23 22:50	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/24/23 22:50	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 22:50	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/24/23 22:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/24/23 22:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/24/23 22:50	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/24/23 22:50	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/24/23 22:50	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/24/23 22:50	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/24/23 22:50	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/24/23 22:50	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/24/23 22:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/24/23 22:50	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/24/23 22:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 22:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/24/23 22:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/24/23 22:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/24/23 22:50	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/24/23 22:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/24/23 22:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/24/23 22:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/24/23 22:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/24/23 22:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/24/23 22:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/24/23 22:50	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/24/23 22:50	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/24/23 22:50	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/24/23 22:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/24/23 22:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/23 22:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 22:50	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/24/23 22:50	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/24/23 22:50	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/24/23 22:50	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/24/23 22:50	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-153-072023 Lab ID: 50349809011 Collected: 07/20/23 11:20 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/24/23 22:50	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/24/23 22:50	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/24/23 22:50	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/24/23 22:50	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/24/23 22:50	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/24/23 22:50	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/24/23 22:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/24/23 22:50	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/24/23 22:50	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/24/23 22:50	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/24/23 22:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/24/23 22:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/24/23 22:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/24/23 22:50	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/24/23 22:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/24/23 22:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 22:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/24/23 22:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/24/23 22:50	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/24/23 22:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/24/23 22:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/24/23 22:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 22:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/24/23 22:50	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/24/23 22:50	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.59	1		07/24/23 22:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/24/23 22:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%	82-128		1		07/24/23 22:50	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		07/24/23 22:50	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		07/24/23 22:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: W-8-072023 Lab ID: 50349809012 Collected: 07/20/23 11:30 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Indicator Gases Water LHC									
Analytical Method: AM20GAX									
Pace Analytical Gulf Coast									
Methane	ND	ug/L	5.0	2.0	1		07/27/23 08:38	74-82-8	
Ethane	ND	ug/L	1.0	0.17	1		07/27/23 08:38	74-84-0	
Ethene	ND	ug/L	1.0	0.24	1		07/27/23 08:38	74-85-1	
n-Propane	ND	ug/L	1.0	0.29	1		07/27/23 08:38	74-98-6	
Propylene	ND	ug/L	1.0	0.31	1		07/27/23 08:38	115-07-1	
Isobutane	ND	ug/L	2.0	0.065	1		07/27/23 08:38	JUNK40	
n-Butane	ND	ug/L	2.0	0.54	1		07/27/23 08:38	JUNK42	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/24/23 23:24	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/24/23 23:24	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/24/23 23:24	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/24/23 23:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/24/23 23:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/24/23 23:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/24/23 23:24	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/24/23 23:24	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/24/23 23:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/24/23 23:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/24/23 23:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/24/23 23:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 23:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/24/23 23:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/24/23 23:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/24/23 23:24	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/24/23 23:24	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/24/23 23:24	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/24/23 23:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/24/23 23:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/24/23 23:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/24/23 23:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/24/23 23:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/24/23 23:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 23:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/24/23 23:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/24/23 23:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/24/23 23:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/24/23 23:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/24/23 23:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/24/23 23:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/24/23 23:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/24/23 23:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/24/23 23:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/24/23 23:24	78-87-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: W-8-072023 Lab ID: 50349809012 Collected: 07/20/23 11:30 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/24/23 23:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/24/23 23:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/24/23 23:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/24/23 23:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/23 23:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 23:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/24/23 23:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/24/23 23:24	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/24/23 23:24	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/24/23 23:24	591-78-6	
Iodomethane	ND	ug/L	10.0	0.31	1		07/24/23 23:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/24/23 23:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/24/23 23:24	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/24/23 23:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/24/23 23:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/24/23 23:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/24/23 23:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/24/23 23:24	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/24/23 23:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/24/23 23:24	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/24/23 23:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/24/23 23:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/24/23 23:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/24/23 23:24	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/24/23 23:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/24/23 23:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/24/23 23:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/24/23 23:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/24/23 23:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/24/23 23:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/24/23 23:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/24/23 23:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/24/23 23:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/24/23 23:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/24/23 23:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.59	1		07/24/23 23:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/24/23 23:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		07/24/23 23:24	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		07/24/23 23:24	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		07/24/23 23:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: MW-163-072023 Lab ID: 50349809013 Collected: 07/20/23 11:35 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	500	44.4	5		07/24/23 23:58	67-64-1	
Acrolein	ND	ug/L	250	63.5	5		07/24/23 23:58	107-02-8	
Acrylonitrile	ND	ug/L	500	11.0	5		07/24/23 23:58	107-13-1	
Benzene	ND	ug/L	25.0	1.9	5		07/24/23 23:58	71-43-2	
Bromobenzene	ND	ug/L	25.0	2.5	5		07/24/23 23:58	108-86-1	
Bromochloromethane	ND	ug/L	25.0	2.1	5		07/24/23 23:58	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	2.8	5		07/24/23 23:58	75-27-4	
Bromoform	ND	ug/L	25.0	3.7	5		07/24/23 23:58	75-25-2	
Bromomethane	ND	ug/L	25.0	2.9	5		07/24/23 23:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	23.3	5		07/24/23 23:58	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	1.9	5		07/24/23 23:58	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	1.6	5		07/24/23 23:58	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	1.7	5		07/24/23 23:58	98-06-6	
Carbon disulfide	ND	ug/L	50.0	4.1	5		07/24/23 23:58	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	2.0	5		07/24/23 23:58	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.8	5		07/24/23 23:58	108-90-7	
Chloroethane	ND	ug/L	25.0	2.7	5		07/24/23 23:58	75-00-3	
Chloroform	ND	ug/L	25.0	2.2	5		07/24/23 23:58	67-66-3	
Chloromethane	ND	ug/L	25.0	2.5	5		07/24/23 23:58	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	1.9	5		07/24/23 23:58	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	2.0	5		07/24/23 23:58	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	2.8	5		07/24/23 23:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	2.7	5		07/24/23 23:58	106-93-4	
Dibromomethane	ND	ug/L	25.0	3.8	5		07/24/23 23:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	2.2	5		07/24/23 23:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	1.9	5		07/24/23 23:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	2.2	5		07/24/23 23:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	3.6	5		07/24/23 23:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	3.0	5		07/24/23 23:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	2.3	5		07/24/23 23:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	2.7	5		07/24/23 23:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	2.3	5		07/24/23 23:58	75-35-4	
cis-1,2-Dichloroethene	7230	ug/L	250	26.3	50		07/25/23 00:32	156-59-2	
trans-1,2-Dichloroethene	76.8	ug/L	25.0	1.7	5		07/24/23 23:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	3.6	5		07/24/23 23:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	2.4	5		07/24/23 23:58	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	3.1	5		07/24/23 23:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	3.2	5		07/24/23 23:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	2.5	5		07/24/23 23:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	2.5	5		07/24/23 23:58	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.8	5		07/24/23 23:58	100-41-4	
Ethyl methacrylate	ND	ug/L	500	3.2	5		07/24/23 23:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	2.3	5		07/24/23 23:58	87-68-3	
n-Hexane	ND	ug/L	25.0	2.3	5		07/24/23 23:58	110-54-3	
2-Hexanone	ND	ug/L	125	15.1	5		07/24/23 23:58	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-163-072023 Lab ID: 50349809013 Collected: 07/20/23 11:35 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	50.0	1.6	5		07/24/23 23:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.7	5		07/24/23 23:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	1.8	5		07/24/23 23:58	99-87-6	
Methylene Chloride	ND	ug/L	25.0	11.0	5		07/24/23 23:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	3.1	5		07/24/23 23:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	2.2	5		07/24/23 23:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	12.6	5		07/24/23 23:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	2.4	5		07/24/23 23:58	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.1	5		07/24/23 23:58	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	1.7	5		07/24/23 23:58	103-65-1	
Styrene	ND	ug/L	25.0	2.0	5		07/24/23 23:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	2.5	5		07/24/23 23:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	2.6	5		07/24/23 23:58	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	1.6	5		07/24/23 23:58	127-18-4	
Toluene	ND	ug/L	25.0	1.7	5		07/24/23 23:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.9	5		07/24/23 23:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.3	5		07/24/23 23:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	2.3	5		07/24/23 23:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	3.9	5		07/24/23 23:58	79-00-5	
Trichloroethene	ND	ug/L	25.0	3.5	5		07/24/23 23:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	3.1	5		07/24/23 23:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	4.1	5		07/24/23 23:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	1.7	5		07/24/23 23:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.5	5		07/24/23 23:58	108-67-8	
Vinyl acetate	ND	ug/L	250	4.8	5		07/24/23 23:58	108-05-4	
Vinyl chloride	1610	ug/L	100	29.7	50		07/25/23 00:32	75-01-4	
Xylene (Total)	ND	ug/L	50.0	1.8	5		07/24/23 23:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		5		07/24/23 23:58	1868-53-7	D4
4-Bromofluorobenzene (S)	104	%	79-124		5		07/24/23 23:58	460-00-4	
Toluene-d8 (S)	97	%	73-122		5		07/24/23 23:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: MW-312-072023 Lab ID: 50349809014 Collected: 07/20/23 11:40 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/25/23 01:05	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/25/23 01:05	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/25/23 01:05	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/25/23 01:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/25/23 01:05	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/25/23 01:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/25/23 01:05	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/25/23 01:05	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/25/23 01:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 01:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/25/23 01:05	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/25/23 01:05	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/25/23 01:05	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/25/23 01:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/25/23 01:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/25/23 01:05	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/25/23 01:05	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/25/23 01:05	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/25/23 01:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/25/23 01:05	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/25/23 01:05	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/25/23 01:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/25/23 01:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/25/23 01:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/25/23 01:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/25/23 01:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 01:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/25/23 01:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/25/23 01:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/25/23 01:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/25/23 01:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/25/23 01:05	75-35-4	
cis-1,2-Dichloroethene	61.8	ug/L	5.0	0.53	1		07/25/23 01:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/25/23 01:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/25/23 01:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 01:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/25/23 01:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/25/23 01:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/25/23 01:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/25/23 01:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/25/23 01:05	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/25/23 01:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/25/23 01:05	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/25/23 01:05	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 01:05	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-312-072023 Lab ID: 50349809014 Collected: 07/20/23 11:40 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/25/23 01:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/25/23 01:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/25/23 01:05	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/25/23 01:05	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/25/23 01:05	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/25/23 01:05	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/25/23 01:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/25/23 01:05	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/25/23 01:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/25/23 01:05	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 01:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/25/23 01:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/25/23 01:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/25/23 01:05	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 01:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/25/23 01:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/25/23 01:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/25/23 01:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/25/23 01:05	79-00-5	
Trichloroethene	23.1	ug/L	5.0	0.70	1		07/25/23 01:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/25/23 01:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/25/23 01:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/25/23 01:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/25/23 01:05	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/25/23 01:05	108-05-4	
Vinyl chloride	38.6	ug/L	2.0	0.59	1		07/25/23 01:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/25/23 01:05	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		07/25/23 01:05	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		07/25/23 01:05	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		07/25/23 01:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: MW-132-072023 Lab ID: 50349809015 Collected: 07/20/23 11:55 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.4	1		07/25/23 12:58	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 12:58	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 12:58	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/25/23 12:58	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 12:58	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 12:58	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 12:58	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 12:58	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 12:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 12:58	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 12:58	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 12:58	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 12:58	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 12:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 12:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 12:58	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 12:58	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 12:58	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 12:58	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 12:58	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 12:58	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 12:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 12:58	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 12:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 12:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 12:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 12:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 12:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 12:58	75-71-8	
1,1-Dichloroethane	56.8	ug/L	5.0	0.42	1		07/25/23 12:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.61	1		07/25/23 12:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.55	1		07/25/23 12:58	75-35-4	
cis-1,2-Dichloroethene	528	ug/L	50.0	6.7	10		07/25/23 13:33	156-59-2	
trans-1,2-Dichloroethene	38.9	ug/L	5.0	0.51	1		07/25/23 12:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 12:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 12:58	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 12:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 12:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 12:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 12:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 12:58	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 12:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 12:58	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 12:58	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 12:58	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-132-072023 Lab ID: 50349809015 Collected: 07/20/23 11:55 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 12:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 12:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 12:58	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 12:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 12:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 12:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 12:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 12:58	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 12:58	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 12:58	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 12:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 12:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 12:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 12:58	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 12:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 12:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 12:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.57	1		07/25/23 12:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 12:58	79-00-5	
Trichloroethene	530	ug/L	50.0	6.5	10		07/25/23 13:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 12:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 12:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 12:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 12:58	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 12:58	108-05-4	
Vinyl chloride	218	ug/L	2.0	0.53	1		07/25/23 12:58	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 12:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	124	%	82-128		1		07/25/23 12:58	1868-53-7	
4-Bromofluorobenzene (S)	112	%	79-124		1		07/25/23 12:58	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		07/25/23 12:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-41-072023 Lab ID: 50349809016 Collected: 07/20/23 12:15 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.4	1		07/25/23 14:07	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 14:07	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 14:07	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/25/23 14:07	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 14:07	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 14:07	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 14:07	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 14:07	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 14:07	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 14:07	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 14:07	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 14:07	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 14:07	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 14:07	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 14:07	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 14:07	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 14:07	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 14:07	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 14:07	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 14:07	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 14:07	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 14:07	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 14:07	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 14:07	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 14:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 14:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 14:07	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 14:07	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 14:07	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.42	1		07/25/23 14:07	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.61	1		07/25/23 14:07	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.55	1		07/25/23 14:07	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.67	1		07/25/23 14:07	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/25/23 14:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 14:07	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 14:07	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 14:07	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 14:07	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 14:07	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 14:07	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 14:07	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 14:07	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 14:07	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 14:07	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 14:07	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-41-072023 Lab ID: 50349809016 Collected: 07/20/23 12:15 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 14:07	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 14:07	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 14:07	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 14:07	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 14:07	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 14:07	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 14:07	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 14:07	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 14:07	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 14:07	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 14:07	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 14:07	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 14:07	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 14:07	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 14:07	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 14:07	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 14:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.57	1		07/25/23 14:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 14:07	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.65	1		07/25/23 14:07	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 14:07	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 14:07	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 14:07	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 14:07	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 14:07	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.53	1		07/25/23 14:07	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 14:07	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	119	%	82-128		1		07/25/23 14:07	1868-53-7	
4-Bromofluorobenzene (S)	114	%	79-124		1		07/25/23 14:07	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		07/25/23 14:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-333-072023 Lab ID: 50349809017 Collected: 07/20/23 12:35 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.4	1		07/25/23 14:41	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 14:41	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 14:41	107-13-1	
Benzene	13.1	ug/L	5.0	0.41	1		07/25/23 14:41	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 14:41	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 14:41	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 14:41	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 14:41	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 14:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 14:41	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 14:41	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 14:41	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 14:41	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 14:41	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 14:41	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 14:41	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 14:41	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 14:41	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 14:41	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 14:41	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 14:41	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 14:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 14:41	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 14:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 14:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 14:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 14:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 14:41	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 14:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.42	1		07/25/23 14:41	75-34-3	
1,2-Dichloroethane	32.0	ug/L	5.0	0.61	1		07/25/23 14:41	107-06-2	
1,1-Dichloroethene	28.9	ug/L	5.0	0.55	1		07/25/23 14:41	75-35-4	
cis-1,2-Dichloroethene	10100	ug/L	500	52.6	100		07/26/23 21:22	156-59-2	
trans-1,2-Dichloroethene	162	ug/L	5.0	0.51	1		07/25/23 14:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 14:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 14:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 14:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 14:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 14:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 14:41	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 14:41	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 14:41	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 14:41	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 14:41	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 14:41	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-333-072023 **Lab ID: 50349809017** Collected: 07/20/23 12:35 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 14:41	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 14:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 14:41	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 14:41	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 14:41	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 14:41	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 14:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 14:41	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 14:41	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 14:41	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 14:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 14:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 14:41	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 14:41	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 14:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 14:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 14:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.57	1		07/25/23 14:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 14:41	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.65	1		07/25/23 14:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 14:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 14:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 14:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 14:41	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 14:41	108-05-4	
Vinyl chloride	2340	ug/L	20.0	5.3	10		07/25/23 15:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 14:41	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	126	%	82-128		1		07/25/23 14:41	1868-53-7	
4-Bromofluorobenzene (S)	109	%	79-124		1		07/25/23 14:41	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		07/25/23 14:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-343-072023 Lab ID: 50349809018 Collected: 07/20/23 12:40 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.9	1		07/28/23 19:52	67-64-1	
Acrolein	ND	ug/L	50.0	12.7	1		07/28/23 19:52	107-02-8	
Acrylonitrile	ND	ug/L	100	2.2	1		07/28/23 19:52	107-13-1	
Benzene	ND	ug/L	5.0	0.39	1		07/28/23 19:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.50	1		07/28/23 19:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/28/23 19:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.57	1		07/28/23 19:52	75-27-4	
Bromoform	ND	ug/L	5.0	0.73	1		07/28/23 19:52	75-25-2	
Bromomethane	ND	ug/L	5.0	0.57	1		07/28/23 19:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/28/23 19:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/28/23 19:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.32	1		07/28/23 19:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.35	1		07/28/23 19:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.83	1		07/28/23 19:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.40	1		07/28/23 19:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.36	1		07/28/23 19:52	108-90-7	
Chloroethane	ND	ug/L	5.0	0.55	1		07/28/23 19:52	75-00-3	
Chloroform	ND	ug/L	5.0	0.44	1		07/28/23 19:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.50	1		07/28/23 19:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.38	1		07/28/23 19:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		07/28/23 19:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.56	1		07/28/23 19:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.55	1		07/28/23 19:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		07/28/23 19:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.45	1		07/28/23 19:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.39	1		07/28/23 19:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/28/23 19:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.72	1		07/28/23 19:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.60	1		07/28/23 19:52	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.46	1		07/28/23 19:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.54	1		07/28/23 19:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/28/23 19:52	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.53	1		07/28/23 19:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		07/28/23 19:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.71	1		07/28/23 19:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.49	1		07/28/23 19:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		07/28/23 19:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.64	1		07/28/23 19:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.50	1		07/28/23 19:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/28/23 19:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		07/28/23 19:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.64	1		07/28/23 19:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		07/28/23 19:52	87-68-3	
n-Hexane	ND	ug/L	5.0	0.46	1		07/28/23 19:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/28/23 19:52	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-343-072023 Lab ID: 50349809018 Collected: 07/20/23 12:40 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.31	1		07/28/23 19:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/28/23 19:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/28/23 19:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.2	1		07/28/23 19:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.61	1		07/28/23 19:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/28/23 19:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.5	1		07/28/23 19:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.48	1		07/28/23 19:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.42	1		07/28/23 19:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		07/28/23 19:52	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/28/23 19:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.50	1		07/28/23 19:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.52	1		07/28/23 19:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/28/23 19:52	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/28/23 19:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.38	1		07/28/23 19:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/28/23 19:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.47	1		07/28/23 19:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.78	1		07/28/23 19:52	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.70	1		07/28/23 19:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.62	1		07/28/23 19:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.82	1		07/28/23 19:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.35	1		07/28/23 19:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.30	1		07/28/23 19:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.96	1		07/28/23 19:52	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.59	1		07/28/23 19:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.35	1		07/28/23 19:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		07/28/23 19:52	1868-53-7	
4-Bromofluorobenzene (S)	106	%	79-124		1		07/28/23 19:52	460-00-4	
Toluene-d8 (S)	103	%	73-122		1		07/28/23 19:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: AD-400-072023 Lab ID: 5034980919 Collected: 07/20/23 12:00 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.4	1		07/25/23 16:23	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 16:23	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 16:23	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/25/23 16:23	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 16:23	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 16:23	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 16:23	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 16:23	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 16:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 16:23	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 16:23	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 16:23	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 16:23	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 16:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 16:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 16:23	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 16:23	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 16:23	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 16:23	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 16:23	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 16:23	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 16:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 16:23	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 16:23	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 16:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 16:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 16:23	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 16:23	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 16:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.42	1		07/25/23 16:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.61	1		07/25/23 16:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.55	1		07/25/23 16:23	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.67	1		07/25/23 16:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/25/23 16:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 16:23	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 16:23	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 16:23	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 16:23	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 16:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 16:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 16:23	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 16:23	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 16:23	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 16:23	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 16:23	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: AD-400-072023 **Lab ID: 50349809019** Collected: 07/20/23 12:00 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 16:23	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 16:23	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 16:23	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 16:23	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 16:23	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 16:23	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 16:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 16:23	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 16:23	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 16:23	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 16:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 16:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 16:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 16:23	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 16:23	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 16:23	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 16:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.57	1		07/25/23 16:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 16:23	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.65	1		07/25/23 16:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 16:23	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 16:23	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 16:23	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 16:23	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 16:23	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.53	1		07/25/23 16:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 16:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	119	%	82-128		1		07/25/23 16:23	1868-53-7	
4-Bromofluorobenzene (S)	111	%	79-124		1		07/25/23 16:23	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		07/25/23 16:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-241-072023 Lab ID: 50349809020 Collected: 07/20/23 12:45 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.4	1		07/25/23 16:57	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 16:57	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 16:57	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/25/23 16:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 16:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 16:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 16:57	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 16:57	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 16:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 16:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 16:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 16:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 16:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 16:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 16:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 16:57	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 16:57	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 16:57	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 16:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 16:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 16:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 16:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 16:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 16:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 16:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 16:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 16:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 16:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 16:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.42	1		07/25/23 16:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.61	1		07/25/23 16:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.55	1		07/25/23 16:57	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.67	1		07/25/23 16:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/25/23 16:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 16:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 16:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 16:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 16:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 16:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 16:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 16:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 16:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 16:57	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 16:57	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 16:57	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-241-072023 Lab ID: 50349809020 Collected: 07/20/23 12:45 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 16:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 16:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 16:57	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 16:57	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 16:57	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 16:57	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 16:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 16:57	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 16:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 16:57	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 16:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 16:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 16:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 16:57	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 16:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 16:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 16:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.57	1		07/25/23 16:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 16:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.65	1		07/25/23 16:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 16:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 16:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 16:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 16:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 16:57	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.53	1		07/25/23 16:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 16:57	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	121	%	82-128		1		07/25/23 16:57	1868-53-7	
4-Bromofluorobenzene (S)	112	%	79-124		1		07/25/23 16:57	460-00-4	
Toluene-d8 (S)	101	%	73-122		1		07/25/23 16:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-32-072023 Lab ID: 50349809021 Collected: 07/20/23 13:40 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.4	1		07/25/23 17:31	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 17:31	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 17:31	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/25/23 17:31	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 17:31	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 17:31	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 17:31	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 17:31	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 17:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 17:31	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 17:31	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 17:31	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 17:31	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 17:31	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 17:31	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 17:31	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 17:31	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 17:31	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 17:31	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 17:31	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 17:31	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 17:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 17:31	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 17:31	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 17:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 17:31	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 17:31	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 17:31	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 17:31	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.42	1		07/25/23 17:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.61	1		07/25/23 17:31	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.55	1		07/25/23 17:31	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.67	1		07/25/23 17:31	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/25/23 17:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 17:31	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 17:31	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 17:31	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 17:31	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 17:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 17:31	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 17:31	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 17:31	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 17:31	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 17:31	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 17:31	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-32-072023 **Lab ID: 50349809021** Collected: 07/20/23 13:40 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 17:31	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 17:31	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 17:31	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 17:31	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 17:31	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 17:31	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 17:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 17:31	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 17:31	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 17:31	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 17:31	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 17:31	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 17:31	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 17:31	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 17:31	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 17:31	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 17:31	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.57	1		07/25/23 17:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 17:31	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.65	1		07/25/23 17:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 17:31	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 17:31	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 17:31	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 17:31	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 17:31	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.53	1		07/25/23 17:31	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 17:31	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	120	%	82-128		1		07/25/23 17:31	1868-53-7	
4-Bromofluorobenzene (S)	112	%	79-124		1		07/25/23 17:31	460-00-4	
Toluene-d8 (S)	102	%	73-122		1		07/25/23 17:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: MW-33-072023 Lab ID: 50349809022 Collected: 07/20/23 13:45 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.4	1		07/25/23 18:05	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 18:05	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 18:05	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/25/23 18:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 18:05	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 18:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 18:05	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 18:05	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 18:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 18:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 18:05	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 18:05	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 18:05	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 18:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 18:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 18:05	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 18:05	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 18:05	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 18:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 18:05	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 18:05	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 18:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 18:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 18:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 18:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 18:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 18:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 18:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 18:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.42	1		07/25/23 18:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.61	1		07/25/23 18:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.55	1		07/25/23 18:05	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.67	1		07/25/23 18:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/25/23 18:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 18:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 18:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 18:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 18:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 18:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 18:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 18:05	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 18:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 18:05	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 18:05	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 18:05	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: MW-33-072023 Lab ID: 50349809022 Collected: 07/20/23 13:45 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 18:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 18:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 18:05	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 18:05	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 18:05	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 18:05	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 18:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 18:05	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 18:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 18:05	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 18:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 18:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 18:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 18:05	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 18:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 18:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 18:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.57	1		07/25/23 18:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 18:05	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.65	1		07/25/23 18:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 18:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 18:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 18:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 18:05	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 18:05	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.53	1		07/25/23 18:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 18:05	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	122	%	82-128		1		07/25/23 18:05	1868-53-7	
4-Bromofluorobenzene (S)	108	%	79-124		1		07/25/23 18:05	460-00-4	
Toluene-d8 (S)	101	%	73-122		1		07/25/23 18:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50349809

Sample: Trip Blank-072023 Lab ID: 50349809023 Collected: 07/19/23 08:00 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	7.4	1		07/25/23 18:39	67-64-1	
Acrolein	ND	ug/L	50.0	21.9	1		07/25/23 18:39	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/25/23 18:39	107-13-1	
Benzene	ND	ug/L	5.0	0.41	1		07/25/23 18:39	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.40	1		07/25/23 18:39	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.44	1		07/25/23 18:39	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.62	1		07/25/23 18:39	75-27-4	
Bromoform	ND	ug/L	5.0	0.91	1		07/25/23 18:39	75-25-2	
Bromomethane	ND	ug/L	5.0	0.86	1		07/25/23 18:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.7	1		07/25/23 18:39	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 18:39	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		07/25/23 18:39	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		07/25/23 18:39	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.91	1		07/25/23 18:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.47	1		07/25/23 18:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.30	1		07/25/23 18:39	108-90-7	
Chloroethane	ND	ug/L	5.0	0.50	1		07/25/23 18:39	75-00-3	
Chloroform	ND	ug/L	5.0	0.50	1		07/25/23 18:39	67-66-3	
Chloromethane	ND	ug/L	5.0	0.53	1		07/25/23 18:39	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.42	1		07/25/23 18:39	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/25/23 18:39	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.61	1		07/25/23 18:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.68	1		07/25/23 18:39	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		07/25/23 18:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 18:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/25/23 18:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.40	1		07/25/23 18:39	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.8	1		07/25/23 18:39	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.1	1		07/25/23 18:39	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.42	1		07/25/23 18:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.61	1		07/25/23 18:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.55	1		07/25/23 18:39	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.67	1		07/25/23 18:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/25/23 18:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.64	1		07/25/23 18:39	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.59	1		07/25/23 18:39	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.49	1		07/25/23 18:39	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.57	1		07/25/23 18:39	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.32	1		07/25/23 18:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.36	1		07/25/23 18:39	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		07/25/23 18:39	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.94	1		07/25/23 18:39	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		07/25/23 18:39	87-68-3	
n-Hexane	ND	ug/L	5.0	0.57	1		07/25/23 18:39	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.0	1		07/25/23 18:39	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50349809

Sample: Trip Blank-072023 Lab ID: 50349809023 Collected: 07/19/23 08:00 Received: 07/20/23 16:45 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.28	1		07/25/23 18:39	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		07/25/23 18:39	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.34	1		07/25/23 18:39	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		07/25/23 18:39	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.45	1		07/25/23 18:39	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.46	1		07/25/23 18:39	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.8	1		07/25/23 18:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.56	1		07/25/23 18:39	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.44	1		07/25/23 18:39	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 18:39	103-65-1	
Styrene	ND	ug/L	5.0	0.40	1		07/25/23 18:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/25/23 18:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.65	1		07/25/23 18:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.38	1		07/25/23 18:39	127-18-4	
Toluene	ND	ug/L	5.0	0.34	1		07/25/23 18:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.46	1		07/25/23 18:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.51	1		07/25/23 18:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.57	1		07/25/23 18:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.81	1		07/25/23 18:39	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.65	1		07/25/23 18:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.70	1		07/25/23 18:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		07/25/23 18:39	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		07/25/23 18:39	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.36	1		07/25/23 18:39	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.84	1		07/25/23 18:39	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.53	1		07/25/23 18:39	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.48	1		07/25/23 18:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	124	%	82-128		1		07/25/23 18:39	1868-53-7	
4-Bromofluorobenzene (S)	116	%	79-124		1		07/25/23 18:39	460-00-4	
Toluene-d8 (S)	110	%	73-122		1		07/25/23 18:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

QC Batch: 745588 Analysis Method: EPA 300.0
 QC Batch Method: EPA 300.0 Analysis Description: 300.0 IC Anions
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349809001, 50349809002

METHOD BLANK: 3418084 Matrix: Water
 Associated Lab Samples: 50349809001, 50349809002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	07/27/23 23:21	

LABORATORY CONTROL SAMPLE: 3418085

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4660	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3418086 3418087

Parameter	Units	50349732002		3418087		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Sulfate	ug/L	793 mg/L	500000	500000	1170000	1170000	75	75	80-120	0	15 M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3418088 3418089

Parameter	Units	52120691005		3418089		% Rec	% Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Sulfate	ug/L	50.2 mg/L	50000	50000	95100	94900	90	89	80-120	0	15

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

QC Batch: 769638 Analysis Method: AM20GAX
 QC Batch Method: AM20GAX Analysis Description: Indicator Gases Water LHC
 Laboratory: Pace Analytical Gulf Coast

Associated Lab Samples: 50349809001, 50349809002, 50349809005, 50349809012

METHOD BLANK: 2504236 Matrix: Water

Associated Lab Samples: 50349809001, 50349809002, 50349809005, 50349809012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Methane	ug/L	ND	5.0	2.0	07/27/23 06:40	
Ethane	ug/L	ND	1.0	0.17	07/27/23 06:40	
Ethene	ug/L	ND	1.0	0.24	07/27/23 06:40	
n-Propane	ug/L	ND	1.0	0.29	07/27/23 06:40	
Propylene	ug/L	ND	1.0	0.31	07/27/23 06:40	
Isobutane	ug/L	ND	2.0	0.065	07/27/23 06:40	
n-Butane	ug/L	ND	2.0	0.54	07/27/23 06:40	

LABORATORY CONTROL SAMPLE & LCSD: 2504237 2504238

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Methane	ug/L	750	730	670	98	90	70-130	8	20	
Ethane	ug/L	38	31	29	82	77	70-130	5	20	
Ethene	ug/L	35	28	28	79	78	70-130	0	20	
n-Propane	ug/L	56	40	41	72	74	70-130	2	20	
Propylene	ug/L	53	36	36	68	68	70-130	1	20	L0
Isobutane	ug/L	73	52	56	72	76	70-130	6	20	
n-Butane	ug/L	73	54	60	73	83	70-130	12	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

QC Batch: 745454	Analysis Method: EPA 6010
QC Batch Method: EPA 3010	Analysis Description: 6010 MET Dissolved
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50349809001, 50349809002

METHOD BLANK: 3417594 Matrix: Water
 Associated Lab Samples: 50349809001, 50349809002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	28.6	07/27/23 02:16	

LABORATORY CONTROL SAMPLE: 3417595

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9440	94	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3417596 3417597

Parameter	Units	50349682004		3417597		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Iron, Dissolved	ug/L	27000	10000	35000	35900	80	88	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349809

QC Batch: 744965 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50349809002, 50349809003, 50349809004, 50349809005, 50349809006, 50349809007, 50349809008, 50349809009, 50349809010, 50349809011, 50349809012, 50349809013, 50349809014

METHOD BLANK: 3415555 Matrix: Water
Associated Lab Samples: 50349809002, 50349809003, 50349809004, 50349809005, 50349809006, 50349809007, 50349809008, 50349809009, 50349809010, 50349809011, 50349809012, 50349809013, 50349809014

Table with 7 columns: Parameter, Units, Blank Result, Reporting Limit, MDL, Analyzed, Qualifiers. Lists various chemical compounds and their detection results.

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349809

METHOD BLANK: 3415555 Matrix: Water
Associated Lab Samples: 50349809002, 50349809003, 50349809004, 50349809005, 50349809006, 50349809007, 50349809008, 50349809009, 50349809010, 50349809011, 50349809012, 50349809013, 50349809014

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.55	07/24/23 14:54	
Chloroform	ug/L	ND	5.0	0.44	07/24/23 14:54	
Chloromethane	ug/L	ND	5.0	0.50	07/24/23 14:54	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.53	07/24/23 14:54	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.50	07/24/23 14:54	
Dibromochloromethane	ug/L	ND	5.0	0.56	07/24/23 14:54	
Dibromomethane	ug/L	ND	5.0	0.76	07/24/23 14:54	
Dichlorodifluoromethane	ug/L	ND	5.0	0.60	07/24/23 14:54	
Ethyl methacrylate	ug/L	ND	100	0.64	07/24/23 14:54	
Ethylbenzene	ug/L	ND	5.0	0.35	07/24/23 14:54	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.46	07/24/23 14:54	
Iodomethane	ug/L	ND	10.0	0.31	07/24/23 14:54	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	07/24/23 14:54	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.48	07/24/23 14:54	
Methylene Chloride	ug/L	ND	5.0	2.2	07/24/23 14:54	
n-Butylbenzene	ug/L	ND	5.0	0.38	07/24/23 14:54	
n-Hexane	ug/L	ND	5.0	0.46	07/24/23 14:54	
n-Propylbenzene	ug/L	ND	5.0	0.34	07/24/23 14:54	
Naphthalene	ug/L	ND	1.2	0.42	07/24/23 14:54	
p-Isopropyltoluene	ug/L	ND	5.0	0.36	07/24/23 14:54	
sec-Butylbenzene	ug/L	ND	5.0	0.32	07/24/23 14:54	
Styrene	ug/L	ND	5.0	0.40	07/24/23 14:54	
tert-Butylbenzene	ug/L	ND	5.0	0.35	07/24/23 14:54	
Tetrachloroethene	ug/L	ND	5.0	0.32	07/24/23 14:54	
Toluene	ug/L	ND	5.0	0.34	07/24/23 14:54	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.35	07/24/23 14:54	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.51	07/24/23 14:54	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.72	07/24/23 14:54	
Trichloroethene	ug/L	ND	5.0	0.70	07/24/23 14:54	
Trichlorofluoromethane	ug/L	ND	5.0	0.62	07/24/23 14:54	
Vinyl acetate	ug/L	ND	50.0	0.96	07/24/23 14:54	
Vinyl chloride	ug/L	ND	2.0	0.59	07/24/23 14:54	
Xylene (Total)	ug/L	ND	10.0	0.35	07/24/23 14:54	
4-Bromofluorobenzene (S)	%	105	79-124		07/24/23 14:54	
Dibromofluoromethane (S)	%	102	82-128		07/24/23 14:54	1d
Toluene-d8 (S)	%	98	73-122		07/24/23 14:54	

LABORATORY CONTROL SAMPLE: 3415556

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.6	95	81-130	
1,1,1-Trichloroethane	ug/L	50	52.2	104	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	49.1	98	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

LABORATORY CONTROL SAMPLE: 3415556

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	52.9	106	79-124	
1,1-Dichloroethane	ug/L	50	47.0	94	76-123	
1,1-Dichloroethene	ug/L	50	49.0	98	73-133	
1,1-Dichloropropene	ug/L	50	53.7	107	78-144	
1,2,3-Trichlorobenzene	ug/L	50	44.8	90	72-138	
1,2,3-Trichloropropane	ug/L	50	49.8	100	75-121	
1,2,4-Trichlorobenzene	ug/L	50	44.8	90	71-138	
1,2,4-Trimethylbenzene	ug/L	50	45.8	92	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	53.3	107	80-126	
1,2-Dichlorobenzene	ug/L	50	46.1	92	79-123	
1,2-Dichloroethane	ug/L	50	51.7	103	70-124	
1,2-Dichloropropane	ug/L	50	51.6	103	74-128	
1,3,5-Trimethylbenzene	ug/L	50	45.8	92	71-124	
1,3-Dichlorobenzene	ug/L	50	46.5	93	77-124	
1,3-Dichloropropane	ug/L	50	52.9	106	77-126	
1,4-Dichlorobenzene	ug/L	50	47.3	95	77-120	
1-Methylnaphthalene	ug/L	50	43.8	88	49-175	
2,2-Dichloropropane	ug/L	50	50.3	101	65-136	
2-Butanone (MEK)	ug/L	250	213	85	59-134	
2-Chlorotoluene	ug/L	50	48.2	96	74-121	
2-Hexanone	ug/L	250	224	90	63-134	
2-Methylnaphthalene	ug/L	50	45.2	90	52-170	
4-Chlorotoluene	ug/L	50	46.5	93	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	233	93	67-133	
Acetone	ug/L	250	179	72	32-133	
Acrolein	ug/L	1000	1050	105	35-166	
Acrylonitrile	ug/L	250	237	95	69-137	
Benzene	ug/L	50	48.0	96	74-124	
Bromobenzene	ug/L	50	48.4	97	76-122	
Bromochloromethane	ug/L	50	47.9	96	66-127	
Bromodichloromethane	ug/L	50	52.5	105	80-126	
Bromoform	ug/L	50	45.9	92	75-128	
Bromomethane	ug/L	50	52.9	106	10-183	
Carbon disulfide	ug/L	50	48.7	97	68-123	
Carbon tetrachloride	ug/L	50	50.6	101	78-132	
Chlorobenzene	ug/L	50	48.2	96	77-121	
Chloroethane	ug/L	50	45.7	91	43-140	
Chloroform	ug/L	50	48.1	96	75-118	
Chloromethane	ug/L	50	46.4	93	45-130	
cis-1,2-Dichloroethene	ug/L	50	48.0	96	76-125	
cis-1,3-Dichloropropene	ug/L	50	54.2	108	76-132	
Dibromochloromethane	ug/L	50	49.5	99	79-130	
Dibromomethane	ug/L	50	51.0	102	79-124	
Dichlorodifluoromethane	ug/L	50	51.1	102	10-124	
Ethyl methacrylate	ug/L	50	47.5J	95	73-137	
Ethylbenzene	ug/L	50	47.4	95	74-125	
Hexachloro-1,3-butadiene	ug/L	50	46.2	92	66-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349809

LABORATORY CONTROL SAMPLE: 3415556

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	47.8	96	10-160	
Isopropylbenzene (Cumene)	ug/L	50	47.4	95	75-126	
Methyl-tert-butyl ether	ug/L	50	50.5	101	74-129	
Methylene Chloride	ug/L	50	54.5	109	77-126	
n-Butylbenzene	ug/L	50	50.5	101	72-131	
n-Hexane	ug/L	50	47.6	95	58-131	
n-Propylbenzene	ug/L	50	52.0	104	76-127	
Naphthalene	ug/L	50	44.0	88	70-132	
p-Isopropyltoluene	ug/L	50	48.4	97	76-126	
sec-Butylbenzene	ug/L	50	50.4	101	76-129	
Styrene	ug/L	50	45.7	91	81-129	
tert-Butylbenzene	ug/L	50	46.3	93	76-129	
Tetrachloroethene	ug/L	50	47.4	95	73-132	
Toluene	ug/L	50	44.0	88	72-119	
trans-1,2-Dichloroethene	ug/L	50	48.3	97	74-125	
trans-1,3-Dichloropropene	ug/L	50	51.5	103	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	49.1J	98	66-152	
Trichloroethene	ug/L	50	53.8	108	75-127	
Trichlorofluoromethane	ug/L	50	56.3	113	64-136	
Vinyl acetate	ug/L	200	298	149	62-159	
Vinyl chloride	ug/L	50	50.5	101	48-133	
Xylene (Total)	ug/L	150	136	90	73-123	
4-Bromofluorobenzene (S)	%			97	79-124	
Dibromofluoromethane (S)	%			95	82-128	
Toluene-d8 (S)	%			101	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349809

QC Batch: 745150 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50349809001, 50349809015, 50349809016, 50349809017, 50349809019, 50349809020, 50349809021, 50349809022, 50349809023

METHOD BLANK: 3416307 Matrix: Water
Associated Lab Samples: 50349809001, 50349809015, 50349809016, 50349809017, 50349809019, 50349809020, 50349809021, 50349809022, 50349809023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.41	07/25/23 12:24	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.57	07/25/23 12:24	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.65	07/25/23 12:24	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.81	07/25/23 12:24	
1,1-Dichloroethane	ug/L	ND	5.0	0.42	07/25/23 12:24	
1,1-Dichloroethene	ug/L	ND	5.0	0.55	07/25/23 12:24	
1,1-Dichloropropene	ug/L	ND	5.0	0.57	07/25/23 12:24	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.46	07/25/23 12:24	
1,2,3-Trichloropropane	ug/L	ND	5.0	1.2	07/25/23 12:24	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.51	07/25/23 12:24	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.41	07/25/23 12:24	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.68	07/25/23 12:24	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	07/25/23 12:24	
1,2-Dichloroethane	ug/L	ND	5.0	0.61	07/25/23 12:24	
1,2-Dichloropropane	ug/L	ND	5.0	0.64	07/25/23 12:24	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.36	07/25/23 12:24	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.43	07/25/23 12:24	
1,3-Dichloropropane	ug/L	ND	5.0	0.59	07/25/23 12:24	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.40	07/25/23 12:24	
1-Methylnaphthalene	ug/L	ND	10.0	0.45	07/25/23 12:24	
2,2-Dichloropropane	ug/L	ND	5.0	0.49	07/25/23 12:24	
2-Butanone (MEK)	ug/L	ND	25.0	4.7	07/25/23 12:24	
2-Chlorotoluene	ug/L	ND	5.0	0.42	07/25/23 12:24	
2-Hexanone	ug/L	ND	25.0	3.0	07/25/23 12:24	
2-Methylnaphthalene	ug/L	ND	10.0	0.46	07/25/23 12:24	
4-Chlorotoluene	ug/L	ND	5.0	0.41	07/25/23 12:24	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.8	07/25/23 12:24	
Acetone	ug/L	ND	100	7.4	07/25/23 12:24	
Acrolein	ug/L	ND	50.0	21.9	07/25/23 12:24	
Acrylonitrile	ug/L	ND	100	2.3	07/25/23 12:24	
Benzene	ug/L	ND	5.0	0.41	07/25/23 12:24	
Bromobenzene	ug/L	ND	5.0	0.40	07/25/23 12:24	
Bromochloromethane	ug/L	ND	5.0	0.44	07/25/23 12:24	
Bromodichloromethane	ug/L	ND	5.0	0.62	07/25/23 12:24	
Bromoform	ug/L	ND	5.0	0.91	07/25/23 12:24	
Bromomethane	ug/L	ND	5.0	0.86	07/25/23 12:24	
Carbon disulfide	ug/L	ND	10.0	0.91	07/25/23 12:24	
Carbon tetrachloride	ug/L	ND	5.0	0.47	07/25/23 12:24	
Chlorobenzene	ug/L	ND	5.0	0.30	07/25/23 12:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

METHOD BLANK: 3416307 Matrix: Water
 Associated Lab Samples: 50349809001, 50349809015, 50349809016, 50349809017, 50349809019, 50349809020, 50349809021, 50349809022, 50349809023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.50	07/25/23 12:24	
Chloroform	ug/L	ND	5.0	0.50	07/25/23 12:24	
Chloromethane	ug/L	ND	5.0	0.53	07/25/23 12:24	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.67	07/25/23 12:24	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.32	07/25/23 12:24	
Dibromochloromethane	ug/L	ND	5.0	0.61	07/25/23 12:24	
Dibromomethane	ug/L	ND	5.0	1.1	07/25/23 12:24	
Dichlorodifluoromethane	ug/L	ND	5.0	1.1	07/25/23 12:24	
Ethyl methacrylate	ug/L	ND	100	0.94	07/25/23 12:24	
Ethylbenzene	ug/L	ND	5.0	0.40	07/25/23 12:24	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.48	07/25/23 12:24	
Iodomethane	ug/L	ND	10.0	0.28	07/25/23 12:24	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.29	07/25/23 12:24	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.56	07/25/23 12:24	
Methylene Chloride	ug/L	ND	5.0	3.2	07/25/23 12:24	
n-Butylbenzene	ug/L	ND	5.0	0.36	07/25/23 12:24	
n-Hexane	ug/L	ND	5.0	0.57	07/25/23 12:24	
n-Propylbenzene	ug/L	ND	5.0	0.36	07/25/23 12:24	
Naphthalene	ug/L	ND	1.2	0.44	07/25/23 12:24	
p-Isopropyltoluene	ug/L	ND	5.0	0.34	07/25/23 12:24	
sec-Butylbenzene	ug/L	ND	5.0	0.29	07/25/23 12:24	
Styrene	ug/L	ND	5.0	0.40	07/25/23 12:24	
tert-Butylbenzene	ug/L	ND	5.0	0.28	07/25/23 12:24	
Tetrachloroethene	ug/L	ND	5.0	0.38	07/25/23 12:24	
Toluene	ug/L	ND	5.0	0.34	07/25/23 12:24	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.51	07/25/23 12:24	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.36	07/25/23 12:24	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.8	07/25/23 12:24	
Trichloroethene	ug/L	ND	5.0	0.65	07/25/23 12:24	
Trichlorofluoromethane	ug/L	ND	5.0	0.70	07/25/23 12:24	
Vinyl acetate	ug/L	ND	50.0	0.84	07/25/23 12:24	
Vinyl chloride	ug/L	ND	2.0	0.53	07/25/23 12:24	
Xylene (Total)	ug/L	ND	10.0	0.48	07/25/23 12:24	
4-Bromofluorobenzene (S)	%	110	79-124		07/25/23 12:24	
Dibromofluoromethane (S)	%	120	82-128		07/25/23 12:24	
Toluene-d8 (S)	%	97	73-122		07/25/23 12:24	

LABORATORY CONTROL SAMPLE: 3416308

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	45.0	90	81-130	
1,1,1-Trichloroethane	ug/L	50	49.8	100	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	47.9	96	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

LABORATORY CONTROL SAMPLE: 3416308

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	52.6	105	79-124	
1,1-Dichloroethane	ug/L	50	45.7	91	76-123	
1,1-Dichloroethene	ug/L	50	46.6	93	73-133	
1,1-Dichloropropene	ug/L	50	54.1	108	78-144	
1,2,3-Trichlorobenzene	ug/L	50	42.1	84	72-138	
1,2,3-Trichloropropane	ug/L	50	46.5	93	75-121	
1,2,4-Trichlorobenzene	ug/L	50	41.3	83	71-138	
1,2,4-Trimethylbenzene	ug/L	50	44.6	89	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	47.6	95	80-126	
1,2-Dichlorobenzene	ug/L	50	44.7	89	79-123	
1,2-Dichloroethane	ug/L	50	49.6	99	70-124	
1,2-Dichloropropane	ug/L	50	52.2	104	74-128	
1,3,5-Trimethylbenzene	ug/L	50	44.8	90	71-124	
1,3-Dichlorobenzene	ug/L	50	43.7	87	77-124	
1,3-Dichloropropane	ug/L	50	54.7	109	77-126	
1,4-Dichlorobenzene	ug/L	50	45.0	90	77-120	
1-Methylnaphthalene	ug/L	50	52.1	104	49-175	
2,2-Dichloropropane	ug/L	50	47.5	95	65-136	
2-Butanone (MEK)	ug/L	250	218	87	59-134	
2-Chlorotoluene	ug/L	50	46.9	94	74-121	
2-Hexanone	ug/L	250	212	85	63-134	
2-Methylnaphthalene	ug/L	50	43.8	88	52-170	
4-Chlorotoluene	ug/L	50	45.8	92	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	233	93	67-133	
Acetone	ug/L	250	197	79	32-133	
Acrolein	ug/L	1000	978	98	35-166	
Acrylonitrile	ug/L	250	231	92	69-137	
Benzene	ug/L	50	46.7	93	74-124	
Bromobenzene	ug/L	50	47.0	94	76-122	
Bromochloromethane	ug/L	50	43.2	86	66-127	
Bromodichloromethane	ug/L	50	52.5	105	80-126	
Bromoform	ug/L	50	45.3	91	75-128	
Bromomethane	ug/L	50	43.9	88	10-183	
Carbon disulfide	ug/L	50	46.4	93	68-123	
Carbon tetrachloride	ug/L	50	47.6	95	78-132	
Chlorobenzene	ug/L	50	45.0	90	77-121	
Chloroethane	ug/L	50	42.3	85	43-140	
Chloroform	ug/L	50	46.5	93	75-118	
Chloromethane	ug/L	50	41.8	84	45-130	
cis-1,2-Dichloroethene	ug/L	50	45.4	91	76-125	
cis-1,3-Dichloropropene	ug/L	50	54.4	109	76-132	
Dibromochloromethane	ug/L	50	49.3	99	79-130	
Dibromomethane	ug/L	50	49.8	100	79-124	
Dichlorodifluoromethane	ug/L	50	40.8	82	10-124	
Ethyl methacrylate	ug/L	50	46.1J	92	73-137	
Ethylbenzene	ug/L	50	45.1	90	74-125	
Hexachloro-1,3-butadiene	ug/L	50	43.2	86	66-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349809

LABORATORY CONTROL SAMPLE: 3416308

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	39.6	79	10-160	
Isopropylbenzene (Cumene)	ug/L	50	44.7	89	75-126	
Methyl-tert-butyl ether	ug/L	50	52.3	105	74-129	
Methylene Chloride	ug/L	50	54.7	109	77-126	
n-Butylbenzene	ug/L	50	47.7	95	72-131	
n-Hexane	ug/L	50	44.8	90	58-131	
n-Propylbenzene	ug/L	50	49.2	98	76-127	
Naphthalene	ug/L	50	42.4	85	70-132	
p-Isopropyltoluene	ug/L	50	45.2	90	76-126	
sec-Butylbenzene	ug/L	50	46.7	93	76-129	
Styrene	ug/L	50	43.7	87	81-129	
tert-Butylbenzene	ug/L	50	46.4	93	76-129	
Tetrachloroethene	ug/L	50	44.0	88	73-132	
Toluene	ug/L	50	41.4	83	72-119	
trans-1,2-Dichloroethene	ug/L	50	46.4	93	74-125	
trans-1,3-Dichloropropene	ug/L	50	53.6	107	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	51.3J	103	66-152	
Trichloroethene	ug/L	50	52.9	106	75-127	
Trichlorofluoromethane	ug/L	50	49.3	99	64-136	
Vinyl acetate	ug/L	200	317	158	62-159	
Vinyl chloride	ug/L	50	45.5	91	48-133	
Xylene (Total)	ug/L	150	129	86	73-123	
4-Bromofluorobenzene (S)	%			96	79-124	
Dibromofluoromethane (S)	%			97	82-128	
Toluene-d8 (S)	%			101	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3416309 3416310

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Spike Conc.	Result	Spike Conc.	Result								
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	47.1	48.3	94	97	60-150	2	20		
1,1,1-Trichloroethane	ug/L	ND	50	50	49.3	50.6	99	101	63-138	3	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	45.3	48.1	91	96	58-146	6	20		
1,1,2-Trichloroethane	ug/L	ND	50	50	53.2	55.0	106	110	63-142	3	20		
1,1-Dichloroethane	ug/L	ND	50	50	43.3	44.1	87	88	64-138	2	20		
1,1-Dichloroethene	ug/L	ND	50	50	45.5	46.7	91	93	65-139	3	20		
1,1-Dichloropropene	ug/L	ND	50	50	52.8	54.3	106	109	68-155	3	20		
1,2,3-Trichlorobenzene	ug/L	ND	50	50	39.9	40.2	80	80	32-141	1	20		
1,2,3-Trichloropropane	ug/L	ND	50	50	45.1	47.1	90	94	54-144	4	20		
1,2,4-Trichlorobenzene	ug/L	ND	50	50	36.6	37.2	73	74	31-140	2	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	43.9	44.2	88	88	34-144	1	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	46.8	47.9	94	96	64-139	2	20		
1,2-Dichlorobenzene	ug/L	ND	50	50	44.3	45.5	89	91	50-136	3	20		
1,2-Dichloroethane	ug/L	ND	50	50	47.3	48.3	95	97	55-146	2	20		
1,2-Dichloropropane	ug/L	ND	50	50	49.6	51.2	99	102	66-134	3	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3416309 3416310												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		50349806001 Result	Spike Conc.	Spike Conc.	MS Result							
1,3,5-Trimethylbenzene	ug/L	ND	50	50	44.4	44.9	89	90	29-151	1	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	43.1	43.4	86	87	47-133	1	20	
1,3-Dichloropropane	ug/L	ND	50	50	54.3	56.2	109	112	61-144	3	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	43.0	43.5	86	87	50-131	1	20	
1-Methylnaphthalene	ug/L	ND	50	50	47.2	48.3	94	97	20-176	2	20	
2,2-Dichloropropane	ug/L	ND	50	50	44.9	45.6	90	91	33-146	1	20	
2-Butanone (MEK)	ug/L	ND	250	250	185	190	74	76	45-155	3	20	
2-Chlorotoluene	ug/L	ND	50	50	46.6	47.0	93	94	43-142	1	20	
2-Hexanone	ug/L	ND	250	250	202	210	81	84	48-157	4	20	
2-Methylnaphthalene	ug/L	ND	50	50	39.3	40.6	79	81	21-175	3	20	
4-Chlorotoluene	ug/L	ND	50	50	44.3	45.3	89	91	47-137	2	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	216	229	86	92	53-156	6	20	
Acetone	ug/L	ND	250	250	160	144	64	57	16-162	11	20	
Acrolein	ug/L	ND	1000	1000	805	833	81	83	39-184	3	20	
Acrylonitrile	ug/L	ND	250	250	200	206	80	83	58-140	3	20	
Benzene	ug/L	ND	50	50	46.1	47.0	92	94	65-137	2	20	
Bromobenzene	ug/L	ND	50	50	46.9	46.7	94	93	56-137	0	20	
Bromochloromethane	ug/L	ND	50	50	40.9	41.4	82	83	56-139	1	20	
Bromodichloromethane	ug/L	ND	50	50	50.2	51.6	100	103	61-149	3	20	
Bromoform	ug/L	ND	50	50	42.9	45.1	86	90	51-138	5	20	
Bromomethane	ug/L	ND	50	50	44.3	43.2	89	86	10-169	3	20	
Carbon disulfide	ug/L	ND	50	50	43.1	43.2	86	86	55-126	0	20	
Carbon tetrachloride	ug/L	ND	50	50	47.9	49.3	96	99	65-156	3	20	
Chlorobenzene	ug/L	ND	50	50	46.5	47.0	93	94	54-135	1	20	
Chloroethane	ug/L	ND	50	50	42.3	39.8	85	80	46-142	6	20	
Chloroform	ug/L	ND	50	50	45.3	46.2	91	92	64-133	2	20	
Chloromethane	ug/L	ND	50	50	40.4	40.0	81	80	30-139	1	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	44.7	45.3	89	91	59-141	1	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	52.8	54.8	106	110	57-141	4	20	
Dibromochloromethane	ug/L	ND	50	50	49.2	51.3	98	103	59-147	4	20	
Dibromomethane	ug/L	ND	50	50	47.3	48.9	95	98	64-142	3	20	
Dichlorodifluoromethane	ug/L	ND	50	50	42.4	41.4	85	83	10-144	3	20	
Ethyl methacrylate	ug/L	ND	50	50	46.4J	47.5J	93	95	58-147		20	
Ethylbenzene	ug/L	ND	50	50	46.8	47.0	94	94	50-143	0	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	42.2	42.5	84	85	16-155	1	20	
Iodomethane	ug/L	ND	50	50	40.6	42.6	81	85	10-154	5	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	46.3	47.0	93	94	36-151	2	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	48.1	50.8	96	102	66-138	5	20	
Methylene Chloride	ug/L	ND	50	50	51.2	51.3	102	103	53-126	0	20	
n-Butylbenzene	ug/L	ND	50	50	44.9	45.4	90	91	31-142	1	20	
n-Hexane	ug/L	ND	50	50	44.8	46.4	90	93	53-129	4	20	
n-Propylbenzene	ug/L	ND	50	50	48.2	49.1	96	98	39-145	2	20	
Naphthalene	ug/L	ND	50	50	40.2	41.6	80	83	51-135	3	20	
p-Isopropyltoluene	ug/L	ND	50	50	44.3	44.7	89	89	38-145	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3416309 3416310														
Parameter	Units	50349806001		MS	MSD	3416310		% Rec	% Rec	% Rec	Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	MS Result	MSD Result							
sec-Butylbenzene	ug/L	ND	50	50	46.7	48.3	93	97	33-153	3	20			
Styrene	ug/L	ND	50	50	43.9	44.4	88	89	57-141	1	20			
tert-Butylbenzene	ug/L	ND	50	50	46.3	47.4	93	95	45-145	2	20			
Tetrachloroethene	ug/L	ND	50	50	46.9	47.8	94	96	43-149	2	20			
Toluene	ug/L	ND	50	50	42.5	43.5	85	87	57-137	2	20			
trans-1,2-Dichloroethene	ug/L	ND	50	50	44.9	45.9	90	92	63-133	2	20			
trans-1,3-Dichloropropene	ug/L	ND	50	50	51.2	52.8	102	106	56-140	3	20			
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	45.7J	46.2J	91	92	36-169		20			
Trichloroethene	ug/L	ND	50	50	52.8	53.0	106	106	52-145	0	20			
Trichlorofluoromethane	ug/L	ND	50	50	52.4	52.7	105	105	52-144	0	20			
Vinyl acetate	ug/L	ND	200	200	261	261	130	131	27-179	0	20			
Vinyl chloride	ug/L	ND	50	50	44.5	43.9	89	88	43-139	1	20			
Xylene (Total)	ug/L	ND	150	150	133	134	88	90	52-137	1	20			
4-Bromofluorobenzene (S)	%						104	102	79-124					
Dibromofluoromethane (S)	%						98	98	82-128					
Toluene-d8 (S)	%						106	109	73-122					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349809

QC Batch: 745975 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50349809018

METHOD BLANK: 3419985 Matrix: Water

Associated Lab Samples: 50349809018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.50	07/28/23 13:34	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.47	07/28/23 13:34	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.52	07/28/23 13:34	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.78	07/28/23 13:34	
1,1-Dichloroethane	ug/L	ND	5.0	0.46	07/28/23 13:34	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	07/28/23 13:34	
1,1-Dichloropropene	ug/L	ND	5.0	0.64	07/28/23 13:34	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.38	07/28/23 13:34	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.82	07/28/23 13:34	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	07/28/23 13:34	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.35	07/28/23 13:34	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.55	07/28/23 13:34	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.45	07/28/23 13:34	
1,2-Dichloroethane	ug/L	ND	5.0	0.54	07/28/23 13:34	
1,2-Dichloropropane	ug/L	ND	5.0	0.71	07/28/23 13:34	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.30	07/28/23 13:34	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.39	07/28/23 13:34	
1,3-Dichloropropane	ug/L	ND	5.0	0.49	07/28/23 13:34	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.43	07/28/23 13:34	
1-Methylnaphthalene	ug/L	ND	10.0	0.61	07/28/23 13:34	
2,2-Dichloropropane	ug/L	ND	5.0	0.62	07/28/23 13:34	
2-Butanone (MEK)	ug/L	ND	25.0	4.7	07/28/23 13:34	
2-Chlorotoluene	ug/L	ND	5.0	0.38	07/28/23 13:34	
2-Hexanone	ug/L	ND	25.0	3.0	07/28/23 13:34	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	07/28/23 13:34	
4-Chlorotoluene	ug/L	ND	5.0	0.40	07/28/23 13:34	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.5	07/28/23 13:34	
Acetone	ug/L	ND	100	8.9	07/28/23 13:34	
Acrolein	ug/L	ND	50.0	12.7	07/28/23 13:34	
Acrylonitrile	ug/L	ND	100	2.2	07/28/23 13:34	
Benzene	ug/L	ND	5.0	0.39	07/28/23 13:34	
Bromobenzene	ug/L	ND	5.0	0.50	07/28/23 13:34	
Bromochloromethane	ug/L	ND	5.0	0.43	07/28/23 13:34	
Bromodichloromethane	ug/L	ND	5.0	0.57	07/28/23 13:34	
Bromoform	ug/L	ND	5.0	0.73	07/28/23 13:34	
Bromomethane	ug/L	ND	5.0	0.57	07/28/23 13:34	
Carbon disulfide	ug/L	ND	10.0	0.83	07/28/23 13:34	
Carbon tetrachloride	ug/L	ND	5.0	0.40	07/28/23 13:34	
Chlorobenzene	ug/L	ND	5.0	0.36	07/28/23 13:34	
Chloroethane	ug/L	ND	5.0	0.55	07/28/23 13:34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349809

METHOD BLANK: 3419985 Matrix: Water
Associated Lab Samples: 50349809018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.44	07/28/23 13:34	
Chloromethane	ug/L	ND	5.0	0.50	07/28/23 13:34	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.53	07/28/23 13:34	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.50	07/28/23 13:34	
Dibromochloromethane	ug/L	ND	5.0	0.56	07/28/23 13:34	
Dibromomethane	ug/L	ND	5.0	0.76	07/28/23 13:34	
Dichlorodifluoromethane	ug/L	ND	5.0	0.60	07/28/23 13:34	
Ethyl methacrylate	ug/L	ND	100	0.64	07/28/23 13:34	
Ethylbenzene	ug/L	ND	5.0	0.35	07/28/23 13:34	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.46	07/28/23 13:34	
Iodomethane	ug/L	ND	10.0	0.31	07/28/23 13:34	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	07/28/23 13:34	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.48	07/28/23 13:34	
Methylene Chloride	ug/L	ND	5.0	2.2	07/28/23 13:34	
n-Butylbenzene	ug/L	ND	5.0	0.38	07/28/23 13:34	
n-Hexane	ug/L	ND	5.0	0.46	07/28/23 13:34	
n-Propylbenzene	ug/L	ND	5.0	0.34	07/28/23 13:34	
Naphthalene	ug/L	ND	1.2	0.42	07/28/23 13:34	
p-Isopropyltoluene	ug/L	ND	5.0	0.36	07/28/23 13:34	
sec-Butylbenzene	ug/L	ND	5.0	0.32	07/28/23 13:34	
Styrene	ug/L	ND	5.0	0.40	07/28/23 13:34	
tert-Butylbenzene	ug/L	ND	5.0	0.35	07/28/23 13:34	
Tetrachloroethene	ug/L	ND	5.0	0.32	07/28/23 13:34	
Toluene	ug/L	ND	5.0	0.34	07/28/23 13:34	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.35	07/28/23 13:34	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.51	07/28/23 13:34	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.72	07/28/23 13:34	
Trichloroethene	ug/L	ND	5.0	0.70	07/28/23 13:34	
Trichlorofluoromethane	ug/L	ND	5.0	0.62	07/28/23 13:34	
Vinyl acetate	ug/L	ND	50.0	0.96	07/28/23 13:34	
Vinyl chloride	ug/L	ND	2.0	0.59	07/28/23 13:34	
Xylene (Total)	ug/L	ND	10.0	0.35	07/28/23 13:34	
4-Bromofluorobenzene (S)	%	104	79-124		07/28/23 13:34	
Dibromofluoromethane (S)	%	107	82-128		07/28/23 13:34	1d
Toluene-d8 (S)	%	102	73-122		07/28/23 13:34	

LABORATORY CONTROL SAMPLE: 3419986

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.3	95	81-130	
1,1,1-Trichloroethane	ug/L	50	52.2	104	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	48.1	96	70-126	
1,1,2-Trichloroethane	ug/L	50	53.8	108	79-124	
1,1-Dichloroethane	ug/L	50	46.9	94	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

LABORATORY CONTROL SAMPLE: 3419986

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	48.4	97	73-133	
1,1-Dichloropropene	ug/L	50	54.7	109	78-144	
1,2,3-Trichlorobenzene	ug/L	50	43.1	86	72-138	
1,2,3-Trichloropropane	ug/L	50	49.2	98	75-121	
1,2,4-Trichlorobenzene	ug/L	50	43.7	87	71-138	
1,2,4-Trimethylbenzene	ug/L	50	45.7	91	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	54.8	110	80-126	
1,2-Dichlorobenzene	ug/L	50	46.6	93	79-123	
1,2-Dichloroethane	ug/L	50	53.1	106	70-124	
1,2-Dichloropropane	ug/L	50	50.5	101	74-128	
1,3,5-Trimethylbenzene	ug/L	50	46.6	93	71-124	
1,3-Dichlorobenzene	ug/L	50	47.2	94	77-124	
1,3-Dichloropropane	ug/L	50	53.8	108	77-126	
1,4-Dichlorobenzene	ug/L	50	48.3	97	77-120	
1-Methylnaphthalene	ug/L	50	41.2	82	49-175	
2,2-Dichloropropane	ug/L	50	49.7	99	65-136	
2-Butanone (MEK)	ug/L	250	215	86	59-134	
2-Chlorotoluene	ug/L	50	47.9	96	74-121	
2-Hexanone	ug/L	250	230	92	63-134	
2-Methylnaphthalene	ug/L	50	44.7	89	52-170	
4-Chlorotoluene	ug/L	50	46.3	93	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	236	95	67-133	
Acetone	ug/L	250	178	71	32-133	
Acrolein	ug/L	1000	1030	103	35-166	
Acrylonitrile	ug/L	250	237	95	69-137	
Benzene	ug/L	50	47.9	96	74-124	
Bromobenzene	ug/L	50	49.6	99	76-122	
Bromochloromethane	ug/L	50	48.1	96	66-127	
Bromodichloromethane	ug/L	50	52.1	104	80-126	
Bromoform	ug/L	50	44.8	90	75-128	
Bromomethane	ug/L	50	53.6	107	10-183	
Carbon disulfide	ug/L	50	48.5	97	68-123	
Carbon tetrachloride	ug/L	50	51.8	104	78-132	
Chlorobenzene	ug/L	50	49.1	98	77-121	
Chloroethane	ug/L	50	47.2	94	43-140	
Chloroform	ug/L	50	49.7	99	75-118	
Chloromethane	ug/L	50	46.1	92	45-130	
cis-1,2-Dichloroethene	ug/L	50	48.1	96	76-125	
cis-1,3-Dichloropropene	ug/L	50	55.1	110	76-132	
Dibromochloromethane	ug/L	50	50.1	100	79-130	
Dibromomethane	ug/L	50	50.2	100	79-124	
Dichlorodifluoromethane	ug/L	50	48.3	97	10-124	
Ethyl methacrylate	ug/L	50	48.3J	97	73-137	
Ethylbenzene	ug/L	50	48.2	96	74-125	
Hexachloro-1,3-butadiene	ug/L	50	45.7	91	66-141	
Iodomethane	ug/L	50	50.9	102	10-160	
Isopropylbenzene (Cumene)	ug/L	50	49.0	98	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50349809

LABORATORY CONTROL SAMPLE: 3419986

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	50.9	102	74-129	
Methylene Chloride	ug/L	50	59.1	118	77-126	
n-Butylbenzene	ug/L	50	51.9	104	72-131	
n-Hexane	ug/L	50	46.2	92	58-131	
n-Propylbenzene	ug/L	50	51.6	103	76-127	
Naphthalene	ug/L	50	42.2	84	70-132	
p-Isopropyltoluene	ug/L	50	48.7	97	76-126	
sec-Butylbenzene	ug/L	50	49.6	99	76-129	
Styrene	ug/L	50	46.8	94	81-129	
tert-Butylbenzene	ug/L	50	47.0	94	76-129	
Tetrachloroethene	ug/L	50	49.1	98	73-132	
Toluene	ug/L	50	44.8	90	72-119	
trans-1,2-Dichloroethene	ug/L	50	49.5	99	74-125	
trans-1,3-Dichloropropene	ug/L	50	52.8	106	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	49.3J	99	66-152	
Trichloroethene	ug/L	50	53.6	107	75-127	
Trichlorofluoromethane	ug/L	50	56.1	112	64-136	
Vinyl acetate	ug/L	200	292	146	62-159	
Vinyl chloride	ug/L	50	50.2	100	48-133	
Xylene (Total)	ug/L	150	142	95	73-123	
4-Bromofluorobenzene (S)	%			99	79-124	
Dibromofluoromethane (S)	%			102	82-128	
Toluene-d8 (S)	%			107	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

QC Batch: 744582 Analysis Method: EPA 353.2
 QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
 Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50349809001, 50349809002

METHOD BLANK: 3414082 Matrix: Water

Associated Lab Samples: 50349809001, 50349809002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.011	07/20/23 22:13	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.011	07/20/23 22:13	

LABORATORY CONTROL SAMPLE: 3414083

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	0.98	98	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3414084 3414085

Parameter	Units	50349697002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	1.1	1.1	100	100	90-110	1	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.1	2.1	101	101	90-110	0	20	

MATRIX SPIKE SAMPLE: 3414086

Parameter	Units	50349697008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	ND	1	0.89	89	90-110	
Nitrogen, NO2 plus NO3	mg/L	ND	2	1.9	94	90-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50349809

QC Batch: 744952 Analysis Method: SM 5310C
 QC Batch Method: SM 5310C Analysis Description: 5310C Total Organic Carbon
 Laboratory: Pace Analytical Services - Indianapolis
 Associated Lab Samples: 50349809001, 50349809002

METHOD BLANK: 3415529 Matrix: Water
 Associated Lab Samples: 50349809001, 50349809002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	236	07/25/23 19:28	

LABORATORY CONTROL SAMPLE: 3415530

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9550	96	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3415531 3415532

Parameter	Units	50349810006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	1.8 mg/L	10000	10000	11400	11300	96	95	80-120	1	20	

MATRIX SPIKE SAMPLE: 3415533

Parameter	Units	50349810008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	1.9 mg/L	10000	11700	98	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GE Indy
Pace Project No.: 50349809

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|--|
| 1d | A matrix spike/matrix spike duplicate could not be performed for this batch due to insufficient sample volume. |
| D4 | Sample was diluted due to the presence of high levels of target analytes. |
| L0 | Analyte recovery in the laboratory control sample (LCS) was outside QC limits. |
| M0 | Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



METHOD CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50349809

Parameter	Matrix	Analytical Method	Preparation Method
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50349809

Table with 6 columns: Lab ID, Sample ID, QC Batch Method, QC Batch, Analytical Method, Analytical Batch. It lists various sample IDs and their corresponding QC and analytical data.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 7/20/23 1645 CLK

1. Courier: FED EX UPS CLIENT PACE NOW/JETT OTHER _____

2. Custody Seal on Cooler/Box Present: Yes No

(If yes)Seals Intact: Yes No (leave blank if no seals were present)

3. Thermometer: **1 2 3 4 5 6 7 8 A B C D E F G H**

4. Cooler Temperature(s): 1.6 | 1.6
(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: Bubble Wrap Bubble Bags
 None Other _____

6. Ice Type: Wet Blue None

7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		/	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis: <u>NO2/NO3</u>	/		Circle: HNO3 (>2) <u>H2SO4 (>3)</u> NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	/		
Time 5035A TC placed in Freezer or Short Holds To Lab Time: <u>17:22</u>			Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A
Rush TAT Requested (4 days or less):		/	Residual Chlorine Check (Total/Amenable/Free Cyanide)			/
Custody Signatures Present?	/		Headspace Wisconsin Sulfide?			/
Containers Intact?:	/		Headspace in VOA Vials (>6mm): See Container Count form for details	Present	Absent	No VOA Vials Sent
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	/		Trip Blank Present?	/		
Extra labels on Terracore Vials? (soils only)			Trip Blank Custody Seals?:	/		

COMMENTS:



September 19, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50353438

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on September 08, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Mr. Tyler Carter, Ramboll Environ
Matt Starrett, Ramboll
Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50353438

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SAMPLE SUMMARY**

Project: GE Indy
Pace Project No.: 50353438

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50353438001	MW-322-090723	Water	09/07/23 11:30	09/08/23 11:29
50353438002	MW-323-090723	Water	09/07/23 11:35	09/08/23 11:29
50353438003	W-4R-090723	Water	09/07/23 12:05	09/08/23 11:29
50353438004	W-4D-090723	Water	09/07/23 12:10	09/08/23 11:29
50353438005	MW-273-090723	Water	09/07/23 12:15	09/08/23 11:29
50353438006	MW-415S-090723	Water	09/07/23 12:30	09/08/23 11:29
50353438007	MW-415D-090723	Water	09/07/23 12:25	09/08/23 11:29
50353438008	MW-416S-090723	Water	09/07/23 12:40	09/08/23 11:29
50353438009	MW-416D-090723	Water	09/07/23 12:45	09/08/23 11:29
50353438010	W-2-090723	Water	09/07/23 13:00	09/08/23 11:29
50353438011	MW-423S-090723	Water	09/07/23 14:05	09/08/23 11:29
50353438012	MW-423D-090723	Water	09/07/23 14:10	09/08/23 11:29
50353438013	MW-422S-090723	Water	09/07/23 14:20	09/08/23 11:29
50353438014	MW-422D-090723	Water	09/07/23 14:25	09/08/23 11:29
50353438015	MW-419S-090723	Water	09/07/23 14:35	09/08/23 11:29
50353438016	MW-419D-090723	Water	09/07/23 14:40	09/08/23 11:29
50353438017	MW-417S-090723	Water	09/07/23 14:50	09/08/23 11:29
50353438018	MW-417D-090723	Water	09/07/23 14:55	09/08/23 11:29
50353438019	MW-401-090723	Water	09/07/23 15:05	09/08/23 11:29
50353438020	MW-406S-090723	Water	09/07/23 15:20	09/08/23 11:29
50353438021	MW-406D-090723	Water	09/07/23 15:25	09/08/23 11:29
50353438022	MW-424S-090723	Water	09/07/23 15:35	09/08/23 11:29
50353438023	MW-424D-090723	Water	09/07/23 15:40	09/08/23 11:29
50353438024	MW-404-090723	Water	09/07/23 15:50	09/08/23 11:29
50353438025	MW-405S-090723	Water	09/07/23 16:00	09/08/23 11:29
50353438026	MW-405D-090723	Water	09/07/23 16:05	09/08/23 11:29
50353438027	MW-403-090723	Water	09/07/23 16:20	09/08/23 11:29
50353438028	MW-414S-090723	Water	09/07/23 16:30	09/08/23 11:29
50353438029	MW-414D-090723	Water	09/07/23 16:35	09/08/23 11:29
50353438030	MW-321-090723	Water	09/07/23 16:45	09/08/23 11:29
50353438031	AD-101-090723	Water	09/07/23 12:00	09/08/23 11:29
50353438032	MW-183-090823	Water	09/08/23 08:30	09/08/23 11:29
50353438033	MW-22-090823	Water	09/08/23 08:45	09/08/23 11:29
50353438034	W-9-090823	Water	09/08/23 08:50	09/08/23 11:29
50353438035	W-82-090823	Water	09/08/23 09:00	09/08/23 11:29
50353438036	MW-173-090823	Water	09/08/23 09:15	09/08/23 11:29
50353438037	MW-426-090823	Water	09/08/23 09:20	09/08/23 11:29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50353438

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50353438038	W-8D-090823	Water	09/08/23 09:30	09/08/23 11:29
50353438039	MW-131-090823	Water	09/08/23 09:40	09/08/23 11:29
50353438040	MW-133-090823	Water	09/08/23 09:45	09/08/23 11:29
50353438041	MW-302-090823	Water	09/08/23 09:50	09/08/23 11:29
50353438042	MW-303-090823	Water	09/08/23 09:55	09/08/23 11:29
50353438043	MW-92-090823	Water	09/08/23 10:10	09/08/23 11:29
50353438044	AD-201-090823	Water	09/08/23 08:00	09/08/23 11:29
50353438045	Trip Blank-090823	Water	09/08/23 08:00	09/08/23 11:29

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50353438

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50353438001	MW-322-090723	EPA 5030/8260	TMW	75	PASI-I
50353438002	MW-323-090723	EPA 5030/8260	TMW	75	PASI-I
50353438003	W-4R-090723	EPA 5030/8260	TMW	75	PASI-I
50353438004	W-4D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438005	MW-273-090723	EPA 5030/8260	TMW	75	PASI-I
50353438006	MW-415S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438007	MW-415D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438008	MW-416S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438009	MW-416D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438010	W-2-090723	EPA 5030/8260	TMW	75	PASI-I
50353438011	MW-423S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438012	MW-423D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438013	MW-422S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438014	MW-422D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438015	MW-419S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438016	MW-419D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438017	MW-417S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438018	MW-417D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438019	MW-401-090723	EPA 5030/8260	TMW	75	PASI-I
50353438020	MW-406S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438021	MW-406D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438022	MW-424S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438023	MW-424D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438024	MW-404-090723	EPA 5030/8260	TMW	75	PASI-I
50353438025	MW-405S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438026	MW-405D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438027	MW-403-090723	EPA 5030/8260	TMW	75	PASI-I
50353438028	MW-414S-090723	EPA 5030/8260	TMW	75	PASI-I
50353438029	MW-414D-090723	EPA 5030/8260	TMW	75	PASI-I
50353438030	MW-321-090723	EPA 5030/8260	TMW	75	PASI-I
50353438031	AD-101-090723	EPA 5030/8260	TMW	75	PASI-I
50353438032	MW-183-090823	EPA 5030/8260	TMW	75	PASI-I
50353438033	MW-22-090823	EPA 5030/8260	TMW	75	PASI-I
50353438034	W-9-090823	RSK 175 Modified	TAY	3	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
50353438035	W-82-090823	EPA 5030/8260	TMW	75	PASI-I
50353438036	MW-173-090823	EPA 5030/8260	TMW	75	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50353438

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50353438037	MW-426-090823	EPA 5030/8260	TMW	75	PASI-I
50353438038	W-8D-090823	EPA 5030/8260	TMW	75	PASI-I
50353438039	MW-131-090823	EPA 5030/8260	TMW	75	PASI-I
50353438040	MW-133-090823	EPA 5030/8260	TMW	75	PASI-I
50353438041	MW-302-090823	EPA 5030/8260	TMW	75	PASI-I
50353438042	MW-303-090823	EPA 5030/8260	TMW	75	PASI-I
50353438043	MW-92-090823	EPA 5030/8260	TMW	75	PASI-I
50353438044	AD-201-090823	EPA 5030/8260	TMW	75	PASI-I
50353438045	Trip Blank-090823	EPA 5030/8260	TMW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
 Pace Project No.: 50353438

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50353438001	MW-322-090723					
EPA 5030/8260	Chloroethane	2020	ug/L	100	09/15/23 20:25	
EPA 5030/8260	1,1-Dichloroethane	8.9	ug/L	5.0	09/15/23 07:14	
EPA 5030/8260	cis-1,2-Dichloroethene	623	ug/L	100	09/15/23 20:25	
EPA 5030/8260	trans-1,2-Dichloroethene	20.7	ug/L	5.0	09/15/23 07:14	
EPA 5030/8260	Trichloroethene	30.3	ug/L	5.0	09/15/23 07:14	
EPA 5030/8260	Vinyl chloride	734	ug/L	40.0	09/15/23 20:25	
50353438002	MW-323-090723					
EPA 5030/8260	cis-1,2-Dichloroethene	36.1	ug/L	5.0	09/15/23 07:44	
EPA 5030/8260	Vinyl chloride	16.0	ug/L	2.0	09/15/23 14:49	
50353438003	W-4R-090723					
EPA 5030/8260	Benzene	13.3	ug/L	5.0	09/15/23 08:15	
EPA 5030/8260	Chloroethane	512	ug/L	50.0	09/15/23 15:50	
EPA 5030/8260	1,1-Dichloroethane	10.1	ug/L	5.0	09/15/23 08:15	
EPA 5030/8260	cis-1,2-Dichloroethene	29.5	ug/L	5.0	09/15/23 08:15	
EPA 5030/8260	trans-1,2-Dichloroethene	8.8	ug/L	5.0	09/15/23 08:15	
EPA 5030/8260	Vinyl chloride	19.8	ug/L	2.0	09/15/23 15:19	
50353438005	MW-273-090723					
EPA 5030/8260	Methylene Chloride	7.8	ug/L	5.0	09/15/23 10:17	C9
50353438006	MW-415S-090723					
EPA 5030/8260	Chloroethane	634	ug/L	100	09/15/23 20:56	
50353438008	MW-416S-090723					
EPA 5030/8260	Chloroethane	567	ug/L	50.0	09/15/23 16:21	M1
EPA 5030/8260	1,1-Dichloroethane	25.5	ug/L	5.0	09/15/23 02:54	
EPA 5030/8260	trans-1,2-Dichloroethene	5.5	ug/L	5.0	09/15/23 02:54	
EPA 5030/8260	Vinyl chloride	2.6	ug/L	2.0	09/15/23 02:54	
50353438009	MW-416D-090723					
EPA 5030/8260	Chloroethane	436	ug/L	25.0	09/15/23 04:25	
EPA 5030/8260	1,1-Dichloroethane	45.4	ug/L	25.0	09/15/23 04:25	
EPA 5030/8260	Vinyl chloride	12.1	ug/L	10.0	09/15/23 04:25	
50353438010	W-2-090723					
EPA 5030/8260	Acetone	3830J	ug/L	5000	09/18/23 12:29	CH,H7
EPA 5030/8260	Chloroethane	30.5	ug/L	5.0	09/15/23 14:34	2d,CL
EPA 5030/8260	1,1-Dichloroethane	1290	ug/L	250	09/18/23 12:29	
EPA 5030/8260	1,1-Dichloroethene	14.9	ug/L	5.0	09/15/23 14:34	
EPA 5030/8260	cis-1,2-Dichloroethene	5700	ug/L	250	09/18/23 12:29	
EPA 5030/8260	trans-1,2-Dichloroethene	57.2	ug/L	5.0	09/15/23 14:34	
EPA 5030/8260	n-Hexane	5.9	ug/L	5.0	09/15/23 14:34	
EPA 5030/8260	Methylene Chloride	8.2	ug/L	5.0	09/15/23 14:34	C9
EPA 5030/8260	1,1,1-Trichloroethane	226	ug/L	5.0	09/15/23 14:34	
EPA 5030/8260	Trichloroethene	258	ug/L	5.0	09/15/23 14:34	
EPA 5030/8260	Vinyl chloride	129	ug/L	100	09/18/23 12:29	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
 Pace Project No.: 50353438

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50353438011	MW-423S-090723					
EPA 5030/8260	Chloroethane	948	ug/L	50.0	09/15/23 16:51	
EPA 5030/8260	1,1-Dichloroethane	922	ug/L	50.0	09/15/23 16:51	
EPA 5030/8260	1,2-Dichloroethane	21.5	ug/L	5.0	09/15/23 05:27	
EPA 5030/8260	1,1-Dichloroethene	23.8	ug/L	5.0	09/15/23 05:27	
EPA 5030/8260	cis-1,2-Dichloroethene	86.1	ug/L	5.0	09/15/23 05:27	
EPA 5030/8260	trans-1,2-Dichloroethene	9.5	ug/L	5.0	09/15/23 05:27	
EPA 5030/8260	Methylene Chloride	5.7	ug/L	5.0	09/15/23 05:27	
EPA 5030/8260	1,1,1-Trichloroethane	20.7	ug/L	5.0	09/15/23 05:27	
EPA 5030/8260	Vinyl chloride	75.3	ug/L	2.0	09/15/23 05:27	
50353438012	MW-423D-090723					
EPA 5030/8260	Chloroethane	21.8	ug/L	5.0	09/15/23 05:57	
EPA 5030/8260	cis-1,2-Dichloroethene	6.2	ug/L	5.0	09/15/23 05:57	
EPA 5030/8260	Vinyl chloride	7.0	ug/L	2.0	09/15/23 05:57	
50353438013	MW-422S-090723					
EPA 5030/8260	cis-1,2-Dichloroethene	1010	ug/L	250	09/15/23 17:52	
EPA 5030/8260	Trichloroethene	5.8	ug/L	5.0	09/15/23 06:28	
EPA 5030/8260	Vinyl chloride	3470	ug/L	100	09/15/23 17:52	
50353438014	MW-422D-090723					
EPA 5030/8260	1,2-Dichloroethane	6.8	ug/L	5.0	09/15/23 06:59	
EPA 5030/8260	cis-1,2-Dichloroethene	170	ug/L	5.0	09/15/23 06:59	
EPA 5030/8260	Vinyl chloride	493	ug/L	20.0	09/15/23 18:23	
50353438015	MW-419S-090723					
EPA 5030/8260	cis-1,2-Dichloroethene	30.3	ug/L	5.0	09/15/23 07:29	
EPA 5030/8260	Vinyl chloride	5.6	ug/L	2.0	09/15/23 07:29	
50353438016	MW-419D-090723					
EPA 5030/8260	cis-1,2-Dichloroethene	2780	ug/L	100	09/15/23 18:54	
50353438017	MW-417S-090723					
EPA 5030/8260	Chloroethane	192	ug/L	5.0	09/15/23 08:30	
EPA 5030/8260	1,2-Dichloroethane	5.8	ug/L	5.0	09/15/23 08:30	
EPA 5030/8260	cis-1,2-Dichloroethene	19.8	ug/L	5.0	09/15/23 08:30	
EPA 5030/8260	trans-1,2-Dichloroethene	8.2	ug/L	5.0	09/15/23 08:30	
EPA 5030/8260	Vinyl chloride	5.8	ug/L	2.0	09/15/23 08:30	
50353438018	MW-417D-090723					
EPA 5030/8260	Benzene	9.1	ug/L	5.0	09/15/23 09:32	
EPA 5030/8260	Chloroethane	582	ug/L	50.0	09/15/23 10:02	
EPA 5030/8260	1,1-Dichloroethane	35.9	ug/L	5.0	09/15/23 09:32	
EPA 5030/8260	cis-1,2-Dichloroethene	22.0	ug/L	5.0	09/15/23 09:32	
EPA 5030/8260	Vinyl chloride	15.1	ug/L	2.0	09/15/23 09:32	
50353438019	MW-401-090723					
EPA 5030/8260	Chloroethane	509	ug/L	250	09/15/23 10:33	
EPA 5030/8260	cis-1,2-Dichloroethene	1820	ug/L	250	09/15/23 10:33	
EPA 5030/8260	Methylene Chloride	255	ug/L	250	09/15/23 10:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
 Pace Project No.: 50353438

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50353438019	MW-401-090723					
EPA 5030/8260	Vinyl chloride	278	ug/L	100	09/15/23 10:33	
50353438020	MW-406S-090723					
EPA 5030/8260	Chloroethane	479	ug/L	25.0	09/15/23 15:04	2d,CL
EPA 5030/8260	1,1-Dichloroethane	1690	ug/L	1000	09/18/23 12:59	
EPA 5030/8260	1,1-Dichloroethene	62.1	ug/L	25.0	09/15/23 15:04	
EPA 5030/8260	cis-1,2-Dichloroethene	14300	ug/L	1000	09/18/23 12:59	
EPA 5030/8260	trans-1,2-Dichloroethene	152	ug/L	25.0	09/15/23 15:04	
EPA 5030/8260	Methylene Chloride	39.0	ug/L	25.0	09/15/23 15:04	
EPA 5030/8260	1,1,1-Trichloroethane	488	ug/L	25.0	09/15/23 15:04	
EPA 5030/8260	Trichloroethene	349	ug/L	25.0	09/15/23 15:04	
EPA 5030/8260	Vinyl chloride	253	ug/L	10.0	09/15/23 15:04	2d,CL
50353438021	MW-406D-090723					
EPA 5030/8260	Chloroethane	310	ug/L	25.0	09/15/23 15:35	2d,CL
EPA 5030/8260	1,1-Dichloroethane	2000	ug/L	1000	09/18/23 13:30	
EPA 5030/8260	1,1-Dichloroethene	398	ug/L	25.0	09/15/23 15:35	
EPA 5030/8260	cis-1,2-Dichloroethene	21800	ug/L	1000	09/18/23 13:30	
EPA 5030/8260	trans-1,2-Dichloroethene	134	ug/L	25.0	09/15/23 15:35	
EPA 5030/8260	Trichloroethene	191	ug/L	25.0	09/15/23 15:35	
EPA 5030/8260	Vinyl chloride	932	ug/L	400	09/18/23 13:30	
50353438022	MW-424S-090723					
EPA 5030/8260	Chloroethane	723	ug/L	50.0	09/18/23 20:41	
EPA 5030/8260	1,1-Dichloroethane	45.0	ug/L	5.0	09/16/23 02:18	
EPA 5030/8260	cis-1,2-Dichloroethene	88.3	ug/L	5.0	09/16/23 02:18	
EPA 5030/8260	trans-1,2-Dichloroethene	19.4	ug/L	5.0	09/16/23 02:18	
EPA 5030/8260	1,1,1-Trichloroethane	15.5	ug/L	5.0	09/16/23 02:18	
EPA 5030/8260	Trichloroethene	11.1	ug/L	5.0	09/16/23 02:18	
EPA 5030/8260	Vinyl chloride	18.5	ug/L	2.0	09/18/23 20:10	
50353438023	MW-424D-090723					
EPA 5030/8260	Chloroethane	256	ug/L	5.0	09/18/23 14:01	
EPA 5030/8260	1,1-Dichloroethane	6.1	ug/L	5.0	09/15/23 16:05	
EPA 5030/8260	cis-1,2-Dichloroethene	79.8	ug/L	5.0	09/15/23 16:05	
EPA 5030/8260	trans-1,2-Dichloroethene	13.5	ug/L	5.0	09/15/23 16:05	
EPA 5030/8260	n-Hexane	8.9	ug/L	5.0	09/15/23 16:05	
EPA 5030/8260	Trichloroethene	6.5	ug/L	5.0	09/15/23 16:05	
EPA 5030/8260	Vinyl chloride	21.6	ug/L	2.0	09/18/23 14:01	
50353438024	MW-404-090723					
EPA 5030/8260	Chloroethane	10500	ug/L	2500	09/18/23 14:31	
EPA 5030/8260	1,1-Dichloroethane	42400	ug/L	2500	09/18/23 14:31	
EPA 5030/8260	1,2-Dichloroethane	711	ug/L	250	09/15/23 17:06	
EPA 5030/8260	1,1-Dichloroethene	938	ug/L	250	09/15/23 17:06	
EPA 5030/8260	cis-1,2-Dichloroethene	47000	ug/L	2500	09/18/23 14:31	
EPA 5030/8260	trans-1,2-Dichloroethene	1180	ug/L	250	09/15/23 17:06	
EPA 5030/8260	1,1,1-Trichloroethane	45800	ug/L	2500	09/18/23 14:31	
EPA 5030/8260	Vinyl chloride	14400	ug/L	1000	09/18/23 14:31	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50353438

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50353438025	MW-405S-090723					
EPA 5030/8260	Chloroethane	26.2	ug/L	5.0	09/18/23 15:02	
50353438026	MW-405D-090723					
EPA 5030/8260	Benzene	7.3	ug/L	5.0	09/15/23 19:09	
EPA 5030/8260	Chloroethane	3330	ug/L	500	09/18/23 15:33	
EPA 5030/8260	1,1-Dichloroethane	3030	ug/L	500	09/18/23 15:33	
EPA 5030/8260	1,2-Dichloroethane	8.3	ug/L	5.0	09/15/23 19:09	
EPA 5030/8260	1,1-Dichloroethene	8.7	ug/L	5.0	09/15/23 19:09	
EPA 5030/8260	cis-1,2-Dichloroethene	2890	ug/L	500	09/18/23 15:33	
EPA 5030/8260	trans-1,2-Dichloroethene	72.9	ug/L	5.0	09/15/23 19:09	
EPA 5030/8260	1,1,1-Trichloroethane	44.5	ug/L	5.0	09/15/23 19:09	
EPA 5030/8260	Vinyl chloride	920	ug/L	200	09/18/23 15:33	
50353438027	MW-403-090723					
EPA 5030/8260	Chloroethane	354	ug/L	50.0	09/18/23 16:35	
EPA 5030/8260	1,1-Dichloroethane	140	ug/L	5.0	09/15/23 19:39	
EPA 5030/8260	cis-1,2-Dichloroethene	74.4	ug/L	5.0	09/15/23 19:39	
EPA 5030/8260	1,1,1-Trichloroethane	40.2	ug/L	5.0	09/15/23 19:39	
EPA 5030/8260	Vinyl chloride	39.6	ug/L	2.0	09/18/23 16:04	
50353438028	MW-414S-090723					
EPA 5030/8260	Chloroethane	291	ug/L	5.0	09/18/23 17:06	
EPA 5030/8260	cis-1,2-Dichloroethene	7.5	ug/L	5.0	09/15/23 20:10	
50353438029	MW-414D-090723					
EPA 5030/8260	Chloroethane	10.0	ug/L	5.0	09/18/23 17:36	
EPA 5030/8260	cis-1,2-Dichloroethene	5.1	ug/L	5.0	09/15/23 21:11	
50353438030	MW-321-090723					
EPA 5030/8260	Chloroethane	243	ug/L	5.0	09/18/23 18:07	
EPA 5030/8260	1,1-Dichloroethane	5.5	ug/L	5.0	09/15/23 21:42	
EPA 5030/8260	cis-1,2-Dichloroethene	5.3	ug/L	5.0	09/15/23 21:42	
EPA 5030/8260	Vinyl chloride	6.1	ug/L	2.0	09/18/23 18:07	
50353438031	AD-101-090723					
EPA 5030/8260	Chloroethane	168	ug/L	5.0	09/18/23 18:38	
EPA 5030/8260	cis-1,2-Dichloroethene	19.8	ug/L	5.0	09/15/23 22:12	
EPA 5030/8260	trans-1,2-Dichloroethene	8.0	ug/L	5.0	09/15/23 22:12	
EPA 5030/8260	Vinyl chloride	4.8	ug/L	2.0	09/18/23 18:38	
50353438032	MW-183-090823					
EPA 5030/8260	Vinyl chloride	5.8	ug/L	2.0	09/18/23 19:08	
50353438033	MW-22-090823					
EPA 5030/8260	cis-1,2-Dichloroethene	139	ug/L	5.0	09/15/23 23:14	
EPA 5030/8260	Vinyl chloride	153	ug/L	2.0	09/18/23 19:39	
50353438034	W-9-090823					
RSK 175 Modified	Ethane	328	ug/L	50.0	09/14/23 09:53	
RSK 175 Modified	Methane	47000	ug/L	50.0	09/14/23 09:53	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
 Pace Project No.: 50353438

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50353438036	MW-173-090823					
EPA 5030/8260	1,2-Dichloroethane	9.9	ug/L	5.0	09/16/23 03:50	
EPA 5030/8260	cis-1,2-Dichloroethene	1080	ug/L	100	09/18/23 21:11	
EPA 5030/8260	trans-1,2-Dichloroethene	16.9	ug/L	5.0	09/16/23 03:50	
EPA 5030/8260	Vinyl chloride	64.6	ug/L	2.0	09/16/23 03:50	2d,CL
50353438037	MW-426-090823					
EPA 5030/8260	Chloroethane	5210	ug/L	250	09/18/23 21:42	
EPA 5030/8260	1,1-Dichloroethane	42.2	ug/L	5.0	09/16/23 04:20	
EPA 5030/8260	1,2-Dichloroethane	10.5	ug/L	5.0	09/16/23 04:20	
EPA 5030/8260	cis-1,2-Dichloroethene	1170	ug/L	250	09/18/23 21:42	
EPA 5030/8260	trans-1,2-Dichloroethene	16.6	ug/L	5.0	09/16/23 04:20	
EPA 5030/8260	Vinyl chloride	759	ug/L	100	09/18/23 21:42	
50353438038	W-8D-090823					
EPA 5030/8260	cis-1,2-Dichloroethene	34.7	ug/L	5.0	09/16/23 04:51	
EPA 5030/8260	Vinyl chloride	77.8	ug/L	2.0	09/18/23 12:44	
50353438039	MW-131-090823					
EPA 5030/8260	Carbon tetrachloride	5.7	ug/L	5.0	09/16/23 05:22	
EPA 5030/8260	Chloroform	11.1	ug/L	5.0	09/16/23 05:22	
EPA 5030/8260	1,1-Dichloroethane	16.4	ug/L	5.0	09/16/23 05:22	
EPA 5030/8260	cis-1,2-Dichloroethene	6.2	ug/L	5.0	09/16/23 05:22	
EPA 5030/8260	1,1,1-Trichloroethane	155	ug/L	5.0	09/16/23 05:22	
EPA 5030/8260	Trichloroethene	44.9	ug/L	5.0	09/16/23 05:22	
50353438040	MW-133-090823					
EPA 5030/8260	1,1-Dichloroethane	19.9	ug/L	5.0	09/16/23 05:52	
EPA 5030/8260	cis-1,2-Dichloroethene	16.8	ug/L	5.0	09/16/23 05:52	
50353438042	MW-303-090823					
EPA 5030/8260	cis-1,2-Dichloroethene	917	ug/L	50.0	09/18/23 13:15	
EPA 5030/8260	trans-1,2-Dichloroethene	5.2	ug/L	5.0	09/16/23 06:54	
EPA 5030/8260	Vinyl chloride	540	ug/L	20.0	09/18/23 13:15	
50353438043	MW-92-090823					
EPA 5030/8260	cis-1,2-Dichloroethene	106	ug/L	5.0	09/16/23 07:24	
EPA 5030/8260	Vinyl chloride	36.8	ug/L	2.0	09/18/23 13:45	
50353438044	AD-201-090823					
EPA 5030/8260	Carbon tetrachloride	5.4	ug/L	5.0	09/16/23 07:55	
EPA 5030/8260	Chloroform	10.8	ug/L	5.0	09/16/23 07:55	
EPA 5030/8260	1,1-Dichloroethane	15.7	ug/L	5.0	09/16/23 07:55	
EPA 5030/8260	cis-1,2-Dichloroethene	5.9	ug/L	5.0	09/16/23 07:55	
EPA 5030/8260	1,1,1-Trichloroethane	147	ug/L	5.0	09/16/23 07:55	
EPA 5030/8260	Trichloroethene	44.2	ug/L	5.0	09/16/23 07:55	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-322-090723 Lab ID: 50353438001 Collected: 09/07/23 11:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 07:14	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 07:14	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 07:14	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 07:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 07:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 07:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 07:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 07:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 07:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 07:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 07:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 07:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 07:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 07:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 07:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 07:14	108-90-7	
Chloroethane	2020	ug/L	100	17.4	20		09/15/23 20:25	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 07:14	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 07:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 07:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 07:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 07:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 07:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 07:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 07:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 07:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 07:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 07:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 07:14	75-71-8	
1,1-Dichloroethane	8.9	ug/L	5.0	0.37	1		09/15/23 07:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 07:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 07:14	75-35-4	
cis-1,2-Dichloroethene	623	ug/L	100	6.8	20		09/15/23 20:25	156-59-2	
trans-1,2-Dichloroethene	20.7	ug/L	5.0	0.48	1		09/15/23 07:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 07:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 07:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 07:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 07:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 07:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 07:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 07:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 07:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 07:14	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 07:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 07:14	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-322-090723 Lab ID: 50353438001 Collected: 09/07/23 11:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 07:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 07:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 07:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 07:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 07:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 07:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 07:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 07:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 07:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 07:14	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 07:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 07:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 07:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 07:14	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 07:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 07:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 07:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 07:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 07:14	79-00-5	
Trichloroethene	30.3	ug/L	5.0	0.41	1		09/15/23 07:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 07:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 07:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 07:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 07:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 07:14	108-05-4	
Vinyl chloride	734	ug/L	40.0	7.0	20		09/15/23 20:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 07:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%	82-128		1		09/15/23 07:14	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 07:14	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 07:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-323-090723 Lab ID: 50353438002 Collected: 09/07/23 11:35 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 07:44	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 07:44	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 07:44	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 07:44	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 07:44	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 07:44	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 07:44	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 07:44	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 07:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 07:44	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 07:44	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 07:44	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 07:44	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 07:44	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 07:44	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 07:44	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/15/23 07:44	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 07:44	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 07:44	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 07:44	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 07:44	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 07:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 07:44	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 07:44	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 07:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 07:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 07:44	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 07:44	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 07:44	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 07:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 07:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 07:44	75-35-4	
cis-1,2-Dichloroethene	36.1	ug/L	5.0	0.48	1		09/15/23 07:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 07:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 07:44	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 07:44	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 07:44	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 07:44	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 07:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 07:44	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 07:44	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 07:44	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 07:44	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 07:44	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 07:44	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-323-090723 Lab ID: 50353438002 Collected: 09/07/23 11:35 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 07:44	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 07:44	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 07:44	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 07:44	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 07:44	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 07:44	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 07:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 07:44	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 07:44	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 07:44	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 07:44	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 07:44	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 07:44	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 07:44	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 07:44	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 07:44	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 07:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 07:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 07:44	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 07:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 07:44	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 07:44	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 07:44	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 07:44	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 07:44	108-05-4	
Vinyl chloride	16.0	ug/L	2.0	0.35	1		09/15/23 14:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 07:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 07:44	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		09/15/23 07:44	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/15/23 07:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: W-4R-090723 Lab ID: 50353438003 Collected: 09/07/23 12:05 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 08:15	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 08:15	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 08:15	107-13-1	
Benzene	13.3	ug/L	5.0	0.46	1		09/15/23 08:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 08:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 08:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 08:15	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 08:15	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 08:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 08:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 08:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 08:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 08:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 08:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 08:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 08:15	108-90-7	
Chloroethane	512	ug/L	50.0	8.7	10		09/15/23 15:50	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 08:15	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 08:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 08:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 08:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 08:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 08:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 08:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 08:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 08:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 08:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 08:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 08:15	75-71-8	R1
1,1-Dichloroethane	10.1	ug/L	5.0	0.37	1		09/15/23 08:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 08:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 08:15	75-35-4	
cis-1,2-Dichloroethene	29.5	ug/L	5.0	0.48	1		09/15/23 08:15	156-59-2	
trans-1,2-Dichloroethene	8.8	ug/L	5.0	0.48	1		09/15/23 08:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 08:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 08:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 08:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 08:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 08:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 08:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 08:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 08:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 08:15	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 08:15	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 08:15	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: W-4R-090723 Lab ID: 50353438003 Collected: 09/07/23 12:05 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 08:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 08:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 08:15	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 08:15	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 08:15	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 08:15	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 08:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 08:15	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 08:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 08:15	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 08:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 08:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 08:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 08:15	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 08:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 08:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 08:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 08:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 08:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 08:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 08:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 08:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 08:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 08:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 08:15	108-05-4	
Vinyl chloride	19.8	ug/L	2.0	0.35	1		09/15/23 15:19	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 08:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		1		09/15/23 08:15	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 08:15	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 08:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-4D-090723 Lab ID: 50353438004 Collected: 09/07/23 12:10 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 09:47	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 09:47	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 09:47	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 09:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 09:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 09:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 09:47	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 09:47	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 09:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 09:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 09:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 09:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 09:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 09:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 09:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 09:47	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/15/23 09:47	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 09:47	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 09:47	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 09:47	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 09:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 09:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 09:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 09:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 09:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 09:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 09:47	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 09:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 09:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 09:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 09:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 09:47	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 09:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 09:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 09:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 09:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 09:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 09:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 09:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 09:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 09:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 09:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 09:47	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 09:47	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 09:47	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-4D-090723 Lab ID: 50353438004 Collected: 09/07/23 12:10 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 09:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 09:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 09:47	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 09:47	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 09:47	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 09:47	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 09:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 09:47	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 09:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 09:47	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 09:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 09:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 09:47	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 09:47	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 09:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 09:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 09:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 09:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 09:47	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 09:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 09:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 09:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 09:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 09:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 09:47	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/15/23 09:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 09:47	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 09:47	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 09:47	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/15/23 09:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-273-090723 Lab ID: 50353438005 Collected: 09/07/23 12:15 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 10:17	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 10:17	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 10:17	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 10:17	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 10:17	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 10:17	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 10:17	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 10:17	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 10:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 10:17	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 10:17	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 10:17	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 10:17	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 10:17	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 10:17	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 10:17	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/15/23 10:17	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 10:17	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 10:17	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 10:17	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 10:17	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 10:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 10:17	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 10:17	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 10:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 10:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 10:17	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 10:17	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 10:17	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 10:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 10:17	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 10:17	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 10:17	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 10:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 10:17	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 10:17	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 10:17	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 10:17	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 10:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 10:17	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 10:17	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 10:17	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 10:17	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 10:17	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 10:17	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-273-090723 Lab ID: 50353438005 Collected: 09/07/23 12:15 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 10:17	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 10:17	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 10:17	99-87-6	
Methylene Chloride	7.8	ug/L	5.0	3.7	1		09/15/23 10:17	75-09-2	C9
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 10:17	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 10:17	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 10:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 10:17	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 10:17	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 10:17	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 10:17	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 10:17	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 10:17	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 10:17	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 10:17	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 10:17	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 10:17	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 10:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 10:17	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 10:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 10:17	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 10:17	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 10:17	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 10:17	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 10:17	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/15/23 10:17	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 10:17	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		1		09/15/23 10:17	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 10:17	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/15/23 10:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-415S-090723 Lab ID: 50353438006 Collected: 09/07/23 12:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 10:48	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 10:48	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 10:48	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 10:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 10:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 10:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 10:48	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 10:48	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 10:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 10:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 10:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 10:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 10:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 10:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 10:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 10:48	108-90-7	
Chloroethane	634	ug/L	100	17.4	20		09/15/23 20:56	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 10:48	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 10:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 10:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 10:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 10:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 10:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 10:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 10:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 10:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 10:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 10:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 10:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 10:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 10:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 10:48	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 10:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 10:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 10:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 10:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 10:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 10:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 10:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 10:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 10:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 10:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 10:48	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 10:48	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 10:48	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-415S-090723 Lab ID: 50353438006 Collected: 09/07/23 12:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 10:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 10:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 10:48	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 10:48	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 10:48	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 10:48	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 10:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 10:48	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 10:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 10:48	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 10:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 10:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 10:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 10:48	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 10:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 10:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 10:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 10:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 10:48	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 10:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 10:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 10:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 10:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 10:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 10:48	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/15/23 10:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 10:48	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 10:48	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		09/15/23 10:48	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		09/15/23 10:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-415D-090723 Lab ID: 50353438007 Collected: 09/07/23 12:25 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 14:03	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 14:03	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 14:03	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 14:03	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 14:03	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 14:03	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 14:03	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 14:03	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 14:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 14:03	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 14:03	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 14:03	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 14:03	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 14:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 14:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 14:03	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/15/23 14:03	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 14:03	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 14:03	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 14:03	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 14:03	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 14:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 14:03	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 14:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 14:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 14:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 14:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 14:03	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 14:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 14:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 14:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 14:03	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 14:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 14:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 14:03	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 14:03	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 14:03	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 14:03	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 14:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 14:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 14:03	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 14:03	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 14:03	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 14:03	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 14:03	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-415D-090723 Lab ID: 50353438007 Collected: 09/07/23 12:25 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 14:03	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 14:03	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 14:03	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 14:03	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 14:03	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 14:03	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 14:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 14:03	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 14:03	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 14:03	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 14:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 14:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 14:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 14:03	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 14:03	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 14:03	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 14:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 14:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 14:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 14:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 14:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 14:03	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 14:03	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 14:03	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 14:03	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/15/23 14:03	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 14:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 14:03	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		09/15/23 14:03	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 14:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-416S-090723 Lab ID: 50353438008 Collected: 09/07/23 12:40 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		09/15/23 02:54	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		09/15/23 02:54	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		09/15/23 02:54	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		09/15/23 02:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		09/15/23 02:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		09/15/23 02:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 02:54	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		09/15/23 02:54	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		09/15/23 02:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		09/15/23 02:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 02:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 02:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 02:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		09/15/23 02:54	75-15-0	L2
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		09/15/23 02:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		09/15/23 02:54	108-90-7	
Chloroethane	567	ug/L	50.0	8.7	10		09/15/23 16:21	75-00-3	M1
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 02:54	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		09/15/23 02:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		09/15/23 02:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		09/15/23 02:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		09/15/23 02:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		09/15/23 02:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		09/15/23 02:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 02:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 02:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 02:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		09/15/23 02:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		09/15/23 02:54	75-71-8	
1,1-Dichloroethane	25.5	ug/L	5.0	0.31	1		09/15/23 02:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.29	1		09/15/23 02:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		09/15/23 02:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.34	1		09/15/23 02:54	156-59-2	
trans-1,2-Dichloroethene	5.5	ug/L	5.0	0.37	1		09/15/23 02:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 02:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		09/15/23 02:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 02:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 02:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 02:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		09/15/23 02:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		09/15/23 02:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		09/15/23 02:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		09/15/23 02:54	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		09/15/23 02:54	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		09/15/23 02:54	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-416S-090723 Lab ID: 50353438008 Collected: 09/07/23 12:40 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		09/15/23 02:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		09/15/23 02:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		09/15/23 02:54	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 02:54	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		09/15/23 02:54	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		09/15/23 02:54	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		09/15/23 02:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		09/15/23 02:54	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		09/15/23 02:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		09/15/23 02:54	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		09/15/23 02:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		09/15/23 02:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		09/15/23 02:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		09/15/23 02:54	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 02:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		09/15/23 02:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		09/15/23 02:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		09/15/23 02:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		09/15/23 02:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		09/15/23 02:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		09/15/23 02:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 02:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 02:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 02:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		09/15/23 02:54	108-05-4	
Vinyl chloride	2.6	ug/L	2.0	0.35	1		09/15/23 02:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		09/15/23 02:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 02:54	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		09/15/23 02:54	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 02:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-416D-090723 Lab ID: 50353438009 Collected: 09/07/23 12:45 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	500	32.0	5		09/15/23 04:25	67-64-1	
Acrolein	ND	ug/L	250	68.5	5		09/15/23 04:25	107-02-8	
Acrylonitrile	ND	ug/L	500	9.2	5		09/15/23 04:25	107-13-1	
Benzene	ND	ug/L	25.0	2.2	5		09/15/23 04:25	71-43-2	
Bromobenzene	ND	ug/L	25.0	1.9	5		09/15/23 04:25	108-86-1	
Bromochloromethane	ND	ug/L	25.0	1.8	5		09/15/23 04:25	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	1.5	5		09/15/23 04:25	75-27-4	
Bromoform	ND	ug/L	25.0	1.6	5		09/15/23 04:25	75-25-2	
Bromomethane	ND	ug/L	25.0	8.8	5		09/15/23 04:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	18.2	5		09/15/23 04:25	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	2.0	5		09/15/23 04:25	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	1.7	5		09/15/23 04:25	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	1.8	5		09/15/23 04:25	98-06-6	
Carbon disulfide	ND	ug/L	50.0	2.0	5		09/15/23 04:25	75-15-0	L2
Carbon tetrachloride	ND	ug/L	25.0	8.0	5		09/15/23 04:25	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.6	5		09/15/23 04:25	108-90-7	
Chloroethane	436	ug/L	25.0	4.3	5		09/15/23 04:25	75-00-3	
Chloroform	ND	ug/L	25.0	13.0	5		09/15/23 04:25	67-66-3	
Chloromethane	ND	ug/L	25.0	2.1	5		09/15/23 04:25	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	1.7	5		09/15/23 04:25	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	1.9	5		09/15/23 04:25	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	1.3	5		09/15/23 04:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	1.7	5		09/15/23 04:25	106-93-4	
Dibromomethane	ND	ug/L	25.0	2.1	5		09/15/23 04:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	1.8	5		09/15/23 04:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	1.8	5		09/15/23 04:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	1.8	5		09/15/23 04:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	2.0	5		09/15/23 04:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	1.9	5		09/15/23 04:25	75-71-8	
1,1-Dichloroethane	45.4	ug/L	25.0	1.6	5		09/15/23 04:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	1.4	5		09/15/23 04:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	1.4	5		09/15/23 04:25	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	25.0	1.7	5		09/15/23 04:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	1.9	5		09/15/23 04:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	2.0	5		09/15/23 04:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.5	5		09/15/23 04:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	1.6	5		09/15/23 04:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	1.9	5		09/15/23 04:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.9	5		09/15/23 04:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	1.4	5		09/15/23 04:25	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	4.3	5		09/15/23 04:25	100-41-4	
Ethyl methacrylate	ND	ug/L	500	1.9	5		09/15/23 04:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	2.5	5		09/15/23 04:25	87-68-3	
n-Hexane	ND	ug/L	25.0	2.0	5		09/15/23 04:25	110-54-3	
2-Hexanone	ND	ug/L	125	10.2	5		09/15/23 04:25	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-416D-090723 **Lab ID: 50353438009** Collected: 09/07/23 12:45 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	50.0	9.6	5		09/15/23 04:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.7	5		09/15/23 04:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	2.0	5		09/15/23 04:25	99-87-6	
Methylene Chloride	ND	ug/L	25.0	18.5	5		09/15/23 04:25	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	8.0	5		09/15/23 04:25	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	10.0	5		09/15/23 04:25	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	9.8	5		09/15/23 04:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	1.5	5		09/15/23 04:25	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.2	5		09/15/23 04:25	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	1.7	5		09/15/23 04:25	103-65-1	
Styrene	ND	ug/L	25.0	1.8	5		09/15/23 04:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.8	5		09/15/23 04:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	1.7	5		09/15/23 04:25	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	1.8	5		09/15/23 04:25	127-18-4	
Toluene	ND	ug/L	25.0	1.9	5		09/15/23 04:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	2.3	5		09/15/23 04:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.2	5		09/15/23 04:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	1.5	5		09/15/23 04:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.8	5		09/15/23 04:25	79-00-5	
Trichloroethene	ND	ug/L	25.0	1.6	5		09/15/23 04:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	1.7	5		09/15/23 04:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	2.0	5		09/15/23 04:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	1.8	5		09/15/23 04:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.7	5		09/15/23 04:25	108-67-8	
Vinyl acetate	ND	ug/L	250	11.4	5		09/15/23 04:25	108-05-4	
Vinyl chloride	12.1	ug/L	10.0	1.8	5		09/15/23 04:25	75-01-4	
Xylene (Total)	ND	ug/L	50.0	11.0	5		09/15/23 04:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		5		09/15/23 04:25	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		5		09/15/23 04:25	460-00-4	
Toluene-d8 (S)	97	%	73-122		5		09/15/23 04:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-2-090723 Lab ID: 50353438010 Collected: 09/07/23 13:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	3830J	ug/L	5000	430	50		09/18/23 12:29	67-64-1	CH,H7
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 14:34	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 14:34	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 14:34	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 14:34	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 14:34	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 14:34	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 14:34	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 14:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 14:34	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 14:34	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 14:34	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 14:34	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 14:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 14:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 14:34	108-90-7	
Chloroethane	30.5	ug/L	5.0	0.44	1		09/15/23 14:34	75-00-3	2d,CL
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 14:34	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 14:34	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 14:34	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 14:34	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 14:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 14:34	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 14:34	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 14:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 14:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 14:34	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 14:34	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 14:34	75-71-8	
1,1-Dichloroethane	1290	ug/L	250	18.3	50		09/18/23 12:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 14:34	107-06-2	
1,1-Dichloroethene	14.9	ug/L	5.0	0.37	1		09/15/23 14:34	75-35-4	
cis-1,2-Dichloroethene	5700	ug/L	250	24.0	50		09/18/23 12:29	156-59-2	
trans-1,2-Dichloroethene	57.2	ug/L	5.0	0.48	1		09/15/23 14:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 14:34	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 14:34	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 14:34	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 14:34	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 14:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 14:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 14:34	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 14:34	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 14:34	87-68-3	
n-Hexane	5.9	ug/L	5.0	0.36	1		09/15/23 14:34	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 14:34	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-2-090723 Lab ID: 50353438010 Collected: 09/07/23 13:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 14:34	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 14:34	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 14:34	99-87-6	
Methylene Chloride	8.2	ug/L	5.0	3.7	1		09/15/23 14:34	75-09-2	C9
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 14:34	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 14:34	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 14:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 14:34	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 14:34	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 14:34	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 14:34	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 14:34	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 14:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 14:34	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 14:34	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 14:34	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 14:34	120-82-1	
1,1,1-Trichloroethane	226	ug/L	5.0	0.31	1		09/15/23 14:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 14:34	79-00-5	
Trichloroethene	258	ug/L	5.0	0.41	1		09/15/23 14:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 14:34	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 14:34	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 14:34	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 14:34	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 14:34	108-05-4	
Vinyl chloride	129	ug/L	100	19.8	50		09/18/23 12:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 14:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		1		09/15/23 14:34	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		09/15/23 14:34	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		09/15/23 14:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-423S-090723 Lab ID: 50353438011 Collected: 09/07/23 14:05 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		09/15/23 05:27	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		09/15/23 05:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		09/15/23 05:27	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		09/15/23 05:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		09/15/23 05:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		09/15/23 05:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 05:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		09/15/23 05:27	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		09/15/23 05:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		09/15/23 05:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 05:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 05:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 05:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		09/15/23 05:27	75-15-0	L2
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		09/15/23 05:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		09/15/23 05:27	108-90-7	
Chloroethane	948	ug/L	50.0	8.7	10		09/15/23 16:51	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 05:27	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		09/15/23 05:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		09/15/23 05:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		09/15/23 05:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		09/15/23 05:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		09/15/23 05:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		09/15/23 05:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 05:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 05:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 05:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		09/15/23 05:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		09/15/23 05:27	75-71-8	
1,1-Dichloroethane	922	ug/L	50.0	3.1	10		09/15/23 16:51	75-34-3	
1,2-Dichloroethane	21.5	ug/L	5.0	0.29	1		09/15/23 05:27	107-06-2	
1,1-Dichloroethene	23.8	ug/L	5.0	0.27	1		09/15/23 05:27	75-35-4	
cis-1,2-Dichloroethene	86.1	ug/L	5.0	0.34	1		09/15/23 05:27	156-59-2	
trans-1,2-Dichloroethene	9.5	ug/L	5.0	0.37	1		09/15/23 05:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 05:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		09/15/23 05:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 05:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 05:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 05:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		09/15/23 05:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		09/15/23 05:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		09/15/23 05:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		09/15/23 05:27	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		09/15/23 05:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		09/15/23 05:27	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-423S-090723 Lab ID: 50353438011 Collected: 09/07/23 14:05 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		09/15/23 05:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		09/15/23 05:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		09/15/23 05:27	99-87-6	
Methylene Chloride	5.7	ug/L	5.0	3.7	1		09/15/23 05:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		09/15/23 05:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		09/15/23 05:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		09/15/23 05:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		09/15/23 05:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		09/15/23 05:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		09/15/23 05:27	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		09/15/23 05:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		09/15/23 05:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		09/15/23 05:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		09/15/23 05:27	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 05:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		09/15/23 05:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		09/15/23 05:27	120-82-1	
1,1,1-Trichloroethane	20.7	ug/L	5.0	0.30	1		09/15/23 05:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		09/15/23 05:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		09/15/23 05:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		09/15/23 05:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 05:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 05:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 05:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		09/15/23 05:27	108-05-4	
Vinyl chloride	75.3	ug/L	2.0	0.35	1		09/15/23 05:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		09/15/23 05:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 05:27	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		09/15/23 05:27	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 05:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-423D-090723 Lab ID: 50353438012 Collected: 09/07/23 14:10 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		09/15/23 05:57	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		09/15/23 05:57	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		09/15/23 05:57	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		09/15/23 05:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		09/15/23 05:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		09/15/23 05:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 05:57	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		09/15/23 05:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		09/15/23 05:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		09/15/23 05:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 05:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 05:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 05:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		09/15/23 05:57	75-15-0	L2
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		09/15/23 05:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		09/15/23 05:57	108-90-7	
Chloroethane	21.8	ug/L	5.0	0.87	1		09/15/23 05:57	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 05:57	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		09/15/23 05:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		09/15/23 05:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		09/15/23 05:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		09/15/23 05:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		09/15/23 05:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		09/15/23 05:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 05:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 05:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 05:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		09/15/23 05:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		09/15/23 05:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 05:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.29	1		09/15/23 05:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		09/15/23 05:57	75-35-4	
cis-1,2-Dichloroethene	6.2	ug/L	5.0	0.34	1		09/15/23 05:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 05:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 05:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		09/15/23 05:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 05:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 05:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 05:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		09/15/23 05:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		09/15/23 05:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		09/15/23 05:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		09/15/23 05:57	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		09/15/23 05:57	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		09/15/23 05:57	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-423D-090723 Lab ID: 50353438012 Collected: 09/07/23 14:10 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		09/15/23 05:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		09/15/23 05:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		09/15/23 05:57	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 05:57	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		09/15/23 05:57	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		09/15/23 05:57	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		09/15/23 05:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		09/15/23 05:57	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		09/15/23 05:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		09/15/23 05:57	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		09/15/23 05:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		09/15/23 05:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		09/15/23 05:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		09/15/23 05:57	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 05:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		09/15/23 05:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		09/15/23 05:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		09/15/23 05:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		09/15/23 05:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		09/15/23 05:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		09/15/23 05:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 05:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 05:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 05:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		09/15/23 05:57	108-05-4	
Vinyl chloride	7.0	ug/L	2.0	0.35	1		09/15/23 05:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		09/15/23 05:57	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 05:57	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		09/15/23 05:57	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 05:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-422S-090723 Lab ID: 50353438013 Collected: 09/07/23 14:20 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		09/15/23 06:28	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		09/15/23 06:28	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		09/15/23 06:28	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		09/15/23 06:28	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		09/15/23 06:28	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		09/15/23 06:28	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 06:28	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		09/15/23 06:28	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		09/15/23 06:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		09/15/23 06:28	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 06:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 06:28	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 06:28	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		09/15/23 06:28	75-15-0	L2
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		09/15/23 06:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		09/15/23 06:28	108-90-7	
Chloroethane	ND	ug/L	5.0	0.87	1		09/15/23 06:28	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 06:28	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		09/15/23 06:28	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		09/15/23 06:28	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		09/15/23 06:28	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		09/15/23 06:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		09/15/23 06:28	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		09/15/23 06:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 06:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 06:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 06:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		09/15/23 06:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		09/15/23 06:28	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 06:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.29	1		09/15/23 06:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		09/15/23 06:28	75-35-4	
cis-1,2-Dichloroethene	1010	ug/L	250	17.0	50		09/15/23 17:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 06:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 06:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		09/15/23 06:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 06:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 06:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 06:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		09/15/23 06:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		09/15/23 06:28	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		09/15/23 06:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		09/15/23 06:28	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		09/15/23 06:28	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		09/15/23 06:28	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-422S-090723 Lab ID: 50353438013 Collected: 09/07/23 14:20 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		09/15/23 06:28	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		09/15/23 06:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		09/15/23 06:28	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 06:28	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		09/15/23 06:28	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		09/15/23 06:28	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		09/15/23 06:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		09/15/23 06:28	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		09/15/23 06:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		09/15/23 06:28	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		09/15/23 06:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		09/15/23 06:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		09/15/23 06:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		09/15/23 06:28	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 06:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		09/15/23 06:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		09/15/23 06:28	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		09/15/23 06:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		09/15/23 06:28	79-00-5	
Trichloroethene	5.8	ug/L	5.0	0.31	1		09/15/23 06:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		09/15/23 06:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 06:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 06:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 06:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		09/15/23 06:28	108-05-4	
Vinyl chloride	3470	ug/L	100	17.5	50		09/15/23 17:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		09/15/23 06:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 06:28	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		09/15/23 06:28	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 06:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-422D-090723 Lab ID: 50353438014 Collected: 09/07/23 14:25 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		09/15/23 06:59	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		09/15/23 06:59	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		09/15/23 06:59	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		09/15/23 06:59	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		09/15/23 06:59	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		09/15/23 06:59	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 06:59	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		09/15/23 06:59	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		09/15/23 06:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		09/15/23 06:59	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 06:59	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 06:59	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 06:59	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		09/15/23 06:59	75-15-0	L2
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		09/15/23 06:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		09/15/23 06:59	108-90-7	
Chloroethane	ND	ug/L	5.0	0.87	1		09/15/23 06:59	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 06:59	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		09/15/23 06:59	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		09/15/23 06:59	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		09/15/23 06:59	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		09/15/23 06:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		09/15/23 06:59	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		09/15/23 06:59	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 06:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 06:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 06:59	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		09/15/23 06:59	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		09/15/23 06:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 06:59	75-34-3	
1,2-Dichloroethane	6.8	ug/L	5.0	0.29	1		09/15/23 06:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		09/15/23 06:59	75-35-4	
cis-1,2-Dichloroethene	170	ug/L	5.0	0.34	1		09/15/23 06:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 06:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 06:59	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		09/15/23 06:59	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 06:59	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 06:59	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 06:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		09/15/23 06:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		09/15/23 06:59	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		09/15/23 06:59	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		09/15/23 06:59	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		09/15/23 06:59	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		09/15/23 06:59	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-422D-090723 **Lab ID: 50353438014** Collected: 09/07/23 14:25 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		09/15/23 06:59	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		09/15/23 06:59	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		09/15/23 06:59	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 06:59	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		09/15/23 06:59	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		09/15/23 06:59	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		09/15/23 06:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		09/15/23 06:59	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		09/15/23 06:59	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		09/15/23 06:59	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		09/15/23 06:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		09/15/23 06:59	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		09/15/23 06:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		09/15/23 06:59	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 06:59	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		09/15/23 06:59	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		09/15/23 06:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		09/15/23 06:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		09/15/23 06:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		09/15/23 06:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		09/15/23 06:59	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 06:59	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 06:59	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 06:59	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		09/15/23 06:59	108-05-4	
Vinyl chloride	493	ug/L	20.0	3.5	10		09/15/23 18:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		09/15/23 06:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 06:59	1868-53-7	
4-Bromofluorobenzene (S)	106	%	79-124		1		09/15/23 06:59	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 06:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-419S-090723 Lab ID: 50353438015 Collected: 09/07/23 14:35 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		09/15/23 07:29	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		09/15/23 07:29	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		09/15/23 07:29	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		09/15/23 07:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		09/15/23 07:29	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		09/15/23 07:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 07:29	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		09/15/23 07:29	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		09/15/23 07:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		09/15/23 07:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 07:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 07:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 07:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		09/15/23 07:29	75-15-0	L2
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		09/15/23 07:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		09/15/23 07:29	108-90-7	
Chloroethane	ND	ug/L	5.0	0.87	1		09/15/23 07:29	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 07:29	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		09/15/23 07:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		09/15/23 07:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		09/15/23 07:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		09/15/23 07:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		09/15/23 07:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		09/15/23 07:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 07:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 07:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 07:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		09/15/23 07:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		09/15/23 07:29	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 07:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.29	1		09/15/23 07:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		09/15/23 07:29	75-35-4	
cis-1,2-Dichloroethene	30.3	ug/L	5.0	0.34	1		09/15/23 07:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 07:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 07:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		09/15/23 07:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 07:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 07:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 07:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		09/15/23 07:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		09/15/23 07:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		09/15/23 07:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		09/15/23 07:29	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		09/15/23 07:29	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		09/15/23 07:29	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-419S-090723 Lab ID: 50353438015 Collected: 09/07/23 14:35 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		09/15/23 07:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		09/15/23 07:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		09/15/23 07:29	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 07:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		09/15/23 07:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		09/15/23 07:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		09/15/23 07:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		09/15/23 07:29	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		09/15/23 07:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		09/15/23 07:29	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		09/15/23 07:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		09/15/23 07:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		09/15/23 07:29	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		09/15/23 07:29	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 07:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		09/15/23 07:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		09/15/23 07:29	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		09/15/23 07:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		09/15/23 07:29	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		09/15/23 07:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		09/15/23 07:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 07:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 07:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 07:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		09/15/23 07:29	108-05-4	
Vinyl chloride	5.6	ug/L	2.0	0.35	1		09/15/23 07:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		09/15/23 07:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 07:29	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		09/15/23 07:29	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 07:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-419D-090723 Lab ID: 50353438016 Collected: 09/07/23 14:40 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	2000	128	20		09/15/23 18:54	67-64-1	
Acrolein	ND	ug/L	1000	274	20		09/15/23 18:54	107-02-8	
Acrylonitrile	ND	ug/L	2000	36.6	20		09/15/23 18:54	107-13-1	
Benzene	ND	ug/L	100	8.9	20		09/15/23 18:54	71-43-2	
Bromobenzene	ND	ug/L	100	7.5	20		09/15/23 18:54	108-86-1	
Bromochloromethane	ND	ug/L	100	7.4	20		09/15/23 18:54	74-97-5	
Bromodichloromethane	ND	ug/L	100	5.9	20		09/15/23 18:54	75-27-4	
Bromoform	ND	ug/L	100	6.4	20		09/15/23 18:54	75-25-2	
Bromomethane	ND	ug/L	100	35.0	20		09/15/23 18:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	500	72.6	20		09/15/23 18:54	78-93-3	
n-Butylbenzene	ND	ug/L	100	7.8	20		09/15/23 18:54	104-51-8	
sec-Butylbenzene	ND	ug/L	100	6.9	20		09/15/23 18:54	135-98-8	
tert-Butylbenzene	ND	ug/L	100	7.2	20		09/15/23 18:54	98-06-6	
Carbon disulfide	ND	ug/L	200	7.9	20		09/15/23 18:54	75-15-0	L2
Carbon tetrachloride	ND	ug/L	100	31.8	20		09/15/23 18:54	56-23-5	
Chlorobenzene	ND	ug/L	100	6.5	20		09/15/23 18:54	108-90-7	
Chloroethane	ND	ug/L	100	17.4	20		09/15/23 18:54	75-00-3	
Chloroform	ND	ug/L	100	52.0	20		09/15/23 18:54	67-66-3	
Chloromethane	ND	ug/L	100	8.5	20		09/15/23 18:54	74-87-3	
2-Chlorotoluene	ND	ug/L	100	6.8	20		09/15/23 18:54	95-49-8	
4-Chlorotoluene	ND	ug/L	100	7.6	20		09/15/23 18:54	106-43-4	
Dibromochloromethane	ND	ug/L	100	5.4	20		09/15/23 18:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	100	6.6	20		09/15/23 18:54	106-93-4	
Dibromomethane	ND	ug/L	100	8.3	20		09/15/23 18:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	100	7.1	20		09/15/23 18:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	100	7.3	20		09/15/23 18:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	100	7.0	20		09/15/23 18:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	2000	8.1	20		09/15/23 18:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	100	7.4	20		09/15/23 18:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	100	6.2	20		09/15/23 18:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	100	5.7	20		09/15/23 18:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	100	5.4	20		09/15/23 18:54	75-35-4	
cis-1,2-Dichloroethene	2780	ug/L	100	6.8	20		09/15/23 18:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	100	7.5	20		09/15/23 18:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	8.0	20		09/15/23 18:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	100	5.9	20		09/15/23 18:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	100	6.6	20		09/15/23 18:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	100	7.4	20		09/15/23 18:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	100	7.5	20		09/15/23 18:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	5.7	20		09/15/23 18:54	10061-02-6	
Ethylbenzene	ND	ug/L	100	17.2	20		09/15/23 18:54	100-41-4	
Ethyl methacrylate	ND	ug/L	2000	7.5	20		09/15/23 18:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	100	9.9	20		09/15/23 18:54	87-68-3	
n-Hexane	ND	ug/L	100	7.8	20		09/15/23 18:54	110-54-3	
2-Hexanone	ND	ug/L	500	41.0	20		09/15/23 18:54	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-419D-090723 Lab ID: 50353438016 Collected: 09/07/23 14:40 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	200	38.2	20		09/15/23 18:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	100	6.8	20		09/15/23 18:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	100	7.9	20		09/15/23 18:54	99-87-6	
Methylene Chloride	ND	ug/L	100	74.0	20		09/15/23 18:54	75-09-2	
1-Methylnaphthalene	ND	ug/L	200	32.0	20		09/15/23 18:54	90-12-0	
2-Methylnaphthalene	ND	ug/L	200	40.0	20		09/15/23 18:54	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	39.4	20		09/15/23 18:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	80.0	6.2	20		09/15/23 18:54	1634-04-4	
Naphthalene	ND	ug/L	24.0	8.6	20		09/15/23 18:54	91-20-3	
n-Propylbenzene	ND	ug/L	100	6.9	20		09/15/23 18:54	103-65-1	
Styrene	ND	ug/L	100	7.2	20		09/15/23 18:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	100	7.2	20		09/15/23 18:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	100	6.7	20		09/15/23 18:54	79-34-5	
Tetrachloroethene	ND	ug/L	100	7.1	20		09/15/23 18:54	127-18-4	
Toluene	ND	ug/L	100	7.5	20		09/15/23 18:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	100	9.1	20		09/15/23 18:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	100	8.7	20		09/15/23 18:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	100	6.0	20		09/15/23 18:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	100	7.3	20		09/15/23 18:54	79-00-5	
Trichloroethene	ND	ug/L	100	6.3	20		09/15/23 18:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	100	6.8	20		09/15/23 18:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	100	8.0	20		09/15/23 18:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	100	7.4	20		09/15/23 18:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	100	7.0	20		09/15/23 18:54	108-67-8	
Vinyl acetate	ND	ug/L	1000	45.4	20		09/15/23 18:54	108-05-4	
Vinyl chloride	ND	ug/L	40.0	7.0	20		09/15/23 18:54	75-01-4	
Xylene (Total)	ND	ug/L	200	44.0	20		09/15/23 18:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		20		09/15/23 18:54	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		20		09/15/23 18:54	460-00-4	
Toluene-d8 (S)	97	%	73-122		20		09/15/23 18:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-417S-090723 Lab ID: 50353438017 Collected: 09/07/23 14:50 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		09/15/23 08:30	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		09/15/23 08:30	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		09/15/23 08:30	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		09/15/23 08:30	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		09/15/23 08:30	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		09/15/23 08:30	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 08:30	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		09/15/23 08:30	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		09/15/23 08:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		09/15/23 08:30	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 08:30	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 08:30	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 08:30	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		09/15/23 08:30	75-15-0	L2
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		09/15/23 08:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		09/15/23 08:30	108-90-7	
Chloroethane	192	ug/L	5.0	0.87	1		09/15/23 08:30	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 08:30	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		09/15/23 08:30	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		09/15/23 08:30	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		09/15/23 08:30	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		09/15/23 08:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		09/15/23 08:30	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		09/15/23 08:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 08:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 08:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 08:30	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		09/15/23 08:30	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		09/15/23 08:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 08:30	75-34-3	
1,2-Dichloroethane	5.8	ug/L	5.0	0.29	1		09/15/23 08:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		09/15/23 08:30	75-35-4	
cis-1,2-Dichloroethene	19.8	ug/L	5.0	0.34	1		09/15/23 08:30	156-59-2	
trans-1,2-Dichloroethene	8.2	ug/L	5.0	0.37	1		09/15/23 08:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 08:30	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		09/15/23 08:30	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 08:30	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 08:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 08:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		09/15/23 08:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		09/15/23 08:30	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		09/15/23 08:30	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		09/15/23 08:30	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		09/15/23 08:30	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		09/15/23 08:30	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-417S-090723 Lab ID: 50353438017 Collected: 09/07/23 14:50 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		09/15/23 08:30	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		09/15/23 08:30	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		09/15/23 08:30	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 08:30	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		09/15/23 08:30	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		09/15/23 08:30	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		09/15/23 08:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		09/15/23 08:30	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		09/15/23 08:30	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		09/15/23 08:30	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		09/15/23 08:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		09/15/23 08:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		09/15/23 08:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		09/15/23 08:30	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 08:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		09/15/23 08:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		09/15/23 08:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		09/15/23 08:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		09/15/23 08:30	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		09/15/23 08:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		09/15/23 08:30	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 08:30	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 08:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 08:30	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		09/15/23 08:30	108-05-4	
Vinyl chloride	5.8	ug/L	2.0	0.35	1		09/15/23 08:30	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		09/15/23 08:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 08:30	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		09/15/23 08:30	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 08:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-417D-090723 Lab ID: 50353438018 Collected: 09/07/23 14:55 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		09/15/23 09:32	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		09/15/23 09:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		09/15/23 09:32	107-13-1	
Benzene	9.1	ug/L	5.0	0.44	1		09/15/23 09:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		09/15/23 09:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		09/15/23 09:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 09:32	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		09/15/23 09:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		09/15/23 09:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		09/15/23 09:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 09:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 09:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 09:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		09/15/23 09:32	75-15-0	L2
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		09/15/23 09:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		09/15/23 09:32	108-90-7	
Chloroethane	582	ug/L	50.0	8.7	10		09/15/23 10:02	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 09:32	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		09/15/23 09:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		09/15/23 09:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		09/15/23 09:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		09/15/23 09:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		09/15/23 09:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		09/15/23 09:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 09:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		09/15/23 09:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 09:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		09/15/23 09:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		09/15/23 09:32	75-71-8	
1,1-Dichloroethane	35.9	ug/L	5.0	0.31	1		09/15/23 09:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.29	1		09/15/23 09:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		09/15/23 09:32	75-35-4	
cis-1,2-Dichloroethene	22.0	ug/L	5.0	0.34	1		09/15/23 09:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 09:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 09:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		09/15/23 09:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 09:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 09:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		09/15/23 09:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		09/15/23 09:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		09/15/23 09:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		09/15/23 09:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		09/15/23 09:32	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		09/15/23 09:32	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		09/15/23 09:32	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-417D-090723 Lab ID: 50353438018 Collected: 09/07/23 14:55 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		09/15/23 09:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		09/15/23 09:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		09/15/23 09:32	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 09:32	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		09/15/23 09:32	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		09/15/23 09:32	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		09/15/23 09:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		09/15/23 09:32	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		09/15/23 09:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		09/15/23 09:32	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		09/15/23 09:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		09/15/23 09:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		09/15/23 09:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		09/15/23 09:32	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 09:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		09/15/23 09:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		09/15/23 09:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		09/15/23 09:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		09/15/23 09:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		09/15/23 09:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		09/15/23 09:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		09/15/23 09:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 09:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		09/15/23 09:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		09/15/23 09:32	108-05-4	
Vinyl chloride	15.1	ug/L	2.0	0.35	1		09/15/23 09:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		09/15/23 09:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		1		09/15/23 09:32	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		09/15/23 09:32	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 09:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-401-090723 Lab ID: 50353438019 Collected: 09/07/23 15:05 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	5000	320	50		09/15/23 10:33	67-64-1	
Acrolein	ND	ug/L	2500	685	50		09/15/23 10:33	107-02-8	
Acrylonitrile	ND	ug/L	5000	91.5	50		09/15/23 10:33	107-13-1	
Benzene	ND	ug/L	250	22.2	50		09/15/23 10:33	71-43-2	
Bromobenzene	ND	ug/L	250	18.8	50		09/15/23 10:33	108-86-1	
Bromochloromethane	ND	ug/L	250	18.5	50		09/15/23 10:33	74-97-5	
Bromodichloromethane	ND	ug/L	250	14.7	50		09/15/23 10:33	75-27-4	
Bromoform	ND	ug/L	250	16.0	50		09/15/23 10:33	75-25-2	
Bromomethane	ND	ug/L	250	87.5	50		09/15/23 10:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	182	50		09/15/23 10:33	78-93-3	
n-Butylbenzene	ND	ug/L	250	19.5	50		09/15/23 10:33	104-51-8	
sec-Butylbenzene	ND	ug/L	250	17.4	50		09/15/23 10:33	135-98-8	
tert-Butylbenzene	ND	ug/L	250	18.0	50		09/15/23 10:33	98-06-6	
Carbon disulfide	ND	ug/L	500	19.8	50		09/15/23 10:33	75-15-0	L2
Carbon tetrachloride	ND	ug/L	250	79.5	50		09/15/23 10:33	56-23-5	
Chlorobenzene	ND	ug/L	250	16.2	50		09/15/23 10:33	108-90-7	
Chloroethane	509	ug/L	250	43.4	50		09/15/23 10:33	75-00-3	
Chloroform	ND	ug/L	250	130	50		09/15/23 10:33	67-66-3	
Chloromethane	ND	ug/L	250	21.2	50		09/15/23 10:33	74-87-3	
2-Chlorotoluene	ND	ug/L	250	17.1	50		09/15/23 10:33	95-49-8	
4-Chlorotoluene	ND	ug/L	250	19.0	50		09/15/23 10:33	106-43-4	
Dibromochloromethane	ND	ug/L	250	13.4	50		09/15/23 10:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	16.6	50		09/15/23 10:33	106-93-4	
Dibromomethane	ND	ug/L	250	20.8	50		09/15/23 10:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	17.8	50		09/15/23 10:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	18.2	50		09/15/23 10:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	17.6	50		09/15/23 10:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	20.4	50		09/15/23 10:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	18.6	50		09/15/23 10:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	250	15.6	50		09/15/23 10:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	14.3	50		09/15/23 10:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	250	13.6	50		09/15/23 10:33	75-35-4	
cis-1,2-Dichloroethene	1820	ug/L	250	17.0	50		09/15/23 10:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	250	18.7	50		09/15/23 10:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	20.0	50		09/15/23 10:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	14.6	50		09/15/23 10:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	16.5	50		09/15/23 10:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	18.6	50		09/15/23 10:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	18.7	50		09/15/23 10:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	14.4	50		09/15/23 10:33	10061-02-6	
Ethylbenzene	ND	ug/L	250	43.0	50		09/15/23 10:33	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	18.8	50		09/15/23 10:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	24.8	50		09/15/23 10:33	87-68-3	
n-Hexane	ND	ug/L	250	19.6	50		09/15/23 10:33	110-54-3	
2-Hexanone	ND	ug/L	1250	102	50		09/15/23 10:33	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-401-090723 Lab ID: 50353438019 Collected: 09/07/23 15:05 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	500	95.5	50		09/15/23 10:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	17.1	50		09/15/23 10:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	19.8	50		09/15/23 10:33	99-87-6	
Methylene Chloride	255	ug/L	250	185	50		09/15/23 10:33	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	80.0	50		09/15/23 10:33	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	100	50		09/15/23 10:33	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	98.5	50		09/15/23 10:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	15.4	50		09/15/23 10:33	1634-04-4	
Naphthalene	ND	ug/L	60.0	21.5	50		09/15/23 10:33	91-20-3	
n-Propylbenzene	ND	ug/L	250	17.2	50		09/15/23 10:33	103-65-1	
Styrene	ND	ug/L	250	17.9	50		09/15/23 10:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	18.0	50		09/15/23 10:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	16.7	50		09/15/23 10:33	79-34-5	
Tetrachloroethene	ND	ug/L	250	17.7	50		09/15/23 10:33	127-18-4	
Toluene	ND	ug/L	250	18.8	50		09/15/23 10:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	22.6	50		09/15/23 10:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	21.6	50		09/15/23 10:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	250	15.1	50		09/15/23 10:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	18.2	50		09/15/23 10:33	79-00-5	
Trichloroethene	ND	ug/L	250	15.6	50		09/15/23 10:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	17.1	50		09/15/23 10:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	20.0	50		09/15/23 10:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	18.4	50		09/15/23 10:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	17.4	50		09/15/23 10:33	108-67-8	
Vinyl acetate	ND	ug/L	2500	114	50		09/15/23 10:33	108-05-4	
Vinyl chloride	278	ug/L	100	17.5	50		09/15/23 10:33	75-01-4	
Xylene (Total)	ND	ug/L	500	110	50		09/15/23 10:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		50		09/15/23 10:33	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		50		09/15/23 10:33	460-00-4	
Toluene-d8 (S)	97	%	73-122		50		09/15/23 10:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-406S-090723 Lab ID: 50353438020 Collected: 09/07/23 15:20 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	500	43.0	5		09/15/23 15:04	67-64-1	L1
Acrolein	ND	ug/L	250	67.0	5		09/15/23 15:04	107-02-8	
Acrylonitrile	ND	ug/L	500	15.1	5		09/15/23 15:04	107-13-1	
Benzene	ND	ug/L	25.0	2.3	5		09/15/23 15:04	71-43-2	
Bromobenzene	ND	ug/L	25.0	2.0	5		09/15/23 15:04	108-86-1	
Bromochloromethane	ND	ug/L	25.0	1.6	5		09/15/23 15:04	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	1.4	5		09/15/23 15:04	75-27-4	
Bromoform	ND	ug/L	25.0	1.4	5		09/15/23 15:04	75-25-2	
Bromomethane	ND	ug/L	25.0	2.6	5		09/15/23 15:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	16.7	5		09/15/23 15:04	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	1.9	5		09/15/23 15:04	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	1.8	5		09/15/23 15:04	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	1.9	5		09/15/23 15:04	98-06-6	
Carbon disulfide	ND	ug/L	50.0	3.1	5		09/15/23 15:04	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	1.5	5		09/15/23 15:04	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.7	5		09/15/23 15:04	108-90-7	
Chloroethane	479	ug/L	25.0	2.2	5		09/15/23 15:04	75-00-3	2d,CL
Chloroform	ND	ug/L	25.0	13.0	5		09/15/23 15:04	67-66-3	
Chloromethane	ND	ug/L	25.0	2.8	5		09/15/23 15:04	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	1.9	5		09/15/23 15:04	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	2.0	5		09/15/23 15:04	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	1.5	5		09/15/23 15:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	1.4	5		09/15/23 15:04	106-93-4	
Dibromomethane	ND	ug/L	25.0	2.3	5		09/15/23 15:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	1.7	5		09/15/23 15:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	2.0	5		09/15/23 15:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	2.0	5		09/15/23 15:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	2.1	5		09/15/23 15:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	1.9	5		09/15/23 15:04	75-71-8	
1,1-Dichloroethane	1690	ug/L	1000	73.2	200		09/18/23 12:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	1.7	5		09/15/23 15:04	107-06-2	
1,1-Dichloroethene	62.1	ug/L	25.0	1.9	5		09/15/23 15:04	75-35-4	
cis-1,2-Dichloroethene	14300	ug/L	1000	96.0	200		09/18/23 12:59	156-59-2	
trans-1,2-Dichloroethene	152	ug/L	25.0	2.4	5		09/15/23 15:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	1.7	5		09/15/23 15:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.5	5		09/15/23 15:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	1.9	5		09/15/23 15:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	1.7	5		09/15/23 15:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.6	5		09/15/23 15:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	1.4	5		09/15/23 15:04	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	2.0	5		09/15/23 15:04	100-41-4	
Ethyl methacrylate	ND	ug/L	500	1.6	5		09/15/23 15:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	2.4	5		09/15/23 15:04	87-68-3	
n-Hexane	ND	ug/L	25.0	1.8	5		09/15/23 15:04	110-54-3	
2-Hexanone	ND	ug/L	125	10.8	5		09/15/23 15:04	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-406S-090723 **Lab ID: 50353438020** Collected: 09/07/23 15:20 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	50.0	10.2	5		09/15/23 15:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.8	5		09/15/23 15:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	2.0	5		09/15/23 15:04	99-87-6	
Methylene Chloride	39.0	ug/L	25.0	18.5	5		09/15/23 15:04	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	10.5	5		09/15/23 15:04	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	10.5	5		09/15/23 15:04	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	10.4	5		09/15/23 15:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	3.3	5		09/15/23 15:04	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.8	5		09/15/23 15:04	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	1.8	5		09/15/23 15:04	103-65-1	
Styrene	ND	ug/L	25.0	1.9	5		09/15/23 15:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.7	5		09/15/23 15:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	1.7	5		09/15/23 15:04	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	1.8	5		09/15/23 15:04	127-18-4	
Toluene	ND	ug/L	25.0	1.9	5		09/15/23 15:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	2.1	5		09/15/23 15:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.1	5		09/15/23 15:04	120-82-1	
1,1,1-Trichloroethane	488	ug/L	25.0	1.6	5		09/15/23 15:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.7	5		09/15/23 15:04	79-00-5	
Trichloroethene	349	ug/L	25.0	2.0	5		09/15/23 15:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	1.8	5		09/15/23 15:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	1.7	5		09/15/23 15:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	1.8	5		09/15/23 15:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.9	5		09/15/23 15:04	108-67-8	
Vinyl acetate	ND	ug/L	250	8.7	5		09/15/23 15:04	108-05-4	
Vinyl chloride	253	ug/L	10.0	2.0	5		09/15/23 15:04	75-01-4	2d,CL
Xylene (Total)	ND	ug/L	50.0	7.5	5		09/15/23 15:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		5		09/15/23 15:04	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		5		09/15/23 15:04	460-00-4	
Toluene-d8 (S)	99	%	73-122		5		09/15/23 15:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-406D-090723 Lab ID: 50353438021 Collected: 09/07/23 15:25 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	500	43.0	5	09/15/23 15:35	67-64-1	L1	
Acrolein	ND	ug/L	250	67.0	5	09/15/23 15:35	107-02-8		
Acrylonitrile	ND	ug/L	500	15.1	5	09/15/23 15:35	107-13-1		
Benzene	ND	ug/L	25.0	2.3	5	09/15/23 15:35	71-43-2		
Bromobenzene	ND	ug/L	25.0	2.0	5	09/15/23 15:35	108-86-1		
Bromochloromethane	ND	ug/L	25.0	1.6	5	09/15/23 15:35	74-97-5		
Bromodichloromethane	ND	ug/L	25.0	1.4	5	09/15/23 15:35	75-27-4		
Bromoform	ND	ug/L	25.0	1.4	5	09/15/23 15:35	75-25-2		
Bromomethane	ND	ug/L	25.0	2.6	5	09/15/23 15:35	74-83-9		
2-Butanone (MEK)	ND	ug/L	125	16.7	5	09/15/23 15:35	78-93-3		
n-Butylbenzene	ND	ug/L	25.0	1.9	5	09/15/23 15:35	104-51-8		
sec-Butylbenzene	ND	ug/L	25.0	1.8	5	09/15/23 15:35	135-98-8		
tert-Butylbenzene	ND	ug/L	25.0	1.9	5	09/15/23 15:35	98-06-6		
Carbon disulfide	ND	ug/L	50.0	3.1	5	09/15/23 15:35	75-15-0		
Carbon tetrachloride	ND	ug/L	25.0	1.5	5	09/15/23 15:35	56-23-5		
Chlorobenzene	ND	ug/L	25.0	1.7	5	09/15/23 15:35	108-90-7		
Chloroethane	310	ug/L	25.0	2.2	5	09/15/23 15:35	75-00-3	2d,CL	
Chloroform	ND	ug/L	25.0	13.0	5	09/15/23 15:35	67-66-3		
Chloromethane	ND	ug/L	25.0	2.8	5	09/15/23 15:35	74-87-3		
2-Chlorotoluene	ND	ug/L	25.0	1.9	5	09/15/23 15:35	95-49-8		
4-Chlorotoluene	ND	ug/L	25.0	2.0	5	09/15/23 15:35	106-43-4		
Dibromochloromethane	ND	ug/L	25.0	1.5	5	09/15/23 15:35	124-48-1		
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	1.4	5	09/15/23 15:35	106-93-4		
Dibromomethane	ND	ug/L	25.0	2.3	5	09/15/23 15:35	74-95-3		
1,2-Dichlorobenzene	ND	ug/L	25.0	1.7	5	09/15/23 15:35	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	25.0	2.0	5	09/15/23 15:35	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	25.0	2.0	5	09/15/23 15:35	106-46-7		
trans-1,4-Dichloro-2-butene	ND	ug/L	500	2.1	5	09/15/23 15:35	110-57-6		
Dichlorodifluoromethane	ND	ug/L	25.0	1.9	5	09/15/23 15:35	75-71-8		
1,1-Dichloroethane	2000	ug/L	1000	73.2	200	09/18/23 13:30	75-34-3		
1,2-Dichloroethane	ND	ug/L	25.0	1.7	5	09/15/23 15:35	107-06-2		
1,1-Dichloroethene	398	ug/L	25.0	1.9	5	09/15/23 15:35	75-35-4		
cis-1,2-Dichloroethene	21800	ug/L	1000	96.0	200	09/18/23 13:30	156-59-2		
trans-1,2-Dichloroethene	134	ug/L	25.0	2.4	5	09/15/23 15:35	156-60-5		
1,2-Dichloropropane	ND	ug/L	25.0	1.7	5	09/15/23 15:35	78-87-5		
1,3-Dichloropropane	ND	ug/L	25.0	1.5	5	09/15/23 15:35	142-28-9		
2,2-Dichloropropane	ND	ug/L	25.0	1.9	5	09/15/23 15:35	594-20-7		
1,1-Dichloropropene	ND	ug/L	25.0	1.7	5	09/15/23 15:35	563-58-6		
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.6	5	09/15/23 15:35	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	25.0	1.4	5	09/15/23 15:35	10061-02-6		
Ethylbenzene	ND	ug/L	25.0	2.0	5	09/15/23 15:35	100-41-4		
Ethyl methacrylate	ND	ug/L	500	1.6	5	09/15/23 15:35	97-63-2		
Hexachloro-1,3-butadiene	ND	ug/L	25.0	2.4	5	09/15/23 15:35	87-68-3		
n-Hexane	ND	ug/L	25.0	1.8	5	09/15/23 15:35	110-54-3		
2-Hexanone	ND	ug/L	125	10.8	5	09/15/23 15:35	591-78-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-406D-090723 Lab ID: 50353438021 Collected: 09/07/23 15:25 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	50.0	10.2	5		09/15/23 15:35	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.8	5		09/15/23 15:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	2.0	5		09/15/23 15:35	99-87-6	
Methylene Chloride	ND	ug/L	25.0	18.5	5		09/15/23 15:35	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	10.5	5		09/15/23 15:35	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	10.5	5		09/15/23 15:35	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	10.4	5		09/15/23 15:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	3.3	5		09/15/23 15:35	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.8	5		09/15/23 15:35	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	1.8	5		09/15/23 15:35	103-65-1	
Styrene	ND	ug/L	25.0	1.9	5		09/15/23 15:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.7	5		09/15/23 15:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	1.7	5		09/15/23 15:35	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	1.8	5		09/15/23 15:35	127-18-4	
Toluene	ND	ug/L	25.0	1.9	5		09/15/23 15:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	2.1	5		09/15/23 15:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.1	5		09/15/23 15:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	1.6	5		09/15/23 15:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.7	5		09/15/23 15:35	79-00-5	
Trichloroethene	191	ug/L	25.0	2.0	5		09/15/23 15:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	1.8	5		09/15/23 15:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	1.7	5		09/15/23 15:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	1.8	5		09/15/23 15:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.9	5		09/15/23 15:35	108-67-8	
Vinyl acetate	ND	ug/L	250	8.7	5		09/15/23 15:35	108-05-4	
Vinyl chloride	932	ug/L	400	79.0	200		09/18/23 13:30	75-01-4	
Xylene (Total)	ND	ug/L	50.0	7.5	5		09/15/23 15:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		5		09/15/23 15:35	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		5		09/15/23 15:35	460-00-4	
Toluene-d8 (S)	99	%	73-122		5		09/15/23 15:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-424S-090723 Lab ID: 50353438022 Collected: 09/07/23 15:35 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 02:18	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 02:18	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 02:18	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 02:18	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 02:18	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 02:18	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 02:18	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 02:18	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 02:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 02:18	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 02:18	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 02:18	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 02:18	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 02:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 02:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 02:18	108-90-7	
Chloroethane	723	ug/L	50.0	4.4	10		09/18/23 20:41	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 02:18	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 02:18	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 02:18	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 02:18	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 02:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 02:18	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 02:18	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 02:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 02:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 02:18	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 02:18	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 02:18	75-71-8	
1,1-Dichloroethane	45.0	ug/L	5.0	0.37	1		09/16/23 02:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 02:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 02:18	75-35-4	
cis-1,2-Dichloroethene	88.3	ug/L	5.0	0.48	1		09/16/23 02:18	156-59-2	
trans-1,2-Dichloroethene	19.4	ug/L	5.0	0.48	1		09/16/23 02:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 02:18	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 02:18	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 02:18	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 02:18	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 02:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 02:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 02:18	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 02:18	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 02:18	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 02:18	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 02:18	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-424S-090723 **Lab ID: 50353438022** Collected: 09/07/23 15:35 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 02:18	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 02:18	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 02:18	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 02:18	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 02:18	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 02:18	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 02:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 02:18	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 02:18	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 02:18	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 02:18	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 02:18	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 02:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 02:18	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 02:18	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 02:18	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 02:18	120-82-1	
1,1,1-Trichloroethane	15.5	ug/L	5.0	0.31	1		09/16/23 02:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 02:18	79-00-5	
Trichloroethene	11.1	ug/L	5.0	0.41	1		09/16/23 02:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 02:18	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 02:18	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 02:18	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 02:18	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 02:18	108-05-4	
Vinyl chloride	18.5	ug/L	2.0	0.40	1		09/18/23 20:10	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 02:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/16/23 02:18	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		09/16/23 02:18	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/16/23 02:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-424D-090723 Lab ID: 50353438023 Collected: 09/07/23 15:40 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 16:05	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 16:05	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 16:05	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 16:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 16:05	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 16:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 16:05	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 16:05	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 16:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 16:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 16:05	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 16:05	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 16:05	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 16:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 16:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 16:05	108-90-7	
Chloroethane	256	ug/L	5.0	0.44	1		09/18/23 14:01	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 16:05	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 16:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 16:05	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 16:05	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 16:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 16:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 16:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 16:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 16:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 16:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 16:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 16:05	75-71-8	
1,1-Dichloroethane	6.1	ug/L	5.0	0.37	1		09/15/23 16:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 16:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 16:05	75-35-4	
cis-1,2-Dichloroethene	79.8	ug/L	5.0	0.48	1		09/15/23 16:05	156-59-2	
trans-1,2-Dichloroethene	13.5	ug/L	5.0	0.48	1		09/15/23 16:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 16:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 16:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 16:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 16:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 16:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 16:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 16:05	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 16:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 16:05	87-68-3	
n-Hexane	8.9	ug/L	5.0	0.36	1		09/15/23 16:05	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 16:05	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-424D-090723 Lab ID: 50353438023 Collected: 09/07/23 15:40 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 16:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 16:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 16:05	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 16:05	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 16:05	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 16:05	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 16:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 16:05	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 16:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 16:05	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 16:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 16:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 16:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 16:05	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 16:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 16:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 16:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 16:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 16:05	79-00-5	
Trichloroethene	6.5	ug/L	5.0	0.41	1		09/15/23 16:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 16:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 16:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 16:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 16:05	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 16:05	108-05-4	
Vinyl chloride	21.6	ug/L	2.0	0.40	1		09/18/23 14:01	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 16:05	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 16:05	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 16:05	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 16:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-404-090723 Lab ID: 50353438024 Collected: 09/07/23 15:50 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	5000	430	50		09/15/23 17:06	67-64-1	L1
Acrolein	ND	ug/L	2500	670	50		09/15/23 17:06	107-02-8	
Acrylonitrile	ND	ug/L	5000	151	50		09/15/23 17:06	107-13-1	
Benzene	ND	ug/L	250	22.9	50		09/15/23 17:06	71-43-2	
Bromobenzene	ND	ug/L	250	20.4	50		09/15/23 17:06	108-86-1	
Bromochloromethane	ND	ug/L	250	16.4	50		09/15/23 17:06	74-97-5	
Bromodichloromethane	ND	ug/L	250	14.4	50		09/15/23 17:06	75-27-4	
Bromoform	ND	ug/L	250	14.3	50		09/15/23 17:06	75-25-2	
Bromomethane	ND	ug/L	250	25.5	50		09/15/23 17:06	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	167	50		09/15/23 17:06	78-93-3	
n-Butylbenzene	ND	ug/L	250	19.3	50		09/15/23 17:06	104-51-8	
sec-Butylbenzene	ND	ug/L	250	18.2	50		09/15/23 17:06	135-98-8	
tert-Butylbenzene	ND	ug/L	250	18.9	50		09/15/23 17:06	98-06-6	
Carbon disulfide	ND	ug/L	500	31.2	50		09/15/23 17:06	75-15-0	
Carbon tetrachloride	ND	ug/L	250	14.7	50		09/15/23 17:06	56-23-5	
Chlorobenzene	ND	ug/L	250	17.4	50		09/15/23 17:06	108-90-7	
Chloroethane	10500	ug/L	2500	220	500		09/18/23 14:31	75-00-3	
Chloroform	ND	ug/L	250	130	50		09/15/23 17:06	67-66-3	
Chloromethane	ND	ug/L	250	28.2	50		09/15/23 17:06	74-87-3	
2-Chlorotoluene	ND	ug/L	250	18.6	50		09/15/23 17:06	95-49-8	
4-Chlorotoluene	ND	ug/L	250	20.2	50		09/15/23 17:06	106-43-4	
Dibromochloromethane	ND	ug/L	250	15.3	50		09/15/23 17:06	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	14.4	50		09/15/23 17:06	106-93-4	
Dibromomethane	ND	ug/L	250	23.1	50		09/15/23 17:06	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	17.0	50		09/15/23 17:06	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	20.1	50		09/15/23 17:06	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	19.6	50		09/15/23 17:06	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	21.1	50		09/15/23 17:06	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	18.8	50		09/15/23 17:06	75-71-8	
1,1-Dichloroethane	42400	ug/L	2500	183	500		09/18/23 14:31	75-34-3	
1,2-Dichloroethane	711	ug/L	250	17.0	50		09/15/23 17:06	107-06-2	
1,1-Dichloroethene	938	ug/L	250	18.6	50		09/15/23 17:06	75-35-4	
cis-1,2-Dichloroethene	47000	ug/L	2500	240	500		09/18/23 14:31	156-59-2	
trans-1,2-Dichloroethene	1180	ug/L	250	24.0	50		09/15/23 17:06	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	16.6	50		09/15/23 17:06	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	15.0	50		09/15/23 17:06	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	18.7	50		09/15/23 17:06	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	16.8	50		09/15/23 17:06	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	15.7	50		09/15/23 17:06	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	14.0	50		09/15/23 17:06	10061-02-6	
Ethylbenzene	ND	ug/L	250	20.2	50		09/15/23 17:06	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	16.1	50		09/15/23 17:06	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	23.8	50		09/15/23 17:06	87-68-3	
n-Hexane	ND	ug/L	250	18.0	50		09/15/23 17:06	110-54-3	
2-Hexanone	ND	ug/L	1250	108	50		09/15/23 17:06	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-404-090723 Lab ID: 50353438024 Collected: 09/07/23 15:50 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	500	102	50		09/15/23 17:06	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	18.0	50		09/15/23 17:06	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	20.4	50		09/15/23 17:06	99-87-6	
Methylene Chloride	ND	ug/L	250	185	50		09/15/23 17:06	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	105	50		09/15/23 17:06	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	105	50		09/15/23 17:06	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	104	50		09/15/23 17:06	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	32.8	50		09/15/23 17:06	1634-04-4	
Naphthalene	ND	ug/L	60.0	28.4	50		09/15/23 17:06	91-20-3	
n-Propylbenzene	ND	ug/L	250	18.4	50		09/15/23 17:06	103-65-1	
Styrene	ND	ug/L	250	19.3	50		09/15/23 17:06	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	17.0	50		09/15/23 17:06	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	17.4	50		09/15/23 17:06	79-34-5	
Tetrachloroethene	ND	ug/L	250	17.8	50		09/15/23 17:06	127-18-4	
Toluene	ND	ug/L	250	19.0	50		09/15/23 17:06	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	21.0	50		09/15/23 17:06	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	20.8	50		09/15/23 17:06	120-82-1	
1,1,1-Trichloroethane	45800	ug/L	2500	156	500		09/18/23 14:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	16.6	50		09/15/23 17:06	79-00-5	
Trichloroethene	ND	ug/L	250	20.4	50		09/15/23 17:06	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	17.8	50		09/15/23 17:06	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	16.7	50		09/15/23 17:06	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	18.4	50		09/15/23 17:06	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	19.1	50		09/15/23 17:06	108-67-8	
Vinyl acetate	ND	ug/L	2500	87.0	50		09/15/23 17:06	108-05-4	
Vinyl chloride	14400	ug/L	1000	198	500		09/18/23 14:31	75-01-4	
Xylene (Total)	ND	ug/L	500	75.0	50		09/15/23 17:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		50		09/15/23 17:06	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		50		09/15/23 17:06	460-00-4	
Toluene-d8 (S)	98	%	73-122		50		09/15/23 17:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-405S-090723 Lab ID: 50353438025 Collected: 09/07/23 16:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 17:37	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 17:37	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 17:37	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 17:37	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 17:37	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 17:37	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 17:37	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 17:37	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 17:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 17:37	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 17:37	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 17:37	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 17:37	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 17:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 17:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 17:37	108-90-7	
Chloroethane	26.2	ug/L	5.0	0.44	1		09/18/23 15:02	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 17:37	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 17:37	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 17:37	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 17:37	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 17:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 17:37	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 17:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 17:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 17:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 17:37	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 17:37	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 17:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 17:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 17:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 17:37	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 17:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 17:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 17:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 17:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 17:37	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 17:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 17:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 17:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 17:37	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 17:37	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 17:37	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 17:37	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 17:37	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-405S-090723 Lab ID: 50353438025 Collected: 09/07/23 16:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 17:37	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 17:37	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 17:37	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 17:37	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 17:37	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 17:37	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 17:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 17:37	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 17:37	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 17:37	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 17:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 17:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 17:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 17:37	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 17:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 17:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 17:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 17:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 17:37	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 17:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 17:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 17:37	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 17:37	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 17:37	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 17:37	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/15/23 17:37	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 17:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 17:37	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 17:37	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 17:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-405D-090723 Lab ID: 50353438026 Collected: 09/07/23 16:05 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 19:09	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 19:09	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 19:09	107-13-1	
Benzene	7.3	ug/L	5.0	0.46	1		09/15/23 19:09	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 19:09	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 19:09	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 19:09	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 19:09	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 19:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 19:09	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 19:09	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 19:09	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 19:09	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 19:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 19:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 19:09	108-90-7	
Chloroethane	3330	ug/L	500	43.9	100		09/18/23 15:33	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 19:09	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 19:09	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 19:09	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 19:09	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 19:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 19:09	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 19:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 19:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 19:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 19:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 19:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 19:09	75-71-8	
1,1-Dichloroethane	3030	ug/L	500	36.6	100		09/18/23 15:33	75-34-3	
1,2-Dichloroethane	8.3	ug/L	5.0	0.34	1		09/15/23 19:09	107-06-2	
1,1-Dichloroethene	8.7	ug/L	5.0	0.37	1		09/15/23 19:09	75-35-4	
cis-1,2-Dichloroethene	2890	ug/L	500	48.0	100		09/18/23 15:33	156-59-2	
trans-1,2-Dichloroethene	72.9	ug/L	5.0	0.48	1		09/15/23 19:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 19:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 19:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 19:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 19:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 19:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 19:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 19:09	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 19:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 19:09	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 19:09	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 19:09	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-405D-090723 Lab ID: 50353438026 Collected: 09/07/23 16:05 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 19:09	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 19:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 19:09	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 19:09	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 19:09	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 19:09	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 19:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 19:09	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 19:09	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 19:09	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 19:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 19:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 19:09	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 19:09	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 19:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 19:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 19:09	120-82-1	
1,1,1-Trichloroethane	44.5	ug/L	5.0	0.31	1		09/15/23 19:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 19:09	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 19:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 19:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 19:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 19:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 19:09	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 19:09	108-05-4	
Vinyl chloride	920	ug/L	200	39.5	100		09/18/23 15:33	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 19:09	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 19:09	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		09/15/23 19:09	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 19:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-403-090723 Lab ID: 50353438027 Collected: 09/07/23 16:20 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 19:39	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 19:39	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 19:39	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 19:39	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 19:39	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 19:39	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 19:39	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 19:39	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 19:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 19:39	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 19:39	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 19:39	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 19:39	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 19:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 19:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 19:39	108-90-7	
Chloroethane	354	ug/L	50.0	4.4	10		09/18/23 16:35	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 19:39	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 19:39	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 19:39	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 19:39	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 19:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 19:39	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 19:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 19:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 19:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 19:39	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 19:39	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 19:39	75-71-8	
1,1-Dichloroethane	140	ug/L	5.0	0.37	1		09/15/23 19:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 19:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 19:39	75-35-4	
cis-1,2-Dichloroethene	74.4	ug/L	5.0	0.48	1		09/15/23 19:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 19:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 19:39	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 19:39	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 19:39	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 19:39	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 19:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 19:39	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 19:39	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 19:39	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 19:39	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 19:39	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 19:39	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-403-090723 Lab ID: 50353438027 Collected: 09/07/23 16:20 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 19:39	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 19:39	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 19:39	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 19:39	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 19:39	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 19:39	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 19:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 19:39	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 19:39	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 19:39	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 19:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 19:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 19:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 19:39	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 19:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 19:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 19:39	120-82-1	
1,1,1-Trichloroethane	40.2	ug/L	5.0	0.31	1		09/15/23 19:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 19:39	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 19:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 19:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 19:39	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 19:39	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 19:39	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 19:39	108-05-4	
Vinyl chloride	39.6	ug/L	2.0	0.40	1		09/18/23 16:04	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 19:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 19:39	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 19:39	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 19:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-414S-090723 Lab ID: 50353438028 Collected: 09/07/23 16:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 20:10	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 20:10	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 20:10	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 20:10	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 20:10	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 20:10	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 20:10	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 20:10	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 20:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 20:10	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 20:10	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 20:10	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 20:10	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 20:10	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 20:10	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 20:10	108-90-7	
Chloroethane	291	ug/L	5.0	0.44	1		09/18/23 17:06	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 20:10	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 20:10	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 20:10	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 20:10	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 20:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 20:10	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 20:10	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 20:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 20:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 20:10	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 20:10	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 20:10	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 20:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 20:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 20:10	75-35-4	
cis-1,2-Dichloroethene	7.5	ug/L	5.0	0.48	1		09/15/23 20:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 20:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 20:10	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 20:10	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 20:10	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 20:10	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 20:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 20:10	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 20:10	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 20:10	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 20:10	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 20:10	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 20:10	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-414S-090723 Lab ID: 50353438028 Collected: 09/07/23 16:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 20:10	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 20:10	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 20:10	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 20:10	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 20:10	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 20:10	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 20:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 20:10	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 20:10	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 20:10	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 20:10	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 20:10	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 20:10	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 20:10	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 20:10	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 20:10	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 20:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 20:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 20:10	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 20:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 20:10	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 20:10	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 20:10	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 20:10	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 20:10	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/15/23 20:10	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 20:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%	82-128		1		09/15/23 20:10	1868-53-7	
4-Bromofluorobenzene (S)	104	%	79-124		1		09/15/23 20:10	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/15/23 20:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-414D-090723 Lab ID: 50353438029 Collected: 09/07/23 16:35 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 21:11	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 21:11	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 21:11	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 21:11	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 21:11	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 21:11	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 21:11	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 21:11	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 21:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 21:11	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 21:11	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 21:11	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 21:11	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 21:11	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 21:11	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 21:11	108-90-7	
Chloroethane	10.0	ug/L	5.0	0.44	1		09/18/23 17:36	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 21:11	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 21:11	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 21:11	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 21:11	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 21:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 21:11	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 21:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 21:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 21:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 21:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 21:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 21:11	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 21:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 21:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 21:11	75-35-4	
cis-1,2-Dichloroethene	5.1	ug/L	5.0	0.48	1		09/15/23 21:11	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 21:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 21:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 21:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 21:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 21:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 21:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 21:11	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 21:11	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 21:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 21:11	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 21:11	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 21:11	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-414D-090723 Lab ID: 50353438029 Collected: 09/07/23 16:35 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 21:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 21:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 21:11	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 21:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 21:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 21:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 21:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 21:11	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 21:11	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 21:11	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 21:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 21:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 21:11	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 21:11	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 21:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 21:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 21:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 21:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 21:11	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 21:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 21:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 21:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 21:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 21:11	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 21:11	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/15/23 21:11	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 21:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 21:11	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 21:11	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/15/23 21:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-321-090723 Lab ID: 50353438030 Collected: 09/07/23 16:45 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 21:42	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 21:42	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 21:42	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 21:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 21:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 21:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 21:42	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 21:42	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 21:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 21:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 21:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 21:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 21:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 21:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 21:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 21:42	108-90-7	
Chloroethane	243	ug/L	5.0	0.44	1		09/18/23 18:07	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 21:42	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 21:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 21:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 21:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 21:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 21:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 21:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 21:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 21:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 21:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 21:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 21:42	75-71-8	
1,1-Dichloroethane	5.5	ug/L	5.0	0.37	1		09/15/23 21:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 21:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 21:42	75-35-4	
cis-1,2-Dichloroethene	5.3	ug/L	5.0	0.48	1		09/15/23 21:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 21:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 21:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 21:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 21:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 21:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 21:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 21:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 21:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 21:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 21:42	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 21:42	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 21:42	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-321-090723 Lab ID: 50353438030 Collected: 09/07/23 16:45 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 21:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 21:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 21:42	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 21:42	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 21:42	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 21:42	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 21:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 21:42	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 21:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 21:42	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 21:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 21:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 21:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 21:42	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 21:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 21:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 21:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 21:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 21:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 21:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 21:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 21:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 21:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 21:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 21:42	108-05-4	
Vinyl chloride	6.1	ug/L	2.0	0.40	1		09/18/23 18:07	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 21:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%	82-128		1		09/15/23 21:42	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 21:42	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/15/23 21:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: AD-101-090723 Lab ID: 50353438031 Collected: 09/07/23 12:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 22:12	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 22:12	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 22:12	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 22:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 22:12	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 22:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 22:12	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 22:12	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 22:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 22:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 22:12	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 22:12	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 22:12	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 22:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 22:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 22:12	108-90-7	
Chloroethane	168	ug/L	5.0	0.44	1		09/18/23 18:38	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 22:12	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 22:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 22:12	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 22:12	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 22:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 22:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 22:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 22:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 22:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 22:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 22:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 22:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 22:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 22:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 22:12	75-35-4	
cis-1,2-Dichloroethene	19.8	ug/L	5.0	0.48	1		09/15/23 22:12	156-59-2	
trans-1,2-Dichloroethene	8.0	ug/L	5.0	0.48	1		09/15/23 22:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 22:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 22:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 22:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 22:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 22:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 22:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 22:12	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 22:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 22:12	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 22:12	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 22:12	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: AD-101-090723 Lab ID: 50353438031 Collected: 09/07/23 12:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 22:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 22:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 22:12	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 22:12	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 22:12	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 22:12	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 22:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 22:12	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 22:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 22:12	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 22:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 22:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 22:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 22:12	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 22:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 22:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 22:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 22:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 22:12	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 22:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 22:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 22:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 22:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 22:12	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 22:12	108-05-4	
Vinyl chloride	4.8	ug/L	2.0	0.40	1		09/18/23 18:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 22:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		1		09/15/23 22:12	1868-53-7	
4-Bromofluorobenzene (S)	100	%	79-124		1		09/15/23 22:12	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/15/23 22:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-183-090823 Lab ID: 50353438032 Collected: 09/08/23 08:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 22:43	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 22:43	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 22:43	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 22:43	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 22:43	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 22:43	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 22:43	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 22:43	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 22:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 22:43	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 22:43	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 22:43	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 22:43	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 22:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 22:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 22:43	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/15/23 22:43	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 22:43	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 22:43	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 22:43	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 22:43	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 22:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 22:43	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 22:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 22:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 22:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 22:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 22:43	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 22:43	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 22:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 22:43	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 22:43	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 22:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 22:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 22:43	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 22:43	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 22:43	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 22:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 22:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 22:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 22:43	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 22:43	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 22:43	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 22:43	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 22:43	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-183-090823 Lab ID: 50353438032 Collected: 09/08/23 08:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 22:43	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 22:43	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 22:43	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 22:43	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 22:43	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 22:43	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 22:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 22:43	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 22:43	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 22:43	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 22:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 22:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 22:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 22:43	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 22:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 22:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 22:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 22:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 22:43	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 22:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 22:43	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 22:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 22:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 22:43	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 22:43	108-05-4	
Vinyl chloride	5.8	ug/L	2.0	0.40	1		09/18/23 19:08	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 22:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/15/23 22:43	1868-53-7	
4-Bromofluorobenzene (S)	100	%	79-124		1		09/15/23 22:43	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 22:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-22-090823 Lab ID: 50353438033 Collected: 09/08/23 08:45 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 23:14	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 23:14	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 23:14	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 23:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 23:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 23:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 23:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 23:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 23:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 23:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 23:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 23:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 23:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 23:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 23:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 23:14	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/15/23 23:14	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 23:14	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 23:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 23:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 23:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 23:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 23:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 23:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 23:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 23:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 23:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 23:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 23:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 23:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 23:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 23:14	75-35-4	
cis-1,2-Dichloroethene	139	ug/L	5.0	0.48	1		09/15/23 23:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 23:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 23:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 23:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 23:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 23:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 23:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 23:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 23:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 23:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 23:14	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 23:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 23:14	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-22-090823 Lab ID: 50353438033 Collected: 09/08/23 08:45 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 23:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 23:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 23:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 23:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 23:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 23:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 23:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 23:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 23:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 23:14	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 23:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 23:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 23:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 23:14	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 23:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 23:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 23:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 23:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 23:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 23:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 23:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 23:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 23:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 23:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 23:14	108-05-4	
Vinyl chloride	153	ug/L	2.0	0.40	1		09/18/23 19:39	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 23:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		1		09/15/23 23:14	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/15/23 23:14	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 23:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: W-9-090823 Lab ID: 50353438034 Collected: 09/08/23 08:50 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
RSK 175 Headspace									
Analytical Method: RSK 175 Modified									
Pace Analytical Services - Indianapolis									
Ethane	328	ug/L	50.0	19.1	5		09/14/23 09:53	74-84-0	
Ethene	ND	ug/L	50.0	35.5	5		09/14/23 09:53	74-85-1	
Methane	47000	ug/L	50.0	27.5	5		09/14/23 09:53	74-82-8	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/15/23 23:44	67-64-1	L1
Acrolein	ND	ug/L	50.0	13.4	1		09/15/23 23:44	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/15/23 23:44	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/15/23 23:44	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/15/23 23:44	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/15/23 23:44	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/15/23 23:44	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/15/23 23:44	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/15/23 23:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/15/23 23:44	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/15/23 23:44	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/15/23 23:44	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 23:44	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/15/23 23:44	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/15/23 23:44	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/15/23 23:44	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/15/23 23:44	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/15/23 23:44	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/15/23 23:44	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/15/23 23:44	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/15/23 23:44	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/15/23 23:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/15/23 23:44	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/15/23 23:44	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/15/23 23:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/15/23 23:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/15/23 23:44	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/15/23 23:44	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/15/23 23:44	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/15/23 23:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/15/23 23:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/15/23 23:44	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 23:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/15/23 23:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 23:44	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/15/23 23:44	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/15/23 23:44	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/15/23 23:44	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/15/23 23:44	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-9-090823 Lab ID: 50353438034 Collected: 09/08/23 08:50 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/15/23 23:44	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/15/23 23:44	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/15/23 23:44	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/15/23 23:44	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/15/23 23:44	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/15/23 23:44	591-78-6	
Iodomethane	ND	ug/L	10.0	2.0	1		09/15/23 23:44	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/15/23 23:44	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/15/23 23:44	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/15/23 23:44	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 23:44	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/15/23 23:44	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/15/23 23:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/15/23 23:44	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/15/23 23:44	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 23:44	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/15/23 23:44	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/15/23 23:44	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/15/23 23:44	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/15/23 23:44	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/15/23 23:44	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 23:44	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/15/23 23:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/15/23 23:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/15/23 23:44	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/15/23 23:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/15/23 23:44	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/15/23 23:44	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/15/23 23:44	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/15/23 23:44	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/15/23 23:44	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/15/23 23:44	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/15/23 23:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%	82-128		1		09/15/23 23:44	1868-53-7	
4-Bromofluorobenzene (S)	106	%	79-124		1		09/15/23 23:44	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/15/23 23:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-82-090823 Lab ID: 50353438035 Collected: 09/08/23 09:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 03:19	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 03:19	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 03:19	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 03:19	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 03:19	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 03:19	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 03:19	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 03:19	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 03:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 03:19	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 03:19	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 03:19	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 03:19	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 03:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 03:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 03:19	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 03:19	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 03:19	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 03:19	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 03:19	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 03:19	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 03:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 03:19	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 03:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 03:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 03:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 03:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 03:19	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 03:19	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/16/23 03:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 03:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 03:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 03:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 03:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 03:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 03:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 03:19	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 03:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 03:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 03:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 03:19	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 03:19	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 03:19	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 03:19	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 03:19	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-82-090823 **Lab ID: 50353438035** Collected: 09/08/23 09:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 03:19	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 03:19	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 03:19	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 03:19	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 03:19	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 03:19	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 03:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 03:19	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 03:19	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 03:19	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 03:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 03:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 03:19	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 03:19	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 03:19	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 03:19	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 03:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 03:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 03:19	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 03:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 03:19	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 03:19	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 03:19	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 03:19	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 03:19	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/16/23 03:19	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 03:19	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%	82-128		1		09/16/23 03:19	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/16/23 03:19	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/16/23 03:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-173-090823 Lab ID: 50353438036 Collected: 09/08/23 09:15 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 03:50	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 03:50	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 03:50	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 03:50	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 03:50	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 03:50	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 03:50	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 03:50	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 03:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 03:50	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 03:50	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 03:50	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 03:50	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 03:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 03:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 03:50	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 03:50	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 03:50	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 03:50	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 03:50	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 03:50	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 03:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 03:50	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 03:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 03:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 03:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 03:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 03:50	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 03:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/16/23 03:50	75-34-3	
1,2-Dichloroethane	9.9	ug/L	5.0	0.34	1		09/16/23 03:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 03:50	75-35-4	
cis-1,2-Dichloroethene	1080	ug/L	100	9.6	20		09/18/23 21:11	156-59-2	
trans-1,2-Dichloroethene	16.9	ug/L	5.0	0.48	1		09/16/23 03:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 03:50	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 03:50	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 03:50	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 03:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 03:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 03:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 03:50	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 03:50	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 03:50	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 03:50	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 03:50	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-173-090823 Lab ID: 50353438036 Collected: 09/08/23 09:15 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 03:50	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 03:50	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 03:50	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 03:50	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 03:50	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 03:50	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 03:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 03:50	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 03:50	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 03:50	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 03:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 03:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 03:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 03:50	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 03:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 03:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 03:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 03:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 03:50	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 03:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 03:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 03:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 03:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 03:50	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 03:50	108-05-4	
Vinyl chloride	64.6	ug/L	2.0	0.40	1		09/16/23 03:50	75-01-4	2d,CL
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 03:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%	82-128		1		09/16/23 03:50	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/16/23 03:50	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/16/23 03:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-426-090823 Lab ID: 50353438037 Collected: 09/08/23 09:20 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 04:20	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 04:20	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 04:20	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 04:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 04:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 04:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 04:20	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 04:20	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 04:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 04:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 04:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 04:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 04:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 04:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 04:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 04:20	108-90-7	
Chloroethane	5210	ug/L	250	22.0	50		09/18/23 21:42	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 04:20	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 04:20	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 04:20	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 04:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 04:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 04:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 04:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 04:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 04:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 04:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 04:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 04:20	75-71-8	
1,1-Dichloroethane	42.2	ug/L	5.0	0.37	1		09/16/23 04:20	75-34-3	
1,2-Dichloroethane	10.5	ug/L	5.0	0.34	1		09/16/23 04:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 04:20	75-35-4	
cis-1,2-Dichloroethene	1170	ug/L	250	24.0	50		09/18/23 21:42	156-59-2	
trans-1,2-Dichloroethene	16.6	ug/L	5.0	0.48	1		09/16/23 04:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 04:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 04:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 04:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 04:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 04:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 04:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 04:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 04:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 04:20	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 04:20	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 04:20	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-426-090823 Lab ID: 50353438037 Collected: 09/08/23 09:20 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 04:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 04:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 04:20	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 04:20	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 04:20	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 04:20	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 04:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 04:20	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 04:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 04:20	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 04:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 04:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 04:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 04:20	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 04:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 04:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 04:20	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 04:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 04:20	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 04:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 04:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 04:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 04:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 04:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 04:20	108-05-4	
Vinyl chloride	759	ug/L	100	19.8	50		09/18/23 21:42	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 04:20	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/16/23 04:20	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/16/23 04:20	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/16/23 04:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-8D-090823 Lab ID: 50353438038 Collected: 09/08/23 09:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 04:51	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 04:51	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 04:51	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 04:51	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 04:51	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 04:51	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 04:51	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 04:51	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 04:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 04:51	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 04:51	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 04:51	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 04:51	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 04:51	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 04:51	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 04:51	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 04:51	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 04:51	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 04:51	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 04:51	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 04:51	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 04:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 04:51	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 04:51	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 04:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 04:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 04:51	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 04:51	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 04:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/16/23 04:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 04:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 04:51	75-35-4	
cis-1,2-Dichloroethene	34.7	ug/L	5.0	0.48	1		09/16/23 04:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 04:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 04:51	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 04:51	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 04:51	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 04:51	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 04:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 04:51	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 04:51	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 04:51	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 04:51	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 04:51	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 04:51	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: W-8D-090823 Lab ID: 50353438038 Collected: 09/08/23 09:30 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 04:51	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 04:51	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 04:51	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 04:51	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 04:51	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 04:51	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 04:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 04:51	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 04:51	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 04:51	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 04:51	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 04:51	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 04:51	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 04:51	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 04:51	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 04:51	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 04:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 04:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 04:51	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 04:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 04:51	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 04:51	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 04:51	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 04:51	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 04:51	108-05-4	
Vinyl chloride	77.8	ug/L	2.0	0.35	1		09/18/23 12:44	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 04:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		1		09/16/23 04:51	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/16/23 04:51	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/16/23 04:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-131-090823 Lab ID: 50353438039 Collected: 09/08/23 09:40 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 05:22	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 05:22	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 05:22	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 05:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 05:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 05:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 05:22	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 05:22	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 05:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 05:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 05:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 05:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 05:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 05:22	75-15-0	
Carbon tetrachloride	5.7	ug/L	5.0	0.29	1		09/16/23 05:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 05:22	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 05:22	75-00-3	
Chloroform	11.1	ug/L	5.0	2.6	1		09/16/23 05:22	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 05:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 05:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 05:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 05:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 05:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 05:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 05:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 05:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 05:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 05:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 05:22	75-71-8	
1,1-Dichloroethane	16.4	ug/L	5.0	0.37	1		09/16/23 05:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 05:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 05:22	75-35-4	
cis-1,2-Dichloroethene	6.2	ug/L	5.0	0.48	1		09/16/23 05:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 05:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 05:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 05:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 05:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 05:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 05:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 05:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 05:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 05:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 05:22	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 05:22	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 05:22	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-131-090823 Lab ID: 50353438039 Collected: 09/08/23 09:40 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 05:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 05:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 05:22	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 05:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 05:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 05:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 05:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 05:22	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 05:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 05:22	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 05:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 05:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 05:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 05:22	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 05:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 05:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 05:22	120-82-1	
1,1,1-Trichloroethane	155	ug/L	5.0	0.31	1		09/16/23 05:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 05:22	79-00-5	
Trichloroethene	44.9	ug/L	5.0	0.41	1		09/16/23 05:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 05:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 05:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 05:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 05:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 05:22	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/16/23 05:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 05:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%	82-128		1		09/16/23 05:22	1868-53-7	
4-Bromofluorobenzene (S)	100	%	79-124		1		09/16/23 05:22	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/16/23 05:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-133-090823 Lab ID: 50353438040 Collected: 09/08/23 09:45 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 05:52	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 05:52	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 05:52	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 05:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 05:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 05:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 05:52	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 05:52	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 05:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 05:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 05:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 05:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 05:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 05:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 05:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 05:52	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 05:52	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 05:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 05:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 05:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 05:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 05:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 05:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 05:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 05:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 05:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 05:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 05:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 05:52	75-71-8	
1,1-Dichloroethane	19.9	ug/L	5.0	0.37	1		09/16/23 05:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 05:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 05:52	75-35-4	
cis-1,2-Dichloroethene	16.8	ug/L	5.0	0.48	1		09/16/23 05:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 05:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 05:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 05:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 05:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 05:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 05:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 05:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 05:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 05:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 05:52	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 05:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 05:52	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-133-090823 Lab ID: 50353438040 Collected: 09/08/23 09:45 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 05:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 05:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 05:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 05:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 05:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 05:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 05:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 05:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 05:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 05:52	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 05:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 05:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 05:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 05:52	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 05:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 05:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 05:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 05:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 05:52	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 05:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 05:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 05:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 05:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 05:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 05:52	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/16/23 05:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 05:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%	82-128		1		09/16/23 05:52	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/16/23 05:52	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/16/23 05:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-302-090823 Lab ID: 50353438041 Collected: 09/08/23 09:50 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 06:23	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 06:23	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 06:23	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 06:23	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 06:23	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 06:23	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 06:23	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 06:23	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 06:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 06:23	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 06:23	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 06:23	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 06:23	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 06:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 06:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 06:23	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 06:23	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 06:23	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 06:23	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 06:23	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 06:23	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 06:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 06:23	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 06:23	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 06:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 06:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 06:23	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 06:23	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 06:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/16/23 06:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 06:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 06:23	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 06:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 06:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 06:23	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 06:23	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 06:23	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 06:23	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 06:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 06:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 06:23	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 06:23	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 06:23	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 06:23	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 06:23	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-302-090823 Lab ID: 50353438041 Collected: 09/08/23 09:50 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 06:23	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 06:23	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 06:23	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 06:23	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 06:23	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 06:23	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 06:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 06:23	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 06:23	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 06:23	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 06:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 06:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 06:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 06:23	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 06:23	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 06:23	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 06:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 06:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 06:23	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 06:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 06:23	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 06:23	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 06:23	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 06:23	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 06:23	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/16/23 06:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 06:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%	82-128		1		09/16/23 06:23	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/16/23 06:23	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/16/23 06:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-303-090823 Lab ID: 50353438042 Collected: 09/08/23 09:55 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 06:54	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 06:54	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 06:54	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 06:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 06:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 06:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 06:54	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 06:54	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 06:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 06:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 06:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 06:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 06:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 06:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 06:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 06:54	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 06:54	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 06:54	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 06:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 06:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 06:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 06:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 06:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 06:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 06:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 06:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 06:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 06:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 06:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/16/23 06:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 06:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 06:54	75-35-4	
cis-1,2-Dichloroethene	917	ug/L	50.0	3.4	10		09/18/23 13:15	156-59-2	
trans-1,2-Dichloroethene	5.2	ug/L	5.0	0.48	1		09/16/23 06:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 06:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 06:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 06:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 06:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 06:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 06:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 06:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 06:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 06:54	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 06:54	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 06:54	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50353438

Sample: MW-303-090823 Lab ID: 50353438042 Collected: 09/08/23 09:55 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 06:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 06:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 06:54	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 06:54	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 06:54	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 06:54	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 06:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 06:54	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 06:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 06:54	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 06:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 06:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 06:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 06:54	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 06:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 06:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 06:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 06:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 06:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 06:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 06:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 06:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 06:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 06:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 06:54	108-05-4	
Vinyl chloride	540	ug/L	20.0	3.5	10		09/18/23 13:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 06:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		1		09/16/23 06:54	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		09/16/23 06:54	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/16/23 06:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-92-090823 Lab ID: 50353438043 Collected: 09/08/23 10:10 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 07:24	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 07:24	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 07:24	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 07:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 07:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 07:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 07:24	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 07:24	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 07:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 07:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 07:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 07:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 07:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 07:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 07:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 07:24	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 07:24	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 07:24	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 07:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 07:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 07:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 07:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 07:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 07:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 07:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 07:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 07:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 07:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 07:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/16/23 07:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 07:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 07:24	75-35-4	
cis-1,2-Dichloroethene	106	ug/L	5.0	0.48	1		09/16/23 07:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 07:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 07:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 07:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 07:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 07:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 07:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 07:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 07:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 07:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 07:24	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 07:24	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 07:24	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: MW-92-090823 **Lab ID: 50353438043** Collected: 09/08/23 10:10 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 07:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 07:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 07:24	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 07:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 07:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 07:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 07:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 07:24	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 07:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 07:24	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 07:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 07:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 07:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 07:24	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 07:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 07:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 07:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 07:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 07:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 07:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 07:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 07:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 07:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 07:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 07:24	108-05-4	
Vinyl chloride	36.8	ug/L	2.0	0.35	1		09/18/23 13:45	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 07:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%	82-128		1		09/16/23 07:24	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		09/16/23 07:24	460-00-4	
Toluene-d8 (S)	97	%	73-122		1		09/16/23 07:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: AD-201-090823 Lab ID: 50353438044 Collected: 09/08/23 08:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 07:55	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 07:55	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 07:55	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 07:55	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 07:55	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 07:55	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 07:55	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 07:55	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 07:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 07:55	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 07:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 07:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 07:55	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 07:55	75-15-0	
Carbon tetrachloride	5.4	ug/L	5.0	0.29	1		09/16/23 07:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 07:55	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 07:55	75-00-3	
Chloroform	10.8	ug/L	5.0	2.6	1		09/16/23 07:55	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 07:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 07:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 07:55	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 07:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 07:55	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 07:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 07:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 07:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 07:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 07:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 07:55	75-71-8	
1,1-Dichloroethane	15.7	ug/L	5.0	0.37	1		09/16/23 07:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 07:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 07:55	75-35-4	
cis-1,2-Dichloroethene	5.9	ug/L	5.0	0.48	1		09/16/23 07:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 07:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 07:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 07:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 07:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 07:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 07:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 07:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 07:55	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 07:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 07:55	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 07:55	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 07:55	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: AD-201-090823 Lab ID: 50353438044 Collected: 09/08/23 08:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 07:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 07:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 07:55	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 07:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 07:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 07:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 07:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 07:55	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 07:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 07:55	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 07:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 07:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 07:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 07:55	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 07:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 07:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 07:55	120-82-1	
1,1,1-Trichloroethane	147	ug/L	5.0	0.31	1		09/16/23 07:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 07:55	79-00-5	
Trichloroethene	44.2	ug/L	5.0	0.41	1		09/16/23 07:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 07:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 07:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 07:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 07:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 07:55	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/16/23 07:55	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 07:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%	82-128		1		09/16/23 07:55	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		09/16/23 07:55	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		09/16/23 07:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy

Pace Project No.: 50353438

Sample: Trip Blank-090823 Lab ID: 50353438045 Collected: 09/08/23 08:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		09/16/23 08:26	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		09/16/23 08:26	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		09/16/23 08:26	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		09/16/23 08:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		09/16/23 08:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		09/16/23 08:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		09/16/23 08:26	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		09/16/23 08:26	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		09/16/23 08:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		09/16/23 08:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		09/16/23 08:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		09/16/23 08:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 08:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		09/16/23 08:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		09/16/23 08:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		09/16/23 08:26	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		09/16/23 08:26	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		09/16/23 08:26	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		09/16/23 08:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		09/16/23 08:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		09/16/23 08:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		09/16/23 08:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		09/16/23 08:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		09/16/23 08:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		09/16/23 08:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		09/16/23 08:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		09/16/23 08:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		09/16/23 08:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		09/16/23 08:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		09/16/23 08:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		09/16/23 08:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		09/16/23 08:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 08:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		09/16/23 08:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 08:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		09/16/23 08:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		09/16/23 08:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		09/16/23 08:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		09/16/23 08:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		09/16/23 08:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		09/16/23 08:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		09/16/23 08:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		09/16/23 08:26	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		09/16/23 08:26	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		09/16/23 08:26	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50353438

Sample: Trip Blank-090823 Lab ID: 50353438045 Collected: 09/08/23 08:00 Received: 09/08/23 11:29 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		09/16/23 08:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		09/16/23 08:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		09/16/23 08:26	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		09/16/23 08:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 08:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		09/16/23 08:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		09/16/23 08:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		09/16/23 08:26	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		09/16/23 08:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 08:26	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		09/16/23 08:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		09/16/23 08:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		09/16/23 08:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		09/16/23 08:26	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		09/16/23 08:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 08:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		09/16/23 08:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		09/16/23 08:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		09/16/23 08:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		09/16/23 08:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		09/16/23 08:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		09/16/23 08:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		09/16/23 08:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		09/16/23 08:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		09/16/23 08:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		09/16/23 08:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		09/16/23 08:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%	82-128		1		09/16/23 08:26	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		09/16/23 08:26	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		09/16/23 08:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50353438

QC Batch: 752620 Analysis Method: RSK 175 Modified
QC Batch Method: RSK 175 Modified Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50353438034

METHOD BLANK: 3449310 Matrix: Water

Associated Lab Samples: 50353438034

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	3.8	09/14/23 09:06	
Ethene	ug/L	ND	10.0	7.1	09/14/23 09:06	
Methane	ug/L	ND	10.0	5.5	09/14/23 09:06	

LABORATORY CONTROL SAMPLE: 3449311

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	1970	100	68-135	
Ethene	ug/L	2250	2420	108	79-128	
Methane	ug/L	1980	1920	97	64-132	

SAMPLE DUPLICATE: 3449746

Parameter	Units	50353816005 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	ND	ND		20	
Ethene	ug/L	ND	ND		20	
Methane	ug/L	483	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50353438

QC Batch: 752738

Analysis Method: EPA 5030/8260

QC Batch Method: EPA 5030/8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50353438001, 50353438002, 50353438003, 50353438004, 50353438005, 50353438006

METHOD BLANK: 3449828

Matrix: Water

Associated Lab Samples: 50353438001, 50353438002, 50353438003, 50353438004, 50353438005, 50353438006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.34	09/15/23 02:08	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.31	09/15/23 02:08	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.35	09/15/23 02:08	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.33	09/15/23 02:08	
1,1-Dichloroethane	ug/L	ND	5.0	0.37	09/15/23 02:08	
1,1-Dichloroethene	ug/L	ND	5.0	0.37	09/15/23 02:08	
1,1-Dichloropropene	ug/L	ND	5.0	0.34	09/15/23 02:08	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.42	09/15/23 02:08	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	09/15/23 02:08	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.42	09/15/23 02:08	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.37	09/15/23 02:08	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.29	09/15/23 02:08	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	09/15/23 02:08	
1,2-Dichloroethane	ug/L	ND	5.0	0.34	09/15/23 02:08	
1,2-Dichloropropane	ug/L	ND	5.0	0.33	09/15/23 02:08	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.38	09/15/23 02:08	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	09/15/23 02:08	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	09/15/23 02:08	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.39	09/15/23 02:08	
1-Methylnaphthalene	ug/L	ND	10.0	2.1	09/15/23 02:08	
2,2-Dichloropropane	ug/L	ND	5.0	0.37	09/15/23 02:08	
2-Butanone (MEK)	ug/L	ND	25.0	3.3	09/15/23 02:08	
2-Chlorotoluene	ug/L	ND	5.0	0.37	09/15/23 02:08	
2-Hexanone	ug/L	ND	25.0	2.2	09/15/23 02:08	
2-Methylnaphthalene	ug/L	ND	10.0	2.1	09/15/23 02:08	
4-Chlorotoluene	ug/L	ND	5.0	0.40	09/15/23 02:08	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.1	09/15/23 02:08	
Acetone	ug/L	ND	100	8.6	09/15/23 02:08	
Acrolein	ug/L	ND	50.0	13.4	09/15/23 02:08	
Acrylonitrile	ug/L	ND	100	3.0	09/15/23 02:08	
Benzene	ug/L	ND	5.0	0.46	09/15/23 02:08	
Bromobenzene	ug/L	ND	5.0	0.41	09/15/23 02:08	
Bromochloromethane	ug/L	ND	5.0	0.33	09/15/23 02:08	
Bromodichloromethane	ug/L	ND	5.0	0.29	09/15/23 02:08	
Bromoform	ug/L	ND	5.0	0.29	09/15/23 02:08	
Bromomethane	ug/L	ND	5.0	0.51	09/15/23 02:08	
Carbon disulfide	ug/L	ND	10.0	0.62	09/15/23 02:08	
Carbon tetrachloride	ug/L	ND	5.0	0.29	09/15/23 02:08	
Chlorobenzene	ug/L	ND	5.0	0.35	09/15/23 02:08	
Chloroethane	ug/L	ND	5.0	0.87	09/15/23 02:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50353438

METHOD BLANK: 3449828

Matrix: Water

Associated Lab Samples: 50353438001, 50353438002, 50353438003, 50353438004, 50353438005, 50353438006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	2.6	09/15/23 02:08	
Chloromethane	ug/L	ND	5.0	0.56	09/15/23 02:08	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.34	09/15/23 02:08	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.31	09/15/23 02:08	
Dibromochloromethane	ug/L	ND	5.0	0.31	09/15/23 02:08	
Dibromomethane	ug/L	ND	5.0	0.46	09/15/23 02:08	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	09/15/23 02:08	
Ethyl methacrylate	ug/L	ND	100	0.32	09/15/23 02:08	
Ethylbenzene	ug/L	ND	5.0	0.40	09/15/23 02:08	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.48	09/15/23 02:08	
Iodomethane	ug/L	ND	10.0	2.0	09/15/23 02:08	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	09/15/23 02:08	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.66	09/15/23 02:08	
Methylene Chloride	ug/L	ND	5.0	3.7	09/15/23 02:08	
n-Butylbenzene	ug/L	ND	5.0	0.39	09/15/23 02:08	
n-Hexane	ug/L	ND	5.0	0.36	09/15/23 02:08	
n-Propylbenzene	ug/L	ND	5.0	0.37	09/15/23 02:08	
Naphthalene	ug/L	ND	1.2	0.57	09/15/23 02:08	
p-Isopropyltoluene	ug/L	ND	5.0	0.41	09/15/23 02:08	
sec-Butylbenzene	ug/L	ND	5.0	0.36	09/15/23 02:08	
Styrene	ug/L	ND	5.0	0.39	09/15/23 02:08	
tert-Butylbenzene	ug/L	ND	5.0	0.38	09/15/23 02:08	
Tetrachloroethene	ug/L	ND	5.0	0.36	09/15/23 02:08	
Toluene	ug/L	ND	5.0	0.38	09/15/23 02:08	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.48	09/15/23 02:08	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.28	09/15/23 02:08	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.42	09/15/23 02:08	
Trichloroethene	ug/L	ND	5.0	0.41	09/15/23 02:08	
Trichlorofluoromethane	ug/L	ND	5.0	0.36	09/15/23 02:08	
Vinyl acetate	ug/L	ND	50.0	1.7	09/15/23 02:08	
Vinyl chloride	ug/L	ND	2.0	0.35	09/15/23 02:08	
Xylene (Total)	ug/L	ND	10.0	1.5	09/15/23 02:08	
4-Bromofluorobenzene (S)	%	103	79-124		09/15/23 02:08	
Dibromofluoromethane (S)	%	105	82-128		09/15/23 02:08	
Toluene-d8 (S)	%	100	73-122		09/15/23 02:08	

LABORATORY CONTROL SAMPLE: 3449829

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.3	103	81-130	
1,1,1-Trichloroethane	ug/L	50	52.6	105	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	44.3	89	70-126	
1,1,2-Trichloroethane	ug/L	50	47.6	95	79-124	
1,1-Dichloroethane	ug/L	50	49.0	98	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3449829

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	45.4	91	73-133	
1,1-Dichloropropene	ug/L	50	47.9	96	78-144	
1,2,3-Trichlorobenzene	ug/L	50	41.7	83	72-138	
1,2,3-Trichloropropane	ug/L	50	47.5	95	75-121	
1,2,4-Trichlorobenzene	ug/L	50	38.7	77	71-138	
1,2,4-Trimethylbenzene	ug/L	50	44.9	90	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	49.1	98	80-126	
1,2-Dichlorobenzene	ug/L	50	44.1	88	79-123	
1,2-Dichloroethane	ug/L	50	50.3	101	70-124	
1,2-Dichloropropane	ug/L	50	47.1	94	74-128	
1,3,5-Trimethylbenzene	ug/L	50	46.0	92	71-124	
1,3-Dichlorobenzene	ug/L	50	42.9	86	77-124	
1,3-Dichloropropane	ug/L	50	48.6	97	77-126	
1,4-Dichlorobenzene	ug/L	50	43.0	86	77-120	
1-Methylnaphthalene	ug/L	50	41.4	83	49-175	
2,2-Dichloropropane	ug/L	50	52.2	104	65-136	
2-Butanone (MEK)	ug/L	250	282	113	59-134	
2-Chlorotoluene	ug/L	50	46.0	92	74-121	
2-Hexanone	ug/L	250	265	106	63-134	
2-Methylnaphthalene	ug/L	50	39.4	79	52-170	
4-Chlorotoluene	ug/L	50	44.0	88	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	241	96	67-133	
Acetone	ug/L	250	277	111	32-133	
Acrolein	ug/L	1000	618	62	35-166	
Acrylonitrile	ug/L	250	225	90	69-137	
Benzene	ug/L	50	46.3	93	74-124	
Bromobenzene	ug/L	50	46.3	93	76-122	
Bromochloromethane	ug/L	50	49.6	99	66-127	
Bromodichloromethane	ug/L	50	51.1	102	80-126	
Bromoform	ug/L	50	47.8	96	75-128	
Bromomethane	ug/L	50	46.6	93	10-183	
Carbon disulfide	ug/L	50	42.8	86	68-123	
Carbon tetrachloride	ug/L	50	51.9	104	78-132	
Chlorobenzene	ug/L	50	45.9	92	77-121	
Chloroethane	ug/L	50	37.0	74	43-140	
Chloroform	ug/L	50	47.7	95	75-118	
Chloromethane	ug/L	50	35.3	71	45-130	
cis-1,2-Dichloroethene	ug/L	50	48.0	96	76-125	
cis-1,3-Dichloropropene	ug/L	50	48.4	97	76-132	
Dibromochloromethane	ug/L	50	51.0	102	79-130	
Dibromomethane	ug/L	50	46.1	92	79-124	
Dichlorodifluoromethane	ug/L	50	35.7	71	10-124	
Ethyl methacrylate	ug/L	50	46.6J	93	73-137	
Ethylbenzene	ug/L	50	44.5	89	74-125	
Hexachloro-1,3-butadiene	ug/L	50	40.8	82	66-141	
Iodomethane	ug/L	50	35.5	71	10-160	
Isopropylbenzene (Cumene)	ug/L	50	45.9	92	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3449829

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	52.8	106	74-129	
Methylene Chloride	ug/L	50	42.8	86	77-126	
n-Butylbenzene	ug/L	50	41.1	82	72-131	
n-Hexane	ug/L	50	46.6	93	58-131	
n-Propylbenzene	ug/L	50	44.4	89	76-127	
Naphthalene	ug/L	50	44.8	90	70-132	
p-Isopropyltoluene	ug/L	50	43.9	88	76-126	
sec-Butylbenzene	ug/L	50	44.6	89	76-129	
Styrene	ug/L	50	46.5	93	81-129	
tert-Butylbenzene	ug/L	50	43.9	88	76-129	
Tetrachloroethene	ug/L	50	45.7	91	73-132	
Toluene	ug/L	50	39.9	80	72-119	
trans-1,2-Dichloroethene	ug/L	50	46.3	93	74-125	
trans-1,3-Dichloropropene	ug/L	50	51.3	103	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	44.1J	88	66-152	
Trichloroethene	ug/L	50	47.7	95	75-127	
Trichlorofluoromethane	ug/L	50	42.6	85	64-136	
Vinyl acetate	ug/L	200	188	94	62-159	
Vinyl chloride	ug/L	50	35.8	72	48-133	
Xylene (Total)	ug/L	100	87.3	87	73-123	
4-Bromofluorobenzene (S)	%			101	79-124	
Dibromofluoromethane (S)	%			104	82-128	
Toluene-d8 (S)	%			101	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3449830 3449831

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50353438003 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	51.6	59.9	103	120	60-150	15	20		
1,1,1-Trichloroethane	ug/L	ND	50	50	51.6	58.6	103	117	63-138	13	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	45.6	51.9	91	104	58-146	13	20		
1,1,2-Trichloroethane	ug/L	ND	50	50	47.8	53.8	96	108	63-142	12	20		
1,1-Dichloroethane	ug/L	10.1	50	50	53.2	58.5	86	97	64-138	10	20		
1,1-Dichloroethene	ug/L	ND	50	50	34.4	39.8	69	80	65-139	15	20		
1,1-Dichloropropene	ug/L	ND	50	50	46.7	52.8	93	106	68-155	12	20		
1,2,3-Trichlorobenzene	ug/L	ND	50	50	39.5	45.0	79	90	32-141	13	20		
1,2,3-Trichloropropane	ug/L	ND	50	50	45.9	53.4	92	107	54-144	15	20		
1,2,4-Trichlorobenzene	ug/L	ND	50	50	35.5	40.3	71	81	31-140	13	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	43.9	49.1	87	97	34-144	11	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	48.4	56.3	97	113	64-139	15	20		
1,2-Dichlorobenzene	ug/L	ND	50	50	42.6	49.1	85	98	50-136	14	20		
1,2-Dichloroethane	ug/L	ND	50	50	50.9	58.0	102	116	55-146	13	20		
1,2-Dichloropropane	ug/L	ND	50	50	45.5	52.0	91	104	66-134	13	20		
1,3,5-Trimethylbenzene	ug/L	ND	50	50	43.6	49.5	87	98	29-151	13	20		
1,3-Dichlorobenzene	ug/L	ND	50	50	41.3	46.5	83	93	47-133	12	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50353438

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3449830 3449831												
Parameter	Units	50353438003		MS	MSD	MS		MSD		% Rec Limits	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec			
1,3-Dichloropropane	ug/L	ND	50	50	47.6	54.9	95	110	61-144	14	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	41.6	46.6	83	93	50-131	11	20	
1-Methylnaphthalene	ug/L	ND	50	50	39.4	46.6	79	93	20-176	17	20	
2,2-Dichloropropane	ug/L	ND	50	50	47.8	54.1	96	108	33-146	12	20	
2-Butanone (MEK)	ug/L	ND	250	250	230	267	92	107	45-155	15	20	
2-Chlorotoluene	ug/L	ND	50	50	44.7	50.9	89	102	43-142	13	20	
2-Hexanone	ug/L	ND	250	250	233	271	93	108	48-157	15	20	
2-Methylnaphthalene	ug/L	ND	50	50	37.9	44.6	76	89	21-175	16	20	
4-Chlorotoluene	ug/L	ND	50	50	42.5	47.6	85	95	47-137	11	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	234	272	93	109	53-156	15	20	
Acetone	ug/L	ND	250	250	212	224	81	86	16-162	5	20	
Acrolein	ug/L	ND	1000	1000	554	643	55	64	39-184	15	20	
Acrylonitrile	ug/L	ND	250	250	218	253	87	101	58-140	15	20	
Benzene	ug/L	13.3	50	50	55.2	61.0	84	95	65-137	10	20	
Bromobenzene	ug/L	ND	50	50	45.4	52.0	91	104	56-137	14	20	
Bromochloromethane	ug/L	ND	50	50	48.1	54.2	96	108	56-139	12	20	
Bromodichloromethane	ug/L	ND	50	50	52.9	59.6	106	119	61-149	12	20	
Bromoform	ug/L	ND	50	50	48.5	55.2	97	110	51-138	13	20	
Bromomethane	ug/L	ND	50	50	45.5	52.0	91	104	10-169	13	20	
Carbon disulfide	ug/L	ND	50	50	27.5	31.3	55	63	55-126	13	20	
Carbon tetrachloride	ug/L	ND	50	50	50.5	56.8	101	114	65-156	12	20	
Chlorobenzene	ug/L	ND	50	50	45.0	51.4	90	103	54-135	13	20	
Chloroethane	ug/L	512	50	50	407	393	-211	-239	46-142	4	20	E
Chloroform	ug/L	ND	50	50	47.3	54.4	95	109	64-133	14	20	
Chloromethane	ug/L	ND	50	50	35.8	40.0	72	80	30-139	11	20	
cis-1,2-Dichloroethene	ug/L	29.5	50	50	71.9	75.9	85	93	59-141	5	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	47.2	54.3	94	109	57-141	14	20	
Dibromochloromethane	ug/L	ND	50	50	52.3	58.7	105	117	59-147	11	20	
Dibromomethane	ug/L	ND	50	50	45.4	52.3	91	105	64-142	14	20	
Dichlorodifluoromethane	ug/L	ND	50	50	17.2	30.5	34	61	10-144	56	20	R1
Ethyl methacrylate	ug/L	ND	50	50	46.2J	53.7J	92	107	58-147		20	
Ethylbenzene	ug/L	ND	50	50	44.6	50.1	89	100	50-143	11	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	39.2	44.9	78	90	16-155	14	20	
Iodomethane	ug/L	ND	50	50	42.6	48.4	85	97	10-154	13	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	45.9	52.2	92	104	36-151	13	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	49.3	56.6	99	113	66-138	14	20	
Methylene Chloride	ug/L	ND	50	50	40.4	42.6	73	78	53-126	5	20	
n-Butylbenzene	ug/L	ND	50	50	40.1	45.7	80	91	31-142	13	20	
n-Hexane	ug/L	ND	50	50	35.6	40.0	71	80	53-129	12	20	
n-Propylbenzene	ug/L	ND	50	50	43.9	49.7	88	99	39-145	12	20	
Naphthalene	ug/L	ND	50	50	44.3	50.9	89	102	51-135	14	20	
p-Isopropyltoluene	ug/L	ND	50	50	42.7	48.5	85	97	38-145	13	20	
sec-Butylbenzene	ug/L	ND	50	50	44.6	50.6	89	101	33-153	13	20	
Styrene	ug/L	ND	50	50	45.1	51.6	90	103	57-141	13	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

Parameter	Units	3449830		3449831		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50353438003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
tert-Butylbenzene	ug/L	ND	50	50	45.6	52.1	91	104	45-145	13	20		
Tetrachloroethene	ug/L	ND	50	50	44.5	51.0	89	102	43-149	14	20		
Toluene	ug/L	ND	50	50	38.6	44.3	77	88	57-137	14	20		
trans-1,2-Dichloroethene	ug/L	8.8	50	50	48.0	53.8	78	90	63-133	11	20		
trans-1,3-Dichloropropene	ug/L	ND	50	50	50.1	58.1	100	116	56-140	15	20		
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	41.5J	47.6J	83	95	36-169		20		
Trichloroethene	ug/L	ND	50	50	46.8	52.9	91	103	52-145	12	20		
Trichlorofluoromethane	ug/L	ND	50	50	43.5	49.5	87	99	52-144	13	20		
Vinyl acetate	ug/L	ND	200	200	185	211	93	105	27-179	13	20		
Vinyl chloride	ug/L	19.8	50	50	48.9	52.8	58	66	43-139	8	20		
Xylene (Total)	ug/L	ND	150	150	125	142	84	95	52-137	12	20		
4-Bromofluorobenzene (S)	%						103	104	79-124				
Dibromofluoromethane (S)	%						105	105	82-128				
Toluene-d8 (S)	%						101	102	73-122				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50353438

QC Batch: 752744 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50353438008, 50353438009, 50353438011, 50353438012, 50353438013, 50353438014, 50353438015, 50353438017, 50353438018, 50353438019

METHOD BLANK: 3449842 Matrix: Water

Associated Lab Samples: 50353438008, 50353438009, 50353438011, 50353438012, 50353438013, 50353438014, 50353438015, 50353438017, 50353438018, 50353438019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.36	09/15/23 02:23	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.30	09/15/23 02:23	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.33	09/15/23 02:23	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	09/15/23 02:23	
1,1-Dichloroethane	ug/L	ND	5.0	0.31	09/15/23 02:23	
1,1-Dichloroethene	ug/L	ND	5.0	0.27	09/15/23 02:23	
1,1-Dichloropropene	ug/L	ND	5.0	0.37	09/15/23 02:23	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.45	09/15/23 02:23	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.40	09/15/23 02:23	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.43	09/15/23 02:23	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.37	09/15/23 02:23	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.33	09/15/23 02:23	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.36	09/15/23 02:23	
1,2-Dichloroethane	ug/L	ND	5.0	0.29	09/15/23 02:23	
1,2-Dichloropropane	ug/L	ND	5.0	0.40	09/15/23 02:23	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.35	09/15/23 02:23	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.36	09/15/23 02:23	
1,3-Dichloropropane	ug/L	ND	5.0	0.29	09/15/23 02:23	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.35	09/15/23 02:23	
1-Methylnaphthalene	ug/L	ND	10.0	1.6	09/15/23 02:23	
2,2-Dichloropropane	ug/L	ND	5.0	0.33	09/15/23 02:23	
2-Butanone (MEK)	ug/L	ND	25.0	3.6	09/15/23 02:23	
2-Chlorotoluene	ug/L	ND	5.0	0.34	09/15/23 02:23	
2-Hexanone	ug/L	ND	25.0	2.0	09/15/23 02:23	
2-Methylnaphthalene	ug/L	ND	10.0	2.0	09/15/23 02:23	
4-Chlorotoluene	ug/L	ND	5.0	0.38	09/15/23 02:23	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.0	09/15/23 02:23	
Acetone	ug/L	ND	100	6.4	09/15/23 02:23	
Acrolein	ug/L	ND	50.0	13.7	09/15/23 02:23	
Acrylonitrile	ug/L	ND	100	1.8	09/15/23 02:23	
Benzene	ug/L	ND	5.0	0.44	09/15/23 02:23	
Bromobenzene	ug/L	ND	5.0	0.38	09/15/23 02:23	
Bromochloromethane	ug/L	ND	5.0	0.37	09/15/23 02:23	
Bromodichloromethane	ug/L	ND	5.0	0.29	09/15/23 02:23	
Bromoform	ug/L	ND	5.0	0.32	09/15/23 02:23	
Bromomethane	ug/L	ND	5.0	1.8	09/15/23 02:23	
Carbon disulfide	ug/L	ND	10.0	0.40	09/15/23 02:23	
Carbon tetrachloride	ug/L	ND	5.0	1.6	09/15/23 02:23	
Chlorobenzene	ug/L	ND	5.0	0.32	09/15/23 02:23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

METHOD BLANK: 3449842 Matrix: Water
 Associated Lab Samples: 50353438008, 50353438009, 50353438011, 50353438012, 50353438013, 50353438014, 50353438015, 50353438017, 50353438018, 50353438019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.87	09/15/23 02:23	
Chloroform	ug/L	ND	5.0	2.6	09/15/23 02:23	
Chloromethane	ug/L	ND	5.0	0.42	09/15/23 02:23	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.34	09/15/23 02:23	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.37	09/15/23 02:23	
Dibromochloromethane	ug/L	ND	5.0	0.27	09/15/23 02:23	
Dibromomethane	ug/L	ND	5.0	0.42	09/15/23 02:23	
Dichlorodifluoromethane	ug/L	ND	5.0	0.37	09/15/23 02:23	
Ethyl methacrylate	ug/L	ND	100	0.38	09/15/23 02:23	
Ethylbenzene	ug/L	ND	5.0	0.86	09/15/23 02:23	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.50	09/15/23 02:23	
Iodomethane	ug/L	ND	10.0	1.9	09/15/23 02:23	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	09/15/23 02:23	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.31	09/15/23 02:23	
Methylene Chloride	ug/L	ND	5.0	3.7	09/15/23 02:23	
n-Butylbenzene	ug/L	ND	5.0	0.39	09/15/23 02:23	
n-Hexane	ug/L	ND	5.0	0.39	09/15/23 02:23	
n-Propylbenzene	ug/L	ND	5.0	0.34	09/15/23 02:23	
Naphthalene	ug/L	ND	1.2	0.43	09/15/23 02:23	
p-Isopropyltoluene	ug/L	ND	5.0	0.40	09/15/23 02:23	
sec-Butylbenzene	ug/L	ND	5.0	0.35	09/15/23 02:23	
Styrene	ug/L	ND	5.0	0.36	09/15/23 02:23	
tert-Butylbenzene	ug/L	ND	5.0	0.36	09/15/23 02:23	
Tetrachloroethene	ug/L	ND	5.0	0.35	09/15/23 02:23	
Toluene	ug/L	ND	5.0	0.38	09/15/23 02:23	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.37	09/15/23 02:23	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	09/15/23 02:23	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.41	09/15/23 02:23	
Trichloroethene	ug/L	ND	5.0	0.31	09/15/23 02:23	
Trichlorofluoromethane	ug/L	ND	5.0	0.34	09/15/23 02:23	
Vinyl acetate	ug/L	ND	50.0	2.3	09/15/23 02:23	
Vinyl chloride	ug/L	ND	2.0	0.35	09/15/23 02:23	
Xylene (Total)	ug/L	ND	10.0	2.2	09/15/23 02:23	
4-Bromofluorobenzene (S)	%	105	79-124		09/15/23 02:23	
Dibromofluoromethane (S)	%	106	82-128		09/15/23 02:23	
Toluene-d8 (S)	%	98	73-122		09/15/23 02:23	

LABORATORY CONTROL SAMPLE: 3449843

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	53.6	107	81-130	
1,1,1-Trichloroethane	ug/L	50	55.6	111	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	47.4	95	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3449843

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	52.3	105	79-124	
1,1-Dichloroethane	ug/L	50	49.2	98	76-123	
1,1-Dichloroethene	ug/L	50	39.8	80	73-133	
1,1-Dichloropropene	ug/L	50	47.6	95	78-144	
1,2,3-Trichlorobenzene	ug/L	50	41.5	83	72-138	
1,2,3-Trichloropropane	ug/L	50	51.6	103	75-121	
1,2,4-Trichlorobenzene	ug/L	50	36.5	73	71-138	
1,2,4-Trimethylbenzene	ug/L	50	45.2	90	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	53.3	107	80-126	
1,2-Dichlorobenzene	ug/L	50	45.8	92	79-123	
1,2-Dichloroethane	ug/L	50	53.2	106	70-124	
1,2-Dichloropropane	ug/L	50	50.5	101	74-128	
1,3,5-Trimethylbenzene	ug/L	50	45.8	92	71-124	
1,3-Dichlorobenzene	ug/L	50	42.8	86	77-124	
1,3-Dichloropropane	ug/L	50	50.2	100	77-126	
1,4-Dichlorobenzene	ug/L	50	43.6	87	77-120	
1-Methylnaphthalene	ug/L	50	40.4	81	49-175	
2,2-Dichloropropane	ug/L	50	50.4	101	65-136	
2-Butanone (MEK)	ug/L	250	252	101	59-134	
2-Chlorotoluene	ug/L	50	46.5	93	74-121	
2-Hexanone	ug/L	250	250	100	63-134	
2-Methylnaphthalene	ug/L	50	38.8	78	52-170	
4-Chlorotoluene	ug/L	50	44.1	88	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	265	106	67-133	
Acetone	ug/L	250	213	85	32-133	
Acrolein	ug/L	1000	708	71	35-166	
Acrylonitrile	ug/L	250	255	102	69-137	
Benzene	ug/L	50	47.6	95	74-124	
Bromobenzene	ug/L	50	49.2	98	76-122	
Bromochloromethane	ug/L	50	52.1	104	66-127	
Bromodichloromethane	ug/L	50	57.3	115	80-126	
Bromoform	ug/L	50	52.0	104	75-128	
Bromomethane	ug/L	50	57.2	114	10-183	
Carbon disulfide	ug/L	50	30.0	60	68-123 L2	
Carbon tetrachloride	ug/L	50	51.4	103	78-132	
Chlorobenzene	ug/L	50	48.9	98	77-121	
Chloroethane	ug/L	50	47.9	96	43-140	
Chloroform	ug/L	50	50.8	102	75-118	
Chloromethane	ug/L	50	43.0	86	45-130	
cis-1,2-Dichloroethene	ug/L	50	48.7	97	76-125	
cis-1,3-Dichloropropene	ug/L	50	53.5	107	76-132	
Dibromochloromethane	ug/L	50	53.4	107	79-130	
Dibromomethane	ug/L	50	49.8	100	79-124	
Dichlorodifluoromethane	ug/L	50	31.3	63	10-124	
Ethyl methacrylate	ug/L	50	52.7J	105	73-137	
Ethylbenzene	ug/L	50	47.6	95	74-125	
Hexachloro-1,3-butadiene	ug/L	50	42.1	84	66-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3449843

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	36.1	72	10-160	
Isopropylbenzene (Cumene)	ug/L	50	49.3	99	75-126	
Methyl-tert-butyl ether	ug/L	50	54.5	109	74-129	
Methylene Chloride	ug/L	50	42.2	84	77-126	
n-Butylbenzene	ug/L	50	41.1	82	72-131	
n-Hexane	ug/L	50	36.2	72	58-131	
n-Propylbenzene	ug/L	50	43.6	87	76-127	
Naphthalene	ug/L	50	45.4	91	70-132	
p-Isopropyltoluene	ug/L	50	43.8	88	76-126	
sec-Butylbenzene	ug/L	50	45.8	92	76-129	
Styrene	ug/L	50	49.4	99	81-129	
tert-Butylbenzene	ug/L	50	47.9	96	76-129	
Tetrachloroethene	ug/L	50	46.6	93	73-132	
Toluene	ug/L	50	41.6	83	72-119	
trans-1,2-Dichloroethene	ug/L	50	45.9	92	74-125	
trans-1,3-Dichloropropene	ug/L	50	50.0	100	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	49.4J	99	66-152	
Trichloroethene	ug/L	50	52.4	105	75-127	
Trichlorofluoromethane	ug/L	50	50.4	101	64-136	
Vinyl acetate	ug/L	200	246	123	62-159	
Vinyl chloride	ug/L	50	42.8	86	48-133	
Xylene (Total)	ug/L	150	136	90	73-123	
4-Bromofluorobenzene (S)	%			104	79-124	
Dibromofluoromethane (S)	%			104	82-128	
Toluene-d8 (S)	%			100	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3449844 3449845

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50353438008 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	53.1	53.5	106	107	60-150	1	20		
1,1,1-Trichloroethane	ug/L	ND	50	50	56.3	55.6	113	111	63-138	1	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	48.4	48.9	97	98	58-146	1	20		
1,1,2-Trichloroethane	ug/L	ND	50	50	51.2	52.0	102	104	63-142	1	20		
1,1-Dichloroethane	ug/L	25.5	50	50	72.8	71.8	95	93	64-138	1	20		
1,1-Dichloroethene	ug/L	ND	50	50	40.1	39.7	80	79	65-139	1	20		
1,1-Dichloropropene	ug/L	ND	50	50	48.7	49.1	97	98	68-155	1	20		
1,2,3-Trichlorobenzene	ug/L	ND	50	50	44.6	45.5	89	91	32-141	2	20		
1,2,3-Trichloropropane	ug/L	ND	50	50	51.0	51.0	102	102	54-144	0	20		
1,2,4-Trichlorobenzene	ug/L	ND	50	50	40.2	41.0	80	82	31-140	2	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	48.0	49.2	95	98	34-144	2	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	51.6	51.4	103	103	64-139	0	20		
1,2-Dichlorobenzene	ug/L	ND	50	50	47.7	48.3	95	97	50-136	1	20		
1,2-Dichloroethane	ug/L	ND	50	50	57.4	56.9	115	114	55-146	1	20		
1,2-Dichloropropane	ug/L	ND	50	50	51.3	50.7	103	101	66-134	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3449844 3449845												
Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	Max RPD	Qual
		50353438008	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec				
1,3,5-Trimethylbenzene	ug/L	ND	50	50	48.4	48.7	97	97	29-151	1	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	45.8	46.5	92	93	47-133	2	20	
1,3-Dichloropropane	ug/L	ND	50	50	49.3	49.3	99	99	61-144	0	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	46.5	46.8	93	94	50-131	1	20	
1-Methylnaphthalene	ug/L	ND	50	50	39.9	41.1	80	82	20-176	3	20	
2,2-Dichloropropane	ug/L	ND	50	50	51.4	51.7	103	103	33-146	1	20	
2-Butanone (MEK)	ug/L	ND	250	250	252	245	101	98	45-155	3	20	
2-Chlorotoluene	ug/L	ND	50	50	49.1	49.7	98	99	43-142	1	20	
2-Hexanone	ug/L	ND	250	250	238	235	95	94	48-157	2	20	
2-Methylnaphthalene	ug/L	ND	50	50	38.5	40.3	77	81	21-175	5	20	
4-Chlorotoluene	ug/L	ND	50	50	47.2	47.9	94	96	47-137	1	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	252	249	101	100	53-156	1	20	
Acetone	ug/L	ND	250	250	221	205	85	79	16-162	7	20	
Acrolein	ug/L	ND	1000	1000	764	748	76	75	39-184	2	20	
Acrylonitrile	ug/L	ND	250	250	249	245	100	98	58-140	2	20	
Benzene	ug/L	ND	50	50	53.0	52.8	97	97	65-137	0	20	
Bromobenzene	ug/L	ND	50	50	50.3	51.2	101	102	56-137	2	20	
Bromochloromethane	ug/L	ND	50	50	53.0	51.7	106	103	56-139	3	20	
Bromodichloromethane	ug/L	ND	50	50	58.7	57.6	117	115	61-149	2	20	
Bromoform	ug/L	ND	50	50	50.0	51.1	100	102	51-138	2	20	
Bromomethane	ug/L	ND	50	50	59.5	58.0	119	116	10-169	3	20	
Carbon disulfide	ug/L	ND	50	50	31.2	31.0	62	62	55-126	1	20	
Carbon tetrachloride	ug/L	ND	50	50	52.7	52.2	105	104	65-156	1	20	
Chlorobenzene	ug/L	ND	50	50	50.0	50.5	100	101	54-135	1	20	
Chloroethane	ug/L	567	50	50	464	457	-206	-220	46-142	2	20	E,M1
Chloroform	ug/L	ND	50	50	51.9	51.8	104	104	64-133	0	20	
Chloromethane	ug/L	ND	50	50	44.5	43.8	89	88	30-139	2	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	54.4	54.1	100	99	59-141	0	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	52.6	52.3	105	105	57-141	0	20	
Dibromochloromethane	ug/L	ND	50	50	53.3	53.9	107	108	59-147	1	20	
Dibromomethane	ug/L	ND	50	50	50.1	49.8	100	100	64-142	1	20	
Dichlorodifluoromethane	ug/L	ND	50	50	33.2	32.6	66	65	10-144	2	20	
Ethyl methacrylate	ug/L	ND	50	50	50.1J	50.6J	100	101	58-147		20	
Ethylbenzene	ug/L	ND	50	50	48.2	49.1	96	98	50-143	2	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	45.3	45.4	91	91	16-155	0	20	
Iodomethane	ug/L	ND	50	50	39.4	40.6	79	81	10-154	3	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	51.3	51.6	103	103	36-151	1	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	54.6	53.4	109	107	66-138	2	20	
Methylene Chloride	ug/L	ND	50	50	44.6	42.1	82	77	53-126	6	20	
n-Butylbenzene	ug/L	ND	50	50	45.2	45.4	90	91	31-142	1	20	
n-Hexane	ug/L	ND	50	50	41.9	41.4	84	83	53-129	1	20	
n-Propylbenzene	ug/L	ND	50	50	46.9	47.2	94	94	39-145	1	20	
Naphthalene	ug/L	ND	50	50	46.0	46.9	92	94	51-135	2	20	
p-Isopropyltoluene	ug/L	ND	50	50	47.7	48.0	95	96	38-145	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

Parameter	Units	3449844		3449845		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50353438008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
sec-Butylbenzene	ug/L	ND	50	50	48.4	49.1	97	98	33-153	2	20		
Styrene	ug/L	ND	50	50	50.6	50.5	101	101	57-141	0	20		
tert-Butylbenzene	ug/L	ND	50	50	49.7	49.5	99	99	45-145	0	20		
Tetrachloroethene	ug/L	ND	50	50	48.6	48.5	97	97	43-149	0	20		
Toluene	ug/L	ND	50	50	42.1	42.7	84	85	57-137	1	20		
trans-1,2-Dichloroethene	ug/L	5.5	50	50	51.6	51.1	92	91	63-133	1	20		
trans-1,3-Dichloropropene	ug/L	ND	50	50	48.8	49.3	98	99	56-140	1	20		
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	48.6J	47.9J	97	96	36-169		20		
Trichloroethene	ug/L	ND	50	50	51.4	50.6	103	101	52-145	2	20		
Trichlorofluoromethane	ug/L	ND	50	50	52.5	51.7	105	103	52-144	2	20		
Vinyl acetate	ug/L	ND	200	200	249	244	125	122	27-179	2	20		
Vinyl chloride	ug/L	2.6	50	50	45.9	45.2	87	85	43-139	1	20		
Xylene (Total)	ug/L	ND	150	150	139	141	93	94	52-137	1	20		
4-Bromofluorobenzene (S)	%						103	104	79-124				
Dibromofluoromethane (S)	%						105	104	82-128				
Toluene-d8 (S)	%						99	100	73-122				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50353438

QC Batch: 752964 Analysis Method: EPA 5030/8260

QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50353438007, 50353438010, 50353438020, 50353438021, 50353438023, 50353438024, 50353438025, 50353438026, 50353438027, 50353438028, 50353438029, 50353438030, 50353438031, 50353438032, 50353438033, 50353438034

METHOD BLANK: 3450936 Matrix: Water

Associated Lab Samples: 50353438007, 50353438010, 50353438020, 50353438021, 50353438023, 50353438024, 50353438025, 50353438026, 50353438027, 50353438028, 50353438029, 50353438030, 50353438031, 50353438032, 50353438033, 50353438034

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.34	09/15/23 13:32	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.31	09/15/23 13:32	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.35	09/15/23 13:32	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.33	09/15/23 13:32	
1,1-Dichloroethane	ug/L	ND	5.0	0.37	09/15/23 13:32	
1,1-Dichloroethene	ug/L	ND	5.0	0.37	09/15/23 13:32	
1,1-Dichloropropene	ug/L	ND	5.0	0.34	09/15/23 13:32	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.42	09/15/23 13:32	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	09/15/23 13:32	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.42	09/15/23 13:32	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.37	09/15/23 13:32	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.29	09/15/23 13:32	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	09/15/23 13:32	
1,2-Dichloroethane	ug/L	ND	5.0	0.34	09/15/23 13:32	
1,2-Dichloropropane	ug/L	ND	5.0	0.33	09/15/23 13:32	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.38	09/15/23 13:32	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	09/15/23 13:32	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	09/15/23 13:32	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.39	09/15/23 13:32	
1-Methylnaphthalene	ug/L	ND	10.0	2.1	09/15/23 13:32	
2,2-Dichloropropane	ug/L	ND	5.0	0.37	09/15/23 13:32	
2-Butanone (MEK)	ug/L	ND	25.0	3.3	09/15/23 13:32	
2-Chlorotoluene	ug/L	ND	5.0	0.37	09/15/23 13:32	
2-Hexanone	ug/L	ND	25.0	2.2	09/15/23 13:32	
2-Methylnaphthalene	ug/L	ND	10.0	2.1	09/15/23 13:32	
4-Chlorotoluene	ug/L	ND	5.0	0.40	09/15/23 13:32	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.1	09/15/23 13:32	
Acetone	ug/L	ND	100	8.6	09/15/23 13:32	
Acrolein	ug/L	ND	50.0	13.4	09/15/23 13:32	
Acrylonitrile	ug/L	ND	100	3.0	09/15/23 13:32	
Benzene	ug/L	ND	5.0	0.46	09/15/23 13:32	
Bromobenzene	ug/L	ND	5.0	0.41	09/15/23 13:32	
Bromochloromethane	ug/L	ND	5.0	0.33	09/15/23 13:32	
Bromodichloromethane	ug/L	ND	5.0	0.29	09/15/23 13:32	
Bromoform	ug/L	ND	5.0	0.29	09/15/23 13:32	
Bromomethane	ug/L	ND	5.0	0.51	09/15/23 13:32	
Carbon disulfide	ug/L	ND	10.0	0.62	09/15/23 13:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50353438

METHOD BLANK: 3450936

Matrix: Water

Associated Lab Samples: 50353438007, 50353438010, 50353438020, 50353438021, 50353438023, 50353438024, 50353438025,
50353438026, 50353438027, 50353438028, 50353438029, 50353438030, 50353438031, 50353438032,
50353438033, 50353438034

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon tetrachloride	ug/L	ND	5.0	0.29	09/15/23 13:32	
Chlorobenzene	ug/L	ND	5.0	0.35	09/15/23 13:32	
Chloroethane	ug/L	ND	5.0	0.44	09/15/23 13:32	
Chloroform	ug/L	ND	5.0	2.6	09/15/23 13:32	
Chloromethane	ug/L	ND	5.0	0.56	09/15/23 13:32	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.48	09/15/23 13:32	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.31	09/15/23 13:32	
Dibromochloromethane	ug/L	ND	5.0	0.31	09/15/23 13:32	
Dibromomethane	ug/L	ND	5.0	0.46	09/15/23 13:32	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	09/15/23 13:32	
Ethyl methacrylate	ug/L	ND	100	0.32	09/15/23 13:32	
Ethylbenzene	ug/L	ND	5.0	0.40	09/15/23 13:32	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.48	09/15/23 13:32	
Iodomethane	ug/L	ND	10.0	2.0	09/15/23 13:32	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	09/15/23 13:32	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.66	09/15/23 13:32	
Methylene Chloride	ug/L	ND	5.0	3.7	09/15/23 13:32	
n-Butylbenzene	ug/L	ND	5.0	0.39	09/15/23 13:32	
n-Hexane	ug/L	ND	5.0	0.36	09/15/23 13:32	
n-Propylbenzene	ug/L	ND	5.0	0.37	09/15/23 13:32	
Naphthalene	ug/L	ND	1.2	0.57	09/15/23 13:32	
p-Isopropyltoluene	ug/L	ND	5.0	0.41	09/15/23 13:32	
sec-Butylbenzene	ug/L	ND	5.0	0.36	09/15/23 13:32	
Styrene	ug/L	ND	5.0	0.39	09/15/23 13:32	
tert-Butylbenzene	ug/L	ND	5.0	0.38	09/15/23 13:32	
Tetrachloroethene	ug/L	ND	5.0	0.36	09/15/23 13:32	
Toluene	ug/L	ND	5.0	0.38	09/15/23 13:32	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.48	09/15/23 13:32	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.28	09/15/23 13:32	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.42	09/15/23 13:32	
Trichloroethene	ug/L	ND	5.0	0.41	09/15/23 13:32	
Trichlorofluoromethane	ug/L	ND	5.0	0.36	09/15/23 13:32	
Vinyl acetate	ug/L	ND	50.0	1.7	09/15/23 13:32	
Vinyl chloride	ug/L	ND	2.0	0.40	09/15/23 13:32	
Xylene (Total)	ug/L	ND	10.0	1.5	09/15/23 13:32	
4-Bromofluorobenzene (S)	%	101	79-124		09/15/23 13:32	
Dibromofluoromethane (S)	%	107	82-128		09/15/23 13:32	
Toluene-d8 (S)	%	99	73-122		09/15/23 13:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3450937

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	52.7	105	81-130	
1,1,1-Trichloroethane	ug/L	50	54.3	109	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	45.2	90	70-126	
1,1,2-Trichloroethane	ug/L	50	47.2	94	79-124	
1,1-Dichloroethane	ug/L	50	50.1	100	76-123	
1,1-Dichloroethene	ug/L	50	46.0	92	73-133	
1,1-Dichloropropene	ug/L	50	49.7	99	78-144	
1,2,3-Trichlorobenzene	ug/L	50	45.4	91	72-138	
1,2,3-Trichloropropane	ug/L	50	48.2	96	75-121	
1,2,4-Trichlorobenzene	ug/L	50	45.0	90	71-138	
1,2,4-Trimethylbenzene	ug/L	50	48.0	96	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	50.2	100	80-126	
1,2-Dichlorobenzene	ug/L	50	47.0	94	79-123	
1,2-Dichloroethane	ug/L	50	53.5	107	70-124	
1,2-Dichloropropane	ug/L	50	48.3	97	74-128	
1,3,5-Trimethylbenzene	ug/L	50	48.2	96	71-124	
1,3-Dichlorobenzene	ug/L	50	45.8	92	77-124	
1,3-Dichloropropane	ug/L	50	48.6	97	77-126	
1,4-Dichlorobenzene	ug/L	50	47.2	94	77-120	
1-Methylnaphthalene	ug/L	50	44.3	89	49-175	
2,2-Dichloropropane	ug/L	50	57.4	115	65-136	
2-Butanone (MEK)	ug/L	250	324	130	59-134	
2-Chlorotoluene	ug/L	50	48.0	96	74-121	
2-Hexanone	ug/L	250	292	117	63-134	
2-Methylnaphthalene	ug/L	50	42.9	86	52-170	
4-Chlorotoluene	ug/L	50	47.1	94	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	254	101	67-133	
Acetone	ug/L	250	348	139	32-133 L1	
Acrolein	ug/L	1000	697	70	35-166	
Acrylonitrile	ug/L	250	231	92	69-137	
Benzene	ug/L	50	47.5	95	74-124	
Bromobenzene	ug/L	50	47.3	95	76-122	
Bromochloromethane	ug/L	50	52.3	105	66-127	
Bromodichloromethane	ug/L	50	52.7	105	80-126	
Bromoform	ug/L	50	49.4	99	75-128	
Bromomethane	ug/L	50	47.8	96	10-183	
Carbon disulfide	ug/L	50	44.4	89	68-123	
Carbon tetrachloride	ug/L	50	55.3	111	78-132	
Chlorobenzene	ug/L	50	47.4	95	77-121	
Chloroethane	ug/L	50	39.0	78	43-140	
Chloroform	ug/L	50	50.5	101	75-118	
Chloromethane	ug/L	50	35.6	71	45-130	
cis-1,2-Dichloroethene	ug/L	50	49.1	98	76-125	
cis-1,3-Dichloropropene	ug/L	50	49.7	99	76-132	
Dibromochloromethane	ug/L	50	52.1	104	79-130	
Dibromomethane	ug/L	50	47.5	95	79-124	
Dichlorodifluoromethane	ug/L	50	37.4	75	10-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3450937

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethyl methacrylate	ug/L	50	47J	94	73-137	
Ethylbenzene	ug/L	50	45.4	91	74-125	
Hexachloro-1,3-butadiene	ug/L	50	44.7	89	66-141	
Iodomethane	ug/L	50	42.4	85	10-160	
Isopropylbenzene (Cumene)	ug/L	50	48.0	96	75-126	
Methyl-tert-butyl ether	ug/L	50	53.1	106	74-129	
Methylene Chloride	ug/L	50	43.8	88	77-126	
n-Butylbenzene	ug/L	50	46.2	92	72-131	
n-Hexane	ug/L	50	48.0	96	58-131	
n-Propylbenzene	ug/L	50	47.3	95	76-127	
Naphthalene	ug/L	50	46.2	92	70-132	
p-Isopropyltoluene	ug/L	50	47.2	94	76-126	
sec-Butylbenzene	ug/L	50	46.3	93	76-129	
Styrene	ug/L	50	48.1	96	81-129	
tert-Butylbenzene	ug/L	50	45.1	90	76-129	
Tetrachloroethene	ug/L	50	47.7	95	73-132	
Toluene	ug/L	50	40.7	81	72-119	
trans-1,2-Dichloroethene	ug/L	50	48.8	98	74-125	
trans-1,3-Dichloropropene	ug/L	50	53.7	107	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	49.2J	98	66-152	
Trichloroethene	ug/L	50	49.2	98	75-127	
Trichlorofluoromethane	ug/L	50	45.3	91	64-136	
Vinyl acetate	ug/L	200	210	105	62-159	
Vinyl chloride	ug/L	50	36.5	73	48-133	
Xylene (Total)	ug/L	100	89.3	89	73-123	
4-Bromofluorobenzene (S)	%			101	79-124	
Dibromofluoromethane (S)	%			106	82-128	
Toluene-d8 (S)	%			100	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3450938 3450939

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		50353438025 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	56.3	59.5	113	119	60-150	5	20		
1,1,1-Trichloroethane	ug/L	ND	50	50	56.4	58.5	113	117	63-138	4	20		
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	47.9	50.2	96	100	58-146	5	20		
1,1,2-Trichloroethane	ug/L	ND	50	50	51.0	52.9	102	106	63-142	4	20		
1,1-Dichloroethane	ug/L	ND	50	50	48.9	50.0	98	100	64-138	2	20		
1,1-Dichloroethene	ug/L	ND	50	50	36.8	38.9	74	78	65-139	6	20		
1,1-Dichloropropene	ug/L	ND	50	50	51.0	53.1	102	106	68-155	4	20		
1,2,3-Trichlorobenzene	ug/L	ND	50	50	47.8	50.3	96	101	32-141	5	20		
1,2,3-Trichloropropane	ug/L	ND	50	50	51.3	53.4	103	107	54-144	4	20		
1,2,4-Trichlorobenzene	ug/L	ND	50	50	45.7	49.0	91	98	31-140	7	20		
1,2,4-Trimethylbenzene	ug/L	ND	50	50	49.6	51.8	99	103	34-144	4	20		
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	53.0	55.0	106	110	64-139	4	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3450938 3450939												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		50353438025 Result	Spike Conc.	Spike Conc.	MS Result							
1,2-Dichlorobenzene	ug/L	ND	50	50	49.2	51.3	98	103	50-136	4	20	
1,2-Dichloroethane	ug/L	ND	50	50	55.0	57.8	110	116	55-146	5	20	
1,2-Dichloropropane	ug/L	ND	50	50	50.5	52.4	101	105	66-134	4	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	49.4	51.5	98	103	29-151	4	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	47.9	50.3	96	101	47-133	5	20	
1,3-Dichloropropane	ug/L	ND	50	50	51.7	54.1	103	108	61-144	4	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	49.1	51.2	98	102	50-131	4	20	
1-Methylnaphthalene	ug/L	ND	50	50	44.9	47.0	90	94	20-176	4	20	
2,2-Dichloropropane	ug/L	ND	50	50	56.7	59.5	113	119	33-146	5	20	
2-Butanone (MEK)	ug/L	ND	250	250	254	265	102	106	45-155	4	20	
2-Chlorotoluene	ug/L	ND	50	50	48.9	51.2	98	102	43-142	5	20	
2-Hexanone	ug/L	ND	250	250	256	268	102	107	48-157	5	20	
2-Methylnaphthalene	ug/L	ND	50	50	45.2	48.1	90	96	21-175	6	20	
4-Chlorotoluene	ug/L	ND	50	50	47.8	50.9	96	102	47-137	6	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	257	266	103	106	53-156	3	20	
Acetone	ug/L	ND	250	250	247	255	89	92	16-162	3	20	
Acrolein	ug/L	ND	1000	1000	727	764	73	76	39-184	5	20	
Acrylonitrile	ug/L	ND	250	250	239	250	95	100	58-140	5	20	
Benzene	ug/L	ND	50	50	47.3	49.2	95	98	65-137	4	20	
Bromobenzene	ug/L	ND	50	50	50.1	52.3	100	105	56-137	4	20	
Bromochloromethane	ug/L	ND	50	50	53.2	56.0	106	112	56-139	5	20	
Bromodichloromethane	ug/L	ND	50	50	57.2	60.7	114	121	61-149	6	20	
Bromoform	ug/L	ND	50	50	50.5	53.9	101	108	51-138	7	20	
Bromomethane	ug/L	ND	50	50	50.8	51.7	102	103	10-169	2	20	
Carbon disulfide	ug/L	ND	50	50	30.3	31.4	61	63	55-126	4	20	
Carbon tetrachloride	ug/L	ND	50	50	55.2	57.9	110	116	65-156	5	20	
Chlorobenzene	ug/L	ND	50	50	49.9	52.1	100	104	54-135	4	20	
Chloroethane	ug/L	26.2	50	50	62.9	61.2	74	70	46-142	3	20	
Chloroform	ug/L	ND	50	50	52.2	54.3	104	109	64-133	4	20	
Chloromethane	ug/L	ND	50	50	38.1	39.6	76	79	30-139	4	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	49.8	51.9	96	101	59-141	4	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	53.6	57.1	107	114	57-141	6	20	
Dibromochloromethane	ug/L	ND	50	50	56.2	59.8	112	120	59-147	6	20	
Dibromomethane	ug/L	ND	50	50	49.8	51.8	100	104	64-142	4	20	
Dichlorodifluoromethane	ug/L	ND	50	50	29.0	30.3	58	61	10-144	4	20	
Ethyl methacrylate	ug/L	ND	50	50	50.8J	52.6J	102	105	58-147		20	
Ethylbenzene	ug/L	ND	50	50	48.4	50.0	97	100	50-143	3	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	47.3	49.6	95	99	16-155	5	20	
Iodomethane	ug/L	ND	50	50	37.5	42.2	75	84	10-154	12	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	50.0	52.6	100	105	36-151	5	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	53.9	56.6	108	113	66-138	5	20	
Methylene Chloride	ug/L	ND	50	50	41.4	40.7	79	77	53-126	2	20	
n-Butylbenzene	ug/L	ND	50	50	47.9	50.3	96	101	31-142	5	20	
n-Hexane	ug/L	ND	50	50	37.9	39.6	76	79	53-129	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3450938 3450939												
Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		50353438025 Result	Spike Conc.	Spike Conc.	MS Result							
n-Propylbenzene	ug/L	ND	50	50	48.8	50.7	98	101	39-145	4	20	
Naphthalene	ug/L	ND	50	50	49.0	52.3	98	105	51-135	6	20	
p-Isopropyltoluene	ug/L	ND	50	50	48.6	50.9	97	102	38-145	5	20	
sec-Butylbenzene	ug/L	ND	50	50	48.5	50.9	97	102	33-153	5	20	
Styrene	ug/L	ND	50	50	50.2	52.7	100	105	57-141	5	20	
tert-Butylbenzene	ug/L	ND	50	50	48.8	51.7	98	103	45-145	6	20	
Tetrachloroethene	ug/L	ND	50	50	48.9	50.9	98	102	43-149	4	20	
Toluene	ug/L	ND	50	50	45.4	47.0	82	86	57-137	4	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	46.2	48.2	91	95	63-133	4	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	58.0	62.1	116	124	56-140	7	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	53.2J	56.9J	106	114	36-169		20	
Trichloroethene	ug/L	ND	50	50	50.1	51.3	100	103	52-145	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	48.1	49.9	96	100	52-144	4	20	
Vinyl acetate	ug/L	ND	200	200	275	285	138	142	27-179	3	20	
Vinyl chloride	ug/L	ND	50	50	37.5	38.7	75	77	43-139	3	20	
Xylene (Total)	ug/L	ND	150	150	139	143	93	96	52-137	3	20	
4-Bromofluorobenzene (S)	%						103	103	79-124			
Dibromofluoromethane (S)	%						107	107	82-128			
Toluene-d8 (S)	%						101	101	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50353438

QC Batch: 752966 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50353438022, 50353438035, 50353438036, 50353438037, 50353438038, 50353438039, 50353438040, 50353438041, 50353438042, 50353438043, 50353438044, 50353438045

METHOD BLANK: 3450941

Matrix: Water

Associated Lab Samples: 50353438022, 50353438035, 50353438036, 50353438037, 50353438038, 50353438039, 50353438040, 50353438041, 50353438042, 50353438043, 50353438044, 50353438045

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.34	09/16/23 01:47	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.31	09/16/23 01:47	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.35	09/16/23 01:47	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.33	09/16/23 01:47	
1,1-Dichloroethane	ug/L	ND	5.0	0.37	09/16/23 01:47	
1,1-Dichloroethene	ug/L	ND	5.0	0.37	09/16/23 01:47	
1,1-Dichloropropene	ug/L	ND	5.0	0.34	09/16/23 01:47	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.42	09/16/23 01:47	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	09/16/23 01:47	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.42	09/16/23 01:47	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.37	09/16/23 01:47	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.29	09/16/23 01:47	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	09/16/23 01:47	
1,2-Dichloroethane	ug/L	ND	5.0	0.34	09/16/23 01:47	
1,2-Dichloropropane	ug/L	ND	5.0	0.33	09/16/23 01:47	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.38	09/16/23 01:47	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	09/16/23 01:47	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	09/16/23 01:47	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.39	09/16/23 01:47	
1-Methylnaphthalene	ug/L	ND	10.0	2.1	09/16/23 01:47	
2,2-Dichloropropane	ug/L	ND	5.0	0.37	09/16/23 01:47	
2-Butanone (MEK)	ug/L	ND	25.0	3.3	09/16/23 01:47	
2-Chlorotoluene	ug/L	ND	5.0	0.37	09/16/23 01:47	
2-Hexanone	ug/L	ND	25.0	2.2	09/16/23 01:47	
2-Methylnaphthalene	ug/L	ND	10.0	2.1	09/16/23 01:47	
4-Chlorotoluene	ug/L	ND	5.0	0.40	09/16/23 01:47	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.1	09/16/23 01:47	
Acetone	ug/L	ND	100	8.6	09/16/23 01:47	
Acrolein	ug/L	ND	50.0	13.4	09/16/23 01:47	
Acrylonitrile	ug/L	ND	100	3.0	09/16/23 01:47	
Benzene	ug/L	ND	5.0	0.46	09/16/23 01:47	
Bromobenzene	ug/L	ND	5.0	0.41	09/16/23 01:47	
Bromochloromethane	ug/L	ND	5.0	0.33	09/16/23 01:47	
Bromodichloromethane	ug/L	ND	5.0	0.29	09/16/23 01:47	
Bromoform	ug/L	ND	5.0	0.29	09/16/23 01:47	
Bromomethane	ug/L	ND	5.0	0.51	09/16/23 01:47	
Carbon disulfide	ug/L	ND	10.0	0.62	09/16/23 01:47	
Carbon tetrachloride	ug/L	ND	5.0	0.29	09/16/23 01:47	
Chlorobenzene	ug/L	ND	5.0	0.35	09/16/23 01:47	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

METHOD BLANK: 3450941 Matrix: Water
 Associated Lab Samples: 50353438022, 50353438035, 50353438036, 50353438037, 50353438038, 50353438039, 50353438040, 50353438041, 50353438042, 50353438043, 50353438044, 50353438045

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.44	09/16/23 01:47	
Chloroform	ug/L	ND	5.0	2.6	09/16/23 01:47	
Chloromethane	ug/L	ND	5.0	0.56	09/16/23 01:47	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.48	09/16/23 01:47	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.31	09/16/23 01:47	
Dibromochloromethane	ug/L	ND	5.0	0.31	09/16/23 01:47	
Dibromomethane	ug/L	ND	5.0	0.46	09/16/23 01:47	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	09/16/23 01:47	
Ethyl methacrylate	ug/L	ND	100	0.32	09/16/23 01:47	
Ethylbenzene	ug/L	ND	5.0	0.40	09/16/23 01:47	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.48	09/16/23 01:47	
Iodomethane	ug/L	ND	10.0	2.0	09/16/23 01:47	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	09/16/23 01:47	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.66	09/16/23 01:47	
Methylene Chloride	ug/L	11.3	5.0	3.7	09/16/23 01:47	
n-Butylbenzene	ug/L	ND	5.0	0.39	09/16/23 01:47	
n-Hexane	ug/L	ND	5.0	0.36	09/16/23 01:47	
n-Propylbenzene	ug/L	ND	5.0	0.37	09/16/23 01:47	
Naphthalene	ug/L	ND	1.2	0.57	09/16/23 01:47	
p-Isopropyltoluene	ug/L	ND	5.0	0.41	09/16/23 01:47	
sec-Butylbenzene	ug/L	ND	5.0	0.36	09/16/23 01:47	
Styrene	ug/L	ND	5.0	0.39	09/16/23 01:47	
tert-Butylbenzene	ug/L	ND	5.0	0.38	09/16/23 01:47	
Tetrachloroethene	ug/L	ND	5.0	0.36	09/16/23 01:47	
Toluene	ug/L	ND	5.0	0.38	09/16/23 01:47	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.48	09/16/23 01:47	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.28	09/16/23 01:47	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.42	09/16/23 01:47	
Trichloroethene	ug/L	ND	5.0	0.41	09/16/23 01:47	
Trichlorofluoromethane	ug/L	ND	5.0	0.36	09/16/23 01:47	
Vinyl acetate	ug/L	ND	50.0	1.7	09/16/23 01:47	
Vinyl chloride	ug/L	ND	2.0	0.40	09/16/23 01:47	
Xylene (Total)	ug/L	ND	10.0	1.5	09/16/23 01:47	
4-Bromofluorobenzene (S)	%	100	79-124		09/16/23 01:47	
Dibromofluoromethane (S)	%	109	82-128		09/16/23 01:47	1d
Toluene-d8 (S)	%	98	73-122		09/16/23 01:47	

LABORATORY CONTROL SAMPLE: 3450942

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	56.8	114	81-130	
1,1,1-Trichloroethane	ug/L	50	57.2	114	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	48.7	97	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3450942

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	52.1	104	79-124	
1,1-Dichloroethane	ug/L	50	53.1	106	76-123	
1,1-Dichloroethene	ug/L	50	47.5	95	73-133	
1,1-Dichloropropene	ug/L	50	51.6	103	78-144	
1,2,3-Trichlorobenzene	ug/L	50	45.0	90	72-138	
1,2,3-Trichloropropane	ug/L	50	49.6	99	75-121	
1,2,4-Trichlorobenzene	ug/L	50	41.7	83	71-138	
1,2,4-Trimethylbenzene	ug/L	50	48.2	96	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	54.0	108	80-126	
1,2-Dichlorobenzene	ug/L	50	47.5	95	79-123	
1,2-Dichloroethane	ug/L	50	57.2	114	70-124	
1,2-Dichloropropane	ug/L	50	51.7	103	74-128	
1,3,5-Trimethylbenzene	ug/L	50	49.6	99	71-124	
1,3-Dichlorobenzene	ug/L	50	45.7	91	77-124	
1,3-Dichloropropane	ug/L	50	52.1	104	77-126	
1,4-Dichlorobenzene	ug/L	50	47.8	96	77-120	
1-Methylnaphthalene	ug/L	50	44.8	90	49-175	
2,2-Dichloropropane	ug/L	50	57.7	115	65-136	
2-Butanone (MEK)	ug/L	250	289	116	59-134	
2-Chlorotoluene	ug/L	50	49.0	98	74-121	
2-Hexanone	ug/L	250	274	109	63-134	
2-Methylnaphthalene	ug/L	50	42.1	84	52-170	
4-Chlorotoluene	ug/L	50	46.6	93	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	270	108	67-133	
Acetone	ug/L	250	261	105	32-133	
Acrolein	ug/L	1000	681	68	35-166	
Acrylonitrile	ug/L	250	257	103	69-137	
Benzene	ug/L	50	49.9	100	74-124	
Bromobenzene	ug/L	50	51.2	102	76-122	
Bromochloromethane	ug/L	50	57.3	115	66-127	
Bromodichloromethane	ug/L	50	56.4	113	80-126	
Bromoform	ug/L	50	51.2	102	75-128	
Bromomethane	ug/L	50	44.9	90	10-183	
Carbon disulfide	ug/L	50	47.2	94	68-123	
Carbon tetrachloride	ug/L	50	58.7	117	78-132	
Chlorobenzene	ug/L	50	50.4	101	77-121	
Chloroethane	ug/L	50	40.8	82	43-140	
Chloroform	ug/L	50	53.4	107	75-118	
Chloromethane	ug/L	50	38.2	76	45-130	
cis-1,2-Dichloroethene	ug/L	50	51.8	104	76-125	
cis-1,3-Dichloropropene	ug/L	50	52.5	105	76-132	
Dibromochloromethane	ug/L	50	56.8	114	79-130	
Dibromomethane	ug/L	50	52.4	105	79-124	
Dichlorodifluoromethane	ug/L	50	38.6	77	10-124	
Ethyl methacrylate	ug/L	50	49.3J	99	73-137	
Ethylbenzene	ug/L	50	48.8	98	74-125	
Hexachloro-1,3-butadiene	ug/L	50	45.1	90	66-141	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3450942

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	48.9	98	10-160	
Isopropylbenzene (Cumene)	ug/L	50	51.3	103	75-126	
Methyl-tert-butyl ether	ug/L	50	56.7	113	74-129	
Methylene Chloride	ug/L	50	49.6	99	77-126	
n-Butylbenzene	ug/L	50	46.1	92	72-131	
n-Hexane	ug/L	50	50.2	100	58-131	
n-Propylbenzene	ug/L	50	47.8	96	76-127	
Naphthalene	ug/L	50	48.5	97	70-132	
p-Isopropyltoluene	ug/L	50	48.0	96	76-126	
sec-Butylbenzene	ug/L	50	47.7	95	76-129	
Styrene	ug/L	50	51.4	103	81-129	
tert-Butylbenzene	ug/L	50	49.3	99	76-129	
Tetrachloroethene	ug/L	50	49.5	99	73-132	
Toluene	ug/L	50	43.0	86	72-119	
trans-1,2-Dichloroethene	ug/L	50	50.3	101	74-125	
trans-1,3-Dichloropropene	ug/L	50	56.5	113	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	51J	102	66-152	
Trichloroethene	ug/L	50	51.2	102	75-127	
Trichlorofluoromethane	ug/L	50	45.2	90	64-136	
Vinyl acetate	ug/L	200	218	109	62-159	
Vinyl chloride	ug/L	50	37.2	74	48-133	
Xylene (Total)	ug/L	100	95.0	95	73-123	
4-Bromofluorobenzene (S)	%			105	79-124	
Dibromofluoromethane (S)	%			106	82-128	
Toluene-d8 (S)	%			100	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50353438

QC Batch: 752973

Analysis Method: EPA 5030/8260

QC Batch Method: EPA 5030/8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50353438016

METHOD BLANK: 3450955

Matrix: Water

Associated Lab Samples: 50353438016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.36	09/15/23 13:48	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.30	09/15/23 13:48	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.33	09/15/23 13:48	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	09/15/23 13:48	
1,1-Dichloroethane	ug/L	ND	5.0	0.31	09/15/23 13:48	
1,1-Dichloroethene	ug/L	ND	5.0	0.27	09/15/23 13:48	
1,1-Dichloropropene	ug/L	ND	5.0	0.37	09/15/23 13:48	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.45	09/15/23 13:48	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.40	09/15/23 13:48	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.43	09/15/23 13:48	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.37	09/15/23 13:48	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.33	09/15/23 13:48	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.36	09/15/23 13:48	
1,2-Dichloroethane	ug/L	ND	5.0	0.29	09/15/23 13:48	
1,2-Dichloropropane	ug/L	ND	5.0	0.40	09/15/23 13:48	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.35	09/15/23 13:48	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.36	09/15/23 13:48	
1,3-Dichloropropane	ug/L	ND	5.0	0.29	09/15/23 13:48	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.35	09/15/23 13:48	
1-Methylnaphthalene	ug/L	ND	10.0	1.6	09/15/23 13:48	
2,2-Dichloropropane	ug/L	ND	5.0	0.33	09/15/23 13:48	
2-Butanone (MEK)	ug/L	ND	25.0	3.6	09/15/23 13:48	
2-Chlorotoluene	ug/L	ND	5.0	0.34	09/15/23 13:48	
2-Hexanone	ug/L	ND	25.0	2.0	09/15/23 13:48	
2-Methylnaphthalene	ug/L	ND	10.0	2.0	09/15/23 13:48	
4-Chlorotoluene	ug/L	ND	5.0	0.38	09/15/23 13:48	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.0	09/15/23 13:48	
Acetone	ug/L	ND	100	6.4	09/15/23 13:48	
Acrolein	ug/L	ND	50.0	13.7	09/15/23 13:48	
Acrylonitrile	ug/L	ND	100	1.8	09/15/23 13:48	
Benzene	ug/L	ND	5.0	0.44	09/15/23 13:48	
Bromobenzene	ug/L	ND	5.0	0.38	09/15/23 13:48	
Bromochloromethane	ug/L	ND	5.0	0.37	09/15/23 13:48	
Bromodichloromethane	ug/L	ND	5.0	0.29	09/15/23 13:48	
Bromoform	ug/L	ND	5.0	0.32	09/15/23 13:48	
Bromomethane	ug/L	ND	5.0	1.8	09/15/23 13:48	
Carbon disulfide	ug/L	ND	10.0	0.40	09/15/23 13:48	
Carbon tetrachloride	ug/L	ND	5.0	1.6	09/15/23 13:48	
Chlorobenzene	ug/L	ND	5.0	0.32	09/15/23 13:48	
Chloroethane	ug/L	ND	5.0	0.87	09/15/23 13:48	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50353438

METHOD BLANK: 3450955

Matrix: Water

Associated Lab Samples: 50353438016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	2.6	09/15/23 13:48	
Chloromethane	ug/L	ND	5.0	0.42	09/15/23 13:48	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.34	09/15/23 13:48	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.37	09/15/23 13:48	
Dibromochloromethane	ug/L	ND	5.0	0.27	09/15/23 13:48	
Dibromomethane	ug/L	ND	5.0	0.42	09/15/23 13:48	
Dichlorodifluoromethane	ug/L	ND	5.0	0.37	09/15/23 13:48	
Ethyl methacrylate	ug/L	ND	100	0.38	09/15/23 13:48	
Ethylbenzene	ug/L	ND	5.0	0.86	09/15/23 13:48	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.50	09/15/23 13:48	
Iodomethane	ug/L	ND	10.0	1.9	09/15/23 13:48	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	09/15/23 13:48	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.31	09/15/23 13:48	
Methylene Chloride	ug/L	ND	5.0	3.7	09/15/23 13:48	
n-Butylbenzene	ug/L	ND	5.0	0.39	09/15/23 13:48	
n-Hexane	ug/L	ND	5.0	0.39	09/15/23 13:48	
n-Propylbenzene	ug/L	ND	5.0	0.34	09/15/23 13:48	
Naphthalene	ug/L	ND	1.2	0.43	09/15/23 13:48	
p-Isopropyltoluene	ug/L	ND	5.0	0.40	09/15/23 13:48	
sec-Butylbenzene	ug/L	ND	5.0	0.35	09/15/23 13:48	
Styrene	ug/L	ND	5.0	0.36	09/15/23 13:48	
tert-Butylbenzene	ug/L	ND	5.0	0.36	09/15/23 13:48	
Tetrachloroethene	ug/L	ND	5.0	0.35	09/15/23 13:48	
Toluene	ug/L	ND	5.0	0.38	09/15/23 13:48	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.37	09/15/23 13:48	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	09/15/23 13:48	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.41	09/15/23 13:48	
Trichloroethene	ug/L	ND	5.0	0.31	09/15/23 13:48	
Trichlorofluoromethane	ug/L	ND	5.0	0.34	09/15/23 13:48	
Vinyl acetate	ug/L	ND	50.0	2.3	09/15/23 13:48	
Vinyl chloride	ug/L	ND	2.0	0.35	09/15/23 13:48	
Xylene (Total)	ug/L	ND	10.0	2.2	09/15/23 13:48	
4-Bromofluorobenzene (S)	%	103	79-124		09/15/23 13:48	
Dibromofluoromethane (S)	%	107	82-128		09/15/23 13:48	1d
Toluene-d8 (S)	%	97	73-122		09/15/23 13:48	

LABORATORY CONTROL SAMPLE: 3450956

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	53.1	106	81-130	
1,1,1-Trichloroethane	ug/L	50	55.1	110	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	48.2	96	70-126	
1,1,2-Trichloroethane	ug/L	50	52.2	104	79-124	
1,1-Dichloroethane	ug/L	50	47.8	96	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3450956

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	38.9	78	73-133	
1,1-Dichloropropene	ug/L	50	47.6	95	78-144	
1,2,3-Trichlorobenzene	ug/L	50	45.5	91	72-138	
1,2,3-Trichloropropane	ug/L	50	51.3	103	75-121	
1,2,4-Trichlorobenzene	ug/L	50	42.5	85	71-138	
1,2,4-Trimethylbenzene	ug/L	50	47.7	95	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	53.6	107	80-126	
1,2-Dichlorobenzene	ug/L	50	46.8	94	79-123	
1,2-Dichloroethane	ug/L	50	54.1	108	70-124	
1,2-Dichloropropane	ug/L	50	49.7	99	74-128	
1,3,5-Trimethylbenzene	ug/L	50	47.9	96	71-124	
1,3-Dichlorobenzene	ug/L	50	46.0	92	77-124	
1,3-Dichloropropane	ug/L	50	49.7	99	77-126	
1,4-Dichlorobenzene	ug/L	50	46.8	94	77-120	
1-Methylnaphthalene	ug/L	50	41.8	84	49-175	
2,2-Dichloropropane	ug/L	50	54.5	109	65-136	
2-Butanone (MEK)	ug/L	250	253	101	59-134	
2-Chlorotoluene	ug/L	50	48.1	96	74-121	
2-Hexanone	ug/L	250	244	98	63-134	
2-Methylnaphthalene	ug/L	50	41.7	83	52-170	
4-Chlorotoluene	ug/L	50	47.9	96	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	261	104	67-133	
Acetone	ug/L	250	217	87	32-133	
Acrolein	ug/L	1000	766	77	35-166	
Acrylonitrile	ug/L	250	251	101	69-137	
Benzene	ug/L	50	47.5	95	74-124	
Bromobenzene	ug/L	50	50.1	100	76-122	
Bromochloromethane	ug/L	50	52.9	106	66-127	
Bromodichloromethane	ug/L	50	57.8	116	80-126	
Bromoform	ug/L	50	51.5	103	75-128	
Bromomethane	ug/L	50	56.2	112	10-183	
Carbon disulfide	ug/L	50	31.0	62	68-123 L2	
Carbon tetrachloride	ug/L	50	51.6	103	78-132	
Chlorobenzene	ug/L	50	49.7	99	77-121	
Chloroethane	ug/L	50	49.3	99	43-140	
Chloroform	ug/L	50	51.3	103	75-118	
Chloromethane	ug/L	50	44.6	89	45-130	
cis-1,2-Dichloroethene	ug/L	50	49.0	98	76-125	
cis-1,3-Dichloropropene	ug/L	50	54.6	109	76-132	
Dibromochloromethane	ug/L	50	53.4	107	79-130	
Dibromomethane	ug/L	50	49.5	99	79-124	
Dichlorodifluoromethane	ug/L	50	31.9	64	10-124	
Ethyl methacrylate	ug/L	50	51J	102	73-137	
Ethylbenzene	ug/L	50	47.5	95	74-125	
Hexachloro-1,3-butadiene	ug/L	50	44.9	90	66-141	
Iodomethane	ug/L	50	41.4	83	10-160	
Isopropylbenzene (Cumene)	ug/L	50	50.0	100	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50353438

LABORATORY CONTROL SAMPLE: 3450956

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	53.4	107	74-129	
Methylene Chloride	ug/L	50	41.8	84	77-126	
n-Butylbenzene	ug/L	50	45.4	91	72-131	
n-Hexane	ug/L	50	36.5	73	58-131	
n-Propylbenzene	ug/L	50	46.0	92	76-127	
Naphthalene	ug/L	50	46.2	92	70-132	
p-Isopropyltoluene	ug/L	50	46.8	94	76-126	
sec-Butylbenzene	ug/L	50	47.2	94	76-129	
Styrene	ug/L	50	50.4	101	81-129	
tert-Butylbenzene	ug/L	50	48.0	96	76-129	
Tetrachloroethene	ug/L	50	48.1	96	73-132	
Toluene	ug/L	50	41.5	83	72-119	
trans-1,2-Dichloroethene	ug/L	50	46.3	93	74-125	
trans-1,3-Dichloropropene	ug/L	50	51.6	103	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	52.8J	106	66-152	
Trichloroethene	ug/L	50	50.9	102	75-127	
Trichlorofluoromethane	ug/L	50	50.6	101	64-136	
Vinyl acetate	ug/L	200	288	144	62-159	
Vinyl chloride	ug/L	50	43.5	87	48-133	
Xylene (Total)	ug/L	150	138	92	73-123	
4-Bromofluorobenzene (S)	%			104	79-124	
Dibromofluoromethane (S)	%			105	82-128	
Toluene-d8 (S)	%			100	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GE Indy
Pace Project No.: 50353438

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
2d	Not reanalyzed due to high target compounds. TMW 09-18-23
C9	Common Laboratory Contaminant.
CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
CL	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
H7	Re-extraction or re-analysis could not be performed within method holding time.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50353438

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50353438034	W-9-090823	RSK 175 Modified	752620		
50353438001	MW-322-090723	EPA 5030/8260	752738		
50353438002	MW-323-090723	EPA 5030/8260	752738		
50353438003	W-4R-090723	EPA 5030/8260	752738		
50353438004	W-4D-090723	EPA 5030/8260	752738		
50353438005	MW-273-090723	EPA 5030/8260	752738		
50353438006	MW-415S-090723	EPA 5030/8260	752738		
50353438007	MW-415D-090723	EPA 5030/8260	752964		
50353438008	MW-416S-090723	EPA 5030/8260	752744		
50353438009	MW-416D-090723	EPA 5030/8260	752744		
50353438010	W-2-090723	EPA 5030/8260	752964		
50353438011	MW-423S-090723	EPA 5030/8260	752744		
50353438012	MW-423D-090723	EPA 5030/8260	752744		
50353438013	MW-422S-090723	EPA 5030/8260	752744		
50353438014	MW-422D-090723	EPA 5030/8260	752744		
50353438015	MW-419S-090723	EPA 5030/8260	752744		
50353438016	MW-419D-090723	EPA 5030/8260	752973		
50353438017	MW-417S-090723	EPA 5030/8260	752744		
50353438018	MW-417D-090723	EPA 5030/8260	752744		
50353438019	MW-401-090723	EPA 5030/8260	752744		
50353438020	MW-406S-090723	EPA 5030/8260	752964		
50353438021	MW-406D-090723	EPA 5030/8260	752964		
50353438022	MW-424S-090723	EPA 5030/8260	752966		
50353438023	MW-424D-090723	EPA 5030/8260	752964		
50353438024	MW-404-090723	EPA 5030/8260	752964		
50353438025	MW-405S-090723	EPA 5030/8260	752964		
50353438026	MW-405D-090723	EPA 5030/8260	752964		
50353438027	MW-403-090723	EPA 5030/8260	752964		
50353438028	MW-414S-090723	EPA 5030/8260	752964		
50353438029	MW-414D-090723	EPA 5030/8260	752964		
50353438030	MW-321-090723	EPA 5030/8260	752964		
50353438031	AD-101-090723	EPA 5030/8260	752964		
50353438032	MW-183-090823	EPA 5030/8260	752964		
50353438033	MW-22-090823	EPA 5030/8260	752964		
50353438034	W-9-090823	EPA 5030/8260	752964		
50353438035	W-82-090823	EPA 5030/8260	752966		
50353438036	MW-173-090823	EPA 5030/8260	752966		
50353438037	MW-426-090823	EPA 5030/8260	752966		
50353438038	W-8D-090823	EPA 5030/8260	752966		
50353438039	MW-131-090823	EPA 5030/8260	752966		
50353438040	MW-133-090823	EPA 5030/8260	752966		
50353438041	MW-302-090823	EPA 5030/8260	752966		
50353438042	MW-303-090823	EPA 5030/8260	752966		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50353438

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50353438043	MW-92-090823	EPA 5030/8260	752966		
50353438044	AD-201-090823	EPA 5030/8260	752966		
50353438045	Trip Blank-090823	EPA 5030/8260	752966		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: RC 9-8-23 12:45

1. Courier: FED EX UPS CLIENT PACE NOW/JETT OTHER _____
2. Custody Seal on Cooler/Box Present: Yes No
 (If yes)Seals Intact: Yes No (leave blank if no seals were present)
3. Thermometer: 1 2 3 4 5 6 7 8 A B C D E F G H
4. Cooler Temperature(s): 1.3/1.3
 (Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: Bubble Wrap Bubble Bags
 None Other Case
6. Ice Type: Wet Blue None
7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
 Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		<input checked="" type="checkbox"/>	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis:		<input checked="" type="checkbox"/>	Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			<input checked="" type="checkbox"/>
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:		Residual Chlorine Check (SVOC 625 Pest/PCB 608)	<u>Present</u>	<u>Absent</u>	<u>N/A</u>
Rush TAT Requested (4 days or less):		<input checked="" type="checkbox"/>	Residual Chlorine Check (Total/Amenable/Free Cyanide)			<input checked="" type="checkbox"/>
Custody Signatures Present?	<input checked="" type="checkbox"/>		Headspace Wisconsin Sulfide?			<input checked="" type="checkbox"/>
Containers Intact?:	<input checked="" type="checkbox"/>		Headspace in VOA Vials (>6mm): See Container Count form for details	<u>Present</u>	<u>Absent</u>	<u>No VOA Vials Sent</u>
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID		<input checked="" type="checkbox"/>	Trip Blank Present?	<input checked="" type="checkbox"/>		
Extra labels on Terracore Vials? (soils only)			Trip Blank Custody Seals?:	<input checked="" type="checkbox"/>		

COMMENTS: 1/3 V69H for MW-4155-090723 rec'd with ID only RC 9-8-23

APPENDIX C-4
OCTOBER/DECEMBER 2023 GROUNDWATER SAMPLING EVENT



November 02, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50356622

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on October 17, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Mr. Tyler Carter, Ramboll Environ
Matt Starrett, Ramboll
Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50356622

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50356622

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50356622001	MW-425-101723	Water	10/17/23 11:25	10/17/23 14:44
50356622002	MW-331-101723	Water	10/17/23 12:05	10/17/23 14:44
50356622003	W-9-101723	Water	10/17/23 12:15	10/17/23 14:44
50356622004	MW-251-101723	Water	10/17/23 12:30	10/17/23 14:44
50356622005	MW-131-101723	Water	10/17/23 13:05	10/17/23 14:44
50356622006	MW-41-101723	Water	10/17/23 13:20	10/17/23 14:44
50356622007	AD-100-101723	Water	10/17/23 12:00	10/17/23 14:44
50356622008	Trip Blank-101723	Water	10/17/23 08:00	10/17/23 14:44

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50356622

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50356622001	MW-425-101723	EPA 300.0	ADM	1	PASI-I
		EPA 6010	MTM	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50356622002	MW-331-101723	EPA 5030/8260	TMW	75	PASI-I
50356622003	W-9-101723	RSK 175 Modified	JRW	3	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
50356622004	MW-251-101723	EPA 5030/8260	TMW	75	PASI-I
50356622005	MW-131-101723	EPA 5030/8260	TMW	75	PASI-I
50356622006	MW-41-101723	EPA 5030/8260	TMW	75	PASI-I
50356622007	AD-100-101723	EPA 5030/8260	TMW	75	PASI-I
50356622008	Trip Blank-101723	EPA 5030/8260	TMW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

**SUMMARY OF DETECTION**

Project: GE Indy
 Pace Project No.: 50356622

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50356622001	MW-425-101723					
EPA 300.0	Sulfate	2910	ug/L	250	10/28/23 07:47	
EPA 6010	Iron, Dissolved	8200	ug/L	100	11/02/23 11:53	
EPA 5030/8260	Chloroethane	275	ug/L	5.0	10/19/23 09:43	
EPA 5030/8260	1,1-Dichloroethane	21.2	ug/L	5.0	10/19/23 09:43	
EPA 5030/8260	Vinyl chloride	4.7	ug/L	2.0	10/19/23 09:43	
SM 5310C	Total Organic Carbon	35800	ug/L	4000	10/21/23 03:09	
50356622002	MW-331-101723					
EPA 5030/8260	Chloroethane	689	ug/L	50.0	10/19/23 10:44	
50356622003	W-9-101723					
RSK 175 Modified	Ethane	302	ug/L	50.0	10/20/23 10:05	
RSK 175 Modified	Methane	57400	ug/L	50.0	10/20/23 10:05	
EPA 5030/8260	Chloroethane	20.6	ug/L	5.0	10/19/23 08:58	
50356622004	MW-251-101723					
EPA 5030/8260	Chloroethane	1030	ug/L	50.0	10/19/23 09:28	
EPA 5030/8260	1,1-Dichloroethane	123	ug/L	50.0	10/19/23 09:28	
EPA 5030/8260	1,2-Dichloroethane	68.5	ug/L	50.0	10/19/23 09:28	
EPA 5030/8260	cis-1,2-Dichloroethene	17800	ug/L	500	10/19/23 09:58	
EPA 5030/8260	trans-1,2-Dichloroethene	161	ug/L	50.0	10/19/23 09:28	
EPA 5030/8260	Vinyl chloride	2480	ug/L	20.0	10/19/23 09:28	
50356622005	MW-131-101723					
EPA 5030/8260	Chloroform	9.3	ug/L	5.0	10/19/23 10:29	
EPA 5030/8260	1,1-Dichloroethane	14.3	ug/L	5.0	10/19/23 10:29	
EPA 5030/8260	cis-1,2-Dichloroethene	8.8	ug/L	5.0	10/19/23 10:29	
EPA 5030/8260	1,1,1-Trichloroethane	132	ug/L	5.0	10/19/23 10:29	
EPA 5030/8260	Trichloroethene	38.0	ug/L	5.0	10/19/23 10:29	
50356622007	AD-100-101723					
EPA 5030/8260	Chloroethane	284	ug/L	50.0	10/23/23 16:58	
EPA 5030/8260	1,1-Dichloroethane	21.2	ug/L	5.0	10/19/23 13:27	
EPA 5030/8260	Vinyl chloride	4.6	ug/L	2.0	10/19/23 13:27	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50356622

Sample: MW-425-101723 Lab ID: 50356622001 Collected: 10/17/23 11:25 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
300.0 IC Anions 28 Days									
Analytical Method: EPA 300.0									
Pace Analytical Services - Indianapolis									
Sulfate	2910	ug/L	250	190	1		10/28/23 07:47	14808-79-8	
6010 MET ICP, Dissolved									
Analytical Method: EPA 6010 Preparation Method: EPA 3010									
Pace Analytical Services - Indianapolis									
Iron, Dissolved	8200	ug/L	100	18.1	1	11/02/23 11:13	11/02/23 11:53	7439-89-6	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		10/19/23 09:43	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		10/19/23 09:43	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		10/19/23 09:43	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		10/19/23 09:43	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		10/19/23 09:43	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		10/19/23 09:43	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		10/19/23 09:43	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		10/19/23 09:43	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		10/19/23 09:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		10/19/23 09:43	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		10/19/23 09:43	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		10/19/23 09:43	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		10/19/23 09:43	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		10/19/23 09:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		10/19/23 09:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		10/19/23 09:43	108-90-7	
Chloroethane	275	ug/L	5.0	0.44	1		10/19/23 09:43	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		10/19/23 09:43	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		10/19/23 09:43	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		10/19/23 09:43	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		10/19/23 09:43	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		10/19/23 09:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		10/19/23 09:43	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		10/19/23 09:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		10/19/23 09:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		10/19/23 09:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		10/19/23 09:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		10/19/23 09:43	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		10/19/23 09:43	75-71-8	
1,1-Dichloroethane	21.2	ug/L	5.0	0.37	1		10/19/23 09:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		10/19/23 09:43	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		10/19/23 09:43	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		10/19/23 09:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		10/19/23 09:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 09:43	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		10/19/23 09:43	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		10/19/23 09:43	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50356622

Sample: MW-425-101723 Lab ID: 50356622001 Collected: 10/17/23 11:25 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		10/19/23 09:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		10/19/23 09:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		10/19/23 09:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		10/19/23 09:43	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		10/19/23 09:43	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		10/19/23 09:43	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		10/19/23 09:43	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		10/19/23 09:43	591-78-6	
Iodomethane	ND	ug/L	10.0	2.0	1		10/19/23 09:43	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		10/19/23 09:43	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		10/19/23 09:43	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		10/19/23 09:43	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		10/19/23 09:43	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		10/19/23 09:43	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		10/19/23 09:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		10/19/23 09:43	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/19/23 09:43	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 09:43	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		10/19/23 09:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		10/19/23 09:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		10/19/23 09:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		10/19/23 09:43	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		10/19/23 09:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		10/19/23 09:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		10/19/23 09:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		10/19/23 09:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		10/19/23 09:43	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		10/19/23 09:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		10/19/23 09:43	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 09:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 09:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		10/19/23 09:43	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		10/19/23 09:43	108-05-4	
Vinyl chloride	4.7	ug/L	2.0	0.40	1		10/19/23 09:43	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		10/19/23 09:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%	82-128		1		10/19/23 09:43	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		10/19/23 09:43	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		10/19/23 09:43	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres									
Analytical Method: EPA 353.2									
Pace Analytical Services - Indianapolis									
Nitrogen, NO2 plus NO3	ND	mg/L	0.50	0.055	5		10/18/23 00:14		D3
Nitrogen, Nitrate	ND	mg/L	0.50	0.055	5		10/18/23 00:14	14797-55-8	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50356622

Sample: MW-425-101723 **Lab ID: 50356622001** Collected: 10/17/23 11:25 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	-----	----	----------	----------	---------	------

5310C TOC

Analytical Method: SM 5310C
Pace Analytical Services - Indianapolis

Total Organic Carbon	35800	ug/L	4000	944	4		10/21/23 03:09	7440-44-0	
----------------------	--------------	------	------	-----	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: MW-331-101723 Lab ID: 50356622002 Collected: 10/17/23 12:05 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		10/19/23 10:14	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		10/19/23 10:14	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		10/19/23 10:14	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		10/19/23 10:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		10/19/23 10:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		10/19/23 10:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		10/19/23 10:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		10/19/23 10:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		10/19/23 10:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		10/19/23 10:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		10/19/23 10:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		10/19/23 10:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		10/19/23 10:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		10/19/23 10:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		10/19/23 10:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		10/19/23 10:14	108-90-7	
Chloroethane	689	ug/L	50.0	4.4	10		10/19/23 10:44	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		10/19/23 10:14	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		10/19/23 10:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		10/19/23 10:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		10/19/23 10:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		10/19/23 10:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		10/19/23 10:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		10/19/23 10:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		10/19/23 10:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		10/19/23 10:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		10/19/23 10:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		10/19/23 10:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		10/19/23 10:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		10/19/23 10:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		10/19/23 10:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		10/19/23 10:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		10/19/23 10:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		10/19/23 10:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 10:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		10/19/23 10:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		10/19/23 10:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		10/19/23 10:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		10/19/23 10:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		10/19/23 10:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		10/19/23 10:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		10/19/23 10:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		10/19/23 10:14	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		10/19/23 10:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		10/19/23 10:14	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: MW-331-101723 Lab ID: 50356622002 Collected: 10/17/23 12:05 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		10/19/23 10:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		10/19/23 10:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		10/19/23 10:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		10/19/23 10:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		10/19/23 10:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		10/19/23 10:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		10/19/23 10:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		10/19/23 10:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/19/23 10:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 10:14	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		10/19/23 10:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		10/19/23 10:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		10/19/23 10:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		10/19/23 10:14	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		10/19/23 10:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		10/19/23 10:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		10/19/23 10:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		10/19/23 10:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		10/19/23 10:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		10/19/23 10:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		10/19/23 10:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 10:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 10:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		10/19/23 10:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		10/19/23 10:14	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		10/19/23 10:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		10/19/23 10:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%	82-128		1		10/19/23 10:14	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		10/19/23 10:14	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		10/19/23 10:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50356622

Sample: W-9-101723 Lab ID: 50356622003 Collected: 10/17/23 12:15 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
RSK 175 Headspace									
Analytical Method: RSK 175 Modified									
Pace Analytical Services - Indianapolis									
Ethane	302	ug/L	50.0	19.1	5		10/20/23 10:05	74-84-0	
Ethene	ND	ug/L	50.0	35.5	5		10/20/23 10:05	74-85-1	
Methane	57400	ug/L	50.0	27.5	5		10/20/23 10:05	74-82-8	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		10/19/23 08:58	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		10/19/23 08:58	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		10/19/23 08:58	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		10/19/23 08:58	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		10/19/23 08:58	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		10/19/23 08:58	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		10/19/23 08:58	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		10/19/23 08:58	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		10/19/23 08:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		10/19/23 08:58	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		10/19/23 08:58	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		10/19/23 08:58	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		10/19/23 08:58	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		10/19/23 08:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		10/19/23 08:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		10/19/23 08:58	108-90-7	
Chloroethane	20.6	ug/L	5.0	0.87	1		10/19/23 08:58	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		10/19/23 08:58	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		10/19/23 08:58	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		10/19/23 08:58	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		10/19/23 08:58	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		10/19/23 08:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		10/19/23 08:58	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		10/19/23 08:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		10/19/23 08:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		10/19/23 08:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		10/19/23 08:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		10/19/23 08:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		10/19/23 08:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		10/19/23 08:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.29	1		10/19/23 08:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		10/19/23 08:58	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.34	1		10/19/23 08:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		10/19/23 08:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		10/19/23 08:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		10/19/23 08:58	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 08:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		10/19/23 08:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		10/19/23 08:58	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50356622

Sample: W-9-101723 Lab ID: 50356622003 Collected: 10/17/23 12:15 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		10/19/23 08:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		10/19/23 08:58	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		10/19/23 08:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		10/19/23 08:58	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		10/19/23 08:58	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		10/19/23 08:58	591-78-6	
Iodomethane	ND	ug/L	10.0	1.9	1		10/19/23 08:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		10/19/23 08:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		10/19/23 08:58	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		10/19/23 08:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		10/19/23 08:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		10/19/23 08:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		10/19/23 08:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		10/19/23 08:58	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		10/19/23 08:58	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		10/19/23 08:58	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		10/19/23 08:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		10/19/23 08:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		10/19/23 08:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		10/19/23 08:58	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		10/19/23 08:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		10/19/23 08:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		10/19/23 08:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		10/19/23 08:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		10/19/23 08:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		10/19/23 08:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		10/19/23 08:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		10/19/23 08:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 08:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		10/19/23 08:58	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		10/19/23 08:58	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.35	1		10/19/23 08:58	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		10/19/23 08:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		1		10/19/23 08:58	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		10/19/23 08:58	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		10/19/23 08:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50356622

Sample: MW-251-101723 Lab ID: 50356622004 Collected: 10/17/23 12:30 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	1000	64.1	10		10/19/23 09:28	67-64-1	
Acrolein	ND	ug/L	500	137	10		10/19/23 09:28	107-02-8	
Acrylonitrile	ND	ug/L	1000	18.3	10		10/19/23 09:28	107-13-1	
Benzene	ND	ug/L	50.0	4.4	10		10/19/23 09:28	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.8	10		10/19/23 09:28	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.7	10		10/19/23 09:28	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.9	10		10/19/23 09:28	75-27-4	
Bromoform	ND	ug/L	50.0	3.2	10		10/19/23 09:28	75-25-2	
Bromomethane	ND	ug/L	50.0	17.5	10		10/19/23 09:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	36.3	10		10/19/23 09:28	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.9	10		10/19/23 09:28	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.5	10		10/19/23 09:28	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.6	10		10/19/23 09:28	98-06-6	
Carbon disulfide	ND	ug/L	100	4.0	10		10/19/23 09:28	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	15.9	10		10/19/23 09:28	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.2	10		10/19/23 09:28	108-90-7	
Chloroethane	1030	ug/L	50.0	8.7	10		10/19/23 09:28	75-00-3	
Chloroform	ND	ug/L	50.0	26.0	10		10/19/23 09:28	67-66-3	
Chloromethane	ND	ug/L	50.0	4.2	10		10/19/23 09:28	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	3.4	10		10/19/23 09:28	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	3.8	10		10/19/23 09:28	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	2.7	10		10/19/23 09:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.3	10		10/19/23 09:28	106-93-4	
Dibromomethane	ND	ug/L	50.0	4.2	10		10/19/23 09:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	3.6	10		10/19/23 09:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.6	10		10/19/23 09:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	3.5	10		10/19/23 09:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	4.1	10		10/19/23 09:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.7	10		10/19/23 09:28	75-71-8	
1,1-Dichloroethane	123	ug/L	50.0	3.1	10		10/19/23 09:28	75-34-3	
1,2-Dichloroethane	68.5	ug/L	50.0	2.9	10		10/19/23 09:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	2.7	10		10/19/23 09:28	75-35-4	
cis-1,2-Dichloroethene	17800	ug/L	500	33.9	100		10/19/23 09:58	156-59-2	
trans-1,2-Dichloroethene	161	ug/L	50.0	3.7	10		10/19/23 09:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.0	10		10/19/23 09:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.9	10		10/19/23 09:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.3	10		10/19/23 09:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.7	10		10/19/23 09:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.7	10		10/19/23 09:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		10/19/23 09:28	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	8.6	10		10/19/23 09:28	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	3.8	10		10/19/23 09:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	5.0	10		10/19/23 09:28	87-68-3	
n-Hexane	ND	ug/L	50.0	3.9	10		10/19/23 09:28	110-54-3	
2-Hexanone	ND	ug/L	250	20.5	10		10/19/23 09:28	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: MW-251-101723 Lab ID: 50356622004 Collected: 10/17/23 12:30 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	100	19.1	10		10/19/23 09:28	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.4	10		10/19/23 09:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	4.0	10		10/19/23 09:28	99-87-6	
Methylene Chloride	ND	ug/L	50.0	37.0	10		10/19/23 09:28	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	16.0	10		10/19/23 09:28	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	20.0	10		10/19/23 09:28	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	19.7	10		10/19/23 09:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	3.1	10		10/19/23 09:28	1634-04-4	
Naphthalene	ND	ug/L	12.0	4.3	10		10/19/23 09:28	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	3.4	10		10/19/23 09:28	103-65-1	
Styrene	ND	ug/L	50.0	3.6	10		10/19/23 09:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.6	10		10/19/23 09:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	3.3	10		10/19/23 09:28	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.5	10		10/19/23 09:28	127-18-4	
Toluene	ND	ug/L	50.0	3.8	10		10/19/23 09:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	4.5	10		10/19/23 09:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.3	10		10/19/23 09:28	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.0	10		10/19/23 09:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	3.6	10		10/19/23 09:28	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.1	10		10/19/23 09:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	3.4	10		10/19/23 09:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	4.0	10		10/19/23 09:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	3.7	10		10/19/23 09:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.5	10		10/19/23 09:28	108-67-8	
Vinyl acetate	ND	ug/L	500	22.7	10		10/19/23 09:28	108-05-4	
Vinyl chloride	2480	ug/L	20.0	3.5	10		10/19/23 09:28	75-01-4	
Xylene (Total)	ND	ug/L	100	22.0	10		10/19/23 09:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%	82-128		10		10/19/23 09:28	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		10		10/19/23 09:28	460-00-4	
Toluene-d8 (S)	98	%	73-122		10		10/19/23 09:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: MW-131-101723 Lab ID: 50356622005 Collected: 10/17/23 13:05 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		10/19/23 10:29	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		10/19/23 10:29	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		10/19/23 10:29	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		10/19/23 10:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		10/19/23 10:29	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		10/19/23 10:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		10/19/23 10:29	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		10/19/23 10:29	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		10/19/23 10:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		10/19/23 10:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		10/19/23 10:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		10/19/23 10:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		10/19/23 10:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		10/19/23 10:29	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		10/19/23 10:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		10/19/23 10:29	108-90-7	
Chloroethane	ND	ug/L	5.0	0.87	1		10/19/23 10:29	75-00-3	
Chloroform	9.3	ug/L	5.0	2.6	1		10/19/23 10:29	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		10/19/23 10:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		10/19/23 10:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		10/19/23 10:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		10/19/23 10:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		10/19/23 10:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		10/19/23 10:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		10/19/23 10:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		10/19/23 10:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		10/19/23 10:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		10/19/23 10:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		10/19/23 10:29	75-71-8	
1,1-Dichloroethane	14.3	ug/L	5.0	0.31	1		10/19/23 10:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.29	1		10/19/23 10:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		10/19/23 10:29	75-35-4	
cis-1,2-Dichloroethene	8.8	ug/L	5.0	0.34	1		10/19/23 10:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		10/19/23 10:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		10/19/23 10:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		10/19/23 10:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 10:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		10/19/23 10:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		10/19/23 10:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		10/19/23 10:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		10/19/23 10:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		10/19/23 10:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		10/19/23 10:29	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		10/19/23 10:29	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		10/19/23 10:29	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: MW-131-101723 Lab ID: 50356622005 Collected: 10/17/23 13:05 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		10/19/23 10:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		10/19/23 10:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		10/19/23 10:29	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		10/19/23 10:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		10/19/23 10:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		10/19/23 10:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		10/19/23 10:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		10/19/23 10:29	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		10/19/23 10:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		10/19/23 10:29	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		10/19/23 10:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		10/19/23 10:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		10/19/23 10:29	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		10/19/23 10:29	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		10/19/23 10:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		10/19/23 10:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		10/19/23 10:29	120-82-1	
1,1,1-Trichloroethane	132	ug/L	5.0	0.30	1		10/19/23 10:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		10/19/23 10:29	79-00-5	
Trichloroethene	38.0	ug/L	5.0	0.31	1		10/19/23 10:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		10/19/23 10:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		10/19/23 10:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 10:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		10/19/23 10:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		10/19/23 10:29	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.35	1		10/19/23 10:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		10/19/23 10:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%	82-128		1		10/19/23 10:29	1868-53-7	
4-Bromofluorobenzene (S)	102	%	79-124		1		10/19/23 10:29	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		10/19/23 10:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: MW-41-101723 Lab ID: 50356622006 Collected: 10/17/23 13:20 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	6.4	1		10/19/23 10:59	67-64-1	
Acrolein	ND	ug/L	50.0	13.7	1		10/19/23 10:59	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		10/19/23 10:59	107-13-1	
Benzene	ND	ug/L	5.0	0.44	1		10/19/23 10:59	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		10/19/23 10:59	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.37	1		10/19/23 10:59	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		10/19/23 10:59	75-27-4	
Bromoform	ND	ug/L	5.0	0.32	1		10/19/23 10:59	75-25-2	
Bromomethane	ND	ug/L	5.0	1.8	1		10/19/23 10:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.6	1		10/19/23 10:59	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		10/19/23 10:59	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		10/19/23 10:59	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		10/19/23 10:59	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.40	1		10/19/23 10:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.6	1		10/19/23 10:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.32	1		10/19/23 10:59	108-90-7	
Chloroethane	ND	ug/L	5.0	0.87	1		10/19/23 10:59	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		10/19/23 10:59	67-66-3	
Chloromethane	ND	ug/L	5.0	0.42	1		10/19/23 10:59	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.34	1		10/19/23 10:59	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.38	1		10/19/23 10:59	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.27	1		10/19/23 10:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.33	1		10/19/23 10:59	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.42	1		10/19/23 10:59	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.36	1		10/19/23 10:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.36	1		10/19/23 10:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		10/19/23 10:59	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.41	1		10/19/23 10:59	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		10/19/23 10:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		10/19/23 10:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.29	1		10/19/23 10:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.27	1		10/19/23 10:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.34	1		10/19/23 10:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		10/19/23 10:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.40	1		10/19/23 10:59	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.29	1		10/19/23 10:59	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 10:59	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.37	1		10/19/23 10:59	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.37	1		10/19/23 10:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		10/19/23 10:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.86	1		10/19/23 10:59	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.38	1		10/19/23 10:59	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.50	1		10/19/23 10:59	87-68-3	
n-Hexane	ND	ug/L	5.0	0.39	1		10/19/23 10:59	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		10/19/23 10:59	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: MW-41-101723 Lab ID: 50356622006 Collected: 10/17/23 13:20 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	1.9	1		10/19/23 10:59	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		10/19/23 10:59	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.40	1		10/19/23 10:59	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		10/19/23 10:59	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.6	1		10/19/23 10:59	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.0	1		10/19/23 10:59	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.0	1		10/19/23 10:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.31	1		10/19/23 10:59	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.43	1		10/19/23 10:59	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.34	1		10/19/23 10:59	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		10/19/23 10:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		10/19/23 10:59	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.33	1		10/19/23 10:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		10/19/23 10:59	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		10/19/23 10:59	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.45	1		10/19/23 10:59	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.43	1		10/19/23 10:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.30	1		10/19/23 10:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		10/19/23 10:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.31	1		10/19/23 10:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.34	1		10/19/23 10:59	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.40	1		10/19/23 10:59	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 10:59	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.35	1		10/19/23 10:59	108-67-8	
Vinyl acetate	ND	ug/L	50.0	2.3	1		10/19/23 10:59	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.35	1		10/19/23 10:59	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.2	1		10/19/23 10:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%	82-128		1		10/19/23 10:59	1868-53-7	
4-Bromofluorobenzene (S)	103	%	79-124		1		10/19/23 10:59	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		10/19/23 10:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50356622

Sample: AD-100-101723 Lab ID: 50356622007 Collected: 10/17/23 12:00 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		10/19/23 13:27	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		10/19/23 13:27	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		10/19/23 13:27	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		10/19/23 13:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		10/19/23 13:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		10/19/23 13:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		10/19/23 13:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		10/19/23 13:27	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		10/19/23 13:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		10/19/23 13:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		10/19/23 13:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		10/19/23 13:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		10/19/23 13:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		10/19/23 13:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		10/19/23 13:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		10/19/23 13:27	108-90-7	
Chloroethane	284	ug/L	50.0	4.4	10		10/23/23 16:58	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		10/19/23 13:27	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		10/19/23 13:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		10/19/23 13:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		10/19/23 13:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		10/19/23 13:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		10/19/23 13:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		10/19/23 13:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		10/19/23 13:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		10/19/23 13:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		10/19/23 13:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		10/19/23 13:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		10/19/23 13:27	75-71-8	
1,1-Dichloroethane	21.2	ug/L	5.0	0.37	1		10/19/23 13:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		10/19/23 13:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		10/19/23 13:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		10/19/23 13:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		10/19/23 13:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 13:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		10/19/23 13:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		10/19/23 13:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		10/19/23 13:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		10/19/23 13:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		10/19/23 13:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		10/19/23 13:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		10/19/23 13:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		10/19/23 13:27	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		10/19/23 13:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		10/19/23 13:27	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: AD-100-101723 Lab ID: 50356622007 Collected: 10/17/23 12:00 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		10/19/23 13:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		10/19/23 13:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		10/19/23 13:27	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		10/19/23 13:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		10/19/23 13:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		10/19/23 13:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		10/19/23 13:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		10/19/23 13:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/19/23 13:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 13:27	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		10/19/23 13:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		10/19/23 13:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		10/19/23 13:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		10/19/23 13:27	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		10/19/23 13:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		10/19/23 13:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		10/19/23 13:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		10/19/23 13:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		10/19/23 13:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		10/19/23 13:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		10/19/23 13:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 13:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 13:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		10/19/23 13:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		10/19/23 13:27	108-05-4	
Vinyl chloride	4.6	ug/L	2.0	0.40	1		10/19/23 13:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		10/19/23 13:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%	82-128		1		10/19/23 13:27	1868-53-7	
4-Bromofluorobenzene (S)	105	%	79-124		1		10/19/23 13:27	460-00-4	
Toluene-d8 (S)	98	%	73-122		1		10/19/23 13:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: Trip Blank-101723 Lab ID: 50356622008 Collected: 10/17/23 08:00 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	8.6	1		10/19/23 14:24	67-64-1	
Acrolein	ND	ug/L	50.0	13.4	1		10/19/23 14:24	107-02-8	
Acrylonitrile	ND	ug/L	100	3.0	1		10/19/23 14:24	107-13-1	
Benzene	ND	ug/L	5.0	0.46	1		10/19/23 14:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.41	1		10/19/23 14:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		10/19/23 14:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.29	1		10/19/23 14:24	75-27-4	
Bromoform	ND	ug/L	5.0	0.29	1		10/19/23 14:24	75-25-2	
Bromomethane	ND	ug/L	5.0	0.51	1		10/19/23 14:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	3.3	1		10/19/23 14:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.39	1		10/19/23 14:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.36	1		10/19/23 14:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.38	1		10/19/23 14:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.62	1		10/19/23 14:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.29	1		10/19/23 14:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.35	1		10/19/23 14:24	108-90-7	
Chloroethane	ND	ug/L	5.0	0.44	1		10/19/23 14:24	75-00-3	
Chloroform	ND	ug/L	5.0	2.6	1		10/19/23 14:24	67-66-3	
Chloromethane	ND	ug/L	5.0	0.56	1		10/19/23 14:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.37	1		10/19/23 14:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.40	1		10/19/23 14:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		10/19/23 14:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.29	1		10/19/23 14:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.46	1		10/19/23 14:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		10/19/23 14:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		10/19/23 14:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.39	1		10/19/23 14:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.42	1		10/19/23 14:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		10/19/23 14:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.37	1		10/19/23 14:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.34	1		10/19/23 14:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		10/19/23 14:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		10/19/23 14:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		10/19/23 14:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 14:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		10/19/23 14:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.37	1		10/19/23 14:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.34	1		10/19/23 14:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.31	1		10/19/23 14:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.28	1		10/19/23 14:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.40	1		10/19/23 14:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.32	1		10/19/23 14:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.48	1		10/19/23 14:24	87-68-3	
n-Hexane	ND	ug/L	5.0	0.36	1		10/19/23 14:24	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.2	1		10/19/23 14:24	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50356622

Sample: Trip Blank-101723 Lab ID: 50356622008 Collected: 10/17/23 08:00 Received: 10/17/23 14:44 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	2.0	1		10/19/23 14:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		10/19/23 14:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.41	1		10/19/23 14:24	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.7	1		10/19/23 14:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.1	1		10/19/23 14:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.1	1		10/19/23 14:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.1	1		10/19/23 14:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.66	1		10/19/23 14:24	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/19/23 14:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 14:24	103-65-1	
Styrene	ND	ug/L	5.0	0.39	1		10/19/23 14:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.34	1		10/19/23 14:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.35	1		10/19/23 14:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.36	1		10/19/23 14:24	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		10/19/23 14:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		10/19/23 14:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.42	1		10/19/23 14:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		10/19/23 14:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.33	1		10/19/23 14:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		10/19/23 14:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.36	1		10/19/23 14:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		10/19/23 14:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.37	1		10/19/23 14:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.38	1		10/19/23 14:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		10/19/23 14:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.40	1		10/19/23 14:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.5	1		10/19/23 14:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%	82-128		1		10/19/23 14:24	1868-53-7	
4-Bromofluorobenzene (S)	101	%	79-124		1		10/19/23 14:24	460-00-4	
Toluene-d8 (S)	100	%	73-122		1		10/19/23 14:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50356622

QC Batch: 759164	Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0	Analysis Description: 300.0 IC Anions
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50356622001

METHOD BLANK: 3479083 Matrix: Water

Associated Lab Samples: 50356622001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	10/27/23 10:12	

LABORATORY CONTROL SAMPLE: 3479084

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4830	97	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3479091 3479092

Parameter	Units	52124554002		3479091		3479092		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.					
Sulfate	ug/L	67.5 mg/L	50000	50000	112000	112000	89	89	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3479093 3479094

Parameter	Units	50356667001		3479093		3479094		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.					
Sulfate	ug/L	<2.0 mg/L	5000	5000	4990	5000	90	91	80-120	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50356622

QC Batch: 758324 Analysis Method: RSK 175 Modified
QC Batch Method: RSK 175 Modified Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50356622003

METHOD BLANK: 3475449 Matrix: Water

Associated Lab Samples: 50356622003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	3.8	10/20/23 09:20	
Ethene	ug/L	ND	10.0	7.1	10/20/23 09:20	
Methane	ug/L	ND	10.0	5.5	10/20/23 09:20	

LABORATORY CONTROL SAMPLE: 3475450

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	2070	105	68-135	
Ethene	ug/L	2250	2440	108	79-128	
Methane	ug/L	1980	2040	103	64-132	

SAMPLE DUPLICATE: 3475846

Parameter	Units	50356925005 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	73.2	71.1	3	20	
Ethene	ug/L	123	122	1	20	
Methane	ug/L	1330	1310	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50356622

QC Batch: 760470	Analysis Method: EPA 6010
QC Batch Method: EPA 3010	Analysis Description: 6010 MET Dissolved
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50356622001

METHOD BLANK: 3485252 Matrix: Water

Associated Lab Samples: 50356622001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	18.1	11/02/23 11:52	

LABORATORY CONTROL SAMPLE: 3485253

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9820	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3485254 3485255

Parameter	Units	3485254		3485255		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Iron, Dissolved	ug/L	8200	10000	18000	17900	98	97	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50356622

QC Batch: 758059 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50356622001, 50356622002

METHOD BLANK: 3473866 Matrix: Water

Associated Lab Samples: 50356622001, 50356622002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.34	10/19/23 00:35	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.31	10/19/23 00:35	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.35	10/19/23 00:35	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.33	10/19/23 00:35	
1,1-Dichloroethane	ug/L	ND	5.0	0.37	10/19/23 00:35	
1,1-Dichloroethene	ug/L	ND	5.0	0.37	10/19/23 00:35	
1,1-Dichloropropene	ug/L	ND	5.0	0.34	10/19/23 00:35	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.42	10/19/23 00:35	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	10/19/23 00:35	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.42	10/19/23 00:35	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.37	10/19/23 00:35	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.29	10/19/23 00:35	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	10/19/23 00:35	
1,2-Dichloroethane	ug/L	ND	5.0	0.34	10/19/23 00:35	
1,2-Dichloropropane	ug/L	ND	5.0	0.33	10/19/23 00:35	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.38	10/19/23 00:35	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	10/19/23 00:35	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	10/19/23 00:35	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.39	10/19/23 00:35	
1-Methylnaphthalene	ug/L	ND	10.0	2.1	10/19/23 00:35	
2,2-Dichloropropane	ug/L	ND	5.0	0.37	10/19/23 00:35	
2-Butanone (MEK)	ug/L	ND	25.0	3.3	10/19/23 00:35	
2-Chlorotoluene	ug/L	ND	5.0	0.37	10/19/23 00:35	
2-Hexanone	ug/L	ND	25.0	2.2	10/19/23 00:35	
2-Methylnaphthalene	ug/L	ND	10.0	2.1	10/19/23 00:35	
4-Chlorotoluene	ug/L	ND	5.0	0.40	10/19/23 00:35	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.1	10/19/23 00:35	
Acetone	ug/L	ND	100	8.6	10/19/23 00:35	
Acrolein	ug/L	ND	50.0	13.4	10/19/23 00:35	
Acrylonitrile	ug/L	ND	100	3.0	10/19/23 00:35	
Benzene	ug/L	ND	5.0	0.46	10/19/23 00:35	
Bromobenzene	ug/L	ND	5.0	0.41	10/19/23 00:35	
Bromochloromethane	ug/L	ND	5.0	0.33	10/19/23 00:35	
Bromodichloromethane	ug/L	ND	5.0	0.29	10/19/23 00:35	
Bromoform	ug/L	ND	5.0	0.29	10/19/23 00:35	
Bromomethane	ug/L	ND	5.0	0.51	10/19/23 00:35	
Carbon disulfide	ug/L	ND	10.0	0.62	10/19/23 00:35	
Carbon tetrachloride	ug/L	ND	5.0	0.29	10/19/23 00:35	
Chlorobenzene	ug/L	ND	5.0	0.35	10/19/23 00:35	
Chloroethane	ug/L	ND	5.0	0.44	10/19/23 00:35	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50356622

METHOD BLANK: 3473866 Matrix: Water
 Associated Lab Samples: 50356622001, 50356622002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	2.6	10/19/23 00:35	
Chloromethane	ug/L	ND	5.0	0.56	10/19/23 00:35	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.48	10/19/23 00:35	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.31	10/19/23 00:35	
Dibromochloromethane	ug/L	ND	5.0	0.31	10/19/23 00:35	
Dibromomethane	ug/L	ND	5.0	0.46	10/19/23 00:35	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	10/19/23 00:35	
Ethyl methacrylate	ug/L	ND	100	0.32	10/19/23 00:35	
Ethylbenzene	ug/L	ND	5.0	0.40	10/19/23 00:35	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.48	10/19/23 00:35	
Iodomethane	ug/L	ND	10.0	2.0	10/19/23 00:35	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	10/19/23 00:35	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.66	10/19/23 00:35	
Methylene Chloride	ug/L	ND	5.0	3.7	10/19/23 00:35	
n-Butylbenzene	ug/L	ND	5.0	0.39	10/19/23 00:35	
n-Hexane	ug/L	ND	5.0	0.36	10/19/23 00:35	
n-Propylbenzene	ug/L	ND	5.0	0.37	10/19/23 00:35	
Naphthalene	ug/L	ND	1.2	0.57	10/19/23 00:35	
p-Isopropyltoluene	ug/L	ND	5.0	0.41	10/19/23 00:35	
sec-Butylbenzene	ug/L	ND	5.0	0.36	10/19/23 00:35	
Styrene	ug/L	ND	5.0	0.39	10/19/23 00:35	
tert-Butylbenzene	ug/L	ND	5.0	0.38	10/19/23 00:35	
Tetrachloroethene	ug/L	ND	5.0	0.36	10/19/23 00:35	
Toluene	ug/L	ND	5.0	0.38	10/19/23 00:35	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.48	10/19/23 00:35	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.28	10/19/23 00:35	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.42	10/19/23 00:35	
Trichloroethene	ug/L	ND	5.0	0.41	10/19/23 00:35	
Trichlorofluoromethane	ug/L	ND	5.0	0.36	10/19/23 00:35	
Vinyl acetate	ug/L	ND	50.0	1.7	10/19/23 00:35	
Vinyl chloride	ug/L	ND	2.0	0.40	10/19/23 00:35	
Xylene (Total)	ug/L	ND	10.0	1.5	10/19/23 00:35	
4-Bromofluorobenzene (S)	%	101	79-124		10/19/23 00:35	
Dibromofluoromethane (S)	%	103	82-128		10/19/23 00:35	1d
Toluene-d8 (S)	%	99	73-122		10/19/23 00:35	

LABORATORY CONTROL SAMPLE: 3473867

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	49.9	100	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	46.5	93	70-126	
1,1-Dichloroethene	ug/L	50	51.0	102	73-133	
1,2,4-Trimethylbenzene	ug/L	50	46.7	93	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	49.1	98	80-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50356622

LABORATORY CONTROL SAMPLE: 3473867

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	48.7	97	70-124	
1,2-Dichloropropane	ug/L	50	47.8	96	74-128	
1,3,5-Trimethylbenzene	ug/L	50	47.3	95	71-124	
Benzene	ug/L	50	48.7	97	74-124	
Chlorobenzene	ug/L	50	47.6	95	77-121	
Chloroform	ug/L	50	49.2	98	75-118	
cis-1,2-Dichloroethene	ug/L	50	48.7	97	76-125	
Ethylbenzene	ug/L	50	47.7	95	74-125	
Isopropylbenzene (Cumene)	ug/L	50	48.6	97	75-126	
Methyl-tert-butyl ether	ug/L	50	47.8	96	74-129	
n-Hexane	ug/L	50	50.1	100	58-131	
Naphthalene	ug/L	50	46.1	92	70-132	
Tetrachloroethene	ug/L	50	47.3	95	73-132	
Toluene	ug/L	50	48.3	97	72-119	
trans-1,2-Dichloroethene	ug/L	50	49.0	98	74-125	
Trichloroethene	ug/L	50	48.3	97	75-127	
Vinyl chloride	ug/L	50	49.8	100	48-133	
Xylene (Total)	ug/L	100	95.6	96	73-123	
4-Bromofluorobenzene (S)	%			101	79-124	
Dibromofluoromethane (S)	%			101	82-128	
Toluene-d8 (S)	%			100	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50356622

QC Batch: 758068 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50356622003, 50356622004, 50356622005, 50356622006

METHOD BLANK: 3473890 Matrix: Water
Associated Lab Samples: 50356622003, 50356622004, 50356622005, 50356622006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.36	10/19/23 00:50	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.30	10/19/23 00:50	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.33	10/19/23 00:50	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	10/19/23 00:50	
1,1-Dichloroethane	ug/L	ND	5.0	0.31	10/19/23 00:50	
1,1-Dichloroethene	ug/L	ND	5.0	0.27	10/19/23 00:50	
1,1-Dichloropropene	ug/L	ND	5.0	0.37	10/19/23 00:50	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.45	10/19/23 00:50	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.40	10/19/23 00:50	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.43	10/19/23 00:50	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.37	10/19/23 00:50	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.33	10/19/23 00:50	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.36	10/19/23 00:50	
1,2-Dichloroethane	ug/L	ND	5.0	0.29	10/19/23 00:50	
1,2-Dichloropropane	ug/L	ND	5.0	0.40	10/19/23 00:50	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.35	10/19/23 00:50	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.36	10/19/23 00:50	
1,3-Dichloropropane	ug/L	ND	5.0	0.29	10/19/23 00:50	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.35	10/19/23 00:50	
1-Methylnaphthalene	ug/L	ND	10.0	1.6	10/19/23 00:50	
2,2-Dichloropropane	ug/L	ND	5.0	0.33	10/19/23 00:50	
2-Butanone (MEK)	ug/L	ND	25.0	3.6	10/19/23 00:50	
2-Chlorotoluene	ug/L	ND	5.0	0.34	10/19/23 00:50	
2-Hexanone	ug/L	ND	25.0	2.0	10/19/23 00:50	
2-Methylnaphthalene	ug/L	ND	10.0	2.0	10/19/23 00:50	
4-Chlorotoluene	ug/L	ND	5.0	0.38	10/19/23 00:50	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.0	10/19/23 00:50	
Acetone	ug/L	ND	100	6.4	10/19/23 00:50	
Acrolein	ug/L	ND	50.0	13.7	10/19/23 00:50	
Acrylonitrile	ug/L	ND	100	1.8	10/19/23 00:50	
Benzene	ug/L	ND	5.0	0.44	10/19/23 00:50	
Bromobenzene	ug/L	ND	5.0	0.38	10/19/23 00:50	
Bromochloromethane	ug/L	ND	5.0	0.37	10/19/23 00:50	
Bromodichloromethane	ug/L	ND	5.0	0.29	10/19/23 00:50	
Bromoform	ug/L	ND	5.0	0.32	10/19/23 00:50	
Bromomethane	ug/L	ND	5.0	1.8	10/19/23 00:50	
Carbon disulfide	ug/L	ND	10.0	0.40	10/19/23 00:50	
Carbon tetrachloride	ug/L	ND	5.0	1.6	10/19/23 00:50	
Chlorobenzene	ug/L	ND	5.0	0.32	10/19/23 00:50	
Chloroethane	ug/L	ND	5.0	0.87	10/19/23 00:50	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50356622

METHOD BLANK: 3473890 Matrix: Water
 Associated Lab Samples: 50356622003, 50356622004, 50356622005, 50356622006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	2.6	10/19/23 00:50	
Chloromethane	ug/L	ND	5.0	0.42	10/19/23 00:50	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.34	10/19/23 00:50	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.37	10/19/23 00:50	
Dibromochloromethane	ug/L	ND	5.0	0.27	10/19/23 00:50	
Dibromomethane	ug/L	ND	5.0	0.42	10/19/23 00:50	
Dichlorodifluoromethane	ug/L	ND	5.0	0.37	10/19/23 00:50	
Ethyl methacrylate	ug/L	ND	100	0.38	10/19/23 00:50	
Ethylbenzene	ug/L	ND	5.0	0.86	10/19/23 00:50	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.50	10/19/23 00:50	
Iodomethane	ug/L	ND	10.0	1.9	10/19/23 00:50	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	10/19/23 00:50	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.31	10/19/23 00:50	
Methylene Chloride	ug/L	ND	5.0	3.7	10/19/23 00:50	
n-Butylbenzene	ug/L	ND	5.0	0.39	10/19/23 00:50	
n-Hexane	ug/L	ND	5.0	0.39	10/19/23 00:50	
n-Propylbenzene	ug/L	ND	5.0	0.34	10/19/23 00:50	
Naphthalene	ug/L	ND	1.2	0.43	10/19/23 00:50	
p-Isopropyltoluene	ug/L	ND	5.0	0.40	10/19/23 00:50	
sec-Butylbenzene	ug/L	ND	5.0	0.35	10/19/23 00:50	
Styrene	ug/L	ND	5.0	0.36	10/19/23 00:50	
tert-Butylbenzene	ug/L	ND	5.0	0.36	10/19/23 00:50	
Tetrachloroethene	ug/L	ND	5.0	0.35	10/19/23 00:50	
Toluene	ug/L	ND	5.0	0.38	10/19/23 00:50	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.37	10/19/23 00:50	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	10/19/23 00:50	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.41	10/19/23 00:50	
Trichloroethene	ug/L	ND	5.0	0.31	10/19/23 00:50	
Trichlorofluoromethane	ug/L	ND	5.0	0.34	10/19/23 00:50	
Vinyl acetate	ug/L	ND	50.0	2.3	10/19/23 00:50	
Vinyl chloride	ug/L	ND	2.0	0.35	10/19/23 00:50	
Xylene (Total)	ug/L	ND	10.0	2.2	10/19/23 00:50	
4-Bromofluorobenzene (S)	%	102	79-124		10/19/23 00:50	
Dibromofluoromethane (S)	%	105	82-128		10/19/23 00:50	1d
Toluene-d8 (S)	%	98	73-122		10/19/23 00:50	

LABORATORY CONTROL SAMPLE: 3473891

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	46.6	93	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	40.9	82	70-126	
1,1-Dichloroethene	ug/L	50	48.7	97	73-133	
1,2,4-Trimethylbenzene	ug/L	50	40.3	81	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	45.1	90	80-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50356622

LABORATORY CONTROL SAMPLE: 3473891

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	44.6	89	70-124	
1,2-Dichloropropane	ug/L	50	44.7	89	74-128	
1,3,5-Trimethylbenzene	ug/L	50	41.1	82	71-124	
Benzene	ug/L	50	45.1	90	74-124	
Chlorobenzene	ug/L	50	43.4	87	77-121	
Chloroform	ug/L	50	45.4	91	75-118	
cis-1,2-Dichloroethene	ug/L	50	44.6	89	76-125	
Ethylbenzene	ug/L	50	44.5	89	74-125	
Isopropylbenzene (Cumene)	ug/L	50	44.8	90	75-126	
Methyl-tert-butyl ether	ug/L	50	42.5	85	74-129	
n-Hexane	ug/L	50	42.1	84	58-131	
Naphthalene	ug/L	50	41.5	83	70-132	
Tetrachloroethene	ug/L	50	43.2	86	73-132	
Toluene	ug/L	50	43.8	88	72-119	
trans-1,2-Dichloroethene	ug/L	50	45.6	91	74-125	
Trichloroethene	ug/L	50	45.0	90	75-127	
Vinyl chloride	ug/L	50	49.6	99	48-133	
Xylene (Total)	ug/L	150	130	86	73-123	
4-Bromofluorobenzene (S)	%			101	79-124	
Dibromofluoromethane (S)	%			101	82-128	
Toluene-d8 (S)	%			100	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50356622

QC Batch: 758269 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50356622007, 50356622008

METHOD BLANK: 3475063 Matrix: Water

Associated Lab Samples: 50356622007, 50356622008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.34	10/19/23 12:57	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.31	10/19/23 12:57	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.35	10/19/23 12:57	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.33	10/19/23 12:57	
1,1-Dichloroethane	ug/L	ND	5.0	0.37	10/19/23 12:57	
1,1-Dichloroethene	ug/L	ND	5.0	0.37	10/19/23 12:57	
1,1-Dichloropropene	ug/L	ND	5.0	0.34	10/19/23 12:57	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.42	10/19/23 12:57	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	10/19/23 12:57	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.42	10/19/23 12:57	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.37	10/19/23 12:57	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.29	10/19/23 12:57	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	10/19/23 12:57	
1,2-Dichloroethane	ug/L	ND	5.0	0.34	10/19/23 12:57	
1,2-Dichloropropane	ug/L	ND	5.0	0.33	10/19/23 12:57	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.38	10/19/23 12:57	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	10/19/23 12:57	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	10/19/23 12:57	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.39	10/19/23 12:57	
1-Methylnaphthalene	ug/L	ND	10.0	2.1	10/19/23 12:57	
2,2-Dichloropropane	ug/L	ND	5.0	0.37	10/19/23 12:57	
2-Butanone (MEK)	ug/L	ND	25.0	3.3	10/19/23 12:57	
2-Chlorotoluene	ug/L	ND	5.0	0.37	10/19/23 12:57	
2-Hexanone	ug/L	ND	25.0	2.2	10/19/23 12:57	
2-Methylnaphthalene	ug/L	ND	10.0	2.1	10/19/23 12:57	
4-Chlorotoluene	ug/L	ND	5.0	0.40	10/19/23 12:57	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.1	10/19/23 12:57	
Acetone	ug/L	ND	100	8.6	10/19/23 12:57	
Acrolein	ug/L	ND	50.0	13.4	10/19/23 12:57	
Acrylonitrile	ug/L	ND	100	3.0	10/19/23 12:57	
Benzene	ug/L	ND	5.0	0.46	10/19/23 12:57	
Bromobenzene	ug/L	ND	5.0	0.41	10/19/23 12:57	
Bromochloromethane	ug/L	ND	5.0	0.33	10/19/23 12:57	
Bromodichloromethane	ug/L	ND	5.0	0.29	10/19/23 12:57	
Bromoform	ug/L	ND	5.0	0.29	10/19/23 12:57	
Bromomethane	ug/L	ND	5.0	0.51	10/19/23 12:57	
Carbon disulfide	ug/L	ND	10.0	0.62	10/19/23 12:57	
Carbon tetrachloride	ug/L	ND	5.0	0.29	10/19/23 12:57	
Chlorobenzene	ug/L	ND	5.0	0.35	10/19/23 12:57	
Chloroethane	ug/L	ND	5.0	0.44	10/19/23 12:57	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50356622

METHOD BLANK: 3475063 Matrix: Water
 Associated Lab Samples: 50356622007, 50356622008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	2.6	10/19/23 12:57	
Chloromethane	ug/L	ND	5.0	0.56	10/19/23 12:57	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.48	10/19/23 12:57	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.31	10/19/23 12:57	
Dibromochloromethane	ug/L	ND	5.0	0.31	10/19/23 12:57	
Dibromomethane	ug/L	ND	5.0	0.46	10/19/23 12:57	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	10/19/23 12:57	
Ethyl methacrylate	ug/L	ND	100	0.32	10/19/23 12:57	
Ethylbenzene	ug/L	ND	5.0	0.40	10/19/23 12:57	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.48	10/19/23 12:57	
Iodomethane	ug/L	ND	10.0	2.0	10/19/23 12:57	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	10/19/23 12:57	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.66	10/19/23 12:57	
Methylene Chloride	ug/L	ND	5.0	3.7	10/19/23 12:57	
n-Butylbenzene	ug/L	ND	5.0	0.39	10/19/23 12:57	
n-Hexane	ug/L	ND	5.0	0.36	10/19/23 12:57	
n-Propylbenzene	ug/L	ND	5.0	0.37	10/19/23 12:57	
Naphthalene	ug/L	ND	1.2	0.57	10/19/23 12:57	
p-Isopropyltoluene	ug/L	ND	5.0	0.41	10/19/23 12:57	
sec-Butylbenzene	ug/L	ND	5.0	0.36	10/19/23 12:57	
Styrene	ug/L	ND	5.0	0.39	10/19/23 12:57	
tert-Butylbenzene	ug/L	ND	5.0	0.38	10/19/23 12:57	
Tetrachloroethene	ug/L	ND	5.0	0.36	10/19/23 12:57	
Toluene	ug/L	ND	5.0	0.38	10/19/23 12:57	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.48	10/19/23 12:57	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.28	10/19/23 12:57	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.42	10/19/23 12:57	
Trichloroethene	ug/L	ND	5.0	0.41	10/19/23 12:57	
Trichlorofluoromethane	ug/L	ND	5.0	0.36	10/19/23 12:57	
Vinyl acetate	ug/L	ND	50.0	1.7	10/19/23 12:57	
Vinyl chloride	ug/L	ND	2.0	0.40	10/19/23 12:57	
Xylene (Total)	ug/L	ND	10.0	1.5	10/19/23 12:57	
4-Bromofluorobenzene (S)	%	101	79-124		10/19/23 12:57	
Dibromofluoromethane (S)	%	104	82-128		10/19/23 12:57	1d
Toluene-d8 (S)	%	100	73-122		10/19/23 12:57	

LABORATORY CONTROL SAMPLE: 3475064

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	42.0	84	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	39.4	79	70-126	
1,1-Dichloroethene	ug/L	50	42.7	85	73-133	
1,2,4-Trimethylbenzene	ug/L	50	36.2	72	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	42.0	84	80-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50356622

LABORATORY CONTROL SAMPLE: 3475064

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	42.5	85	70-124	
1,2-Dichloropropane	ug/L	50	39.8	80	74-128	
1,3,5-Trimethylbenzene	ug/L	50	36.2	72	71-124	
Benzene	ug/L	50	40.5	81	74-124	
Chlorobenzene	ug/L	50	39.3	79	77-121	
Chloroform	ug/L	50	41.8	84	75-118	
cis-1,2-Dichloroethene	ug/L	50	41.4	83	76-125	
Ethylbenzene	ug/L	50	38.4	77	74-125	
Isopropylbenzene (Cumene)	ug/L	50	38.6	77	75-126	
Methyl-tert-butyl ether	ug/L	50	40.3	81	74-129	
n-Hexane	ug/L	50	34.1	68	58-131	
Naphthalene	ug/L	50	37.8	76	70-132	
Tetrachloroethene	ug/L	50	37.8	76	73-132	
Toluene	ug/L	50	39.2	78	72-119	
trans-1,2-Dichloroethene	ug/L	50	41.9	84	74-125	
Trichloroethene	ug/L	50	39.9	80	75-127	
Vinyl chloride	ug/L	50	44.6	89	48-133	
Xylene (Total)	ug/L	150	115	77	73-123	
4-Bromofluorobenzene (S)	%			102	79-124	
Dibromofluoromethane (S)	%			103	82-128	
Toluene-d8 (S)	%			100	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50356622

QC Batch: 757869 Analysis Method: EPA 353.2
 QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
 Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50356622001

METHOD BLANK: 3473217 Matrix: Water
 Associated Lab Samples: 50356622001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.011	10/17/23 23:35	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.011	10/17/23 23:35	

LABORATORY CONTROL SAMPLE: 3473218

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	100	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	100	90-110	

MATRIX SPIKE SAMPLE: 3473219

Parameter	Units	50356561003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	2.1	1	3.1	94	90-110	
Nitrogen, NO2 plus NO3	mg/L	2.1	2	4.1	97	90-110	

MATRIX SPIKE SAMPLE: 3473220

Parameter	Units	50356558001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	ND	1	1.1	103	90-110	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2.1	101	90-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50356622

QC Batch: 758409	Analysis Method: SM 5310C
QC Batch Method: SM 5310C	Analysis Description: 5310C Total Organic Carbon
	Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50356622001

METHOD BLANK: 3475754 Matrix: Water

Associated Lab Samples: 50356622001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	236	10/20/23 20:02	

LABORATORY CONTROL SAMPLE: 3475755

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9800	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3475756 3475757

Parameter	Units	10672369003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	1.4 mg/L	10000	10000	11200	11200	97	98	80-120	0	20	

MATRIX SPIKE SAMPLE: 3475758

Parameter	Units	10672369004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	1.3 mg/L	10000	11000	97	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GE Indy
Pace Project No.: 50356622

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



METHOD CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50356622

Parameter	Matrix	Analytical Method	Preparation Method
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50356622

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50356622001	MW-425-101723	EPA 300.0	759164		
50356622003	W-9-101723	RSK 175 Modified	758324		
50356622001	MW-425-101723	EPA 3010	760470	EPA 6010	760479
50356622001	MW-425-101723	EPA 5030/8260	758059		
50356622002	MW-331-101723	EPA 5030/8260	758059		
50356622003	W-9-101723	EPA 5030/8260	758068		
50356622004	MW-251-101723	EPA 5030/8260	758068		
50356622005	MW-131-101723	EPA 5030/8260	758068		
50356622006	MW-41-101723	EPA 5030/8260	758068		
50356622007	AD-100-101723	EPA 5030/8260	758269		
50356622008	Trip Blank-101723	EPA 5030/8260	758269		
50356622001	MW-425-101723	EPA 353.2	757869		
50356622001	MW-425-101723	SM 5310C	758409		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 10/17/23 1505 CWR

1. Courier: FED EX UPS CLIENT PACE NOW/JETT OTHER _____

2. Custody Seal on Cooler/Box Present: Yes No

(If yes)Seals Intact: Yes No (leave blank if no seals were present)

3. Thermometer: **1 2 3 4 5 6 7 8** A B C D E F G H

4. Cooler Temperature(s): 10.0/18.0
 (Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: Bubble Wrap Bubble Bags
 None Other _____

6. Ice Type: Wet Blue None

7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
 Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		/	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis: <u>NO2/NO3</u>	/		Circles: <u>MNO3 (<2)</u> <u>H2SO4 (<2)</u> NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	/		
Time 5035A TC placed in Freezer or Short Holds To Lab Time: <u>16:00</u>			Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A
Rush TAT Requested (4 days or less):		/	Residual Chlorine Check (Total/Amenable/Free Cyanide)			/
Custody Signatures Present?	/		Headspace Wisconsin Sulfide?			/
Containers Intact?:	/		Headspace in VOA Vials (>6mm): See Container Count form for details	Present	Absent	No VOA Vials Sent
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	/		Trip Blank Present?	/		
Extra labels on Terracore Vials? (soils only)			Trip Blank Custody Seals?:	/		

COMMENTS:



December 19, 2023

Chase Forman
Ramboll
8805 Governor's Hill Drive
Suite 205
Cincinnati, OH 45249

RE: Project: GE Indy
Pace Project No.: 50361374

Dear Chase Forman:

Enclosed are the analytical results for sample(s) received by the laboratory on December 11, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Mr. Tyler Carter, Ramboll Environ
Matt Starrett, Ramboll
Dana Williams, Ramboll



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: GE Indy
Pace Project No.: 50361374

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: GE Indy
Pace Project No.: 50361374

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50361374001	W-8-121123	Water	12/11/23 12:10	12/11/23 13:25
50361374002	W-10-121123	Water	12/11/23 12:20	12/11/23 13:25
50361374003	MW-241-121123	Water	12/11/23 12:30	12/11/23 13:25
50361374004	Trip Blank-121123	Water	12/11/23 08:00	12/11/23 13:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: GE Indy
Pace Project No.: 50361374

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50361374001	W-8-121123	RSK 175 Modified	JRW	3	PASI-I
		EPA 5030/8260	DAP	75	PASI-I
50361374002	W-10-121123	EPA 5030/8260	DAP	75	PASI-I
50361374003	MW-241-121123	EPA 5030/8260	DAP	75	PASI-I
50361374004	Trip Blank-121123	EPA 5030/8260	DAP	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: GE Indy
Pace Project No.: 50361374

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50361374001	W-8-121123					
RSK 175 Modified	Methane	644	ug/L	10.0	12/15/23 14:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50361374

Sample: W-8-121123 Lab ID: 50361374001 Collected: 12/11/23 12:10 Received: 12/11/23 13:25 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
RSK 175 Headspace									
Analytical Method: RSK 175 Modified									
Pace Analytical Services - Indianapolis									
Ethane	ND	ug/L	10.0	8.9	1		12/15/23 14:47	74-84-0	
Ethene	ND	ug/L	10.0	8.0	1		12/15/23 14:47	74-85-1	
Methane	644	ug/L	10.0	7.9	1		12/15/23 14:47	74-82-8	
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		12/16/23 05:27	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		12/16/23 05:27	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		12/16/23 05:27	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		12/16/23 05:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		12/16/23 05:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		12/16/23 05:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		12/16/23 05:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		12/16/23 05:27	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		12/16/23 05:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		12/16/23 05:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		12/16/23 05:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		12/16/23 05:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		12/16/23 05:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		12/16/23 05:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		12/16/23 05:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		12/16/23 05:27	108-90-7	
Chloroethane	ND	ug/L	5.0	0.77	1		12/16/23 05:27	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		12/16/23 05:27	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		12/16/23 05:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		12/16/23 05:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		12/16/23 05:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		12/16/23 05:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		12/16/23 05:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		12/16/23 05:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		12/16/23 05:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		12/16/23 05:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		12/16/23 05:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		12/16/23 05:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		12/16/23 05:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.35	1		12/16/23 05:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		12/16/23 05:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		12/16/23 05:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.39	1		12/16/23 05:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		12/16/23 05:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		12/16/23 05:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		12/16/23 05:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		12/16/23 05:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		12/16/23 05:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		12/16/23 05:27	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50361374

Sample: W-8-121123 Lab ID: 50361374001 Collected: 12/11/23 12:10 Received: 12/11/23 13:25 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		12/16/23 05:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		12/16/23 05:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		12/16/23 05:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		12/16/23 05:27	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		12/16/23 05:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		12/16/23 05:27	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		12/16/23 05:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		12/16/23 05:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		12/16/23 05:27	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		12/16/23 05:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		12/16/23 05:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		12/16/23 05:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		12/16/23 05:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		12/16/23 05:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		12/16/23 05:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		12/16/23 05:27	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		12/16/23 05:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		12/16/23 05:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		12/16/23 05:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		12/16/23 05:27	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		12/16/23 05:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		12/16/23 05:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		12/16/23 05:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		12/16/23 05:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		12/16/23 05:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		12/16/23 05:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		12/16/23 05:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		12/16/23 05:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		12/16/23 05:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		12/16/23 05:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		12/16/23 05:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.62	1		12/16/23 05:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		12/16/23 05:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	98	%	82-128		1		12/16/23 05:27	1868-53-7	
4-Bromofluorobenzene (S)	97	%	79-124		1		12/16/23 05:27	460-00-4	
Toluene-d8 (S)	101	%	73-122		1		12/16/23 05:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
Pace Project No.: 50361374

Sample: W-10-121123 Lab ID: 50361374002 Collected: 12/11/23 12:20 Received: 12/11/23 13:25 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	3.9	1		12/16/23 06:23	67-64-1	
Acrolein	ND	ug/L	50.0	8.9	1		12/16/23 06:23	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		12/16/23 06:23	107-13-1	
Benzene	ND	ug/L	5.0	0.33	1		12/16/23 06:23	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.67	1		12/16/23 06:23	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.35	1		12/16/23 06:23	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.55	1		12/16/23 06:23	75-27-4	
Bromoform	ND	ug/L	5.0	0.80	1		12/16/23 06:23	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		12/16/23 06:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		12/16/23 06:23	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.35	1		12/16/23 06:23	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		12/16/23 06:23	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.33	1		12/16/23 06:23	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.33	1		12/16/23 06:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.74	1		12/16/23 06:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		12/16/23 06:23	108-90-7	
Chloroethane	ND	ug/L	5.0	0.77	1		12/16/23 06:23	75-00-3	
Chloroform	ND	ug/L	5.0	0.89	1		12/16/23 06:23	67-66-3	
Chloromethane	ND	ug/L	5.0	0.63	1		12/16/23 06:23	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		12/16/23 06:23	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.36	1		12/16/23 06:23	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		12/16/23 06:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.41	1		12/16/23 06:23	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.51	1		12/16/23 06:23	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.34	1		12/16/23 06:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.40	1		12/16/23 06:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.35	1		12/16/23 06:23	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.60	1		12/16/23 06:23	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.93	1		12/16/23 06:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.35	1		12/16/23 06:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.35	1		12/16/23 06:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.31	1		12/16/23 06:23	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.39	1		12/16/23 06:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.35	1		12/16/23 06:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.36	1		12/16/23 06:23	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		12/16/23 06:23	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.47	1		12/16/23 06:23	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.58	1		12/16/23 06:23	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.69	1		12/16/23 06:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.68	1		12/16/23 06:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.32	1		12/16/23 06:23	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		12/16/23 06:23	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.64	1		12/16/23 06:23	87-68-3	
n-Hexane	ND	ug/L	5.0	4.2	1		12/16/23 06:23	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		12/16/23 06:23	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50361374

Sample: W-10-121123 Lab ID: 50361374002 Collected: 12/11/23 12:20 Received: 12/11/23 13:25 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.82	1		12/16/23 06:23	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		12/16/23 06:23	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.35	1		12/16/23 06:23	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.8	1		12/16/23 06:23	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		12/16/23 06:23	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		12/16/23 06:23	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		12/16/23 06:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		12/16/23 06:23	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		12/16/23 06:23	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.33	1		12/16/23 06:23	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		12/16/23 06:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.73	1		12/16/23 06:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.22	1		12/16/23 06:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		12/16/23 06:23	127-18-4	
Toluene	ND	ug/L	5.0	0.30	1		12/16/23 06:23	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.41	1		12/16/23 06:23	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.40	1		12/16/23 06:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.67	1		12/16/23 06:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		12/16/23 06:23	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.44	1		12/16/23 06:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.43	1		12/16/23 06:23	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.42	1		12/16/23 06:23	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.34	1		12/16/23 06:23	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.34	1		12/16/23 06:23	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.7	1		12/16/23 06:23	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.62	1		12/16/23 06:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.32	1		12/16/23 06:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	99	%	82-128		1		12/16/23 06:23	1868-53-7	
4-Bromofluorobenzene (S)	96	%	79-124		1		12/16/23 06:23	460-00-4	
Toluene-d8 (S)	99	%	73-122		1		12/16/23 06:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50361374

Sample: MW-241-121123 Lab ID: 50361374003 Collected: 12/11/23 12:30 Received: 12/11/23 13:25 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.0	1		12/15/23 23:38	67-64-1	
Acrolein	ND	ug/L	50.0	8.5	1		12/15/23 23:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		12/15/23 23:38	107-13-1	
Benzene	ND	ug/L	5.0	0.26	1		12/15/23 23:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		12/15/23 23:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.49	1		12/15/23 23:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.37	1		12/15/23 23:38	75-27-4	
Bromoform	ND	ug/L	5.0	0.95	1		12/15/23 23:38	75-25-2	
Bromomethane	ND	ug/L	5.0	2.7	1		12/15/23 23:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.2	1		12/15/23 23:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		12/15/23 23:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.28	1		12/15/23 23:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.24	1		12/15/23 23:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.24	1		12/15/23 23:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.83	1		12/15/23 23:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		12/15/23 23:38	108-90-7	
Chloroethane	ND	ug/L	5.0	2.0	1		12/15/23 23:38	75-00-3	
Chloroform	ND	ug/L	5.0	0.87	1		12/15/23 23:38	67-66-3	
Chloromethane	ND	ug/L	5.0	0.61	1		12/15/23 23:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.28	1		12/15/23 23:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.39	1		12/15/23 23:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.80	1		12/15/23 23:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.44	1		12/15/23 23:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.57	1		12/15/23 23:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.28	1		12/15/23 23:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.28	1		12/15/23 23:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.26	1		12/15/23 23:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.84	1		12/15/23 23:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.2	1		12/15/23 23:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.30	1		12/15/23 23:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.26	1		12/15/23 23:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.42	1		12/15/23 23:38	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		12/15/23 23:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		12/15/23 23:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		12/15/23 23:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.33	1		12/15/23 23:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		12/15/23 23:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.61	1		12/15/23 23:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.70	1		12/15/23 23:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.74	1		12/15/23 23:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.33	1		12/15/23 23:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		12/15/23 23:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.63	1		12/15/23 23:38	87-68-3	
n-Hexane	ND	ug/L	5.0	0.51	1		12/15/23 23:38	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		12/15/23 23:38	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50361374

Sample: MW-241-121123 Lab ID: 50361374003 Collected: 12/11/23 12:30 Received: 12/11/23 13:25 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.79	1		12/15/23 23:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		12/15/23 23:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.30	1		12/15/23 23:38	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		12/15/23 23:38	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		12/15/23 23:38	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.57	1		12/15/23 23:38	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.8	1		12/15/23 23:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.26	1		12/15/23 23:38	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.33	1		12/15/23 23:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.28	1		12/15/23 23:38	103-65-1	
Styrene	ND	ug/L	5.0	0.33	1		12/15/23 23:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.67	1		12/15/23 23:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		12/15/23 23:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		12/15/23 23:38	127-18-4	
Toluene	ND	ug/L	5.0	0.93	1		12/15/23 23:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		12/15/23 23:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.31	1		12/15/23 23:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.60	1		12/15/23 23:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.38	1		12/15/23 23:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.28	1		12/15/23 23:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.39	1		12/15/23 23:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.36	1		12/15/23 23:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.31	1		12/15/23 23:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.28	1		12/15/23 23:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		12/15/23 23:38	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.49	1		12/15/23 23:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.60	1		12/15/23 23:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%	82-128		1		12/15/23 23:38	1868-53-7	
4-Bromofluorobenzene (S)	95	%	79-124		1		12/15/23 23:38	460-00-4	
Toluene-d8 (S)	101	%	73-122		1		12/15/23 23:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50361374

Sample: Trip Blank-121123 Lab ID: 50361374004 Collected: 12/11/23 08:00 Received: 12/11/23 13:25 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Acetone	ND	ug/L	100	4.0	1		12/15/23 22:42	67-64-1	
Acrolein	ND	ug/L	50.0	8.5	1		12/15/23 22:42	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		12/15/23 22:42	107-13-1	
Benzene	ND	ug/L	5.0	0.26	1		12/15/23 22:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.38	1		12/15/23 22:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.49	1		12/15/23 22:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.37	1		12/15/23 22:42	75-27-4	
Bromoform	ND	ug/L	5.0	0.95	1		12/15/23 22:42	75-25-2	
Bromomethane	ND	ug/L	5.0	2.7	1		12/15/23 22:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.2	1		12/15/23 22:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		12/15/23 22:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.28	1		12/15/23 22:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.24	1		12/15/23 22:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.24	1		12/15/23 22:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.83	1		12/15/23 22:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.31	1		12/15/23 22:42	108-90-7	
Chloroethane	ND	ug/L	5.0	2.0	1		12/15/23 22:42	75-00-3	
Chloroform	ND	ug/L	5.0	0.87	1		12/15/23 22:42	67-66-3	
Chloromethane	ND	ug/L	5.0	0.61	1		12/15/23 22:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.28	1		12/15/23 22:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.39	1		12/15/23 22:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.80	1		12/15/23 22:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.44	1		12/15/23 22:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.57	1		12/15/23 22:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.28	1		12/15/23 22:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.28	1		12/15/23 22:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.26	1		12/15/23 22:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.84	1		12/15/23 22:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.2	1		12/15/23 22:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.30	1		12/15/23 22:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.26	1		12/15/23 22:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.42	1		12/15/23 22:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.48	1		12/15/23 22:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		12/15/23 22:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		12/15/23 22:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.33	1		12/15/23 22:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.62	1		12/15/23 22:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.61	1		12/15/23 22:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.70	1		12/15/23 22:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.74	1		12/15/23 22:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.33	1		12/15/23 22:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.50	1		12/15/23 22:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.63	1		12/15/23 22:42	87-68-3	
n-Hexane	ND	ug/L	5.0	0.51	1		12/15/23 22:42	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		12/15/23 22:42	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: GE Indy
 Pace Project No.: 50361374

Sample: Trip Blank-121123 Lab ID: 50361374004 Collected: 12/11/23 08:00 Received: 12/11/23 13:25 Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
8260 MSV Indiana									
Analytical Method: EPA 5030/8260									
Pace Analytical Services - Indianapolis									
Iodomethane	ND	ug/L	10.0	0.79	1		12/15/23 22:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.29	1		12/15/23 22:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.30	1		12/15/23 22:42	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		12/15/23 22:42	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		12/15/23 22:42	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.57	1		12/15/23 22:42	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.8	1		12/15/23 22:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.26	1		12/15/23 22:42	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.33	1		12/15/23 22:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.28	1		12/15/23 22:42	103-65-1	
Styrene	ND	ug/L	5.0	0.33	1		12/15/23 22:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.67	1		12/15/23 22:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		12/15/23 22:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		12/15/23 22:42	127-18-4	
Toluene	ND	ug/L	5.0	0.93	1		12/15/23 22:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		12/15/23 22:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.31	1		12/15/23 22:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.60	1		12/15/23 22:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.38	1		12/15/23 22:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.28	1		12/15/23 22:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.39	1		12/15/23 22:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.36	1		12/15/23 22:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.31	1		12/15/23 22:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.28	1		12/15/23 22:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		12/15/23 22:42	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.49	1		12/15/23 22:42	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.60	1		12/15/23 22:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	98	%	82-128		1		12/15/23 22:42	1868-53-7	
4-Bromofluorobenzene (S)	96	%	79-124		1		12/15/23 22:42	460-00-4	
Toluene-d8 (S)	101	%	73-122		1		12/15/23 22:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50361374

QC Batch: 767830 Analysis Method: RSK 175 Modified
QC Batch Method: RSK 175 Modified Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50361374001

METHOD BLANK: 3517933 Matrix: Water

Associated Lab Samples: 50361374001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	8.9	12/15/23 14:02	
Ethene	ug/L	ND	10.0	8.0	12/15/23 14:02	
Methane	ug/L	ND	10.0	7.9	12/15/23 14:02	

LABORATORY CONTROL SAMPLE: 3517934

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	2170	110	68-135	
Ethene	ug/L	2250	2450	109	79-128	
Methane	ug/L	1980	2100	106	64-132	

SAMPLE DUPLICATE: 3519728

Parameter	Units	50361659001 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	ND	ND		20	
Ethene	ug/L	ND	ND		20	
Methane	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50361374

QC Batch: 768060 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50361374001, 50361374002

METHOD BLANK: 3519461 Matrix: Water

Associated Lab Samples: 50361374001, 50361374002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.73	12/15/23 21:32	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.67	12/15/23 21:32	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.22	12/15/23 21:32	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	12/15/23 21:32	
1,1-Dichloroethane	ug/L	ND	5.0	0.35	12/15/23 21:32	
1,1-Dichloroethene	ug/L	ND	5.0	0.31	12/15/23 21:32	
1,1-Dichloropropene	ug/L	ND	5.0	0.58	12/15/23 21:32	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.41	12/15/23 21:32	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.42	12/15/23 21:32	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.40	12/15/23 21:32	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.34	12/15/23 21:32	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.41	12/15/23 21:32	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.34	12/15/23 21:32	
1,2-Dichloroethane	ug/L	ND	5.0	0.35	12/15/23 21:32	
1,2-Dichloropropane	ug/L	ND	5.0	0.36	12/15/23 21:32	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.34	12/15/23 21:32	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.40	12/15/23 21:32	
1,3-Dichloropropane	ug/L	ND	5.0	0.27	12/15/23 21:32	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.35	12/15/23 21:32	
1-Methylnaphthalene	ug/L	ND	10.0	1.4	12/15/23 21:32	
2,2-Dichloropropane	ug/L	ND	5.0	0.47	12/15/23 21:32	
2-Butanone (MEK)	ug/L	ND	25.0	1.4	12/15/23 21:32	
2-Chlorotoluene	ug/L	ND	5.0	0.33	12/15/23 21:32	
2-Hexanone	ug/L	ND	25.0	2.1	12/15/23 21:32	
2-Methylnaphthalene	ug/L	ND	10.0	1.3	12/15/23 21:32	
4-Chlorotoluene	ug/L	ND	5.0	0.36	12/15/23 21:32	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.9	12/15/23 21:32	
Acetone	ug/L	ND	100	3.9	12/15/23 21:32	
Acrolein	ug/L	ND	50.0	8.9	12/15/23 21:32	
Acrylonitrile	ug/L	ND	100	1.5	12/15/23 21:32	
Benzene	ug/L	ND	5.0	0.33	12/15/23 21:32	
Bromobenzene	ug/L	ND	5.0	0.67	12/15/23 21:32	
Bromochloromethane	ug/L	ND	5.0	0.35	12/15/23 21:32	
Bromodichloromethane	ug/L	ND	5.0	0.55	12/15/23 21:32	
Bromoform	ug/L	ND	5.0	0.80	12/15/23 21:32	
Bromomethane	ug/L	ND	5.0	2.4	12/15/23 21:32	
Carbon disulfide	ug/L	ND	10.0	0.33	12/15/23 21:32	
Carbon tetrachloride	ug/L	ND	5.0	0.74	12/15/23 21:32	
Chlorobenzene	ug/L	ND	5.0	0.31	12/15/23 21:32	
Chloroethane	ug/L	ND	5.0	0.77	12/15/23 21:32	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50361374

METHOD BLANK: 3519461 Matrix: Water

Associated Lab Samples: 50361374001, 50361374002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.89	12/15/23 21:32	
Chloromethane	ug/L	ND	5.0	0.63	12/15/23 21:32	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.39	12/15/23 21:32	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.69	12/15/23 21:32	
Dibromochloromethane	ug/L	ND	5.0	0.70	12/15/23 21:32	
Dibromomethane	ug/L	ND	5.0	0.51	12/15/23 21:32	
Dichlorodifluoromethane	ug/L	ND	5.0	0.93	12/15/23 21:32	
Ethyl methacrylate	ug/L	ND	100	0.50	12/15/23 21:32	
Ethylbenzene	ug/L	ND	5.0	0.32	12/15/23 21:32	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.64	12/15/23 21:32	
Iodomethane	ug/L	ND	10.0	0.82	12/15/23 21:32	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.29	12/15/23 21:32	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.29	12/15/23 21:32	
Methylene Chloride	ug/L	ND	5.0	2.8	12/15/23 21:32	
n-Butylbenzene	ug/L	ND	5.0	0.35	12/15/23 21:32	
n-Hexane	ug/L	ND	5.0	4.2	12/15/23 21:32	
n-Propylbenzene	ug/L	ND	5.0	0.33	12/15/23 21:32	
Naphthalene	ug/L	ND	1.2	0.75	12/15/23 21:32	
p-Isopropyltoluene	ug/L	ND	5.0	0.35	12/15/23 21:32	
sec-Butylbenzene	ug/L	ND	5.0	0.30	12/15/23 21:32	
Styrene	ug/L	ND	5.0	0.31	12/15/23 21:32	
tert-Butylbenzene	ug/L	ND	5.0	0.33	12/15/23 21:32	
Tetrachloroethene	ug/L	ND	5.0	0.25	12/15/23 21:32	
Toluene	ug/L	ND	5.0	0.30	12/15/23 21:32	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.35	12/15/23 21:32	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.68	12/15/23 21:32	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.60	12/15/23 21:32	
Trichloroethene	ug/L	ND	5.0	0.44	12/15/23 21:32	
Trichlorofluoromethane	ug/L	ND	5.0	0.43	12/15/23 21:32	
Vinyl acetate	ug/L	ND	50.0	1.7	12/15/23 21:32	
Vinyl chloride	ug/L	ND	2.0	0.62	12/15/23 21:32	
Xylene (Total)	ug/L	ND	10.0	0.32	12/15/23 21:32	
4-Bromofluorobenzene (S)	%	98	79-124		12/15/23 21:32	
Dibromofluoromethane (S)	%	99	82-128		12/15/23 21:32	
Toluene-d8 (S)	%	100	73-122		12/15/23 21:32	

LABORATORY CONTROL SAMPLE: 3519462

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.5	103	81-130	
1,1,1-Trichloroethane	ug/L	50	50.7	101	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	55.2	110	70-126	
1,1,2-Trichloroethane	ug/L	50	53.2	106	79-124	
1,1-Dichloroethane	ug/L	50	48.4	97	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50361374

LABORATORY CONTROL SAMPLE: 3519462

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	52.4	105	73-133	
1,1-Dichloropropene	ug/L	50	50.9	102	78-144	
1,2,3-Trichlorobenzene	ug/L	50	52.7	105	72-138	
1,2,3-Trichloropropane	ug/L	50	56.2	112	75-121	
1,2,4-Trichlorobenzene	ug/L	50	49.0	98	71-138	
1,2,4-Trimethylbenzene	ug/L	50	49.4	99	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	52.2	104	80-126	
1,2-Dichlorobenzene	ug/L	50	52.9	106	79-123	
1,2-Dichloroethane	ug/L	50	54.3	109	70-124	
1,2-Dichloropropane	ug/L	50	49.8	100	74-128	
1,3,5-Trimethylbenzene	ug/L	50	50.5	101	71-124	
1,3-Dichlorobenzene	ug/L	50	51.0	102	77-124	
1,3-Dichloropropane	ug/L	50	52.9	106	77-126	
1,4-Dichlorobenzene	ug/L	50	51.4	103	77-120	
1-Methylnaphthalene	ug/L	50	60.3	121	49-175	
2,2-Dichloropropane	ug/L	50	38.7	77	65-136	
2-Butanone (MEK)	ug/L	250	274	109	59-134	
2-Chlorotoluene	ug/L	50	49.9	100	74-121	
2-Hexanone	ug/L	250	292	117	63-134	
2-Methylnaphthalene	ug/L	50	61.3	123	52-170	
4-Chlorotoluene	ug/L	50	50.1	100	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	286	115	67-133	
Acetone	ug/L	250	314	126	32-133	
Acrolein	ug/L	1000	1390	139	35-166	
Acrylonitrile	ug/L	250	334	133	69-137	
Benzene	ug/L	50	47.6	95	74-124	
Bromobenzene	ug/L	50	53.8	108	76-122	
Bromochloromethane	ug/L	50	47.1	94	66-127	
Bromodichloromethane	ug/L	50	54.6	109	80-126	
Bromoform	ug/L	50	55.7	111	75-128	
Bromomethane	ug/L	50	64.4	129	10-183	
Carbon disulfide	ug/L	50	49.2	98	68-123	
Carbon tetrachloride	ug/L	50	50.3	101	78-132	
Chlorobenzene	ug/L	50	51.0	102	77-121	
Chloroethane	ug/L	50	60.9	122	43-140	
Chloroform	ug/L	50	52.2	104	75-118	
Chloromethane	ug/L	50	57.2	114	45-130	
cis-1,2-Dichloroethene	ug/L	50	48.7	97	76-125	
cis-1,3-Dichloropropene	ug/L	50	50.6	101	76-132	
Dibromochloromethane	ug/L	50	54.9	110	79-130	
Dibromomethane	ug/L	50	54.1	108	79-124	
Dichlorodifluoromethane	ug/L	50	38.9	78	10-124	
Ethyl methacrylate	ug/L	50	56.5J	113	73-137	
Ethylbenzene	ug/L	50	49.5	99	74-125	
Hexachloro-1,3-butadiene	ug/L	50	41.9	84	66-141	
Iodomethane	ug/L	50	32.0	64	10-160	
Isopropylbenzene (Cumene)	ug/L	50	49.6	99	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50361374

LABORATORY CONTROL SAMPLE: 3519462

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	57.8	116	74-129	
Methylene Chloride	ug/L	50	56.7	113	77-126	
n-Butylbenzene	ug/L	50	50.7	101	72-131	
n-Hexane	ug/L	50	40.6	81	58-131	
n-Propylbenzene	ug/L	50	46.1	92	76-127	
Naphthalene	ug/L	50	56.3	113	70-132	
p-Isopropyltoluene	ug/L	50	48.7	97	76-126	
sec-Butylbenzene	ug/L	50	47.0	94	76-129	
Styrene	ug/L	50	52.9	106	81-129	
tert-Butylbenzene	ug/L	50	54.6	109	76-129	
Tetrachloroethene	ug/L	50	46.3	93	73-132	
Toluene	ug/L	50	49.0	98	72-119	
trans-1,2-Dichloroethene	ug/L	50	51.9	104	74-125	
trans-1,3-Dichloropropene	ug/L	50	50.7	101	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	54.7J	109	66-152	
Trichloroethene	ug/L	50	48.8	98	75-127	
Trichlorofluoromethane	ug/L	50	56.5	113	64-136	
Vinyl acetate	ug/L	200	244	122	62-159	
Vinyl chloride	ug/L	50	56.3	113	48-133	
Xylene (Total)	ug/L	150	143	95	73-123	
4-Bromofluorobenzene (S)	%			102	79-124	
Dibromofluoromethane (S)	%			100	82-128	
Toluene-d8 (S)	%			102	73-122	

MATRIX SPIKE SAMPLE: 3519464

Parameter	Units	50361374002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50.9	102	60-150	
1,1,1-Trichloroethane	ug/L	ND	50	53.7	107	63-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	52.7	105	58-146	
1,1,2-Trichloroethane	ug/L	ND	50	52.4	105	63-142	
1,1-Dichloroethane	ug/L	ND	50	50.7	101	64-138	
1,1-Dichloroethene	ug/L	ND	50	56.2	112	65-139	
1,1-Dichloropropene	ug/L	ND	50	54.9	110	68-155	
1,2,3-Trichlorobenzene	ug/L	ND	50	49.6	99	32-141	
1,2,3-Trichloropropane	ug/L	ND	50	53.3	107	54-144	
1,2,4-Trichlorobenzene	ug/L	ND	50	47.3	95	31-140	
1,2,4-Trimethylbenzene	ug/L	ND	50	49.9	100	34-144	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50.5	101	64-139	
1,2-Dichlorobenzene	ug/L	ND	50	52.2	104	50-136	
1,2-Dichloroethane	ug/L	ND	50	54.7	109	55-146	
1,2-Dichloropropane	ug/L	ND	50	50.5	101	66-134	
1,3,5-Trimethylbenzene	ug/L	ND	50	50.9	102	29-151	
1,3-Dichlorobenzene	ug/L	ND	50	50.9	102	47-133	
1,3-Dichloropropane	ug/L	ND	50	51.7	103	61-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50361374

MATRIX SPIKE SAMPLE:		3519464		50361374002		Spike	MS	MS	% Rec	Qualifiers
Parameter	Units	Result	Conc.	Result	% Rec	Result	% Rec	Limits		
1,4-Dichlorobenzene	ug/L	ND	50	50.6	101	50-131				
1-Methylnaphthalene	ug/L	ND	50	51.1	102	20-176				
2,2-Dichloropropane	ug/L	ND	50	32.9	66	33-146				
2-Butanone (MEK)	ug/L	ND	250	262	105	45-155				
2-Chlorotoluene	ug/L	ND	50	50.2	100	43-142				
2-Hexanone	ug/L	ND	250	280	112	48-157				
2-Methylnaphthalene	ug/L	ND	50	52.9	106	21-175				
4-Chlorotoluene	ug/L	ND	50	49.9	100	47-137				
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	272	109	53-156				
Acetone	ug/L	ND	250	308	123	16-162				
Acrolein	ug/L	ND	1000	1120	112	39-184				
Acrylonitrile	ug/L	ND	250	318	127	58-140				
Benzene	ug/L	ND	50	50.1	100	65-137				
Bromobenzene	ug/L	ND	50	52.2	104	56-137				
Bromochloromethane	ug/L	ND	50	48.8	98	56-139				
Bromodichloromethane	ug/L	ND	50	55.2	110	61-149				
Bromoform	ug/L	ND	50	52.6	105	51-138				
Bromomethane	ug/L	ND	50	45.1	90	10-169				
Carbon disulfide	ug/L	ND	50	51.2	102	55-126				
Carbon tetrachloride	ug/L	ND	50	54.0	108	65-156				
Chlorobenzene	ug/L	ND	50	51.1	102	54-135				
Chloroethane	ug/L	ND	50	66.2	132	46-142				
Chloroform	ug/L	ND	50	54.1	108	64-133				
Chloromethane	ug/L	ND	50	58.8	118	30-139				
cis-1,2-Dichloroethene	ug/L	ND	50	50.6	99	59-141				
cis-1,3-Dichloropropene	ug/L	ND	50	46.9	94	57-141				
Dibromochloromethane	ug/L	ND	50	52.8	106	59-147				
Dibromomethane	ug/L	ND	50	54.3	109	64-142				
Dichlorodifluoromethane	ug/L	ND	50	42.2	84	10-144				
Ethyl methacrylate	ug/L	ND	50	53.1J	106	58-147				
Ethylbenzene	ug/L	ND	50	50.7	101	50-143				
Hexachloro-1,3-butadiene	ug/L	ND	50	42.0	84	16-155				
Iodomethane	ug/L	ND	50	19.2	38	10-154				
Isopropylbenzene (Cumene)	ug/L	ND	50	52.0	104	36-151				
Methyl-tert-butyl ether	ug/L	ND	50	55.1	110	66-138				
Methylene Chloride	ug/L	ND	50	55.6	111	53-126				
n-Butylbenzene	ug/L	ND	50	50.2	100	31-142				
n-Hexane	ug/L	ND	50	47.9	96	53-129				
n-Propylbenzene	ug/L	ND	50	47.8	96	39-145				
Naphthalene	ug/L	ND	50	52.5	105	51-135				
p-Isopropyltoluene	ug/L	ND	50	50.6	101	38-145				
sec-Butylbenzene	ug/L	ND	50	48.3	97	33-153				
Styrene	ug/L	ND	50	53.5	107	57-141				
tert-Butylbenzene	ug/L	ND	50	50.6	101	45-145				
Tetrachloroethene	ug/L	ND	50	48.3	97	43-149				
Toluene	ug/L	ND	50	50.4	101	57-137				
trans-1,2-Dichloroethene	ug/L	ND	50	53.2	106	63-133				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50361374

MATRIX SPIKE SAMPLE: 3519464		50361374002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	ND	50	46.5	93	56-140	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50.1J	100	36-169	
Trichloroethene	ug/L	ND	50	51.4	103	52-145	
Trichlorofluoromethane	ug/L	ND	50	62.3	125	52-144	
Vinyl acetate	ug/L	ND	200	160	80	27-179	
Vinyl chloride	ug/L	ND	50	61.3	121	43-139	
Xylene (Total)	ug/L	ND	150	147	98	52-137	
4-Bromofluorobenzene (S)	%				101	79-124	
Dibromofluoromethane (S)	%				99	82-128	
Toluene-d8 (S)	%				101	73-122	

SAMPLE DUPLICATE: 3519463

Parameter	Units	50361374001	Dup	RPD	Max	Qualifiers
		Result	Result		RPD	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
1-Methylnaphthalene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
2-Methylnaphthalene	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	10.5J		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50361374

SAMPLE DUPLICATE: 3519463

Parameter	Units	50361374001 Result	Dup Result	RPD	Max RPD	Qualifiers
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	ND	ND		20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Hexane	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	ND		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	ND		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%	97	97			
Dibromofluoromethane (S)	%	98	99			
Toluene-d8 (S)	%	101	99			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy

Pace Project No.: 50361374

QC Batch: 768062

Analysis Method: EPA 5030/8260

QC Batch Method: EPA 5030/8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50361374003, 50361374004

METHOD BLANK: 3519474

Matrix: Water

Associated Lab Samples: 50361374003, 50361374004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.67	12/15/23 21:46	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.60	12/15/23 21:46	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.39	12/15/23 21:46	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.38	12/15/23 21:46	
1,1-Dichloroethane	ug/L	ND	5.0	0.30	12/15/23 21:46	
1,1-Dichloroethene	ug/L	ND	5.0	0.42	12/15/23 21:46	
1,1-Dichloropropene	ug/L	ND	5.0	0.61	12/15/23 21:46	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.32	12/15/23 21:46	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.36	12/15/23 21:46	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.31	12/15/23 21:46	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.31	12/15/23 21:46	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.44	12/15/23 21:46	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.28	12/15/23 21:46	
1,2-Dichloroethane	ug/L	ND	5.0	0.26	12/15/23 21:46	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	12/15/23 21:46	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.28	12/15/23 21:46	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.28	12/15/23 21:46	
1,3-Dichloropropane	ug/L	ND	5.0	0.33	12/15/23 21:46	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.26	12/15/23 21:46	
1-Methylnaphthalene	ug/L	ND	10.0	1.5	12/15/23 21:46	
2,2-Dichloropropane	ug/L	ND	5.0	0.62	12/15/23 21:46	
2-Butanone (MEK)	ug/L	ND	25.0	2.2	12/15/23 21:46	
2-Chlorotoluene	ug/L	ND	5.0	0.28	12/15/23 21:46	
2-Hexanone	ug/L	ND	25.0	1.9	12/15/23 21:46	
2-Methylnaphthalene	ug/L	ND	10.0	0.57	12/15/23 21:46	
4-Chlorotoluene	ug/L	ND	5.0	0.39	12/15/23 21:46	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.8	12/15/23 21:46	
Acetone	ug/L	ND	100	4.0	12/15/23 21:46	
Acrolein	ug/L	ND	50.0	8.5	12/15/23 21:46	
Acrylonitrile	ug/L	ND	100	1.2	12/15/23 21:46	
Benzene	ug/L	ND	5.0	0.26	12/15/23 21:46	
Bromobenzene	ug/L	ND	5.0	0.38	12/15/23 21:46	
Bromochloromethane	ug/L	ND	5.0	0.49	12/15/23 21:46	
Bromodichloromethane	ug/L	ND	5.0	0.37	12/15/23 21:46	
Bromoform	ug/L	ND	5.0	0.95	12/15/23 21:46	
Bromomethane	ug/L	ND	5.0	2.7	12/15/23 21:46	
Carbon disulfide	ug/L	ND	10.0	0.24	12/15/23 21:46	
Carbon tetrachloride	ug/L	ND	5.0	0.83	12/15/23 21:46	
Chlorobenzene	ug/L	ND	5.0	0.31	12/15/23 21:46	
Chloroethane	ug/L	ND	5.0	2.0	12/15/23 21:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50361374

METHOD BLANK: 3519474 Matrix: Water
Associated Lab Samples: 50361374003, 50361374004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.87	12/15/23 21:46	
Chloromethane	ug/L	ND	5.0	0.61	12/15/23 21:46	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.48	12/15/23 21:46	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.70	12/15/23 21:46	
Dibromochloromethane	ug/L	ND	5.0	0.80	12/15/23 21:46	
Dibromomethane	ug/L	ND	5.0	0.57	12/15/23 21:46	
Dichlorodifluoromethane	ug/L	ND	5.0	1.2	12/15/23 21:46	
Ethyl methacrylate	ug/L	ND	100	0.50	12/15/23 21:46	
Ethylbenzene	ug/L	ND	5.0	0.33	12/15/23 21:46	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.63	12/15/23 21:46	
Iodomethane	ug/L	ND	10.0	0.79	12/15/23 21:46	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.29	12/15/23 21:46	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.26	12/15/23 21:46	
Methylene Chloride	ug/L	ND	5.0	3.2	12/15/23 21:46	
n-Butylbenzene	ug/L	ND	5.0	0.36	12/15/23 21:46	
n-Hexane	ug/L	ND	5.0	0.51	12/15/23 21:46	
n-Propylbenzene	ug/L	ND	5.0	0.28	12/15/23 21:46	
Naphthalene	ug/L	ND	1.2	0.33	12/15/23 21:46	
p-Isopropyltoluene	ug/L	ND	5.0	0.30	12/15/23 21:46	
sec-Butylbenzene	ug/L	ND	5.0	0.28	12/15/23 21:46	
Styrene	ug/L	ND	5.0	0.33	12/15/23 21:46	
tert-Butylbenzene	ug/L	ND	5.0	0.24	12/15/23 21:46	
Tetrachloroethene	ug/L	ND	5.0	0.34	12/15/23 21:46	
Toluene	ug/L	ND	5.0	0.93	12/15/23 21:46	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.37	12/15/23 21:46	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.74	12/15/23 21:46	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.84	12/15/23 21:46	
Trichloroethene	ug/L	ND	5.0	0.28	12/15/23 21:46	
Trichlorofluoromethane	ug/L	ND	5.0	0.39	12/15/23 21:46	
Vinyl acetate	ug/L	ND	50.0	1.6	12/15/23 21:46	
Vinyl chloride	ug/L	ND	2.0	0.49	12/15/23 21:46	
Xylene (Total)	ug/L	ND	10.0	0.60	12/15/23 21:46	
4-Bromofluorobenzene (S)	%	94	79-124		12/15/23 21:46	
Dibromofluoromethane (S)	%	99	82-128		12/15/23 21:46	
Toluene-d8 (S)	%	101	73-122		12/15/23 21:46	

LABORATORY CONTROL SAMPLE: 3519475

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.6	103	81-130	
1,1,1-Trichloroethane	ug/L	50	49.9	100	76-127	
1,1,2,2-Tetrachloroethane	ug/L	50	53.3	107	70-126	
1,1,2-Trichloroethane	ug/L	50	55.1	110	79-124	
1,1-Dichloroethane	ug/L	50	47.8	96	76-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50361374

LABORATORY CONTROL SAMPLE: 3519475

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	51.6	103	73-133	
1,1-Dichloropropene	ug/L	50	51.2	102	78-144	
1,2,3-Trichlorobenzene	ug/L	50	52.9	106	72-138	
1,2,3-Trichloropropane	ug/L	50	57.2	114	75-121	
1,2,4-Trichlorobenzene	ug/L	50	48.3	97	71-138	
1,2,4-Trimethylbenzene	ug/L	50	48.2	96	70-127	
1,2-Dibromoethane (EDB)	ug/L	50	53.6	107	80-126	
1,2-Dichlorobenzene	ug/L	50	50.6	101	79-123	
1,2-Dichloroethane	ug/L	50	53.7	107	70-124	
1,2-Dichloropropane	ug/L	50	50.4	101	74-128	
1,3,5-Trimethylbenzene	ug/L	50	47.7	95	71-124	
1,3-Dichlorobenzene	ug/L	50	48.0	96	77-124	
1,3-Dichloropropane	ug/L	50	52.3	105	77-126	
1,4-Dichlorobenzene	ug/L	50	49.4	99	77-120	
1-Methylnaphthalene	ug/L	50	77.6	155	49-175	
2,2-Dichloropropane	ug/L	50	38.9	78	65-136	
2-Butanone (MEK)	ug/L	250	275	110	59-134	
2-Chlorotoluene	ug/L	50	48.3	97	74-121	
2-Hexanone	ug/L	250	294	118	63-134	
2-Methylnaphthalene	ug/L	50	73.7	147	52-170	
4-Chlorotoluene	ug/L	50	49.6	99	78-123	
4-Methyl-2-pentanone (MIBK)	ug/L	250	291	117	67-133	
Acetone	ug/L	250	304	121	32-133	
Acrolein	ug/L	1000	1340	134	35-166	
Acrylonitrile	ug/L	250	279	112	69-137	
Benzene	ug/L	50	48.5	97	74-124	
Bromobenzene	ug/L	50	50.1	100	76-122	
Bromochloromethane	ug/L	50	47.0	94	66-127	
Bromodichloromethane	ug/L	50	54.0	108	80-126	
Bromoform	ug/L	50	55.1	110	75-128	
Bromomethane	ug/L	50	55.5	111	10-183	
Carbon disulfide	ug/L	50	45.9	92	68-123	
Carbon tetrachloride	ug/L	50	49.2	98	78-132	
Chlorobenzene	ug/L	50	50.0	100	77-121	
Chloroethane	ug/L	50	56.6	113	43-140	
Chloroform	ug/L	50	51.7	103	75-118	
Chloromethane	ug/L	50	49.7	99	45-130	
cis-1,2-Dichloroethene	ug/L	50	47.6	95	76-125	
cis-1,3-Dichloropropene	ug/L	50	51.2	102	76-132	
Dibromochloromethane	ug/L	50	54.7	109	79-130	
Dibromomethane	ug/L	50	54.3	109	79-124	
Dichlorodifluoromethane	ug/L	50	38.5	77	10-124	
Ethyl methacrylate	ug/L	50	58.1J	116	73-137	
Ethylbenzene	ug/L	50	49.9	100	74-125	
Hexachloro-1,3-butadiene	ug/L	50	40.8	82	66-141	
Iodomethane	ug/L	50	33.0	66	10-160	
Isopropylbenzene (Cumene)	ug/L	50	49.6	99	75-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50361374

LABORATORY CONTROL SAMPLE: 3519475

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	51.3	103	74-129	
Methylene Chloride	ug/L	50	51.2	102	77-126	
n-Butylbenzene	ug/L	50	47.4	95	72-131	
n-Hexane	ug/L	50	40.1	80	58-131	
n-Propylbenzene	ug/L	50	45.5	91	76-127	
Naphthalene	ug/L	50	58.7	117	70-132	
p-Isopropyltoluene	ug/L	50	47.2	94	76-126	
sec-Butylbenzene	ug/L	50	47.7	95	76-129	
Styrene	ug/L	50	51.0	102	81-129	
tert-Butylbenzene	ug/L	50	55.7	111	76-129	
Tetrachloroethene	ug/L	50	45.5	91	73-132	
Toluene	ug/L	50	49.0	98	72-119	
trans-1,2-Dichloroethene	ug/L	50	46.8	94	74-125	
trans-1,3-Dichloropropene	ug/L	50	52.1	104	75-132	
trans-1,4-Dichloro-2-butene	ug/L	50	53.3J	107	66-152	
Trichloroethene	ug/L	50	47.8	96	75-127	
Trichlorofluoromethane	ug/L	50	51.1	102	64-136	
Vinyl acetate	ug/L	200	239	119	62-159	
Vinyl chloride	ug/L	50	51.1	102	48-133	
Xylene (Total)	ug/L	150	141	94	73-123	
4-Bromofluorobenzene (S)	%			100	79-124	
Dibromofluoromethane (S)	%			99	82-128	
Toluene-d8 (S)	%			103	73-122	

MATRIX SPIKE SAMPLE: 3519477

Parameter	Units	50361457010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	50	52.9	106	60-150	
1,1,1-Trichloroethane	ug/L	ND	50	55.3	111	63-138	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	53.2	106	58-146	
1,1,2-Trichloroethane	ug/L	ND	50	55.0	110	63-142	
1,1-Dichloroethane	ug/L	ND	50	51.1	102	64-138	
1,1-Dichloroethene	ug/L	ND	50	57.1	114	65-139	
1,1-Dichloropropene	ug/L	ND	50	56.9	114	68-155	
1,2,3-Trichlorobenzene	ug/L	ND	50	50.3	101	32-141	
1,2,3-Trichloropropane	ug/L	ND	50	56.7	113	54-144	
1,2,4-Trichlorobenzene	ug/L	ND	50	47.0	94	31-140	
1,2,4-Trimethylbenzene	ug/L	ND	50	50.1	100	34-144	
1,2-Dibromoethane (EDB)	ug/L	ND	50	53.1	106	64-139	
1,2-Dichlorobenzene	ug/L	ND	50	51.4	103	50-136	
1,2-Dichloroethane	ug/L	ND	50	54.7	109	55-146	
1,2-Dichloropropane	ug/L	ND	50	52.5	105	66-134	
1,3,5-Trimethylbenzene	ug/L	ND	50	50.2	100	29-151	
1,3-Dichlorobenzene	ug/L	ND	50	49.8	100	47-133	
1,3-Dichloropropane	ug/L	ND	50	52.4	105	61-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50361374

MATRIX SPIKE SAMPLE:		3519477		50361457010		Spike	MS	MS	% Rec	Qualifiers
Parameter	Units	Result	Conc.	Result	% Rec	Result	% Rec	Limits		
1,4-Dichlorobenzene	ug/L	ND	50	50.1	100	50.1	100	50-131		
1-Methylnaphthalene	ug/L	ND	50	54.7	109	54.7	109	20-176		
2,2-Dichloropropane	ug/L	ND	50	35.9	72	35.9	72	33-146		
2-Butanone (MEK)	ug/L	ND	250	271	108	271	108	45-155		
2-Chlorotoluene	ug/L	ND	50	50.8	102	50.8	102	43-142		
2-Hexanone	ug/L	ND	250	289	116	289	116	48-157		
2-Methylnaphthalene	ug/L	ND	50	57.9	116	57.9	116	21-175		
4-Chlorotoluene	ug/L	ND	50	51.3	103	51.3	103	47-137		
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	284	114	284	114	53-156		
Acetone	ug/L	ND	250	301	120	301	120	16-162		
Acrolein	ug/L	ND	1000	1130	113	1130	113	39-184		
Acrylonitrile	ug/L	ND	250	273	109	273	109	58-140		
Benzene	ug/L	ND	50	51.8	104	51.8	104	65-137		
Bromobenzene	ug/L	ND	50	50.3	101	50.3	101	56-137		
Bromochloromethane	ug/L	ND	50	48.8	98	48.8	98	56-139		
Bromodichloromethane	ug/L	ND	50	55.5	111	55.5	111	61-149		
Bromoform	ug/L	ND	50	53.4	107	53.4	107	51-138		
Bromomethane	ug/L	ND	50	18.0	36	18.0	36	10-169		
Carbon disulfide	ug/L	ND	50	50.2	100	50.2	100	55-126		
Carbon tetrachloride	ug/L	ND	50	55.6	111	55.6	111	65-156		
Chlorobenzene	ug/L	ND	50	52.0	104	52.0	104	54-135		
Chloroethane	ug/L	ND	50	63.1	126	63.1	126	46-142		
Chloroform	ug/L	ND	50	55.2	110	55.2	110	64-133		
Chloromethane	ug/L	ND	50	53.2	106	53.2	106	30-139		
cis-1,2-Dichloroethene	ug/L	11.0	50	62.7	104	62.7	104	59-141		
cis-1,3-Dichloropropene	ug/L	ND	50	49.3	99	49.3	99	57-141		
Dibromochloromethane	ug/L	ND	50	54.0	108	54.0	108	59-147		
Dibromomethane	ug/L	ND	50	54.2	108	54.2	108	64-142		
Dichlorodifluoromethane	ug/L	ND	50	43.2	86	43.2	86	10-144		
Ethyl methacrylate	ug/L	ND	50	56.4J	113	56.4J	113	58-147		
Ethylbenzene	ug/L	ND	50	52.7	105	52.7	105	50-143		
Hexachloro-1,3-butadiene	ug/L	ND	50	40.9	82	40.9	82	16-155		
Iodomethane	ug/L	ND	50	15.9	32	15.9	32	10-154		
Isopropylbenzene (Cumene)	ug/L	ND	50	52.8	106	52.8	106	36-151		
Methyl-tert-butyl ether	ug/L	ND	50	50.9	102	50.9	102	66-138		
Methylene Chloride	ug/L	ND	50	52.0	104	52.0	104	53-126		
n-Butylbenzene	ug/L	ND	50	49.0	98	49.0	98	31-142		
n-Hexane	ug/L	ND	50	41.7	83	41.7	83	53-129		
n-Propylbenzene	ug/L	ND	50	49.3	99	49.3	99	39-145		
Naphthalene	ug/L	ND	50	54.8	110	54.8	110	51-135		
p-Isopropyltoluene	ug/L	ND	50	50.5	101	50.5	101	38-145		
sec-Butylbenzene	ug/L	ND	50	50.8	102	50.8	102	33-153		
Styrene	ug/L	ND	50	52.2	104	52.2	104	57-141		
tert-Butylbenzene	ug/L	ND	50	51.4	103	51.4	103	45-145		
Tetrachloroethene	ug/L	ND	50	50.4	101	50.4	101	43-149		
Toluene	ug/L	ND	50	52.0	104	52.0	104	57-137		
trans-1,2-Dichloroethene	ug/L	ND	50	51.7	102	51.7	102	63-133		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
Pace Project No.: 50361374

MATRIX SPIKE SAMPLE: 3519477		50361457010	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	ND	50	50.1	100	56-140	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	42.9J	86	36-169	
Trichloroethene	ug/L	ND	50	52.7	105	52-145	
Trichlorofluoromethane	ug/L	ND	50	58.5	117	52-144	
Vinyl acetate	ug/L	ND	200	183	91	27-179	
Vinyl chloride	ug/L	ND	50	60.0	120	43-139	
Xylene (Total)	ug/L	ND	150	150	100	52-137	
4-Bromofluorobenzene (S)	%				101	79-124	
Dibromofluoromethane (S)	%				100	82-128	
Toluene-d8 (S)	%				103	73-122	

SAMPLE DUPLICATE: 3519476

Parameter	Units	50361457009	Dup	RPD	Max	Qualifiers
		Result	Result		RPD	
1,1,1,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,1-Trichloroethane	ug/L	ND	ND		20	
1,1,2,2-Tetrachloroethane	ug/L	ND	ND		20	
1,1,2-Trichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethane	ug/L	ND	ND		20	
1,1-Dichloroethene	ug/L	ND	ND		20	
1,1-Dichloropropene	ug/L	ND	ND		20	
1,2,3-Trichlorobenzene	ug/L	ND	ND		20	
1,2,3-Trichloropropane	ug/L	ND	ND		20	
1,2,4-Trichlorobenzene	ug/L	ND	ND		20	
1,2,4-Trimethylbenzene	ug/L	ND	ND		20	
1,2-Dibromoethane (EDB)	ug/L	ND	ND		20	
1,2-Dichlorobenzene	ug/L	ND	ND		20	
1,2-Dichloroethane	ug/L	ND	ND		20	
1,2-Dichloropropane	ug/L	ND	ND		20	
1,3,5-Trimethylbenzene	ug/L	ND	ND		20	
1,3-Dichlorobenzene	ug/L	ND	ND		20	
1,3-Dichloropropane	ug/L	ND	ND		20	
1,4-Dichlorobenzene	ug/L	ND	ND		20	
1-Methylnaphthalene	ug/L	ND	ND		20	
2,2-Dichloropropane	ug/L	ND	ND		20	
2-Butanone (MEK)	ug/L	ND	ND		20	
2-Chlorotoluene	ug/L	ND	ND		20	
2-Hexanone	ug/L	ND	ND		20	
2-Methylnaphthalene	ug/L	ND	ND		20	
4-Chlorotoluene	ug/L	ND	ND		20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	ND		20	
Acetone	ug/L	ND	ND		20	
Acrolein	ug/L	ND	ND		20	
Acrylonitrile	ug/L	ND	ND		20	
Benzene	ug/L	ND	ND		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: GE Indy
 Pace Project No.: 50361374

SAMPLE DUPLICATE: 3519476

Parameter	Units	50361457009 Result	Dup Result	RPD	Max RPD	Qualifiers
Bromobenzene	ug/L	ND	ND		20	
Bromochloromethane	ug/L	ND	ND		20	
Bromodichloromethane	ug/L	ND	ND		20	
Bromoform	ug/L	ND	ND		20	
Bromomethane	ug/L	ND	ND		20	
Carbon disulfide	ug/L	ND	ND		20	
Carbon tetrachloride	ug/L	ND	ND		20	
Chlorobenzene	ug/L	ND	ND		20	
Chloroethane	ug/L	ND	ND		20	
Chloroform	ug/L	ND	ND		20	
Chloromethane	ug/L	ND	ND		20	
cis-1,2-Dichloroethene	ug/L	6.8	6.9	2	20	
cis-1,3-Dichloropropene	ug/L	ND	ND		20	
Dibromochloromethane	ug/L	ND	ND		20	
Dibromomethane	ug/L	ND	ND		20	
Dichlorodifluoromethane	ug/L	ND	ND		20	
Ethyl methacrylate	ug/L	ND	ND		20	
Ethylbenzene	ug/L	ND	ND		20	
Hexachloro-1,3-butadiene	ug/L	ND	ND		20	
Iodomethane	ug/L	ND	ND		20	
Isopropylbenzene (Cumene)	ug/L	ND	ND		20	
Methyl-tert-butyl ether	ug/L	ND	ND		20	
Methylene Chloride	ug/L	ND	ND		20	
n-Butylbenzene	ug/L	ND	ND		20	
n-Hexane	ug/L	ND	ND		20	
n-Propylbenzene	ug/L	ND	ND		20	
Naphthalene	ug/L	ND	ND		20	
p-Isopropyltoluene	ug/L	ND	ND		20	
sec-Butylbenzene	ug/L	ND	ND		20	
Styrene	ug/L	ND	ND		20	
tert-Butylbenzene	ug/L	ND	ND		20	
Tetrachloroethene	ug/L	ND	ND		20	
Toluene	ug/L	ND	ND		20	
trans-1,2-Dichloroethene	ug/L	ND	ND		20	
trans-1,3-Dichloropropene	ug/L	ND	ND		20	
trans-1,4-Dichloro-2-butene	ug/L	ND	ND		20	
Trichloroethene	ug/L	ND	ND		20	
Trichlorofluoromethane	ug/L	ND	ND		20	
Vinyl acetate	ug/L	ND	ND		20	
Vinyl chloride	ug/L	ND	1.1J		20	
Xylene (Total)	ug/L	ND	ND		20	
4-Bromofluorobenzene (S)	%	96	94			
Dibromofluoromethane (S)	%	98	100			
Toluene-d8 (S)	%	101	100			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: GE Indy
Pace Project No.: 50361374

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy
Pace Project No.: 50361374

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50361374001	W-8-121123	RSK 175 Modified	767830		
50361374001	W-8-121123	EPA 5030/8260	768060		
50361374002	W-10-121123	EPA 5030/8260	768060		
50361374003	MW-241-121123	EPA 5030/8260	768062		
50361374004	Trip Blank-121123	EPA 5030/8260	768062		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: BC 12-1-23 14:16

1. Courier: FED EX UPS CLIENT PACE NOW/JETT OTHER _____

2. Custody Seal on Cooler/Box Present: Yes No
 (If yes)Seals Intact: Yes No (leave blank if no seals were present)

3. Thermometer: 1 2 3 4 5 6 7 8 A B C D E F G H

4. Cooler Temperature(s): 8.9/8.9
 (Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

5. Packing Material: Bubble Wrap Bubble Bags
 None Other _____

6. Ice Type: Wet Blue None

7. If temp. is over 6°C or under 0°C, was the PM notified?: Yes No
 Cooler temp should be above freezing to 6°C

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR, CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		<input checked="" type="checkbox"/>	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.			
Short Hold Time Analysis (48 hours or less)? Analysis:		<input checked="" type="checkbox"/>	Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form			<input checked="" type="checkbox"/>
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:			<u>Present</u>	<u>Absent</u>	<u>N/A</u>
Rush TAT Requested (4 days or less):		<input checked="" type="checkbox"/>	Residual Chlorine Check (SVOC 625 Pest/PCB 608)			<input checked="" type="checkbox"/>
Custody Signatures Present?	<input checked="" type="checkbox"/>		Residual Chlorine Check (Total/Amenable/Free Cyanide)			<input checked="" type="checkbox"/>
Containers Intact?:	<input checked="" type="checkbox"/>		Headspace Wisconsin Sulfide?	<u>Present</u>	<u>Absent</u>	<u>No VOA Vials Sent</u>
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	<input checked="" type="checkbox"/>		Headspace in VOA Vials (>6mm): See Containter Count form for details		<input checked="" type="checkbox"/>	
Extra labels on Terracore Vials? (soils only)			Trip Blank Present?	<input checked="" type="checkbox"/>		
			Trip Blank Custody Seals?:	<input checked="" type="checkbox"/>		


COMMENTS:

APPENDIX D
VOC CONCENTRATION TREND CHARTS

APPENDIX D-1
TCE AND BREAKDOWN PRODUCTS


60' Upgradient of Injection Line

W-2




40' Outside Injection Area

W-4R




Across Tracks to West

W-8




Outside Injection Area to South

W-9




Across Tracks to West

W-10




Across Tracks to West

MW-41




Across Tracks to West

MW-251




80' Downgradient of Injection Line

MW-311




10' Upgradient of Injection Line

MW-321




10' Upgradient of Injection Line

MW-331




60' Upgradient of Injection Line

MW-401




10' Upgradient of Injection Line

MW-402




10' Upgradient of Injection Line

MW-402D




60' Downgradient of Injection Line

MW-403




10' Downgradient of Injection Line

MW-404




Injection Well (IW-542)

MW-405S




Injection Well (IW-542)

MW-405D




15' Downgradient of Injection Line

MW-406S




15' Downgradient of Injection Line

MW-406D




Adjacent to Injection Well IW-573

MW-407D




50' Outside Injection Area

MW-408S




50' Outside Injection Area

MW-408D




Adjacent to Injection Well IW-548

MW-410D




Adjacent to Injection Well IW-535

MW-411S




Adjacent to Injection Well IW-535

MW-411D




Adjacent to Injection Well IW-555

MW-413S




Adjacent to Injection Well IW-555

MW-413D




Injection Well (IW-545)

MW-414S




Injection Well (IW-545)

MW-414D




Injection Well (IW-533)

MW-415S




Injection Well (IW-533)

MW-415D




40' Outside Injection Area

MW-416S




40' Outside Injection Area

MW-416D




Injection Well IW-516

MW-417S




Injection Well IW-516

MW-417D




5' Upgradient of Injection Line

MW-418S




5' Upgradient of Injection Line

MW-418D




40' Outside Injection Area

MW-419S




40' Outside Injection Area

MW-419D




80' Upgradient of Injection Area

MW-422S




20' Upgradient of Injection Area

MW-423S




20' Upgradient of Injection Area

MW-423D




Injection Well IW-538

MW-424S




Injection Well IW-538

MW-424D




15' Upgradient of Injection Line

MW-425




150' Downgradient of Injection Line

MW-426



20' Downgradient of Injection Line


MW-427



APPENDIX D-2
TCA AND BREAKDOWN PRODUCTS


60' Upgradient of Injection Line

W-2




40' Outside Injection Area

W-4R




Across Tracks to West

W-8




Outside Injection Area to South

W-9




Across Tracks to West

W-10




Across Tracks to West

MW-41




Across Tracks to West

MW-251




80' Downgradient of Injection Line

MW-311




10' Upgradient of Injection Line

MW-321




50' Downgradient of Injection Line

MW-331




60' Downgradient of Injection Line

MW-401




10' Downgradient of Injection Line

MW-402




10' Downgradient of Injection Line

MW-402D




60' Downgradient of Injection Line

MW-403




10' Upgradient of Injection Line

MW-404




Injection Well (IW-542)

MW-405S




Injection Well (IW-542)

MW-405D




15' Downgradient of Injection Line

MW-406S




15' Downgradient of Injection Line

MW-406D




Adjacent to Injection Well

MW-407S




Adjacent to Injection Well

MW-407D




50' Outside Injection Area

MW-408S




50' Outside Injection Area

MW-408D




Adjacent to Injection Well

MW-410S




Adjacent to Injection Well

MW-410D




Adjacent to Injection Well

MW-411S




Adjacent to Injection Well

MW-411D




Adjacent to Injection Well

MW-413S




Adjacent to Injection Well

MW-413D




Injection Well

MW-414S




Injection Well

MW-414D




Injection Well

MW-415S




Injection Well

MW-415D




40' Outside Injection Area

MW-416S




40' Outside Injection Area

MW-416D




Injection Well (IW-516)

MW-417S




Injection Well (IW-516)

MW-417D




5' Upgradient of Injection Line

MW-418S




5' Upgradient of Injection Line

MW-418D




40' Outside Injection Area

MW-419S




40' Outside Injection Area

MW-419D




80' Upgradient of Injection Area

MW-422S




80' Upgradient of Injection Area

MW-422D




20' Upgradient of Injection Area

MW-423S




20' Upgradient of Injection Area

MW-423D




Injection Well (IW-538)

MW-424S




Injection Well (IW-538)

MW-424D




15' Upgradient of Injection Line

MW-425




150' Downgradient of Injection Line

MW-426



20' Downgradient of Injection Line

MW-427



In Between Injection Wells IW-503 and IW-504

MW-428

