General Electric Company

February 5, 2025

2025 ANNUAL PROGRESS REPORT

Former Indianapolis Consumer Electronics Plant (Sherman Park Facility) Indianapolis, Indiana (VRP #6020801)

Ramboll
One Indiana Square
Suite 2335
Indianapolis, IN 46204
USA
T + 317 423 8710
https://ramboll.com

RAMBOLL Bright ideas. Sustainable change.

2025 ANNUAL PROGRESS REPORT
FORMER INDIANAPOLIS CONSUMER ELECTROINCS PLANT (SHERMAN PARK FACILITY)
INDIANAPOLLIS, INDIANA (VRP #6020801)

Project name	**Former Indianapolis Consumer Electronics Plant (Sherman Park, Indianapolis, IN**
Project no.	**1940103494**
Document type	**Draft Report**
Date	**February 5, 2026**
Prepared by	**Amanda Dragos and Matt Starrett – Ramboll**
Checked by	**Patrick Rohan – Ramboll**

2025 ANNUAL PROGRESS REPORT
FORMER INDIANAPOLIS CONSUMER ELECTROINCS PLANT
(SHERMAN PARK FACILITY)
INDIANAPOLLIS, INDIANA (VRP #6020801)

CONTENTS

1.	**Introduction**	**1**
2.	**2025 Groundwater Monitoring Activities**	**5**
2.1	Monitoring Well Network and Sampling Schedule	5
2.2	Field Procedures	6
2.3	Laboratory Analyses	7
3.	**2025 Soil Gas Monitoring Activities**	**8**
3.1	Soil-Gas Monitoring	8
3.2	Field Procedures	8
4.	**Groundwater Monitoring Results**	**10**
4.1	Well Conditions	10
4.2	Groundwater Elevation and Flow Direction	10
4.3	Field Parameters	11
4.2	Laboratory Analytical Results	12
4.2.1	General Summary	12
4.2.2	CVOCs and Trend Analyses	13
4.2.3	Dissolved Hydrocarbon Gases	16
5.	**Summary, Recommendations and 2025 Activities**	**18**
5.1	Reductive Dechlorination	18
5.2	Recommendations	18
5.3	Well Decommissioning	18
5.4	2026 Activities	19
6.	**References**	**20**

2025 ANNUAL PROGRESS REPORT
FORMER INDIANAPOLIS CONSUMER ELECTROINCS PLANT
(SHERMAN PARK FACILITY)
INDIANAPOLLIS, INDIANA (VRP #6020801)

LIST OF TABLES

Table 1 – Summary of Monitoring Well Construction Details
Table 2 – Monitoring Well Sampling Program Summary
Table 3 – Groundwater Monitoring Well Elevations –2025
Table 4a – Stabilized pH Measurements in Remedial Monitoring Wells
Table 4b – Stabilized Temperature Measurements in Remedial Monitoring Wells
Table 4c – Stabilized Specific Conductivity Measurements in Remedial Monitoring Wells
Table 4d – Stabilized Dissolved Oxygen Measurements in Remedial Monitoring Wells
Table 4e – Stabilized ORP Measurements in Remedial Monitoring Wells
Table 5 – Groundwater VOC Analytical Results – 2025
Table 6a – Concentrations of Methane in Selected Monitoring Wells
Table 6b – Concentrations of Ethane in Selected Monitoring Wells
Table 6c – Concentrations of Ethene in Selected Monitoring Wells

LIST OF FIGURES

Figure 1 – Site Location Map
Figure 2 – Site Layout
Figure 3 – Injection Well Locations
Figure 4 – Monitoring Well Sampling Location Map
Figure 5a – Potentiometric Surface Map (Upper Water-Bearing Unit) – July 2025
Figure 5b – Potentiometric Surface Map (Middle Water-Bearing Unit) – July 2025
Figure 5c – Potentiometric Surface Map (Lower Water-Bearing Unit) – July 2025
Figure 6a – TCE Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2025
Figure 6b – cDCE Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2025
Figure 6c – VC Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2025
Figure 6d – TCA Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2025
Figure 6e – 1,1-DCE Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2025
Figure 6f – 1,1-DCA Concentrations in Groundwater (Upper Water-Bearing Unit) – July 2025
Figure 7a – TCE Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2025
Figure 7b – cDCE Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2025
Figure 7c – VC Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2025
Figure 7d – TCA Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2025
Figure 7e – 1,1-DCE Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2025
Figure 7f – 1,1-DCA Concentrations in Groundwater (Middle Water-Bearing Unit) – July 2025
Figure 8a – TCE Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2025
Figure 8b – cDCE Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2025
Figure 8c – VC Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2025
Figure 8d – TCA Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2025
Figure 8e – 1,1-DCE Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2025
Figure 8f – 1,1-DCA Concentrations in Groundwater (Lower Water-Bearing Unit) – July 2025

2025 ANNUAL PROGRESS REPORT
FORMER INDIANAPOLIS CONSUMER ELECTROINCS PLANT
(SHERMAN PARK FACILITY)
INDIANAPOLLIS, INDIANA (VRP #6020801)

LIST OF APPENDICES

Appendix A – Field Forms and Notes
- Appendix A-1 –March 2025 Groundwater Sampling Field Notes
- Appendix A-2 – May 2025 Groundwater Sampling Field Notes
- Appendix A-3 – July 2025 Groundwater Sampling Field Notes
- Appendix A-4 – October 2025 Groundwater Sampling Field Notes

Appendix B – Laboratory Analytical Reports
- Appendix B-1 – March 2025 Groundwater Sampling Event
- Appendix B-2 – May 2025 Groundwater Sampling Event
- Appendix B-3 – July 2025 Groundwater Sampling Event
- Appendix B-4 – October 2025 Groundwater Sampling Event

Appendix C – VOC Concentration Trend Charts
- Appendix C-1 – Upper Unit TCE and 1,1,1-TCA Breakdown Products Trend Charts
- Appendix C-2 – Middle Unit TCE and 1,1,1-TCA Breakdown Products Trend Charts
- Appendix C-2 – Lower Unit TCE and 1,1,1-TCA Breakdown Products Trend Charts

2025 ANNUAL PROGRESS REPORT
FORMER INDIANAPOLIS CONSUMER ELECTROINCS PLANT
(SHERMAN PARK FACILITY)
INDIANAPOLLIS, INDIANA (VRP #6020801)

1. INTRODUCTION

The General Electric Company (GE) is submitting this Annual Progress Report (APR) for the 2025 calendar year for the Sherman Park Facility [also known as the Former Indianapolis Consumer Electronics (CE) Plant; hereafter the "Site"] located at 600 North Sherman Drive in Indianapolis, Marion County, Indiana (**Figure 1**). The Site is approximately 50 acres and a majority of it is currently owned by the City of Indianapolis (the "City"). A small, 7.4-acre portion in the northeast corner of the Site is owned by the State of Indiana, which acquired it as part of a land swap effort with the City in December 2024. The entirety of the Site is zoned "C-S", which designates Customized Commercial Mixed-Use. The Site is in a mixed-use setting that includes areas of industrial, commercial, and residential land use, and is bounded by North Sherman Drive to the east, East Michigan Street to the south, LaSalle Street and Tuxedo Street to the west, and 9th Street, St. Clair Street, and North Street to the north.

The CSX railroad line that runs in a northeast-southwest orientation separates the Site into eastern and western sides. There were historically seven buildings on the Site: five on the east side of the CSX railroad tracks and two on the west side. The largest building was on the east side and was generally referred to as the main building. The powerhouse was located to the immediate west of the main building (but still on the east side of the CSX railroad tracks). The east and west sides of the Site are still connected by an underpass that is located just to the north of the former powerhouse and west of the former main building.

As of the issuance of this APR, impervious surfaces (asphalt pavement and concrete building foundations) cover over 90 percent of the Site. The far western area of the Site (west of the existing CSX railroad tracks) consists generally of gravel covered lands. The western portion of the Site to the east of the railroad tracks is generally paved or has remaining foundations from previously demolished buildings. The far eastern portion of the Site consists of a large former building foundation.

The City had been using the eastern portion of the Site for large soil stockpiles since they acquired the Site in 2017, but, as of the end of 2022, the stockpiled soils had been removed as part of the first phase of the planned re-development.[1] A recent building was constructed on the parcel of land located adjacent to the northeast of the Site that was formerly part of the larger former Sherman Park complex. The land was acquired from the City by Recycleforce in November 2021 and is operated by the same entity. The facility is a metals recycling facility.

Chlorinated volatile organic compounds (CVOCs) are present in groundwater in the upper water-bearing unit (UWBU) near the west side of the former main building as a result of the former use of chemicals near the former Chemical Storage Building (CSB), the former Solvent Tank Area (STA), the former Metal Plating Area (MPA) and the former 1,1,1-Trichloroethane Still Area

1 Based on information provided to GE by the City of Indianapolis, a large portion of the property (generally the southwest corner of the area east of the railroad tracks) had been slated to be redeveloped as the City's Animal Care Services (ACS) facility. In late 2023, the City informed GE that they would not be moving forward with the ACS at this location and would be evaluating alternative redevelopment options. Other potential re-development alternatives have also been brought to GE's attention, though nothing has yet come to fruition.

(TSA). The CSB, STA, MPA and TSA are each collectively referred to as the "on-site source areas" and are shown on **Figure 2**.

On November 12, 2003, GE entered into a Voluntary Remediation Agreement (VRA) with the Indiana Department of Environmental Management (IDEM) under IDEM's Voluntary Remediation Program (VRP) and was assigned Site #6020801. Since 2003, there have been a significant number of environmental investigations performed to characterize the geologic/hydrogeologic conditions at the Site, define the nature and extent of various contaminants of concern (COCs) and evaluate potential remedial options. The investigations identified several CVOCs as the COCs, primarily trichloroethene (TCE) and 1,1,1-trichloroethane (1,1,1-TCA) and their degradation products (i.e., cis-1,2-dichloroethene [cDCE], 1,1-dichloroethene [1,1-DCE], 1,1-dichloroethane [1,1-DCA], vinyl chloride [VC] and chloroethane [CA]).

GE submitted a Remediation Work Plan (RWP) to IDEM on May 17, 2010 in accordance with the requirements specified in Section VII of the VRA. IDEM approved the RWP on August 12, 2010, after which GE began implementing the remedial activities and monitoring specified in the RWP.

A high-level summary of the investigation and remediation activities completed at the Site since approval of the RWP include:

- Baseline Groundwater Monitoring
    - Pre-injection (baseline) groundwater monitoring was completed between 2009 and 2010 (during preparation of the RWP).
- Cap Installation (November 13 to 22, 2010)
    - An asphalt cap was installed as an engineering control adjacent to the west side of the main building.
- Injection Well Installation (January 10 to February 20, 2011)
    - 58 dual-screened injection wells (total of 116 well screens) were installed in and around the on-site source areas.
- First Round of Bioenhancement Injections (May 19 to June 20, 2011)
    - A total of 601,675 gallons of dilute emulsified vegetable oil (EVO) solution containing 91,500 pounds (lbs.) of EVO was injected into 116 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and 1,1,1-TCA in groundwater.
- Bioaugmentation Injections (August 15-18, 2011)

  - 72.6 liters of a bacteria culture specially adapted to high 1,1,1-TCA concentrations was added to 22 injection locations in the area with the highest 1,1,1-TCA concentrations
  - 154.8 liters of KB-1® bacteria culture was added to 43 injection locations in the remaining areas.

- Performance Groundwater Monitoring

  - Post-injection (performance) groundwater monitoring was completed between 2011 and 2013.

- Supplemental Injection Well Installation (May 13 to 17, 2013)

  - Ten supplemental dual-screened injection wells (IW-566 to IW-575) were installed to allow carbon substrate injection at additional locations where persistent CVOCs remained in groundwater.
  - In addition, a groundwater extraction well was installed to provide makeup and chase water for the injections.

- Second Round of Bioenhancement Injections (July 17 to August 6, 2013)

  - A total of 706,715 gallons of dilute EVO solution containing 101,997 lbs of EVO was injected into 148 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and 1,1,1-TCA in groundwater.

- Performance Groundwater Monitoring

  - Additional post-injection (performance) groundwater monitoring was completed between 2013 and 2015.

- Supplemental Injection Well Installation (August 17 to 19, 2015)

  - Seven supplemental dual-screened injection wells (IW-576 to IW-582) were installed to allow carbon substrate injection at additional locations where persistent CVOCs remained in groundwater.

- Third Round of Bioenhancement Injections (September 17 to October 6, 2015)

  - A total of 624,100 gallons of dilute EVO solution containing 88,213 lbs of EVO was injected into 128 injection well screens as a carbon substrate to support biological growth and the reductive dechlorination of TCE and 1,1,1-TCA in groundwater.

- Performance Groundwater Monitoring

  - Additional post-injection (performance) groundwater monitoring was completed between 2015 and 2017.

- Limited Bioenhancement Injections (September 20 and 21, 2017)
  - Supplemental bioremediation injections proximal to monitoring wells MW-401, MW-402 and MW-404 were completed in accordance with a work plan dated July 26, 2017 (which was approved by IDEM in an email dated August 1, 2017).

- Methane Assessment (November 7 to 9, 2017)
  - A methane assessment was performed along the Michigan Street property line in accordance with a work plan dated August 2, 2017 (approved by IDEM in an email dated October 27, 2017).

- Performance Groundwater Monitoring
  - Additional post-injection (performance) groundwater monitoring was completed between 2018 and 2022.

- Supplemental amendment injection activities (October 2022 and April 2023)
  - The supplemental Injection activity was approved by IDEM on August 30, 2022. The injections utilized portions of the existing injection well infrastructure as well as installation of 30 new injection wells (some of which had double screens) to target the UWBU on the property. Approximately 60 percent of the injection efforts were completed before the cold weather forced a temporary shutdown of the project in late 2022. In April 2023, the remaining 40 percent of the injection volume was completed.

- Monitoring Well Maintenance
  - Numerous wells were repaired between October 30-31, 2024 and consisted of tapping and installing new security bolts, replacing damaged well vaults with new ones and new concrete pads, and replacing damaged lids with new ones (where applicable). In one instance, a stick-up well was converted to a flushmount well.

- Performance Groundwater Monitoring
  - Additional post-injection (performance) groundwater monitoring was completed between April 2023 through October 2025 accumulating ten events of sampling data from locations identified as remedial monitoring wells in the approved RWP.

Groundwater monitoring is currently being performed quarterly, semi-annually, and annually (depending on the monitoring well) while methane monitoring via soil gas vapor probes is being performed quarterly. This APR documents the monitoring activities that occurred in 2025 and the associated results.

2. 2025 GROUNDWATER MONITORING ACTIVITIES

2.1 Monitoring Well Network and Sampling Schedule

Table 1 includes a full listing of the over 200 wells installed on and adjacent to the Site since 1987. Since that time, many of the wells have been decommissioned or destroyed; in accordance with the approved RWP, many others are no longer being monitored.

Table 2 details the 82 wells that were included as part of the 2025 scope of work in accordance with the IDEM-approved RWP. During 2025, 17 wells (identified in the RWP as "Remedial Monitoring Wells") were sampled on a quarterly basis using low-flow sampling methodology for laboratory analysis of VOCs and total organic carbon (TOC), iron, sulfate, and chloride and field measurement of temperature, pH, specific conductivity, dissolved oxygen (DO), oxidation-reduction potential (ORP), and turbidity. These same wells were also analyzed for dissolved hydrocarbon gasses (DHGs); specifically, methane, ethane and ethene on a semi-annual basis.

Initially, Ramboll initiated low-flow sampling methodology for W-8, W-9 and MW-426 in 2025, as proposed in the 2024 APR, to provide additional water quality data as well as gather the DHG analytical data in a more traditional manner as opposed to limitations using passive diffusion bags (PDBs), which are normally reserved for VOC analyses only. This coincides with the original sampling scope identified in **Table 2** of this report and as provided in the 2010 RWP.

The remaining wells included within the monitoring plan were sampled for VOCs using PDBs. Twenty-nine wells were sampled on a quarterly bases, 26 wells were sampled on a semi-annual basis and an additional 13 wells were sampled on an annual basis. It should be noted that monitoring well MW-427 was unable to be sampled during the 2025 sampling events. MW-427 has not been able to be located since 2021 despite the use of a metal detector on multiple occasions. A breakdown of the number of wells sampled and when the sampling events occurred is provided below:

- March 2025
  - Quarterly and semi-annual event.
  - Low-flow groundwater sampling at seventeen monitoring wells.
    - The sample from this well was collected for analysis of VOCs, DHGs, TOC, dissolved iron, nitrate, and sulfate.
    - Field measurements during purging were collected for temperature, pH, specific conductivity, DO, ORP, and turbidity.
  - Groundwater sampling via the use of PDBs at 52 monitoring wells; samples were collected from 49 locations.
    - Samples collected for analysis of VOCs.
    - MW-241 was inaccessible at the time of the sampling event due to a car parked on top of the well.
    - The PDB was stolen from MW-311 and could not be sampled.
  - Field staff were redeployed in late March to deploy PDBs at the MW-412 and MW-414 clusters.

- May 2025
  - Quarterly sampling event.
  - Low-flow groundwater sampling at seventeen monitoring wells.
    - The samples from this well were collected for analysis of VOCs, TOC, dissolved iron, nitrate, and sulfate.
    - Field measurements during purging were collected for temperature, pH, specific conductivity, DO, ORP, and turbidity.
  - Groundwater sampling via the use of PDBs at 27 monitoring wells; samples were collected from 26 locations.[2]
    - Samples were collected for analysis of VOCs

- July 2025
  - Quarterly, semi-annual, and annual event.
  - Low-flow groundwater sampling at seventeen monitoring wells.
    - Samples collected for analysis of VOCs, DHGs, TOC, dissolved iron, nitrate, and sulfate.
    - Field measurements during purging for temperature, pH, specific conductivity, DO, ORP, and turbidity.
  - Groundwater sampling via the use of PDBs at 61 monitoring wells; samples were collected from 52 of the locations.[3]
    - Samples collected for analysis of VOCs.

- October 2025
  - Quarterly sampling event
  - Low-flow groundwater sampling at seventeen monitoring wells.
    - Samples collected for analysis of VOCs, TOC, dissolved iron, nitrate, and sulfate.
    - Field measurements during purging for temperature, pH, specific conductivity, DO, ORP, and turbidity.
  - Groundwater sampling via the use of PDBs at 27 monitoring wells; samples were collected from 24 of the locations.[4]
    - Samples collected for analysis of VOCs.

A summary of the well construction details of the monitoring well network is provided in **Table 1**. The scope of the 2025 monitoring is summarized in **Table 2**.

2.2 Field Procedures

The sampling events for 2025 occurred in March, May, July, and October. Typically, groundwater sampling events are conducted in January and April each year. However, due to inclement weather, the groundwater sampling event initially scheduled for January was conducted in March and subsequent sampling event in May. During each event, Ramboll has continued to deploy security bolts within the wells that are part of the monitoring program. This has improved the security of the wells and increased the likelihood of collecting samples but has not entirely eliminated unauthorized persons from accessing the wells without permission. The full scope of

[2] Certain wells could not be located or PDB lines were broken. MW-241 was inaccessible due to a vehicle parked above the well.

[3] MW-241 was inaccessible due to a parked car on top of the well. W-8D was not sampled due to a stripped bolt being unable to be removed. PDBs were missing from MW-123, MW-273, MW-416S, MW-416D, MW-322, MW-332, and MW-343; and no samples were obtained.

[4] PDBs were missing from MW-131, MW-416S, and MW-416D; therefore, samples were not taken from these monitoring wells

sampling was attempted during the quarterly, semiannual, and annual events in 2025 with deviations described in Section 2.1 above.

During each sampling event, the following procedure was used for each monitoring well sampled using low-flow methodologies:

- Well conditions were inspected and noted on a separate well condition table. (**Appendix A**).
- Depth to water was measured prior to and during purging.
- Low-flow (less than 500 milliliters per minute [mL/min]) sampling techniques were utilized, and groundwater quality parameters (temperature, pH, specific conductivity, DO, ORP, and turbidity) were measured until stabilization was achieved.
- Samples were then collected into the appropriate laboratory-supplied containers and placed in a cooler with ice.
- Non-dedicated sampling equipment was decontaminated before use and between each sampling location.
- Investigation-derived waste (IDW), including purge water and decontamination water, was containerized in a labelled 55-gallon drum pending off-site disposal. Solid IDW (e.g., personal protective equipment [PPE] and debris [plastic sheeting, paper towels, etc.]) was placed in garbage bags and disposed of off-site as municipal solid waste.
- Maintenance of wells (securing of bolts and lids, replacement of caps, etc.) was performed as necessary and to the extent practical given the well conditions and issues associated with vandals.

For the sampling locations where PDBs were used to collect samples, a water level meter was used to measure and document water levels within each of the sampled wells. The PDB and associated equipment were then removed from the well, the bag was cut open, and the water from the bag poured directly into the laboratory-supplied containers. Upon completion at each well, a new PDB was attached to the line and the bag was lowered back into position in preparation for the next event. The used PDBs were placed in garbage bags and disposed of off-site as municipal solid waste.

Table 3 includes collected water levels and calculated groundwater elevations for the 2025 monitoring events. This table also includes a vertical gradient calculation for monitoring wells that are clustered together to include more than one water-bearing unit (WBU). **Tables 4a through 4e** include stabilized field parameter measurements (pH, temperature, specific conductivity, DO, and ORP, respectively) for the low flow monitoring wells.

2.3 Laboratory Analyses

Consistent with the approved RWP, samples collected during each of the 2025 monitoring events were placed in laboratory-supplied coolers on ice and were either picked up at the Site by a laboratory courier who delivered the samples directly to the laboratory or were transported to the laboratory directly by Ramboll. In both cases, the coolers maintained proper chain-of-custody. The laboratory analyses were performed by Pace Analytical Services, LLC (Pace) in Indianapolis, Indiana.

3. 2025 SOIL GAS MONITORING ACTIVITIES

3.1 Soil-Gas Monitoring

The current soil gas point monitoring network consists of three shallow vapor probes located along the southern boundary of the Site along East Michigan Street and east of the CSX railroad tracks that bisect the site. The locations of the soil gas points (identified as SGP-1, SGP-2 and SGP-3) are provided on **Figure 2**. These soil gas monitoring points are monitored *in-situ* for methane concentrations on a quarterly basis based on feedback from IDEM as part of the 2018 annual report submitted by Tetra Tech. In accordance with IDEM comments, continued monitoring is required until methane concentrations are consistently below 10 mg/L.

3.2 Field Procedures

Quarterly monitoring events for the soil gas points occurred concurrent with groundwater sampling efforts in March, May, July, and October 2025. During each monitoring event, the soil gas points were monitored using the following procedures:

- The protective lid was removed from the vault and water (if present) was removed from the interior of the vault.
- When a soil gas probe had water within the tubing, a peristaltic pump was used to purge the water from the tubing such that an attempt could be made to monitor the vapor.
- The stopcock on the soil gas probe was opened, and the tubing was connected directly to a multi-gas meter with readings for VOCs, methane (CH_4), carbon dioxide (CO_2), and oxygen (O_2). Levels were recorded as the maximum response above ambient background.
- The highest reading for each parameter at each location was recorded in a field notebook.

A summary of the soil gas probe readings for the quarterly events is provided in the embedded table below. Overall, the monitoring results in 2025 from the soil gas points located along the southern boundary of the Site continued to suggest that off-site migration of methane is non-existent with no methane detections throughout 2025. Based on the soil gas findings, cessation of further soil gas sampling is recommended after the second quarterly sampling event in 2026. Detections of total VOCs were within historical, low-level/non-detect ranges.

Location ID	Sampling Date	PID (ppm[a])	CH4 (ppm)	CO2 (%)	O2 (%[b])
SGP-1	3-6-2025*	Water in SGP-1; point not sampled			
	5-12-2025*	Data Not Collected[5]			
	7-16-2025	0.0	0.0	0.0	20.9
	10-15-2025	0.0	0.0	2.62	16.6
SGP-2	3-6-2025*	Water in SGP-2; point not sampled			
	5-12-2025	Data Not Collected			
	7-16-2025	0.0	0.0	0.0	20.9
	10-15-2025	0.0	0.0	2.62	17.5
SGP-3	3-6-2025	0.0	0.0	0.2	20.9
	5-12-2025	Data Not Collected			
	7-16-2025	0.0	0.0	2.53	17.1
	10-15-2025	0.0	0.0	3.30	17.4

a. ppm = parts per million.
b. % = percent by volume.
*water noted in the line

[5] During the May 2025 soil gas monitoring event, field parameter data was inadvertently not collected. Field methodologies by field crew was addressed after this sampling event.

4. GROUNDWATER MONITORING RESULTS

4.1 Well Conditions

During each of the sampling events, the monitoring wells that were included as part of the work scope were inspected and conditions noted on a separate well condition table (**Appendix A).** There were several monitoring wells that either could not be safely accessed, had been destroyed, or could not be located during one or more of the 2025 events. The following is a summary of those monitoring locations:

- During the first quarterly and semi-annual sampling event conducted in March, MW-241 could not be sample due to a vehicle parked above it. MW-311 was vandalized and unable to be sampled.
- During the second quarterly sampling event conducted in May, one monitoring well (MW-241) was not sampled due to it being inaccessible.
- During the quarterly, semi-annual and annual sampling event in July, nine monitoring wells (MW-241, W-8D, MW-123, MW-273, MW-416S, MW-416D, MW-322, MW-332, MW-343) were not able to be sampled due to vandalism, being inaccessible, and/or missing PDB well sampling assemblies.
    - MW-241: Inaccessible due to car parked on top of well location in July; Sampled in October
    - W-8D: Unable to open well, due to compromised bolt in threads.
    - MW-123: PDB and well cap missing, no replacement supplies at time; unable to sample in July.
    - MW-273: PDB missing, no replacement supplies at time; unable to sample in July.
    - MW-416S and 416D: PDBs and well caps were missing, with no replacement supplies at time; replaced during October event.
    - MW-322: PDB and cap missing; unable to sample in July
    - MW-332: PDB and cap missing; unable to sample in July
    - MW-343: PDB, well cap, and well lid missing, well dry; no sample in July.

- During the fourth quarterly sampling event in October, three monitoring wells (MW-131, MW-416S, and MW-416D) were not sampled due to vandalism based on missing PDBs.

Ramboll attempted to repair the wells and install new secure bolts; however, attempts to keep the wells viable for sampling has proven challenging.

4.2 Groundwater Elevation and Flow Direction

The static (pre-purging) depth to water measurements collected during the sampling events are provided in **Table 3**. Throughout 2025, the depth to water ranged from 10.00 feet below ground surface (ft bgs) to 33.84 ft bgs. The depth to water measurements were converted to groundwater elevations using previously surveyed and documented measuring point elevations, which are also shown on **Table 3**. Potentiometric surface maps were prepared for the upper, middle and lower WBUs (referred to as the UWBU, MWBU and LWBU, respectively) using the data from the July 2025 monitoring event (which is the annual event and includes the majority of wells). These maps are presented as **Figures 5a, 5b and 5c**, respectively.

The groundwater flow directions shown on **Figure 5a** for the UWBU is generally to the north/northeast. As shown on **Figure 5b**, flow in the MWBU is to the northeast. Flow within the LWBU (**Figure 5c**) is generally toward the west/southwest; however, an inferred flow direction to the north was observed from the southern boundary wells of MW-313 and MW-173. While reviewing the data and generating updated potentiometric surface maps for 2025, a comparison was made to the 2024 maps to evaluate the groundwater flow patterns through time. As such, when reviewing the 2024 maps, it was determined some MWBU wells were utilized to generate the potentiometric contours for the LWBU, which is an error. The generated potentiometric surface map for the LWBU in 2025 shows consistency with maps generated from 2010 to present with groundwater flows generally to the north/northwest from the southern boundary of the Site with a southwest inferred flow direction from the northwest to central portions of the Site.

The groundwater flow directions in 2025 differ from 2024 directions but that is not anticipated to affect the conceptual site model (CSM); however, the change in flow direction may be explained by seasonal groundwater fluctuations or precipitation events (or lack thereof) prior to the water level collection activities.

Table 3 also includes columns for vertical gradient differences among clustered wells on the Site. Many of the wells were historically installed within close proximity to one another and screen either the UWBU, MWBU or LWBU. Additionally, many of the wells installed within the remedial injection area have 'S' and 'D' wells which are both screened within the UWBU, but at differing depths. Overall, there was a large vertical gradient difference noted between the UWBU and MWBU, ranging from 12 to 16 feet in most circumstances from upper to middle. The vertical gradient of the MWBU and LWBU were negligible. There was also a noted difference in vertical gradient between the shallow and deep portions of the UWBU, ranging in difference from one to seven feet from shallow to deep. Each of these vertical gradient differences (high from UWBU to MWBU, low from MWBU to LWBU and varied from the shallow to deep within the UWBU) are consistent from prior years with no apparent changes noted.

4.3 Field Parameters

During purging of the monitoring wells sampled using low-flow methods, field parameters were collected via the use of a multi-parameter water quality meter in a flow-through cell as well as a standalone turbidity meter; an AquaTroll 600 (a multi-parameter water quality meter that contains a turbidity meter) was utilized for some of the sampling in October. The parameters, as well as water level measurements, were obtained every five minutes and recorded on the respective groundwater sampling forms (see **Appendix A**). Each remedial monitoring well was sampled upon achieving the required stabilization criteria. The final, stabilized field parameter measurements are summarized in **Tables 4a through 4e** for pH, temperature, specific conductivity, DO and ORP, respectively.

The pH, DO and ORP measurements collected during each of the sampling events are used to assess the groundwater geochemical conditions, which are an important set of data used to evaluate reductive dechlorination of CVOCs. The pH measurements during 2025 were each within a relatively tight range, from 6.30 to 7.38 Standard Units (SU), with a mean of 6.92 SU. This mean (as well as each of the measured pH values) is within the 6.0 to 8.0 SU range deemed optimal for biodegradation. The DO measurements ranged from 0.01 to 7.59 milligrams per liter (mg/L), with a mean of 1.30 mg/L. This DO measurement mean value is considered generally

low, reflecting anaerobic conditions that are also suitable for reductive dechlorination. The ORP measurements during 2025 monitoring events ranged from -241.70 to -15.50 millivolts (mV), with a mean of -88.30. These data generally reflect iron-reducing conditions, with some measurements (at or below -200 mV) indicative of sulfate-reducing conditions. Additionally, these values also indicate iron and sulfate reducing conditions which are signs of ongoing reductive dechlorination.

4.2 Laboratory Analytical Results

4.2.1 General Summary

As documented by the field notes, chain-of-custody records, and the laboratory analytical results, the following samples were collected during the four monitoring events conducted in 2025 at the Site:

- March 2025
  - Quarterly and Semi-annual event
    - Samples were collected for the following:
      - 17 monitoring wells for VOCs, DHGs, TOC, dissolved iron, nitrate, and sulfate analysis
      - 52 monitoring wells for VOC analysis only.
    - Four duplicate samples – One duplicate for all analytes, three for VOC analysis only
    - Three trip blank samples for VOC analysis

- May 2025
  - Quarterly Event
    - Samples were collected for the following:
      - 17 monitoring wells for VOC, TOC, dissolved iron, nitrate, and sulfate analysis
      - 25 monitoring wells for VOC analysis only
    - Three duplicate samples for VOC analysis only
    - One trip blank sample for VOC analysis

- July 2025
  - Annual, Semi-Annual and Quarterly Event
    - Samples were collected for the following:
      - 17 monitoring wells for VOC, DHGs, TOC, dissolved iron, nitrate, and sulfate analysis.
      - 52 monitoring wells for VOC analysis only.
    - Five duplicate samples – One duplicate for all analytes, four for VOC analysis only
    - Four trip blank samples for VOC analysis

- October 2025
  - Quarterly Event
    - Samples were collected for the following:

        - 17 monitoring wells for VOC, DHG TOC, dissolved iron, nitrate, and sulfate analysis
        - 25 monitoring wells for VOC analysis only
    - One duplicate sample for VOC, DHG, TOC, dissolved iron, nitrate, and sulfate analysis
    - Four duplicate samples for VOC analysis only
    - Three laboratory trip blanks samples for VOC analysis

The varying number of quality control samples (duplicate samples, MS/MSDs and trip blanks) were a function of the scope of each sampling event (defined by the RWP), the number of days onsite (typically one per day), access to the monitoring wells, and condition of the wells. A summary of the laboratory analytical results for the four monitoring events is provided in **Table 5**. The laboratory analytical reports for the 2025 events are provided in **Appendix B**.

4.2.2 CVOCs and Trend Analyses

As stated previously, the primary CVOCs at the Site are TCE and 1,1,1-TCA and their associated degradation products (i.e., cDCE, 1,1-DCE, VC, 1,1-DCA, and CA). A summary of the results for each of these seven CVOCs follows below with comparison to IDEM's Risk-Based Closure Guide Screening Level (RCGSL) for groundwater.

- TCE was detected above its RCGSL of 5 micrograms per liter (µg/L) in 13 of the 76 monitoring wells sampled in 2025:
    - The highest detection of TCE was in MW-404 (1,070 µg/L during the May 2025 event); this well is located in the eastern portion of the Site nearest to the former TSA source area.
    - One other elevated TCE concentration (above 200 µg/L) included MW-132 within the MWBU (January and July 2025) located just west of the railroad tracks in the western portion of the site.

- cDCE (the preferred biotic degradation product from TCE) was detected above its RCGSL of 70 µg/L in 36 of the 76 monitoring wells sampled in 2025. The presence of cDCE in multiple wells is attributed to the ongoing reductive dechlorination occurring at the Site:
    - The highest detection of cDCE was also in MW-404 (33,900 µg/L during the March 2025 event) located in the TSA source area, which is located proximate to areas targeted as part of the recent supplemental injections that occurred in 2022 and 2023.
    - Other elevated cDCE concentrations (above 2,000 µg/L) included MW-163, MW-253, MW-333, MW-401, MW-402, MW-406S/D, MW-407D, MW-411D, MW-411S, MW-418S. The majority of these wells are located within or proximate to a known source area that was targeted as part of the supplemental injections. Wells MW-163, MW-253 and MW-333 are screened within the LWBU and have previously been attributed to the offsite Than-Harcros facility to the south.

- VC (a biotic degradation product from cDCE and 1,1-DCE) was detected above its RCGSL of 2 µg/L in 52 of the 76 monitoring wells sampled in 2025.

  - The highest VC detection was also in MW-404 (26,200 µg/L during the October 2025 event). The elevated detection in this area of the Site is consistent with historical groundwater impacts as MW-404 lies within the TSA source area.
  - Other elevated VC concentrations (above 1,000 µg/L) included MW-163, MW-253, MW-333, MW-402, MW-405D, MW-406S/D, MW-407D, MW-411S/D, MW-418S and MW-422S/D. The majority of these wells are located proximate to known source areas and were targeted as part of the recent supplemental injections. As detailed above, MW-163, MW-253 and MW-333 are screened within the LWBU and have previously been attributed to the offsite Than-Harcros facility to the south.

- 1,1,1-TCA was detected above its RCGSL of 200 µg/L in seven of the 76 monitoring wells sampled in 2025:
  - The highest 1,1,1-TCA detection was in MW-404 (21,500 µg/L during the May 2025 event). The elevated detection in this area of the Site is consistent with MW-404 being located near the TSA source area.
  - MW-411S is the only other well with elevated detections above 2,000 µg/L; this well is also located in close proximity to the TSA source area.

- 1,1-DCE was detected above its RCGSL of 7 µg/L in 14 of the 76 monitoring wells sampled in 2025.
  - The highest 1,1-DCE detection was in MW-411S (842 µg/L during the May 2025 event). This well is located within the TSA source area.
  - Other elevated 1,1-DCE concentrations (above 100 µg/L) included MW-404, MW-406D, and MW-423S.

- 1,1-DCA (generally present as a biotic degradation product from 1,1,1-TCA) was detected above its RCGSL of 28 µg/L in 25 of the 76 monitoring wells sampled in 2025.
  - The highest 1,1-DCA detection was noted in MW-404 (63,500 µg/L during the October 2025 event). The elevated detection in this area of the Site is consistent with those observed within the TSA source area.
  - Other elevated 1,1-DCA concentrations (above 1,000 µg/L) included MW-311, MW-402, MW-406S/D, and MW-411S/D. Each of these wells is located proximate to a known source area that was targeted as part of the most recent supplemental injections that occurred in 2022 and 2023.

- CA (a biotic degradation product from 1,1-DCA which is generally present as a biotic degradation product from 1,1,1-TCA) was detected above its RCGSL of 21,000 µg/L in two of the 76 monitoring wells sampled in 2025.
  - The highest CA detection was noted in MW-411S (23,300 µg/L during the May 2025 event). MW-411D also showed an elevated concentration at 22,400 µg/L during the October 2025 event. Both of these wells are located within the TSA source area.

Ramboll generated isoconcentration maps for the individual CVOCs discussed above (the exception being CA, which was detected above its RCGSL in only two of the sampled wells), for each of the water-bearing units. **Figures 6a through 6f** include the UWBU, **Figures 7a through 7f** include the MWBU and **Figures 8a through 8f** include the LWBU.

VOC concentration versus time charts were prepared for selected monitoring wells and are included in **Appendix C**. Two sets of trend charts were prepared; the first focusing on TCE and its breakdown products and the second focusing on 1,1,1-TCA and its breakdown products. The trend charts are broken up into the UWBU, MWBU and LWBU (**Appendix C-1 through C-3, respectively**). In general, the charts show a stable or decreasing trend for the primary CVOCs for a majority of wells, with some fluctuations and selected increases observed, which are likely related to both seasonal variations in groundwater elevation as well as to ongoing reductive dechlorination, especially within the UWBU. It should be noted that several analytes from sampling events with one or more detections will only show marks at the detected concentrations for each target compound. Only sampling events where all seven target compounds were not detected (ND) are marked with an "X" at the bottom of the applicable trend charts.

A summary of the onsite and offsite wells that are worth noting is provided below:

- The charts for W-4R have shown generally persistent to declining concentrations of TCE throughout the last several years; however, 2025 marks an increase in cDCE most likely in response to the dechlorination of TCE. Initial post-injection results from the July 2023 event show favorable results with daughter products generally on the decline and chloroethane increasing; however, a general increasing trend in cDCE, CA, and VC has continued into 2025.

- Prior to injection events in 2023, trend charts for MW-311 illustrated elevated levels of 1,1,1-TCA, 1,1-DCA and cDCE. It is also noted that persistent concentrations of VC have occurred at this location dating from approximately 2015. Several injection wells were installed around this monitoring well location prior to the injection events that occurred in 2022 and 2023. Initial post-injection results from 2023 to 2025 show a significant decrease in TCA and daughter products.

- The charts for MW-321 have shown generally persistent concentrations of TCE and cDCE throughout the last several years. Historically located on the outside edge of the areas of influence of the injection wells, a trio of injection wells were installed around this monitoring well location prior to the most recent 2022/2023 injection event. Initial post-injection results from July 2023 indicated a periodic decrease in daughter products and an increase in chloroethane; however, results in 2025 continued to indicate an increase in VC and cDCE to pre-injection levels in addition to the continued increase in chloroethane.

- The charts for MW-331 show a general decreasing trend of parent CVOCs (TCE and 1,1,1-TCA). Degradation products cDCE, VC and CA were all increasing prior to the 2023 injection events, though the concentrations were low. Results from 2025 show TCE trending toward non-detect, while other CVOCs were detected at consistent or lower levels, with the exception of 1,1-DCA and chloroethane which appear to be stable.

- The charts for MW-401 showed an overall stable and/or decreasing trend for most of the Site CVOCs except for TCE, which has been non-detect since 2016. The remaining concentrations of 1,1,1-TCA and cDCE have been persistent since groundwater

monitoring was initiated. It should be noted that PCE has been found in very limited concentrations slightly above laboratory reporting limits in MW-401 and MW-415D.

- The charts for MW-411S and, to a lesser degree, MW-411D have shown a general decreasing to stable trend of 1,1,1-TCA and TCE while cDCE and 1,1-DCA sharply increased. These monitoring wells are located within the TSA source area and are down-gradient of several injection wells that have historically been targeted for supplemental injections.

- The charts for MW-416S showed a general increasing trend for TCE daughter products cDCE and VC. Following the injections, CA, VC, and 1,1-DCA concentrations have increased.

- The charts for MW-423S have remained relatively stable for the parent and daughter products, however cDCE and VC have shown an upward trend post-injections.

- The charts for MW-425 had shown increasing levels of cDCE and VC prior to the initiation of the 2022/2023 injection event. MW-425 is located generally down-gradient of a line of existing injection wells targeted for the 2023 supplemental injections. Post-injection sampling events have shown decreasing levels of VC and no detections of TCE and 1,1,1-TCA. CA is the exception with an increasing concentration trend.

- The charts for MW-426 have shown generally consistent concentrations of cDCE, 1,1-DCA, CA, and VC. Concentrations of TCE have gradually decreased over time in this location and were below laboratory reporting limits in 2024 and 2025. MW-426 is located approximately 300 feet down-gradient of the closest injection points.

- The chart for MW-131 has shown a generally stable trend of TCE and 1,1,1-TCA. Concentrations of cDCE appear to be trending upward slowly, suggesting ongoing breakdown. Concentrations of other breakdown products of TCE and 1,1,1-TCA are generally consistent. MW-131 is located in the western portion of the property outside of the zones of injection in a down-gradient location.

The presence or increase of the TCE and 1,1,1-TCA breakdown chemicals (e.g., cDCE, VC, and CA) in numerous wells is a positive indicator that observed concentrations of TCE and 1,1,1-TCA likely will continue to be reduced through seasonal minor fluctuations and favorable enhanced reductive dechlorination (ERD) site conditions that will continue to further treat and break down the dissolved-phase CVOCs in groundwater.

4.2.3 Dissolved Hydrocarbon Gases

Each of the groundwater samples collected for DHGs in 2025 were obtained via low-flow sampling techniques. The prior use of PDBs to collect DHG samples at the three non-remedial monitoring wells (W-8, W-9 and MW-426) (as specified in the approved RWP) was discontinued and replaced with low-flow sampling.

A summary of methane concentrations is provided in **Table 6a**. The methane results during the 2025 monitoring events ranged from 716 to 26,200 ug/L with a mean of approximately

12,584 ug/L. The highest methane concentration was in MW-413D. Elevated methane concentrations are evidence of the presence and activity of methanogenic bacteria, which require deeply reducing (at or below -300 mV) anaerobic conditions. These data suggest that there are microenvironments that are more reducing than evidenced by the ORP measurements, which showed iron-reducing and, in some cases, sulfate-reducing conditions. The presence of methanogenic conditions is favorable for complete reductive dechlorination (i.e., degradation to the non-toxic end products). Overall, dissolved methane concentrations continued to decrease in 2025 as compared to 2024 levels by more than 50 percent.

A summary of ethane and ethene concentrations is provided in **Tables 6b and 6c**, respectively. The concentrations of ethane were generally lower than those of ethene, ranging from 10 to 1,000 ug/L, with a mean of 144 ug/L. The presence of elevated ethane is evidence of the complete reductive dechlorination of TCE, cDCE, 1,1-DCE (from 1,1,1-TCA) and VC. The concentrations of ethene for the low-flow samples collected during the 2025 monitoring events varied widely, from 21 to 11,100 ug/L with a mean of approximately 803 ug/L. The varying concentrations of ethane and ethene suggest (like methane above) that microenvironments likely exist where degradation is occurring more rapidly than in other portions of the Site. Moreover, at locations where the source area is higher in 1,1,1-TCA than TCE, there may be similar concentrations of ethane and ethene, since 1,1,1-TCA tends to break down to both products. There has been an overall decrease of dissolved ethene in 2025 as compared to 2024 levels.

5. SUMMARY, RECOMMENDATIONS AND 2025 ACTIVITIES

5.1 Reductive Dechlorination

A review of the CVOC isoconcentration maps (**Figures 6a through 8f**) and CVOC concentrations versus time charts for individual wells (**Appendices D-1 and D-2**) show considerable progress in dechlorination has been made since the baseline conditions that existed prior to the first amendment injections in 2011.

The most favorable reductive dechlorination breakdown appears to have occurred for TCE (a parent compound) and 1,1-DCE (generally present as an abiotic degradation product from 1,1,1-TCA) based on past remediation efforts. As expected, there has been an increase in the concentration of daughter products of both TCE and 1,1,1-TCA which are both formed and destroyed during the reductive dechlorination process and are often observed in these results and in the individual well trend plots.

5.2 Recommendations

Based on prior discussions with IDEM personnel and proposed future site development activities, Ramboll recommends that initial site closure determinations be conducted. Specifically, Ramboll is recommending the following items be considered and implemented:

- Well abandonment (refer to **Section 5.3** below)
- Refinement of the current well sampling scope
- Mann-Kendall statistical evaluation of the applicable monitoring wells

Collectively, these are the next steps necessary to eventually achieve site closure. In addition, it is understood that as part of site closure, Ramboll will need to continue working closely with IDEM and applicable stakeholders to amend and update the current environmental restrictive covenant (ERC) at the site. It is Ramboll's opinion that sufficient post-remedial quarterly sampling events have been conducted since the most recent remediation injection activities were completed in April 2023. Since the completion of the 2023 injection event, ten quarterly sampling events have occurred. It should be noted that a limited scope of post-injection quarterly sampling (subset of monitoring wells) was conducted in July and October 2023 which were located outside of the injection areas. However, if necessary, two additional groundwater sampling quarterly events can be conducted in 2026 (April and July 2026) to bolster the post-injection groundwater sampling data collected after the April 2023 remediation activities.

5.3 Well Decommissioning

Ramboll recommends decommissioning monitoring wells in Subset A below, as they are located within the northern parcel of land that was recently auctioned off to a new buyer from the State of Indiana and likely will undergo some type of redevelopment in 2026. Additionally, these wells each contain low levels of CVOC detections and show stable to decreasing trends.

- Subset A: IW-501, IW-502, IW-503, IW-504, IW-505, IW-506, IW-507, IW-508, IW-509, IW-510, IW-563, IW-564, IW-565, IW-566, IW-567, IW-568, IW-569, IW-601, IW-602, IW-603, IW-604, IW-605, IW-606, IW-607, IW-608, IW-609, IW-628, IW-629, IW-630, MW-32, MW-33, MW-201, MW-311, MW-420S, MW-420D, MW-421S, MW-421D, MW-422S, MW-422D, MW-423S, and W-1

Ramboll also recommends decommissioning monitoring wells in Subset B below, as they have exhibited low levels and/or lack of major CVOCs over the course of multiple years of sampling events.

- Subset B: MW-22, MW-41, MW-122, MW-251, MW-412S, MW-412D, MW-419S, MW-419D, MW-428, W-8, W-8D, W-9, W-10.

5.4 2026 Activities

Ramboll will currently continue to implement the performance groundwater and soil gas monitoring at the Site following the same scope presented in this APR in January 2026 and potentially two additional quarterly groundwater sampling events in 2026. As discussed in **Section 5.2,** sufficient post-remedial quarterly groundwater sampling data may already exist since the April 2023 injection event (with the potential inclusion of additional groundwater data in 2026) to move the Site towards closure. Upon determination from IDEM on the need for additional groundwater data or if sufficient groundwater data has been obtained, a Mann-Kendall statistical evaluation will be performed and a request (by email) to IDEM to complete a Closure Completion report will be initiated. The monitoring locations, sampling frequencies, and parameters are generally shown in **Table 2**. In 2026, dependent on IDEM's determination, potentially modified sampling will be initiated (i.e., the modified or full scope of quarterly, semi-annual and annual wells); however, this is subject to change dependent on site closure activities. Additionally, Ramboll recommends a cessation to additional soil gas sampling after the second quarterly sampling event in 2026 based on the lack of methane detections in soil gas in 2024/2025 and as observed in prior years of soil gas sampling.

6. REFERENCES

GeoTrans, Inc. (a Tetra Tech company), 2010. Remediation Work Plan. Sherman Park Facility, 600 North Sherman Drive, Indianapolis, Indiana. May 17, 2010.

IDEM, Technical Resource Guidance Document. February 15, 2001, updated May 1, 2009.

Ramboll, 2022. Supplemental Amendment Injection Work Plan. Sherman Park Facility (Former Indianapolis CE Plant), 600 North Sherman Drive, Indianapolis, Indiana. August 9, 2022.

Ramboll, 2023. 2022 Annual Progress Report. Former Indianapolis CE Plant, 600 North Sherman Drive, Indianapolis, Indiana. February 28, 2023.

Ramboll, 2024. 2023 Annual Progress Report. Former Indianapolis CE Plant, 600 North Sherman Drive, Indianapolis, Indiana. February 7, 2024.

Ramboll, 2025. 2024 Annual Progress Report. Former Indianapolis CE Plant, 600 North Sherman Drive, Indianapolis, Indiana. February 6, 2025.

Tetra Tech, 2021. 2021 Annual Progress Report. Sherman Park Facility, 600 North Sherman Drive, Indianapolis, Indiana. December 14, 2021.

TABLES

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Dianeter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
PW-1	Upper	8/12/1989	SEC	1649046.40	204380.20	769.41	769.69	29.0	22.2	6.5	28.7	5.9	3.9	---	---	---
TP-1	Abandoned	4/25/1989	SEC	Unknown				25.0	21.2	3.8	25.0	3.3	1.4	---	---	---
TP-1R	Upper	12/7/2001	BEAK	1649743.72	204175.73	768.46	768.86	25.0	10.0	15.0	25.0	12.7	7.8	---	---	---
TP-2	Upper	4/20/1989	SEC	1649119.98	204902.93	777.75	777.75	30.0	15.2	14.3	29.5	12.0	10.0	---	---	---
TP-3	Abandoned	7/25/1989	SEC	1649056.15	204330.75	769.29	769.61	25.3	15.2	9.0	24.2	8.8	7	---	---	---
TP-4	Abandoned	Unknown														
W-1	Upper	12/1/1987	D&M	1649872.37	205574.56	790.55	788.30	25.0	10.0	13.0	23.0	11	9	---	---	---
W-2	Upper	12/1/1987	D&M	1649776.67	204667.19	780.02	778.19	30.0	10.0	20.0	30.0	17	15	---	---	---
W-3	Abandoned	12/1/1987	D&M	1649579.13	204479.43	774.62	774.90	25.0	10.0	15.0	25.0	14	11	---	---	---
W-4	Abandoned	12/1/1987	D&M	1649434.96	204496.27	774.78	772.58	25.0	10.0	14.0	24.0	12	10	---	---	---
W4R	Upper	8/5/2008	GeoTrans	1649437.05	204492.98	772.44	772.72	25.3	10.0	15.0	25.0	13.0	1.0	---	---	---
W-4D	Middle	12/11/1990	SEC	1649437.84	204486.65	772.52	772.53	67.8	10.2	57.2	67.4	55.5	NA	16	0	34.1
W-4D.	Middle	12/11/1990	SEC	1649437.84	204486.65									12	0	36
W-6	Not Located	8/4/1989	SEC	1649825.40	204474.56	771.61	771.80	35.0	15.5	11.5	27.0	10.8	7.8	---	---	---
W-7	Upper	11/9/1987	SEC	1649411.14	204195.83	765.75	766.08	19.0	10.4	7.1	17.5	5	3.9	---	---	---
W-8	Upper	11/8/1990	SEC	1648988.08	204080.25	770.53	770.92	33.5	10.4	21.1	31.5	17.3	16	---	---	---
W-8D	Middle	11/29/1990	SEC	1648996.17	204080.44	770.70	770.87	70.2	10.4	56.7	67.1	50	44.9	16	0	34
W-8D.	Middle	11/29/1990	SEC	1648996.17	204080.44									12	0	37
W-9	Upper	11/12/1990	SEC	1648965.41	204585.85	771.37	771.87	43.8	9.4	32.3	41.7	20.5-29.3	17.1	---	---	---
W-10	Upper	11/13/1987	SEC	1648957.59	203784.16	768.61	768.88	36.0	10.5	21.4	31.9	17.6	15	---	---	---
W-11D	Middle	12/4/1990	SEC	1649137.17	204524.08	772.17	772.37	65.5	10.5	55.0	65.5	52.9	NA	16	0	34.9
W-11D.	Middle	12/4/1990	SEC	1649137.17	204524.08									12	0	37.6
MW-22	Middle	5/8/1993	BEAK	1648973.31	204499.52	769.71	770.09	60.9	10.0	50.0	60.0	48.0	38.1	10	1.2	37
MW-32	Middle	4/16/1993	BEAK	1649846.93	204696.92	777.34	777.61	63.1	10.0	53.0	63.0	50.0	44.0	12	2	35.5
MW-33	Lower	3/13/2002	BEAK	1649837.21	204687.82	777.63	777.90	105.0	10.0	94.0	104.0	93.0	92.0	---	---	---
MW-41	Upper	4/19/1993	BEAK	1649108.45	204009.99	771.10	771.34	26.4	5.0	22.0	27.0	20.0	16.5	---	---	---
MW-81	Upper	12/7/2001	BEAK	1648978.18	204777.82	774.51	774.99	25.0	10.0	15.0	25.0	13.0	8.0	---	---	---
MW-82	Middle	6/30/1993	BEAK	1648966.92	204778.37	774.50	775.25	60.8	5.0	56.0	61.0	54.1	49.0	8	1.2	32
MW-91	Upper	7/16/1993	BEAK	1648668.59	204532.59	771.91	772.09	43.9	10.3	33.75	44.0	31.0	27.0	---	---	---
MW-92	Middle	7/20/1993	BEAK	1648678.14	204532.63	771.62	771.88	62.8	10.0	53.0	63.0	51.5	47.5	8	1.2	43.5
MW-112	Middle	11/20/2001	BEAK	1648983.97	204315.38	767.58	768.03	58.0	10.0	47.8	57.8	45.8	41.8	6	0	32.5
MW-122	Middle	12/3/2001	BEAK	1649413.25	204180.69	765.49	765.88	60.0	10.0	49.5	59.5	47.5	42.5	6	0	31
MW-123	Lower	3/12/2002	BEAK	1649422.02	204189.74	765.17	766.08	91.5	10.0	80.7	90.7	78.6	73.0	10	0	25.6
MW-123.	Lower	3/12/2002	BEAK	1649422.02	204189.74									6	0	63
MW-131	Upper	3/5/2002	BEAK	1649174.39	204138.18	772.88	773.19	33.0	10.0	22.0	32.0	20.0	15.0	---	---	---
MW-132	Middle	11/27/2001	BEAK	1649152.71	204135.64	772.39	772.73	69.5	10.0	59.5	69.5	56.5	51.0	6	0	34
MW-133	Lower	12/5/2001	BEAK	1649164.78	204137.85	772.68	772.92	98.8	10.0	87.7	97.7	86.5	78.0	10	0	34
MW-133.	Lower	12/5/2001	BEAK	1649164.78	204137.85									6	0	69.5
MW-142	Middle	12/2/2001	BEAK	1649099.71	203986.88	770.92	771.26	64.0	10.0	53.5	63.5	50.5	45.5	6	0	35
MW-153	Lower	11/30/2001	BEAK	1648970.72	203974.40	768.95	769.61	91.0	10.0	80.0	90.0	78.0	73.0	6	0	35
MW-163	Lower	12/2/2001	BEAK	1648990.75	204091.18	770.49	770.79	95.7	10.0	85.2	95.2	83.8	76.0	10	0	35
MW-163.	Lower	12/2/2001	BEAK	1648990.75	204091.18									6	0	70
MW-173	Lower	12/3/2001	BEAK	1648974.22	204375.76	768.97	769.18	98.1	10.0	87.8	97.8	85.6	77.0	10	0	34
MW-173.	Lower	12/3/2001	BEAK	1648974.22	204375.76									6	0	64.6
MW-183	Lower	11/29/2001	BEAK	1649147.67	204522.10	772.17	772.47	105.3	11.1	94.3	105.3	93.1	84.0	10	0	40
MW-183.	Lower	11/29/2001	BEAK	1649147.67	204522.10									6	0	66
MW-191	Upper	12/4/2001	BEAK	1648971.91	205521.11	789.69	789.93	28.0	10.0	18.0	28.0	16.0	11.0	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Dianeter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
MW-201	Upper	12/4/2001	BEAK	1649943.26	205226.17	782.21	782.32	22.0	10.0	12.0	22.0	10.0	1.0	---	---	---
MW-211	Upper	12/6/2001	BEAK	1648641.87	204612.71	772.52	772.81	37.5	10.0	27.5	37.5	25.5	20.5	---	---	---
MW-221	Upper	12/6/2001	BEAK	1648602.31	203971.31	766.69	767.10	32.5	10.0	22.5	32.5	20.2	15.0	---	---	---
MW-231	Upper	12/4/2001	BEAK	1648598.65	203765.17	767.98	768.05	24.0	10.0	13.8	23.8	12.7	8.0	---	---	---
MW-241	Upper	12/5/2001	BEAK	1648688.52	203555.08	767.58	767.91	34.0	10.0	24.0	34.0	22.0	17.0	---	---	---
MW-251	Upper	12/5/2001	BEAK	1648961.06	203639.45	767.81	768.06	30.0	10.0	20.0	30.0	18.0	13.0	---	---	---
MW-253	Lower	3/8/2002	BEAK	1648961.17	203646.03	767.70	768.04	93.0	10.0	82.0	92.0	79.9	75.0	10	0	39
MW-261	Upper	12/4/2001	BEAK	1649396.07	204046.87	764.14	764.52	20.0	10.0	10.0	20.0	8.0	1.0	---	---	---
MW-273	Lower	3/13/2002	BEAK	1649438.36	204476.63	772.44	772.51	99.0	10.0	88.0	98.0	86.2	81.0	10	0	39
MW-273.	Lower	3/13/2002	BEAK	1649438.36	204476.63									6	0	69
MW-281	Upper	3/8/2002	BEAK	1650324.50	205239.59	778.27	778.52	18.5	10.0	8.0	18.0	6.0	1.0	---	---	---
MW-301	Upper	6/23/2004	CRA	1649897.03	204499.80	771.67	771.86	30.0	10.0	18.5	28.5	16.0	1.5	---	---	---
MW-302	Middle	6/5/2004	CRA	1649273.43	204025.46	767.79	768.17	62.0	10.0	50.0	60.0	48.0	44.0	---	---	---
MW-303	Lower	6/3/2004	CRA	1649273.44	204017.72	766.19	766.79	95.0	10.0	79.0	89.0	77.0	73.0	---	---	---
MW-311	Upper	5/27/2004	CRA	1649664.73	204579.22	774.51	774.80	38.0	10.0	25.0	35.0	23.0	1.5	---	---	---
MW-312	Middle	6/4/2004	CRA	1649068.09	204147.28	771.75	772.04	68.0	10.0	56.0	66.0	54.0	50.0	---	---	---
MW-313	Lower	6/9/2004	CRA	1648977.22	204298.43	767.61	767.52	95.0	10.0	77.0	87.0	75.0	71.0	---	---	---
MW-321	Upper	5/25/2004	CRA	1649316.36	204449.53	770.54	770.93	34.0	10.0	23.0	33.0	21.0	1.5	---	---	---
MW-322	Middle	6/5/2004	CRA	1649169.34	204358.19	769.75	769.98	60.0	10.0	50.0	60.0	48.0	44.0	---	---	---
MW-323	Lower	5/25/2004	CRA	1649183.29	204355.13	770.23	770.44	95.0	10.0	80.0	90.0	78.0	72.0	---	---	---
MW-331	Upper	6/1/2004	CRA	1649179.73	204525.86	772.43	772.64	34.0	10.0	22.0	32.0	20.0	1.5	---	---	---
MW-332	Middle	6/22/2004	CRA	1649258.02	204348.01	773.82	770.92	65.0	10.0	52.5	62.5	50.0	46.0	---	---	---
MW-333	Lower	6/7/2004	CRA	1649356.73	203704.43	764.82	765.05	95.0	10.0	80.0	90.0	78.0	74.0	---	---	---
MW-341	Upper	5/24/2004	CRA	1649165.09	204507.98	771.60	771.82	34.0	10.0	22.0	32.0	20.0	1.5	---	---	---
MW-343	Lower	6/10/2004	CRA	1649721.00	203987.02	764.05	764.33	103.0	10.0	76.0	86.0	74.0	70.0	---	---	---
MW401	Upper	6/4/2008	GeoTrans	1649518.25	204623.64	777.62	778.02	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW402	Upper	6/4/2008	GeoTrans	1649460.75	204624.77	777.67	778.02	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW402D	Upper	1/28/2011	Tetra Tech	1649465.16	204624.53	777.75	778.04	40.0	10.0	30.0	40.0	28.0	1.0	---	---	---
MW403	Upper	6/5/2008	GeoTrans	1649465.25	204730.74	777.87	778.24	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW404	Upper	6/5/2008	GeoTrans	1649364.47	204626.78	777.76	778.05	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW405D	Upper	8/12/2008	GeoTrans	1649298.17	204669.89	777.85	778.23	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW405S	Upper	8/12/2008	GeoTrans	1649298.20	204669.48	777.83	778.23	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW406D	Upper	8/6/2008	GeoTrans	1649411.35	204662.09	777.53	778.00	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW406S	Upper	8/6/2008	GeoTrans	1649411.19	204662.14	777.72	778.00	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW407D	Upper	8/7/2008	GeoTrans	1649537.21	204722.37	777.64	778.04	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW407S	Upper	8/7/2008	GeoTrans	1649537.38	204722.51	777.71	778.04	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW408D	Upper	8/8/2008	GeoTrans	1649413.66	204813.02	777.79	778.26	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW408S	Upper	8/8/2008	GeoTrans	1649413.63	204813.26	777.92	778.26	21.7	7.0	14.7	21.7	13.0	1.0	---	---	---
MW409D	Upper	8/11/2008	GeoTrans	1649360.24	204789.80	777.77	778.22	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW409S	Upper	8/11/2008	GeoTrans	1649360.24	204790.04	777.82	778.22	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW410D	Upper	8/12/2008	GeoTrans	1649296.12	204571.85	772.20	772.76	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Dianeter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
MW410S	Upper	8/12/2008	GeoTrans	1649296.46	204571.87	772.16	772.76	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW411D	Upper	8/12/2008	GeoTrans	1649390.43	204569.96	772.34	772.73	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW411S	Upper	8/12/2008	GeoTrans	1649390.23	204570.08	772.28	772.73	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW412D	Upper	8/13/2008	GeoTrans	1649484.96	204568.79	773.20	773.71	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW412S	Upper	8/13/2008	GeoTrans	1649485.16	204568.96	773.24	773.71	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW413D	Upper	11/11/2008	GeoTrans	1649248.03	204523.82	772.21	772.59	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW413S	Upper	11/11/2008	GeoTrans	1649248.23	204523.86	772.13	772.59	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW414D	Upper	11/12/2008	GeoTrans	1649349.33	204529.11	771.23	771.78	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW414S	Upper	11/12/2008	GeoTrans	1649349.16	204529.31	771.23	771.78	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW415D	Upper	11/13/2008	GeoTrans	1649439.54	204538.81	771.96	772.31	35.0	9.0	26.0	35.0	25.0	23.0	---	---	---
MW415S	Upper	11/13/2008	GeoTrans	1649439.31	204538.67	771.93	772.31	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW416D	Upper	11/14/2008	GeoTrans	1649557.28	204541.21	773.24	773.69	36.0	10.0	26.0	36.0	25.0	23.0	---	---	---
MW416S	Upper	11/14/2008	GeoTrans	1649557.20	204540.92	773.32	773.69	22.0	7.0	15.0	22.0	13.0	1.0	---	---	---
MW417D	Upper	11/15/2008	GeoTrans	1649574.45	204642.06	777.64	778.00	40.0	9.0	31.0	40.0	30.0	28.0	---	---	---
MW417S	Upper	11/15/2008	GeoTrans	1649574.59	204642.15	777.64	778.00	27.0	7.0	20.0	27.0	18.0	1.0	---	---	---
MW418D	Upper	11/15/2008	GeoTrans	1649606.57	204748.56	777.76	778.05	41.0	10.0	31.0	41.0	30.0	28.0	---	---	---
MW418S	Upper	11/15/2008	GeoTrans	1649606.34	204748.38	777.73	778.05	27.0	7.0	20.0	27.0	18.0	1.0	---	---	---
MW419D	Upper	11/18/2008	GeoTrans	1649543.15	204851.08	777.91	778.31	41.0	10.0	31.0	41.0	30.0	28.0	---	---	---
MW419S	Upper	11/18/2008	GeoTrans	1649543.17	204850.74	777.99	778.31	27.0	10.0	17.0	27.0	15.0	1.0	---	---	---
MW420D	Upper	1/16/2009	GeoTrans	1649655.51	204845.75	777.78	778.12	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW420S	Upper	1/16/2009	GeoTrans	1649655.46	204845.46	777.74	778.12	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW421D	Upper	1/16/2009	GeoTrans	1649680.52	204896.99	777.92	778.32	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW421S	Upper	1/16/2009	GeoTrans	1649680.67	204897.21	777.97	778.32	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW422D	Upper	1/14/2009	GeoTrans	1649736.34	204843.41	777.69	778.06	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW422S	Upper	1/14/2009	GeoTrans	1649736.55	204843.50	777.68	778.06	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW423D	Upper	1/14/2009	GeoTrans	1649728.53	204760.37	777.69	778.02	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW423S	Upper	1/14/2009	GeoTrans	1649728.85	204760.12	777.64	778.02	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW424D	Upper	1/17/2009	GeoTrans	1649387.71	204619.61	777.63	777.99	38.0	9.0	29.0	38.0	28.5	26.5	---	---	---
MW424S	Upper	1/17/2009	GeoTrans	1649387.47	204619.49	777.57	777.99	26.0	7.0	19.0	26.0	17.0	1.0	---	---	---
MW425	Upper	1/13/2009	GeoTrans	1649169.12	204404.91	769.39	769.72	30.0	20.0	10.0	30.0	8.0	1.0	---	---	---
MW426	Upper	1/12/2009	GeoTrans	1648988.24	204387.38	769.19	769.41	34.0	20.0	14.0	34.0	12.0	1.0	---	---	---
MW427	Upper	2/8/2011	Tetra Tech	1649144.03	204366.86	768.79	769.13	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
MW428	Upper	1/13/2011	Tetra Tech	1649677.22	204813.60	777.77	778.07	25.0	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-501	Upper	1/10/2011	Tetra Tech	1649710.28	204760.81	777.75	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-502	Upper	1/11/2011	Tetra Tech	1649702.23	204783.75	777.69	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-503	Upper	1/12/2011	Tetra Tech	1649681.81	204796.93	777.74	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-504	Upper	1/12/2011	Tetra Tech	1649680.80	204829.84	777.78	778.09	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-505	Upper	(see MW-402 S&D)														
IW-506	Upper	1/13/2011	Tetra Tech	1649664.60	204635.47	777.67	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Dianeter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-507	Upper	1/14/2011	Tetra Tech	1649651.57	204659.65	777.59	778.00	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-508	Upper	1/14/2011	Tetra Tech	1649645.63	204681.25	777.75	778.05	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-509	Upper	1/14/2011	Tetra Tech	1649631.51	204702.79	777.81	778.08	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-510	Upper	1/17/2011	Tetra Tech	1649620.20	204724.69	777.78	778.04	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-511	Upper	1/17/2011	Tetra Tech	1649601.70	204742.66	777.72	778.08	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-512	Upper	1/17/2011	Tetra Tech	1649589.90	204764.60	777.77	778.08	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-513	Upper	1/16/2011	Tetra Tech	1649557.45	204776.04	777.61	778.00	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-514	Upper	1/15/2011	Tetra Tech	1649558.16	204814.05	777.84	778.20	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-515	Upper	1/18/2011	Tetra Tech	1649585.18	204615.16	777.62	777.91	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-516	Upper	(see MW-417 S&D)														
IW-517	Upper	1/19/2011	Tetra Tech	1649569.24	204666.08	777.73	778.02	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-518	Upper	1/24/2011	Tetra Tech	1649546.84	204673.33	777.63	777.98	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-519	Upper	1/24/2011	Tetra Tech	1649545.52	204702.91	777.63	778.01	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-520	Upper	1/30/2011	Tetra Tech	1649531.38	204724.13	777.64	778.02	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-521	Upper	1/16/2011	Tetra Tech	1649529.66	204742.82	777.73	778.04	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-522	Upper	1/26/2011	Tetra Tech	1649514.21	204765.55	777.67	778.07	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-523	Upper	1/25/2011	Tetra Tech	1649493.33	204781.48	777.93	778.18	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-524	Upper	(see MW-412 S&D)														
IW-525	Upper	2/12/2011	Tetra Tech	1649489.61	204597.25	776.84	777.20	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-526	Upper	1/27/2011	Tetra Tech	1649478.46	204617.28	777.41	777.95	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-527	Upper	1/28/2011	Tetra Tech	1649469.29	204638.10	777.75	778.04	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-528	Upper	1/30/2011	Tetra Tech	1649459.93	204669.52	777.82	778.12	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Dianeter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-529	Upper	1/29/2011	Tetra Tech	1649445.11	204681.92	777.72	778.07	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-530	Upper	1/27/2011	Tetra Tech	1649417.80	204682.24	777.70	778.06	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-531	Upper	1/27/2011	Tetra Tech	1649416.14	204734.47	777.93	778.23	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-532	Upper	1/26/2011	Tetra Tech	1649399.26	204747.20	777.83	778.19	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-533	Upper	(see MW-415 S&D)														
IW-534	Upper	2/15/2011	Tetra Tech	1649414.24	204554.49	772.04	772.37	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-535	Upper	2/15/2011	Tetra Tech	1649396.71	204567.33	772.33	772.65	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-536	Upper	2/14/2011	Tetra Tech	1649379.32	204582.87	772.53	773.00	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-537	Upper	2/14/2011	Tetra Tech	1649356.90	204581.14	772.63	772.90	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-538	Upper	(see MW-424 S&D)														
IW-539	Upper	1/31/2011	Tetra Tech	1649352.62	204625.57	777.71	778.05	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-540	Upper	1/31/2011	Tetra Tech	1649334.27	204634.56	777.81	778.08	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-541	Upper	1/31/2011	Tetra Tech	1649314.71	204654.18	777.78	778.12	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-542	Upper	(see MW-405 S&D)														
IW-543	Upper	2/18/2011	Tetra Tech	1649383.71	204489.21	771.00	771.35	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-544	Upper	2/16/2011	Tetra Tech	1649364.29	204513.36	771.68	772.00	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-545	Upper	(see MW-414 S&D)														
IW-546	Upper	2/16/2011	Tetra Tech	1649330.53	204545.69	771.40	771.77	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-547	Upper	2/15/2011	Tetra Tech	1649313.56	204563.70	772.01	772.31	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-548	Upper	2/12/2011	Tetra Tech	1649300.25	204581.25	772.72	773.12	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-549	Upper	2/12/2011	Tetra Tech	1649266.62	204588.38	775.93	776.18	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---
IW-550	Upper	1/30/2011	Tetra Tech	1649265.65	204620.41	777.78	778.18	40.0	10.0	19.5	29.5	17.5	1.0	---	---	---
									10.0	30.0	40.0	30.0	29.5	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Dianeter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-551	Upper	2/17/2011	Tetra Tech	1649305.11	204442.74	770.49	770.84	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-552	Upper	2/16/2011	Tetra Tech	1649286.55	204462.58	770.52	770.95	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-553	Upper	2/17/2011	Tetra Tech	1649282.49	204489.58	770.60	771.18	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-554	Upper	3/16/2011	Tetra Tech	1649263.00	204512.70	771.32	771.82	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-555	Upper	2/20/2011	Tetra Tech	1649253.46	204528.56	772.31	772.67	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-556	Upper	2/19/2011	Tetra Tech	1649246.02	204547.40	772.82	773.25	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-557	Upper	2/18/2011	Tetra Tech	1649218.69	204564.87	773.18	773.60	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-558	Upper	2/11/2011	Tetra Tech	1649187.99	204369.46	770.42	770.79	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-559	Upper	2/9/2011	Tetra Tech	1649158.23	204383.48	769.25	769.62	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-560	Upper	2/9/2011	Tetra Tech	1649152.40	204409.73	769.29	769.64	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-561	Upper	2/10/2011	Tetra Tech	1649139.46	204430.83	769.94	770.29	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-562	Upper	2/12/2011	Tetra Tech	1649125.41	204451.71	770.34	770.57	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-563	Upper	2/13/2011	Tetra Tech	1649758.81	204605.20	779.29	779.63	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-564	Upper	2/13/2011	Tetra Tech	1649741.55	204624.11	777.79	778.13	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-565	Upper	2/19/2011	Tetra Tech	1649725.22	204639.85	775.88	776.24	35	10.0	14.5	24.5	12.5	1.0	---	---	---
									10.0	25.0	35.0	25.0	24.5	---	---	---
IW-566	Upper	5/17/2013	Tetra Tech	1649788.98	204662.98	777.72	778.03	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---
IW-567	Upper	5/17/2013	Tetra Tech	1649774.11	204682.82	776.66	777.01	34	10.0	13.5	23.5	11.5	1.0	---	---	---
									10.0	24.0	34.0	24.0	23.5	---	---	---
IW-568	Upper	5/15/2013	Tetra Tech	1649750.93	204842.22	778.01	778.31	30	10.0	20.0	30.0	18.0	1.0	---	---	---
									---	---	---	---	---	---	---	---
IW-569	Upper	5/15/2013	Tetra Tech	1649734.62	204856.18	777.70	778.10	27	10.0	17.0	27.0	15.0	1.0	---	---	---
									---	---	---	---	---	---	---	---
IW-570	Upper	5/16/2013	Tetra Tech	1649484.18	204691.14	777.54	777.95	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---
IW-571	Upper	5/16/2013	Tetra Tech	1649473.42	204714.94	777.95	778.23	38	10.0	17.5	27.5	15.5	1.0	---	---	---
									10.0	28.0	38.0	28.0	27.5	---	---	---
IW-572	Upper	5/16/2013	Tetra Tech	1649455.74	204738.93	777.75	778.25	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---
IW-573	Upper	5/14/2013	Tetra Tech	1649410.14	204650.18	777.72	778.05	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Dianeter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-574	Upper	5/14/2013	Tetra Tech	1649391.43	204665.13	777.67	778.04	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---
IW-575	Upper	5/14/2013	Tetra Tech	1649372.74	204682.44	777.63	778.01	36	10.0	15.5	25.5	13.5	1.0	---	---	---
									10.0	26.0	36.0	26.0	25.5	---	---	---
IW-576	Upper	8/18/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-577	Upper	8/18/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-578	Upper	8/17/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-579	Upper	8/17/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-580	Upper	8/17/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-581	Upper	8/19/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-582	Upper	8/19/2015	Tetra Tech	*	*	*	*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
EW-1	Upper	5/13/2013	Tetra Tech	1649053.57	204308.13	768.96	769.35	28	20.0	8.0	28.0	6.0	1.0	---	---	---
IW-601	Upper	10/5/2022	Ramboll	1649723.898	204741.4527	777.7*	778*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			
IW-602	Upper	10/5/2022	Ramboll	1649745.846	204755.4394	777.7*	778*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			
IW-603	Upper	10/6/2022	Ramboll	1649738.562	204779.0496	777.7*	778*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			
IW-604	Upper	10/12/2022	Ramboll	1649662.840	204559.1823	774.5*	774.8*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-605	Upper	10/11/2022	Ramboll	1649681.243	204564.9271	774.5*	774.8*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-606	Upper	10/11/2022	Ramboll	1649681.652	204586.0049	774.5*	774.8*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-607	Upper	10/23/2022	Ramboll	1649667.697	204608.0633	777.7*	778*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-608	Upper	10/24/2022	Ramboll	1649650.390	204592.0200	777.7*	778*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-609	Upper	10/12/2022	Ramboll	1649647.419	204571.4437	774.5*	774.8*	38	10.0	28.0	38.0	26.0	1.0	---	---	---
IW-610	Upper	10/18/2022	Ramboll	1649555.605	204523.0431	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0			
IW-611	Upper	10/18/2022	Ramboll	1649572.368	204527.8957	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0			
IW-612	Upper	10/22/2022	Ramboll	1649573.281	204550.5181	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0			
IW-613	Upper	10/22/2022	Ramboll	1649557.866	204561.7514	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0			
IW-614	Upper	10/23/2022	Ramboll	1649540.486	204556.0116	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0			
IW-615	Upper	10/22/2022	Ramboll	1649538.029	204534.9237	773.4*	773.7*	36	7.0	15.0	22.0	13.0	1.0	---	---	---
									10.0	26.0	36.0	24.0	23.0			
IW-616	Upper	9/28/2022	Ramboll	1649557.539	204837.2780	777.9*	778.3*	41	10.0	31.0	41.0	29.0	1.0	---	---	---
IW-617	Upper	9/28/2022	Ramboll	1649557.403	204865.0357	777.9*	778.3*	41	10.0	31.0	41.0	29.0	1.0	---	---	---
IW-618	Upper	9/27/2022	Ramboll	1649528.794	204852.0445	777.9*	778.3*	41	10.0	31.0	41.0	29.0	1.0	---	---	---
IW-619	Upper	10/13/2022	Ramboll	1649450.261	204474.3494	772.1*	772.5*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-620	Upper	10/13/2022	Ramboll	1649450.125	204502.1073	772.1*	772.5*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-621	Upper	10/13/2022	Ramboll	1649419.983	204488.5940	772.1*	772.5*	25	10.0	15.0	25.0	13.0	1.0	---	---	---
IW-622	Upper	9/30/2022	Ramboll	1649406.180	204797.4692	777.9*	778.3*	35	9.0	26.0	35.0	24.0	1.0	---	---	---
IW-623	Upper	9/30/2022	Ramboll	1649431.210	204808.9008	777.9*	778.3*	35	9.0	26.0	35.0	24.0	1.0	---	---	---
IW-624	Upper	10/3/2022	Ramboll	1649404.487	204829.3319	777.9*	778.3*	35	9.0	26.0	35.0	24.0	1.0	---	---	---
IW-625	Upper	10/17/2022	Ramboll	1649328.592	204435.7122	770.5*	770.9*	34	10.0	24.0	34.0	22.0	1.0	---	---	---
IW-626	Upper	10/17/2022	Ramboll	1649323.846	204463.9616	770.5*	770.9*	34	10.0	24.0	34.0	22.0	1.0	---	---	---

Table 1
Summary of Monitoring Well Construction Details
Former Indianapolis Consumer Electronics Facility (Sherman Park)
600 North Sherman Drive, Indianapolis, Indiana

Well ID	Water-Bearing Unit	Date of Instalation	Installed By	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	Top of Sandpack (ft bgs)	Top of Seal (ft bgs)	Steel Casing Dianeter (inches)	Top of Steel Casing (ft bgs)	Bottom of Steel Casing (ft bgs)
				Northing	Easting											
IW-627	Upper	10/14/2022	Ramboll	1649305.923	204464.3876	770.5*	770.9*	34	10.0	24.0	34.0	22.0	1.0	---	---	---
IW-628	Upper	10/7/2022	Ramboll	1649665.756	204799.7687	777.7*	778.1*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			
IW-629	Upper	10/10/2022	Ramboll	1649693.308	204819.4372	777.7*	778.1*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			
IW-630	Upper	10/7/2022	Ramboll	1649664.568	204829.5774	777.7*	778.1*	38	7.0	19.0	26.0	17.0	1.0	---	---	---
									9.0	29.0	38.0	28.0	27.0			

Notes:
* Denotes well was not historically surveyed
** Denotes well has not yet been surveyed and the top of casing and ground surface elevations are estimates based on LiDAR data.
D&M - Dames and Moore
SEC - Sirrine Environmental Consultants, Inc.
BEAK - BEAK International, Inc.
CRA - Conestoga-Rovers & Associates
ft amsl - feet above ean sea level
ft bgs - feet below ground surface

Table 2
Monitoring Program Summary
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well ID	WBU	Purpose	Top of Casing Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Field Parameters[a]	VOCs	Dissolved Hydrocarbon Gasses[b]	TOC	PID	FID CH_4, CO_2, O_2
W-2	Upper	Groundwater Monitoring	780.1	30	10		Q				
W-4R	Upper	Groundwater Monitoring	772.44	25.3	10		Q				
W-8	Upper	Groundwater Monitoring	770.53	33.5	10.4		Q	Q			
W-9	Upper	Groundwater Monitoring	771.37	43.8	9.4		Q	Q			
W-10	Upper	Groundwater Monitoring	768.61	36	10.5		Q				
MW-41	Upper	Groundwater Monitoring	771.1	26.4	5		Q				
MW-131	Upper	Groundwater Monitoring	772.88	33	10		Q				
MW-241	Upper	Groundwater Monitoring	767.58	34	10		Q				
MW-251	Upper	Groundwater Monitoring	767.81	30	10		Q				
MW-408D	Upper	Groundwater Monitoring	777.79	35	9		Q				
MW-408S	Upper	Groundwater Monitoring	777.92	21.7	7		Q				
MW-311	Upper	Groundwater Monitoring	774.51	38	10		Q				
MW-321	Upper	Groundwater Monitoring	770.54	34	10		Q				
MW-331	Upper	Groundwater Monitoring	772.43	34	10		Q				
MW-401	Upper	Groundwater Monitoring	777.62	25	10		Q				
MW-403	Upper	Groundwater Monitoring	777.87	25	10		Q				
MW-404	Upper	Groundwater Monitoring	777.76	25	10		Q				
MW-406D	Upper	Groundwater Monitoring	777.53	35	9		Q				
MW-406S	Upper	Groundwater Monitoring	777.72	22	7		Q				
MW-416D	Upper	Groundwater Monitoring	773.24	36	10		Q				
MW-416S	Upper	Groundwater Monitoring	773.32	22	7		Q				
MW-419D	Upper	Groundwater Monitoring	777.91	41	10		Q				
MW-419S	Upper	Groundwater Monitoring	777.99	27	10		Q				
MW-422D	Upper	Groundwater Monitoring	777.69	38	9		Q				
MW-422S	Upper	Groundwater Monitoring	777.68	26	7		Q				
MW-423D	Upper	Groundwater Monitoring	777.69	38	9		Q				
MW-423S	Upper	Groundwater Monitoring	777.64	26	7		Q				
MW-426	Upper	Groundwater Monitoring	769.19	34	20		Q	Q			
MW-427	Upper	Groundwater Monitoring	768.79	25	10		Q				
MW-402	Upper	Remedial Monitoring	777.67	25	10	Q	Q	S	Q		
MW-402D	Upper	Remedial Monitoring	777.75	40	10	Q	Q	S	Q		
MW-407D	Upper	Remedial Monitoring	777.64	35	9	Q	Q	S	Q		
MW-407S	Upper	Remedial Monitoring	777.71	22	7	Q	Q	S	Q		
MW-410D	Upper	Remedial Monitoring	772.2	35	9	Q	Q	S	Q		
MW-410S	Upper	Remedial Monitoring	772.16	22	7	Q	Q	S	Q		
MW-411D	Upper	Remedial Monitoring	772.34	35	9	Q	Q	S	Q		
MW-411S	Upper	Remedial Monitoring	772.28	22	7	Q	Q	S	Q		
MW-413D	Upper	Remedial Monitoring	772.21	35	9	Q	Q	S	Q		
MW-413S	Upper	Remedial Monitoring	772.13	22	7	Q	Q	S	Q		
MW-418D	Upper	Remedial Monitoring	777.76	41	10	Q	Q	S	Q		
MW-418S	Upper	Remedial Monitoring	777.73	27	7	Q	Q	S	Q		
MW-425	Upper	Remedial Monitoring	769.39	30	20	Q	Q	S	Q		
MW-428	Upper	Remedial Monitoring	777.77	25	10	Q	Q	S	Q		
MW-405D	Upper	Injection Monitoring	777.85	35	9		S				
MW-405S	Upper	Injection Monitoring	777.83	22	7		S				
MW-414D	Upper	Injection Monitoring	771.23	35	9		S				
MW-414S	Upper	Injection Monitoring	771.23	22	7		S				
MW-415D	Upper	Injection Monitoring	771.96	35	9		S				
MW-415S	Upper	Injection Monitoring	771.93	22	7		S				
MW-417D	Upper	Injection Monitoring	777.64	40	9		S				
MW-417S	Upper	Injection Monitoring	777.64	27	7		S				
MW-424D	Upper	Injection Monitoring	777.63	38	9		S				
MW-424S	Upper	Injection Monitoring	777.57	26	7		S				
W-4D	Middle	Groundwater Monitoring	772.52	67.8	10.2		A				
W-8D	Middle	Groundwater Monitoring	770.7	70.2	10.4		A				
W-11D	Middle	Groundwater Monitoring	772.17	65.5	10.5		S				
MW-22	Middle	Groundwater Monitoring	769.71	60.9	10		S				
MW-32	Middle	Groundwater Monitoring	777.34	63.1	10		A				
MW-82	Middle	Groundwater Monitoring	774.5	60.8	5		A				
MW-92	Middle	Groundwater Monitoring	771.62	62.8	10		A				
MW-112	Middle	Groundwater Monitoring	767.58	58	10		S				
MW-122	Middle	Groundwater Monitoring	765.49	60	10		A				
MW-132	Middle	Groundwater Monitoring	772.39	69.5	10		S				
MW-142	Middle	Groundwater Monitoring	770.92	64	10		A				
MW-302	Middle	Groundwater Monitoring	767.79	62	10		A				
MW-312	Middle	Groundwater Monitoring	771.75	68	10		S				
MW-322	Middle	Groundwater Monitoring	769.75	60	10		S				
MW-332	Middle	Groundwater Monitoring	773.82	65	10		A				
MW-33	Lower	Groundwater Monitoring	777.63	105	10		A				
MW-123	Lower	Groundwater Monitoring	765.17	91.5	10		S				
MW-133	Lower	Groundwater Monitoring	772.68	98.8	10		S				
MW-153	Lower	Groundwater Monitoring	769.24	91	10		S				
MW-163	Lower	Groundwater Monitoring	770.53	95.7	10		S				
MW-173	Lower	Groundwater Monitoring	768.97	98.1	10		S				
MW-183	Lower	Groundwater Monitoring	772.17	105.3	11.1		A				
MW-253	Lower	Groundwater Monitoring	767.83	93	10		S				
MW-273	Lower	Groundwater Monitoring	772.44	99	10		A				

Table 2
Monitoring Program Summary
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well ID	WBU	Purpose	Top of Casing Elevation (ft amsl)	Total Depth (ft bgs)	Screen Length (ft)	Field Parameters[a]	VOCs	Dissolved Hydrocarbon Gasses[b]	TOC	PID	FID CH_4, CO_2, O_2
MW-303	Lower	Groundwater Monitoring	767.71	95	10		S				
MW-313	Lower	Groundwater Monitoring	767.61	95	10		S				
MW-323	Lower	Groundwater Monitoring	770.23	95	10		S				
MW-333	Lower	Groundwater Monitoring	765.03	95	10		S				
MW-343	Lower	Groundwater Monitoring	764.05	103	10		A				
SGP-1	Vadose	Soil Gas	8	0.5						Q	Q
SGP-2	Vadose	Soil Gas	8	0.5						Q	Q
SGP-3	Vadose	Soil Gas	8	0.5						Q	Q

a. Field Parameters = pH, specific conductivity, temperature, dissolved oxygen (DO), oxidation-reduction potential (ORP) and turbidity.
b. Dissolved Hydrocarbon Gases = ethane, ethene, and methane.
A = Annual; S = Semiannual; Q = Quarterly.
* Nitrate, sulfate and dissolved iron are analyzed by laboratory.
ft - feet
ft bgs - feet below ground surface.
ft amsl - feet above mean sea level.
TOC - total organic carbon.
PID - photoionization detector.
FID - flame ionization detector.
CH4 - methane (in parts per million).
CO2 - carbon dioxide (in parts per million).
O2 - percent oxygen.

Table 3
Groundwater Monitoring Well Elevations
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well I.D.	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	WBU	Depth to Water Jan 2025 (ft bgs)	Water Elevation Jan 2025 (ft amsl)	Vertical Gradient (Jan 2025)	Depth to Water May 2025 (ft bgs)	Water Elevation May 2025 (ft amsl)	Vertical Gradient (Apr 2025)	Depth to Water July 2025 (ft bgs)	Water Elevation July 2025 (ft amsl)	Vertical Gradient (July 2025)	Depth to Water Oct 2025 (ft bgs)	Water Elevation Oct 2025 (ft amsl)	Vertical Gradient (Oct 2025)
	Easting	Northing																
W-2	204667.19	1649776.67	780.02	778.19	29.10	Upper	16.43	763.59	N/A	17	763.02	N/A	18.07	761.95	N/A	19.22	760.80	N/A
MW-32	204696.92	1649846.93	777.34	777.61	42.96	Middle	N/A		N/A	N/A		N/A	33.84	743.50	-18.45	N/A		N/A
MW-33	204687.82	1649837.21	777.63	777.90	62.77	Lower	N/A		N/A	N/A		N/A	15.85	761.78	18.28	N/A		N/A
W-4R	204492.98	1649437.05	772.44	772.72	25.10	Upper	12.75	759.69	N/A	12.23	760.21	N/A	13.01	759.43	N/A	14.24	758.20	N/A
W-4D	204486.65	1649437.84	772.52	772.53	58.05	Middle	N/A		N/A	N/A		N/A	29.09	743.43	-16.00	N/A		N/A
MW-273	204476.63	1649438.36	772.44	772.51	24.52	Lower	N/A		N/A	N/A		N/A	14.95	757.49	N/A	N/A		N/A
W-8	204080.25	1648988.08	770.53	770.92	29.44	Upper	13.41	757.12	N/A	12.78	757.75	N/A	13.36	757.17	N/A	21.39	749.14	N/A
W-8D	204080.44	1648996.17	770.70	770.87	N/A	Middle	28.30	742.40	N/A	N/A		N/A	N/A		-757.17	N/A		N/A
MW-163	204091.18	1648990.75	770.49	770.79	94.81	Lower	28.92	741.57	N/A	N/A		N/A	27.71	742.78	742.78	N/A		N/A
W-9	204585.85	1648965.41	771.37	771.87	40.79	Upper	13.45	757.92	N/A	12.62	758.75	N/A	13.44	757.93	N/A	31.01	740.36	N/A
W-10	203784.16	1648957.59	768.61	768.88	17.01	Upper	12.17	756.44	N/A	11.68	756.93	N/A	12.14	756.47	N/A	12.91	755.70	N/A
MW-41	204009.99	1649108.45	771.10	771.34	25.77	Upper	11.25	759.85	N/A	10.85	760.25	N/A	11.42	759.68	N/A	12.22	758.88	N/A
MW-142	203986.88	1649099.71	770.92	771.26	N/A	Middle	N/A		N/A	N/A		N/A	N/A		N/A	N/A		N/A
MW-131	204138.18	1649174.39	772.88	773.19	30.90	Upper	14.82	758.06	N/A	14.3	758.58	N/A	15.00	757.88	N/A	15.94	756.94	N/A
MW-132	204135.64	1649152.71	772.39	772.73	69.85	Middle	30.61	741.78	-16.28	N/A		N/A	29.37	743.02	-14.86	N/A		N/A
MW-133	204137.85	1649164.78	772.68	772.92	98.03	Lower	31.21	741.47	-0.30	N/A		N/A	29.98	742.70	-0.31	N/A		N/A
MW-241	203555.08	1648688.52	767.58	767.91	N/A	Upper	N/A		N/A	N/A		N/A	N/A		N/A	12.76	754.82	N/A
MW-251	203639.45	1648961.06	767.81	768.06	13.15	Upper	12.25	755.56	N/A	10.7	757.11	N/A	11.40	756.41	N/A	12.38	755.43	N/A
MW-253	203646.03	1648961.17	767.70	768.04	90.05	Lower	24.95	742.75	-12.81	N/A		N/A	24.75	742.95	-13.46	N/A		N/A
MW-311	204579.22	1649664.73	774.51	774.80	34.40	Upper	14.54	759.97	N/A	13.91	760.60	N/A	14.70	759.81	N/A	15.95	758.56	N/A
MW-321	204449.53	1649316.36	770.54	770.93	27.34	Upper	11.26	759.28	N/A	10.75	759.79	N/A	11.46	759.08	N/A	12.66	757.88	N/A
MW-331	204525.86	1649179.73	772.43	772.64	32.34	Upper	14.08	758.35	N/A	N/A		N/A	14.21	758.22	N/A	15.31	757.12	N/A
W-11D	204524.08	1649137.17	772.17	772.37	64.19	Middle	30.20	741.97	-16.38	N/A		N/A	28.95	743.22	-15.00	N/A		N/A
MW-183	204522.10	1649147.67	772.17	772.47	105.00	Lower	N/A		N/A	N/A		N/A	29.60	742.57	-0.65	N/A		N/A
MW-401	204623.64	1649518.25	777.62	778.02	23.25	Upper	17.42	760.20	N/A	16.66	760.96	N/A	17.70	759.92	N/A	19.05	758.57	N/A
MW-402	204624.77	1649460.75	777.67	778.02	25.00	Upper	22.65	755.02	N/A	16.00	761.67	N/A	17.52	760.15	N/A	19.08	758.59	N/A
MW-402D	204624.53	1649465.16	777.75	778.04	39.00	Upper	18.40	759.35	4.33	17.69	760.06	-1.61	18.53	759.22	-0.93	19.69	758.06	-0.53
MW-403	204730.74	1649465.25	777.87	778.24	25.03	Upper	16.05	761.82	N/A	15.14	762.73	N/A	16.00	761.87	N/A	18.00	759.87	N/A
MW-404	204626.78	1649364.47	777.76	778.05	24.99	Upper	17.79	759.97	N/A	16.43	761.33	N/A	17.74	760.02	N/A	19.35	758.41	N/A
MW-405S	204669.48	1649298.20	777.83	778.23	21.95	Upper	16.82	761.01	N/A	N/A		N/A	16.78	761.05	N/A	N/A		N/A
MW-405D	204669.89	1649298.17	777.85	778.23	34.50	Upper	19.17	758.68	-2.34	N/A		N/A	19.40	758.45	-2.61	N/A		N/A
MW-406S	204662.14	1649411.19	777.72	778.00	22.46	Upper	17.18	760.54	N/A	15.94	761.78	N/A	17.12	760.60	N/A	18.88	758.84	N/A
MW-406D	204662.09	1649411.35	777.53	778.00	32.89	Upper	18.22	759.31	-1.23	17.84	759.69	-2.09	18.60	758.93	-1.67	19.70	757.83	N/A
MW-407S	204722.51	1649537.38	777.71	778.04	20.50	Upper	15.97	761.74	N/A	14.91	762.80	N/A	15.41	762.30	N/A	17.27	760.44	N/A
MW-407D	204722.37	1649537.21	777.64	778.04	29.58	Upper	18.51	759.13	-2.61	17.29	760.35	-2.45	19.07	758.57	-3.73	19.96	757.68	-2.76
MW-408S	204813.26	1649413.63	777.92	778.26	21.06	Upper	11.40	766.52	N/A	10.71	767.21	N/A	11.90	766.02	N/A	17.91	760.01	N/A
MW-408D	204813.02	1649413.66	777.79	778.26	34.19	Upper	18.06	759.73	-6.80	17.60	760.19	-7.03	18.28	759.51	-6.52	19.52	758.27	-1.75
MW-410S	204571.87	1649296.46	772.16	772.76	21.10	Upper	12.59	759.57	N/A	11.20	760.96	N/A	12.44	759.72	N/A	13.98	758.18	N/A
MW-410D	204571.85	1649296.12	772.20	772.76	34.40	Upper	13.87	758.33	-1.24	13.06	759.14	-1.82	13.96	758.24	-1.48	25.74	746.46	-11.72
MW-411S	204570.08	1649390.23	772.28	772.73	21.04	Upper	13.24	759.04	N/A	11.46	760.82	N/A	12.63	759.65	N/A	13.92	758.36	N/A
MW-411D	204569.96	1649390.43	772.34	772.73	34.19	Upper	13.81	758.53	-0.51	12.49	759.85	-0.97	13.48	758.86	-0.79	14.43	757.91	-0.45
MW-413S	204523.86	1649248.23	772.13	772.59	22.29	Upper	13.40	758.73	N/A	12.43	759.70	N/A	13.37	758.76	N/A	14.48	757.65	N/A
MW-413D	204523.82	1649248.03	772.21	772.59	35.38	Upper	13.84	758.37	-0.36	13.22	758.99	-0.71	14.03	758.18	-0.58	15.06	757.15	-0.50
MW-414S	204529.31	1649349.16	771.23	771.78	15.21	Upper	10.00	761.23	N/A	N/A		N/A	12.12	759.11	N/A	N/A		N/A
MW-414D	204529.11	1649349.33	771.23	771.78	36.05	Upper	12.35	758.88	-2.35	N/A		N/A	12.54	758.69	-0.42	N/A		N/A
MW-415S	204538.67	1649439.31	771.93	772.31	17.16	Upper	12.16	759.77	N/A	N/A		N/A	12.25	759.68	N/A	N/A		N/A
MW-415D	204538.81	1649439.54	771.96	772.31	30.24	Upper	12.91	759.05	-0.72	N/A		N/A	13.03	758.93	-0.75	N/A		N/A
MW-416S	204540.92	1649557.20	773.32	773.69	21.60	Upper	13.38	759.94	N/A	12.90	760.42	N/A	13.80	759.52	N/A	14.90	758.42	N/A
MW-416D	204541.21	1649557.28	773.24	773.69	35.60	Upper	13.48	759.76	-0.17	12.90	760.34	-0.07	13.05	760.19	0.68	14.90	758.34	-0.07
MW-417S	204642.15	1649574.59	777.64	778.00	27.10	Upper	16.40	761.24	N/A	N/A		N/A	17.46	760.18	N/A	N/A		N/A
MW-417D	204642.06	1649574.45	777.64	778.00	38.07	Upper	17.86	759.78	-1.45	N/A		N/A	18.12	759.52	-0.65	N/A		N/A

Table 3
Groundwater Monitoring Well Elevations
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well I.D.	Location Survey		Top of Casing Reference Elevation (ft amsl)	Ground Surface Elevation (ft amsl)	Total Depth (ft bgs)	WBU	Depth to Water Jan 2025 (ft bgs)	Water Elevation Jan 2025 (ft amsl)	Vertical Gradient (Jan 2025)	Depth to Water May 2025 (ft bgs)	Water Elevation May 2025 (ft amsl)	Vertical Gradient (Apr 2025)	Depth to Water July 2025 (ft bgs)	Water Elevation July 2025 (ft amsl)	Vertical Gradient (July 2025)	Depth to Water Oct 2025 (ft bgs)	Water Elevation Oct 2025 (ft amsl)	Vertical Gradient (Oct 2025)
	Easting	Northing																
MW-418S	204748.38	1649606.34	777.73	778.05	26.41	Upper	15.00	762.73	N/A	14.73	763.00	N/A	15.38	762.35	N/A	16.74	760.99	N/A
MW-418D	204748.56	1649606.57	777.76	778.05	41.16	Upper	18.07	759.69	-3.04	17.51	760.25	-2.75	18.51	759.25	-3.10	19.49	758.27	-2.72
MW-419S	204850.74	1649543.17	777.99	778.31	26.22	Upper	14.82	763.17	N/A	15.12	762.87	N/A	15.81	762.18	N/A	17.09	760.90	N/A
MW-419D	204851.08	1649543.15	777.91	778.31	41.66	Upper	14.95	762.96	-0.20	15.10	762.81	-0.05	15.70	762.21	0.04	16.93	760.98	0.09
MW-422S	204843.50	1649736.55	777.68	778.06	25.71	Upper	11.23	766.45	N/A	10.09	767.59	N/A	11.21	766.47	N/A	14.50	763.18	N/A
MW-422D	204843.41	1649736.34	777.69	778.06	37.77	Upper	10.70	766.99	0.53	10.15	767.54	-0.05	11.01	766.68	0.21	14.10	763.59	0.40
MW-423S	204760.12	1649728.85	777.64	778.02	25.06	Upper	16.02	761.62	N/A	15.02	762.62	N/A	16.13	761.51	N/A	17.45	760.19	N/A
MW-423D	204760.37	1649728.53	777.69	778.02	37.35	Upper	17.42	760.27	-1.36	16.90	760.79	-1.84	17.72	759.97	-1.55	18.95	758.74	-1.46
MW-424S	204619.49	1649387.47	777.57	777.99	25.74	Upper	17.53	760.04	N/A	N/A		N/A	17.87	759.70	N/A	N/A		N/A
MW-424D	204619.61	1649387.71	777.63	777.99	37.35	Upper	17.62	760.01	-0.04	N/A		N/A	18.91	758.72	-0.99	N/A		N/A
MW-425	204404.91	1649169.12	769.39	769.72	29.30	Upper	11.25	758.14	N/A	10.48	758.91	N/A	11.25	758.14	N/A	12.25	757.14	N/A
MW-426	204387.38	1648988.24	769.19	769.41	34.15	Upper	10.20	758.99	N/A	10.46	758.73	N/A	11.22	757.97	N/A	12.16	757.03	N/A
MW-173	204375.76	1648974.22	768.97	769.18	97.00	Lower	27.25	741.72	-17.27		768.97	N/A	26.09	742.88	-15.09	N/A		N/A
MW-427	204366.86	1649144.03	768.79	769.13	N/A	Upper	N/A		N/A	N/A		N/A	N/A		N/A	N/A		N/A
MW-322	204358.19	1649169.34	769.75	769.98	58.62	Middle	27.41	742.34	N/A	N/A		N/A	25.96	743.79	N/A	N/A		N/A
MW-323	204355.13	1649183.29	770.23	770.44	27.69	Lower	28.96	741.27	-1.07	N/A		N/A	20.00	750.23	6.44	N/A		N/A
MW-428	204813.60	1649677.22	777.77	778.07	24.91	Upper	15.44	762.33	N/A	13.23	764.54	N/A	13.04	764.73	N/A	16.47	761.30	N/A
MW-22	204499.52	1648973.31	769.71	770.09	59.83	Middle	27.40	742.31	N/A	N/A		N/A	26.15	743.56	N/A	N/A		N/A
MW-82	204778.37	1648966.92	774.50	775.25	60.35	Middle	N/A		N/A	N/A		N/A	30.60	743.90	N/A	N/A		N/A
MW-92	204532.63	1648678.14	771.62	771.88	62.83	Middle	N/A		N/A	N/A		N/A	27.75	743.87	N/A	N/A		N/A
MW-112	204315.38	1648983.97	767.58	768.03	57.54	Middle	25.65	741.93	N/A	N/A		N/A	24.46	743.12	N/A	N/A		N/A
MW-313	204298.43	1648977.22	767.61	767.52	87.90	Lower	25.61	742.00	0.07	N/A		N/A	24.40	743.21	0.09	N/A		N/A
MW-122	204180.69	1649413.25	765.49	765.88	59.25	Middle	N/A		N/A	N/A		N/A	15.03	750.46	N/A	N/A		N/A
MW-123	204189.74	1649422.02	765.17	766.08	89.37	Lower	15.48	749.69	N/A	N/A		N/A	22.81	742.36	-8.10	N/A		N/A
MW-302	204025.46	1649273.43	767.79	768.17	56.24	Middle	N/A		N/A	N/A		N/A	23.95	743.84	N/A	N/A		N/A
MW-303	204017.72	1649273.44	766.19	766..79	86.82	Lower	31.30	734.89	N/A	N/A		N/A	23.61	742.58	-1.26	N/A		N/A
MW-312	204147.28	1649068.09	771.75	772.04	64.25	Middle	29.69	742.06	N/A	N/A		N/A	28.50	743.25	N/A	N/A		N/A
MW-332	204348.01	1649258.02	773.82	770.92	66.02	Middle	N/A		N/A	N/A		N/A	30.83	742.99	N/A	N/A		N/A
MW-153	203974.40	1648970.72	768.95	769.61	54.50	Lower	27.32	741.63	N/A	N/A		N/A	26.11	742.84	N/A	N/A		N/A
MW-333	203704.43	1649356.73	764.82	765.05	88.85	Lower	23.39	741.43	N/A	N/A		N/A	22.13	742.69	N/A	N/A		N/A
MW-343	203987.02	1649721.00	764.05	764.33	N/A	Lower	N/A		N/A	N/A		N/A	N/A		N/A	N/A		N/A

ft amsl - feet above mean sea level
ft bgs - feet below ground surface
WBU - water-bearing unit
Not Gauged - Well not part of that particular event
Could Not Locate - Well likely destroyed
Well Inaccessible - Well was either within an area of injection or construction, or was covered at the time of sampling

Table 4a
Stabilized pH Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

pH (S.U.)

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	6.57	6.23	6.64	6.36	6.84	6.55	6.64	6.73	6.53	6.43	6.66	6.92	6.65	6.86	6.62
1/25/16	Month 55	6.33	5.46	6.56	6.41	6.55	6.43	6.20	5.18	6.81	6.71	6.49	6.74	7.09	7.19	6.44
4/20/16	Month 58	6.29	6.71	6.81	6.49	6.89	6.59	6.35	5.72	7.21	7.02	6.44	6.54	7.35	6.95	6.67
7/20/16	Month 61	6.41	5.63	6.61	6.65	6.59	6.56	6.24	5.29	6.65	6.78	6.59	6.85	7.19	7.09	6.51
10/17/16	Month 64	6.91	7.27	7.26	7.16	7.51	7.03	6.96	NM	7.49	7.65	7.05	7.15	7.36	7.57	7.26
1/9/17	Month 66	6.80	6.43	6.76	7.05	6.97	6.84	6.67	5.53	7.42	7.57	6.90	6.88	7.20	7.03	6.86
4/25/17	Month 70	6.65	6.74	6.77	6.72	7.01	6.60	6.45	6.74	6.86	7.15	6.85	6.60	7.06	7.15	6.81
7/12/17	Month 72	6.88	7.19	6.90	6.84	7.33	6.94	6.78	7.07	7.21	7.45	6.82	6.71	7.43	7.93	7.11
10/18/17	Month 76	6.21	6.87	7.02	6.83	7.38	6.69	6.78	6.95	7.15	7.01	7.10	6.95	7.21	7.26	6.96
1/25/18	Month 79	6.30	6.75	6.72	6.44	9.53	9.38	9.88	9.92	10.62	9.62	9.95	10.48	10.14	10.54	9.02
4/19/18	Month 82	6.50	6.39	6.83	7.00	7.31	6.80	6.77	6.67	6.96	7.11	6.65	6.91	7.07	7.19	6.87
7/19/18	Month 85	6.64	6.91	7.02	6.70	7.21	7.03	6.67	7.33	7.02	7.32	7.08	6.94	7.31	7.14	7.02
10/22/18	Month 88	6.85	7.01	6.48	6.70	6.76	6.63	6.42	6.71	6.91	7.09	6.25	6.78	6.54	7.16	6.74
1/28/19	Month 91	6.26	6.64	6.65	6.39	6.59	6.51	6.30	6.93	6.73	6.92	6.67	6.28	6.74	7.41	6.64
4/8/19	Month 93	6.19	6.52	6.39	6.27	6.32	6.33	6.02	6.64	6.43	6.61	6.28	6.40	6.42	6.75	6.40
7/15/19	Month 97	6.67	6.77	7.36	6.54	6.80	6.79	6.63	7.54	6.96	7.07	7.73	7.63	6.96	7.85	7.09
10/22/19	Month 100	6.41	6.87	6.76	6.48	6.55	6.63	6.47	6.52	6.89	6.86	6.57	6.89	6.99	6.85	6.70
1/14/20	Month 102	6.35	6.81	6.68	6.33	6.59	6.60	6.44	6.99	6.93	6.99	6.68	6.65	6.96	6.84	6.70
4/13/20	Month 105	6.42	7.01	6.72	6.59	6.59	6.58	6.62	6.67	6.94	6.93	6.55	6.71	6.92	6.84	6.72
7/21/20[a]	Month 108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10/19/20	Month 112	6.49	6.94	6.73	6.56	6.62	6.56	6.39	6.64	6.92	6.91	6.55	6.58	6.93	6.78	6.69
1/6/21	Month 114	6.83	6.91	6.85	6.70	6.68	6.57	6.50	6.85	7.06	6.47	6.47	6.59	7.02	6.61	6.72
4/19/21	Month 118	6.58	6.97	4.70	6.73	6.84	6.72	6.61	6.65	7.07	7.10	3.70	6.59	7.09	6.88	6.45
7/20/21	Month 121	6.42	6.71	6.84	6.54	6.75	7.08	6.63	6.38	7.27	7.02	6.29	6.23	-	6.50	6.67
10/4/21	Month 123	6.11	6.21	6.25	5.94	5.95	-	5.84	6.40	6.32	6.27	5.86	5.86	-	4.65	6.03
2/21/22	Month 128	6.59	6.88	6.87	6.74	6.88	6.79	6.65	6.74	7.18	7.11	6.75	6.83	7.13	-	6.86
4/21/22	Month 130	6.57	6.88	6.86	6.74	6.91	6.84	6.67	6.71	7.12	7.07	6.76	6.74	7.06	6.90	6.85
7/27/22	Month 133	6.75	7.00	6.94	6.83	6.96	6.98	6.69	6.82	7.15	7.10	6.86	6.66	7.10	6.92	6.91
10/25/22	Month 136	-	-	6.76	6.74	6.77	6.81	-	-	7.01	6.97	7.00	6.64	6.89	6.80	6.84
1/23/23[b]	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	6.90	-	6.90
4/25/23[b]	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	7.29	-	7.29
7/17/23[c]	Month 145	6.57	-	6.64	6.73	6.65	6.73	6.34	-	6.76	-	6.90	6.70	6.96	7.00	6.73
10/17/23[b]	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	7.17	-	7.17
1/22/24	Month 151	6.55	6.81	6.72	6.68	6.80	6.88	6.57	6.64	7.38	6.70	6.67	6.71	6.93	6.87	6.78
4/22/24	Month 154	6.47	6.75	6.72	6.80	7.07	7.04	6.62	6.83	7.12	7.07	7.01	6.81	7.09	6.14	6.82
7/15/24	Month 157	6.51	6.80	6.80	6.78	6.74	6.79	6.55	6.75	6.91	7.04	6.73	6.70	6.90	5.97	6.71
10/23/24	Month 160	6.25	7.10	6.59	6.60	6.56	6.43	6.21	6.29	6.92	6.82	6.73	6.48	6.75	6.17	6.56
3/6/25	Month 165	6.79	6.76	6.88	6.86	6.69	6.69	6.63	6.63	7.06	7.07	6.75	6.65	6.80	7.19	6.82
5/6/25	Month 167	6.09	6.51	7.18	7.19	6.39	6.54	6.35	6.30	7.29	7.30	7.17	7.07	7.38	6.54	6.81
7/18/25	Month 169	7.14	7.39	7.22	6.97	7.15	7.08	7.01	6.82	7.24	7.38	6.99	7.06	7.33	7.15	7.14
10/14/25	Month 172	6.67	6.85	6.87	6.92	7.02	7.03	6.60	6.71	6.91	7.17	6.93	6.65	6.89	7.01	6.87

'-' = Sample not collected

a. pH readings were not obtained during the 7/21/2020 event due to a faulty sensor

b. Samples were not collected from remedial wells during the January, April and October 2023 events due to not enough timing from recent amendment injections.

c. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 4b
Stabilized Temperature Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Temp (degrees Celsius)

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	16.22	16.3	18.20	18.10	14.10	15.42	14.95	16.23	13.26	14.14	18.70	18.75	12.56	16.00	15.92
1/25/16	Month 55	14.08	10.33	10.96	10.56	14.24	12.26	14.06	12.30	13.59	12.85	11.71	11.46	11.89	11.36	12.26
4/20/16	Month 58	16.53	18.73	19.17	19.57	16.69	20.84	17.17	18.81	17.86	17.91	17.18	15.23	16.72	16.03	17.75
7/20/16	Month 61	24.77	24.23	24.65	24.13	24.97	25.19	25.63	24.68	26.33	26.63	24.06	24.21	24.22	24.56	24.88
10/17/16	Month 64	21.11	20.27	20.24	20.66	20.07	19.19	21.82	19.47	21.68	20.93	21.31	20.07	20.69	20.20	20.55
1/9/17	Month 66	11.97	11.18	11.36	11.83	13.60	11.92	13.38	11.84	13.27	12.45	11.53	11.32	11.90	11.70	12.09
4/25/17	Month 70	17.04	19.04	16.62	17.52	15.90	17.78	17.80	19.04	15.82	16.75	16.37	17.16	16.87	18.55	17.30
7/12/17	Month 72	21.17	20.51	20.56	20.18	19.53	19.39	19.81	19.82	20.13	19.10	22.32	20.63	19.33	20.04	20.18
10/18/17	Month 76	17.22	16.58	17.73	16.61	17.05	16.78	17.20	16.29	16.87	16.47	17.97	17.03	16.73	17.51	17.00
1/25/18	Month 79	15.79	16.23	14.99	15.85	13.86	12.72	13.74	14.39	9.33	14.62	13.21	13.30	10.40	13.99	13.74
4/19/18	Month 82	14.61	14.72	14.45	14.09	13.62	13.11	13.31	13.38	13.07	13.14	14.31	13.43	13.58	13.11	13.71
7/19/18	Month 85	21.86	23.59	23.09	-	24.76	23.04	25.61	21.97	22.64	20.97	21.25	23.78	20.66	22.36	22.74
10/22/18	Month 88	18.97	18.47	17.94	18.06	19.12	22.10	18.65	17.88	18.40	17.87	17.98	18.26	18.26	18.23	18.59
1/28/19	Month 91	15.10	14.10	12.70	14.60	10.20	11.20	12.20	11.10	11.40	11.90	12.10	13.50	10.60	12.20	12.35
4/8/19	Month 93	14.45	15.75	14.08	14.73	14.63	17.38	12.58	13.69	18.10	17.42	15.04	15.75	12.89	15.08	15.11
7/15/19	Month 97	20.01	22.56	31.39	24.23	17.58	17.64	18.56	17.06	22.79	19.33	29.91	29.41	19.67	27.53	22.69
10/22/19	Month 100	17.40	17.10	19.40	17.40	18.50	17.60	16.60	16.50	17.80	17.00	17.60	17.60	18.60	17.10	17.59
1/14/20	Month 102	16.00	15.90	13.30	16.30	15.80	15.70	15.60	15.90	14.90	14.90	13.90	13.20	14.50	14.30	15.01
4/13/20	Month 105	13.80	14.70	14.00	14.20	13.70	14.70	13.40	14.30	12.90	14.00	13.40	14.20	12.00	12.90	13.73
7/21/20	Month 109	18.40	18.20	20.10	18.40	18.70	18.00	20.80	18.60	17.70	17.10	19.10	20.10	18.00	18.00	18.66
10/19/20	Month 112	16.80	16.40	17.80	17.20	18.50	17.00	17.80	16.70	18.10	16.80	16.90	16.30	18.60	15.70	17.19
1/6/21	Month 114	16.10	15.30	15.20	15.90	15.80	15.30	15.40	15.60	15.80	15.70	14.50	13.90	15.60	13.10	15.23
4/19/21	Month 118	16.80	17.70	15.50	18.70	13.20	14.60	15.70	16.10	13.60	13.90	15.00	15.00	12.10	13.60	15.11
7/20/21	Month 121	18.30	19.10	20.10	18.80	20.20	19.80	19.90	17.50	18.70	18.80	17.50	17.00	-	17.40	18.70
10/4/21	Month 123	19.30	18.20	19.70	19.10	20.90	-	19.70	19.00	21.00	19.60	18.80	18.90	-	17.60	19.34
2/21/22	Month 128	14.31	16.40	13.13	16.30	15.89	16.40	16.69	14.30	13.54	14.47	15.35	12.86	12.38	-	14.77
4/21/22	Month 130	14.55	15.49	15.07	16.28	13.14	14.53	15.62	17.25	14.88	15.80	15.49	16.55	12.30	14.86	15.13
7/27/22	Month 133	20.11	18.57	19.51	21.73	18.17	17.68	18.79	18.08	17.49	16.85	18.07	17.93	16.72	18.31	18.43
10/25/22[a]	Month 136	-	-	19.76	18.60	20.90	18.62	-	-	19.40	17.48	19.50	18.12	20.76	18.60	19.17
1/23/23[a]	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	14.12	-	14.12
4/25/23[a]	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	11.84	-	11.84
7/17/23[b]	Month 145	20.33	-	23.46	18.40	20.78	19.99	18.40	-	18.19	-	19.55	20.42	17.70	20.11	19.76
10/17/23[a]	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	17.80	-	17.80
1/22/24	Month 151	12.79	14.56	14.44	15.26	13.73	7.72	13.58	14.40	12.44	15.05	14.99	15.63	14.30	13.29	13.73
4/22/24	Month 154	15.85	17.92	16.61	16.71	18.70	19.33	14.64	15.44	16.21	18.64	14.65	14.41	16.71	14.76	16.47
7/15/24	Month 157	19.90	22.83	21.60	19.77	20.21	20.51	18.96	20.18	19.49	21.53	18.53	19.16	18.99	21.10	20.20
10/23/24	Month 160	19.01	22.95	20.35	18.60	21.27	20.04	20.99	17.94	19.28	17.98	20.11	19.62	20.57	22.79	20.11
3/6/25	Month 165	16.79	16.73	16.50	16.21	14.30	15.28	16.21	15.15	14.62	15.32	14.59	14.02	13.51	7.85	14.79
5/6/25	Month 167	17.15	17.08	20.57	17.77	15.87	16.63	16.09	17.94	16.52	17.41	19.79	18.69	13.98	15.94	17.25
7/18/25	Month 169	22.74	19.54	21.89	19.25	23.17	19.00	20.34	18.14	18.82	19.15	19.73	19.32	20.77	21.30	20.14
10/14/25	Month 172	21.35	19.09	21.04	18.88	20.19	18.48	20.25	18.90	18.65	18.32	18.99	20.68	21.91	23.06	19.99

a. Samples were not collected from remedial wells during these events due to not enough timing from recent amendment injections.
b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 4c
Stabilized Specific Conductivity Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Specific Conductivity [micro-Siemens per centimeter (µS/cm)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	2.62	1.21	1.96	1.48	1.42	1.77	1.73	1.21	1.70	1.15	2.34	1.35	1.19	1.60	1.62
1/25/16	Month 55	6.27	2.02	1.91	2.74	2.29	2.08	3.34	2.00	2.01	1.68	2.89	1.95	1.30	1.74	2.44
4/20/16	Month 58	7.26	1.91	1.73	2.83	1.42	2.81	2.96	1.37	2.02	1.76	3.15	1.31	1.53	1.73	2.41
7/20/16	Month 61	4.26	2.20	2.05	2.34	2.37	2.02	3.12	1.87	-	-	2.55	1.94	-	1.56	2.39
10/17/16	Month 64	6.75	2.49	1.09	2.64	1.45	2.45	2.64	2.78	1.61	0.99	3.59	2.23	1.17	1.64	2.39
1/9/17	Month 66	6.15	2.31	1.52	2.23	2.66	2.09	1.64	2.06	1.49	1.09	2.81	2.61	1.20	1.79	2.26
4/25/17	Month 70	6.54	2.59	1.48	2.73	1.35	2.35	3.15	2.17	1.42	1.20	1.67	1.53	1.43	1.29	2.21
7/12/17	Month 72	7.08	2.56	1.27	0.28	1.29	2.35	2.35	2.08	1.34	1.21	2.29	1.02	1.44	0.46	1.93
10/18/17	Month 76	9.42	2.45	1.22	0.34	1.02	2.44	2.24	2.27	1.22	0.92	2.05	1.22	1.57	0.52	2.06
1/25/18	Month 79	8.68	2.08	1.38	1.28	0.39	2.31	1.29	1.02	0.56	1.35	0.40	0.09	0.97	0.29	1.58
4/19/18	Month 82	3.35	2.20	1.01	0.53	0.97	2.12	2.51	2.71	0.81	1.02	1.46	1.82	1.32	1.15	1.64
7/19/18	Month 85	11.41	2.25	1.08	1.30	1.31	2.10	2.41	1.29	1.30	1.26	3.31	0.95	1.24	1.60	2.34
10/22/18	Month 88	1.14	2.12	1.21	1.14	1.24	1.24	1.42	0.66	1.21	1.20	3.03	3.04	1.22	1.26	1.51
1/28/19	Month 91	1.36	2.34	1.37	1.57	1.36	2.10	1.18	0.52	1.06	1.38	3.50	0.83	1.43	0.47	1.46
4/8/19	Month 93	1.46	2.25	0.88	1.54	1.16	1.85	1.89	1.19	0.95	1.19	2.56	1.34	1.36	0.96	1.47
7/15/19	Month 97	8.30	1.87	0.24	1.04	0.93	1.54	2.19	0.31	0.81	1.09	0.09	0.08	0.83	0.14	1.39
10/22/19	Month 100	12.56	2.04	1.39	1.37	1.05	1.65	2.42	1.10	1.04	1.19	2.14	0.59	0.92	1.47	2.21
1/14/20	Month 102	10.28	1.79	1.18	0.65	1.19	1.75	1.29	0.84	0.87	1.10	2.20	0.66	0.93	1.44	1.87
4/13/20	Month 105	9.31	1.33	1.42	1.28	1.13	1.77	1.44	0.63	0.91	1.07	2.22	1.16	0.89	1.46	1.86
7/21/20	Month 109	9.36	1.39	1.28	1.20	0.99	1.43	1.80	1.18	0.85	0.95	1.85	1.18	0.39	1.37	1.80
10/19/20	Month 112	10.10	1.19	1.04	1.18	0.90	1.18	1.25	1.02	0.90	0.95	1.72	1.22	0.67	1.25	1.75
1/6/21	Month 114	8.14	1.79	1.22	1.41	1.21	1.40	1.86	1.36	0.88	1.18	2.08	1.36	0.87	1.40	1.87
4/19/21	Month 118	7.07	2.08	2.18	1.36	1.10	1.60	2.13	1.90	0.91	1.13	2.16	1.17	0.85	1.52	1.94
7/20/21	Month 121	5.70	1.97	1.17	1.11	1.06	1.48	1.79	0.20	0.87	1.13	1.87	0.95	-	1.46	1.60
10/4/21	Month 123	3.40	1.58	0.64	1.27	0.84	-	1.11	0.68	0.81	0.93	0.46	0.17	-	1.39	1.04
2/21/22	Month 128	7.16	1.31	1.21	1.28	0.93	1.30	1.34	1.66	0.87	1.14	1.62	1.34	0.89	-	1.70
4/21/22	Month 130	6.03	1.23	1.35	1.29	0.88	1.17	2.08	2.13	0.93	1.11	1.64	1.19	0.79	1.36	1.66
7/27/22	Month 133	9.18	1.30	1.34	1.32	0.94	1.16	1.92	1.78	0.90	1.15	1.45	1.52	0.85	1.35	1.87
10/25/22[a]	Month 136	-	-	1.20	1.28	1.49	1.14	-	-	0.95	1.09	0.02	1.01	0.95	1.24	1.04
1/23/23[a]	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	0.88	-	0.88
4/25/23[a]	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	0.85	-	0.85
7/17/23[b]	Month 145	4.81	-	2.11	1.99	1.17	1.86	2.20	-	1.09	-	1.07	1.31	0.99	0.71	1.76
10/17/23[a]	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	0.92	-	0.92
1/22/24	Month 151	3.44	1.46	1.77	1.24	1.31	0.38	2.42	2.29	1.07	1.37	1.31	1.19	1.07	2.19	1.61
4/22/24	Month 154	5.85	1.68	2.32	1.92	1.04	0.86	2.14	3.60	0.92	1.02	1.36	1.55	0.97	0.91	1.87
7/15/24	Month 157	3.73	1.40	1.61	1.68	0.94	1.13	2.04	2.50	0.87	1.00	1.06	1.20	0.96	0.38	1.46
10/23/24	Month 160	6.58	1.73	1.95	1.96	1.01	1.29	2.04	1.62	0.91	1.13	1.11	1.21	1.11	0.87	1.75
3/6/25	Month 165	7.86	1.73	1.67	1.79	0.98	1.19	2.16	2.17	0.91	1.16	1.22	1.37	1.12	2.67	1.95
5/6/25	Month 167	7.89	1.48	1.58	1.56	0.94	1.00	1.96	1.98	0.86	1.13	0.96	1.20	1.09	2.64	1.82
7/18/25	Month 169	8.44	1.57	1.61	1.77	0.98	1.02	2.12	2.44	0.91	1.15	1.19	1.41	1.09	2.84	1.98
10/14/25	Month 172	9.02	1.47	1.36	1.52	0.87	1.01	1.83	2.11	0.85	1.10	1.18	1.21	1.08	2.72	1.95

a. Samples were not collected from remedial wells during these events due to not enough timing from recent amendment injections.
b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 4d
Stabilized Dissolved Oxygen Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Dissolved Oxygen [milligrams/Liter (mg/L)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	1.79	0.60	-	0.83	0.67	0.54	0.67	0.48	0.65	0.61	-	3.11	0.61	-	0.96
1/25/16	Month 55	0.81	0.55	0.78	0.61	0.63	0.60	0.74	0.67	0.50	0.45	0.46	0.60	0.65	0.33	0.60
4/20/16	Month 58	0.57	0.38	0.62	0.40	0.28	0.34	0.36	0.32	0.33	0.28	0.31	0.97	0.35	0.76	0.45
7/20/16	Month 61	0.72	0.41	0.68	0.53	0.48	0.52	0.70	0.56	0.49	0.46	0.48	0.53	0.70	0.42	0.55
10/17/16	Month 64	0.94	0.56	0.84	0.55	0.63	0.57	0.76	0.64	0.67	0.63	0.95	0.80	0.74	1.03	0.74
1/9/17	Month 66	0.76	0.71	0.65	0.74	0.74	0.69	0.56	0.67	0.47	0.70	0.57	0.49	0.76	0.63	0.65
4/25/17	Month 70	0.94	0.61	0.71	0.28	5.50	0.39	0.38	0.62	4.20	3.90	0.94	1.10	0.85	0.87	1.52
7/12/17	Month 72	0.52	0.68	0.79	0.49	0.38	0.26	0.33	0.25	0.56	0.20	0.44	0.38	0.94	2.58	0.63
10/18/17	Month 76	0.86	0.51	0.74	0.66	0.65	0.68	0.44	0.29	0.96	0.77	0.52	0.41	1.03	1.20	0.69
1/25/18	Month 79	1.30	2.74	5.14	2.40	0.76	0.89	0.67	0.65	0.89	0.78	0.65	0.65	1.09	0.65	1.38
4/19/18	Month 82	0.82	0.68	0.75	1.10	0.98	0.94	0.69	0.58	0.82	1.06	0.62	1.17	1.14	0.97	0.88
7/19/18	Month 85	0.67	0.76	1.05	0.38	0.61	0.47	0.81	0.68	0.42	0.28	1.06	1.24	0.52	1.19	0.72
10/22/18	Month 88	0.44	0.48	1.11	1.87	0.84	0.61	1.11	0.42	0.60	0.47	1.18	1.36	1.44	1.02	0.93
1/28/19	Month 91	0.14	0.22	0.55	0.27	0.20	0.19	0.22	0.23	0.27	0.12	1.17	1.10	0.19	3.04	0.57
4/8/19	Month 93	0.01	0.00	1.69	2.28	0.00	0.00	0.00	0.24	0.00	0.00	0.00	1.54	0.00	0.08	0.42
7/15/19	Month 97	3.02	0.02	0.86	0.11	1.79	0.00	4.61	1.88	2.20	0.00	3.66	3.86	1.98	7.60	2.26
10/22/19	Month 100	0.23	0.37	1.21	0.30	0.27	0.20	0.28	0.13	0.30	0.29	1.15	1.21	0.29	2.47	0.62
1/14/20	Month 102	0.98	1.01	5.27	1.02	0.97	0.99	0.87	0.93	1.09	1.03	4.90	5.13	1.09	3.84	2.08
4/13/20	Month 105	0.24	0.22	1.70	0.35	0.21	0.24	0.20	0.24	0.28	0.28	1.70	1.48	0.34	3.01	0.75
7/21/20	Month 109	0.64	0.57	1.61	0.64	0.60	0.57	0.50	0.49	0.56	0.56	2.19	2.51	0.82	2.51	1.06
10/19/20	Month 112	0.89	0.96	5.73	1.30	1.10	1.00	0.90	0.94	1.05	1.10	3.38	4.82	1.02	3.71	1.99
1/6/21	Month 114	0.84	0.94	2.73	1,1	0.95	0.95	0.89	0.90	0.96	0.94	2.74	3.29	0.95	2.41	1.50
4/19/21	Month 118	4.92	5.56	5.11	4.67	5.63	5.32	5.07	4.98	5.51	5.54	5.26	5.41	5.91	6.74	5.40
7/20/21	Month 121	1.58	1.84	4.80	1.59	1.52	1.82	1.31	1.90	1.52	1.56	6.90	1.80	-	5.90	2.62
10/4/21	Month 123	2.30	1.80	4.91	1.81	1.66	-	1.57	2.28	1.62	2.17	2.45	3.39	-	4.68	2.40
2/21/22	Month 128	0.18	0.01	0.17	0.00	0.59	0.00	0.03	0.18	0.00	0.01	0.03	0.13	0.00	-	0.10
4/21/22	Month 130	0.04	0.05	0.07	0.00	0.00	0.04	0.00	0.05	0.00	0.09	0.00	0.00	0.01	0.15	0.04
7/27/22	Month 133	0.00	0.01	0.01	0.05	0.00	0.04	0.00	0.01	0.03	0.03	0.02	0.01	0.01	0.15	0.03
10/25/22[a]	Month 136	-	-	0.35	0.00	0.00	0.00	-	-	0.00	0.00	0.02	0.03	0.05	0.15	0.06
1/23/23[a]	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	0.00	-	0.00
4/25/23[a]	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	0.05	-	0.05
7/17/23[b]	Month 145	0.02	-	0.02	0.00	0.00	0.78	0.00	-	0.00	-	0.03	0.01	0.00	0.09	0.09
10/17/23[a]	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	0.04	-	0.04
1/22/24	Month 151	0.28	0.00	0.01	0.11	0.00	8.00	0.24	0.00	6.50	0.19	0.08	0.00	0.00	7.23	1.62
4/22/24	Month 154	0.01	0.00	0.00	0.00	0.00	0.00	0.69	0.01	0.00	0.10	0.03	0.00	0.37	0.00	0.09
7/15/24	Month 157	0.00	0.00	0.01	0.00	0.00	0.00	0.84	0.00	0.00	0.00	0.00	0.00	0.10	0.02	0.07
10/23/24	Month 160	0.07	0.19	0.04	0.00	0.02	0.03	0.02	0.01	0.03	0.00	0.11	0.13	0.00	0.00	0.05
3/6/25	Month 165	5.41	1.32	0.54	0.21	0.15	0.02	0.04	0.06	1.53	5.45	0.20	0.26	0.01	7.59	1.63
5/6/25	Month 167	0.11	0.04	0.20	0.08	0.12	0.07	0.04	0.03	0.01	0.08	0.08	0.08	0.05	0.11	0.08
7/18/25	Month 169	7.39	6.97	2.62	2.80	2.80	1.98	3.65	0.48	1.78	4.15	4.55	5.47	2.62	0.27	3.40
10/14/25	Month 172	0.04	0.05	0.22	0.10	0.09	0.09	0.11	0.01	0.10	0.10	0.09	0.12	0.25	0.15	0.11

a. Samples were not collected from remedial wells during these events due to not enough timing from recent amendment injections.
b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 4e
Stabilized Oxidation Reduction Potential Measurements in Low-Flow Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Oxidation Reduction Potential [miilivolts (mV)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-428	MW Avg
3/17/11	Prior	73.0	29.0	-	28.0	49.0	53.0	76.0	35.0	163.0	36.0	-	21.0	35.0	-	54.4
1/25/16	Month 55	161.0	5.0	-62.0	-62.0	-106.0	-93.0	-81.0	-24.0	-126.0	-114.0	-74.0	-90.0	-138.0	-59.0	-61.6
4/20/16	Month 58	138.0	-171.0	-110.0	-85.0	-173.0	-151.0	-102.0	-50.0	-137.0	-120.0	-113.0	-79.0	-127.0	59.0	-87.2
7/20/16	Month 61	155.0	28.0	-36.0	-41.0	-88.0	-75.0	-71.0	-12.0	-115.0	-103.0	-66.0	-78.0	-128.0	-44.0	-48.1
10/17/16	Month 64	200.0	-25.0	30.0	-60.0	29.0	15.0	-21.0	31.0	-81.0	-77.0	13.0	-18.0	33.0	131.0	14.3
1/9/17	Month 66	171.0	-28.0	-9.0	-30.0	24.0	37.0	-11.0	25.0	-70.0	-54.0	-44.0	-24.0	-38.0	16.0	-2.5
4/25/17	Month 70	8.0	-93.0	-72.0	-70.0	-184.0	-137.0	-95.0	-213.0	-207.0	-153.0	-21.0	-36.0	-67.0	-92.0	-102.3
7/12/17	Month 72	21.0	-117.0	-89.0	-11.0	-174.0	-151.0	-125.0	-215.0	-152.0	-167.0	-95.0	-72.0	-105.0	-60.0	-108.0
10/18/17	Month 76	-107.0	-105.0	-62.0	9.0	-112.0	-117.0	-139.0	-164.0	-122.0	-140.0	-78.0	-66.0	-88.0	-44.0	-95.4
1/25/18	Month 79	-125.0	-113.0	-98.0	-74.0	-	-	-	-	-	-	-	-	-	-	-102.5
4/19/18	Month 82	-122.0	-132.0	-16.0	-13.0	-102.0	-115.0	-90.0	-99.0	-52.0	-40.0	-13.0	-43.0	-45.0	-80.0	-68.7
7/19/18	Month 85	-226.0	-171.0	-124.0	-132.0	-119.0	-106.0	-111.0	-107.0	-79.0	-94.0	-117.0	-101.0	-85.0	-115.0	-120.5
10/22/18	Month 88	-277.0	-224.0	-64.0	-89.0	-115.0	-80.0	-178.0	-256.0	-161.0	-180.0	-70.0	-64.0	-48.0	-207.0	-143.8
1/28/19	Month 91	-21.7	-36.8	124.3	-25.6	-31.3	-64.5	-285.7	-269.3	-75.1	-67.7	42.9	138.3	-62.2	50.4	-41.7
4/8/19	Month 93	-201.0	-83.0	-107.0	-126.0	-102.0	-97.0	-242.0	-182.0	-181.0	-114.0	-92.0	-88.0	-88.0	5.0	-121.3
7/15/19	Month 97	-230.0	-89.0	-60.0	-94.0	-67.0	-78.0	-240.0	-58.0	-145.0	-88.0	51.0	100.0	-75.0	70.0	-71.6
10/22/19	Month 100	-204.1	-109.2	-89.6	-86.8	-67.9	-112.7	-107.8	-162.5	-126.4	-99.8	-78.1	-35.9	-98.7	22.3	-96.9
1/14/20	Month 102	-77.2	-102.1	-44.9	-41.5	-214.5	-232.8	-308.7	-256.2	-108.4	-99.0	-65.8	-6.8	-82.4	0.8	-117.1
4/13/20	Month 105	-340.2	-262.3	-56.3	-62.3	-153.2	-175.9	-316.1	-240.8	-102.3	-74.1	-57.2	-53.6	-76.3	6.2	-140.3
7/21/20	Month 109	-249.9	-201.3	-59.4	-89.8	-156.4	-161.7	-286.5	-268.3	-171.4	-132.2	-49.4	-28.3	-74.3	23.9	-136.1
10/19/20	Month 112	-342.7	-272.8	-74.0	-79.9	-228.2	-238.9	-294.1	-279.6	-272.3	-210.7	-101.6	-66.8	-188.8	28.3	-187.3
1/6/21	Month 114	-261.0	-197.0	-78.3	-84.0	-155.0	-127.8	-247.0	-223.0	-126.0	-111.8	-69.3	-65.6	-113.9	3.2	-132.6
4/19/21	Month 118	-100.0	-141.5	-77.8	-84.5	-84.2	-120.7	-285.0	-258.0	-125.1	-119.0	-88.7	-39.0	-89.1	26.7	-113.3
7/20/21	Month 121	-83.4	-70.3	-86.7	-59.1	-58.3	-66.1	-202.0	-203.0	-97.1	-82.0	-66.2	-34.2	-	107.0	-77.0
10/4/21	Month 123	-78.4	-64.5	-17.8	-42.6	-64.5	-	-58.9	57.5	-96.5	-78.5	24.0	8.4	-	187.1	-20.7
2/21/22	Month 128	-210.4	-175.4	-111.2	-101.4	-152.1	-171.4	-197.7	-193.3	-135.7	-107.1	-117.1	-105.7	-111.2	-	-145.4
4/21/22	Month 130	-84.3	-86.9	-120.3	-101.7	-91.6	-110.8	-135.0	-284.5	-107.7	-88.4	-109.4	-89.7	-85.4	-5.8	-107.3
7/27/22	Month 133	-281.2	-159.0	-133.4	-113.5	-187.6	-182.0	-216.9	-273.2	-180.6	-155.4	-142.3	-102.0	-119.1	-110.4	-168.3
10/25/22[a]	Month 136	-	-	-79.4	-75.2	-153.1	-145.8	-	-	-117.5	-77.2	-103.2	-63.2	-106.0	2.9	-91.8
1/23/23[a]	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	-189.1	-	-189.1
4/25/23[a]	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	-180.3	-	-180.3
7/17/23[b]	Month 145	-180.9	-	-132.3	-94.8	-112.8	-89.5	-85.1	-	-115.6	-	-98.6	-73.7	-142.2	-58.8	-107.7
10/17/23[a]	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	-124.90	-	-124.9
1/22/24	Month 151	-36.7	-76.2	-89.1	-77.2	-88.5	-0.5	-81.2	-110.3	-70.3	-158.0	-92.9	-63.0	-144.6	-99.3	-84.8
4/22/24	Month 154	-74.2	-95.7	-276.8	-115.1	-138.5	-131.0	-169.1	-118.7	-140.8	-317.0	-116.4	-53.9	-79.8	-59.7	-134.8
7/15/24	Month 157	-79.0	-93.3	-142.7	-118.7	-136.8	-139.2	-116.0	-111.0	-153.9	-277.9	-97.9	-95.4	-119.5	-77.7	-125.6
10/23/24	Month 160	-98.50	-91.50	-103.00	-93.40	-85.70	-88.70	-93.40	-93.40	-143.90	-98.60	-131.30	-89.50	-116.40	-43.00	-97.9
3/6/25	Month 165	-108.20	-94.30	-77.70	-75.70	-112.70	-161.10	-105.30	-115.70	-159.70	-93.00	-52.50	-25.80	-138.30	-129.30	-103.52
5/6/25	Month 167	-78.10	-137.10	-70.90	-52.30	-47.10	-93.40	-149.50	-105.50	-241.70	-179.50	-83.40	-46.80	-56.10	-209.00	-110.74
7/18/25	Month 169	-70.40	-67.10	-63.40	-15.50	-54.50	-46.00	-51.40	-104.50	-71.90	-44.10	-44.40	-35.70	-68.00	-111.30	-60.59
10/14/25	Month 172	-42.80	-49.30	-78.00	-66.40	-41.00	-39.90	-46.00	-199.30	-133.90	-131.10	-51.40	-29.30	-74.30	-114.20	-78.35

a. Samples were not collected from remedial wells during these events due to not enough timing from recent amendment injections.
b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

Table 5
Groundwater VOC Analytical Results - First Quarter 2025
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well ID	Sample Date	Lab Report Number	Compounds of Concern (COCs)																
			1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	2-Butanone (MEK)	Acetone	Benzene	Carbon tetrachloride	Chloroethane	Chloroform	cis-1,2-Dichloroethene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride	AI Other COCs
GW RISCs			200	28	7	5	5600	14000	5	5	21000	80	70	5	1000	100	5	2	
MW-112	3/3/2025	MW-112-03032025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**280**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**244**	ND
MW-123	3/6/2025	MW-123-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-131	3/6/2025	MW-131-03062025	**171**	**19.7**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	**6.7**	< 5.0 U	**9.1**	**8.6**	< 5.0 U	< 5.0 U	< 5.0 U	**44.9**	< 2.0 U	ND
MW-132	3/6/2025	AD-400-03062025	< 5.0 U	**40.3**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**420**	< 5.0 U	< 5.0 U	**32.1**	**478**	**159**	ND
MW-132	3/6/2025	MW-132-03062025	< 5.0 U	**43.7**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**435**	< 5.0 U	< 5.0 U	**32.2**	**514**	**179**	ND
MW-133	3/6/2025	MW-133-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**809**	< 5.0 U	< 5.0 U	**19.6**	< 5.0 U	**465**	ND
MW-153	3/6/2025	MW-153-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-163	3/6/2025	MW-163-03062025	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	**6470**	< 50.0 U	< 50.0 U	**51.5**	< 50.0 U	**2030**	ND
MW-173	3/3/2025	MW-173-03032025	< 5.0 U	< 5.0 U	< 5.0 U	**7.3**	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**778**	< 5.0 U	< 5.0 U	**17**	< 5.0 U	**117**	ND
MW-22	3/3/2025	MW-22-03032025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**32.4**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**50.4**	ND
MW-251	3/6/2025	MW-251-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-253	3/6/2025	MW-253-03062025	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	**609**	< 50.0 U	**16200**	< 50.0 U	< 50.0 U	**159**	< 50.0 U	**2530**	ND
MW-303	3/6/2025	MW-303-03062025	< 5.0 U	< 5.0 U	**6.3**	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**1450**	< 5.0 U	< 5.0 U	**9.3**	< 5.0 U	**444**	ND
MW-312	3/6/2025	MW-312-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-313	3/3/2025	MW-313-03032025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**383**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**31**	ND
MW-321	3/6/2025	MW-321-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**88.2**	< 5.0 U	**273**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**260**	ND
MW-322	3/6/2025	MW-322-03062025	< 5.0 U	**5.9**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**256**	< 5.0 U	**477**	< 5.0 U	< 5.0 U	**17.7**	**6**	**679**	ND
MW-323	3/6/2025	MW-323-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**202**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**6.3**	ND
MW-331	3/6/2025	MW-331-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**11.8**	< 5.0 U	**27**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**28.8**	ND
MW-333	3/6/2025	MW-333-03062025	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	**99.9**	< 50.0 U	**12100**	< 50.0 U	< 50.0 U	**97**	< 50.0 U	**2160**	ND
MW-401	3/4/2025	MW-401-03042025	**51.9**	**136**	**8.7**	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**311**	< 5.0 U	**4480**	< 5.0 U	< 5.0 U	**19.7**	**15.9**	**625**	ND
MW-402	3/4/2025	MW-402-03042025	**70.8**	**1060 M1**	< 50.0 U	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	**413**	< 50.0 U	**16600 M1**	< 50.0 U	< 50.0 U	**202**	**64.3**	**2390 M1**	ND
MW-402D	3/4/2025	MW-402D-03042025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**43.3**	ND
MW-403	3/4/2025	MW-403-03042025	**33.3**	**65.5**	**6.5**	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**160**	< 5.0 U	**335**	< 5.0 U	< 5.0 U	< 5.0 U	**6.6**	**180**	ND
MW-404	3/5/2025	MW-404-03052025	**11600**	**52000**	**525**	**513**	< 1250 U	< 5000 U	< 250 U	< 250 U	**19200**	< 250 U	**33900**	< 250 U	< 250 U	**2360**	< 250 U	**14200**	ND
MW-405D	3/5/2025	MW-405D-03052025	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	**2050**	< 50.0 U	**233**	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	**1220**	ND
MW-405S	3/5/2025	MW-405S-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**10.4**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-406D	3/5/2025	MW-406D-03052025	< 250 U	**2350**	**622**	< 250 U	< 1250 U	< 5000 U	< 250 U	< 250 U	< 250 U	< 250 U	**19800**	< 250 U	< 250 U	< 250 U	< 250 U	**2090**	ND
MW-406S	3/5/2025	MW-406S-03052025	**233**	**1880**	**80.6**	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	**1140**	< 50.0 U	**13000**	< 50.0 U	< 50.0 U	**175**	< 50.0 U	**1530**	ND
MW-407D	3/4/2025	MW-407D-03042025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**142**	< 5.0 U	**49.6**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**57.2**	ND
MW-407S	3/4/2025	MW-407S-03042025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**22.3**	< 5.0 U	**57.7**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**165**	ND
MW-408D	3/5/2025	MW-408D-03052025	< 5.0 U	**58.8**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**827**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**8.9**	ND
MW-408S	3/5/2025	MW-408S-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-41	3/6/2025	MW-41-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-410D	3/3/2025	MW-410D-03032025	< 25.0 U	**325**	< 25.0 U	< 25.0 U	< 125 U	< 500 U	< 25.0 U	< 25.0 U	**3330**	< 25.0 U	**270**	< 25.0 U	< 25.0 U	< 25.0 U	< 25.0 U	**268**	ND
MW-410S	3/3/2025	MW-410S-03032025	**173**	**146**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**549**	< 5.0 U	**42**	< 5.0 U	< 5.0 U	< 5.0 U	**23.4**	**14**	ND
MW-411D	3/4/2025	AD-200-03042025	< 125 U	< 125 U	< 125 U	< 125 U	< 625 U	< 2500 U	< 125 U	< 125 U	**4850**	< 125 U	< 125 U	< 125 U	< 125 U	< 125 U	< 125 U	< 50.0 U	ND
MW-411D	3/4/2025	MW-411D-03042025	< 5.0 U	< 5.0 U	< 5.0 U	**8.8**	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**5100**	< 5.0 U	**5.8**	< 5.0 U	< 5.0 U	**6.7**	< 5.0 U	**15.7**	ND
MW-411S	3/4/2025	MW-411S-03042025	**64.6**	**2260**	< 50.0 U	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	**19500**	< 50.0 U	**1860**	< 50.0 U	< 50.0 U	**107**	< 50.0 U	**543**	ND
MW-413D	3/4/2025	MW-413D-03042025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**73.2**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**131**	ND
MW-413S	3/3/2025	MW-413S-03032025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**99.1**	< 5.0 U	**31.3**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**34.6**	ND
MW-414D	3/6/2025	MW-414D-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**112**	< 5.0 U	**68.4**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**226**	ND
MW-414S	3/6/2025	MW-414S-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**712**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-415D	3/6/2025	MW-415D-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**29.5**	< 5.0 U	**10.6**	**20**	< 5.0 U	< 5.0 U	< 5.0 U	**15.8**	ND
MW-415S	3/6/2025	MW-415S-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**421**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**3.3**	ND
MW-416D	3/6/2025	MW-416D-03062025	< 5.0 U	**532**	< 5.0 U	**5**	< 25.0 U	< 100 U	**7.3**	< 5.0 U	**537**	< 5.0 U	**693**	< 5.0 U	< 5.0 U	**13.6**	< 5.0 U	**161**	ND
MW-416S	3/6/2025	MW-416S-03062025	< 5.0 U	**184**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**336**	< 5.0 U	**207**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**110**	ND
MW-417D	3/5/2025	MW-417D-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**586**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**11.9**	ND
MW-417S	3/5/2025	MW-417S-03052025	< 5.0 U	**14.3**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**20.4**	< 5.0 U	**40.9**	< 5.0 U	< 5.0 U	**6.1**	< 5.0 U	**19.7**	ND
MW-418D	3/5/2025	MW-418D-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**8**	< 5.0 U	**9.3**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**572 M1**	ND
MW-418S	3/5/2025	MW-418S-03052025	< 50.0 U	**114**	< 50.0 U	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	**101**	< 50.0 U	**4910**	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	**7780**	ND
MW-419D	3/5/2025	MW-419D-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-419S	3/5/2025	MW-419S-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-422D	3/5/2025	MW-422D-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**442**	< 5.0 U	< 5.0 U	**7.8**	< 5.0 U	**1180**	ND
MW-422S	3/5/2025	MW-422S-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**48.8**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**2750**	ND
MW-423D	3/5/2025	MW-423D-03052025	**410**	**188**	**65.1**	**9.7**	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**160**	< 5.0 U	**270**	< 5.0 U	< 5.0 U	**8.7**	**21.9**	**234**	ND
MW-423S	3/5/2025	MW-423S-03052025	**1630**	**329**	**284**	**15.4**	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**234**	< 5.0 U	**850**	< 5.0 U	< 5.0 U	**24.3**	**143**	**417**	ND
MW-424D	3/5/2025	MW-424D-03052025	**33**	**108**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**729**	< 5.0 U	**5**	< 5.0 U	< 5.0 U	**10.3**	< 5.0 U	**261**	ND
MW-424S	3/5/2025	MW-424S-03052025	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	< 250 U	< 1000 U	< 50.0 U	< 50.0 U	**9850**	< 50.0 U	< 50.0 U	< 50.0 U	< 50.0 U	**67.8**	< 50.0 U	**23.2**	ND
MW-425	3/3/2025	AD-100-03032025	< 5.0 U	**6**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**1360**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**3.5**	ND
MW-425	3/3/2025	MW-425-03032025	< 5.0 U	**6**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**1290**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**3.6**	ND
MW-426	3/3/2025	MW-426-03032025	< 5.0 U	**11.3**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**433 M1**	< 5.0 U	**42.3**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**24.7**	ND
MW-428	3/5/2025	AD-300-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**23.7**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
MW-428	3/5/2025	MW-428-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	**15.5**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
W-10	3/6/2025	W-10-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
W-11D	3/6/2025	MW-11D-03062025	< 5.0 U	**77.5 M1**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**18.8**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**3.6**	ND
W-2	3/5/2025	W-2-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**452**	**343**	**10.4**	< 5.0 U	**981 M1**	< 5.0 U	**52.7**	< 5.0 U	< 5.0 U	**24.4**	< 5.0 U	**106 M1**	ND
W-4R	3/6/2025	W-4R-03062025	< 5.0 U	**12.6**	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	**19.4**	< 5.0 U	**1040**	< 5.0 U	**219**	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	**160**	ND
W-8	3/6/2025	W-8-03062025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
W-9	3/3/2025	W-9-332025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
Trip Blank	3/3/2025	TRIP BLANK-03032025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
Trip Blank	3/5/2025	TRIP BLANK-03042025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND
Trip Blank	3/5/2025	TRIP BLANKS-03052025	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 25.0 U	< 100 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 5.0 U	< 2.0 U	ND

Notes:
Results and RISCs are in micrograms per liter (µg/L).
GW RISCs are 2006 Indiana Department of Environmental Management (IDEM) Risk Integrated System of Closure (RISC) technical resource guidance values for groundwater. NC = no criteria.
Volatile organic compounds (VOCs) analyzed by Pace Analytical Services, LLC in Indianapolis, Indiana.
< = Concentration is less than the laboratory reporting limit.
BOLD values represent concentrations above laboratory reporting limits.
L1 = Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results forthis analyte in associated samples may be biased high.
C9 = Common Laboratory Contaminant.
M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on LCS recovery.
CH = The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
1d = Sample was not reanalyzed at lowest dilution to confirm due to high analyte concentration and the potential for carryover.
ND = non detect below applicable laboratory reporting limits
BOLD values represent concentrations above laboratory reporting limits.
BOLD HIGHLIGHTED values represent concentrations above RISC values

Table 5
Groundwater VOC Analytical Results - Second Quarter 2025
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well ID	Sample Date	Lab Report Number	Compounds of Concern (COCs)													
			1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	2-Butanone (MEK)	Benzene	Carbon tetrachloride	Chloroethane	Chloroform	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride	Al Other COCs
GW RISCs			200	28	7	5	5600	5	5	21000	80	70	100	5	2	
MW-131	5/8/2025	MW-131-20250508	**177**	**18.5**	< 5.0	< 5.0	< 25.0	< 5.0	**8**	< 5.0	**11.1**	**8**	< 5.0	**52.4**	< 2.0	ND
MW-251	5/8/2025	MW-251-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-311	5/8/2025	MW-311-20250508	**188**	**880**	< 25.0	< 25.0	< 125	< 25.0	< 25.0	**3890**	< 25.0	**814**	**26.9**	< 25.0	**524**	ND
MW-321	5/8/2025	MW-321-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**926**	< 5.0	**134**	< 5.0	< 5.0	**169**	ND
MW-331	5/8/2025	MW-331-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**28.6**	< 5.0	< 5.0	**20.6**	ND
MW-401	5/8/2025	MW-401-20250508	< 25.0	**39**	< 25.0	< 25.0	< 125	< 25.0	< 25.0	**65.8**	< 25.0	**816**	< 25.0	< 25.0	**298**	ND
MW-403	5/8/2025	MW-403-20250508	**26.1**	**44.7**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**118**	< 5.0	**332**	< 5.0	**6**	**119**	ND
MW-404	5/8/2025	MW-404-20250508	**21500**	**16700**	**350**	**338**	< 1250	< 250	< 250	**12800**	< 250	**24500**	**1010**	**1070**	**3560**	ND
MW-406D	5/8/2025	MW-406D-20250508	< 100	**1710**	**437**	< 100	< 500	< 100	< 100	**265**	< 100	**15900**	**142**	< 100	**1440**	ND
MW-406S	5/8/2025	MW-406S-20250508	**205**	**1710**	**80.9**	< 50.0	< 250	< 50.0	< 50.0	**836**	< 50.0	**11200**	**143**	< 50.0	**1200**	ND
MW-407D	5/7/2025	MW-407D-20250507	< 5.0	**22.3**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**101**	< 5.0	**800**	< 5.0	< 5.0	**1120**	ND
MW-407S	5/7/2025	MW-407S-20250507	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**27.3**	< 5.0	**6.7**	< 5.0	< 5.0	**12.6**	ND
MW-408D	5/8/2025	MW-408D-20250508	< 5.0	**96.2**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**963**	< 5.0	**12.4**	< 5.0	< 5.0	**22.1**	ND
MW-408S	5/8/2025	MW-408S-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-41	5/8/2025	MW-41-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-411D	5/7/2025	MW-411D-20250507	< 25.0	**1900**	**61.9**	< 25.0	< 125	< 25.0	< 25.0	**21200**	< 25.0	**3520**	**139**	< 25.0	**1450**	ND
MW-411S	5/7/2025	MW-411S-20250507	**15000**	**36000**	**842**	**76.3**	< 250	< 50.0	< 50.0	**23300**	< 50.0	**22900**	**508**	< 50.0	**2890**	ND
MW-416D	5/8/2025	MW-416D-20250508	**8.3**	**641**	**8.6**	< 5.0	< 25.0	**10.7**	< 5.0	**432**	< 5.0	**1020**	**22.5**	< 5.0	**226**	ND
MW-416S	5/8/2025	MW-416S-20250508	< 5.0	**39.9**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**160**	< 5.0	**89.5**	< 5.0	< 5.0	**81.3**	ND
MW-418D	5/8/2025	MW-418D-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**5.1**	< 5.0	**21**	< 5.0	< 5.0	**554**	ND
MW-418S	5/8/2025	MW-418S-20250508	< 50.0	**128**	**60.7**	< 50.0	< 250	< 50.0	< 50.0	**80.1**	< 50.0	**9230**	< 50.0	< 50.0	**9930**	ND
MW-419D	5/8/2025	MW-419D-20250508	< 5.0	**< 5.0**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**< 5.0**	< 5.0	< 5.0	**< 2.0**	ND
MW-419S	5/8/2025	MW-419S-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-422D	5/8/2025	MW-422D-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**607**	< 5.0	< 5.0	**2730**	ND
MW-422S	5/8/2025	MW-422S-20250508	< 25.0	< 25.0	< 25.0	< 25.0	< 125	< 25.0	< 25.0	< 25.0	< 25.0	**434**	< 25.0	< 25.0	**967**	ND
MW-423D	5/8/2025	MW-423D-20250508	**574**	**226**	**84.5**	**8.8**	< 25.0	< 5.0	< 5.0	**167**	< 5.0	**638**	**10.4**	**40.3**	**479**	ND
MW-423S	5/8/2025	MW-423S-20250508	**1580**	**265**	**197**	**12.3**	< 25.0	< 5.0	< 5.0	**224**	< 5.0	**1300**	**20**	**170**	**658**	ND
Trip Blank	5/8/2025	TRIP BLANK-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-10	5/8/2025	W-10-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-2	5/8/2025	W-2-20250508	< 5.0	**5.4**	< 5.0	< 5.0	**151**	< 5.0	< 5.0	**583**	< 5.0	**5.5**	**19**	< 5.0	**17.8**	ND
W-4R	5/8/2025	W-4R-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	**11.6**	< 5.0	**120**	< 5.0	**170**	< 5.0	< 5.0	**102**	ND
W-8	5/8/2025	W-8-20250508	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND

Notes:
Results and RISCs are in micrograms per liter (µg/L).
GW RISCs are 2006 Indiana Department of Environmental Management (IDEM) Risk Integrated System of Closure (RISC) technical resource guidance values for groundwater. NC = no criteria.
Volatile organic compounds (VOCs) analyzed by Pace Analytical Services, LLC in Indianapolis, Indiana.
< = Concentration is less than the laboratory reporting limit.
BOLD values represent concentrations above laboratory reporting limits.
L1 = Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results forthis analyte in associated samples may be biased high.
C9 = Common Laboratory Contaminant.
M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on LCS recovery.
CH = The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
1d = Sample was not reanalyzed at lowest dilution to confirm due to high analyte concentration and the potential for carryover.
ND = non detect below applicable laboratory reporting limits
BOLD values represent concentrations above laboratory reporting limits.
BOLD HIGHLIGHTED values represent concentrations above RISC values

Table 5
Groundwater VOC Analytical Results - Third Quarter 2025
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well ID	Sample Date	Lab Report Number	Compounds of Concern (COCs)													
			1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	2-Butanone (MEK)	Benzene	Carbon tetrachloride	Chloroethane	Chloroform	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride	Al Other COCs
GW RISCs			200	28	7	5	5600	5	5	21000	80	70	100	5	2	
MW-112	7/15/2025	MW-112-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**375**	< 5.0	< 5.0	**368**	ND
MW-122	7/15/2025	MW-122-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-131	7/15/2025	MW-131-20250715	**123**	**14.7**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	**7.7**	**9.6**	< 5.0	**31.7**	< 2.0	ND
MW-132	7/15/2025	MW-132-20250715	< 5.0	**41.4**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**444**	**35**	**528**	**214**	ND
MW-133	7/15/2025	MW-133-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**694**	**23.4**	**5.6**	**400**	ND
MW-153	7/15/2025	MW-153-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-163	7/15/2025	MW-163-20250715	< 50.0	< 50.0	< 50.0	< 50.0	< 250	< 50.0	< 50.0	< 50.0	< 50.0	**6310**	**51.1**	< 50.0	**2380**	ND
MW-173	7/15/2025	MW-173-20250715	< 5.0	< 5.0	< 5.0	**6**	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**847**	**12**	< 5.0	**73.6**	ND
MW-183	7/14/2025	MW-183-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	**12.3**	ND
MW-22	7/16/2025	MW-22-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**6.4**	< 5.0	< 5.0	< 2.0	ND
MW-251	7/15/2025	MW-251-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-253	7/15/2025	MW-253-20250715	< 50.0	< 50.0	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**741**	< 50.0	**15700**	**175**	< 50.0	**2940**	ND
MW-302	7/15/2025	MW-302-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-303	7/15/2025	MW-303-20250715	< 5.0	< 5.0	**5.8**	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**1300**	**13.6**	< 5.0	**318**	ND
MW-311	7/14/2025	MW-311-20250714	**247**	**1120**	**9.5**	**7**	< 25.0	**16.2**	< 5.0	**4300**	< 5.0	**1140**	**36.4**	< 5.0	**909**	ND
MW-312	7/15/2025	MW-312-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-313	7/15/2025	MW-313-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**434**	< 5.0	< 5.0	**45**	ND
MW-321	7/14/2025	MW-321-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**580**	< 5.0	**82**	< 5.0	< 5.0	**310**	ND
MW-32	7/14/2025	MW-32-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-323	7/14/2025	MW-323-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**192**	< 5.0	< 5.0	**5.1**	ND
MW-331	7/14/2025	MW-331-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**34.9**	< 5.0	< 5.0	**30.1**	ND
MW-33	7/14/2025	MW-33-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-333	7/15/2025	MW-333-20250715	< 50.0	< 50.0	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**73.7**	< 50.0	**10100**	**69.7**	< 50.0	**1910**	ND
MW-401	7/16/2025	MW-401-20250716	**13.1**	**21.3**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**58.8**	< 5.0	**434**	< 5.0	**9**	**228**	ND
MW-402D	7/16/2025	MW-402D-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**7.6**	< 5.0	**12.4**	< 5.0	< 5.0	**221**	ND
MW-402S	7/16/2025	MW-402S-20250716	< 50.0	**513**	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**263**	< 50.0	**7560**	**79.4**	< 50.0	**981**	ND
MW-403	7/16/2025	MW-403-20250716	**36.3**	**59.8**	**9.1**	< 5.0	< 25.0	< 5.0	< 5.0	**80.4**	< 5.0	**523**	< 5.0	**15.4**	**214**	ND
MW-404	7/16/2025	MW-404-20250716	**10300**	**30500**	**441**	**371**	< 1250	< 250	< 250	**12400**	< 250	**25700**	**1490**	< 250	**6990**	ND
MW-405D	7/16/2025	MW-405D-20250716	< 50.0	**83.3**	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**2610**	< 50.0	**409**	< 50.0	< 50.0	**841**	ND
MW-405S	7/16/2025	MW-405S-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**12.2**	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-406D	7/16/2025	MW-406D-20250716	< 250	**1460**	**410**	< 250	< 1250	< 250	< 250	< 250	< 250	**13700**	< 250	< 250	**1200**	ND
MW-406S	7/16/2025	MW-406S-20250716	**182**	**1310**	**71.2**	< 50.0	< 250	< 50.0	< 50.0	**913**	< 50.0	**12700**	**130**	**107**	**867**	ND
MW-407D	7/16/2025	MW-407D-20250716	< 5.0	**9.8**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**80.9**	< 5.0	**609 M1**	< 5.0	< 5.0	**561 M1**	ND
MW-407S	7/16/2025	MW-407S-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**8.2**	< 5.0	**45.5**	< 5.0	< 5.0	**56.4**	ND
MW-408D	7/16/2025	MW-408D-20250716	< 5.0	**95**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**944**	< 5.0	**19.6**	**5.1**	< 5.0	**21.8**	ND
MW-408S	7/16/2025	MW-408S-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-410D	7/17/2025	MW-410D-20250717	< 50.0	**490**	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**2670**	< 50.0	**552**	< 50.0	< 50.0	**182**	ND
MW-410S	7/17/2025	MW-410S-20250717	**138**	**126**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**555**	< 5.0	**39.1**	< 5.0	**20.9**	**9.7**	ND
MW-411D	7/18/2025	MW-411D-20250718	< 250	**39200**	**487**	< 250	< 1250	< 250	< 250	**22000**	< 250	**13300**	**351**	< 250	**3820**	ND
MW-411S	7/17/2025	MW-411S-20250717	**21200**	**38000**	**824**	< 250	< 1250	< 250	< 250	**14100**	< 250	**22700**	**649**	< 250	**2290**	ND
MW-41	7/15/2025	MW-41-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-413D	7/14/2025	MW-413D-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**86.6**	< 5.0	< 5.0	< 5.0	< 5.0	**371**	ND
MW-413S	7/14/2025	MW-413S-20250714	< 5.0	**6**	< 5.0	< 5.0	< 25.0 R1	< 5.0	< 5.0	**330 M1**	< 5.0	**102 M1**	< 5.0	< 5.0	**102 M1**	ND
MW-414D	7/14/2025	MW-414D-20250714	< 5.0	**6.7**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**403**	< 5.0	**178**	< 5.0	< 5.0	**598**	ND
MW-414S	7/14/2025	MW-414S-20250714	< 5.0	**26.9**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**1530**	< 5.0	< 5.0	< 5.0	< 5.0	**4.7**	ND
MW-415D	7/14/2025	MW-415D-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**12.1**	< 5.0	**37.5**	< 5.0	< 5.0	**17**	ND
MW-415S	7/14/2025	MW-415S-20250714	< 5.0	**35.3**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**1310**	< 5.0	**9.5**	**5**	< 5.0	**44.4**	ND
MW-417D	7/16/2025	MW-417D-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**290**	< 5.0	< 5.0	< 5.0	< 5.0	**18.8**	ND
MW-417S	7/16/2025	MW-417S-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**12.4**	< 5.0	**36.9**	< 5.0	< 5.0	**19.7**	ND
MW-418D	7/17/2025	MW-418D-20250717	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**15.7**	< 5.0	< 5.0	**358**	ND
MW-418S	7/17/2025	MW-418S-20250717	< 50.0	**71**	< 50.0	< 50.0	< 250	< 50.0	< 50.0	< 50.0	< 50.0	**5090 M1**	< 50.0	< 50.0	**5430 M1**	ND
MW-419D	7/16/2025	MW-419D-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-419S	7/16/2025	MW-419S-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-422D	7/16/2025	MW-422D-20250716	**208**	**157**	**42.9**	**7.4**	< 25.0	< 5.0	< 5.0	**140**	< 5.0	**740**	**6.7**	**7.2**	**376**	ND
MW-422S	7/16/2025	MW-422S-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**539**	**6.7**	< 5.0	**1010**	ND
MW-423D	7/16/2025	MW-423D-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**877**	< 5.0	< 5.0	**2810**	ND
MW-423S	7/16/2025	MW-423S-20250716	**604**	**122**	**80.6**	**9.6**	< 25.0	< 5.0	< 5.0	**203**	< 5.0	**1570**	**11.4**	**32.4**	**528**	ND
MW-424D	7/16/2025	MW-424D-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**423**	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-424S	7/16/2025	MW-424S-20250716	< 50.0	< 50.0	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**7270**	< 50.0	< 50.0	< 50.0	< 50.0	< 20.0	ND
MW-425	7/14/2025	MW-425-20250714	< 5.0	**8.9**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**2800**	< 5.0	**9.1**	< 5.0	< 5.0	**11.4**	ND
MW-426	7/15/2025	MW-426-20250715	< 50.0	< 50.0	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**2920**	< 50.0	**232**	< 50.0	< 50.0	**312**	ND
MW-428	7/16/2025	MW-428-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**101**	< 5.0	< 5.0	**5.6**	< 5.0	< 2.0	ND
MW-82	7/14/2025	MW-82-20250714	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-92	7/15/2025	MW-92-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**87**	< 5.0	< 5.0	**41.3**	ND
Trip Blank	7/15/2025	Trip Blank-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
Trip Blank	7/15/2025	Trip Blank-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
TRIP BLANK	7/17/2025	TRIP BLANK-20250717	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
TRIP BLANK	7/18/2025	TRIP BLANK-20250718	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-10	7/15/2025	W-10-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-11D	7/14/2025	W-11D-20250714	< 5.0	**60.6**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**18.9**	< 5.0	< 5.0	**3.2**	ND
W-2	7/14/2025	W-2-20250714	< 5.0	**10.6**	< 5.0	< 5.0	**38.7**	< 5.0	< 5.0	**931**	< 5.0	< 5.0	**23.6**	< 5.0	**30.5**	ND
W-4D	7/16/2025	W-4D-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-4R	7/16/2025	W-4R-20250716	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	**7.8**	< 5.0	**53**	< 5.0	**215**	< 5.0	< 5.0	**115**	ND
W-8	7/15/2025	W-8-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-9	7/15/2025	W-9-20250715	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND

Notes:
Results and RISCs are in micrograms per liter (µg/L).
GW RISCs are 2006 Indiana Department of Environmental Management (IDEM) Risk Integrated System of Closure (RISC) technical resource guidance values for groundwater. NC = no criteria.
Volatile organic compounds (VOCs) analyzed by Pace Analytical Services, LLC in Indianapolis, Indiana.
< = Concentration is less than the laboratory reporting limit.
BOLD values represent concentrations above laboratory reporting limits.
L1 = Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results forthis analyte in associated samples may be biased high.
C9 = Common Laboratory Contaminant.
M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on LCS recovery.
CH = The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
1d = Sample was not reanalyzed at lowest dilution to confirm due to high analyte concentration and the potential for carryover.
ND = non detect below applicable laboratory reporting limits
BOLD values represent concentrations above laboratory reporting limits.
BOLD HIGHLIGHTED values represent concentrations above RISC values

Table 5
Groundwater VOC Analytical Results - Fourth Quarter 2025
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Well ID	Lab Name	Sample Date	Compounds of Concern (COCs)													
			1,1,1-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	2-Butanone (MEK)	Benzene	Carbon tetrachloride	Chloroethane	Chloroform	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Trichloroethene	Vinyl chloride	Al Other COCs
GW RISCs			**200**	**28**	**7**	**5**	**5600**	**5**	**5**	**21000**	**80**	**70**	**100**	**5**	**2**	
MW-41	MW-41-20251015	10/15/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-131	Not Sampled															
MW-241	MW-241-20251015	10/15/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-251	MW-251-20251015	10/15/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-311	MW-311-20251014	10/14/2025	**365**	**1,480**	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**2,600**	< 50.0	**1,530**	< 50.0	< 50.0	**498**	ND
MW-311 (Dup)	AD-300-20251014	10/14/2025	**348**	**1,410**	**11.9**	**6.6**	< 25.0	**18.7**	< 5.0	**2,180**	< 5.0	**1,500**	50	< 5.0	**479**	ND
MW-321	MW-321-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**8.6**	< 5.0	**386**	6	< 5.0	**498**	498.0
MW-331	MW-331-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**43.6**	< 5.0	< 5.0	**29.0**	ND
MW-401	MW-401-20251014	10/14/2025	**46.3**	**133**	< 25.0	< 25.0	< 125	< 25.0	< 25.0	**262**	< 25.0	**1,840**	< 25.0	< 25.0	**786**	ND
MW-402S	MW-402S-20251014	10/14/2025	**59.5**	**1,360**	**41.2**	< 5.0	< 25.0	< 5.0	< 5.0	**795**	< 5.0	**16,900**	**265**	< 5.0	**5,230**	ND
MW-402D	MW-402D-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**5.9**	< 5.0	< 5.0	**889**	ND
MW-403	MW-403-20251014	10/14/2025	**8.4**	**141**	**13.9**	< 5.0	< 25.0	< 5.0	< 5.0	**167**	< 5.0	**644**	**7.5**	< 5.0	**445**	ND
MW-404	MW-404-20251014	10/14/2025	**1,190**	**56,700**	**503**	**475**	< 1250	< 250	< 250	**14,400**	< 250	**31,500**	**2,850**	< 250	**26,200**	ND
MW-406S	MW-406S-20251014	10/14/2025	**129**	**1,790**	**89.7**	< 25.0	< 125	< 25.0	< 25.0	**1,050**	< 25.0	**12,000**	**164**	< 25.0	**19,200**	ND
MW-406D	MW-406D-20251014	10/14/2025	< 25.0	**1,840**	**514**	< 25.0	< 125	< 25.0	< 25.0	**211**	< 25.0	**22,000**	**152**	< 25.0	**1,490**	ND
MW-407S	MW-407S-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**9.3**	< 5.0	**75.0**	< 5.0	< 5.0	**210**	ND
MW-407S (Dup)	AD-200-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**8.7**	< 5.0	**74.4**	< 5.0	< 5.0	**215**	ND
MW-407D	MW-407D-20251014	10/14/2025	< 5.0	**28.0**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**112**	< 5.0	**2,200**	< 5.0	< 5.0	**2,170**	ND
MW-408S	MW-408S-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-408D	MW-408D-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**1,000**	< 5.0	**17.1**	**5.6**	< 5.0	**18.3**	ND
MW-410S	MW-410S-20251015	10/15/2025	**9.5**	**81.1**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**937**	< 5.0	**7.5**	< 5.0	< 5.0	**7.8**	ND
MW-410D	MW-410D-20251015	10/15/2025	< 50.0	**769**	< 50.0	< 50.0	< 250	< 50.0	< 50.0	**4,330**	< 50.0	**733**	< 50.0	< 50.0	**184**	ND
MW-410D (Dup)	AD-400-20251015	10/15/2025	**37.5**	**964**	**7.1**	< 5.0	< 25.0	< 5.0	< 5.0	**4,230**	< 5.0	**887**	**28.6**	< 5.0	**208**	ND
MW-411S	MW-411S-20251015	10/15/2025	**7,520**	**63,500**	**742**	< 250	< 1250	< 250	< 250	**12,300**	< 250	**24,800**	**329**	< 250	**3,310**	ND
MW-411D	MW-411D-20251015	10/15/2025	< 250	**31,000**	< 250	< 250	< 1250	< 250	< 250	**22,400**	< 250	**9,550**	< 250	< 250	**3,310**	ND
MW-413S	MW-413S-20251013	10/13/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**433**	< 5.0	**168**	< 5.0	< 5.0	**210**	ND
MW-413D	MW-413D-20251013	10/13/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**64.2**	< 5.0	**5.7**	< 5.0	< 5.0	**569**	ND
MW-413D (Dup)	AD-100-20251013	10/13/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**70.7**	< 5.0	**5.4**	< 5.0	< 5.0	**574**	ND
MW-416S	Not Sampled															
MW-416D	Not Sampled															
MW-418S	MW-418S-20251015	10/15/2025	< 5.0	**127**	**18.0**	< 5.0	< 25.0	< 5.0	< 5.0	**54.6**	< 5.0	**3360**	**7.2**	< 5.0	**7,470**	ND
MW-418D	MW-418D-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**5.1**	< 5.0	**39.4**	< 5.0	< 5.0	**791**	ND
MW-419S	MW-419S-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-419D	MW-419D-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
MW-422S	MW-422S-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**651**	**13.6**	< 5.0	**1,060**	ND
MW-422D	MW-422D-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**1,170**	< 5.0	< 5.0	**4,820**	ND
MW-423S	MW-423S-20251014	10/14/2025	**289**	**411**	**74.8**	**13.6**	< 25.0	< 5.0	< 5.0	**297**	< 5.0	**1,820**	**22.6**	< 5.0	**671**	ND
MW-423D	MW-423D-20251014	10/14/2025	**175**	**180**	**36.0**	< 25.0	< 125	< 25.0	< 25.0	**190**	< 25.0	**992**	< 25.0	< 25.0	**603**	ND
MW-425	MW-425-20251013	10/13/2025	< 5.0	**8.3**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**2,520**	< 5.0	**11.1**	< 5.0	< 5.0	**61.0**	ND
MW-426	MW-426-20251013	10/13/2025	< 5.0	**66.0**	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**5,920**	< 5.0	**401**	**5.0**	< 5.0	**897**	ND
MW-428	MW-428-20251013	10/13/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**104**	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-2	W-2-20251014	10/14/2025	< 5.0	**8.1**	< 5.0	< 5.0	< 25.0	**7.5**	< 5.0	**645**	< 5.0	< 5.0	**18.1**	< 5.0	**7.9**	ND
W-4R	MW-4R-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	**454**	**6.7**	< 5.0	**184**	ND
W-8	W-8-20251015	10/15/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-9	W-9-20251013	10/13/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	**11.0**	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
W-10	W-10-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
EQUIPMENT BLANK	EB-01-20251013	10/13/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
TRIP BLANK	TRIP BLANK-20251013	10/13/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
TRIP BLANK	TRIP BLANK-20251014	10/14/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND
TRIP BLANK	TRIP BLANK-20251015	10/15/2025	< 5.0	< 5.0	< 5.0	< 5.0	< 25.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.0	ND

Notes:
Results and RISCs are in micrograms per liter (µg/L).
GW RISCs are 2006 Indiana Department of Environmental Management (IDEM) Risk Integrated System of Closure (RISC) technical resource guidance values for groundwater. NC = no criteria.
Volatile organic compounds (VOCs) analyzed by Pace Analytical Services, LLC in Indianapolis, Indiana.
< = Concentration is less than the laboratory reporting limit.
BOLD values represent concentrations above laboratory reporting limits.
L1 = Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results forthis analyte in associated samples may be biased high.
C9 = Common Laboratory Contaminant.
M1 = Matrix spike recovery exceeded QC limits. Batch accepted based on LCS recovery.
CH = The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
1d = Sample was not reanalyzed at lowest dilution to confirm due to high analyte concentration and the potential for carryover.
ND = non detect below applicable laboratory reporting limits
BOLD values represent concentrations above laboratory reporting limits.
BOLD HIGHLIGHTED values represent concentrations above RISC values

Table 6a
Concentrations of Methane in Selected Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Methane [micrograms per Liter (µg/L)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-426*	MW-428	W-9*	MW Avg
3/17/11	Prior	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1/25/16	Month 55	22900	15200	19500	14600	22000	14700	16700	17800	19200	19100	12900	10000	24800	11100	648	22000	16447
4/20/16	Month 58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/20/16	Month 61	22100	8210	15600	13700	19900	9550	16200	8310	17900	21500	12800	8810	4160	23500	24500	279	14189
10/17/16	Month 64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1/9/17	Month 66	29100	15500	19400	19700	34700	39600	28000	26800	31300	8120	18100	26900	24800	22700	5530	23000	23328
4/25/17	Month 70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/12/17	Month 72	26200	20700	19600	27700	28500	31800	24300	27000	25700	2860	22900	27300	8800	11800	117	10800	19755
10/18/17	Month 76	-	-	-	-	-	-	-	-	-	-	-	-	-	14400	-	16600	10400
1/25/18	Month 79	25200	28800	-	-	30900	32900	27700	19300	34700	5080	31600	17500	5600	20100	5640	11800	19799
4/19/18	Month 82	-	-	-	-	-	-	-	-	-	-	-	-	-	5670	-	1890	2580
7/19/18	Month 85	36600	27300	28100	28400	29700	37300	13200	8320	33400	5830	38400	27300	12100	17100	5310	2080	20629
10/22/18	Month 88	18100	13600	22100	24100	25300	28600	17800	740	20100	2990	25300	23400	7150	156	1130	< 10	13593
1/28/19	Month 91	23400	19500	15600	25300	25900	16900	23500	6650	21500	2330	25700	22300	13800	-	155	< 10	16169
4/8/19	Month 93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/15/19	Month 97	25000	18900	3050	27400	36500	31700	28700	589	29100	2770	304	138	8280	4900	< 10	924	12840
10/22/19	Month 100	-	-	-	-	-	-	-	-	-	-	-	-	-	19200	-	477	6643
1/14/20	Month 102	32200	19400	50000	33600	39600	32600	38600	6200	39300	2970	24600	28700	5190	6960	69880	662	25324
4/13/20	Month 105	-	-	-	-	-	-	-	-	-	-	-	-	-	7530	-	1320	2952
7/21/20	Month 109	20900	9860	24900	27200	29300	30800	26000	9570	15600	1370	25100	25500	2160	< 4	1800	< 4	14710
10/19/20	Month 112	-	-	-	-	-	-	-	-	-	-	-	-	-	17600	-	391	6008
1/6/21	Month 114	20600	10500	17300	25100	22100	22500	25200	9750	18600	1970	19300	25100	2310	13600	2860	291	13946
4/19/21	Month 118	-	-	-	-	-	-	-	-	-	-	-	-	-	14700	-	90	4957
7/20/21	Month 121	33200	27200	28200	48100	50100	53500	47400	34200	42500	973	37200	145000	-	19400	6560	1180	35920
10/4/21	Month 123	-	-	-	-	-	-	-	-	-	-	-	-	-	641	-	1230	628
2/21/22	Month 128	13000	3300	18000	18000	18000	12000	18000	12000	10000	770	16000	16000	2000	-	1900	-	11355
4/21/22	Month 130	-	-	-	-	-	-	-	-	-	-	-	-	-	1300	-	900	1100
7/27/22	Month 133	15000	4100	13000	16000	17000	6400	24000	12000	15000	1600	11000	15000	2300	-	2600	-	11071
10/25/22	Month 136	-	-	-	-	-	-	-	-	-	-	-	-	-	6600	-	1700	4150
1/23/23[a]	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	800	-	-	-	800
4/25/23	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	840	-	-	-	840
7/17/23[b]	Month 145	7300	-	5100	6700	9200	8800	7300	-	10000	-	8300	8900	20000	<50	8800	47000	12283
10/17/23	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57400	57400
1/22/24	Month 151	39500	57500	42800	34000	43300	19500	43500	52800	18900	75800	33500	72600	61300	10700	4900	40300	40681
4/22/24	Month 154	-	-	-	-	-	-	-	-	-	-	-	-	-	12100	-	48800	30450
7/15/24	Month 157	43400	42700	45600	55300	46000	49800	44000	72000	46400	16100	42100	45000	36100	13100	38000	35300	41931
10/23/24	Month 160	-	-	-	-	-	-	-	-	12600.00	3410.00	-	-	10600.00	9700.00	-	11700	9602
3/6/25	Month 165	5340	7620	17200	18600	18100	22700	17700	22000	13800	1340	13200	18700	15000	1680	716	4850	12409
5/6/25	Month 167	-	-	-	-	-	-	-	-	-	-	-	-	-	7440	-	1620	4530
7/18/25	Month 169	3060	3790	18700	26200	14300	19000	13500	32300	16400	3860	20400	18500	12200	9940	21800	3100	14816
10/14/25	Month 172	-	-	-	-	-	-	-	-	-	-	-	-	-	4070	-	4300	4185

'-' = Sample not collected

a. Samples were not collected from remedial wells during this event due to not enough timing from recent amendment injections.

b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.

<' = Methane not detected above laboratory reporting limits

* Samples collected from MW-426 and W-9 were collected via PDB, which is not the preferred method of sample collection for DHG analysis. Results may not be accurate.

Table 6b
Concentrations of Ethane in Selected Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Ethane [micrograms per liter (µg/L)]

Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-426*	MW-428	W-9*	MW Avg
3/17/11	Prior	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1/25/16	Month 55	100	51	90	103	125	102	173	113	< 10	< 10	< 10	36	< 10	94	<10	72	68
4/20/16	Month 58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/20/16	Month 61	120	14	50	61	99	90	118	54	<10	325	234	<10	4	116	137	<10	90
10/17/16	Month 64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1/9/17	Month 66	105	36	712	55	488	675	137	282	310	67	317	34	44	78	6	<50	223
4/25/17	Month 70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/12/17	Month 72	44	173	815	29	84	326	234	2140	427	94	44	47	26	42	<10	<50	285
10/18/17	Month 76	-	-	-	-	-	-	-	-	-	-	-	-	-	53	-	38	32
1/25/18	Month 79	95	234	-	-	65	41	65	361	618	70	97	60	24	102	25	50	127
4/19/18	Month 82	-	-	-	-	-	-	-	-	-	-	-	-	-	39	-	27	24
7/19/18	Month 85	28	353	745	125	34	<50	<50	36	557	63	<50	49	41	55	<10	29	129
10/22/18	Month 88	151	379	795	116	54	251	207	43	752	44	212	91	39	<20.0	4	< 10	187
1/28/19	Month 91	84	326	326	177	39.2 J	39.8 J	66	< 50	445	45	85	51	79	-	8.2 J	9.0 J	120
4/8/19	Month 93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/15/19	Month 97	77	642	16	64.8 J	< 100	< 100	< 100	< 10	480	21	< 10	< 10	31	47	< 10	28	93
10/22/19	Month 100	-	-	-	-	-	-	-	-	-	-	-	-	-	61	-	37	35
1/14/20	Month 102	484	510	317	112	< 100	209	505	63	1130	24	595	85.2 J	41	17	20	42	248
4/13/20	Month 105	-	-	-	-	-	-	-	-	-	-	-	-	-	38	-	41	28
7/21/20	Month 109	253	407	161	285	< 50	< 50	< 50	120	380	9.00 J	1290	93	12	63	< 10	31	188
10/19/20	Month 112	-	-	-	-	-	-	-	-	-	-	-	-	-	56	-	29	30
1/6/21	Month 114	269	572	111	268	<100	<100	<100	95	636	12	990	98.9 J	17	35.6 J	<20.0	24	194
4/19/21	Month 118	-	-	-	-	-	-	-	-	-	-	-	-	-	129	-	7.2 J	47
7/20/21	Month 121	196	1680	<400	428	<100	<100	109	89	817	4.9 J	1060	335	-	51	6.3 J	22	316
10/4/21	Month 123	-	-	-	-	-	-	-	-	-	-	-	-	-	<20.0	-	20	12
2/21/22	Month 128	210	260	110	200	31	21	80	200	46	6	940	80	12	-	4	-	157
4/21/22	Month 130	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	14	10
7/27/22	Month 133	130	230	<0.17	<0.17	32	30	31	36	230	17	<0.17	<0.17	13	-	5	-	75
10/25/22	Month 136	-	-	-	-	-	-	-	-	-	-	-	-	-	22	-	26	22
1/23/23[a]	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	11
4/25/23	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	7
7/17/23[b]	Month 145	93	-	12	40	34	44	5	-	36	-	300	36	<100	<100	5	328	85
10/17/23	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	302	302
1/22/24	Month 151	272	455	326	117	269	76	<100	<100	76	<200	1410	452	175	<20.0	<10.0	159	344
4/22/24	Month 154	-	-	-	-	-	-	-	-	-	-	-	-	-	1630	-	<100	1630
7/15/24	Month 157	290	319	124	617	34	248	269	319	282	<100	1770	200	304	<500	<500	<500	398
10/23/24	Month 160	-	-	-	-	-	-	-	-	<10.0	29.30	-	-	146.00	21.00	-	41	59
3/6/25	Month 165	75	109	71	350	65	164	329	120	80	<10	1000	154	146	10	<10	37	194
5/6/25	Month 167	-	-	-	-	-	-	-	-	-	-	-	-	-	24	-	33	29
7/18/25	Month 169	25	29	49	394	34	121	322	440	93	21	108	109	59	38	52	58	122
10/14/25	Month 172	-	-	-	-	-	-	-	-	-	-	-	-	-	12	-	62	37

'-' = Sample not collected
a. Samples were not collected from remedial wells during this event due to not enough timing from recent amendment injections.
b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.
<' = Ethane not detected above laboratory reporting limits
J' = Concentration is below laboratory reporting limits but above method detection limited and is considered an estimated value
* Samples collected from MW-426 and W-9 were collected via PDB, which is not the preferred method of sample collection for DHG analysis. Results may not be accurate.

Table 6c
Concentrations of Ethene in Selected Monitoring Wells
Former Indianapolis Consumer Electronics Plant (Sherman Park)
600 North Sherman Drive
Indianapolis, Indiana

Ethene [micrograms per liter (µg/L)]


Date	Month	MW402	MW402D	MW407S	MW407D	MW410S	MW410D	MW411S	MW411D	MW413S	MW413D	MW418S	MW418D	MW425	MW-426*	MW-428	W-9 *	MW Avg
3/17/11	Prior	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1/25/16	Month 55	1410	166	3960	2270	7220	8390	6560	3900	601	47	28600	98	382	6390	31	39	4379
4/20/16	Month 58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/20/16	Month 61	1440	112	676	1040	4050	8930	11200	4390	767	48	27700	68	20	2250	1200	327	4014
10/17/16	Month 64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1/9/17	Month 66	1130	68	603	1080	3610	17600	13500	2000	1710	895	23400	65	125	1620	148	63	4226
4/25/17	Month 70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7/12/17	Month 72	832	787	596	733	3090	14500	16900	2850	2730	16	16000	229	<20	451	10	23.6	3982
10/18/17	Month 76	-	-	-	-	-	-	-	-	-	-	-	-	-	1280	-	<50	437
1/25/18	Month 79	3200	64	-	-	3060	12200	11400	2100	2110	37	14500	28	7	2980	50	50	3699
4/19/18	Month 82	-	-	-	-	-	-	-	-	-	-	-	-	-	381	-	<20	381
7/19/18	Month 85	5380	<50	18	1230	3420	12800	8670	2810	5340	48	9960	42	34	944	61	<10	2988
10/22/18	Month 88	2990	76	173	1500	3070	9360	10200	1310	4180	140	8480	57	33	<20.0	24	< 10	2448
1/28/19	Month 91	1180	27	194	1130	1200	4550	4540	3720	4070	21	1730	25	69	-	7	7.3	1605
4/8/19	Month 93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7/15/19	Month 97	2350	41	< 10	1350	2320	3210	5310	190	5940	< 10	22	< 10	47	< 10	< 10	< 10	1224
10/22/19	Month 100	-	-	-	-	-	-	-	-	-	-	-	-	-	40	-	< 10	17
1/14/20	Month 102	1670	84	888	1280	1210	2380	7350	719	3330	31	3990	47.8 J	47	31	34	7.4 J	1359
4/13/20	Month 105	-	-	-	-	-	-	-	-	-	-	-	-	-	26	-	< 10	12
7/21/20	Month 109	1190	50	1030	1460	606	2840	6670	742	2280	65	8440	29.7 J	25	40	9.90 J	< 10	1499
10/19/20	Month 112	-	-	-	-	-	-	-	-	-	-	-	-	-	393	-	< 10	134
1/6/21	Month 114	921	<100	554	2290	262	1930	6150	3210	1570	38	8940	<100	23	357	<20.0	<10.0	1551
4/19/21	Month 118	-	-	-	-	-	-	-	-	-	-	-	-	-	577	-	<10.0	196
7/20/21	Month 121	973	97.6 J	1090	2050	122	3410	6270	10600	1490	25	19900	427	-	462	10	<10.0	2934
10/4/21	Month 123	-	-	-	-	-	-	-	-	-	-	-	-	-	16.3 J	-	<10.0	9
2/21/22	Month 128	480	43	90	1600	17	740	3800	450	19	11	6800	1	37	-	8	-	1007
4/21/22	Month 130	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	<0.24	16
7/27/22	Month 133	890	120	440	1100	70	380	2700	5900	490	36	11000	97	38	-	15	-	1663
10/25/22	Month 136	-	-	-	-	-	-	-	-	-	-	-	-	-	260	-	<0.24	260
1/23/23[a]	Month 139	-	-	-	-	-	-	-	-	-	-	-	-	40	-	-	-	40
4/25/23	Month 142	-	-	-	-	-	-	-	-	-	-	-	-	1100	-	-	-	1100
7/17/23[b]	Month 145	98	-	1	68	96	290	360	-	140	-	1900	53	4500	<100	75	<50	689
10/17/23	Month 148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1/22/24	Month 151	250	<100	239	<100	820	143	1460	692	126	<200	25100	274	1060	3100	46	<100	2776
4/22/24	Month 154	-	-	-	-	-	-	-	-	-	-	-	-	-	1100	-	<100	1100
7/15/24	Month 157	370	117	<100	695	<100	647	1670	400	479	390	1770	200	<100	1340	<500	<500	734
10/23/24	Month 160	-	-	-	-	-	-	-	-	<10.0	27.70	-	-	<10.0	525.00	-	<10.0	-
3/6/25	Month 165	140	81	63	403	<10	313	1790	112	52	34	11100	199	<10.0	<10.0	<10.0	<10.0	1299
5/6/25	Month 167	-	-	-	-	-	-	-	-	-	-	-	-	-	180	-	<10.0	90
7/18/25	Month 169	53	43	52	809	28	170	1360	5860	75	23	196	191	21	109	70	<10.0	604
10/14/25	Month 172	-	-	-	-	-	-	-	-	-	-	-	-	-	70	-	<10.0	35

'-' = Sample not collected
a. Samples were not collected from remedial wells during this event due to not enough timing from recent amendment injections.
b. Samples were not collected from selected wells during the 7/2023 event due to existing amendment within the wells.
<' = Ethene not detected above laboratory reporting limits
J' = Concentration is below laboratory reporting limits but above method detection limited and is considered an estimated value
* Samples collected from MW-426 and W-9 were collected via PDB, which is not the preferred method of sample collection for DHG analysis. Results may not be accurate.

FIGURES

I:\GE-CEP.1087692\GIS\GE_Indy\Pro\2025_Annual_Report\Figure 1 - Site Location

PROJECT: 1940103494 | DATED: 12/12/2025 | DESIGNER: MONETANT



Service Layer Credits: USGS Topo: USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National Centers for Environmental Information. Data refreshed October 27, 2025.

Map Scale: 1:24,000 | Map Center: 86°6'22"W 39°46'37"N

Property Boundary



KEY MAP (not to scale)

0 1,000 2,000 Feet

SITE LOCATION
2025 ANNUAL PROGRESS REPORT


Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 01

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY


RAMBOLL

I:\GE-CEP.1087692\GIS\GE_IndyPro\2025_Annual_Report\Figure 2 - Site Plan


ON-SITE SOURCE AREAS
CHEMICAL STORAGE BUILDING
SOLVENT TANK AREA
METAL PLATING AREA
WTDA
SHERMAN PARK FACILITY
TRICHLOROETHANE STILL AREA
0 125 250 Feet
Penn Central Railroad
N Gray St
E Saint Clair St
N Tuxedo St
N Olney St
E 9th St
N Sherman Dr
N Bradley Ave
MW-281
MW-201
W-1
MW-301
CSB
MW-33
MW-32
MW-343
TP-1
MW-311
MPA
MW-428
MW-423D
MW-422D
MW-422S
MW-423S
MW-421S
MW-421D
MW-420S
MW-420D
MW-416S
MW-416D
MW-415D
MW-415S
W-4R
W-3
MW-418S
MW-417S
MW-418D
MW-417D
MW-407D
MW-401
MW-407S
MW-419S
MW-412S
MW-412D
MW-402D
MW-419D
MW-402
MW-403
MW-122
MW-123
MW-273
MW-261
W-7
W-4D
W-4
MW-411D
MW-411S
TSA
MW-408D
MW-408S
MW-414D
MW-414S
MW-321
MW-404
MW-409D
MW-406S
MW-406D
MW-409S
MW-405S
MW-410S
MW-405D
MW-424S
MW-424D
MW-303
MW-302
MW-332
MW-413S
MW-410D
MW-413D
MW-323
MW-131
MW-133
MW-322
MW-341
MW-331
MW-183
TP-2
MW-41
MW-132
MW-142
MW-425
W-11D
MW-427
MW-312
PW-1
EW-1
TP-3
W-8D
MW-112
MW-253
W-10
MW-153
W-8
MW-163
MW-313
MW-426
MW-22
W-9
MW-81
MW-191
MW-251
MW-173
SGP-3
SGP-2
SGP-1
MW-82
E North St
E Walnut St
E Michigan St
N Alley 3150 E
N Dearborn St
N Lasalle St
MW-333
MW-127
MW-128
MW-129
MW-130
MW-131
MW-132
MW-133
MW-134
MW-135
MW-136
MW-137
MW-138
MW-139
MW-140
MW-141
MW-142
MW-143
MW-144
MW-145
MW-146
MW-147
MW-148
MW-149
MW-150
MW-151
MW-152
MW-153
MW-154
MW-155
MW-156
MW-157
MW-158
MW-159
MW-160
MW-161
MW-162
MW-163
MW-164
MW-165
MW-166
MW-167
MW-168
MW-169
MW-170
MW-171
MW-172
MW-173
MW-174
MW-175
MW-176
MW-177
MW-178
MW-179
MW-180
MW-181
MW-182
MW-183
MW-184
MW-185
MW-186
MW-187
MW-188
MW-189
MW-190
MW-191
MW-192
MW-193
MW-194
MW-195
MW-196
MW-197
MW-198
MW-199
MW-200
MW-201
MW-202
MW-203
MW-204
MW-205
MW-206
MW-207
MW-208
MW-209
MW-210
MW-211
MW-212
MW-213
MW-214
MW-215
MW-216
MW-217
MW-218
MW-219
MW-220
MW-221
MW-222
MW-223
MW-224
MW-225
MW-226
MW-227
MW-228
MW-229
MW-230
MW-231
MW-232
MW-233
MW-234
MW-235
MW-236
MW-237
MW-238
MW-239
MW-240
MW-241
MW-242
MW-243
MW-244
MW-245
MW-246
MW-247
MW-248
MW-249
MW-250
MW-251
MW-252
MW-253
MW-254
MW-255
MW-256
MW-257
MW-258
MW-259
MW-260
MW-261
MW-262
MW-263
MW-264
MW-265
MW-266
MW-267
MW-268
MW-269
MW-270
MW-271
MW-272
MW-273
MW-274
MW-275
MW-276
MW-277
MW-278
MW-279
MW-280
MW-281
MW-282
MW-283
MW-284
MW-285
MW-286
MW-287
MW-288
MW-289
MW-290
MW-291
MW-292
MW-293
MW-294
MW-295
MW-296
MW-297
MW-298
MW-299
MW-300
MW-301
MW-302
MW-303
MW-304
MW-305
MW-306
MW-307
MW-308
MW-309
MW-310
MW-311
MW-312
MW-313
MW-314
MW-315
MW-316
MW-317
MW-318
MW-319
MW-320
MW-321
MW-322
MW-323
MW-324
MW-325
MW-326
MW-327
MW-328
MW-329
MW-330
MW-331
MW-332
MW-333
MW-334
MW-335
MW-336
MW-337
MW-338
MW-339
MW-340
MW-341
MW-342
MW-343
MW-344
MW-345
MW-346
MW-347
MW-348
MW-349
MW-350
MW-351
MW-352
MW-353
MW-354
MW-355
MW-356
MW-357
MW-358
MW-359
MW-360
MW-361
MW-362
MW-363
MW-364
MW-365
MW-366
MW-367
MW-368
MW-369
MW-370
MW-371
MW-372
MW-373
MW-374
MW-375
MW-376
MW-377
MW-378
MW-379
MW-380
MW-381
MW-382
MW-383
MW-384
MW-385
MW-386
MW-387
MW-388
MW-389
MW-390
MW-391
MW-392
MW-393
MW-394
MW-395
MW-396
MW-397
MW-398
MW-399
MW-400
MW-401
MW-402
MW-403
MW-404
MW-405
MW-406
MW-407
MW-408
MW-409
MW-410
MW-411
MW-412
MW-413
MW-414
MW-415
MW-416
MW-417
MW-418
MW-419
MW-420
MW-421
MW-422
MW-423
MW-424
MW-425
MW-426
MW-427
MW-428
MW-429
MW-430
MW-431
MW-432
MW-433
MW-434
MW-435
MW-436
MW-437
MW-438
MW-439
MW-440
MW-441
MW-442
MW-443
MW-444
MW-445
MW-446
MW-447
MW-448
MW-449
MW-450
MW-451
MW-452
MW-453
MW-454
MW-455
MW-456
MW-457
MW-458
MW-459
MW-460
MW-461
MW-462
MW-463
MW-464
MW-465
MW-466
MW-467
MW-468
MW-469
MW-470
MW-471
MW-472
MW-473
MW-474
MW-475
MW-476
MW-477
MW-478
MW-479
MW-480
MW-481
MW-482
MW-483
MW-484
MW-485
MW-486
MW-487
MW-488
MW-489
MW-490
MW-491
MW-492
MW-493
MW-494
MW-495
MW-496
MW-497
MW-498
MW-499
MW-500
MW-501
MW-502
MW-503
MW-504
MW-505
MW-506
MW-507
MW-508
MW-509
MW-510
MW-511
MW-512
MW-513
MW-514
MW-515
MW-516
MW-517
MW-518
MW-519
MW-520
MW-521
MW-522
MW-523
MW-524
MW-525
MW-526
MW-527
MW-528
MW-529
MW-530
MW-531
MW-532
MW-533
MW-534
MW-535
MW-536
MW-537
MW-538
MW-539
MW-540
MW-541
MW-542
MW-543
MW-544
MW-545
MW-546
MW-547
MW-548
MW-549
MW-550
MW-551
MW-552
MW-553
MW-554
MW-555
MW-556
MW-557
MW-558
MW-559
MW-560
MW-561
MW-562
MW-563
MW-564
MW-565
MW-566
MW-567
MW-568
MW-569
MW-570
MW-571
MW-572
MW-573
MW-574
MW-575
MW-576
MW-577
MW-578
MW-579
MW-580
MW-581
MW-582
MW-583
MW-584
MW-585
MW-586
MW-587
MW-588
MW-589
MW-590
MW-591
MW-592
MW-593
MW-594
MW-595
MW-596
MW-597
MW-598
MW-599
MW-600
MW-601
MW-602
MW-603
MW-604
MW-605
MW-606
MW-607
MW-608
MW-609
MW-610
MW-611
MW-612
MW-613
MW-614
MW-615
MW-616
MW-617
MW-618
MW-619
MW-620
MW-621
MW-622
MW-623
MW-624
MW-625
MW-626
MW-627
MW-628
MW-629
MW-630
MW-631
MW-632
MW-633
MW-634
MW-635
MW-636
MW-637
MW-638
MW-639
MW-640
MW-641
MW-642
MW-643
MW-644
MW-645
MW-646
MW-647
MW-648
MW-649
MW-650
MW-651
MW-652
MW-653
MW-654
MW-655
MW-656
MW-657
MW-658
MW-659
MW-660
MW-661
MW-662
MW-663
MW-664
MW-665
MW-666
MW-667
MW-668
MW-669
MW-670
MW-671
MW-672
MW-673
MW-674
MW-675
MW-676
MW-677
MW-678
MW-679
MW-680
MW-681
MW-682
MW-683
MW-684
MW-685
MW-686
MW-687
MW-688
MW-689
MW-690
MW-691
MW-692
MW-693
MW-694
MW-695
MW-696
MW-697
MW-698
MW-699
MW-700
MW-701
MW-702
MW-703
MW-704
MW-705
MW-706
MW-707
MW-708
MW-709
MW-710
MW-711
MW-712
MW-713
MW-714
MW-715
MW-716
MW-717
MW-718
MW-719
MW-720
MW-721
MW-722
MW-723
MW-724
MW-725
MW-726
MW-727
MW-728
MW-729
MW-730
MW-731
MW-732
MW-733
MW-734
MW-735
MW-736
MW-737
MW-738
MW-739
MW-740
MW-741
MW-742
MW-743
MW-744
MW-745
MW-746
MW-747
MW-748
MW-749
MW-750
MW-751
MW-752
MW-753
MW-754
MW-755
MW-756
MW-757
MW-758
MW-759
MW-760
MW-761
MW-762
MW-763
MW-764
MW-765
MW-766
MW-767
MW-768
MW-769
MW-770
MW-771
MW-772
MW-773
MW-774
MW-775
MW-776
MW-777
MW-778
MW-779
MW-780
MW-781
MW-782
MW-783
MW-784
MW-785
MW-786
MW-787
MW-788
MW-789
MW-790
MW-791
MW-792
MW-793
MW-794
MW-795
MW-796
MW-797
MW-798
MW-799
MW-800
MW-801
MW-802
MW-803
MW-804
MW-805
MW-806
MW-807
MW-808
MW-809
MW-810
MW-811
MW-812
MW-813
MW-814
MW-815
MW-816
MW-817
MW-818
MW-819
MW-820
MW-821
MW-822
MW-823
MW-824
MW-825
MW-826
MW-827
MW-828
MW-829
MW-830
MW-831
MW-832
MW-833
MW-834
MW-835
MW-836
MW-837
MW-838
MW-839
MW-840
MW-841
MW-842
MW-843
MW-844
MW-845
MW-846
MW-847
MW-848
MW-849
MW-850
MW-851
MW-852
MW-853
MW-854
MW-855
MW-856
MW-857
MW-858
MW-859
MW-860
MW-861
MW-862
MW-863
MW-864
MW-865
MW-866
MW-867
MW-868
MW-869
MW-870
MW-871
MW-872
MW-873
MW-874
MW-875
MW-876
MW-877
MW-878
MW-879
MW-880
MW-881
MW-882
MW-883
MW-884
MW-885
MW-886
MW-887
MW-888
MW-889
MW-890
MW-891
MW-892
MW-893
MW-894
MW-895
MW-896
MW-897
MW-898
MW-899
MW-900
MW-901
MW-902
MW-903
MW-904
MW-905
MW-906
MW-907
MW-908
MW-909
MW-910
MW-911
MW-912
MW-913
MW-914
MW-915
MW-916
MW-917
MW-918
MW-919
MW-920
MW-921
MW-922
MW-923
MW-924
MW-925
MW-926
MW-927
MW-928
MW-929
MW-930
MW-931
MW-932
MW-933
MW-934
MW-935
MW-936
MW-937
MW-938
MW-939
MW-940
MW-941
MW-942
MW-943
MW-944
MW-945
MW-946
MW-947
MW-948
MW-949
MW-950
MW-951
MW-952
MW-953
MW-954
MW-955
MW-956
MW-957
MW-958
MW-959
MW-960
MW-961
MW-962
MW-963
MW-964
MW-965
MW-966
MW-967
MW-968
MW-969
MW-970
MW-971
MW-972
MW-973
MW-974
MW-975
MW-976
MW-977
MW-978
MW-979
MW-980
MW-981
MW-982
MW-983
MW-984
MW-985
MW-986
MW-987
MW-988
MW-989
MW-990
MW-991
MW-992
MW-993
MW-994
MW-995
MW-996
MW-997
MW-998
MW-999
MW-1000
Esri, Maxar, Earthstar Geographics, and the GIS User Community
Esri, Maxar, Earthstar Geographics | Esri Community Maps Contributors, Esri Community Maps Contributors, Maxar, Microsoft, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, Esri Community Maps Contributors, Maxar, Microsoft, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS

I:\GE-CEP 1087692\GIS\GE_Indy\Pro\2025_Annual_Report\Figure 3 - Injection Well Layout Map

PROJECT: 1940103494 | DATED: 12/12/2025 | DESIGNER: MONETANT



- 2022/2023 Injection Wells for Supplemental Injection
- 2022/2023 Injection Wells for Supplemental Injection Lower Zone Only
- 2022/2023 Injection Wells for Supplemental Injection Upper Zone Only
- 2022/2023 New Injection Point Locations
- 2022/2023 New Injection Point Locations Upper Zone Only

- Injection Well
- Abandoned/Not Located Monitoring Well Location
- Former Extraction Well
- Lower Water-Bearing Unit Monitoring Well Location
- Middle Water-Bearing Unit Monitoring Well Location
- Upper Water-Bearing Unit Monitoring Well Location

- Historical Water Supply Well
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

INJECTION WELL LAYOUT MAP
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana


0 75 150 Feet

FIGURE 03

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyPro\2025_Annual_Report\Figure 4 - Monitoring Well Sampling Location Map

PROJECT: 1940103494 | DATED: 12/15/2025 | DESIGNER: MONETANT



- Sampled Lower Water-Bearing Unit Monitoring Well Location
- Sampled Middle Water-Bearing Unit Monitoring Well Location
- Sampled Upper Water-Bearing Unit Monitoring Well Location
- Abandoned/Not Located Monitoring Well Location
- Former Extraction Well
- Lower Water-Bearing Unit Monitoring Well Location
- Middle Water-Bearing Unit Monitoring Well Location
- Upper Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes

Sampled Quarterly
Sampled Semi-Annually
Sampled Annually

0 100 200 Feet

MONITORING WELL SAMPLING LOCATION MAP
2025 ANNUAL PROGRESS REPORT


Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 04

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyPro\2025 Annual Report Revised\Figure 5a - Potentiometric Surface Map (Upper Water-Bearing Unit)

PROJECT: 1940103494 | DATED: 12/15/2025 | DESIGNER: MONETANT



- Upper Water-Bearing Unit Monitoring Well Location
- Flow Direction
- Groundwater Elevation Contour
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes

(755.83) - Groundwater elevation.
Potentiometric contours were derived from water levels collected during the July 2025 annual sampling event.

0 100 200 Feet


POTENTIOMETRIC SURFACE MAP (UPPER WATER BEARING UNIT)
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 05a

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyIPro\2025_Annual_Report_Revised\Figure 5b - Potentiometric Surface Map (Middle Water-Bearing Unit)



Middle Water-Bearing Unit Monitoring Well Location
Flow Direction
Groundwater Elevation Contour
RWP Source Area
Surface Cap Area
Environmental Restrictive Covenant Area
Demolished Building
Soil Management Area
Covenant Not To Sue Area (CNTS)
Property Boundary

POTENTIOMETRIC SURFACE MAP (MIDDLE WATER-BEARING UNIT
2025 ANNUAL PROGRESS REPORT

Notes
(755.83) - Groundwater elevation.
Potentiometric contours were derived from water levels collected during the July 2025 annual sampling event.

0 100 200 Feet


Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 05b

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

RAMBOLL

PROJECT: 1940103494 | DATED: 12/15/2025 | DESIGNER: MONETANT



PROJECT: 1940103494 | DATED: 2/2/2026 | DESIGNER: MONETANT

I:\GE-CEP.1087692\GIS\GE_Indy\Pro\2025_Annual_Report_Revised\Figure 5c - Potentiometric Surface Map (Lower Water-Bearing Unit)

- Lower Water-Bearing Unit Monitoring Well Location
- Flow Direction
- Groundwater Elevation Contour
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes

(755.83) - Groundwater elevation.
Potentiometric contours were derived from water levels collected during the July 2025 annual sampling event.

0 100 200 Feet


POTENTIOMETRIC SURFACE MAP (LOWER WATER-BEARING UNIT)

2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 05c

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



PROJECT: 1940103494 | DATED: 12/19/2025 | DESIGNER: MONETANT
I:\GE-CEP\1087692\GIS\GE_IndyPro\2025_Annual_Report_REVISED\Figure 6a - TCE Concentrations in Groundwater (Upper Water-Bearing Unit)

- Upper Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

TCE Concentration
- 5 µg/L
- 50 µg/L

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
TCE - Trichloroethene.
NS - Not sampled.
ND - Not detected.


0 150 300 Feet

TCE CONCENTRATIONS IN GROUNDWATER (UPPER WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 06a

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



Upper Water-Bearing Unit Monitoring Well Location
RWP Source Area
Surface Cap Area
Environmental Restrictive Covenant Area
Demolished Building
Soil Management Area
Covenant Not To Sue Area (CNTS)
Property Boundary

cDCE Concentration

70 µg/L
500 µg/L
5,000 µg/L

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
cDCE - cis-1,2-Dichloroethene.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

cDCE CONCENTRATIONS IN GROUNDWATER (UPPER WATER-BEARING UNIT)

2025 ANNUAL PROGRESS REPORT


Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 06b

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

RAMBOLL

I:\GE-CEP.1087692\GIS\GE_IndyPro\2025_Annual_Report_REVISED\Figure 6b - cDCE Concentrations in Groundwater (Upper Water-Bearing Unit)
PROJECT: 1940103494 | DATED: 12/15/2025 | DESIGNER: MONETANT



PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT

I:\GE-CEP. 1087692\GIS\GE_Indy\2025_Annual_Report_REVISED\Figure 6c - VC Concentrations in Groundwater (Upper Water-Bearing Unit)

- Upper Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

VC Concentration

- 2 µg/L
- 50 µg/L
- 500 µg/L
- 5,000 µg/L

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
VC - Vinyl Chloride.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

VC CONCENTRATIONS IN GROUNDWATER (UPPER WATER-BEARING UNIT)


2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 06c

RAMBOLL AMERICAS ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP\1087692\GIS\GE_IndyPro\2025_Annual_Report_REVISED\Figure 6d - TCA Concentrations in Groundwater (Upper Water-Bearing Unit)
PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



- Upper Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

TCA Concentration

- 200 µg/L
- 500 µg/L
- 1,500 µg/L
- 10,000 µg/L

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
TCA - 1,1,1-Trichloroethane.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet


TCA CONCENTRATIONS IN GROUNDWATER (UPPER WATER-BEARING UNIT)

2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 06d

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



I:\GE-CEP.1087692\GIS\GE_IndyPro\2025_Annual_Report_Revised\Figure 6e - 11DCE Concentrations in Groundwater (Upper Water-Bearing Unit)

PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT

- Upper Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

11DCE Concentration

- 7 µg/L
- 20 µg/L
- 100 µg/L
- 500 µg/L

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
11DCE - 1,1-Dichloroethene.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

11DCE CONCENTRATIONS IN GROUNDWATER (UPPER WATER-BEARING UNIT)


2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 06e

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyPro\2025_Annual_Report_Revised\Figure 6f -11 DCA Concentrations in Groundwater (Upper Water-Bearing Unit)
PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



- Upper Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

11DCA Concentration

- 28 µg/L
- 100 µg/L
- 500 µg/L
- 10,000 µg/L

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
11DCA - 1,1-Dichloroethane.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet


11DCA CONCENTRATIONS IN GROUNDWATER (UPPER WATER-BEARING UNIT)

2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 06f

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT
I:\GE-CEP.1087692\GIS\GE_Indy\Pro\2025_Annual_Report_Revised\Figure 7a - TCE Concentrations in Groundwater (Middle Water-Bearing Unit)

- Middle Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

TCE Concentration

- 5 µg/L
- 50 µg/L
- 500 µg/L

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
TCE - Trichloroethene.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

TCE CONCENTRATIONS IN GROUNDWATER (MIDDLE WATER-BEARING UNIT)


2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 07a

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyPro\2025_Annual_Report_Revised\Figure 7b - cDCE Concentrations in Groundwater (Middle Water-Bearing Unit)
PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



- Middle Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

cDCE Concentration
- 70 µg/L

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
cDCE - cis-1,2-Dichloroethene.
NS - Not sampled.
ND - Not detected.


0 150 300 Feet

cDCE CONCENTRATIONS IN GROUNDWATER (MIDDLE WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 07b

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT
I:\GE-CEP:1087692\GIS\GE_IndyIPro\2025_Annual_Report_Revised\Figure 7c - VC Concentrations in Groundwater (Middle Water-Bearing Unit)

- Middle Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

VC Concentration
- 2 µg/L
- 50 µg/L

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
VC - Vinyl Chloride.
NS - Not sampled.
ND - Not detected.


0 150 300 Feet

VC CONCENTRATIONS IN GROUNDWATER (MIDDLE WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 07c

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT
I:\GE-CEP 1087692\GIS\GE_Indy\Pro\2025_Annual_Report_Revised\Figure 7d - TCA Concentrations in Groundwater (Middle Water-Bearing Unit)

- Middle Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
TCA - 1,1,1-Trichloroethane.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet


TCA CONCENTRATIONS IN GROUNDWATER (MIDDLE WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 07d

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_Indy\Pro\2025_Annual_Report_Revised\Figure 7e - 11DCE Concentrations in Groundwater (Middle Water-Bearing Unit)
PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



- Middle Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
11DCE - 1,1-Dichloroethene.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet


11DCE CONCENTRATIONS IN GROUNDWATER (MIDDLE WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 07e

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyIPro\2025_Annual_Report_REVISED\Figure 7f - 11DCA Concentrations in Groundwater (Middle Water-Bearing Unit)
PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



Middle Water-Bearing Unit Monitoring Well Location
RWP Source Area
Surface Cap Area
Environmental Restrictive Covenant Area
Demolished Building
Soil Management Area
Covenant Not To Sue Area (CNTS)
Property Boundary

11DCA Concentration
28 µg/L

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
11DCA - 1,1-Dichloroethane.
NS - Not sampled.
ND - Not detected.


0 150 300 Feet

11DCA CONCENTRATIONS IN GROUNDWATER (MIDDLE WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 07f

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT
I:\GE-CEP.1087692\GIS\GE_IndyPro\2025_Annual_Report_Revised\Figure 8a - TCE Concentrations in Groundwater (Lower Water-Bearing Unit)

- Lower Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

TCE Concentration
- 5 µg/L

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
TCE - Trichloroethene.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

TCE CONCENTRATIONS IN GROUNDWATER (LOWER WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT


Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 08a

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyIPro\2025_Annual_Report\Figure 8b - cDCE Concentrations in Groundwater (Lower Water-Bearing Unit).mxd

PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



- Lower Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Contour,Type
- 70 µg/L
- 500 µg/L
- 5,000 µg/L

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
cDCE - cis-1,2-Dichloroethene.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

cDCE CONCENTRATIONS IN GROUNDWATER (LOWER WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT


Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 08b

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyPro\2025_Annual_Report\Figure 8c - VC Concentrations in Groundwater (Lower Water-Bearing Unit)

PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



- Lower Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

VC Concentration

- 2 µg/L
- 50 µg/L
- 500 µg/L

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
VC - Vinyl Chloride.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

VC CONCENTRATIONS IN GROUNDWATER (LOWER WATER-BEARING UNIT)


2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 08c

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP.1087692\GIS\GE_IndyPro2025_Annual_Report\Figure 8d - TCA Concentrations in Groundwater (Lower Water-Bearing Unit).mxd | PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



- Lower Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
TCA - 1,1,1-Trichloroethane.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet


TCA CONCENTRATIONS IN GROUNDWATER (LOWER WATER-BEARING UNIT)

2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 08d

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY



PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT

I:\GE-CEP.1087692\GIS\GE_Indy\Pro\2025_Annual_Report\Figure 8e - 11DCE Concentrations in Groundwater (Lower Water-Bearing Unit)

- Lower Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes

µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
11DCE - 1,1-Dichloroethene.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

11DCE CONCENTRATIONS IN GROUNDWATER (LOWER WATER-BEARING UNIT)


2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 08e

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

I:\GE-CEP 1087692\GIS\GE_IndyPro\2025_Annual_Report\Figure 8f - 11DCA Concentrations in Groundwater (Lower Water-Bearing Unit).mxd
PROJECT: 1940103494 | DATED: 12/16/2025 | DESIGNER: MONETANT



- Lower Water-Bearing Unit Monitoring Well Location
- RWP Source Area
- Surface Cap Area
- Environmental Restrictive Covenant Area
- Demolished Building
- Soil Management Area
- Covenant Not To Sue Area (CNTS)
- Property Boundary

Notes
µg/L - Micrograms per liter.
Samples were collected from July 14 though July 18, 2025.
11DCA - 1,1-Dichloroethane.
NS - Not sampled.
ND - Not detected.

0 150 300 Feet

11DCA CONCENTRATIONS IN GROUNDWATER (LOWER WATER-BEARING UNIT)
2025 ANNUAL PROGRESS REPORT

Former Indianapolis CE Plant Facility
600 N Sherman Dr.
Indianapolis, Indiana

FIGURE 08f

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.
A RAMBOLL COMPANY

APPENDIX A
FIELD NOTES AND FORMS

APPENDIX A-1
MARCH 2025 GROUNDWATER SAMPLING FIELD NOTES

Low-Flow Test Report:

Test Date / Time: 3/6/2025 9:31:33 AM
Project: GE Indy
Operator Name: AD

Location Name: W-8 **Latitude: 39.77455973941079** **Longitude: -86.10871541051148** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10.4 ft** **Top of Screen: 23 ft** **Total Depth: 29.25 ft** **Initial Depth to Water: 13.41 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 28 ft** **Estimated Total Volume Pumped: 3900 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 0909
Purge water cloudy brown with some turbid particles
13/2 recharge
25psi
Sample time 1020

Well screen silted in approximately 4ft

Weather Conditions:
Overcast, windy, 32 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/6/2025 9:31 AM	00:00	7.71 pH	10.18 °C	0.39 mS/cm	10.99 mg/L	473.33 NTU	221.9 mV	13.41 ft	100.00 ml/min
3/6/2025 9:34 AM	03:00	7.71 pH	10.48 °C	0.39 mS/cm	10.89 mg/L	464.65 NTU	216.2 mV	13.41 ft	100.00 ml/min
3/6/2025 9:37 AM	06:00	7.71 pH	10.37 °C	0.39 mS/cm	10.93 mg/L	387.96 NTU	223.2 mV	13.41 ft	100.00 ml/min
3/6/2025 9:40 AM	09:00	7.72 pH	10.44 °C	0.39 mS/cm	10.85 mg/L	362.42 NTU	212.3 mV	13.41 ft	100.00 ml/min
3/6/2025 9:43 AM	12:00	7.70 pH	10.36 °C	0.39 mS/cm	10.81 mg/L	366.32 NTU	216.7 mV	13.41 ft	100.00 ml/min
3/6/2025 9:46 AM	15:00	7.73 pH	10.63 °C	0.39 mS/cm	10.76 mg/L	299.45 NTU	216.9 mV	13.41 ft	100.00 ml/min
3/6/2025 9:49 AM	18:00	7.71 pH	10.62 °C	0.39 mS/cm	10.79 mg/L	303.35 NTU	218.5 mV	13.41 ft	100.00 ml/min
3/6/2025 9:52 AM	21:00	7.73 pH	10.78 °C	0.39 mS/cm	10.65 mg/L	251.16 NTU	221.8 mV	13.41 ft	100.00 ml/min
3/6/2025 9:55 AM	24:00	7.72 pH	10.69 °C	0.39 mS/cm	10.56 mg/L	245.51 NTU	212.9 mV	13.41 ft	100.00 ml/min

3/6/2025 9:58 AM	27:00	7.73 pH	10.65 °C	0.39 mS/cm	10.49 mg/L	211.59 NTU	213.5 mV	13.41 ft	100.00 ml/min
3/6/2025 10:01 AM	30:00	7.72 pH	10.93 °C	0.39 mS/cm	10.40 mg/L	208.66 NTU	218.5 mV	13.41 ft	100.00 ml/min
3/6/2025 10:04 AM	33:00	7.73 pH	10.70 °C	0.39 mS/cm	10.35 mg/L	186.68 NTU	216.5 mV	13.41 ft	100.00 ml/min
3/6/2025 10:07 AM	36:00	7.72 pH	10.80 °C	0.39 mS/cm	10.27 mg/L	194.49 NTU	216.7 mV	13.41 ft	100.00 ml/min
3/6/2025 10:10 AM	39:00	7.71 pH	10.73 °C	0.39 mS/cm	10.19 mg/L	194.27 NTU	216.4 mV	13.41 ft	100.00 ml/min

Samples

Sample ID:	Description:
W-8-03062025	VOCs, MEE VOC MSMSD collected

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 3/5/2025 10:34:03 AM
Project: GE Indy
Operator Name: AD

Location Name: MW-418d **Latitude: 39.77653584535523** **Longitude: -86.10549631177395** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 31 ft** **Total Depth: 40.96 ft** **Initial Depth to Water: 18.07 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 36 ft** **Estimated Total Volume Pumped: 2400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 1.26 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 1020
Purge water mostly clear with grayish tint and slight organic like odor
13/2 recharge
35psi
Sample time 1105
Drawdown observed

Weather Conditions:
Overcast, windy, light rain on/off

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/5/2025 10:34 AM	00:00	6.64 pH	14.18 °C	1.37 mS/cm	0.80 mg/L	177.54 NTU	-10.5 mV	18.07 ft	100.00 ml/min
3/5/2025 10:37 AM	03:00	6.63 pH	14.25 °C	1.37 mS/cm	0.45 mg/L	149.55 NTU	-17.2 mV	18.07 ft	100.00 ml/min
3/5/2025 10:40 AM	06:00	6.63 pH	14.29 °C	1.37 mS/cm	0.38 mg/L	114.29 NTU	-21.5 mV	18.07 ft	100.00 ml/min
3/5/2025 10:43 AM	09:00	6.63 pH	14.04 °C	1.37 mS/cm	0.33 mg/L	98.90 NTU	-22.8 mV	18.07 ft	100.00 ml/min
3/5/2025 10:46 AM	12:00	6.64 pH	13.89 °C	1.37 mS/cm	0.31 mg/L	83.17 NTU	-23.3 mV	18.07 ft	100.00 ml/min
3/5/2025 10:49 AM	15:00	6.64 pH	13.85 °C	1.37 mS/cm	0.30 mg/L	77.67 NTU	-23.2 mV	18.07 ft	100.00 ml/min
3/5/2025 10:52 AM	18:00	6.65 pH	13.86 °C	1.37 mS/cm	0.28 mg/L	70.71 NTU	-24.7 mV	18.07 ft	100.00 ml/min
3/5/2025 10:55 AM	21:00	6.65 pH	13.96 °C	1.38 mS/cm	0.27 mg/L	69.31 NTU	-25.0 mV	18.07 ft	100.00 ml/min
3/5/2025 10:58 AM	24:00	6.65 pH	14.02 °C	1.37 mS/cm	0.26 mg/L	71.02 NTU	-25.8 mV	19.33 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-418d-03052025	VOCs, MEE, TOC, sulfate, nitrate, dissolved iron MSMSD of VOCs only

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 3/5/2025 9:07:03 AM
Project: GE Indy
Operator Name: AD

Location Name: MW-418s **Latitude: 39.776540035192156** **Longitude: -86.10549809481927** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 20 ft** **Total Depth: 26.18 ft** **Initial Depth to Water: 15 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 23 ft** **Estimated Total Volume Pumped: 4405 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 1.25 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 0854
Purge water clear with organic like odor
Recharge: 12/3 changed to 13.5/1.5 after approximately 15 min due to drawdown
20psi
Sample time 0945

Weather Conditions:
Overcast, breezy, 48 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/5/2025 9:07 AM	00:00	6.69 pH	15.43 °C	1.22 mS/cm	0.22 mg/L	271.03 NTU	-39.7 mV	15.00 ft	200.00 ml/min
3/5/2025 9:10 AM	03:00	6.70 pH	15.37 °C	1.22 mS/cm	0.19 mg/L	250.12 NTU	-46.8 mV	15.45 ft	200.00 ml/min
3/5/2025 9:13 AM	06:00	6.71 pH	15.48 °C	1.22 mS/cm	0.17 mg/L	237.07 NTU	-54.0 mV	15.75 ft	200.00 ml/min
3/5/2025 9:16 AM	09:00	6.71 pH	15.49 °C	1.22 mS/cm	0.15 mg/L	180.87 NTU	-53.7 mV	16.05 ft	200.00 ml/min
3/5/2025 9:19 AM	12:00	6.73 pH	15.03 °C	1.21 mS/cm	0.19 mg/L	133.03 NTU	-52.2 mV	16.08 ft	100.00 ml/min
3/5/2025 9:20 AM	13:05	6.73 pH	14.85 °C	1.21 mS/cm	0.20 mg/L	125.58 NTU	-53.0 mV	16.08 ft	100.00 ml/min
3/5/2025 9:23 AM	16:05	6.74 pH	14.62 °C	1.21 mS/cm	0.21 mg/L	126.10 NTU	-53.0 mV	16.08 ft	100.00 ml/min
3/5/2025 9:26 AM	19:05	6.74 pH	14.52 °C	1.21 mS/cm	0.21 mg/L	110.91 NTU	-52.4 mV	16.08 ft	100.00 ml/min
3/5/2025 9:29 AM	22:05	6.74 pH	14.54 °C	1.21 mS/cm	0.21 mg/L	107.03 NTU	-52.0 mV	16.18 ft	100.00 ml/min
3/5/2025 9:30 AM	23:03	6.73 pH	14.51 °C	1.22 mS/cm	0.21 mg/L	105.85 NTU	-51.1 mV	16.18 ft	100.00 ml/min

3/5/2025 9:33 AM	26:03	6.75 pH	14.53 °C	1.22 mS/cm	0.21 mg/L	93.62 NTU	-50.6 mV	16.18 ft	100.00 ml/min
3/5/2025 9:36 AM	29:03	6.74 pH	14.60 °C	1.22 mS/cm	0.20 mg/L	95.92 NTU	-53.4 mV	16.18 ft	100.00 ml/min
3/5/2025 9:39 AM	32:03	6.75 pH	14.59 °C	1.22 mS/cm	0.20 mg/L	89.05 NTU	-52.5 mV	16.25 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-418s-03052025	VOCs, MEE, TIC, sulfate, nitrate, dissolved iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 3/4/2025 3:49:38 PM
Project: GE Indy
Operator Name: AD

Location Name: MW-407D **Latitude: 39.77634617601842** **Longitude: -86.10556402170263** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 29.66 ft** **Initial Depth to Water: 18.51 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 28 ft** **Estimated Total Volume Pumped: 3300 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0.14 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 1537
Purge water clear with few ultra fine turbid particles and moderate organic-like odor
13/2 and 25 psi
Drawdown observed
Pump set at bottom of available screen; well very silted in
Sample time at 1628

Weather Conditions:
Cloudy, windy, 55 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/4/2025 3:49 PM	00:00	6.84 pH	17.15 °C	1.78 mS/cm	1.05 mg/L	15.74 NTU	-17.0 mV	18.51 ft	100.00 ml/min
3/4/2025 3:52 PM	03:00	6.85 pH	16.66 °C	1.79 mS/cm	0.44 mg/L	14.00 NTU	-43.0 mV	18.54 ft	100.00 ml/min
3/4/2025 3:55 PM	06:00	6.86 pH	16.36 °C	1.79 mS/cm	0.38 mg/L	12.26 NTU	-51.9 mV	18.57 ft	100.00 ml/min
3/4/2025 3:58 PM	09:00	6.86 pH	16.37 °C	1.79 mS/cm	0.33 mg/L	9.02 NTU	-57.1 mV	18.61 ft	100.00 ml/min
3/4/2025 4:01 PM	12:00	6.86 pH	16.28 °C	1.79 mS/cm	0.32 mg/L	6.77 NTU	-61.3 mV	18.61 ft	100.00 ml/min
3/4/2025 4:04 PM	15:00	6.86 pH	16.33 °C	1.79 mS/cm	0.30 mg/L	6.19 NTU	-63.3 mV	18.61 ft	100.00 ml/min
3/4/2025 4:07 PM	18:00	6.86 pH	16.27 °C	1.79 mS/cm	0.29 mg/L	7.58 NTU	-65.7 mV	18.61 ft	100.00 ml/min
3/4/2025 4:10 PM	21:00	6.86 pH	16.30 °C	1.79 mS/cm	0.25 mg/L	8.07 NTU	-68.5 mV	18.61 ft	100.00 ml/min
3/4/2025 4:13 PM	24:00	6.86 pH	16.23 °C	1.79 mS/cm	0.24 mg/L	7.45 NTU	-70.5 mV	18.63 ft	100.00 ml/min
3/4/2025 4:16 PM	27:00	6.86 pH	16.25 °C	1.79 mS/cm	0.23 mg/L	10.12 NTU	-72.3 mV	18.65 ft	100.00 ml/min

3/4/2025 4:19 PM	30:00	6.86 pH	16.25 °C	1.79 mS/cm	0.22 mg/L	11.22 NTU	-73.5 mV	18.65 ft	100.00 ml/min
3/4/2025 4:22 PM	33:00	6.86 pH	16.21 °C	1.79 mS/cm	0.21 mg/L	10.22 NTU	-75.7 mV	18.65 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-407d-03042025	Vocs, MEE, TOC, sulfate, nitrate, dissolved iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 3/4/2025 2:03:13 PM
Project: GE Indy
Operator Name: AD

Location Name: MW-407s **Latitude: 39.776356630684084** **Longitude: -86.10554584838431** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 20.3 ft** **Initial Depth to Water: 15.97 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18 ft** **Estimated Total Volume Pumped: 1251.667 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 50 ml/min** **Final Draw Down: 0.15 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 1351
Purge water clear
14/1 recharge
20psi
Sample time 1435

Drawdown observed
Pump set just above bottom due to well silting in

Weather Conditions:
Sunny, windy, 57 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/4/2025 2:03 PM	00:00	6.89 pH	17.80 °C	1.68 mS/cm	1.15 mg/L	1.74 NTU	-54.0 mV	15.97 ft	50.00 ml/min
3/4/2025 2:04 PM	01:02	6.88 pH	17.59 °C	1.68 mS/cm	1.09 mg/L	1.52 NTU	-56.6 mV	15.97 ft	50.00 ml/min
3/4/2025 2:07 PM	04:02	6.89 pH	17.29 °C	1.68 mS/cm	0.96 mg/L	1.47 NTU	-60.6 mV	16.00 ft	50.00 ml/min
3/4/2025 2:10 PM	07:02	6.89 pH	17.07 °C	1.68 mS/cm	0.85 mg/L	1.15 NTU	-63.0 mV	16.02 ft	50.00 ml/min
3/4/2025 2:13 PM	10:02	6.89 pH	16.91 °C	1.68 mS/cm	0.76 mg/L	1.28 NTU	-65.8 mV	16.04 ft	50.00 ml/min
3/4/2025 2:16 PM	13:02	6.89 pH	16.86 °C	1.67 mS/cm	0.73 mg/L	0.86 NTU	-68.3 mV	16.05 ft	50.00 ml/min
3/4/2025 2:19 PM	16:02	6.89 pH	16.65 °C	1.67 mS/cm	0.65 mg/L	0.66 NTU	-71.1 mV	16.07 ft	50.00 ml/min
3/4/2025 2:22 PM	19:02	6.88 pH	16.47 °C	1.68 mS/cm	0.60 mg/L	0.65 NTU	-73.6 mV	16.08 ft	50.00 ml/min
3/4/2025 2:25 PM	22:02	6.88 pH	16.52 °C	1.67 mS/cm	0.58 mg/L	0.66 NTU	-75.7 mV	16.10 ft	50.00 ml/min

3/4/2025 2:28 PM	25:02	6.88 pH	16.50 °C	1.67 mS/cm	0.54 mg/L	0.72 NTU	-77.7 mV	16.12 ft	50.00 ml/min

Samples

Sample ID:	Description:
MW-407s-03042025	VOCs, MEE, TOC, sulfate, nitrate, dissolved iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 3/4/2025 11:24:49 AM
Project: GE Indy
Operator Name: AD

Location Name: MW-411S **Latitude: 39.774417334642095** **Longitude: -86.10538962226371** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 20.82 ft** **Initial Depth to Water: 13.24 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18.5 ft** **Estimated Total Volume Pumped: 4500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0.19 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Started purging at 1109
Water clear with few fine turbid particles; moderate organic-like odor
Pump at 13.5 /1.5 and 20 psi
Drawdown observed
Sample time at 1216

Weather Conditions:
Sunny, 50 degrees F and windy with partial cloud cover

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/4/2025 11:24 AM	00:00	6.60 pH	17.29 °C	2.05 mS/cm	0.36 mg/L	23.31 NTU	-63.7 mV	13.24 ft	100.00 ml/min
3/4/2025 11:27 AM	03:00	6.62 pH	17.05 °C	2.06 mS/cm	0.25 mg/L	26.27 NTU	-72.6 mV	13.27 ft	100.00 ml/min
3/4/2025 11:30 AM	06:00	6.64 pH	16.76 °C	2.07 mS/cm	0.21 mg/L	19.01 NTU	-78.4 mV	13.29 ft	100.00 ml/min
3/4/2025 11:33 AM	09:00	6.64 pH	16.79 °C	2.08 mS/cm	0.19 mg/L	21.97 NTU	-81.9 mV	13.32 ft	100.00 ml/min
3/4/2025 11:36 AM	12:00	6.64 pH	16.66 °C	2.09 mS/cm	0.15 mg/L	22.24 NTU	-86.0 mV	13.35 ft	100.00 ml/min
3/4/2025 11:39 AM	15:00	6.64 pH	16.76 °C	2.09 mS/cm	0.14 mg/L	22.73 NTU	-88.7 mV	13.39 ft	100.00 ml/min
3/4/2025 11:42 AM	18:00	6.65 pH	16.71 °C	2.09 mS/cm	0.12 mg/L	19.84 NTU	-89.8 mV	13.41 ft	100.00 ml/min
3/4/2025 11:45 AM	21:00	6.64 pH	16.92 °C	2.08 mS/cm	0.10 mg/L	25.52 NTU	-93.1 mV	13.43 ft	100.00 ml/min
3/4/2025 11:48 AM	24:00	6.64 pH	17.02 °C	2.10 mS/cm	0.09 mg/L	20.46 NTU	-94.5 mV	13.43 ft	100.00 ml/min
3/4/2025 11:51 AM	27:00	6.65 pH	16.47 °C	2.10 mS/cm	0.11 mg/L	24.45 NTU	-96.8 mV	13.43 ft	100.00 ml/min

3/4/2025 11:54 AM	30:00	6.65 pH	16.15 °C	2.12 mS/cm	0.09 mg/L	17.94 NTU	-97.4 mV	13.43 ft	100.00 ml/min
3/4/2025 11:57 AM	33:00	6.64 pH	15.87 °C	2.11 mS/cm	0.08 mg/L	22.63 NTU	-98.9 mV	13.43 ft	100.00 ml/min
3/4/2025 12:00 PM	36:00	6.64 pH	15.89 °C	2.14 mS/cm	0.07 mg/L	16.70 NTU	-100.1 mV	13.43 ft	100.00 ml/min
3/4/2025 12:03 PM	39:00	6.63 pH	15.93 °C	2.15 mS/cm	0.06 mg/L	18.70 NTU	-101.4 mV	13.43 ft	100.00 ml/min
3/4/2025 12:06 PM	42:00	6.64 pH	16.21 °C	2.15 mS/cm	0.05 mg/L	18.00 NTU	-103.9 mV	13.43 ft	100.00 ml/min
3/4/2025 12:09 PM	45:00	6.63 pH	16.21 °C	2.16 mS/cm	0.04 mg/L	18.50 NTU	-105.3 mV	13.43 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-411s-03042025	VOCs, MEE, TOC, NITRATE, SULFATE, DISSOLVED IRON

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 3/4/2025 9:13:16 AM
Project: GE Indy
Operator Name: AD

Location Name: MW-411D **Latitude: 39.77438160442807** **Longitude: -86.10552980805218** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 34.03 ft** **Initial Depth to Water: 13.81 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30 ft** **Estimated Total Volume Pumped: 6000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 0902
Purge water clear with fine black turbid particles and organic like odor
12.5/2.5 recharge
30psi
Sample time 1017
Passive sample: conductivity and turbidity jumping

Weather Conditions:
Mostly cloudy, breezy, 42 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/4/2025 9:13 AM	00:00	6.50 pH	14.68 °C	2.81 mS/cm	1.15 mg/L	102.10 NTU	26.9 mV	13.81 ft	100.00 ml/min
3/4/2025 9:16 AM	03:00	6.50 pH	14.96 °C	2.81 mS/cm	0.31 mg/L	74.82 NTU	-68.9 mV	13.81 ft	100.00 ml/min
3/4/2025 9:19 AM	06:00	6.51 pH	14.97 °C	2.81 mS/cm	0.23 mg/L	96.96 NTU	-90.3 mV	13.81 ft	100.00 ml/min
3/4/2025 9:22 AM	09:00	6.51 pH	15.01 °C	2.79 mS/cm	0.20 mg/L	130.68 NTU	-81.2 mV	13.81 ft	100.00 ml/min
3/4/2025 9:25 AM	12:00	6.52 pH	14.84 °C	2.75 mS/cm	0.18 mg/L	108.85 NTU	-90.1 mV	13.81 ft	100.00 ml/min
3/4/2025 9:28 AM	15:00	6.53 pH	14.72 °C	2.67 mS/cm	0.16 mg/L	68.79 NTU	-98.2 mV	13.81 ft	100.00 ml/min
3/4/2025 9:31 AM	18:00	6.54 pH	14.70 °C	2.63 mS/cm	0.15 mg/L	100.35 NTU	-99.8 mV	13.81 ft	100.00 ml/min
3/4/2025 9:34 AM	21:00	6.54 pH	14.67 °C	2.61 mS/cm	0.13 mg/L	190.49 NTU	-100.0 mV	13.81 ft	100.00 ml/min
3/4/2025 9:37 AM	24:00	6.55 pH	14.70 °C	2.63 mS/cm	0.12 mg/L	76.55 NTU	-101.7 mV	13.81 ft	100.00 ml/min
3/4/2025 9:40 AM	27:00	6.56 pH	14.75 °C	2.57 mS/cm	0.10 mg/L	83.42 NTU	-101.2 mV	13.81 ft	100.00 ml/min

3/4/2025 9:43 AM	30:00	6.56 pH	14.74 °C	2.51 mS/cm	0.09 mg/L	106.14 NTU	-101.7 mV	13.81 ft	100.00 ml/min
3/4/2025 9:46 AM	33:00	6.57 pH	14.77 °C	2.46 mS/cm	0.10 mg/L	77.33 NTU	-103.0 mV	13.81 ft	100.00 ml/min
3/4/2025 9:49 AM	36:00	6.57 pH	14.81 °C	2.49 mS/cm	0.08 mg/L	80.76 NTU	-103.6 mV	13.81 ft	100.00 ml/min
3/4/2025 9:52 AM	39:00	6.58 pH	14.79 °C	2.40 mS/cm	0.07 mg/L	61.22 NTU	-105.7 mV	13.81 ft	100.00 ml/min
3/4/2025 9:55 AM	42:00	6.59 pH	14.80 °C	2.38 mS/cm	0.06 mg/L	71.04 NTU	-107.6 mV	13.81 ft	100.00 ml/min
3/4/2025 9:58 AM	45:00	6.59 pH	14.83 °C	2.35 mS/cm	0.06 mg/L	71.49 NTU	-109.6 mV	13.81 ft	100.00 ml/min
3/4/2025 10:01 AM	48:00	6.59 pH	15.01 °C	2.37 mS/cm	0.05 mg/L	40.15 NTU	-110.6 mV	13.81 ft	100.00 ml/min
3/4/2025 10:04 AM	51:00	6.60 pH	15.31 °C	2.27 mS/cm	0.05 mg/L	19.03 NTU	-112.5 mV	13.81 ft	100.00 ml/min
3/4/2025 10:07 AM	54:00	6.61 pH	15.12 °C	2.27 mS/cm	0.05 mg/L	22.41 NTU	-113.2 mV	13.81 ft	100.00 ml/min
3/4/2025 10:10 AM	57:00	6.61 pH	15.31 °C	2.26 mS/cm	0.04 mg/L	20.71 NTU	-114.4 mV	13.81 ft	100.00 ml/min
3/4/2025 10:13 AM	01:00:00	6.63 pH	15.15 °C	2.17 mS/cm	0.06 mg/L	19.02 NTU	-115.7 mV	13.81 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-411D-03042025	VOCs, MEE, TOC, nitrate, sulfate, dissolved iron
AD-200-03042025	VOCs

Low-Flow Test Report:

Test Date / Time: 3/3/2025 3:34:11 PM
Project: GE Indy
Operator Name: AD

Location Name: MW-413s **Latitude: 39.77440834846886** **Longitude: -86.10512767658976** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Initial Depth to Water: 13.57 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Estimated Total Volume Pumped: 5400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 150 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 1528
Purge water clear with slight organic like odor
13/2 recharge
20psi
Sample time 1418

Weather Conditions:
Overcast, breezy, 45 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/3/2025 3:34 PM	00:00	7.03 pH	14.41 °C	0.91 mS/cm	0.98 mg/L	22.42 NTU	-129.8 mV	13.57 ft	150.00 ml/min
3/3/2025 3:37 PM	03:00	7.02 pH	14.49 °C	0.91 mS/cm	0.78 mg/L	20.24 NTU	-140.0 mV	13.57 ft	150.00 ml/min
3/3/2025 3:40 PM	06:00	7.01 pH	14.47 °C	0.91 mS/cm	0.69 mg/L	16.29 NTU	-146.6 mV	13.57 ft	150.00 ml/min
3/3/2025 3:43 PM	09:00	7.01 pH	14.49 °C	0.91 mS/cm	0.67 mg/L	15.22 NTU	-150.2 mV	13.57 ft	150.00 ml/min
3/3/2025 3:46 PM	12:00	7.01 pH	14.61 °C	0.91 mS/cm	0.74 mg/L	10.58 NTU	-154.8 mV	13.57 ft	150.00 ml/min
3/3/2025 3:49 PM	15:00	7.02 pH	14.53 °C	0.91 mS/cm	0.86 mg/L	9.95 NTU	-155.8 mV	13.57 ft	150.00 ml/min
3/3/2025 3:52 PM	18:00	7.02 pH	14.63 °C	0.91 mS/cm	0.99 mg/L	8.79 NTU	-156.2 mV	13.57 ft	150.00 ml/min
3/3/2025 3:55 PM	21:00	7.03 pH	14.54 °C	0.91 mS/cm	1.11 mg/L	7.82 NTU	-155.7 mV	13.57 ft	150.00 ml/min
3/3/2025 3:58 PM	24:00	7.03 pH	14.59 °C	0.91 mS/cm	1.21 mg/L	5.82 NTU	-157.0 mV	13.57 ft	150.00 ml/min
3/3/2025 4:01 PM	27:00	7.04 pH	14.63 °C	0.91 mS/cm	1.30 mg/L	5.76 NTU	-157.4 mV	13.57 ft	150.00 ml/min
3/3/2025 4:04 PM	30:00	7.05 pH	14.53 °C	0.91 mS/cm	1.40 mg/L	5.25 NTU	-157.7 mV	13.57 ft	150.00 ml/min

3/3/2025 4:07 PM	33:00	7.05 pH	14.59 °C	0.91 mS/cm	1.47 mg/L	4.42 NTU	-158.4 mV	13.57 ft	150.00 ml/min
3/3/2025 4:10 PM	36:00	7.06 pH	14.62 °C	0.91 mS/cm	1.53 mg/L	3.72 NTU	-159.7 mV	13.57 ft	150.00 ml/min

Samples

Sample ID:	Description:
MW-413s03032025	VOCs, MEE, TOC, sulfate, nitrate, dissolved iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 3/3/2025 2:30:37 PM
Project: GE Indy
Operator Name: AD

Location Name: MW-410S **Latitude: 39.775699239014926** **Longitude: -86.10609227193856** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 21.18 ft** **Initial Depth to Water: 12.59 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18.09 ft** **Estimated Total Volume Pumped: 1800 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 1423
Purge water clear with dark turbid particles
12.5/2.5 recharge
20psi
Sample time 1454

Weather Conditions:
Cloudy, breezy, 44 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/3/2025 2:30 PM	00:00	6.68 pH	14.05 °C	0.98 mS/cm	0.45 mg/L	10.01 NTU	-79.6 mV	12.59 ft	100.00 ml/min
3/3/2025 2:33 PM	03:00	6.68 pH	13.96 °C	0.98 mS/cm	0.33 mg/L	6.07 NTU	-90.0 mV	12.59 ft	100.00 ml/min
3/3/2025 2:36 PM	06:00	6.68 pH	14.08 °C	0.98 mS/cm	0.25 mg/L	4.35 NTU	-98.7 mV	12.59 ft	100.00 ml/min
3/3/2025 2:39 PM	09:00	6.68 pH	14.10 °C	0.98 mS/cm	0.21 mg/L	4.69 NTU	-102.8 mV	12.59 ft	100.00 ml/min
3/3/2025 2:42 PM	12:00	6.68 pH	14.19 °C	0.98 mS/cm	0.18 mg/L	3.30 NTU	-107.2 mV	12.59 ft	100.00 ml/min
3/3/2025 2:45 PM	15:00	6.68 pH	14.19 °C	0.98 mS/cm	0.16 mg/L	2.88 NTU	-110.5 mV	12.59 ft	100.00 ml/min
3/3/2025 2:48 PM	18:00	6.69 pH	14.30 °C	0.98 mS/cm	0.15 mg/L	3.05 NTU	-112.7 mV	12.59 ft	100.00 ml/min

Samples

Sample ID:	Description:

MW-401s-03032025	VOCs, MEE, TOC, sulfate, nitrate, dissolved iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 3/3/2025 12:54:25 PM
Project: GE Indy
Operator Name: AD

Location Name: MW-410D **Latitude: 39.775728119598504** **Longitude: -86.10607341475634** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 35 ft** **Top of Screen: 26 ft** **Total Depth: 35.45 ft** **Initial Depth to Water: 13.87 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30.5 ft** **Estimated Total Volume Pumped: 12000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 200 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 1243
Purge water clear with fine dark turbid particles and slight organic like odor
11/4 recharge
30psi
Sample time 1358, grab sample (jumping turbidity)

Weather Conditions:
Overcast, light breeze, 40 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/3/2025 12:54 PM	00:00	6.66 pH	15.38 °C	1.12 mS/cm	0.28 mg/L	7.38 NTU	-111.8 mV	13.87 ft	200.00 ml/min
3/3/2025 12:57 PM	03:00	6.66 pH	15.39 °C	1.12 mS/cm	0.19 mg/L	25.09 NTU	-120.8 mV	13.87 ft	200.00 ml/min
3/3/2025 1:00 PM	06:00	6.66 pH	15.46 °C	1.13 mS/cm	0.15 mg/L	71.93 NTU	-127.8 mV	13.87 ft	200.00 ml/min
3/3/2025 1:03 PM	09:00	6.66 pH	15.46 °C	1.13 mS/cm	0.11 mg/L	108.12 NTU	-132.8 mV	13.87 ft	200.00 ml/min
3/3/2025 1:06 PM	12:00	6.66 pH	15.54 °C	1.14 mS/cm	0.09 mg/L	94.15 NTU	-137.6 mV	13.87 ft	200.00 ml/min
3/3/2025 1:09 PM	15:00	6.67 pH	15.56 °C	1.12 mS/cm	0.08 mg/L	141.32 NTU	-141.3 mV	13.87 ft	200.00 ml/min
3/3/2025 1:12 PM	18:00	6.67 pH	15.57 °C	1.13 mS/cm	0.07 mg/L	389.63 NTU	-144.3 mV	13.87 ft	200.00 ml/min
3/3/2025 1:15 PM	21:00	6.67 pH	15.61 °C	1.12 mS/cm	0.06 mg/L	458.76 NTU	-147.1 mV	13.87 ft	200.00 ml/min
3/3/2025 1:18 PM	24:00	6.67 pH	15.58 °C	1.12 mS/cm	0.05 mg/L	525.22 NTU	-149.2 mV	13.87 ft	200.00 ml/min
3/3/2025 1:21 PM	27:00	6.68 pH	15.51 °C	1.12 mS/cm	0.05 mg/L	487.23 NTU	-151.1 mV	13.87 ft	200.00 ml/min

3/3/2025 1:24 PM	30:00	6.68 pH	15.54 °C	1.13 mS/cm	0.04 mg/L	367.28 NTU	-152.5 mV	13.87 ft	200.00 ml/min
3/3/2025 1:27 PM	33:00	6.68 pH	15.41 °C	1.14 mS/cm	0.03 mg/L	97.83 NTU	-154.2 mV	13.87 ft	200.00 ml/min
3/3/2025 1:30 PM	36:00	6.68 pH	15.37 °C	1.16 mS/cm	0.03 mg/L	209.30 NTU	-155.6 mV	13.87 ft	200.00 ml/min
3/3/2025 1:33 PM	39:00	6.68 pH	15.44 °C	1.17 mS/cm	0.03 mg/L	313.99 NTU	-156.2 mV	13.87 ft	200.00 ml/min
3/3/2025 1:36 PM	42:00	6.68 pH	15.34 °C	1.18 mS/cm	0.03 mg/L	421.59 NTU	-157.2 mV	13.87 ft	200.00 ml/min
3/3/2025 1:39 PM	45:00	6.69 pH	15.29 °C	1.17 mS/cm	0.02 mg/L	471.69 NTU	-157.8 mV	13.87 ft	200.00 ml/min
3/3/2025 1:42 PM	48:00	6.69 pH	15.35 °C	1.19 mS/cm	0.02 mg/L	447.53 NTU	-158.6 mV	13.87 ft	200.00 ml/min
3/3/2025 1:45 PM	51:00	6.69 pH	15.32 °C	1.17 mS/cm	0.02 mg/L	378.93 NTU	-160.0 mV	13.87 ft	200.00 ml/min
3/3/2025 1:48 PM	54:00	6.69 pH	15.36 °C	1.18 mS/cm	0.02 mg/L	350.84 NTU	-160.0 mV	13.87 ft	200.00 ml/min
3/3/2025 1:51 PM	57:00	6.69 pH	15.40 °C	1.18 mS/cm	0.02 mg/L	507.77 NTU	-160.7 mV	13.87 ft	200.00 ml/min
3/3/2025 1:54 PM	01:00:00	6.69 pH	15.28 °C	1.19 mS/cm	0.02 mg/L	181.41 NTU	-161.1 mV	13.87 ft	200.00 ml/min

Samples

Sample ID:	Description:
MW-410D-03032025	VOCs, MEE, TOC, sulfate, nitrate, dissolved iron

Low-Flow Test Report:

Test Date / Time: 3/3/2025 10:27:14 AM
Project: GE Indy
Operator Name: AD

Location Name: MW-425 **Latitude: 39.77458431683739** **Longitude: -86.10532425662883** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 30 ft** **Top of Screen: 20 ft** **Total Depth: 29.33 ft** **Initial Depth to Water: 11.25 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 25 ft** **Estimated Total Volume Pumped: 18000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 300 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 651965**

Test Notes:
Purge began at 1022
Purge water clear with blackish tint and some turbid particles, slightly organic like odor
10/5 recharge
25psi
Sample time 1132 plus dup

Weather Conditions:
Overcast, breezy, 35 degrees F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
3/3/2025 10:27 AM	00:00	6.81 pH	13.62 °C	1.00 mS/cm	0.18 mg/L	115.07 NTU	-107.6 mV	11.25 ft	300.00 ml/min
3/3/2025 10:30 AM	03:00	6.79 pH	13.53 °C	1.03 mS/cm	0.14 mg/L	98.70 NTU	-114.2 mV	11.25 ft	300.00 ml/min
3/3/2025 10:33 AM	06:00	6.79 pH	13.58 °C	1.06 mS/cm	0.10 mg/L	104.28 NTU	-118.9 mV	11.25 ft	300.00 ml/min
3/3/2025 10:36 AM	09:00	6.78 pH	13.51 °C	1.08 mS/cm	0.08 mg/L	97.73 NTU	-121.0 mV	11.25 ft	300.00 ml/min
3/3/2025 10:39 AM	12:00	6.78 pH	13.56 °C	1.09 mS/cm	0.07 mg/L	94.85 NTU	-123.5 mV	11.25 ft	300.00 ml/min
3/3/2025 10:42 AM	15:00	6.78 pH	13.52 °C	1.10 mS/cm	0.06 mg/L	88.85 NTU	-124.9 mV	11.25 ft	300.00 ml/min
3/3/2025 10:45 AM	18:00	6.79 pH	13.51 °C	1.10 mS/cm	0.05 mg/L	86.21 NTU	-126.4 mV	11.25 ft	300.00 ml/min
3/3/2025 10:48 AM	21:00	6.78 pH	13.40 °C	1.11 mS/cm	0.05 mg/L	76.23 NTU	-128.1 mV	11.25 ft	300.00 ml/min
3/3/2025 10:51 AM	24:00	6.79 pH	13.52 °C	1.11 mS/cm	0.04 mg/L	59.86 NTU	-129.3 mV	11.25 ft	300.00 ml/min
3/3/2025 10:54 AM	27:00	6.79 pH	13.54 °C	1.11 mS/cm	0.03 mg/L	49.66 NTU	-130.5 mV	11.25 ft	300.00 ml/min

3/3/2025 10:57 AM	30:00	6.79 pH	13.57 °C	1.12 mS/cm	0.03 mg/L	42.92 NTU	-131.6 mV	11.25 ft	300.00 ml/min
3/3/2025 11:00 AM	33:00	6.79 pH	13.60 °C	1.12 mS/cm	0.03 mg/L	35.93 NTU	-133.1 mV	11.25 ft	300.00 ml/min
3/3/2025 11:03 AM	36:00	6.79 pH	13.51 °C	1.13 mS/cm	0.02 mg/L	29.01 NTU	-133.9 mV	11.25 ft	300.00 ml/min
3/3/2025 11:06 AM	39:00	6.79 pH	13.49 °C	1.13 mS/cm	0.02 mg/L	21.76 NTU	-135.3 mV	11.25 ft	300.00 ml/min
3/3/2025 11:09 AM	42:00	6.79 pH	13.51 °C	1.13 mS/cm	0.02 mg/L	19.15 NTU	-136.4 mV	11.25 ft	300.00 ml/min
3/3/2025 11:12 AM	45:00	6.79 pH	13.54 °C	1.13 mS/cm	0.01 mg/L	18.21 NTU	-137.3 mV	11.25 ft	300.00 ml/min
3/3/2025 11:15 AM	48:00	6.79 pH	13.52 °C	1.13 mS/cm	0.01 mg/L	15.54 NTU	-137.3 mV	11.25 ft	300.00 ml/min
3/3/2025 11:18 AM	51:00	6.80 pH	13.55 °C	1.13 mS/cm	0.01 mg/L	13.54 NTU	-137.4 mV	11.25 ft	300.00 ml/min
3/3/2025 11:21 AM	54:00	6.80 pH	13.45 °C	1.12 mS/cm	0.01 mg/L	10.13 NTU	-137.6 mV	11.25 ft	300.00 ml/min
3/3/2025 11:24 AM	57:00	6.80 pH	13.50 °C	1.12 mS/cm	0.01 mg/L	9.68 NTU	-137.9 mV	11.25 ft	300.00 ml/min
3/3/2025 11:27 AM	01:00:00	6.80 pH	13.51 °C	1.12 mS/cm	0.01 mg/L	8.56 NTU	-138.3 mV	11.25 ft	300.00 ml/min

Samples

Sample ID:	Description:
MW-425-03032025	VOCs, MEE, TOC, sulfate, nitrate, dissolved iron
AD-100-03032025	VOCs, MEE, TOC, sulfate, nitrate, dissolved iron

Low-Flow Test Report:

Test Date / Time: 3/3/2025 12:45:59 PM
Project: Low-Flow Test 1 (2)
Operator Name:

MW-426

Location Name: Device Location	Flow Cell Volume: 130 ml	Instrument Used: Aqua TROLL 600 Serial Number: 651931

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10
3/3/2025 12:45 PM	00:00	6.65 pH	13.79 °C	1.00 mS/cm	2.70 mg/L	227.22 NTU	-135.2 mV
3/3/2025 12:50 PM	05:00	6.65 pH	14.42 °C	1.01 mS/cm	5.32 mg/L	241.92 NTU	-140.1 mV
3/3/2025 12:55 PM	10:00	6.69 pH	14.70 °C	1.04 mS/cm	7.76 mg/L	147.78 NTU	-144.8 mV
3/3/2025 1:00 PM	15:00	6.71 pH	14.89 °C	1.06 mS/cm	8.15 mg/L	96.60 NTU	-149.8 mV
3/3/2025 1:05 PM	20:00	6.73 pH	14.82 °C	1.07 mS/cm	8.20 mg/L	73.98 NTU	-153.8 mV
3/3/2025 1:10 PM	25:00	6.73 pH	14.94 °C	1.08 mS/cm	8.20 mg/L	104.59 NTU	-154.9 mV
3/3/2025 1:15 PM	30:00	6.72 pH	14.92 °C	1.08 mS/cm	8.18 mg/L	125.83 NTU	-155.1 mV
3/3/2025 1:20 PM	35:00	6.72 pH	14.87 °C	1.06 mS/cm	8.19 mg/L	106.42 NTU	-155.0 mV
3/3/2025 1:25 PM	40:00	6.69 pH	14.55 °C	1.06 mS/cm	8.20 mg/L	108.01 NTU	-152.6 mV
3/3/2025 1:30 PM	45:00	6.68 pH	14.70 °C	1.05 mS/cm	8.02 mg/L	113.57 NTU	-152.5 mV
3/3/2025 2:51 PM	02:05:40	6.76 pH	14.44 °C	0.96 mS/cm		16.51 NTU	-178.9 mV

Samples

Sample ID:	Description:

Low-Flow Test Report:

Test Date / Time: 3/3/2025 10:43:54 AM
Project:
Operator Name:

W-9

Location Name: Device Location	Flow Cell Volume: 130 ml	Instrument Used: Aqua TROLL 600 Serial Number: 651931

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5
3/3/2025 10:43 AM	00:00	6.49 pH	9.16 °C	1.02 mS/cm	4.22 mg/L	187.06 NTU	37.0 mV	
3/3/2025 10:48 AM	05:00	6.39 pH	14.43 °C	1.23 mS/cm	1.80 mg/L	306.94 NTU	-93.5 mV	
3/3/2025 10:53 AM	10:00	6.43 pH	14.77 °C	1.25 mS/cm	1.99 mg/L	170.34 NTU	-128.6 mV	
3/3/2025 10:58 AM	15:00	6.48 pH	14.74 °C	1.25 mS/cm	2.14 mg/L	130.82 NTU	-135.6 mV	
3/3/2025 11:03 AM	20:00	6.51 pH	14.95 °C	1.24 mS/cm	2.22 mg/L	102.43 NTU	-138.7 mV	
3/3/2025 11:08 AM	25:00	6.54 pH	14.86 °C	1.24 mS/cm	2.39 mg/L	79.43 NTU	-142.7 mV	
3/3/2025 11:13 AM	30:00	6.55 pH	15.01 °C	1.23 mS/cm	2.40 mg/L	84.15 NTU	-136.1 mV	
3/3/2025 11:18 AM	35:00	6.56 pH	15.10 °C	1.22 mS/cm	2.33 mg/L	63.68 NTU	-140.3 mV	
3/3/2025 11:23 AM	40:00	6.57 pH	14.93 °C	1.22 mS/cm	2.39 mg/L	52.34 NTU	-141.4 mV	
3/3/2025 11:28 AM	45:00	6.57 pH	15.27 °C	1.20 mS/cm	2.29 mg/L	68.26 NTU	-145.6 mV	
3/3/2025 11:33 AM	50:00	6.57 pH	15.38 °C	1.19 mS/cm	2.24 mg/L	49.34 NTU	-148.3 mV	
3/3/2025 11:38 AM	55:00	6.56 pH	15.39 °C	1.17 mS/cm	2.22 mg/L	50.91 NTU	-149.4 mV	
3/3/2025 11:43 AM	01:00:00	6.57 pH	15.49 °C	1.17 mS/cm	2.30 mg/L	35.33 NTU	-150.3 mV	
3/3/2025 2:53 PM	04:09:24	6.77 pH	14.53 °C	0.96 mS/cm		14.26 NTU	-177.8 mV	

Samples

Sample ID:	Description:

Low-Flow Test Report:

Test Date / Time: 3/4/2025 9:09:46 AM
Project:
Operator Name:

MW-413D

Location Name: Device Location	Flow Cell Volume: 130 ml	Instrument Used: Aqua TROLL 600 Serial Number: 707273

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP
		+/- 0.1	+/- 0.5	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10
3/4/2025 9:09 AM	00:00	6.94 pH	14.16 °C	1.39 mS/cm	2.45 mg/L	231.49 NTU	53.3 mV
3/4/2025 9:14 AM	05:00	6.97 pH	14.95 °C	1.28 mS/cm	1.45 mg/L	88.95 NTU	-55.1 mV
3/4/2025 9:19 AM	10:00	6.99 pH	15.10 °C	1.25 mS/cm	2.22 mg/L	61.01 NTU	-78.9 mV
3/4/2025 9:24 AM	15:00	7.00 pH	15.18 °C	1.22 mS/cm	2.90 mg/L	53.77 NTU	-81.4 mV
3/4/2025 9:29 AM	20:00	7.03 pH	15.17 °C	1.20 mS/cm	3.69 mg/L	51.42 NTU	-85.1 mV
3/4/2025 9:34 AM	25:00	7.06 pH	15.20 °C	1.21 mS/cm	4.39 mg/L	47.05 NTU	-87.5 mV
3/4/2025 9:39 AM	30:00	7.08 pH	15.23 °C	1.21 mS/cm	4.85 mg/L	51.29 NTU	-90.0 mV
3/4/2025 9:44 AM	35:00	7.09 pH	15.26 °C	1.21 mS/cm	5.08 mg/L	73.92 NTU	-90.1 mV
3/4/2025 9:49 AM	40:00	7.09 pH	15.29 °C	1.20 mS/cm	5.29 mg/L	100.50 NTU	-91.1 mV
3/4/2025 9:54 AM	45:00	7.08 pH	15.32 °C	1.17 mS/cm	5.57 mg/L	117.35 NTU	-90.9 mV
3/4/2025 9:59 AM	50:00	7.08 pH	15.33 °C	1.18 mS/cm	5.49 mg/L	121.79 NTU	-92.4 mV
3/4/2025 10:04 AM	55:00	7.08 pH	15.33 °C	1.17 mS/cm	5.47 mg/L	138.60 NTU	-91.7 mV
3/4/2025 10:09 AM	01:00:00	7.07 pH	15.32 °C	1.16 mS/cm	5.45 mg/L	110.85 NTU	-93.0 mV
3/7/2025 8:46 AM	23:36:20	7.11 pH	4.01 °C	0.02 mS/cm	11.90 mg/L	0.00 NTU	253.4 mV

Samples

Sample ID:	Description:

Low-Flow Test Report:

Test Date / Time: 3/4/2025 11:52:26 AM
Project: Low-Flow Test 1 (2)
Operator Name:

MW-402

Location Name: Device Location	Flow Cell Volume: 130 ml	Instrument Used: Aqua TROLL 600 Serial Number: 707273

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP
		+/- 0.1	+/- 0.5	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10
3/4/2025 11:52 AM	00:00	6.52 pH	18.70 °C	7.71 mS/cm	2.69 mg/L	345.76 NTU	-85.1 mV
3/4/2025 11:57 AM	05:00	6.68 pH	16.81 °C	6.81 mS/cm	5.29 mg/L	149.14 NTU	-82.5 mV
3/4/2025 12:02 PM	10:00	6.77 pH	16.62 °C	6.92 mS/cm	6.57 mg/L	90.38 NTU	-95.5 mV
3/4/2025 12:07 PM	15:00	6.80 pH	16.64 °C	6.55 mS/cm	6.92 mg/L	51.93 NTU	-103.0 mV
3/4/2025 12:12 PM	20:00	6.79 pH	16.76 °C	6.82 mS/cm	6.79 mg/L	34.70 NTU	-104.2 mV
3/4/2025 12:17 PM	25:00	6.79 pH	16.78 °C	7.24 mS/cm	6.22 mg/L	48.16 NTU	-104.9 mV
3/4/2025 12:22 PM	30:00	6.80 pH	16.76 °C	7.70 mS/cm	5.23 mg/L	51.28 NTU	-107.6 mV
3/4/2025 12:27 PM	35:00	6.82 pH	16.71 °C	7.58 mS/cm	5.31 mg/L	47.87 NTU	-112.5 mV
3/4/2025 12:32 PM	40:00	6.76 pH	16.65 °C	8.10 mS/cm	4.54 mg/L	36.32 NTU	-102.5 mV
3/4/2025 12:37 PM	45:00	6.78 pH	16.79 °C	8.01 mS/cm	5.10 mg/L	29.63 NTU	-105.3 mV
3/4/2025 12:42 PM	50:00	6.78 pH	16.91 °C	8.21 mS/cm	5.22 mg/L	18.44 NTU	-105.4 mV
3/4/2025 12:47 PM	55:00	6.79 pH	16.75 °C	8.44 mS/cm	5.50 mg/L	13.18 NTU	-106.9 mV
3/4/2025 12:52 PM	01:00:00	6.85 pH	16.66 °C	8.44 mS/cm	6.22 mg/L	9.11 NTU	-114.2 mV
3/4/2025 12:57 PM	01:05:00	6.86 pH	16.64 °C	8.43 mS/cm	6.33 mg/L	6.65 NTU	-115.0 mV
3/4/2025 1:02 PM	01:10:00	6.80 pH	16.81 °C	8.06 mS/cm	6.07 mg/L	9.86 NTU	-106.0 mV
3/4/2025 1:07 PM	01:15:00	6.85 pH	16.91 °C	8.24 mS/cm	6.39 mg/L	9.62 NTU	-116.3 mV
3/4/2025 1:12 PM	01:20:00	6.85 pH	16.96 °C	8.20 mS/cm	6.59 mg/L	10.19 NTU	-116.3 mV
3/4/2025 1:17 PM	01:25:00	6.79 pH	16.79 °C	7.86 mS/cm	5.41 mg/L	13.86 NTU	-108.2 mV
3/7/2025 8:46 AM	20:54:06	7.11 pH	4.06 °C	0.02 mS/cm	11.89 mg/L	0.00 NTU	253.4 mV

Low-Flow Test Report:

Test Date / Time: 3/4/2025 2:24:27 PM
Project: Low-Flow Test 1 (3)
Operator Name:

MW-402D

Location Name: Device Location	Flow Cell Volume: 130 ml	Instrument Used: Aqua TROLL 600 Serial Number: 707273

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP
		+/- 0.1	+/- 0.5	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10
3/4/2025 2:24 PM	00:00	6.71 pH	20.99 °C	2.08 mS/cm	2.56 mg/L	235.84 NTU	-95.9 mV
3/4/2025 2:29 PM	05:00	6.62 pH	17.38 °C	2.54 mS/cm	0.37 mg/L	160.17 NTU	-99.1 mV
3/4/2025 2:34 PM	10:00	6.63 pH	17.37 °C	2.21 mS/cm	0.40 mg/L	141.13 NTU	-101.1 mV
3/4/2025 2:39 PM	15:00	6.67 pH	17.23 °C	2.04 mS/cm	0.58 mg/L	166.53 NTU	-102.3 mV
3/4/2025 2:44 PM	20:00	6.70 pH	17.19 °C	1.83 mS/cm	0.72 mg/L	253.80 NTU	-102.5 mV
3/4/2025 2:49 PM	25:00	6.71 pH	17.10 °C	1.68 mS/cm	0.83 mg/L	242.79 NTU	-101.7 mV
3/4/2025 2:54 PM	30:00	6.73 pH	16.97 °C	1.93 mS/cm	0.96 mg/L	225.71 NTU	-101.0 mV
3/4/2025 2:59 PM	35:00	6.74 pH	16.98 °C	1.83 mS/cm	1.05 mg/L	231.16 NTU	-100.2 mV
3/4/2025 3:04 PM	40:00	6.74 pH	16.97 °C	1.76 mS/cm	1.14 mg/L	278.21 NTU	-99.1 mV
3/4/2025 3:09 PM	45:00	6.75 pH	16.93 °C	1.67 mS/cm	1.19 mg/L	141.03 NTU	-98.0 mV
3/4/2025 3:14 PM	50:00	6.76 pH	16.88 °C	1.59 mS/cm	1.22 mg/L	303.75 NTU	-97.0 mV
3/4/2025 3:19 PM	55:00	6.76 pH	16.83 °C	1.56 mS/cm	1.24 mg/L	335.43 NTU	-96.2 mV
3/4/2025 3:24 PM	01:00:00	6.76 pH	16.81 °C	1.50 mS/cm	1.28 mg/L	229.50 NTU	-95.3 mV
3/4/2025 3:29 PM	01:05:00	6.76 pH	16.73 °C	1.73 mS/cm	1.32 mg/L	311.27 NTU	-94.3 mV
3/7/2025 8:46 AM	18:22:28	7.11 pH	4.11 °C	0.02 mS/cm	11.89 mg/L	0.00 NTU	253.3 mV

Samples

Sample ID:	Description:

Low-Flow Test Report:

Test Date / Time: 3/5/2025 1:18:05 PM
Project: Low-Flow Test 1 (4)
Operator Name:

MW-428

Location Name: Device Location	Flow Cell Volume: 130 ml	Instrument Used: Aqua TROLL 600 Serial Number: 707273

Test Notes:

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP
		+/- 0.1	+/- 0.5	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10
3/5/2025 1:18 PM	00:00	6.80 pH	12.87 °C	3.35 mS/cm	4.65 mg/L	489.62 NTU	-68.0 mV
3/5/2025 1:23 PM	05:00	6.97 pH	14.74 °C	3.28 mS/cm	5.65 mg/L	384.28 NTU	-151.6 mV
3/5/2025 1:25 PM	07:53	7.01 pH	14.83 °C	3.22 mS/cm	5.96 mg/L	404.33 NTU	-160.4 mV
3/5/2025 1:30 PM	12:53	7.07 pH	14.98 °C	3.13 mS/cm	5.68 mg/L	456.85 NTU	-164.7 mV
3/5/2025 1:35 PM	17:53	7.09 pH	14.97 °C	3.05 mS/cm	5.61 mg/L	430.31 NTU	-163.6 mV
3/5/2025 1:40 PM	22:53	6.96 pH	14.40 °C	3.07 mS/cm	4.29 mg/L	276.91 NTU	-151.4 mV
3/5/2025 1:45 PM	27:53	6.91 pH	13.28 °C	3.03 mS/cm	3.80 mg/L	221.60 NTU	-145.7 mV
3/5/2025 1:50 PM	32:53	6.95 pH	12.12 °C	2.98 mS/cm	5.09 mg/L	209.69 NTU	-144.4 mV
3/5/2025 1:55 PM	37:53	7.00 pH	11.09 °C	2.93 mS/cm	5.70 mg/L	224.19 NTU	-142.5 mV
3/5/2025 2:00 PM	42:53	7.03 pH	10.15 °C	2.89 mS/cm	5.95 mg/L	258.47 NTU	-140.8 mV
3/5/2025 2:05 PM	47:53	7.06 pH	9.47 °C	2.84 mS/cm	6.19 mg/L	281.69 NTU	-139.2 mV
3/5/2025 2:10 PM	52:53	7.09 pH	8.95 °C	2.80 mS/cm	6.70 mg/L	303.17 NTU	-137.7 mV
3/5/2025 2:15 PM	57:53	7.12 pH	8.51 °C	2.75 mS/cm	7.05 mg/L	319.22 NTU	-135.1 mV
3/5/2025 2:20 PM	01:02:53	7.15 pH	8.09 °C	2.71 mS/cm	7.36 mg/L	335.17 NTU	-132.3 mV
3/5/2025 2:25 PM	01:07:53	7.19 pH	7.85 °C	2.67 mS/cm	7.59 mg/L	333.93 NTU	-129.3 mV
3/7/2025 8:47 AM	19:29:16	7.11 pH	4.17 °C	0.02 mS/cm	11.88 mg/L	0.00 NTU	253.3 mV

Samples

Sample ID:	Description:

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW402

Date:	03/04/2025	Casing Material:	PVC	Depth to Water:	17.45
Weather Conditions:	Sunny|Wind 13 C	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll 600	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1151	Cloudy grey	Slight odor	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1157	300	16.81	6.68	6.81	-82.5	5.29	149.14	18.05	
1202	300	16.62	6.77	6.92	-95.5	6.57	90.38	18.40	
1207	300	16.64	6.80	6.55	-103.0	6.92	51.93	18.75	
1212	300	16.76	6.79	6.82	-104.2	6.79	34.70	19.25	
1217	300	16.78	6.79	7.24	-104.9	6.22	48.16	20.4	
1222	300	16.76	6.80	7.70	-107.6	5.23	51.28	21.8	
1227	200	16.71	6.82	7.58	-112.5	5.31	47.87	22.6	
1232	200	16.65	6.76	8.10	-102.5	4.54	36.32	22.65	
1237	200	16.79	6.78	8.01	-105.3	5.10	29.63	22.65	
1242	200	16.91	6.78	8.21	-105.4	5.22	18.44	22.65	
1247	200	16.75	6.79	8.44	-106.9	5.50	13.18	22.65	
1252	200	16.66	6.85	8.44	-114.2	6.22	9.11	22.65	
1257	200	16.64	6.86	8.43	-115.0	6.33	6.65	22.65	
1302	200	16.81	6.80	8.06	-106.0	6.07	9.86	22.65	
1307	200	16.91	6.85	8.24	-116.3	6.39	9.62	22.65	
1312	200	16.96	6.85	8.20	-116.3	6.59	10.19	22.65	
1317	200	16.79	6.79	7.86	-108.2	5.41	13.86	22.65	
1322	200							22.65	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1342	Clear	None	No	NA

Sampling Summary

Sample Date:	03/04/2025	Analysis:	NA
Sample Time:	1324	Bottles:	NA
Sample ID:	MW-402-03042025	QC Sample ID:	MW-402-03042025

Powered by QNOPY

Groundwater Monitoring Field Data Form

Project No.: 1940103494

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

QC Sample Time:	1324	Sampler Name:	1.00000
Remarks:	15 bottles		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW402D

Date:	03/04/2025	Casing Material:	PVC	Depth to Water:	18.36
Weather Conditions:	Cloudy|Wind 16 C	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll 600	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1422	Cloudy Grey	Strong odor	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1429	300	17.38	6.62	2.54	-99.1	0.37	160.17	18.40	
1434	300	17.37	6.63	2.21	-101.1	0.40	141.13	18.40	
1439	300	17.23	6.67	2.04	-102.3	0.58	166.53	18.40	
1444	300	17.19	6.70	1.83	-102.5	0.72	253.80	18.40	
1449	300	17.10	6.71	1.68	-101.7	0.83	242.79	18.40	
1454	300	16.97	6.73	1.93	-101.0	0.96	225.71	18.40	
1459	300	16.98	6.74	1.83	-100.2	1.05	231.16	18.40	
1504	300	16.97	6.74	1.76	-99.1	1.14	278.21	18.40	
1509	300	16.93	6.75	1.67	-98.0	1.19	141.03	18.40	
1514	300	16.88	6.76	1.59	-97.0	1.22	303.75	18.40	
1519	300	16.83	6.76	1.56	-96.2	1.24	335.43	18.40	
1524	300	16.81	6.76	1.50	-95.3	1.28	229.50	18.40	
1529	300	16.73	6.76	1.73	-94.3	1.32	311.27	18.40	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1546	Clear	None	No	Some grey clay like material on pump after retrieval, may be cause of weird turn readings

Sampling Summary

Sample Date:	03/04/2025	Analysis:	NA
Sample Time:	1535	Bottles:	NA
Sample ID:	MW-402D-03042025	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	1.00000
Remarks:	9 bottles		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW413D

Date:	03/04/2025	Casing Material:	PVC	Depth to Water:	13.87
Weather Conditions:	Partly Cloudy 10 C	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll 600	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
908	Clear	Slight odor	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
915	300	14.95	6.97	1.28	-55.1	1.45	88.95	13.84	
919	300	15.10	6.99	1.25	-78.9	2.22	61.01	13.84	
924	300	15.18	7.00	1.22	-81.4	2.90	53.77	13.84	
929	300	15.17	7.03	1.20	-85.1	3.69	51.42	13.84	
934	300	15.20	7.06	1.21	-87.5	4.39	47.05	13.84	
939	300	15.23	7.08	1.21	-90.0	4.85	51.29	13.84	
944	300	15.26	7.09	1.21	-90.1	5.08	73.92	13.84	
949	300	15.29	7.09	1.20	-91.1	5.29	100.50	13.84	
954	300	15.32	7.08	1.17	-90.9	5.57	117.35	13.84	
959	300	15.33	7.08	1.18	-92.4	5.49	121.79	13.84	
1004	300	15.33	7.08	1.17	-91.7	5.47	138.60	13.84	
1009	300	15.32	7.07	1.16	-93.0	5.45	110.85	13.84	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1025	Clear	None	No	NA

Sampling Summary

Sample Date:	03/04/2025	Analysis:	NA
Sample Time:	1015	Bottles:	NA
Sample ID:	MW-413D-03042025	QC Sample ID:	NA
QC Sample Time:	317 PM	Sampler Name:	1.00000
Remarks:	9 bottles		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW413S

Date:	03/03/2025	Casing Material:	PVC	Depth to Water:	13.40
Weather Conditions:	Cold|Light Breeze|Wind 49 C	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll 600	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1428	Clear	Slight organic like	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1210									
1435									

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
NA	Clear	None to very slight organic like	NA	NA

Sampling Summary

Sample Date:	03/03/2025	Analysis:	NA
Sample Time:	1618	Bottles:	NA
Sample ID:	MW-413s-03932025	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	1.00000
Remarks:	9		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW426

Date:	03/03/2025	Casing Material:	PVC	Depth to Water:	10.20
Weather Conditions:	Partly Cloudy 7 C	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll 600	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1244	Clear with suspended debris	None	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1251	300	14.42	6.65	1.01	-140.1	5.32	241.92	11.10	
1256	300	14.70	6.69	1.04	-144.8	7.76	147.78	11.10	
1301	300	14.89	6.71	1.06	-149.8	8.51	96.60	11.10	
1306	300	14.82	6.73	1.07	-153.8	8.20	73.98	11.10	
1311	300	14.94	6.73	1.08	-154.9	8.20	104.59	11.10	
1316	300	14.92	6.72	1.08	-155.1	8.18	125.83	11.10	
1321	300	14.87	6.72	1.06	-155.0	8.19	106.42	11.10	
1326	300	14.55	6.69	1.06	-152.6	8.20	108.01	11.10	
1331	300	14.70	6.68	1.05	-152.5	8.02	113.57	11.10	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1334	Light brown	None	No	NA

Sampling Summary

Sample Date:	03/03/2025	Analysis:	NA
Sample Time:	1334	Bottles:	Headspace (40mL)
Sample ID:	MW-426-03032025	QC Sample ID:	MW-426-03032025
QC Sample Time:	1334	Sampler Name:	1.00000
Remarks:	12 bottles		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW428

Date:	03/05/2025	Casing Material:	PVC	Depth to Water:	15.44
Weather Conditions:	Cold|Cloudy 4 C	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll 600	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1316	Slightly cloudy	Strong odor	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1321	300	14.74	6.97	3.28	-151.6	5.65	384.28	17.40	
1331	300	14.98	7.07	3.13	-164.7	5.68	456.85	19.95	Time off center due to temporary loss of aquatroll connection
1336	300	14.97	7.09	3.05	-163.6	5.61	430.31	22.5	
1341	200	14.40	6.96	3.07	-151.4	4.29	276.91	23.05	
1346	100	13.28	6.91	3.03	-145.7	3.80	221.60	23.2	Flow rate reduced due to intense drawdown
1351	100	12.2	6.95	2.98	-144.4	5.09	209.69	23.2	
1356	100	11.09	7.00	2.93	-142.5	5.70	224.19	23.2	
1401	100	10.15	7.03	2.89	-140.8	5.95	258.47	23.2	
1406	100	9.47	7.06	2.84	-139	6.19	281.69	23.2	
1411	100	8.95	7.09	2.80	-137.7	6.70	303.17	23.2	
1416	100	8.51	7.12	2.75	-135.1	7.05	319.22	23.2	
1421	100	8.09	7.15	2.71	-132.3	7.36	335.17	23.2	
1426	100	7.85	7.19	2.67	-129.3	7.59	333.93	23.2	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1645	Clear	None	No	Extremely low recharge, sampling took 2 hrs Shave plastic strip attached to pump on pull-up, looks like pvc

Sampling Summary

Sample Date:	03/05/2025	Analysis:	NA
Sample Time:	1430	Bottles:	NA
Sample ID:	MW-428-03052025	QC Sample ID:	AD-300-03052025
QC Sample Time:	1200	Sampler Name:	1.00000

Remarks: 12 bottles. Well needed to sit and recharge multiple times during sampling due to slow recharge rate



piece of shaved plastic found attached to bladder pump

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

W-9

Date:	03/03/2025	Casing Material:	PVC	Depth to Water:	13.45
Weather Conditions:	Cold|Cloudy 1 C	Casing Diameter:	3	Well Depth:	NA
Water Quality Meter:	AquaTroll 600	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	
Sampling Type:	Low Flow	NAPL Thickness		Total Volume to Remove:	
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1038	Clear	None	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1518									
1050	300	14.43	6.39	1.23	-93.5	1.80	306.94	13.36	
1054	300	14.77	6.43	1.25	-128.6	1.99	170.34	13.36	
1059	300	14.74	6.48	1.25	-135.6	2.14	130.82	13.36	
1100	300	14.95	6.51	1.24	-138.7	2.22	102.43	13.36	
1109	300	14.86	6.54	1.24	-142.7	2.39	79.43	13.36	
1114	300	15.01	6.55	1.23	-136.1	2.40	84.15	13.36	
1119	300	15.10	6.56	1.22	-140.3	2.33	63.68	13.36	
1124	300	14.93	6.57	1.22	-141.4	2.39	52.34	13.36	
1129	300	15.27	6.57	1.20	-145.6	2.29	68.26	13.36	
1134	300	15.38	6.57	1.19	-148.3	2.24	49.34	13.36	
1139	300	15.39	6.56	1.17	-149.4	2.22	50.91	13.36	
1401	300	15.49	6.57	1.17	-150.3	2.30	35.33	13.36	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
NA	Clear	None	No	NA

Sampling Summary

Sample Date:	03/03/2025	Analysis:	NA
Sample Time:	1146	Bottles:	Headspace (40mL)|Verre (250mL)
Sample ID:	W-9-332025	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	1.00000
Remarks:	6 bottles		

IW-515

Date	03/05/2025	Time	15:19	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	15:19								

Sampling Summary

Date	03/05/2025	Time	15:19	Analysis	VOCs 8260B

MW-112

Date	03/03/2025	Time	16:14	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/03/2025	16:14	25.65							

Sampling Summary

Date	03/03/2025	Time	16:23	Sample ID	MW-112-03032025
Analysis	VOCs 8260B	Quantity	3		

MW-122

Date	03/06/2025	Time	11:08	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"
Remarks:	Missing lid and no eyelets, put new lid on vault				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	11:08								

Sampling Summary

Date	03/06/2025	Time	11:08	Analysis	VOCs 8260B



MW-123

Date	03/06/2025	Time	11:07	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	11:07	15.48							

Sampling Summary

Date	03/06/2025	Time	11:12	Sample ID	MW-123-03062025
Analysis	VOCs 8260B	Quantity	3		



MW-131

Date	03/06/2025	Time	10:29	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	10:29	14.82							

Sampling Summary

Date	03/06/2025	Time	10:27	Sample ID	MW-131-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-132

Date	03/06/2025	Time	10:08	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	10:08	30.61							

Sampling Summary

Date	03/06/2025	Time	10:12	Sample ID	MW-132-03062025
Analysis	VOCs 8260B	Quantity	6	QA/QC Samples	AD-400-03062025

MW-133

Date	03/06/2025	Time	10:19	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	10:19	31.21							

Sampling Summary

Date	03/06/2025	Time	10:22	Sample ID	MW-133-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-153

Date	03/06/2025	Time	09:00	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	09:00	27.32							

Sampling Summary

Date	03/06/2025	Time	09:00	Sample ID	MW-153-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-163

Date	03/06/2025	Time	09:21	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	09:21	28.92							

Sampling Summary

Date	03/06/2025	Time	9:31	Sample ID	MW-163-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-173

Date	03/03/2025	Time	16:00	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/03/2025	15:59	27.25							

Sampling Summary

Date	03/03/2025	Time	16:05	Sample ID	MW-173-03032025
Analysis	VOCs 8260B	Quantity	3		

MW-22

Date	03/03/2025	Time	15:22	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Installed by:	
Sampling Devices Retrieved by:	Patrick Verbryke	Sampling Devices Received on:	03/03/2025	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/03/2025	15:46	27.40							

Sampling Summary

Date	03/03/2025	Time	15:36	Sample ID	MW-22-03032025
Analysis	VOCs 8260B	Quantity	3		

MW-251

Date	03/06/2025	Time	08:20	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	08:20	12.25							

Sampling Summary

Date	03/06/2025	Time	8:24	Sample ID	MW-251-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-253

Date	03/06/2025	Time	08:30	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	08:30	24.95							

Sampling Summary

Date	03/06/2025	Time	8:35	Sample ID	MW-253-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-303

Date	3/6/2025	Time	10:50 AM	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
3/6/2025	10:50 AM	31.30							

Sampling Summary

Date	3/6/2025	Time	11:28	Sample ID	MW-303-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-311

Date	03/05/2025	Time	16:56	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	16:56	14.54							

Sampling Summary

Date	03/05/2025	Time	16:56	Analysis	VOCs 8260B
Remarks	No sample bag missing, placed new bag in well				





general location, usually buried

MW-312

Date	03/06/2025	Time	09:40	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	09:40	29.69							

Sampling Summary

Date	03/06/2025	Time	9:46	Sample ID	MW-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-313

Date	03/03/2025	Time	16:35	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/03/2025	16:35	25.61							

Sampling Summary

Date	03/03/2025	Time	16:40	Sample ID	MW-313-03032025
Analysis	VOCs 8260B	Quantity	3		

MW-321

Date	03/06/2025	Time	14:53	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	14:53	11.26							

Sampling Summary

Date	03/06/2025	Time	15:00	Sample ID	MW-321-03062025
Analysis	VOCs 8260B				



MW-322

Date	03/06/2025	Time	14:25	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	14:25	27.41							

Sampling Summary

Date	03/06/2025	Time	14:33	Sample ID	MW-322-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-323

Date	03/06/2025	Time	14:10	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	14:10	28.96							

Sampling Summary

Date	03/06/2025	Time	14:15	Sample ID	MW-323-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-331

Date	03/06/2025	Time	14:55	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	14:55	14.08							

Sampling Summary

Date	03/06/2025	Time	15:06	Sample ID	MW-331-03062025
Analysis	VOCs 8260B	Quantity	3		

MW-333

Date	03/06/2025	Time	12:08	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"
Remarks:	Bolt damaged, troubleshoot to open well and replace with new bolt				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	12:08	23.39							

Sampling Summary

Date	03/06/2025	Time	12:10	Sample ID	MW-333-03062025
Analysis	VOCs 8260B				




Lat: 39.77560, Lon: -86.10926
Azimuth: 220.7 SW March 06, 2025 - 12:09 PM

MW-41

Date	03/06/2025	Time	10:52	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	10:52	11.25							

Sampling Summary

Date	03/06/2025	Time	11:01	Sample ID	MW-41-03062025
Analysis	VOCs 8260B	Quantity	3		

MW401

Date	03/04/2025	Time	16:19	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/04/2025	16:19	17.42							

Sampling Summary

Date	03/04/2025	Time	16:28	Sample ID	MW-401-03042025
Analysis	VOCs 8260B	Quantity	3		

MW403

Date	03/04/2025	Time	16:42	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/04/2025	16:42	16.05							

Sampling Summary

Date	03/04/2025	Time	16:55	Sample ID	MW-403-03042025
Analysis	VOCs 8260B	Quantity	3		

MW404

Date	03/05/2025	Time	14:31	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	14:31	17.79							

Sampling Summary

Date	03/05/2025	Time	15:06	Sample ID	MW-404-03052025
Analysis	VOCs 8260B				



MW405D

Date	03/05/2025	Time	14:31	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	14:31	19.17							

Sampling Summary

Date	03/05/2025	Time	14:37	Sample ID	Maw-405d-03052025
Analysis	VOCs 8260B				

MW405S

Date	03/05/2025	Time	14:32	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	14:32	16.82							

Sampling Summary

Date	03/05/2025	Time	14:43	Sample ID	MA-405s-03052025
Analysis	VOCs 8260B				

MW406D

Date	03/05/2025	Time	15:53	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	15:53	18.22							

Sampling Summary

Date	03/05/2025	Time	15:58	Sample ID	MW-406d-03052025
Analysis	VOCs 8260B				

MW406S

Date	03/05/2025	Time	15:54	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	15:54	17.18							

Sampling Summary

Date	03/05/2025	Time	16:03	Sample ID	MW-406s-03052025
Analysis	VOCs 8260B				



MW408D

Date	03/05/2025	Time	14:09	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	14:09	18.06							

Sampling Summary

Date	03/05/2025	Time	14:00	Sample ID	MW-408s-03052025
Analysis	VOCs 8260B				

MW408S

Date	3/5/2025	Date	03/05/2025	Time	1:44 PM
Time	14:09	Well Diameter	2	Well Diameter	2
Diameter Units	in	Diameter Units	in	Depth Units	ft
Depth Units	ft	Sampling Device Volume:	250	Sampling Device Volume:	250
Volume Units	mL	Volume Units	mL	Measurement Point Type	PVC Casing
Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
3/5/2025	1:44 PM								
03/05/2025	14:09	11.40							

Sampling Summary

Date	3/5/2025	Date	03/05/2025	Time	1:44 PM
Time	14:13	Sample ID	MW-408s-03052025	Analysis	VOCs 8260B
Analysis	VOCs 8260B				

MW414D

Date	03/06/2025	Time	15:27	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	15:27	12.35							

Sampling Summary

Date	03/06/2025	Time	15:30	Sample ID	MW-414d-03062025
Analysis	VOCs 8260B				



MW414S

Date	03/06/2025	Time	15:29	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	15:29	10.00							

Sampling Summary

Date	03/06/2025	Time	15:37	Sample ID	MW-414s-03062025
Analysis	VOCs 8260B				

MW415D

Date	03/06/2025	Time	14:05	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	14:05	12.91							Well silted in approximately 5ft

Sampling Summary

Date	03/06/2025	Time	14:13	Sample ID	MW-415d-03062025
Analysis	VOCs 8260B				



MW415S

Date	03/06/2025	Time	14:12	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	14:12	12.16							

Sampling Summary

Date	03/06/2025	Time	14:24	Sample ID	MW-415s-03062025
Analysis	VOCs 8260B				

MW416D

Date	03/06/2025	Time	13:47	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	13:47	13.48							

Sampling Summary

Date	03/06/2025	Time	13:55	Sample ID	MW-416d-03062025
Analysis	VOCs 8260B				

MW416S

Date	03/06/2025	Time	13:34	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	13:34	13.38							

Sampling Summary

Date	03/06/2025	Time	13:40	Sample ID	MW-416s-03062025
Analysis	VOCs 8260B				



MW417D

Date	03/05/2025	Time	09:19	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	09:19	17.86							

Sampling Summary

Date	03/05/2025	Time	9:26	Sample ID	MW-417D-03052025
Analysis	VOCs 8260B	Quantity	3		

MW417S

Date	03/05/2025	Time	09:06	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	09:06	16.4							

Sampling Summary

Date	03/05/2025	Time	9:15	Sample ID	MW-417S-03052025
Analysis	VOCs 8260B	Quantity	3		

MW419D

Date	03/05/2025	Time	16:14	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	16:14	14.95							

Sampling Summary

Date	03/05/2025	Time	16:20	Sample ID	MW-419d-03052025
Analysis	VOCs 8260B				



MW419S

Date	03/05/2025	Time	16:18	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	16:18	14.82							

Sampling Summary

Date	03/05/2025	Time	16:25	Sample ID	MW-419s-03052025
Analysis	VOCs 8260B				

MW422D

Date	03/05/2025	Time	10:57	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	10:57	10.70							

Sampling Summary

Date	03/05/2025	Time	11:02	Sample ID	MW-422D-03052025
Analysis	VOCs 8260B	Quantity	3		

MW422S

Date	03/05/2025	Time	10:38	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	10:38	11.23							

Sampling Summary

Date	03/05/2025	Time	10:50	Sample ID	MW-422S-03052025
Analysis	VOCs 8260B	Quantity	3		

MW423D

Date	03/05/2025	Time	09:55	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	09:55	17.42							

Sampling Summary

Date	03/05/2025	Time	10:04	Sample ID	MW-423D-03052025
Analysis	VOCs 8260B	Quantity	3		

MW423S

Date	03/05/2025	Time	09:41	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke
Sampling Device Volume:	250	Volume Units	mL	Measurement Point Type	PVC Casing
Sampling Device Dimensions	1.75"x24"				

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	09:41	16.02							

Sampling Summary

Date	03/05/2025	Time	9:51	Sample ID	MW-423-03052025
Analysis	VOCs 8260B	Quantity	3		

MW424D

Date	03/05/2025	Time	15:05	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	15:05	17.62							

Sampling Summary

Date	03/05/2025	Time	15:25	Sample ID	MW-424d-03052025
Analysis	VOCs 8260B				



MW424S

Date	03/05/2025	Time	15:18	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	15:18	17.53							

Sampling Summary

Date	03/05/2025	Time	15:20	Sample ID	MW-424s-03052025
Analysis	VOCs 8260B				

Passive Sampling

Site: Indianapolis CE

3530 E Michigan St, Indianapolis, IN 46201

W-10

Date	02/26/2025	Date	03/06/2025	Time	15:44
Time	08:44	Well Diameter	2	Diameter Units	in
Depth Units	ft	Sampling Devices Retrieved by:	Patrick Verbryke	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
				SU					
02/26/2025	15:44								
03/06/2025	08:44	12.17							

Sampling Summary

Date	02/26/2025	Date	03/06/2025	Time	15:44
Time	8:47	Sample ID	W-10-03062025	Analysis	VOCs 8260B
Quantity	3				

W-11D

Date	3/6/2025	Time	1:29 PM	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
3/6/2025	1:29 PM	30.20							

Sampling Summary

Date	3/6/2025	Time	13:45	Sample ID	MW-11D-03062025
Analysis	VOCs 8260B	Quantity	3		

W-2

Date	03/05/2025	Time	16:52	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/05/2025	16:52	16.43							

Sampling Summary

Date	03/05/2025	Time	16:45	Sample ID	W-2-03052025
Analysis	VOCs 8260B				



W-8D

Date	03/06/2025	Time	09:11	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	09:11	28.3							

Sampling Summary

Date	03/06/2025	Time	9:19	Sample ID	MW-8D-03062025
Analysis	VOCs 8260B				

W4R

Date	03/06/2025	Time	15:23	Well Diameter	2
Diameter Units	in	Depth Units	ft	Sampling Device Volume:	250
Volume Units	mL	Measurement Point Type	PVC Casing	Sampling Device Dimensions	1.75"x24"

Parameters

Date	Time	Depth to Water	Temp.	pH	Spec Cond	Dissolved Oxygen	ORP	Turbidity	Remarks
		ft bmp	C	SU	mS/cm	mg/L	mV	NTU	
03/06/2025	15:23	12.75							

Sampling Summary

Date	03/06/2025	Time	15:29	Sample ID	W-4R-03062025
Analysis	VOCs 8260B	Quantity	3		

APPENDIX A-2
MAY 2025 GROUNDWATER SAMPLING FIELD NOTES

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 05/06/25

Default Site Location

Site Information

Date	05/05/2025	Time	12:31
Report Number		Weather	Sunny , Clear
Staff On-site	Amanda Dragos , Gabriel Borgmeyer, Patrick Verbryke	Staff From Time	09:44
Staff To Time	09:44	Contractor	
Contractor Crew		Visitors	Security Personnel Onsite
Contractor From Time	09:44	Contractor To Time	09:44
Tailgate meeting conducted	Yes	Equipment On Site	
Imported/Exported Material		Work Summary	Sampling of Lowflow and PDB for Q2 wells
Remarks			

Observations

Time	Observation
08:00	800 arrive on site 852 begin quick cal SN442307 856 cal done finishing prep 9:38 arrived at MW-428 begin setup 1013 MW-428 started 1157 done with MW-428, set up at MW-402D 1355 finished at MW-402D, begin setup at MW-402 15:41 finished MW-402, setting up on W-9 1729 finished W-9, heading to staging to dump purge water and clean up 1749 finished for day, leaving site

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 05/06/25

Time	Observation
07:42	742 arrive on site begin cal of at SN442307 827 prep done starting set up at MW-410S 1033 finished MW410S, setting up on MW-410D 1220 finished at MW410D, samples handed to courier, setting up on MW-411D 1451 finished MW-411D, set up on MW-411S 1638 finished MW411S, assisting with cleanup for day 1700 leaving site

Time	Observation
07:30	730 arrive on site begin breakdown of unneeded equipment. 800 begin pdb collection 821 MW-251 sampled 847 W-10 sampled 908 MW-41 sampled 929 MW-131 sampled 1006 MW-401 sampled 1028 MW-423D sampled 1040 MW-423S sampled 1108 MW-422S sampled 1125 MW-422D Sampled (Strings for 422S and 422D in wrong wells, switched to proper wells) 1144 MW-419D sampled 1154 MW-419S sampled 1216 MW-408D sampled 1225 MW-408S sampled 1245 MW-403 sampled 1302 MW-404 Sampled 1328 MW-406D sampled 1337 MW-406S sampled 1357 W-2 Sampled 1417 MW-311 sampled 1433 MW-416D sampled 1442 MW-416S sampled 1500 W-4R sampled 1519 MW-321 Sampled 1600 beginning cleanup prep 1620 leaving site

Photos

W-4

Site Information

Date	05/12/2025	Time	9:44 AM
Report Number		Weather	
Staff On-site		Staff From Time	09:44
Staff To Time	09:44	Contractor	
Contractor Crew		Visitors	
Contractor From Time	09:44	Contractor To Time	09:44
Tailgate meeting conducted		Equipment On Site	
Imported/Exported Material		Work Summary	
Remarks			

Observations

Time	Observation
8:05	All staff onsite
8:10	Held HSS meeting, all staff signed JSA
8:53	Equipment set up and dispensed to P. Verbyke, AquaTroll 600N QuickCal performed
9:29	Mob to MW-413S
11:24	Sample pro pump equipped with wrong size fitting, offsite to collect equipment from IE Rents
12:45	GB onsite, mob to MW-413S
13:15	Start recording on MW-413S, see GW log
15:07	Start recording on MW-413D, see GW log
16:24	Mob to SGP-3, begin SG sampling
17:30	Finish SG sampling, dump purge water in drum Drum under light pressure, lid popped open when removed from restraints
17:46	Offsite
4:30	Begin cleanup, dump purge water in drums
5:00	All staff offsite
7:43	All staff onsite
7:55	HSS Meeting, all staff signed JSA
8:15	AquaTroll quickcal completed all parameters stable
8:36	Mob two MW – 425
8:55	Begin purging at MW-425, see groundwater notes for more details
10:00	Mob to MW – 426
10:45	Start recording at MW – 426 , see GW monitoring form for details
12:15	Mob to MW – 407
12:58	Start recording on MW – 407S, see GW monitoring form for details
15:08	Start recording on MW – 407D, see GW monitoring form for details
7:53	All staff onsite
08:06	QuickCal on AquaTroll complete, all parameters stable

Time	Observation
08:46	Start purging on W – 8, see GW monitoring form for details
10:30	Mob to MW-418
11:11	Start purging at MW – 418D, see GW monitoring form for details
13:00	Start purging at MW – 418S, see GW monitoring form for details
14:42	Decon pump, pack up equipment
14:55	Offsite to purchase ice for cooler
15:19	Back on site, mob to MW-331
15:30	sample PDB at MW – 331
15:43	Begin packing cooler with samples
16:30	All staff offsite

Photos

Low-Flow Test Report:

Test Date / Time: 5/6/2025 10:13:05 AM
Project: GE
Operator Name: PV

Location Name: MW-428 **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 15 ft** **Total Depth: 24.91 ft** **Initial Depth to Water: 13.23 m**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 19.91 m** **Estimated Total Volume Pumped: 4348 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 120 ml/min** **Final Draw Down: -7.826 ft**	**Instrument Used: Aqua TROLL 600 Vented** **Serial Number: 442307**

Test Notes:
Purge start 1010
12/3 recharge
25 psi

Cloudy discharge

Samples time 1053
Slow recharge, sampling took longer due to air in line

Weather Conditions:
Cloudy, 53 F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 5	
5/6/2025 10:13 AM	00:00	6.49 pH	15.97 °C	2.73 mS/cm	0.47 mg/L	87.96 NTU	-101.0 mV	13.23 ft	120.00 ml/min
5/6/2025 10:15 AM	02:14	6.51 pH	15.68 °C	2.71 mS/cm	0.27 mg/L	74.23 NTU	-202.3 mV	13.23 ft	120.00 ml/min
5/6/2025 10:18 AM	05:14	6.52 pH	15.48 °C	2.69 mS/cm	0.19 mg/L	76.84 NTU	-224.3 mV	13.93 ft	120.00 ml/min
5/6/2025 10:19 AM	06:14	6.52 pH	15.58 °C	2.69 mS/cm	0.17 mg/L	80.17 NTU	-218.5 mV	13.93 ft	120.00 ml/min
5/6/2025 10:22 AM	09:14	6.53 pH	15.63 °C	2.67 mS/cm	0.14 mg/L	81.83 NTU	-222.5 mV	14.42 ft	120.00 ml/min
5/6/2025 10:25 AM	12:14	6.53 pH	15.67 °C	2.68 mS/cm	0.12 mg/L	84.62 NTU	-212.6 mV	14.78 ft	120.00 ml/min
5/6/2025 10:28 AM	15:14	6.53 pH	15.74 °C	2.68 mS/cm	0.11 mg/L	95.90 NTU	-216.5 mV	15.17 ft	120.00 ml/min
5/6/2025 10:31 AM	18:14	6.53 pH	15.75 °C	2.65 mS/cm	0.10 mg/L	109.08 NTU	-214.1 mV	15.50 ft	120.00 ml/min
5/6/2025 10:34 AM	21:14	6.53 pH	15.52 °C	2.67 mS/cm	0.09 mg/L	122.13 NTU	-213.6 mV	15.95 ft	120.00 ml/min

5/6/2025 10:37 AM	24:14	6.53 pH	15.52 °C	2.66 mS/cm	0.09 mg/L	131.08 NTU	-215.0 mV	16.30 ft	120.00 ml/min
5/6/2025 10:40 AM	27:14	6.53 pH	15.61 °C	2.66 mS/cm	0.08 mg/L	144.06 NTU	-214.0 mV	16.72 ft	120.00 ml/min
5/6/2025 10:43 AM	30:14	6.54 pH	15.71 °C	2.66 mS/cm	0.09 mg/L	168.29 NTU	-212.7 mV	17.03 ft	120.00 ml/min
5/6/2025 10:46 AM	33:14	6.54 pH	15.74 °C	2.64 mS/cm	0.09 mg/L	165.87 NTU	-210.7 mV	17.40 ft	120.00 ml/min
5/6/2025 10:49 AM	36:14	6.54 pH	15.94 °C	2.64 mS/cm	0.11 mg/L	174.48 NTU	-209.0 mV	17.73 ft	120.00 ml/min

Samples

Sample ID:	Description:
MW-428-20250506	VOCs, TOC, Sulfate, Nitrate, Dissolved iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/6/2025 12:27:43 PM
Project: GE (2)
Operator Name: PV

Location Name: MW-402D **Latitude: 39.77615489** **Longitude: -86.10595247** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 30 ft** **Total Depth: 39 ft** **Initial Depth to Water: 17.69 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 35 ft** **Estimated Total Volume Pumped: 5400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0.01 ft**	**Instrument Used: Aqua TROLL 600 Vented** **Serial Number: 442307**

Test Notes:
Purge start
12/2 recharge
30 psi

Slightly cloudy

Samples time 1325

Weather Conditions:
Slight cloudy, 63 F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 0.5	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/6/2025 12:27 PM	00:00	6.29 pH	17.44 °C	2.13 mS/cm	0.38 mg/L	54.72 NTU	-75.9 mV	17.69 ft	100.00 ml/min
5/6/2025 12:30 PM	03:00	6.27 pH	17.12 °C	2.09 mS/cm	0.26 mg/L	48.34 NTU	-88.3 mV	17.70 ft	100.00 ml/min
5/6/2025 12:33 PM	06:00	6.30 pH	17.05 °C	2.01 mS/cm	0.20 mg/L	39.81 NTU	-103.2 mV	17.70 ft	100.00 ml/min
5/6/2025 12:36 PM	09:00	6.33 pH	17.03 °C	1.93 mS/cm	0.16 mg/L	80.28 NTU	-110.4 mV	17.70 ft	100.00 ml/min
5/6/2025 12:39 PM	12:00	6.35 pH	17.09 °C	1.86 mS/cm	0.13 mg/L	44.50 NTU	-115.7 mV	17.70 ft	100.00 ml/min
5/6/2025 12:42 PM	15:00	6.37 pH	17.05 °C	1.80 mS/cm	0.11 mg/L	58.08 NTU	-117.5 mV	17.70 ft	100.00 ml/min
5/6/2025 12:45 PM	18:00	6.39 pH	17.22 °C	1.77 mS/cm	0.10 mg/L	63.50 NTU	-121.7 mV	17.70 ft	100.00 ml/min
5/6/2025 12:48 PM	21:00	6.40 pH	17.24 °C	1.74 mS/cm	0.10 mg/L	70.29 NTU	-123.5 mV	17.70 ft	100.00 ml/min
5/6/2025 12:51 PM	24:00	6.41 pH	17.16 °C	1.70 mS/cm	0.09 mg/L	79.11 NTU	-126.1 mV	17.70 ft	100.00 ml/min

5/6/2025 12:54 PM	27:00	6.43 pH	17.17 °C	1.67 mS/cm	0.08 mg/L	96.29 NTU	-127.2 mV	17.70 ft	100.00 ml/min
5/6/2025 12:57 PM	30:00	6.44 pH	17.31 °C	1.64 mS/cm	0.07 mg/L	93.18 NTU	-129.7 mV	17.70 ft	100.00 ml/min
5/6/2025 1:00 PM	33:00	6.45 pH	17.27 °C	1.61 mS/cm	0.07 mg/L	99.50 NTU	-130.8 mV	17.70 ft	100.00 ml/min
5/6/2025 1:03 PM	36:00	6.47 pH	17.29 °C	1.59 mS/cm	0.07 mg/L	107.28 NTU	-131.7 mV	17.70 ft	100.00 ml/min
5/6/2025 1:06 PM	39:00	6.48 pH	17.33 °C	1.58 mS/cm	0.06 mg/L	115.90 NTU	-132.8 mV	17.70 ft	100.00 ml/min
5/6/2025 1:09 PM	42:00	6.48 pH	17.25 °C	1.57 mS/cm	0.06 mg/L	233.24 NTU	-134.3 mV	17.70 ft	100.00 ml/min
5/6/2025 1:12 PM	45:00	6.49 pH	17.25 °C	1.56 mS/cm	0.05 mg/L	298.74 NTU	-134.9 mV	17.70 ft	100.00 ml/min
5/6/2025 1:15 PM	48:00	6.49 pH	17.35 °C	1.50 mS/cm	0.05 mg/L	323.01 NTU	-136.0 mV	17.70 ft	100.00 ml/min
5/6/2025 1:18 PM	51:00	6.50 pH	17.14 °C	1.49 mS/cm	0.04 mg/L	319.56 NTU	-136.8 mV	17.70 ft	100.00 ml/min
5/6/2025 1:21 PM	54:00	6.51 pH	17.08 °C	1.48 mS/cm	0.04 mg/L	327.45 NTU	-137.1 mV	17.70 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-402D-20250506	VOCs, TOC, Sulfate, Nitrate, Dissolved iron

Low-Flow Test Report:

Test Date / Time: 5/6/2025 2:16:00 PM
Project: GE (3)
Operator Name: PV

Location Name: MW-402 **Latitude: 39.77615656** **Longitude: -86.10589914** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 15 ft** **Total Depth: 25 ft** **Initial Depth to Water: 16 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 20 ft** **Estimated Total Volume Pumped: 3300 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0.35 ft**	**Instrument Used: Aqua TROLL 600 Vented** **Serial Number: 442307**

Test Notes:
Purge start 1414
13/2 recharge
20 psi

Slightly cloudy

Samples time 1454

Weather Conditions:
Sunny, 68 F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/6/2025 2:16 PM	00:00	6.04 pH	19.18 °C	7.46 mS/cm	0.61 mg/L	33.53 NTU	-59.5 mV	16.00 ft	100.00 ml/min
5/6/2025 2:19 PM	03:00	6.02 pH	17.89 °C	7.50 mS/cm	0.34 mg/L	23.57 NTU	-63.5 mV	16.10 ft	100.00 ml/min
5/6/2025 2:22 PM	06:00	6.03 pH	17.44 °C	7.49 mS/cm	0.26 mg/L	17.14 NTU	-66.1 mV	16.15 ft	100.00 ml/min
5/6/2025 2:25 PM	09:00	6.05 pH	17.26 °C	7.55 mS/cm	0.22 mg/L	12.75 NTU	-68.6 mV	16.20 ft	100.00 ml/min
5/6/2025 2:28 PM	12:00	6.07 pH	16.86 °C	7.57 mS/cm	0.22 mg/L	10.30 NTU	-71.2 mV	16.22 ft	100.00 ml/min
5/6/2025 2:31 PM	15:00	6.09 pH	17.21 °C	7.62 mS/cm	0.17 mg/L	8.93 NTU	-72.6 mV	16.25 ft	100.00 ml/min
5/6/2025 2:34 PM	18:00	6.09 pH	17.16 °C	7.69 mS/cm	0.15 mg/L	6.67 NTU	-72.7 mV	16.26 ft	100.00 ml/min
5/6/2025 2:37 PM	21:00	6.09 pH	17.23 °C	7.74 mS/cm	0.13 mg/L	6.15 NTU	-72.9 mV	16.28 ft	100.00 ml/min
5/6/2025 2:40 PM	24:00	6.08 pH	17.10 °C	7.78 mS/cm	0.12 mg/L	5.59 NTU	-74.8 mV	16.30 ft	100.00 ml/min

5/6/2025 2:43 PM	27:00	6.08 pH	17.16 °C	7.84 mS/cm	0.11 mg/L	3.62 NTU	-73.8 mV	16.33 ft	100.00 ml/min
5/6/2025 2:46 PM	30:00	6.09 pH	17.09 °C	7.87 mS/cm	0.11 mg/L	2.97 NTU	-77.8 mV	16.33 ft	100.00 ml/min
5/6/2025 2:49 PM	33:00	6.09 pH	17.15 °C	7.89 mS/cm	0.11 mg/L	2.85 NTU	-78.1 mV	16.35 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-402-20250506	VOCs, TOC, Sulfate, Nitrate, Dissolved Iron Dupe AD-100-20250506

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/7/2025 8:55:04 AM
Project: GE (5)
Operator Name: PV

Location Name: MW-410S **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 21.1 ft** **Initial Depth to Water: 11.2 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18.5 ft** **Estimated Total Volume Pumped: 6000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0.1 ft**	**Instrument Used: Aqua TROLL 600 Vented** **Serial Number: 442307**

Test Notes:
Purge start 852
12/3 recharge
20 psi

Slightly cloudy

Grab sample due to jumping turbidity
Sample time 959

Weather Conditions:
Sunny, 59 F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/7/2025 8:55 AM	00:00	6.34 pH	16.07 °C	0.83 mS/cm	1.69 mg/L	11.62 NTU	176.1 mV	11.20 ft	100.00 ml/min
5/7/2025 8:58 AM	03:00	6.36 pH	15.69 °C	0.91 mS/cm	0.73 mg/L	7.14 NTU	119.7 mV	11.20 ft	100.00 ml/min
5/7/2025 9:01 AM	06:00	6.38 pH	15.62 °C	0.93 mS/cm	0.42 mg/L	5.46 NTU	101.0 mV	11.30 ft	100.00 ml/min
5/7/2025 9:04 AM	09:00	6.39 pH	15.62 °C	0.93 mS/cm	0.35 mg/L	7.37 NTU	92.7 mV	11.30 ft	100.00 ml/min
5/7/2025 9:07 AM	12:00	6.39 pH	15.67 °C	0.94 mS/cm	0.29 mg/L	5.86 NTU	74.3 mV	11.30 ft	100.00 ml/min
5/7/2025 9:10 AM	15:00	6.39 pH	15.66 °C	0.94 mS/cm	0.26 mg/L	6.47 NTU	60.3 mV	11.30 ft	100.00 ml/min
5/7/2025 9:13 AM	18:00	6.39 pH	15.67 °C	0.94 mS/cm	0.25 mg/L	5.83 NTU	50.5 mV	11.30 ft	100.00 ml/min
5/7/2025 9:16 AM	21:00	6.39 pH	15.74 °C	0.94 mS/cm	0.23 mg/L	8.40 NTU	35.4 mV	11.30 ft	100.00 ml/min
5/7/2025 9:19 AM	24:00	6.39 pH	15.75 °C	0.94 mS/cm	0.20 mg/L	10.39 NTU	23.8 mV	11.30 ft	100.00 ml/min

5/7/2025 9:22 AM	27:00	6.39 pH	15.74 °C	0.94 mS/cm	0.20 mg/L	11.78 NTU	14.9 mV	11.30 ft	100.00 ml/min
5/7/2025 9:25 AM	30:00	6.39 pH	15.75 °C	0.95 mS/cm	0.19 mg/L	18.01 NTU	2.4 mV	11.30 ft	100.00 ml/min
5/7/2025 9:28 AM	33:00	6.39 pH	15.79 °C	0.95 mS/cm	0.17 mg/L	15.42 NTU	-6.0 mV	11.30 ft	100.00 ml/min
5/7/2025 9:31 AM	36:00	6.39 pH	15.71 °C	0.94 mS/cm	0.17 mg/L	21.96 NTU	-13.2 mV	11.30 ft	100.00 ml/min
5/7/2025 9:34 AM	39:00	6.39 pH	15.59 °C	0.94 mS/cm	0.17 mg/L	28.33 NTU	-19.8 mV	11.30 ft	100.00 ml/min
5/7/2025 9:37 AM	42:00	6.39 pH	15.64 °C	0.94 mS/cm	0.15 mg/L	22.28 NTU	-24.7 mV	11.30 ft	100.00 ml/min
5/7/2025 9:40 AM	45:00	6.39 pH	15.52 °C	0.94 mS/cm	0.15 mg/L	43.20 NTU	-30.3 mV	11.30 ft	100.00 ml/min
5/7/2025 9:43 AM	48:00	6.39 pH	15.61 °C	0.94 mS/cm	0.14 mg/L	48.67 NTU	-34.2 mV	11.30 ft	100.00 ml/min
5/7/2025 9:46 AM	51:00	6.39 pH	15.76 °C	0.94 mS/cm	0.14 mg/L	63.95 NTU	-38.2 mV	11.30 ft	100.00 ml/min
5/7/2025 9:49 AM	54:00	6.39 pH	15.90 °C	0.94 mS/cm	0.12 mg/L	76.32 NTU	-42.0 mV	11.30 ft	100.00 ml/min
5/7/2025 9:52 AM	57:00	6.39 pH	15.96 °C	0.94 mS/cm	0.13 mg/L	91.82 NTU	-46.4 mV	11.30 ft	100.00 ml/min
5/7/2025 9:55 AM	01:00:00	6.39 pH	15.87 °C	0.94 mS/cm	0.12 mg/L	11.28 NTU	-47.1 mV	11.30 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-410S-20250507	VOCS, TOC, Sulfate, Nitrate, Dissolved Iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/6/2025 4:06:28 PM
Project: GE (4)
Operator Name: PV

Location Name: W-9 **Latitude: 39.77481927** **Longitude: -86.10598639** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9.4 ft** **Top of Screen: 32.3 ft** **Total Depth: 40.79 ft** **Initial Depth to Water: 12.62 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 37 ft** **Estimated Total Volume Pumped: 10800 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 200 ml/min** **Final Draw Down: 0.03 ft**	**Instrument Used: Aqua TROLL 600 Vented** **Serial Number: 442307**

Test Notes:
Purge start 1603
13/2 recharge
35 psi

Slightly cloudy

Samples time 1704

Weather Conditions:
Sunny, 71 F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/6/2025 4:06 PM	00:00	6.61 pH	19.67 °C	0.86 mS/cm	2.74 mg/L	283.71 NTU	-38.0 mV	12.62 ft	200.00 ml/min
5/6/2025 4:09 PM	03:00	6.64 pH	17.88 °C	1.11 mS/cm	0.75 mg/L	282.27 NTU	-109.2 mV	12.65 ft	200.00 ml/min
5/6/2025 4:12 PM	06:00	6.74 pH	17.57 °C	1.14 mS/cm	0.43 mg/L	241.39 NTU	-135.5 mV	12.65 ft	200.00 ml/min
5/6/2025 4:15 PM	09:00	6.79 pH	17.31 °C	1.14 mS/cm	0.34 mg/L	208.03 NTU	-146.8 mV	12.65 ft	200.00 ml/min
5/6/2025 4:18 PM	12:00	6.83 pH	17.35 °C	1.15 mS/cm	0.28 mg/L	188.81 NTU	-154.2 mV	12.65 ft	200.00 ml/min
5/6/2025 4:21 PM	15:00	6.85 pH	17.35 °C	1.15 mS/cm	0.24 mg/L	147.83 NTU	-158.3 mV	12.65 ft	200.00 ml/min
5/6/2025 4:24 PM	18:00	6.86 pH	17.37 °C	1.16 mS/cm	0.21 mg/L	144.07 NTU	-160.9 mV	12.65 ft	200.00 ml/min
5/6/2025 4:27 PM	21:00	6.86 pH	17.07 °C	1.16 mS/cm	0.19 mg/L	126.78 NTU	-162.5 mV	12.65 ft	200.00 ml/min
5/6/2025 4:30 PM	24:00	6.87 pH	17.10 °C	1.16 mS/cm	0.17 mg/L	103.85 NTU	-164.5 mV	12.65 ft	200.00 ml/min

5/6/2025 4:33 PM	27:00	6.87 pH	17.31 °C	1.17 mS/cm	0.16 mg/L	96.87 NTU	-165.7 mV	12.65 ft	200.00 ml/min
5/6/2025 4:36 PM	30:00	6.86 pH	17.33 °C	1.17 mS/cm	0.15 mg/L	96.42 NTU	-166.1 mV	12.65 ft	200.00 ml/min
5/6/2025 4:39 PM	33:00	6.86 pH	17.30 °C	1.17 mS/cm	0.13 mg/L	76.25 NTU	-166.2 mV	12.65 ft	200.00 ml/min
5/6/2025 4:42 PM	36:00	6.85 pH	17.11 °C	1.17 mS/cm	0.12 mg/L	82.20 NTU	-166.7 mV	12.65 ft	200.00 ml/min
5/6/2025 4:45 PM	39:00	6.85 pH	17.15 °C	1.17 mS/cm	0.12 mg/L	65.83 NTU	-167.6 mV	12.65 ft	200.00 ml/min
5/6/2025 4:48 PM	42:00	6.85 pH	17.18 °C	1.17 mS/cm	0.11 mg/L	62.81 NTU	-167.9 mV	12.65 ft	200.00 ml/min
5/6/2025 4:51 PM	45:00	6.84 pH	17.16 °C	1.17 mS/cm	0.10 mg/L	57.86 NTU	-168.0 mV	12.65 ft	200.00 ml/min
5/6/2025 4:54 PM	48:00	6.84 pH	17.15 °C	1.17 mS/cm	0.09 mg/L	46.19 NTU	-168.3 mV	12.65 ft	200.00 ml/min
5/6/2025 4:57 PM	51:00	6.84 pH	17.04 °C	1.17 mS/cm	0.09 mg/L	46.82 NTU	-168.5 mV	12.65 ft	200.00 ml/min
5/6/2025 5:00 PM	54:00	6.84 pH	17.13 °C	1.17 mS/cm	0.08 mg/L	45.66 NTU	-169.2 mV	12.65 ft	200.00 ml/min

Samples

Sample ID:	Description:
W-9-20250506	VOCs, RSK

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/7/2025 10:55:12 AM
Project: GE (6)
Operator Name: PV

Location Name: MW-410D **Latitude: 39.77567374** **Longitude: -86.10606742** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 34.4 ft** **Initial Depth to Water: 13.06 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30.5 ft** **Estimated Total Volume Pumped: 6356.667 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0.01 ft**	**Instrument Used: Aqua TROLL 600 Vented** **Serial Number: 442307**

Test Notes:
Purge start 1052
12/3 recharge
25 psi

Slightly cloudy

Sample time 1133

Weather Conditions:
Sunny, 68 F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/7/2025 10:55 AM	00:00	6.40 pH	17.75 °C	0.82 mS/cm	1.37 mg/L	19.22 NTU	13.0 mV	13.06 ft	200.00 ml/min
5/7/2025 10:58 AM	03:00	6.37 pH	16.75 °C	1.00 mS/cm	0.36 mg/L	8.70 NTU	-28.5 mV	13.07 ft	200.00 ml/min
5/7/2025 11:01 AM	06:00	6.43 pH	16.60 °C	1.02 mS/cm	0.26 mg/L	22.04 NTU	-53.3 mV	13.07 ft	200.00 ml/min
5/7/2025 11:04 AM	09:00	6.47 pH	16.54 °C	1.01 mS/cm	0.18 mg/L	52.18 NTU	-65.6 mV	13.07 ft	200.00 ml/min
5/7/2025 11:07 AM	12:00	6.50 pH	16.54 °C	1.00 mS/cm	0.13 mg/L	102.57 NTU	-74.3 mV	13.07 ft	200.00 ml/min
5/7/2025 11:10 AM	15:00	6.51 pH	16.54 °C	0.99 mS/cm	0.11 mg/L	132.95 NTU	-79.6 mV	13.07 ft	200.00 ml/min
5/7/2025 11:13 AM	18:00	6.52 pH	16.53 °C	0.99 mS/cm	0.10 mg/L	109.92 NTU	-83.2 mV	13.07 ft	200.00 ml/min
5/7/2025 11:16 AM	21:00	6.53 pH	16.52 °C	0.98 mS/cm	0.09 mg/L	40.82 NTU	-86.3 mV	13.07 ft	200.00 ml/min
5/7/2025 11:19 AM	24:00	6.53 pH	16.55 °C	0.98 mS/cm	0.07 mg/L	93.51 NTU	-88.3 mV	13.07 ft	200.00 ml/min

5/7/2025 11:22 AM	27:00	6.54 pH	16.50 °C	0.99 mS/cm	0.06 mg/L	140.18 NTU	-90.0 mV	13.07 ft	200.00 ml/min
5/7/2025 11:25 AM	30:00	6.54 pH	16.66 °C	1.00 mS/cm	0.08 mg/L	120.53 NTU	-91.9 mV	13.07 ft	100.00 ml/min
5/7/2025 11:25 AM	30:34	6.54 pH	16.74 °C	0.99 mS/cm	0.07 mg/L	112.14 NTU	-92.2 mV	13.07 ft	100.00 ml/min
5/7/2025 11:28 AM	33:34	6.54 pH	16.63 °C	1.00 mS/cm	0.07 mg/L	115.04 NTU	-93.4 mV	13.07 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-410D	VOCs, TOC, Sulfate, Nitrate, Dissolved Iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/7/2025 12:59:00 PM
Project: GE (7)
Operator Name: PV

Location Name: MW-411D **Latitude: 39.77596084** **Longitude: -86.10610583** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 34.19 ft** **Initial Depth to Water: 12.49 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30.5 ft** **Estimated Total Volume Pumped: 6000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0.21 ft**	**Instrument Used: Aqua TROLL 600 Vented** **Serial Number: 442307**

Test Notes:
Purge start 1256
13/2 recharge
30 psi

Slightly cloudy

Grab sample due to jumping turbidity
Sample time 1405

Weather Conditions:
Partly cloudy, 73 F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/7/2025 12:59 PM	00:00	6.06 pH	20.82 °C	2.14 mS/cm	1.08 mg/L	40.71 NTU	1.3 mV	12.49 ft	100.00 ml/min
5/7/2025 1:02 PM	03:00	6.04 pH	18.40 °C	2.13 mS/cm	0.25 mg/L	69.95 NTU	-23.9 mV	12.70 ft	100.00 ml/min
5/7/2025 1:05 PM	06:00	6.10 pH	18.02 °C	2.11 mS/cm	0.17 mg/L	95.39 NTU	-43.5 mV	12.70 ft	100.00 ml/min
5/7/2025 1:08 PM	09:00	6.19 pH	17.82 °C	2.09 mS/cm	0.15 mg/L	82.39 NTU	-58.5 mV	12.70 ft	100.00 ml/min
5/7/2025 1:11 PM	12:00	6.27 pH	17.78 °C	2.08 mS/cm	0.12 mg/L	33.06 NTU	-69.9 mV	12.70 ft	100.00 ml/min
5/7/2025 1:14 PM	15:00	6.28 pH	17.65 °C	2.09 mS/cm	0.11 mg/L	33.76 NTU	-75.8 mV	12.70 ft	100.00 ml/min
5/7/2025 1:17 PM	18:00	6.27 pH	17.55 °C	2.08 mS/cm	0.10 mg/L	17.83 NTU	-79.7 mV	12.70 ft	100.00 ml/min
5/7/2025 1:20 PM	21:00	6.27 pH	17.52 °C	2.13 mS/cm	0.09 mg/L	36.13 NTU	-82.8 mV	12.70 ft	100.00 ml/min
5/7/2025 1:23 PM	24:00	6.26 pH	17.53 °C	2.12 mS/cm	0.08 mg/L	41.90 NTU	-85.4 mV	12.70 ft	100.00 ml/min

5/7/2025 1:26 PM	27:00	6.26 pH	17.69 °C	2.11 mS/cm	0.07 mg/L	67.78 NTU	-87.8 mV	12.70 ft	100.00 ml/min
5/7/2025 1:29 PM	30:00	6.26 pH	17.81 °C	2.10 mS/cm	0.07 mg/L	31.16 NTU	-90.0 mV	12.70 ft	100.00 ml/min
5/7/2025 1:32 PM	33:00	6.25 pH	17.76 °C	2.10 mS/cm	0.07 mg/L	26.37 NTU	-91.8 mV	12.70 ft	100.00 ml/min
5/7/2025 1:35 PM	36:00	6.26 pH	17.92 °C	2.09 mS/cm	0.06 mg/L	15.66 NTU	-93.6 mV	12.70 ft	100.00 ml/min
5/7/2025 1:38 PM	39:00	6.25 pH	18.06 °C	2.08 mS/cm	0.05 mg/L	22.25 NTU	-95.1 mV	12.70 ft	100.00 ml/min
5/7/2025 1:41 PM	42:00	6.26 pH	18.15 °C	2.06 mS/cm	0.05 mg/L	17.08 NTU	-96.6 mV	12.70 ft	100.00 ml/min
5/7/2025 1:44 PM	45:00	6.26 pH	18.17 °C	2.06 mS/cm	0.04 mg/L	15.95 NTU	-98.0 mV	12.70 ft	100.00 ml/min
5/7/2025 1:47 PM	48:00	6.26 pH	18.09 °C	2.05 mS/cm	0.04 mg/L	37.33 NTU	-99.5 mV	12.70 ft	100.00 ml/min
5/7/2025 1:50 PM	51:00	6.27 pH	18.06 °C	2.02 mS/cm	0.04 mg/L	23.66 NTU	-101.1 mV	12.70 ft	100.00 ml/min
5/7/2025 1:53 PM	54:00	6.28 pH	18.17 °C	2.01 mS/cm	0.03 mg/L	12.34 NTU	-102.6 mV	12.70 ft	100.00 ml/min
5/7/2025 1:56 PM	57:00	6.30 pH	18.20 °C	1.99 mS/cm	0.03 mg/L	45.13 NTU	-104.3 mV	12.70 ft	100.00 ml/min
5/7/2025 1:59 PM	01:00:00	6.30 pH	17.94 °C	1.98 mS/cm	0.03 mg/L	79.79 NTU	-105.5 mV	12.70 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-411D-20250507	VOCs, TOC, Sulfate, Nitrate, Dissolved Iron

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/7/2025 3:06:42 PM
Project: GE (8)
Operator Name: PV

Location Name: MW-411S **Latitude: 39.77595415** **Longitude: -86.10607382** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 21.04 ft** **Initial Depth to Water: 11.46 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18.5 ft** **Estimated Total Volume Pumped: 9000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 150 ml/min** **Final Draw Down: 1.49 ft**	**Instrument Used: Aqua TROLL 600 Vented** **Serial Number: 442307**

Test Notes:
Purge start 1503
13/2 recharge
20 psi

Strong odor, partially cloudy

Grab sample due to jumping turbidity
Sample time 1610

Weather Conditions:
Partially Cloudy, 76 F

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/7/2025 3:06 PM	00:00	6.19 pH	18.86 °C	1.66 mS/cm	0.99 mg/L	16.01 NTU	-51.6 mV	11.46 ft	150.00 ml/min
5/7/2025 3:09 PM	03:00	6.20 pH	17.24 °C	1.66 mS/cm	0.30 mg/L	31.94 NTU	-75.6 mV	12.21 ft	150.00 ml/min
5/7/2025 3:12 PM	06:00	6.28 pH	17.11 °C	1.67 mS/cm	0.19 mg/L	55.81 NTU	-92.7 mV	12.55 ft	150.00 ml/min
5/7/2025 3:15 PM	09:00	6.36 pH	16.90 °C	1.68 mS/cm	0.16 mg/L	86.09 NTU	-106.4 mV	12.70 ft	150.00 ml/min
5/7/2025 3:18 PM	12:00	6.43 pH	16.87 °C	1.68 mS/cm	0.13 mg/L	87.18 NTU	-117.4 mV	12.80 ft	150.00 ml/min
5/7/2025 3:21 PM	15:00	6.42 pH	16.72 °C	1.71 mS/cm	0.11 mg/L	102.45 NTU	-122.9 mV	12.85 ft	150.00 ml/min
5/7/2025 3:24 PM	18:00	6.42 pH	16.67 °C	1.74 mS/cm	0.10 mg/L	159.51 NTU	-127.5 mV	12.90 ft	150.00 ml/min
5/7/2025 3:27 PM	21:00	6.41 pH	16.59 °C	1.77 mS/cm	0.09 mg/L	185.07 NTU	-131.1 mV	12.90 ft	150.00 ml/min
5/7/2025 3:30 PM	24:00	6.39 pH	16.46 °C	1.78 mS/cm	0.08 mg/L	226.66 NTU	-134.2 mV	12.90 ft	150.00 ml/min

5/7/2025 3:33 PM	27:00	6.38 pH	16.49 °C	1.80 mS/cm	0.36 mg/L	11.67 NTU	-134.2 mV	12.95 ft	150.00 ml/min
5/7/2025 3:36 PM	30:00	6.36 pH	16.40 °C	1.82 mS/cm	0.09 mg/L	14.11 NTU	-137.3 mV	12.95 ft	150.00 ml/min
5/7/2025 3:39 PM	33:00	6.36 pH	16.30 °C	1.83 mS/cm	0.07 mg/L	18.86 NTU	-139.6 mV	12.95 ft	150.00 ml/min
5/7/2025 3:42 PM	36:00	6.35 pH	16.18 °C	1.84 mS/cm	0.06 mg/L	22.82 NTU	-141.6 mV	12.95 ft	150.00 ml/min
5/7/2025 3:45 PM	39:00	6.36 pH	16.16 °C	1.85 mS/cm	0.06 mg/L	31.55 NTU	-143.0 mV	12.95 ft	150.00 ml/min
5/7/2025 3:48 PM	42:00	6.36 pH	16.19 °C	1.85 mS/cm	0.05 mg/L	41.49 NTU	-144.4 mV	12.95 ft	150.00 ml/min
5/7/2025 3:51 PM	45:00	6.36 pH	16.25 °C	1.91 mS/cm	0.05 mg/L	52.54 NTU	-145.9 mV	12.95 ft	150.00 ml/min
5/7/2025 3:54 PM	48:00	6.35 pH	16.11 °C	1.94 mS/cm	0.05 mg/L	71.30 NTU	-146.3 mV	12.95 ft	150.00 ml/min
5/7/2025 3:57 PM	51:00	6.34 pH	16.25 °C	1.99 mS/cm	0.04 mg/L	70.19 NTU	-146.7 mV	12.95 ft	150.00 ml/min
5/7/2025 4:00 PM	54:00	6.35 pH	16.12 °C	1.95 mS/cm	0.04 mg/L	29.79 NTU	-148.0 mV	12.95 ft	150.00 ml/min
5/7/2025 4:03 PM	57:00	6.34 pH	16.10 °C	1.97 mS/cm	0.04 mg/L	40.27 NTU	-148.9 mV	12.95 ft	150.00 ml/min
5/7/2025 4:06 PM	01:00:00	6.35 pH	16.09 °C	1.96 mS/cm	0.04 mg/L	32.83 NTU	-149.5 mV	12.95 ft	150.00 ml/min

Samples

Sample ID:	Description:
MW-411S-20250507	VOCs, TOC, Sulfate, Nitrate, Dissolved Iron

Low-Flow Test Report:

Test Date / Time: 5/6/2025 1:15:45 PM
Project: GEIndy
Operator Name: GB

Location Name: MW-413S **Latitude: 39.774484140841594** **Longitude: -86.10502677179362** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 m** **Top of Screen: 15 m** **Total Depth: 22.29 m** **Initial Depth to Water: 12.43 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18.5 ft** **Estimated Total Volume Pumped: 6000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0.26 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 441180**

Test Notes:
Purge began at 1307
Compressor at 20 psi 13/2 recharge cycle
Purge water clear with mild organic odor
Recording at 1314
Sample at 1421

Weather Conditions:
66F and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/6/2025 1:15 PM	00:00	7.16 pH	19.28 °C	0.89 mS/cm	0.48 mg/L	17.26 NTU	-199.2 mV	12.43 ft	100.00 ml/min
5/6/2025 1:18 PM	03:00	7.03 pH	17.10 °C	0.89 mS/cm	0.12 mg/L	19.95 NTU	-206.9 mV	12.43 ft	100.00 ml/min
5/6/2025 1:21 PM	06:00	7.00 pH	16.31 °C	0.89 mS/cm	0.08 mg/L	27.81 NTU	-212.0 mV	12.69 ft	100.00 ml/min
5/6/2025 1:24 PM	09:00	7.00 pH	16.34 °C	0.90 mS/cm	0.06 mg/L	26.06 NTU	-213.0 mV	12.69 ft	100.00 ml/min
5/6/2025 1:27 PM	12:00	7.01 pH	16.27 °C	0.89 mS/cm	0.05 mg/L	28.98 NTU	-214.6 mV	12.69 ft	100.00 ml/min
5/6/2025 1:30 PM	15:00	7.02 pH	16.09 °C	0.90 mS/cm	0.05 mg/L	27.75 NTU	-217.8 mV	12.69 ft	100.00 ml/min
5/6/2025 1:33 PM	18:00	7.03 pH	15.90 °C	0.89 mS/cm	0.06 mg/L	32.51 NTU	-223.7 mV	12.69 ft	100.00 ml/min
5/6/2025 1:36 PM	21:00	7.03 pH	15.93 °C	0.88 mS/cm	0.04 mg/L	37.94 NTU	-226.8 mV	12.69 ft	100.00 ml/min
5/6/2025 1:39 PM	24:00	7.03 pH	16.23 °C	0.89 mS/cm	0.04 mg/L	43.29 NTU	-224.6 mV	12.69 ft	100.00 ml/min
5/6/2025 1:42 PM	27:00	7.05 pH	16.29 °C	0.87 mS/cm	0.03 mg/L	68.57 NTU	-222.3 mV	12.69 ft	100.00 ml/min

5/6/2025 1:45 PM	30:00	7.06 pH	16.56 °C	0.86 mS/cm	0.03 mg/L	125.41 NTU	-224.5 mV	12.69 ft	100.00 ml/min
5/6/2025 1:48 PM	33:00	7.08 pH	16.26 °C	0.87 mS/cm	0.03 mg/L	131.18 NTU	-227.5 mV	12.69 ft	100.00 ml/min
5/6/2025 1:51 PM	36:00	7.10 pH	16.17 °C	0.87 mS/cm	0.02 mg/L	158.26 NTU	-231.0 mV	12.69 ft	100.00 ml/min
5/6/2025 1:54 PM	39:00	7.12 pH	16.17 °C	0.86 mS/cm	0.02 mg/L	112.58 NTU	-236.5 mV	12.69 ft	100.00 ml/min
5/6/2025 1:57 PM	42:00	7.14 pH	16.59 °C	0.86 mS/cm	0.01 mg/L	222.61 NTU	-239.6 mV	12.69 ft	100.00 ml/min
5/6/2025 2:00 PM	45:00	7.16 pH	16.66 °C	0.86 mS/cm	0.01 mg/L	203.76 NTU	-239.1 mV	12.69 ft	100.00 ml/min
5/6/2025 2:03 PM	48:00	7.18 pH	16.65 °C	0.87 mS/cm	0.01 mg/L	230.56 NTU	-236.2 mV	12.69 ft	100.00 ml/min
5/6/2025 2:06 PM	51:00	7.21 pH	16.55 °C	0.87 mS/cm	0.02 mg/L	194.07 NTU	-240.5 mV	12.69 ft	100.00 ml/min
5/6/2025 2:09 PM	54:00	7.24 pH	16.58 °C	0.88 mS/cm	0.01 mg/L	304.63 NTU	-242.0 mV	12.69 ft	100.00 ml/min
5/6/2025 2:12 PM	57:00	7.27 pH	16.67 °C	0.88 mS/cm	0.01 mg/L	76.14 NTU	-242.2 mV	12.69 ft	100.00 ml/min
5/6/2025 2:15 PM	01:00:00	7.29 pH	16.52 °C	0.86 mS/cm	0.01 mg/L	63.81 NTU	-241.7 mV	12.69 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-413S	Three VOCs TOC Field filter Unpreserved nitrate

Low-Flow Test Report:

Test Date / Time: 5/6/2025 3:07:57 PM
Project: GEIndy
Operator Name: GB

Location Name: MW-413D **Latitude: 39.77555117367769** **Longitude: -86.10628144726898** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 35.38 ft** **Initial Depth to Water: 13.22 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30.5 ft** **Estimated Total Volume Pumped: 3750 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 441180**

Test Notes:
Purging began at 1501
Compressor at 30 psi, 13/2 recharge cycle
Purge water clear with light, yellow tint, mild organic-like odor
Recording at 1507
Sample at 1550

Weather Conditions:
70 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/6/2025 3:07 PM	00:00	7.25 pH	19.11 °C	1.13 mS/cm	0.52 mg/L	14.91 NTU	-154.8 mV	13.22 ft	100.00 ml/min
5/6/2025 3:10 PM	03:00	7.20 pH	17.73 °C	1.12 mS/cm	0.28 mg/L	14.95 NTU	-162.8 mV	13.22 ft	100.00 ml/min
5/6/2025 3:13 PM	06:00	7.20 pH	17.29 °C	1.12 mS/cm	0.21 mg/L	15.58 NTU	-163.8 mV	13.22 ft	100.00 ml/min
5/6/2025 3:18 PM	10:30	7.18 pH	17.40 °C	1.12 mS/cm	0.17 mg/L	17.43 NTU	-166.8 mV	13.22 ft	100.00 ml/min
5/6/2025 3:21 PM	13:30	7.21 pH	16.97 °C	1.12 mS/cm	0.15 mg/L	15.80 NTU	-168.5 mV	13.22 ft	100.00 ml/min
5/6/2025 3:24 PM	16:30	7.21 pH	17.12 °C	1.12 mS/cm	0.12 mg/L	18.64 NTU	-170.6 mV	13.22 ft	100.00 ml/min
5/6/2025 3:27 PM	19:30	7.22 pH	17.36 °C	1.12 mS/cm	0.11 mg/L	19.06 NTU	-170.2 mV	13.22 ft	100.00 ml/min
5/6/2025 3:30 PM	22:30	7.23 pH	17.39 °C	1.12 mS/cm	0.10 mg/L	26.44 NTU	-172.2 mV	13.22 ft	100.00 ml/min
5/6/2025 3:33 PM	25:30	7.24 pH	17.43 °C	1.12 mS/cm	0.10 mg/L	19.60 NTU	-174.7 mV	13.22 ft	100.00 ml/min
5/6/2025 3:36 PM	28:30	7.26 pH	17.31 °C	1.12 mS/cm	0.10 mg/L	21.42 NTU	-175.5 mV	13.22 ft	100.00 ml/min

5/6/2025 3:39 PM	31:30	7.27 pH	17.24 °C	1.13 mS/cm	0.08 mg/L	27.15 NTU	-176.7 mV	13.22 ft	100.00 ml/min
5/6/2025 3:42 PM	34:30	7.28 pH	17.31 °C	1.13 mS/cm	0.08 mg/L	25.83 NTU	-178.4 mV	13.22 ft	100.00 ml/min
5/6/2025 3:45 PM	37:30	7.30 pH	17.41 °C	1.13 mS/cm	0.08 mg/L	27.87 NTU	-179.5 mV	13.22 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-413D-20250506	VOCs, MS/MSD, TOC, Field Filter, Unpreserved

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/7/2025 9:00:43 AM
Project: GEIndy
Operator Name: GB

Location Name: MW-425 **Latitude: 39.77534222218892** **Longitude: -86.10664715992927** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 20 ft** **Total Depth: 29.3 ft** **Initial Depth to Water: 10.48 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 25 ft** **Estimated Total Volume Pumped: 2400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 441180**

Test Notes:
Begin purging at 0855
The compressor at 25 psi, 12/3 cycle
Purge water clear with slight gray tent, mild organic like odor
Recording begin at 0900
Sample at 0924

Weather Conditions:
55 F and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/7/2025 9:00 AM	00:00	7.34 pH	14.28 °C	1.09 mS/cm	0.28 mg/L	66.50 NTU	184.2 mV	10.48 ft	100.00 ml/min
5/7/2025 9:03 AM	03:00	7.36 pH	14.10 °C	1.09 mS/cm	0.15 mg/L	67.79 NTU	97.7 mV	10.48 ft	100.00 ml/min
5/7/2025 9:06 AM	06:00	7.38 pH	14.04 °C	1.07 mS/cm	0.11 mg/L	67.63 NTU	4.1 mV	10.48 ft	100.00 ml/min
5/7/2025 9:09 AM	09:00	7.38 pH	14.01 °C	1.09 mS/cm	0.10 mg/L	64.08 NTU	-28.0 mV	10.48 ft	100.00 ml/min
5/7/2025 9:12 AM	12:00	7.38 pH	14.02 °C	1.10 mS/cm	0.08 mg/L	65.31 NTU	-36.9 mV	10.48 ft	100.00 ml/min
5/7/2025 9:15 AM	15:00	7.38 pH	14.01 °C	1.11 mS/cm	0.08 mg/L	72.25 NTU	-48.9 mV	10.48 ft	100.00 ml/min
5/7/2025 9:18 AM	18:00	7.39 pH	14.04 °C	1.11 mS/cm	0.06 mg/L	110.26 NTU	-55.1 mV	10.48 ft	100.00 ml/min
5/7/2025 9:21 AM	21:00	7.39 pH	14.01 °C	1.10 mS/cm	0.06 mg/L	107.92 NTU	-55.7 mV	10.48 ft	100.00 ml/min
5/7/2025 9:24 AM	24:00	7.38 pH	13.98 °C	1.09 mS/cm	0.05 mg/L	116.27 NTU	-56.1 mV	10.48 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-425-20250507	VOCs, TOC, sulfate, nitrate, dissolved fe

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/7/2025 10:45:23 AM
Project: GEIndy
Operator Name: GB

Location Name: MW-426 **Latitude: 39.77482874602322** **Longitude: -86.10676058363514** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 20 ft** **Top of Screen: 14 ft** **Total Depth: 34.15 ft** **Initial Depth to Water: 10.49 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 24 ft** **Estimated Total Volume Pumped: 5400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 200 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 441180**

Test Notes:
Begin purging at 1040
Compressor at 25 psi, 12/3 recharge rate
Purge water clear with many brown particles and mild organic like odor
Recording began at 1045
Sample at 1117
Decon at 1130

Weather Conditions:
70 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/7/2025 10:45 AM	00:00	7.29 pH	18.41 °C	0.92 mS/cm	0.62 mg/L	1,832.2 NTU	-54.1 mV	10.49 ft	100.00 ml/min
5/7/2025 10:48 AM	03:00	7.11 pH	16.50 °C	0.94 mS/cm	0.18 mg/L	408.32 NTU	-38.1 mV	10.49 ft	100.00 ml/min
5/7/2025 10:51 AM	06:00	7.10 pH	16.05 °C	0.95 mS/cm	0.12 mg/L	209.66 NTU	-35.0 mV	10.49 ft	100.00 ml/min
5/7/2025 10:54 AM	09:00	7.09 pH	15.83 °C	0.97 mS/cm	0.09 mg/L	157.82 NTU	-35.1 mV	10.49 ft	100.00 ml/min
5/7/2025 10:57 AM	12:00	7.09 pH	15.87 °C	0.99 mS/cm	0.07 mg/L	109.38 NTU	-36.0 mV	10.49 ft	100.00 ml/min
5/7/2025 11:00 AM	15:00	7.09 pH	15.95 °C	1.00 mS/cm	0.07 mg/L	85.93 NTU	-36.3 mV	10.49 ft	100.00 ml/min
5/7/2025 11:03 AM	18:00	7.09 pH	16.00 °C	1.01 mS/cm	0.07 mg/L	73.51 NTU	-37.3 mV	10.49 ft	100.00 ml/min
5/7/2025 11:06 AM	21:00	7.09 pH	15.99 °C	1.02 mS/cm	0.08 mg/L	42.62 NTU	-37.6 mV	10.49 ft	100.00 ml/min
5/7/2025 11:09 AM	24:00	7.10 pH	15.99 °C	1.02 mS/cm	0.09 mg/L	42.71 NTU	-38.1 mV	10.49 ft	100.00 ml/min
5/7/2025 11:12 AM	27:00	7.11 pH	16.00 °C	1.03 mS/cm	0.09 mg/L	38.98 NTU	-38.6 mV	10.49 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-426-20250507	VOC, MEE

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/7/2025 12:59:03 PM
Project: GEIndy
Operator Name: GB

Location Name: MW-407S **Latitude: 39.776306882507825** **Longitude: -86.10559516138203** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 17.75 ft** **Top of Screen: 15 ft** **Total Depth: 20.5 ft** **Initial Depth to Water: 14.91 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 17.75 ft** **Estimated Total Volume Pumped: 3100 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 50 ml/min** **Final Draw Down: 0.49 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 441180**

Test Notes:
Purging start at 1252
Compressor at 20 PSI, 14/1 recharge cycle
Purge water clear with moderate rotten like odor
Recording 1258
Sample at 1402

Weather Conditions:
76 and sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/7/2025 12:59 PM	00:00	6.97 pH	24.40 °C	1.53 mS/cm	0.61 mg/L	22.81 NTU	-47.4 mV	14.98 ft	50.00 ml/min
5/7/2025 1:02 PM	03:00	6.95 pH	23.25 °C	1.54 mS/cm	0.47 mg/L	45.32 NTU	-46.6 mV	14.98 ft	50.00 ml/min
5/7/2025 1:05 PM	06:00	6.96 pH	21.87 °C	1.52 mS/cm	0.40 mg/L	97.36 NTU	-47.1 mV	14.98 ft	50.00 ml/min
5/7/2025 1:08 PM	09:00	6.99 pH	21.30 °C	1.54 mS/cm	0.37 mg/L	117.68 NTU	-49.1 mV	15.13 ft	50.00 ml/min
5/7/2025 1:11 PM	12:00	7.03 pH	20.74 °C	1.53 mS/cm	0.33 mg/L	142.09 NTU	-51.7 mV	15.13 ft	50.00 ml/min
5/7/2025 1:13 PM	14:00	7.02 pH	20.95 °C	1.56 mS/cm	0.32 mg/L	113.38 NTU	-52.5 mV	15.13 ft	50.00 ml/min
5/7/2025 1:16 PM	17:00	7.03 pH	20.31 °C	1.55 mS/cm	0.29 mg/L	124.99 NTU	-54.0 mV	15.13 ft	50.00 ml/min
5/7/2025 1:19 PM	20:00	7.03 pH	20.06 °C	1.56 mS/cm	0.27 mg/L	135.35 NTU	-55.1 mV	15.26 ft	50.00 ml/min
5/7/2025 1:22 PM	23:00	7.04 pH	20.21 °C	1.51 mS/cm	0.26 mg/L	153.98 NTU	-56.5 mV	15.26 ft	50.00 ml/min
5/7/2025 1:25 PM	26:00	7.06 pH	20.25 °C	1.53 mS/cm	0.31 mg/L	199.05 NTU	-58.1 mV	15.26 ft	50.00 ml/min

5/7/2025 1:28 PM	29:00	7.08 pH	20.28 °C	1.51 mS/cm	0.25 mg/L	242.24 NTU	-60.3 mV	15.26 ft	50.00 ml/min
5/7/2025 1:31 PM	32:00	7.10 pH	20.70 °C	1.49 mS/cm	0.25 mg/L	246.16 NTU	-62.7 mV	15.40 ft	50.00 ml/min
5/7/2025 1:34 PM	35:00	7.12 pH	20.50 °C	1.47 mS/cm	0.22 mg/L	286.51 NTU	-64.5 mV	15.40 ft	50.00 ml/min
5/7/2025 1:37 PM	38:00	7.13 pH	20.90 °C	1.46 mS/cm	0.22 mg/L	315.16 NTU	-66.3 mV	15.40 ft	50.00 ml/min
5/7/2025 1:40 PM	41:00	7.14 pH	21.19 °C	1.45 mS/cm	0.21 mg/L	368.85 NTU	-68.1 mV	15.40 ft	50.00 ml/min
5/7/2025 1:43 PM	44:00	7.21 pH	24.84 °C	0.00 mS/cm	5.20 mg/L	528.62 NTU	-51.8 mV	15.40 ft	50.00 ml/min
5/7/2025 1:46 PM	47:00	7.19 pH	20.90 °C	1.57 mS/cm	0.34 mg/L	2.00 NTU	-58.8 mV	15.40 ft	50.00 ml/min
5/7/2025 1:49 PM	50:00	7.17 pH	21.14 °C	1.59 mS/cm	0.23 mg/L	1.58 NTU	-62.7 mV	15.40 ft	50.00 ml/min
5/7/2025 1:52 PM	53:00	7.16 pH	20.96 °C	1.57 mS/cm	0.23 mg/L	1.91 NTU	-65.8 mV	15.40 ft	50.00 ml/min
5/7/2025 1:55 PM	56:00	7.17 pH	21.03 °C	1.59 mS/cm	0.21 mg/L	1.60 NTU	-68.0 mV	15.40 ft	50.00 ml/min
5/7/2025 1:58 PM	59:00	7.18 pH	21.10 °C	1.55 mS/cm	0.20 mg/L	1.60 NTU	-70.4 mV	15.40 ft	50.00 ml/min
5/7/2025 2:01 PM	01:02:00	7.18 pH	20.57 °C	1.58 mS/cm	0.20 mg/L	1.58 NTU	-70.9 mV	15.40 ft	50.00 ml/min

Samples

Sample ID:	Description:
MW-407S-20250507	VOCs, nitrate, sulfate, dissolved iron, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/7/2025 3:06:39 PM
Project: GEIndy
Operator Name: GB

Location Name: MW-407D **Latitude: 39.7763689589038** **Longitude: -86.10555840947167** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 29.58 ft** **Initial Depth to Water: 17.29 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 28 ft** **Estimated Total Volume Pumped: 5858.333 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 441180**

Test Notes:
Begin purge at 1503
Compressor at 25 psi, 13/2 recharge cycle
Purge water clear with light tan tint, no odor
Recording at 1506

Weather Conditions:
79 partially cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/7/2025 3:06 PM	00:00	7.06 pH	21.56 °C	1.71 mS/cm	0.64 mg/L	8.83 NTU	-35.3 mV	17.29 ft	100.00 ml/min
5/7/2025 3:11 PM	04:35	7.03 pH	19.54 °C	1.70 mS/cm	0.36 mg/L	40.81 NTU	-32.0 mV	17.29 ft	100.00 ml/min
5/7/2025 3:14 PM	07:35	7.02 pH	19.09 °C	1.70 mS/cm	0.29 mg/L	66.91 NTU	-31.7 mV	17.29 ft	100.00 ml/min
5/7/2025 3:17 PM	10:35	7.05 pH	18.86 °C	1.70 mS/cm	0.25 mg/L	111.73 NTU	-33.7 mV	17.29 ft	100.00 ml/min
5/7/2025 3:20 PM	13:35	7.06 pH	18.72 °C	1.69 mS/cm	0.22 mg/L	155.18 NTU	-35.4 mV	17.29 ft	100.00 ml/min
5/7/2025 3:23 PM	16:35	7.07 pH	18.54 °C	1.72 mS/cm	0.20 mg/L	198.71 NTU	-35.5 mV	17.29 ft	100.00 ml/min
5/7/2025 3:26 PM	19:35	7.39 pH	19.67 °C	0.00 mS/cm	7.77 mg/L	9.04 NTU	-85.6 mV	17.29 ft	100.00 ml/min
5/7/2025 3:29 PM	22:35	7.12 pH	18.54 °C	1.72 mS/cm	0.33 mg/L	1.13 NTU	-32.4 mV	17.29 ft	100.00 ml/min
5/7/2025 3:32 PM	25:35	7.12 pH	18.57 °C	1.71 mS/cm	0.21 mg/L	2.14 NTU	-35.5 mV	17.29 ft	100.00 ml/min
5/7/2025 3:35 PM	28:35	7.14 pH	18.22 °C	1.71 mS/cm	0.17 mg/L	3.55 NTU	-38.2 mV	17.29 ft	100.00 ml/min
5/7/2025 3:38 PM	31:35	7.14 pH	18.18 °C	1.70 mS/cm	0.14 mg/L	13.15 NTU	-40.1 mV	17.29 ft	100.00 ml/min

5/7/2025 3:41 PM	34:35	7.15 pH	17.96 °C	1.68 mS/cm	0.12 mg/L	34.78 NTU	-41.9 mV	17.29 ft	100.00 ml/min
5/7/2025 3:44 PM	37:35	7.15 pH	17.96 °C	1.67 mS/cm	0.12 mg/L	27.98 NTU	-43.5 mV	17.29 ft	100.00 ml/min
5/7/2025 3:47 PM	40:35	7.16 pH	17.90 °C	1.67 mS/cm	0.11 mg/L	49.98 NTU	-44.8 mV	17.29 ft	100.00 ml/min
5/7/2025 3:50 PM	43:35	7.16 pH	17.86 °C	1.69 mS/cm	0.10 mg/L	6.44 NTU	-46.0 mV	17.29 ft	100.00 ml/min
5/7/2025 3:53 PM	46:35	7.17 pH	17.98 °C	1.66 mS/cm	0.10 mg/L	8.98 NTU	-47.3 mV	17.29 ft	100.00 ml/min
5/7/2025 3:56 PM	49:35	7.17 pH	17.91 °C	1.62 mS/cm	0.09 mg/L	12.32 NTU	-48.9 mV	17.29 ft	100.00 ml/min
5/7/2025 3:59 PM	52:35	7.18 pH	17.86 °C	1.60 mS/cm	0.09 mg/L	1.30 NTU	-50.1 mV	17.29 ft	100.00 ml/min
5/7/2025 4:02 PM	55:35	7.18 pH	17.76 °C	1.58 mS/cm	0.09 mg/L	1.63 NTU	-51.2 mV	17.29 ft	100.00 ml/min
5/7/2025 4:05 PM	58:35	7.19 pH	17.77 °C	1.56 mS/cm	0.08 mg/L	1.96 NTU	-52.3 mV	17.29 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-407D	VOCs MS/MSD, TOC, Nitrate, Fe

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 5/8/2025 8:48:44 AM
Project: GEIndy
Operator Name: GB

Location Name: W-8 **Latitude: 39.774868881362245** **Longitude: -86.10786549066512** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10.4 ft** **Top of Screen: 23 ft** **Total Depth: 29.44 ft** **Initial Depth to Water: 12.78 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 27.5 ft** **Estimated Total Volume Pumped: 5976.667 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 441180**

Test Notes:
Started purging at 0843
Compressor at 25 psi, 13/2 recharge cycle
Purge water clear with light tan tint, no odor
Recording at 0848
Sample at 0953

Weather Conditions:
50 F, partially cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/8/2025 8:48 AM	00:00	7.43 pH	15.71 °C	0.91 mS/cm	1.48 mg/L	208.96 NTU	218.1 mV	12.78 ft	100.00 ml/min
5/8/2025 8:50 AM	01:21	7.45 pH	15.11 °C	0.92 mS/cm	1.01 mg/L	198.11 NTU	219.7 mV	12.78 ft	100.00 ml/min
5/8/2025 8:53 AM	04:21	7.43 pH	14.84 °C	0.94 mS/cm	0.60 mg/L	173.32 NTU	220.8 mV	12.78 ft	100.00 ml/min
5/8/2025 8:56 AM	07:21	7.42 pH	14.67 °C	0.95 mS/cm	0.43 mg/L	148.14 NTU	223.3 mV	12.78 ft	100.00 ml/min
5/8/2025 8:59 AM	10:21	7.43 pH	14.65 °C	0.96 mS/cm	0.32 mg/L	124.48 NTU	222.1 mV	12.78 ft	100.00 ml/min
5/8/2025 9:02 AM	13:21	7.44 pH	14.65 °C	0.97 mS/cm	0.27 mg/L	116.91 NTU	222.3 mV	12.78 ft	100.00 ml/min
5/8/2025 9:05 AM	16:21	7.45 pH	14.66 °C	0.97 mS/cm	0.23 mg/L	125.89 NTU	220.9 mV	12.78 ft	100.00 ml/min
5/8/2025 9:08 AM	19:21	7.46 pH	14.69 °C	0.98 mS/cm	0.20 mg/L	112.39 NTU	220.1 mV	12.78 ft	100.00 ml/min
5/8/2025 9:11 AM	22:21	7.47 pH	14.70 °C	0.98 mS/cm	0.20 mg/L	106.80 NTU	216.5 mV	12.78 ft	100.00 ml/min
5/8/2025 9:14 AM	25:21	7.48 pH	14.67 °C	0.99 mS/cm	0.16 mg/L	91.01 NTU	215.7 mV	12.78 ft	100.00 ml/min

5/8/2025 9:17 AM	28:21	7.48 pH	14.74 °C	0.99 mS/cm	0.17 mg/L	83.41 NTU	213.2 mV	12.78 ft	100.00 ml/min
5/8/2025 9:20 AM	31:21	7.48 pH	14.81 °C	1.00 mS/cm	0.15 mg/L	123.47 NTU	208.8 mV	12.78 ft	100.00 ml/min
5/8/2025 9:21 AM	32:46	7.48 pH	14.83 °C	1.01 mS/cm	0.15 mg/L	100.15 NTU	209.4 mV	12.78 ft	100.00 ml/min
5/8/2025 9:24 AM	35:46	7.48 pH	14.89 °C	1.02 mS/cm	0.14 mg/L	81.64 NTU	208.4 mV	12.78 ft	100.00 ml/min
5/8/2025 9:27 AM	38:46	7.49 pH	14.84 °C	1.01 mS/cm	0.13 mg/L	87.44 NTU	203.2 mV	12.78 ft	100.00 ml/min
5/8/2025 9:30 AM	41:46	7.49 pH	14.90 °C	0.99 mS/cm	0.14 mg/L	74.27 NTU	197.5 mV	12.78 ft	100.00 ml/min
5/8/2025 9:33 AM	44:46	7.50 pH	14.95 °C	0.98 mS/cm	0.15 mg/L	106.69 NTU	196.4 mV	12.78 ft	100.00 ml/min
5/8/2025 9:36 AM	47:46	7.50 pH	14.98 °C	0.98 mS/cm	0.14 mg/L	117.46 NTU	187.5 mV	12.78 ft	100.00 ml/min
5/8/2025 9:39 AM	50:46	7.49 pH	14.97 °C	0.99 mS/cm	0.13 mg/L	109.33 NTU	184.3 mV	12.78 ft	100.00 ml/min
5/8/2025 9:42 AM	53:46	7.50 pH	15.05 °C	0.99 mS/cm	0.12 mg/L	97.39 NTU	184.1 mV	12.78 ft	100.00 ml/min
5/8/2025 9:45 AM	56:46	7.50 pH	15.10 °C	0.98 mS/cm	0.13 mg/L	104.58 NTU	177.7 mV	12.78 ft	100.00 ml/min
5/8/2025 9:48 AM	59:46	7.50 pH	15.04 °C	0.99 mS/cm	0.13 mg/L	84.26 NTU	177.3 mV	12.78 ft	100.00 ml/min

Samples

Sample ID:	Description:
W-8	VOCs, MEE, MS/MSD

Low-Flow Test Report:

Test Date / Time: 5/8/2025 11:11:34 AM
Project: GEIndy
Operator Name: GB

MW-418D (not MW 418S)

Location Name: MW-418S
Latitude: 39.776539249105504
Longitude: -86.10547501736112
Well Diameter: 2 in
Casing Type: PVC
Screen Length: 10 ft
Top of Screen: 31 ft
Total Depth: 41.16 ft
Initial Depth to Water: 17.51 ft

Pump Type: Bladder
Tubing Type: Bonded LDPE
Pump Intake From TOC: 36 ft
Estimated Total Volume Pumped: 5970 ml
Flow Cell Volume: 130 ml
Final Flow Rate: 100 ml/min
Final Draw Down: 0.002 ft

Instrument Used: Aqua TROLL 600
Serial Number: 441180

Test Notes:
Purging began at 1105
Compressor at 35 psi, 13/2 recharge cycle
Initial drawdown observed
Purge water clear With light grey tint, mild organic-like odor
Recording began at 1111
Sample at 1215

Weather Conditions:
60, sunny, light breeze

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/8/2025 11:11 AM	00:00	6.83 pH	19.06 °C	1.41 mS/cm	0.42 mg/L	175.01 NTU	-42.8 mV	17.51 ft	100.00 ml/min
5/8/2025 11:14 AM	03:00	6.82 pH	18.85 °C	1.41 mS/cm	0.31 mg/L	266.60 NTU	-38.9 mV	17.51 ft	100.00 ml/min
5/8/2025 11:17 AM	06:00	6.82 pH	18.78 °C	1.39 mS/cm	0.25 mg/L	320.34 NTU	-36.9 mV	17.51 ft	100.00 ml/min
5/8/2025 11:20 AM	09:00	6.82 pH	18.74 °C	1.37 mS/cm	0.22 mg/L	318.31 NTU	-35.7 mV	17.51 ft	100.00 ml/min
5/8/2025 11:23 AM	12:00	6.83 pH	18.76 °C	1.36 mS/cm	0.19 mg/L	225.96 NTU	-35.3 mV	17.51 ft	100.00 ml/min
5/8/2025 11:26 AM	15:00	6.84 pH	18.73 °C	1.35 mS/cm	0.18 mg/L	252.78 NTU	-35.2 mV	17.51 ft	100.00 ml/min
5/8/2025 11:29 AM	18:00	6.85 pH	18.77 °C	1.33 mS/cm	0.16 mg/L	197.22 NTU	-35.2 mV	17.51 ft	100.00 ml/min
5/8/2025 11:32 AM	21:00	6.87 pH	19.28 °C	1.41 mS/cm	1.36 mg/L	85.32 NTU	-29.9 mV	17.51 ft	100.00 ml/min
5/8/2025 11:35 AM	24:00	6.88 pH	18.60 °C	1.40 mS/cm	0.21 mg/L	72.23 NTU	-30.9 mV	17.51 ft	100.00 ml/min
5/8/2025 11:38 AM	27:00	6.89 pH	18.71 °C	1.39 mS/cm	0.14 mg/L	83.78 NTU	-32.9 mV	17.51 ft	100.00 ml/min

5/8/2025 11:41 AM	30:00	6.91 pH	18.73 °C	1.37 mS/cm	0.13 mg/L	122.82 NTU	-34.8 mV	17.51 ft	100.00 ml/min
5/8/2025 11:44 AM	33:00	6.92 pH	18.55 °C	1.32 mS/cm	0.13 mg/L	156.81 NTU	-36.5 mV	17.51 ft	100.00 ml/min
5/8/2025 11:47 AM	36:00	6.94 pH	18.65 °C	1.32 mS/cm	0.11 mg/L	259.28 NTU	-37.8 mV	17.51 ft	100.00 ml/min
5/8/2025 11:50 AM	39:00	6.96 pH	18.56 °C	1.30 mS/cm	0.11 mg/L	202.98 NTU	-39.2 mV	17.51 ft	100.00 ml/min
5/8/2025 11:53 AM	42:00	6.99 pH	18.70 °C	1.27 mS/cm	0.11 mg/L	262.93 NTU	-40.9 mV	17.51 ft	100.00 ml/min
5/8/2025 11:56 AM	45:00	7.01 pH	18.44 °C	1.25 mS/cm	0.10 mg/L	237.43 NTU	-42.6 mV	17.51 ft	100.00 ml/min
5/8/2025 11:59 AM	48:00	7.03 pH	18.29 °C	1.24 mS/cm	0.09 mg/L	231.61 NTU	-43.7 mV	17.51 ft	100.00 ml/min
5/8/2025 12:02 PM	51:00	7.05 pH	18.46 °C	1.21 mS/cm	0.09 mg/L	47.23 NTU	-45.0 mV	17.51 ft	100.00 ml/min
5/8/2025 12:05 PM	54:00	7.06 pH	18.62 °C	1.21 mS/cm	0.08 mg/L	44.35 NTU	-45.6 mV	17.51 ft	100.00 ml/min
5/8/2025 12:08 PM	57:00	7.07 pH	18.67 °C	1.20 mS/cm	0.07 mg/L	42.52 NTU	-46.8 mV	17.51 ft	100.00 ml/min
5/8/2025 12:11 PM	59:42	7.07 pH	18.69 °C	1.20 mS/cm	0.08 mg/L	33.57 NTU	-46.8 mV	17.51 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-418D-20250508	VOCs, TOC, sulfate, Fe
AD-300-20250508	VOCs

Low-Flow Test Report:

Test Date / Time: 5/8/2025 1:00:39 PM
Project: GEIndy
Operator Name: GB

Location Name: MW-418S **Latitude: 39.776539249105504** **Longitude: -86.10547501736112** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 20 ft** **Total Depth: 26.41 ft** **Initial Depth to Water: 14.73 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 23 ft** **Estimated Total Volume Pumped: 6221.667 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 1.25 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 441180**

Test Notes:
Purging began at 1255
Compressor at 25 psi, 13.5/1.5 recharge cycle
Purge water clear with light gray tint and black suspended particles
Recording began at 1300
Sample at 1405

Weather Conditions:
70, partially cloudy, light breeze

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
5/8/2025 1:00 PM	00:00	7.07 pH	21.28 °C	1.01 mS/cm	0.57 mg/L	69.71 NTU	-51.7 mV	14.73 ft	100.00 ml/min
5/8/2025 1:02 PM	01:26	7.04 pH	21.21 °C	1.01 mS/cm	0.46 mg/L	71.74 NTU	-51.7 mV	14.73 ft	100.00 ml/min
5/8/2025 1:14 PM	13:41	7.02 pH	19.83 °C	1.00 mS/cm	0.20 mg/L	84.69 NTU	-59.5 mV	15.98 ft	100.00 ml/min
5/8/2025 1:17 PM	17:13	7.02 pH	19.90 °C	0.99 mS/cm	0.19 mg/L	71.70 NTU	-62.4 mV	15.98 ft	100.00 ml/min
5/8/2025 1:20 PM	20:13	7.03 pH	19.60 °C	0.99 mS/cm	0.17 mg/L	97.61 NTU	-64.3 mV	15.98 ft	100.00 ml/min
5/8/2025 1:23 PM	23:13	7.03 pH	19.90 °C	0.99 mS/cm	0.14 mg/L	79.33 NTU	-66.3 mV	15.98 ft	100.00 ml/min
5/8/2025 1:26 PM	26:13	7.04 pH	19.81 °C	0.99 mS/cm	0.16 mg/L	89.61 NTU	-68.1 mV	15.98 ft	100.00 ml/min
5/8/2025 1:29 PM	29:13	7.05 pH	20.03 °C	0.98 mS/cm	0.14 mg/L	112.07 NTU	-69.6 mV	15.98 ft	100.00 ml/min
5/8/2025 1:32 PM	32:13	7.06 pH	20.08 °C	0.98 mS/cm	0.13 mg/L	123.31 NTU	-71.5 mV	15.98 ft	100.00 ml/min
5/8/2025 1:35 PM	35:13	7.07 pH	20.01 °C	0.98 mS/cm	0.12 mg/L	131.46 NTU	-72.9 mV	15.98 ft	100.00 ml/min

5/8/2025 1:38 PM	38:13	7.08 pH	19.97 °C	0.98 mS/cm	0.11 mg/L	151.91 NTU	-74.4 mV	15.98 ft	100.00 ml/min
5/8/2025 1:41 PM	41:13	7.10 pH	20.02 °C	0.98 mS/cm	0.10 mg/L	158.21 NTU	-75.7 mV	15.98 ft	100.00 ml/min
5/8/2025 1:44 PM	44:13	7.11 pH	19.85 °C	0.98 mS/cm	0.10 mg/L	184.13 NTU	-77.3 mV	15.98 ft	100.00 ml/min
5/8/2025 1:47 PM	47:13	7.13 pH	19.82 °C	0.97 mS/cm	0.09 mg/L	185.95 NTU	-78.5 mV	15.98 ft	100.00 ml/min
5/8/2025 1:50 PM	50:13	7.12 pH	19.64 °C	0.97 mS/cm	0.09 mg/L	218.20 NTU	-79.1 mV	15.98 ft	100.00 ml/min
5/8/2025 1:53 PM	53:13	7.14 pH	19.46 °C	0.97 mS/cm	0.09 mg/L	280.73 NTU	-80.4 mV	15.98 ft	100.00 ml/min
5/8/2025 1:56 PM	56:13	7.15 pH	19.59 °C	0.97 mS/cm	0.09 mg/L	289.54 NTU	-81.2 mV	15.98 ft	100.00 ml/min
5/8/2025 1:59 PM	59:13	7.16 pH	19.55 °C	0.96 mS/cm	0.08 mg/L	66.44 NTU	-82.1 mV	15.98 ft	100.00 ml/min
5/8/2025 2:02 PM	01:02:13	7.17 pH	19.79 °C	0.96 mS/cm	0.08 mg/L	80.55 NTU	-83.4 mV	15.98 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-418S	VOCs, TOC, sulfate, Fe

Created using VuSitu from In-Situ, Inc.

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW402D

Date:	05/09/2025	Casing Material:	PVC	Depth to Water:	NA
Weather Conditions:	NA	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1213	NA	NA	NA	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1213									

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1213	NA	NA	NA	NA

Sampling Summary

Sample Date:	05/09/2025	Analysis:	NA
Sample Time:	1213	Bottles:	NA
Sample ID:	NA	QC Sample ID:	NA
QC Sample Time:	1213	Sampler Name:	NA
Remarks:	NA		

Powered by QNOPY

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW407D

Date:	05/07/2025	Casing Material:	PVC	Depth to Water:	17.29
Weather Conditions:	Partly Sunny| Hot 79	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1506	Clear with light tan tint	None	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1507	100	17.77	7.19	1.56	-52.3	0.08	1.96	17.29	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1610	Clear with light tan tint	None	No	NA

Sampling Summary

Sample Date:	05/07/2025	Analysis:	NA
Sample Time:	1610	Bottles:	NA
Sample ID:	MW-407D-20250507	QC Sample ID:	MW-407D-20250507
QC Sample Time:	1610	Sampler Name:	GB
Remarks:	MS/MSD taken		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW407S

Date:	05/07/2025	Casing Material:	PVC	Depth to Water:	14.91
Weather Conditions:	Sunny|Hot 76	Casing Diameter:	2	Well Depth:	20.5
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1252	Clear	Moderate rottenlike odor	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1209	50	20.57	7.18	1.58	-70.9	0.20	1.58	15.4	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1402	Clear	Mild rotten like odor	No	NA

Sampling Summary

Sample Date:	05/07/2025	Analysis:	NA
Sample Time:	1402	Bottles:	NA
Sample ID:	MW-407S-20250507	QC Sample ID:	NA
QC Sample Time:	0921	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW413D

Date:	05/06/2025	Casing Material:	PVC	Depth to Water:	NA
Weather Conditions:	NA	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0917	Clear with light yellow tint	Mild organic-like odor	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
0917	100	17.41	7.3	1.13	-179.5	0.08	27.87	13.22	Stable sample

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
0917	Clear with light yellow tint	Mild organic-like odor	No	NA

Sampling Summary

Sample Date:	05/12/2025	Analysis:	NA
Sample Time:	0917	Bottles:	NA
Sample ID:	NA	QC Sample ID:	MW-413D-20250506 (MS/MSD)
QC Sample Time:	0917	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW413S

Date:	05/06/2025	Casing Material:	PVC	Depth to Water:	12.43
Weather Conditions:	Sunny|Clear 66	Casing Diameter:	2	Well Depth:	22.29
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1308	Clear	Mild organic-like odor	No	Compressor at 20 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1411	100		7.29	0.86	-241.7	0.01	63.81	12.69	Grab sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1421	Clear	Slight organic-like odor	No	NA

Sampling Summary

Sample Date:	05/06/2025	Analysis:	
Sample Time:	1421	Bottles:	
Sample ID:		QC Sample ID:	NA
QC Sample Time:	0916	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW418D

Date:	05/08/2025	Casing Material:	PVC	Depth to Water:	17.51
Weather Conditions:	Sunny|Partly Cloudy 65	Casing Diameter:	2	Well Depth:	41.16
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1105	Clear with light gray tint	Mild organic like odor	No	Compressor at 35 psi, 13/2 recharge Drawdown observed

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1107	100	18.69	7.07	1.2	-46.8	0.08	33.57	17.51	Grab sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1215	Clear with light gray tint	Mild organic like odor	Yes	Slight oily Sheen on surface

Sampling Summary

Sample Date:	05/08/2025	Analysis:	NA
Sample Time:	1215	Bottles:	NA
Sample ID:	MW-418D-20250508	QC Sample ID:	AD-300-20250508
QC Sample Time:	1215	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW418S

Date:	05/08/2025	Casing Material:	PVC	Depth to Water:	14.73
Weather Conditions:	NA	Casing Diameter:	2	Well Depth:	26.41
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1255	Clear with light, gray tint and black suspended particles	Mild organic like odor	No	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1437	100	19.79	7.17	0.96	-83.4	0.08	80.55	15.98	Grab sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1405	Clear with light gray tint	Mild organic like odor	No	NA

Sampling Summary

Sample Date:	05/08/2025	Analysis:	NA
Sample Time:	1405	Bottles:	NA
Sample ID:	MW-418S-20250508	QC Sample ID:	NA
QC Sample Time:	0923	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW425

Date:	05/07/2025	Casing Material:	PVC	Depth to Water:	10.48
Weather Conditions:	Sunny|Clear 60	Casing Diameter:	2	Well Depth:	29.3
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
855	Clear	Mild organic like odor	No	Compressor at 25 psi, 12/3 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
0857	100	13.98	7.38	1.09	-56.1	0.05	116.27	10.48	Stable sample

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
924	Clear with few light brown flecks	Mild organic like odor	No	NA

Sampling Summary

Sample Date:	05/07/2025	Analysis:	NA
Sample Time:	924	Bottles:	NA
Sample ID:	MW-425-20250507	QC Sample ID:	NA
QC Sample Time:	0921	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW426

Date:	05/07/2025	Casing Material:	PVC	Depth to Water:	10.49
Weather Conditions:	NA	Casing Diameter:	2	Well Depth:	34.15
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0921	Clear with many light brown flecks	Mild organic like odor	No	Compressor at 25 PSI, 12/3 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
0957	200	16	7.11	1.03	-38.6	0.09	38.98	10.49	

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1117	Clear with a few light brown particles	Mild organic like odor	No	Stable sample

Sampling Summary

Sample Date:	05/07/2025	Analysis:	NA
Sample Time:	1117	Bottles:	NA
Sample ID:	MW-426-20250507	QC Sample ID:	NA
QC Sample Time:	0921	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW427

Date:	05/12/2025	Casing Material:	PVC	Depth to Water:	NA
Weather Conditions:	NA	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	NA	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	NA	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0921	NA	NA	NA	NA

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
0921									

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
0921	NA	NA	NA	NA

Sampling Summary

Sample Date:	05/12/2025	Analysis:	NA
Sample Time:	0921	Bottles:	NA
Sample ID:	NA	QC Sample ID:	NA
QC Sample Time:	0921	Sampler Name:	NA
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

W-8

Date:	05/08/2025	Casing Material:	PVC	Depth to Water:	12.78
Weather Conditions:	NA 65	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
843	Clear with light tan tint	None	No	Compressor at 25 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
0900	100	15.04	7.5	0.99	177.3	0.13	84.26	12.78	Grab sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
953	Clear with light tan tint	None	No	NA

Sampling Summary

Sample Date:	05/08/2025	Analysis:	NA
Sample Time:	953	Bottles:	NA
Sample ID:	W-8-20250508	QC Sample ID:	W-8-20250508
QC Sample Time:	0922	Sampler Name:	GB
Remarks:	NA		

APPENDIX A-3
JULY 2025 GROUNDWATER SAMPLING FIELD NOTES

Low-Flow Test Report:

Test Date / Time: 7/14/2025 9:55:24 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-413S **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 22.11 ft** **Initial Depth to Water: 13.37 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18.5 ft** **Estimated Total Volume Pumped: 4200 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Begin Purge at 0942
Compressor at 20 psi, 13/2 recharge cycle
Purge water clear with fine black particles and mild organic-like odor
Recording at 0953
Stable parameter sample at 1045

Weather Conditions:
76, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/14/2025 9:55 AM	00:00	7.184 pH	19.49 °C	0.911 mS/cm	1.191 mg/L	6.752 NTU	-106.4 mV	13.37 ft	100.0 ml/min
7/14/2025 9:58 AM	03:00	7.139 pH	19.16 °C	0.914 mS/cm	1.203 mg/L	7.292 NTU	-99.3 mV	13.37 ft	100.0 ml/min
7/14/2025 10:01 AM	06:00	7.107 pH	19.07 °C	0.914 mS/cm	1.232 mg/L	10.24 NTU	-92.2 mV	13.37 ft	100.0 ml/min
7/14/2025 10:04 AM	09:00	7.096 pH	19.01 °C	0.900 mS/cm	1.256 mg/L	17.34 NTU	-87.8 mV	13.37 ft	100.0 ml/min
7/14/2025 10:07 AM	12:00	7.091 pH	19.04 °C	0.899 mS/cm	1.257 mg/L	17.57 NTU	-84.6 mV	13.37 ft	100.0 ml/min
7/14/2025 10:10 AM	15:00	7.095 pH	19.05 °C	0.910 mS/cm	1.246 mg/L	26.99 NTU	-82.7 mV	13.37 ft	100.0 ml/min
7/14/2025 10:13 AM	18:00	7.107 pH	19.07 °C	0.901 mS/cm	1.264 mg/L	37.02 NTU	-79.2 mV	13.37 ft	100.0 ml/min
7/14/2025 10:16 AM	21:00	7.121 pH	19.32 °C	0.912 mS/cm	1.326 mg/L	32.99 NTU	-76.5 mV	13.37 ft	100.0 ml/min
7/14/2025 10:19 AM	24:00	7.149 pH	19.17 °C	0.910 mS/cm	1.407 mg/L	45.93 NTU	-75.9 mV	13.37 ft	100.0 ml/min
7/14/2025 10:22 AM	27:00	7.170 pH	19.04 °C	0.910 mS/cm	1.512 mg/L	51.85 NTU	-75.7 mV	13.37 ft	100.0 ml/min
7/14/2025 10:25 AM	30:00	7.181 pH	19.00 °C	0.910 mS/cm	1.486 mg/L	53.52 NTU	-75.1 mV	13.37 ft	100.0 ml/min

7/14/2025 10:28 AM	33:00	7.192 pH	18.92 °C	0.904 mS/cm	1.523 mg/L	64.27 NTU	-74.2 mV	13.37 ft	100.0 ml/min
7/14/2025 10:31 AM	36:00	7.210 pH	18.88 °C	0.904 mS/cm	1.692 mg/L	65.44 NTU	-72.2 mV	13.37 ft	100.0 ml/min
7/14/2025 10:34 AM	39:00	7.220 pH	18.81 °C	0.916 mS/cm	1.655 mg/L	69.79 NTU	-72.5 mV	13.37 ft	100.0 ml/min
7/14/2025 10:37 AM	42:00	7.239 pH	18.82 °C	0.914 mS/cm	1.780 mg/L	66.87 NTU	-71.9 mV	13.37 ft	100.0 ml/min

Samples

Sample ID:	Description:
MW-413S-20250714	VOCs, Dissolved FE, Nitrate/Sulfate, TOC
MW-413S-20250714	MS/MSD (6VOAs)

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/14/2025 11:49:07 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-413D **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 35.18 ft** **Initial Depth to Water: 14.03 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30.5 ft** **Estimated Total Volume Pumped: 4100 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 1141
Compressor at 30psi, 13/2 recharge cycld
Purge water clear with light tan tint, fine particles, mild organic-like odor
Recording at 1148
Sample at 1239

Weather Conditions:
78, sunny, hot, humid

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/14/2025 11:49 AM	00:00	7.159 pH	20.52 °C	1.201 mS/cm	2.302 mg/L	26.89 NTU	-44.0 mV	14.03 ft	100.0 ml/min
7/14/2025 11:52 AM	03:00	7.173 pH	20.21 °C	1.190 mS/cm	3.026 mg/L	26.95 NTU	-35.8 mV	14.03 ft	100.0 ml/min
7/14/2025 11:57 AM	08:00	7.219 pH	20.02 °C	1.177 mS/cm	3.816 mg/L	40.18 NTU	-33.3 mV	14.03 ft	100.0 ml/min
7/14/2025 12:00 PM	11:00	7.254 pH	19.86 °C	1.172 mS/cm	4.173 mg/L	44.27 NTU	-34.1 mV	14.03 ft	100.0 ml/min
7/14/2025 12:03 PM	14:00	7.278 pH	19.99 °C	1.163 mS/cm	4.349 mg/L	78.03 NTU	-35.6 mV	14.03 ft	100.0 ml/min
7/14/2025 12:06 PM	17:00	7.297 pH	19.81 °C	1.167 mS/cm	4.665 mg/L	69.99 NTU	-36.6 mV	14.03 ft	100.0 ml/min
7/14/2025 12:09 PM	20:00	7.313 pH	19.73 °C	1.167 mS/cm	4.869 mg/L	67.93 NTU	-37.0 mV	14.03 ft	100.0 ml/min
7/14/2025 12:12 PM	23:00	7.315 pH	19.62 °C	1.168 mS/cm	4.772 mg/L	146.2 NTU	-37.9 mV	14.03 ft	100.0 ml/min
7/14/2025 12:15 PM	26:00	7.324 pH	19.59 °C	1.152 mS/cm	4.661 mg/L	120.2 NTU	-38.9 mV	14.03 ft	100.0 ml/min
7/14/2025 12:18 PM	29:00	7.337 pH	19.21 °C	1.151 mS/cm	4.505 mg/L	121.5 NTU	-40.0 mV	14.03 ft	100.0 ml/min
7/14/2025 12:21 PM	32:00	7.352 pH	18.93 °C	1.168 mS/cm	4.524 mg/L	128.0 NTU	-41.0 mV	14.03 ft	100.0 ml/min

7/14/2025 12:24 PM	35:00	7.364 pH	18.92 °C	1.162 mS/cm	4.446 mg/L	74.63 NTU	-41.9 mV	14.03 ft	100.0 ml/min
7/14/2025 12:27 PM	38:00	7.373 pH	18.84 °C	1.157 mS/cm	4.282 mg/L	80.60 NTU	-42.9 mV	14.03 ft	100.0 ml/min
7/14/2025 12:30 PM	41:00	7.379 pH	19.15 °C	1.152 mS/cm	4.153 mg/L	82.83 NTU	-44.1 mV	14.03 ft	100.0 ml/min

Samples

Sample ID:	Description:
MW-413D-20250714	VOCs, Dissolved FE, Nitrate/Sulfate, TOC
AD-100	Blind dup of VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/14/2025 2:08:05 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-425 **Latitude: 39.775306666666665** **Longitude: -86.10661499999999** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 20 ft** **Total Depth: 29.06 ft** **Initial Depth to Water: 11.25 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 24.5 ft** **Estimated Total Volume Pumped: 6000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 1359
Purge water Clear with light gray tint, Mild organic like odor
Compressor at 25 psi, 13/2 recharge cycle
Recording at 1407
Sample at 1512

Weather Conditions:
80F, sunny, hot

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/14/2025 2:08 PM	00:00	7.115 pH	22.90 °C	1.086 mS/cm	0.754 mg/L	72.41 NTU	-71.3 mV	11.25 ft	100.0 ml/min
7/14/2025 2:11 PM	03:00	7.058 pH	20.96 °C	1.098 mS/cm	0.689 mg/L	53.73 NTU	-58.3 mV	11.25 ft	100.0 ml/min
7/14/2025 2:14 PM	06:00	7.052 pH	20.35 °C	1.091 mS/cm	0.960 mg/L	51.71 NTU	-52.0 mV	11.25 ft	100.0 ml/min
7/14/2025 2:17 PM	09:00	7.067 pH	20.23 °C	1.092 mS/cm	1.168 mg/L	58.98 NTU	-49.7 mV	11.25 ft	100.0 ml/min
7/14/2025 2:20 PM	12:00	7.086 pH	19.89 °C	1.090 mS/cm	1.312 mg/L	84.98 NTU	-49.5 mV	11.25 ft	100.0 ml/min
7/14/2025 2:23 PM	15:00	7.099 pH	19.74 °C	1.086 mS/cm	1.413 mg/L	115.3 NTU	-49.4 mV	11.25 ft	100.0 ml/min
7/14/2025 2:26 PM	18:00	7.109 pH	19.72 °C	1.085 mS/cm	1.531 mg/L	139.4 NTU	-49.1 mV	11.25 ft	100.0 ml/min
7/14/2025 2:29 PM	21:00	7.121 pH	19.68 °C	1.089 mS/cm	1.656 mg/L	158.1 NTU	-49.7 mV	11.25 ft	100.0 ml/min
7/14/2025 2:32 PM	24:00	7.142 pH	19.57 °C	1.088 mS/cm	1.752 mg/L	187.5 NTU	-50.8 mV	11.25 ft	100.0 ml/min
7/14/2025 2:35 PM	27:00	7.172 pH	19.31 °C	1.075 mS/cm	1.823 mg/L	220.4 NTU	-52.1 mV	11.25 ft	100.0 ml/min

7/14/2025 2:38 PM	30:00	7.196 pH	19.36 °C	1.075 mS/cm	1.905 mg/L	147.8 NTU	-53.9 mV	11.25 ft	100.0 ml/min
7/14/2025 2:41 PM	33:00	7.215 pH	19.47 °C	1.076 mS/cm	1.985 mg/L	128.0 NTU	-55.3 mV	11.25 ft	100.0 ml/min
7/14/2025 2:44 PM	36:00	7.232 pH	19.53 °C	1.072 mS/cm	2.114 mg/L	130.7 NTU	-56.6 mV	11.25 ft	100.0 ml/min
7/14/2025 2:47 PM	39:00	7.248 pH	19.65 °C	1.069 mS/cm	2.189 mg/L	241.0 NTU	-58.1 mV	11.25 ft	100.0 ml/min
7/14/2025 2:50 PM	42:00	7.261 pH	20.09 °C	1.078 mS/cm	2.295 mg/L	160.8 NTU	-59.9 mV	11.25 ft	100.0 ml/min
7/14/2025 2:53 PM	45:00	7.279 pH	20.41 °C	1.074 mS/cm	2.328 mg/L	215.4 NTU	-61.8 mV	11.25 ft	100.0 ml/min
7/14/2025 2:56 PM	48:00	7.294 pH	20.62 °C	1.075 mS/cm	2.359 mg/L	267.3 NTU	-63.6 mV	11.25 ft	100.0 ml/min
7/14/2025 2:59 PM	51:00	7.311 pH	20.18 °C	1.092 mS/cm	2.469 mg/L	193.0 NTU	-64.7 mV	11.25 ft	100.0 ml/min
7/14/2025 3:02 PM	54:00	7.314 pH	20.41 °C	1.091 mS/cm	2.464 mg/L	85.68 NTU	-65.3 mV	11.25 ft	100.0 ml/min
7/14/2025 3:05 PM	57:00	7.320 pH	20.60 °C	1.096 mS/cm	2.528 mg/L	119.7 NTU	-66.8 mV	11.25 ft	100.0 ml/min
7/14/2025 3:08 PM	01:00:00	7.328 pH	20.77 °C	1.094 mS/cm	2.616 mg/L	177.9 NTU	-68.0 mV	11.25 ft	100.0 ml/min

Samples

Sample ID:	Description:
MW-425-20250714	VOCs, Dissolved FE, Nitrate/Sulfate, TOC Grab sample due to unstable turbidity

Low-Flow Test Report:

Test Date / Time: 7/15/2025 9:04:18 AM
Project: GE Indy
Operator Name: GB

Location Name: W-8 **Latitude: 39.77485333333333** **Longitude: -86.10781666666665** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10.4 ft** **Top of Screen: 23 ft** **Total Depth: 29.19 ft** **Initial Depth to Water: 13.36 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 26.1 ft** **Estimated Total Volume Pumped: 3900 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 0856
Compressor at 25 psi, 13/2 recharge cycle
Purge water clear with light tan tint, no odor
Recording at 0904
Stable sample at 0950

Weather Conditions:
77, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/15/2025 9:04 AM	00:00	7.335 pH	18.93 °C	1.057 mS/cm	5.600 mg/L	366.4 NTU	159.3 mV	13.36 ft	100.0 ml/min
7/15/2025 9:07 AM	03:00	7.336 pH	18.22 °C	1.037 mS/cm	6.995 mg/L	327.7 NTU	94.2 mV	13.36 ft	100.0 ml/min
7/15/2025 9:10 AM	06:00	7.372 pH	17.99 °C	1.009 mS/cm	8.056 mg/L	336.6 NTU	69.0 mV	13.36 ft	100.0 ml/min
7/15/2025 9:13 AM	09:00	7.397 pH	17.85 °C	0.990 mS/cm	8.432 mg/L	289.7 NTU	55.8 mV	13.36 ft	100.0 ml/min
7/15/2025 9:16 AM	12:00	7.422 pH	17.59 °C	0.962 mS/cm	8.780 mg/L	286.4 NTU	55.6 mV	13.36 ft	100.0 ml/min
7/15/2025 9:19 AM	15:00	7.424 pH	17.62 °C	0.968 mS/cm	8.748 mg/L	284.0 NTU	54.8 mV	13.36 ft	100.0 ml/min
7/15/2025 9:22 AM	18:00	7.471 pH	17.55 °C	0.941 mS/cm	9.318 mg/L	288.5 NTU	57.0 mV	13.36 ft	100.0 ml/min
7/15/2025 9:25 AM	21:00	7.483 pH	17.66 °C	0.972 mS/cm	9.264 mg/L	293.7 NTU	58.2 mV	13.36 ft	100.0 ml/min
7/15/2025 9:28 AM	24:00	7.496 pH	17.53 °C	0.964 mS/cm	9.157 mg/L	289.5 NTU	59.5 mV	13.36 ft	100.0 ml/min
7/15/2025 9:31 AM	27:00	7.493 pH	17.33 °C	0.965 mS/cm	8.827 mg/L	260.6 NTU	59.5 mV	13.36 ft	100.0 ml/min

7/15/2025 9:34 AM	30:00	7.501 pH	17.20 °C	0.971 mS/cm	8.822 mg/L	250.3 NTU	57.1 mV	13.36 ft	100.0 ml/min
7/15/2025 9:37 AM	33:00	7.489 pH	17.22 °C	0.968 mS/cm	8.268 mg/L	265.7 NTU	56.9 mV	13.36 ft	100.0 ml/min
7/15/2025 9:40 AM	36:00	7.493 pH	17.11 °C	0.954 mS/cm	8.249 mg/L	277.5 NTU	59.3 mV	13.36 ft	100.0 ml/min
7/15/2025 9:43 AM	39:00	7.481 pH	17.19 °C	0.968 mS/cm	7.721 mg/L	295.0 NTU	59.4 mV	13.36 ft	100.0 ml/min

Samples

Sample ID:	Description:
W-8-20250715	VOCs, MEE
W-8-20250715	MS/MSD

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/15/2025 12:51:19 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-426 **Latitude: 39.77477333333333** **Longitude: -86.10665833333333** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 20 ft** **Top of Screen: 14 ft** **Total Depth: 33.91 ft** **Initial Depth to Water: 11.22 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 24 ft** **Estimated Total Volume Pumped: 3600 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 150 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Start purge at 1244
Compressor at 25 psi, 13/2 recharge cycle
Purgewater clear with light tan tint, mild organic like odor
Start recording at 1251
Stable sample at 1325

Weather Conditions:
80F, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/15/2025 12:51 PM	00:00	7.062 pH	20.63 °C	0.951 mS/cm	1.064 mg/L	30.14 NTU	-68.3 mV	11.22 ft	150.0 ml/min
7/15/2025 12:54 PM	03:00	7.097 pH	19.85 °C	0.955 mS/cm	1.628 mg/L	40.69 NTU	-60.7 mV	11.22 ft	150.0 ml/min
7/15/2025 12:57 PM	06:00	7.136 pH	19.51 °C	0.955 mS/cm	2.115 mg/L	49.96 NTU	-56.5 mV	11.22 ft	150.0 ml/min
7/15/2025 1:00 PM	09:00	7.159 pH	19.37 °C	0.954 mS/cm	2.499 mg/L	60.37 NTU	-53.7 mV	11.22 ft	150.0 ml/min
7/15/2025 1:03 PM	12:00	7.174 pH	18.89 °C	0.949 mS/cm	2.949 mg/L	78.86 NTU	-50.6 mV	11.22 ft	150.0 ml/min
7/15/2025 1:06 PM	15:00	7.184 pH	18.78 °C	0.951 mS/cm	3.230 mg/L	92.08 NTU	-49.0 mV	11.22 ft	150.0 ml/min
7/15/2025 1:09 PM	18:00	7.194 pH	18.56 °C	0.934 mS/cm	3.417 mg/L	146.5 NTU	-47.8 mV	11.22 ft	150.0 ml/min
7/15/2025 1:12 PM	21:00	7.205 pH	18.61 °C	0.933 mS/cm	3.532 mg/L	132.8 NTU	-47.6 mV	11.22 ft	150.0 ml/min
7/15/2025 1:15 PM	24:00	7.239 pH	18.65 °C	0.929 mS/cm	3.623 mg/L	144.6 NTU	-48.8 mV	11.22 ft	150.0 ml/min

Samples

Sample ID:	Description:
MW-426-20250715	VOCs and MEE Stable sample at 1325
AD-200	Dup at MW-426

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/15/2025 2:32:52 PM
Project: GE Indy
Operator Name: GB

Location Name: W-9 **Latitude: 39.77479666666667** **Longitude: -86.10608500000002** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9.4 ft** **Top of Screen: 32.3 ft** **Total Depth: 40.59 ft** **Initial Depth to Water: 13.44 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 36.4 ft** **Estimated Total Volume Pumped: 1500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Began purging at 1426
Compressor at 35 psi, 13/2 recharge cycle
Purge water clear with light tan tint, no odor
Recording at 1432
Stable parameter sample at 1453

Weather Conditions:
80F, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/15/2025 2:32 PM	00:00	7.117 pH	21.55 °C	1.176 mS/cm	1.305 mg/L	69.41 NTU	-72.0 mV	13.44 ft	100.0 ml/min
7/15/2025 2:35 PM	03:00	7.111 pH	20.72 °C	1.210 mS/cm	1.743 mg/L	49.07 NTU	-64.5 mV	13.44 ft	100.0 ml/min
7/15/2025 2:38 PM	06:00	7.122 pH	20.35 °C	1.184 mS/cm	2.124 mg/L	47.43 NTU	-59.6 mV	13.44 ft	100.0 ml/min
7/15/2025 2:41 PM	09:00	7.122 pH	20.07 °C	1.173 mS/cm	2.333 mg/L	53.52 NTU	-56.8 mV	13.44 ft	100.0 ml/min
7/15/2025 2:44 PM	12:00	7.131 pH	20.01 °C	1.164 mS/cm	2.278 mg/L	56.71 NTU	-55.9 mV	13.44 ft	100.0 ml/min
7/15/2025 2:47 PM	15:00	7.142 pH	19.86 °C	1.172 mS/cm	2.142 mg/L	57.86 NTU	-55.9 mV	13.44 ft	100.0 ml/min

Samples

Sample ID:	Description:
W-9-20250715	VOCs and MEE Stable parameter sample at 1453

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/16/2025 8:58:26 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-428 **Latitude: 39.776725000000006** **Longitude: -86.105235** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 15 ft** **Total Depth: 24.74 ft** **Initial Depth to Water: 13.04 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 19.9 ft** **Estimated Total Volume Pumped: 1350 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 50 ml/min** **Final Draw Down: 1.59 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 0847
Compressor at 20 psi, 14/1 Recharge cycle
Drawdown observed
Purge water clear with light tan tint and turbid particles, Mild rotten-like odor
Recording at 0858
Stable sample at 0931

Weather Conditions:
75F, light rain

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/16/2025 8:58 AM	00:00	7.115 pH	22.21 °C	2.841 mS/cm	0.433 mg/L	51.90 NTU	-138.2 mV	13.04 ft	50.00 ml/min
7/16/2025 9:01 AM	03:00	7.120 pH	21.91 °C	2.842 mS/cm	0.412 mg/L	75.20 NTU	-125.9 mV	13.04 ft	50.00 ml/min
7/16/2025 9:04 AM	06:00	7.126 pH	21.70 °C	2.838 mS/cm	0.357 mg/L	118.5 NTU	-120.5 mV	13.60 ft	50.00 ml/min
7/16/2025 9:07 AM	09:00	7.130 pH	21.51 °C	2.835 mS/cm	0.333 mg/L	108.3 NTU	-117.2 mV	13.60 ft	50.00 ml/min
7/16/2025 9:10 AM	12:00	7.134 pH	21.39 °C	2.852 mS/cm	0.345 mg/L	102.6 NTU	-115.7 mV	13.96 ft	50.00 ml/min
7/16/2025 9:13 AM	15:00	7.137 pH	21.29 °C	2.852 mS/cm	0.309 mg/L	36.80 NTU	-114.5 mV	13.96 ft	50.00 ml/min
7/16/2025 9:16 AM	18:00	7.138 pH	21.24 °C	2.854 mS/cm	0.302 mg/L	29.09 NTU	-113.0 mV	14.32 ft	50.00 ml/min
7/16/2025 9:19 AM	21:00	7.146 pH	21.27 °C	2.854 mS/cm	0.281 mg/L	29.41 NTU	-112.3 mV	14.32 ft	50.00 ml/min
7/16/2025 9:22 AM	24:00	7.144 pH	21.20 °C	2.848 mS/cm	0.271 mg/L	29.13 NTU	-112.3 mV	14.63 ft	50.00 ml/min
7/16/2025 9:25 AM	27:00	7.147 pH	21.30 °C	2.842 mS/cm	0.272 mg/L	32.36 NTU	-111.3 mV	14.63 ft	50.00 ml/min

Samples

Sample ID:	Description:
MW-428-20250716	VOCs, Dissolved FE, Nitrate/Sulfate, TOC Stable sample at 0931

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/16/2025 11:06:34 AM
Project: GE Indy (2)
Operator Name: GB

Location Name: MW-407S **Latitude: 39.776383333333335** **Longitude: -86.10555500000001** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 15 ft** **Total Depth: 20.34 ft** **Initial Depth to Water: 15.41 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 17.75 ft** **Estimated Total Volume Pumped: 1500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 50 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 1100
Compressor at 20 psi 14/1 recharge cycle
Purge water clear with gray tint and black particles, Mild rotten-like odor
Begin recording at 1106
Grab sample due to turbidity at 1142

Weather Conditions:
75, cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/16/2025 11:06 AM	00:00	7.033 pH	23.80 °C	1.611 mS/cm	2.047 mg/L	9.345 NTU	-40.5 mV	15.41 ft	50.00 ml/min
7/16/2025 11:09 AM	03:00	7.069 pH	22.75 °C	1.593 mS/cm	1.784 mg/L	8.050 NTU	-49.8 mV	15.41 ft	50.00 ml/min
7/16/2025 11:12 AM	06:00	7.094 pH	22.41 °C	1.593 mS/cm	1.984 mg/L	7.752 NTU	-52.9 mV	15.41 ft	50.00 ml/min
7/16/2025 11:15 AM	09:00	7.114 pH	22.24 °C	1.595 mS/cm	2.133 mg/L	9.362 NTU	-54.6 mV	15.41 ft	50.00 ml/min
7/16/2025 11:18 AM	12:00	7.137 pH	22.08 °C	1.601 mS/cm	2.247 mg/L	12.00 NTU	-56.5 mV	15.41 ft	50.00 ml/min
7/16/2025 11:21 AM	15:00	7.158 pH	21.88 °C	1.595 mS/cm	2.371 mg/L	16.81 NTU	-58.3 mV	15.41 ft	50.00 ml/min
7/16/2025 11:24 AM	18:00	7.171 pH	21.77 °C	1.594 mS/cm	2.430 mg/L	22.04 NTU	-59.0 mV	15.41 ft	50.00 ml/min
7/16/2025 11:27 AM	21:00	7.171 pH	21.78 °C	1.592 mS/cm	2.348 mg/L	30.86 NTU	-58.9 mV	15.41 ft	50.00 ml/min
7/16/2025 11:30 AM	24:00	7.194 pH	21.79 °C	1.604 mS/cm	2.538 mg/L	26.42 NTU	-61.3 mV	15.41 ft	50.00 ml/min
7/16/2025 11:33 AM	27:00	7.204 pH	21.84 °C	1.606 mS/cm	2.595 mg/L	33.05 NTU	-61.9 mV	15.41 ft	50.00 ml/min

7/16/2025 11:36 AM	30:00	7.215 pH	21.89 °C	1.607 mS/cm	2.618 mg/L	39.14 NTU	-63.4 mV	15.41 ft	50.00 ml/min

Samples

Sample ID:	Description:
MW-407S-20250716	VOCs, Dissolved FE, Nitrate/Sulfate, TOC Grab sample due to turbidity at 1142
AD-400-20250716	VOCs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/16/2025 12:38:27 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-407D **Latitude: 39.776383333333335** **Longitude: -86.10553333333334** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 29.28 ft** **Initial Depth to Water: 19.07 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 27.75 ft** **Estimated Total Volume Pumped: 2400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 1230
Compressor at 25 PSI, 13/2 recharge cycle
Purge water clear with light tan tint, Slight rotten like odor
Recording at 1238
Stable sample at 1311

Weather Conditions:
77, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/16/2025 12:38 PM	00:00	6.900 pH	20.34 °C	1.750 mS/cm	1.372 mg/L	13.30 NTU	-23.0 mV	19.07 ft	100.0 ml/min
7/16/2025 12:41 PM	03:00	6.906 pH	19.96 °C	1.745 mS/cm	1.799 mg/L	13.39 NTU	-21.9 mV	19.07 ft	100.0 ml/min
7/16/2025 12:44 PM	06:00	6.917 pH	19.74 °C	1.744 mS/cm	2.103 mg/L	25.06 NTU	-20.7 mV	19.07 ft	100.0 ml/min
7/16/2025 12:47 PM	09:00	6.926 pH	19.68 °C	1.736 mS/cm	2.312 mg/L	30.73 NTU	-19.3 mV	19.07 ft	100.0 ml/min
7/16/2025 12:50 PM	12:00	6.935 pH	19.59 °C	1.731 mS/cm	2.475 mg/L	58.66 NTU	-18.2 mV	19.07 ft	100.0 ml/min
7/16/2025 12:53 PM	15:00	6.942 pH	19.56 °C	1.742 mS/cm	2.611 mg/L	28.80 NTU	-17.2 mV	19.07 ft	100.0 ml/min
7/16/2025 12:56 PM	18:00	6.950 pH	19.44 °C	1.759 mS/cm	2.662 mg/L	15.44 NTU	-16.5 mV	19.07 ft	100.0 ml/min
7/16/2025 12:59 PM	21:00	6.958 pH	19.42 °C	1.751 mS/cm	2.763 mg/L	5.398 NTU	-15.9 mV	19.07 ft	100.0 ml/min
7/16/2025 1:02 PM	24:00	6.966 pH	19.25 °C	1.768 mS/cm	2.796 mg/L	5.370 NTU	-15.5 mV	19.07 ft	100.0 ml/min

Samples

Sample ID:	Description:
MW-407D-22050716	VOCs, Dissolved FE, Nitrate/Sulfate, TOC Stable sample at 1311
MW-407D-20250716	MS/MSD

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/16/2025 2:30:17 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-402S **Latitude: 39.776136666666666** **Longitude: -86.10587166666667** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 15 ft** **Total Depth: 25.1 ft** **Initial Depth to Water: 17.52 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 21.3 ft** **Estimated Total Volume Pumped: 1800 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Begin Purge at 1424
Compressor at 20 psi 13/2 recharge
Purgewater clear with light gray tint, Slight rotten like odor
Recording at 1429
Stable sample at 1455

Weather Conditions:
80, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/16/2025 2:30 PM	00:00	6.830 pH	26.22 °C	8.294 mS/cm	4.221 mg/L	45.60 NTU	-38.1 mV	17.52 ft	100.0 ml/min
7/16/2025 2:33 PM	03:00	6.963 pH	23.10 °C	8.520 mS/cm	5.989 mg/L	44.60 NTU	-47.2 mV	17.52 ft	100.0 ml/min
7/16/2025 2:36 PM	06:00	7.015 pH	22.68 °C	8.589 mS/cm	6.335 mg/L	38.24 NTU	-51.1 mV	17.52 ft	100.0 ml/min
7/16/2025 2:39 PM	09:00	7.055 pH	22.63 °C	8.526 mS/cm	6.707 mg/L	31.39 NTU	-56.7 mV	17.52 ft	100.0 ml/min
7/16/2025 2:42 PM	12:00	7.088 pH	22.68 °C	8.469 mS/cm	6.869 mg/L	27.59 NTU	-62.0 mV	17.52 ft	100.0 ml/min
7/16/2025 2:45 PM	15:00	7.110 pH	22.59 °C	8.447 mS/cm	7.049 mg/L	27.58 NTU	-65.8 mV	17.52 ft	100.0 ml/min
7/16/2025 2:48 PM	18:00	7.138 pH	22.74 °C	8.436 mS/cm	7.392 mg/L	28.61 NTU	-70.4 mV	17.52 ft	100.0 ml/min

Samples

Sample ID:	Description:

MW-402S-20250716	VOCs, MEE, Dissolved FE, Nitrate/Sulfate, TOC Stable sample collected 1455

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/16/2025 4:01:50 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-402D **Latitude: 39.776125** **Longitude: -86.10587666666667** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 30 ft** **Total Depth: 38.92 ft** **Initial Depth to Water: 18.53 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 34.95 ft** **Estimated Total Volume Pumped: 4575 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 150 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Beginpurge at 1552
Compressor at 30 psi, 12/3 recharge cycle
Purgewater clear with light gray tint, no odor
Begin recording at 1601
Grab sample due to turbidity at 1637

Weather Conditions:
80, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/16/2025 4:01 PM	00:00	7.112 pH	21.26 °C	2.029 mS/cm	8.770 mg/L	56.30 NTU	-64.7 mV	18.53 ft	150.0 ml/min
7/16/2025 4:02 PM	00:30	7.141 pH	21.03 °C	2.008 mS/cm	8.979 mg/L	64.10 NTU	-66.2 mV	18.53 ft	150.0 ml/min
7/16/2025 4:05 PM	03:30	7.230 pH	20.18 °C	1.849 mS/cm	9.010 mg/L	78.83 NTU	-67.5 mV	18.53 ft	150.0 ml/min
7/16/2025 4:08 PM	06:30	7.241 pH	19.93 °C	1.769 mS/cm	8.664 mg/L	83.99 NTU	-65.4 mV	18.53 ft	150.0 ml/min
7/16/2025 4:11 PM	09:30	7.259 pH	19.76 °C	1.715 mS/cm	8.200 mg/L	123.4 NTU	-64.5 mV	18.53 ft	150.0 ml/min
7/16/2025 4:14 PM	12:30	7.271 pH	19.60 °C	1.707 mS/cm	7.879 mg/L	121.9 NTU	-63.4 mV	18.53 ft	150.0 ml/min
7/16/2025 4:17 PM	15:30	7.323 pH	19.33 °C	1.652 mS/cm	7.755 mg/L	89.64 NTU	-65.0 mV	18.53 ft	150.0 ml/min
7/16/2025 4:20 PM	18:30	7.343 pH	19.64 °C	1.600 mS/cm	7.394 mg/L	79.00 NTU	-65.2 mV	18.53 ft	150.0 ml/min
7/16/2025 4:23 PM	21:30	7.358 pH	19.50 °C	1.606 mS/cm	7.264 mg/L	79.83 NTU	-66.0 mV	18.53 ft	150.0 ml/min
7/16/2025 4:26 PM	24:30	7.376 pH	19.44 °C	1.586 mS/cm	7.244 mg/L	91.44 NTU	-66.8 mV	18.53 ft	150.0 ml/min

7/16/2025 4:29 PM	27:30	7.383 pH	19.51 °C	1.582 mS/cm	7.068 mg/L	49.63 NTU	-66.4 mV	18.53 ft	150.0 ml/min
7/16/2025 4:32 PM	30:30	7.393 pH	19.54 °C	1.567 mS/cm	6.968 mg/L	78.93 NTU	-67.1 mV	18.53 ft	150.0 ml/min

Samples

Sample ID:	Description:
MW-402D-20250716	VOCs, MEE, Dissolved FE, Nitrate/Sulfate, TOC Grab sample due to turbidity at 1637

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/17/2025 9:03:08 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-418D **Latitude: 39.77656833333333** **Longitude: -86.10542833333332** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 31 ft** **Total Depth: 40.94 ft** **Initial Depth to Water: 18.51 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 36 ft** **Estimated Total Volume Pumped: 3000 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 1.88 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 0852
Compressor at 35 psi, 13/2 recharge cycle
Purge water clear with light gray tint, no odor
Recording at 0902
Stable sample at 0940

Weather Conditions:
75, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/17/2025 9:03 AM	00:00	6.951 pH	20.47 °C	1.513 mS/cm	4.691 mg/L	324.7 NTU	-59.5 mV	18.51 ft	100.0 ml/min
7/17/2025 9:06 AM	03:00	7.000 pH	20.13 °C	1.485 mS/cm	5.883 mg/L	332.5 NTU	-53.7 mV	18.51 ft	100.0 ml/min
7/17/2025 9:09 AM	06:00	7.038 pH	19.79 °C	1.462 mS/cm	6.641 mg/L	310.2 NTU	-50.7 mV	18.51 ft	100.0 ml/min
7/17/2025 9:12 AM	09:00	7.058 pH	19.52 °C	1.480 mS/cm	6.770 mg/L	266.2 NTU	-46.7 mV	18.51 ft	100.0 ml/min
7/17/2025 9:15 AM	12:00	7.065 pH	19.50 °C	1.463 mS/cm	6.832 mg/L	232.3 NTU	-43.7 mV	20.39 ft	100.0 ml/min
7/17/2025 9:18 AM	15:00	7.070 pH	19.52 °C	1.475 mS/cm	6.665 mg/L	217.6 NTU	-41.6 mV	20.39 ft	100.0 ml/min
7/17/2025 9:21 AM	18:00	7.071 pH	19.28 °C	1.466 mS/cm	6.465 mg/L	191.1 NTU	-39.3 mV	20.39 ft	100.0 ml/min
7/17/2025 9:24 AM	21:00	7.064 pH	19.28 °C	1.459 mS/cm	6.231 mg/L	174.1 NTU	-37.3 mV	20.39 ft	100.0 ml/min
7/17/2025 9:27 AM	24:00	7.055 pH	19.35 °C	1.433 mS/cm	5.773 mg/L	174.9 NTU	-36.4 mV	20.39 ft	100.0 ml/min
7/17/2025 9:30 AM	27:00	7.055 pH	19.21 °C	1.413 mS/cm	5.593 mg/L	174.8 NTU	-35.6 mV	20.39 ft	100.0 ml/min

7/17/2025 9:33 AM	30:00	7.056 pH	19.32 °C	1.410 mS/cm	5.474 mg/L	180.9 NTU	-35.7 mV	20.39 ft	100.0 ml/min

Samples

Sample ID:	Description:
MW-418D-20250717	VOCs, MEE, Dissolved FE, Nitrate/Sulfate, TOC Stable sample at 0940
AD-500	Full duplicate of MW-418D

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/17/2025 10:44:32 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-418S **Latitude: 39.77656** **Longitude: -86.10545166666667** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 20 ft** **Total Depth: 26.18 ft** **Initial Depth to Water: 15.38 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 23.1 ft** **Estimated Total Volume Pumped: 2100 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 1035
Compressor at 25 psi 13.5/1.5 recharge cycle
Purge water clear with grey tint and particles, mild rotten like odor
Recording at 1044
Stable sample at 1116

Weather Conditions:
75F, partly cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/17/2025 10:44 AM	00:00	6.917 pH	20.82 °C	1.223 mS/cm	3.439 mg/L	268.3 NTU	-54.0 mV	15.38 ft	100.0 ml/min
7/17/2025 10:47 AM	03:00	6.930 pH	20.30 °C	1.209 mS/cm	4.065 mg/L	297.4 NTU	-49.8 mV	15.38 ft	100.0 ml/min
7/17/2025 10:50 AM	06:00	6.940 pH	20.12 °C	1.212 mS/cm	4.270 mg/L	269.7 NTU	-47.6 mV	15.38 ft	100.0 ml/min
7/17/2025 10:53 AM	09:00	6.952 pH	19.99 °C	1.191 mS/cm	4.425 mg/L	239.7 NTU	-46.0 mV	15.38 ft	100.0 ml/min
7/17/2025 10:56 AM	12:00	6.959 pH	19.95 °C	1.192 mS/cm	4.423 mg/L	223.5 NTU	-44.7 mV	15.38 ft	100.0 ml/min
7/17/2025 10:59 AM	15:00	6.964 pH	19.88 °C	1.193 mS/cm	4.461 mg/L	209.3 NTU	-44.0 mV	15.38 ft	100.0 ml/min
7/17/2025 11:02 AM	18:00	6.974 pH	19.71 °C	1.191 mS/cm	4.457 mg/L	201.3 NTU	-43.9 mV	15.38 ft	100.0 ml/min
7/17/2025 11:05 AM	21:00	6.986 pH	19.73 °C	1.189 mS/cm	4.552 mg/L	201.5 NTU	-44.4 mV	15.38 ft	100.0 ml/min

Samples

Sample ID:	Description:
MW-418S-20250717	VOCs, MEE, Dissolved FE, Nitrate/Sulfate, TOC Stable sample at 1116
MW-418S-20250717	MS/MSD

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/17/2025 12:53:11 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-410D **Latitude: 39.775706666666665** **Longitude: -86.10606333333332** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 34.36 ft** **Initial Depth to Water: 13.96 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30 ft** **Estimated Total Volume Pumped: 8400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 200 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 1244
Compressor at 30 psi, 12/3 recharge cycle
Purge water clear with black particles , moderate rotten-like odor
Recording at 1250
Grab sample due to turbidity at 1341

Weather Conditions:
80 F, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/17/2025 12:53 PM	00:00	6.939 pH	20.68 °C	1.003 mS/cm	1.932 mg/L	14.77 NTU	-43.6 mV	13.96 ft	200.0 ml/min
7/17/2025 12:56 PM	03:00	6.945 pH	19.35 °C	0.962 mS/cm	2.153 mg/L	32.29 NTU	-41.2 mV	13.96 ft	200.0 ml/min
7/17/2025 12:59 PM	06:00	6.941 pH	19.34 °C	0.951 mS/cm	2.060 mg/L	26.49 NTU	-39.8 mV	13.96 ft	200.0 ml/min
7/17/2025 1:02 PM	09:00	6.947 pH	19.10 °C	0.961 mS/cm	2.037 mg/L	35.54 NTU	-38.9 mV	13.96 ft	200.0 ml/min
7/17/2025 1:05 PM	12:00	6.944 pH	19.21 °C	0.964 mS/cm	1.962 mg/L	31.63 NTU	-38.8 mV	13.96 ft	200.0 ml/min
7/17/2025 1:08 PM	15:00	6.951 pH	19.20 °C	0.954 mS/cm	2.033 mg/L	42.93 NTU	-38.6 mV	13.96 ft	200.0 ml/min
7/17/2025 1:11 PM	18:00	6.959 pH	19.11 °C	0.971 mS/cm	2.010 mg/L	31.63 NTU	-38.9 mV	13.96 ft	200.0 ml/min
7/17/2025 1:14 PM	21:00	6.968 pH	19.11 °C	0.982 mS/cm	1.991 mg/L	28.22 NTU	-39.4 mV	13.96 ft	200.0 ml/min
7/17/2025 1:17 PM	24:00	6.981 pH	19.03 °C	0.990 mS/cm	1.992 mg/L	12.44 NTU	-39.9 mV	13.96 ft	200.0 ml/min
7/17/2025 1:20 PM	27:00	6.993 pH	19.10 °C	0.992 mS/cm	1.980 mg/L	17.41 NTU	-40.7 mV	13.96 ft	200.0 ml/min

7/17/2025 1:23 PM	30:00	7.006 pH	18.99 °C	1.017 mS/cm	1.760 mg/L	22.75 NTU	-42.1 mV	13.96 ft	200.0 ml/min
7/17/2025 1:26 PM	33:00	7.022 pH	18.99 °C	1.019 mS/cm	1.653 mg/L	38.79 NTU	-43.8 mV	13.96 ft	200.0 ml/min
7/17/2025 1:29 PM	36:00	7.040 pH	19.07 °C	1.011 mS/cm	1.869 mg/L	18.72 NTU	-44.3 mV	13.96 ft	200.0 ml/min
7/17/2025 1:32 PM	39:00	7.059 pH	18.98 °C	1.012 mS/cm	1.973 mg/L	27.44 NTU	-45.0 mV	13.96 ft	200.0 ml/min
7/17/2025 1:35 PM	42:00	7.075 pH	19.00 °C	1.023 mS/cm	1.982 mg/L	28.14 NTU	-46.0 mV	13.96 ft	200.0 ml/min

Samples

Sample ID:	Description:
MW-410D-20250717	VOCs, MEE, Dissolved FE, Nitrate/Sulfate, TOC Grab sample due to turbidity at 1341

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/17/2025 2:31:38 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-410S **Latitude: 39.77569666666667** **Longitude: -86.10607** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 20.91 ft** **Initial Depth to Water: 12.44 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30 ft** **Estimated Total Volume Pumped: 2400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 1426
Compressor at 20 psi, 12/3 recharge cycle
Purge water clear with black particles, mild rotten-like odor
Recording began at 1431
Stable sample at 1305

Weather Conditions:
83, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/17/2025 2:31 PM	00:00	6.976 pH	25.72 °C	0.965 mS/cm	1.586 mg/L	5.021 NTU	-23.5 mV	12.44 ft	100.0 ml/min
7/17/2025 2:34 PM	03:00	6.993 pH	24.48 °C	0.978 mS/cm	2.054 mg/L	3.914 NTU	-32.3 mV	12.44 ft	100.0 ml/min
7/17/2025 2:37 PM	06:00	6.998 pH	24.34 °C	0.984 mS/cm	2.480 mg/L	4.771 NTU	-36.1 mV	12.44 ft	100.0 ml/min
7/17/2025 2:40 PM	09:00	7.031 pH	24.02 °C	0.982 mS/cm	2.745 mg/L	10.72 NTU	-40.1 mV	12.44 ft	100.0 ml/min
7/17/2025 2:43 PM	12:00	7.060 pH	23.79 °C	0.984 mS/cm	2.880 mg/L	8.223 NTU	-43.5 mV	12.44 ft	100.0 ml/min
7/17/2025 2:46 PM	15:00	7.097 pH	23.46 °C	0.987 mS/cm	2.965 mg/L	4.626 NTU	-46.9 mV	12.44 ft	100.0 ml/min
7/17/2025 2:49 PM	18:00	7.122 pH	22.76 °C	0.988 mS/cm	2.976 mg/L	4.975 NTU	-48.7 mV	12.44 ft	100.0 ml/min
7/17/2025 2:52 PM	21:00	7.129 pH	23.13 °C	0.979 mS/cm	2.910 mg/L	4.963 NTU	-51.2 mV	12.44 ft	100.0 ml/min
7/17/2025 2:55 PM	24:00	7.151 pH	23.17 °C	0.976 mS/cm	2.795 mg/L	7.073 NTU	-54.5 mV	12.44 ft	100.0 ml/min

Samples

Sample ID:	Description:
MW-410S-20250717	VOCs, MEE, Dissolved FE, Nitrate/Sulfate, TOC Stable sample at 1305

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/17/2025 4:05:07 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-411S **Latitude: 39.775956666666666** **Longitude: -86.10609333333332** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 20.84 ft** **Initial Depth to Water: 12.63 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18 ft** **Estimated Total Volume Pumped: 2700 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Begin purge at 1555
Compressor at 20 psi, 13/2 recharge cycle
Purge water clear with grey tint and black particles
Strong rotten like odor
Begin recording at 1604
Stable sample at 1645

Weather Conditions:
85F, partly sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/17/2025 4:05 PM	00:00	6.746 pH	22.04 °C	2.082 mS/cm	2.691 mg/L	22.44 NTU	-45.6 mV	12.63 ft	100.0 ml/min
7/17/2025 4:08 PM	03:00	6.765 pH	21.56 °C	2.103 mS/cm	2.941 mg/L	26.99 NTU	-46.8 mV	12.63 ft	100.0 ml/min
7/17/2025 4:11 PM	06:00	6.810 pH	20.86 °C	2.107 mS/cm	3.419 mg/L	21.05 NTU	-48.1 mV	12.63 ft	100.0 ml/min
7/17/2025 4:14 PM	09:00	6.837 pH	21.02 °C	2.114 mS/cm	3.502 mg/L	18.54 NTU	-48.2 mV	12.63 ft	100.0 ml/min
7/17/2025 4:17 PM	12:00	6.865 pH	20.89 °C	2.109 mS/cm	3.550 mg/L	18.90 NTU	-48.0 mV	12.63 ft	100.0 ml/min
7/17/2025 4:20 PM	15:00	6.870 pH	20.40 °C	2.110 mS/cm	3.127 mg/L	19.42 NTU	-46.9 mV	12.63 ft	100.0 ml/min
7/17/2025 4:23 PM	18:00	6.915 pH	20.22 °C	2.125 mS/cm	3.436 mg/L	14.04 NTU	-48.8 mV	12.63 ft	100.0 ml/min
7/17/2025 4:26 PM	21:00	6.954 pH	20.04 °C	2.123 mS/cm	3.559 mg/L	13.10 NTU	-49.6 mV	12.63 ft	100.0 ml/min
7/17/2025 4:29 PM	24:00	6.985 pH	20.00 °C	2.126 mS/cm	3.574 mg/L	9.146 NTU	-50.7 mV	12.63 ft	100.0 ml/min
7/17/2025 4:32 PM	27:00	7.007 pH	20.34 °C	2.120 mS/cm	3.652 mg/L	9.323 NTU	-51.4 mV	12.63 ft	100.0 ml/min

Samples

Sample ID:	Description:
MW-411S-20250717	VOCs, MEE, Dissolved FE, Nitrate/Sulfate, TOC Stable sample at 1645

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 7/18/2025 8:40:04 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-411D **Latitude: 39.775925** **Longitude: -86.10613** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 33.99 ft** **Initial Depth to Water: 13.48 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30 ft** **Estimated Total Volume Pumped: 4500 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 150 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 1206229**

Test Notes:
Purge began at 0833
Compressor at 30 psi, 13/2 recharge cycle
Purge water clear with tan tint and black particles, moderate rotten-like odor
Recording at 0840
Stable sample at 0915

Weather Conditions:
70, cloudy

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
7/18/2025 8:40 AM	00:00	6.635 pH	19.69 °C	2.473 mS/cm	3.119 mg/L	7.181 NTU	-15.9 mV	13.48 ft	150.0 ml/min
7/18/2025 8:43 AM	03:00	6.743 pH	18.69 °C	2.459 mS/cm	0.707 mg/L	16.79 NTU	-65.0 mV	13.48 ft	150.0 ml/min
7/18/2025 8:46 AM	06:00	6.771 pH	18.45 °C	2.447 mS/cm	0.830 mg/L	12.53 NTU	-78.0 mV	13.48 ft	150.0 ml/min
7/18/2025 8:49 AM	09:00	6.781 pH	18.38 °C	2.447 mS/cm	0.843 mg/L	10.59 NTU	-83.9 mV	13.48 ft	150.0 ml/min
7/18/2025 8:52 AM	12:00	6.790 pH	18.30 °C	2.462 mS/cm	0.786 mg/L	7.746 NTU	-87.8 mV	13.48 ft	150.0 ml/min
7/18/2025 8:55 AM	15:00	6.795 pH	18.25 °C	2.459 mS/cm	0.697 mg/L	3.186 NTU	-90.6 mV	13.48 ft	150.0 ml/min
7/18/2025 8:58 AM	18:00	6.802 pH	18.15 °C	2.457 mS/cm	0.572 mg/L	2.842 NTU	-93.3 mV	13.48 ft	150.0 ml/min
7/18/2025 9:01 AM	21:00	6.806 pH	18.14 °C	2.449 mS/cm	0.546 mg/L	4.200 NTU	-95.9 mV	13.48 ft	150.0 ml/min
7/18/2025 9:04 AM	24:00	6.810 pH	18.10 °C	2.444 mS/cm	0.510 mg/L	2.568 NTU	-98.8 mV	13.48 ft	150.0 ml/min
7/18/2025 9:07 AM	27:00	6.816 pH	18.15 °C	2.453 mS/cm	0.484 mg/L	3.487 NTU	-101.7 mV	13.48 ft	150.0 ml/min

7/18/2025 9:10 AM	30:00	6.821 pH	18.14 °C	2.443 mS/cm	0.483 mg/L	3.580 NTU	-104.5 mV	13.48 ft	150.0 ml/min

Samples

Sample ID:	Description:
MW-411D-20250718	VOCs, MEE, Dissolved FE, Nitrate/Sulfate, TOC Stable sample at 0915

Created using VuSitu from In-Situ, Inc.

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW402

Date:	7/16/2025	Casing Material:	PVC	Depth to Water:	17.52
Weather Conditions:	Hot|Sunny 80	Casing Diameter:	2	Well Depth:	25.1
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1424	Clear with light gray tint	Slight rotten like odor	No	Compressor at 20 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1434	100	22.74	7.138	8.436	-70.4	7.392	28.61	17.52	Stable parameters, dissolved oxygen likely in error

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1515	Clear with light gray tint	Mild rotten like odor	No	NA

Sampling Summary

Sample Date:	7/16/2025	Analysis:	NA
Sample Time:	1455	Bottles:	NA
Sample ID:	MW-402S-20250716	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon at 1526		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW402D

Date:	7/16/2025	Casing Material:	PVC	Depth to Water:	18.53
Weather Conditions:	NA 80	Casing Diameter:	2	Well Depth:	38.92
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1552	Clear with light gray tint	No odor	No	Compressor at 30 psi, 12/3 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1613	150	18.53	7.393	1.567	-67.1	6.698	78.93		Grab sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1650	Clear with light gray tint	No odor	No	NA

Sampling Summary

Sample Date:	7/16/2025	Analysis:	NA
Sample Time:	1637	Bottles:	NA
Sample ID:	MW-402D-20250716	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon at 1655		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW407D

Date:	7/16/2025	Casing Material:	PVC	Depth to Water:	19.07
Weather Conditions:	NA 77	Casing Diameter:	2	Well Depth:	29.28
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1230	Clear with light tan tint	Mild rotten like odor	No	Compressor at 25 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1258	100	19.25	6.966	1768	-15.5	2.796	5.370	19.07	Stable parameters sample

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1330	Clear with light tan tint	Mild rotten like odor	No	NA

Sampling Summary

Sample Date:	7/16/2025	Analysis:	NA
Sample Time:	1311	Bottles:	NA
Sample ID:	MW-407D-20250716	QC Sample ID:	MW-407D-20250716
QC Sample Time:	1311	Sampler Name:	GB
Remarks:	MS/ MSD sample taken, Decon pump at 1340		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW407S

Date:	7/16/2025	Casing Material:	PVC	Depth to Water:	15.41
Weather Conditions:	Cloudy|Rain 75	Casing Diameter:	2	Well Depth:	20.34
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1100	Clear with light, gray tint, and black particles	Mild rotten like odor	No	Compressor at 20 psi, 14/1 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1109	50	21.89	7.215	1.607	-63.4	2.618	39.14	15.41	Grab sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
NA	Clear with black particles	Mild rotten like odor	No	Decon at 1210

Sampling Summary

Sample Date:	7/16/2025	Analysis:	NA
Sample Time:	1142	Bottles:	NA
Sample ID:	MW-407S-20250716	QC Sample ID:	AD-400
QC Sample Time:	1142	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW410D

Date:	7/17/2025	Casing Material:	PVC	Depth to Water:	13.96
Weather Conditions:	Clear|Hot 81	Casing Diameter:	2	Well Depth:	34.36
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1244	Clear with black particles	Moderate rotten like odor	No	Compressor at 30 psi, 12/3 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1313	200	19.00	7.075	1.023	-46.0	1.982	28.14	13.96	Grab sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1400	Clear with black particles	Mild rotten like odor	No	NA

Sampling Summary

Sample Date:	7/17/2025	Analysis:	NA
Sample Time:	1341	Bottles:	NA
Sample ID:	MW-410D-20250717	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon pump at 1410		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW410S

Date:	7/17/2025	Casing Material:	PVC	Depth to Water:	12.44
Weather Conditions:	Hot|Sunny 85	Casing Diameter:	2	Well Depth:	20.91
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1426	Clear with black particles	Moderate rotten like odor	No	Compressor at 20 psi, 12/3 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1511	100		23.17	0.976	-54.5	2.795	7.073	12.44	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1515	Clear with black particles	Mild rotten like odor	No	NA

Sampling Summary

Sample Date:	7/17/2025	Analysis:	NA
Sample Time:	1505	Bottles:	NA
Sample ID:	MW-410S-20250717	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon pump at 1520		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW411D

Date:	7/18/2025	Casing Material:	PVC	Depth to Water:	13.48
Weather Conditions:	Cloudy 71	Casing Diameter:	2	Well Depth:	33.99
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0833	Clear with tan tint and black particles	Moderate rotten like odor	No	Compressor at 30 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
0859	150	18.14	6.821	2.443	-104.5	0.483	3.580	13.48	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
0920	Clear with black particles	Moderate rotten like odor	No	NA

Sampling Summary

Sample Date:	7/18/2025	Analysis:	NA
Sample Time:	NA	Bottles:	NA
Sample ID:	MW-411D-20250718	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon at 0935		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW411S

Date:	7/17/2025	Casing Material:	PVC	Depth to Water:	12.63
Weather Conditions:	Sunny|Hot 85	Casing Diameter:	2	Well Depth:	20.84
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1555	Clear with gray tint and black particles	Strong rotten like odor	No	Compressor at 20 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1613	100	20.34	7.007	2.120	-51.4	3.652	9.323	12.63	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1650	Clear with gray tint and black particles	Strong rotten like odor	No	NA

Sampling Summary

Sample Date:	7/17/2025	Analysis:	NA
Sample Time:	1645	Bottles:	NA
Sample ID:	MW-411S-20250717	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon at 1457		

Powered by QNOPY

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW413D

Date:	7/14/2025	Casing Material:	PVC	Depth to Water:	14.03
Weather Conditions:	Hot|Sunny 78	Casing Diameter:	2	Well Depth:	35.18
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1141	Clear with light tint and fine particles	Mild organic like odor	No	Compressor at 30 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1215	100	19.14	7.379	1.152	-44.1	4.153	82.83	14.03	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1250	Clear with light gray tint	Moderate organic like odor	No	NA

Sampling Summary

Sample Date:	7/14/2025	Analysis:	NA
Sample Time:	1239	Bottles:	NA
Sample ID:	MW-413D-20250714	QC Sample ID:	AD-100
QC Sample Time:	1239	Sampler Name:	GB
Remarks:	Decon at 1255		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW413S

Date:	7/14/2025	Casing Material:	PVC	Depth to Water:	13.37
Weather Conditions:	Warm|Partly Sunny 76	Casing Diameter:	2	Well Depth:	22.11
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0942	Clear with black particles	Mild organic like odor	No	Compressor at 20 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1005	100	18.82	7.239	0.914	-71.9	1.780	66.87	13.37	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1057	Clear with few black particles	Mild organic like odor	No	NA

Sampling Summary

Sample Date:	7/14/2025	Analysis:	NA
Sample Time:	1045	Bottles:	NA
Sample ID:	MW-413S-20250714	QC Sample ID:	MW-413S-20250714
QC Sample Time:	1045	Sampler Name:	GB
Remarks:	Deacon at 1115		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW418D

Date:	7/17/2025	Casing Material:	PVC	Depth to Water:	18.51
Weather Conditions:	Warm|Sunny 75	Casing Diameter:	2	Well Depth:	40.94
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0852	Clear with light gray tint	None	No	Compressor at 35 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
0905	100	19.32	7.056	1.410	-35.7	5.474	180.9	20.39	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1005	Clear with gray tint	Mild organic like odor	No	NA

Sampling Summary

Sample Date:	7/17/2025	Analysis:	
Sample Time:	0940	Bottles:	NA
Sample ID:	MW-418D-20250717	QC Sample ID:	AD-500-20250717
QC Sample Time:	0940	Sampler Name:	GB
Remarks:	Full dup taken, Decon at 1015		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW418S

Date:	7/17/2025	Casing Material:	PVC	Depth to Water:	15.38
Weather Conditions:	Hot|Sunny 77	Casing Diameter:	2	Well Depth:	26.18
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1035	Clear with gray tint and particles	Mild rotten like odor	No	Compressor at 25 psi, 13.5/1.5 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1141	100	19.73	6.986	1.189	-44.4	4.552	201.5	15.38	Stable parameters sample

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1142	Clear with gray tint	Mild rotten like odor	No	NA

Sampling Summary

Sample Date:	7/17/2025	Analysis:	NA
Sample Time:	1116	Bottles:	NA
Sample ID:	MW-418S-20250717	QC Sample ID:	MW-418S-20250717
QC Sample Time:	1116	Sampler Name:	GB
Remarks:	MS/MSD taken, Decon at 1149		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW425

Date:	7/14/2025	Casing Material:	PVC	Depth to Water:	11.25
Weather Conditions:	Hot|Partly Cloudy 80	Casing Diameter:	2	Well Depth:	29.06
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1359	Clear with light grey tint	Mild organic like odor	No	Compressor at 25 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1426	100	20.77	7.328	1.094	-68.0	2.616	177.9		Grab sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1525	Clear with gray tint	Mild organic like odor	Yes	NA

Sampling Summary

Sample Date:	7/14/2025	Analysis:	NA
Sample Time:	1512	Bottles:	NA
Sample ID:	MW-425-20250714	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon at 1530		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW426

Date:	7/15/2025	Casing Material:	PVC	Depth to Water:	11.22
Weather Conditions:	NA 80	Casing Diameter:	2	Well Depth:	NA
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1244	Clear with light brown tint	Mild organic like odor	No	Compressor at 25 psi, 12/3 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1405	150	18.65	7.239	0.929	-48.8	3.623	144.6	11.22	Stable parameters sample

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
NA	Clear with light brown tint	Mild organic like odor	No	NA

Sampling Summary

Sample Date:	7/15/2025	Analysis:	NA
Sample Time:	1325	Bottles:	NA
Sample ID:	MW-426-20250715	QC Sample ID:	AD-200
QC Sample Time:	1325	Sampler Name:	GB
Remarks:	NA		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW428

Date:	7/16/2025	Casing Material:	PVC	Depth to Water:	13.04
Weather Conditions:	Rain|Partly Cloudy 75	Casing Diameter:	2	Well Depth:	24.74
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0847	Clear with light tan tint and turbid particles	Mild rotten like odor	No	Compressor at 20 psi, 14/1 recharge cycle recording began at 0858

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
0914	50	21.3	7.147	2.842	-111.3	0.272	32.36	14.63	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
NA	Clear with brown tint	Mild rotten like odor	Yes	NA

Sampling Summary

Sample Date:	7/16/2025	Analysis:	NA
Sample Time:	0931	Bottles:	
Sample ID:	MW-428-20250716	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon pump at 1000		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

W-8

Date:	7/15/2025	Casing Material:	PVC	Depth to Water:	13.36
Weather Conditions:	NA 77	Casing Diameter:	2	Well Depth:	29.19
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	NA	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0856	Clear with light tan tint	None	No	Compressor at 25 psi 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1015	100	17.19	7.481	0.968	59.4	7.721	295.0		Stable sample - RDO likely in error

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1001	Clear with light tan tint	None	No	NA

Sampling Summary

Sample Date:	7/15/2025	Analysis:	NA
Sample Time:	0950	Bottles:	NA
Sample ID:	W-8-2025715	QC Sample ID:	W-8-20250715
QC Sample Time:	0950	Sampler Name:	GB
Remarks:	MS/MSD		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

W-9

Date:	7/15/2025	Casing Material:	PVC	Depth to Water:	13.44
Weather Conditions:	NA 80	Casing Diameter:	2	Well Depth:	40.59
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	NA	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1426	Clear with light brown tint	No odor	No	Compressor at 35 psi, 13/2 recharge cycle

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
1442	100	19.86	7.142	1.172	-55.9	2.142	57.86	13.44	RDO likely in error, stable parameters sample

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1453	Clear with light tan tint	None	No	NA

Sampling Summary

Sample Date:	7/15/2025	Analysis:	NA
Sample Time:	1453	Bottles:	NA
Sample ID:	W-9-20250715	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon at 1503		

GE Indy Gauging Sheet
Gauging Date:
Gauged By: PV

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes	Sample parameters	Sample Date/Time
MW-112	767.58	Middle	47.8-57.8	24.46	57.54		Semi-Annual PDB; VOC only	7/15/25 / 1441
MW-122	765.49	Middle	49.5-59.5	15.03	59.25		Annual PDB; VOC only	7/17/25 / 1149
MW-123	765.17	Lower	80.7-90.7	22.31	30.37	Bag and cap missing Difficult to locate gone	Semi-Annual PDB; VOC only	7/17/25 / no sample
MW-131	772.88	Upper	22-32	15.00	30.97		Quarterly PDB; VOC only	7/15/25 / 1041
MW-132	772.39	Middle	59.5-69.5	29.37	69.85		Semi-Annual PDB; VOC only	7/15/25 / 1018
MW-133	772.68	Lower	87.7-97.7	29.98	99.03		Semi-Annual PDB; VOC only	7/15/25 / 1030
MW-142	770.92	Middle	53.5-63.5			Difficult to locate	Annual PDB; VOC only	Unable to locate
MW-153	768.95	Lower	80-90	26.11	54.50		Semi-Annual PDB; VOC only	7/15/25 / 0913
MW-163	770.49	Lower	85.2-95.2	27.71	94.81		Semi-Annual PDB; VOC only	7/15/25 / 0940
MW-173	768.97	Lower	87.8-97.8	26.09	97		Semi-Annual PDB; VOC only	7/15/25 / 1405
MW-183	772.17	Lower	94.3-105.3	29.60	105	clips replaced	Annual PDB; VOC only	7/14/25 / 0956
MW-22	769.71	Middle	50-60	26.15	59.83	eye sockets worn	Semi-Annual PDB; VOC only	7/16/25 / 0846
MW-241	767.58	Upper	24-34			Often Inaccessible (under car)	Quarterly PDB; VOC only	Car on top, no sample
MW-251	767.81	Upper	20-30	11.40	13.20		Quarterly PDB; VOC only	7/15/25 / 0824
MW-253	767.70	Lower	82-92	24.75	90.05		Semi-Annual PDB; VOC only	7/15/25 / 0941
MW-273	772.44	Lower	88-98	14.95	24.52	Difficult to locate no bag	Annual PDB; VOC only	no sample
MW-302	767.79	Middle	50-60	23.95	56.24		Annual PDB; VOC only	7/15/25 / 1214
MW-303	766.19	Lower	79-89	23.61	86.82		Semi-Annual PDB; VOC only	7/15/25 / 1225
MW-311	774.51	Upper	25-35	14.70	35.44	At corner of slab on roadway; may burried under debris	Quarterly PDB; VOC only	7/14/25 / 1310
MW-312	771.75	Middle	56-66	28.05	64.25		Semi-Annual PDB; VOC only	7/15/25 / 0957
MW-313	767.61	Lower	77-87	24.4	87.90		Semi-Annual PDB; VOC only	7/15/25 / 1454
MW-32	777.34	Middle	53-63	15.85	62.77	~~Casing top came off~~ PV	Annual PDB; VOC only	7/14/25 / ~~14:58~~ PV 1519
MW-321	770.54	Upper	23-33	11.46	27.33		Quarterly PDB; VOC only	7/14/25 / 1045
MW-322	769.75	Middle	50-60	59.62	25.96	Bag and cap missing	Semi-Annual PDB; VOC only	no sample
MW-323	770.23	Lower	80-90	8.0	27.69	Replaced clips	Semi-Annual PDB; VOC only	7/14/25 / 0909
MW-33	777.63	Lower	94-104	33.84	42.96	Casing top came off	Annual PDB; VOC only	7/14/25 / 1456
MW-331	772.43	Upper	22-32	14.21	32.34	Well lid missing	Quarterly PDB; VOC only	7/14/25 / 1020
MW-332	773.82	Middle	52.5-62.5	30.83	66.02	Bag and cap missing	Annual PDB; VOC only	no sample,
MW-333	764.82	Lower	80-90	22.13	38.85		Semi-Annual PDB; VOC only	7/15/25 / 1306
MW-343	764.05	Lower	76-86	well dry		No bag, cap, or lid	Annual PDB; VOC only	no sample

Swap depth readings

Confidential

GE Indy Gauging Sheet
Gauging Date:
Gauged By: PV

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes	Sample parameters	Sample Date/Time
MW-401	777.62	Upper	15-25	17.70	23.17		Quarterly PDB; VOC only	7/16/25 / 0945
MW-402	777.67	Upper	15-25				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-402D	777.75	Upper	30-40				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-403	777.87	Upper	15-25	16.00	25.03		Quarterly PDB; VOC only	7/16/25 / 1245
MW-404	777.76	Upper	15-25	17.74	25		Quarterly PDB; VOC only	7/16/25 / 1345
MW-405D	777.85	Upper	26-35	19.40	34.60		Semi-Annual PDB; VOC only	7/16/25 / 142
MW-405S	777.83	Upper	15-22	16.78	21.05		Semi-Annual PDB; VOC only	7/16/25 / 1400
MW-406D	777.53	Upper	26-35	18.60	32.90		Quarterly PDB; VOC only	7/16/25 / 1309
MW-406S	777.72	Upper	15-22	17.12	20.47		Quarterly PDB; VOC only	7/16/25 / 1254
MW-407D	777.64	Upper	26-35				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-407S	777.71	Upper	15-22				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-408D	777.79	Upper	26-35	18.28	34.22		Quarterly PDB; VOC only	7/16/25 / 1211
MW-408S	777.92	Upper	14.7-21.7	11.90	21.07		Quarterly PDB; VOC only	7/16/25 / 1222
MW-41	771.10	Upper	22-27	11.42	25.54		Quarterly PDB; VOC only	7/15/25 / 1127
MW-410D	772.20	Upper	26-35				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-410S	772.16	Upper	15-22				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-411D	772.34	Upper	26-35				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-411S	772.28	Upper	15-22				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-413D	772.21	Upper	26-35				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-413S	772.13	Upper	15-22				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-414D	771.23	Upper	26-35	12.54	36.05		Semi-Annual PDB; VOC only	7/14/25 / 1200
MW-414S	771.23	Upper	15-22	12.12	15.21		Semi-Annual PDB; VOC only	7/14/25 / 1150
MW-415D	771.96	Upper	26-35	13.03	30.24		Semi-Annual PDB; VOC only	7/14/25 / 1230
MW-415S	771.93	Upper	15-22	12.25	17.16	clips replaced	Semi-Annual PDB; VOC only	7/14/25 / 1224
MW-416D	773.24	Upper	26-36	13.65	34.65	bolt bent, needs replace	Quarterly PDB; VOC only	no sample
MW-416S	773.32	Upper	15-22	13.60	21.62	egg and cups gone	Quarterly PDB; VOC only	~~7/14/25~~ PV no sample
MW-417D	777.64	Upper	31-40	18.12	38.03		Semi-Annual PDB; VOC only	7/16/25 / 1009
MW-417S	777.64	Upper	20-27	17.46	27.10		Semi-Annual PDB; VOC only	7/16/25 / 1000
MW-418D	777.76	Upper	31-41				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-418S	777.73	Upper	20-27				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-419D	777.91	Upper	31-41	15.70	41.62		Quarterly PDB; VOC only	7/16/25 / 1152
MW-419S	777.99	Upper	17-27	15.81	26.21		Quarterly PDB; VOC only	7/16/25 / 1143
MW-422D	777.69	Upper	29-38	11.81	37.7		Quarterly PDB; VOC only	7/16/25 / 1116 Dup AD-300

Confidential

GE Indy Gauging Sheet
Gauging Date:
Gauged By: PV

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes	Sample parameters	Sample Date/Time
MW-422S	777.68	Upper	19-26	11.21	25.5		Quarterly PDB; VOC only	7/16/25 / 1129
MW-423D	777.69	Upper	29-38	17.72	37.36		Quarterly PDB; VOC only	7/16/25 / 1036
MW-423S	777.64	Upper	19-26	16.13	25.2		Quarterly PDB; VOC only	7/16/25 / 1046
MW-424D	777.63	Upper	29-38	18.91	37.35		Semi-Annual PDB; VOC only	7/16/25 / 1326
MW-424S	777.57	Upper	19-26	17.87	25.74		Semi-Annual PDB; VOC only	7/16/25 / 1336
MW-425	769.39	Upper	10-30				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-426	769.19	Upper	14-34				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-427	768.79	Upper	15-25			Difficult to locate - under debris	Quarterly PDB; VOC only	Couldn't locate
MW-428	777.77	Upper	15-25				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
MW-82	774.50	Middle	56-61	30.6	60.35		Annual PDB; VOC only	7/14/25 / 1554
MW-92	771.62	Middle	53-63	27.75	62.83		Annual PDB; VOC only	7/15/25 / 1331
W-10	768.61	Upper	21.4-31.9	12.14	16.92		Quarterly PDB; VOC only	7/15/25 / 0859
W-11D	772.17	Middle	55-65.5	28.45	264.19		Semi-Annual PDB; VOC only	7/14/25 / 0939
W-2	780.02	Upper	20-30	18.07	29.16		Quarterly PDB; VOC only	7/14/25 / 1404
W-4D	772.52	Middle	57.2-67.4	29.09	58.05		Annual PDB; VOC only	7/16/25 / 0911
W-4R	772.44	Upper	15-25	13.01	25.12		Quarterly PDB; VOC only	7/16/25 / 0926
W-8	770.53	Upper	21.1-31.5				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—
W-8D	770.70	Middle	56.7-67.1				Annual PDB; VOC only	Unable to open, bolt stuck
W-9	771.37	Upper	32.3-41.7				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE	—

AMSL - Above Mean Sea Level.
TOC - Top of Casing
bgs - below ground surface
Water Elevation = TOC elevation - Depth to water
-- = measurement not applicable
Annual
Semi-annual
Quarterly

Confidential

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/14/25

Default Site Location

Site Information

Date	7/14/2025	Time	07:45
Report Number		Weather	Wind, Sunny
Staff On-site	Gabriel Borgmeyer, Patrick Verbryke	Staff From Time	07:45
Staff To Time		Contractor	
Contractor Crew		Visitors	
Contractor From Time		Contractor To Time	
Tailgate meeting conducted		Equipment On Site	
Imported/Exported Material			
Remarks			
Work Summary	Q3 2035 GWM - low flow, PDB, soil gas		

Observations

Time	Observation
07:45	GB onsite. Site security present. Begin prepping and unloading equipment
08:05	PV onsite. Safety talk discussed - heat, sun, slips/trips, new security personnel
08:22	P. Rohan onsite to discuss security personnel
08:26	P. Rohan offsite
08:42	Quickcal (2 sensors) on AT 600, all parameters stable
08:55	Collected EB – 01 from sample pro pump
09:18	Mob to MW-413
09:42	Begin purging at MW – 413S. Refer to GWM form for more details.
11:41	Begin purging at MW – 413D. Refer to GWM form for more details.
13:26	Mob to MW-425
13:59	Begin purging at MW-425, refer to GWM form for more details
15:36	Decon pump from MW-425, begin demob
15:52	Dump purge water in drum
16:02	GB offsite for EOD to collect supplies for missing J-plugs (refer to PV DFR)

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/15/25

Default Site Location

Site Information

Date	7/15/2025	Time	08:09
Report Number		Weather	Sunny, Warm
Staff On-site	Gabriel Borgmeyer, Patrick Verbryke	Staff From Time	07:50
Staff To Time		Contractor	
Contractor Crew		Visitors	Site security
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	
Imported/Exported Material			
Remarks			
Work Summary	Q3 GWM monitoring		

Observations

Time	Observation
07:50	GB onsite, set up for day & conduct safety meeting - hazards unchanged
08:15	Mob to W-8
08:31	QuickCal (2 sensors) completed on AT 600, all parameters stable
08:56	Begin purge at W-8, refer to GWM form for more details
10:31	Decon pump from W-8, begin demob
10:40	Attempt to open W-8D. Bolt stuck and threaded. Attempt pry bar and bolt shearing.
10:57	Unable to open W-8D. Helping PV locate MW-142
11:26	Mob back to east site, break for lunch
12:03	Mob to MW-426
12:44	Begin purge at MW-426, refer to GWM form for more details
12:57	Troubleshoot pump & aquatroll- unusually high RDO from last reading, made sure no bubbles or breaks in seals
13:01	Mob to drum to deliver purge water, write notes
13:29	P. Rohan onsite for safety audit
13:40	Decon pump from MW-426
14:09	Mob to W-9
14:26	Begin purge at MW-9, refer to GWM form for more details
15:13	Lightning alert - halt work
16:28	Decided to work for day, all staff offsite

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/16/25

Default Site Location

Site Information

Date	7/16/2025	Time	07:48
Report Number		Weather	Wind, Sunny
Staff On-site	Gabriel Borgmeyer, Patrick Verbryke	Staff From Time	07:33
Staff To Time		Contractor	
Contractor Crew		Visitors	
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	
Imported/Exported Material			
Remarks			
Work Summary	3Q GWM - low flow and PDBs		

Observations

Time	Observation
07:33	GB onsite, signed JSA, begin prep
08:03	Quickcal (2 sensors) on AT 600 - all parameters stable
08:14	Mob to MW-428
09:15	Begin purge at MW-428, refer to GWM form for more details
10:10	GB offsite for ice
10:35	GB onsite, mob to MW-407
11:05	Begin purge at MW-407S, refer to GWM form for more details
12:30	Begin purge at MW-407D, refer to GWM form for more details
13:53	Mob to MW-402
14:24	Begin purge at MW – 402S, refer to GWM form for more details
15:52	Begin purge at MW – 402D, refer to GWM form for more details
17:11	Mob to drum to dump purge water, demob for day
17:12	All staff offsite

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/17/25

Default Site Location

Site Information

Date	7/17/2025	Time	07:42
Report Number		Weather	Clear, Sunny
Staff On-site	Gabriel Borgmeyer	Staff From Time	07:40
Staff To Time		Contractor	
Contractor Crew		Visitors	
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	
Imported/Exported Material			
Remarks			
Work Summary	3Q GWM - low flow		

Observations

Time	Observation
07:40	GB onsite, begin prep
07:52	Quick cal (2 sensors) completed on AT 600, all parameters stable
08:27	Mob to MW-418
08:52	Begin purge at MW-418D, refer to GWM form for more details
10:35	Begin purge at MW-418S, refer to GWM form for more details
11:53	Decon pump from MW-418S, prepare COC for courier pickup
12:33	Mob to MW-410
12:44	Begin purge at MW – 410D, refer to GWM form for more details
14:26	Begin purge at MW – 410S, refer to GWM form for more details
15:34	Dump purge water in drum then mob to MW-411
16:09	Begin purge at MW-411S, refer to GWM form for more details
17:00	Begin demob for EOD, dump purge water and close drum
17:10	All staff offsite

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/18/25

Default Site Location

Site Information

Date	7/18/2025	Time	07:49
Report Number		Weather	Cloudy, Warm
Staff On-site	Gabriel Borgmeyer	Staff From Time	07:47
Staff To Time		Contractor	
Contractor Crew		Visitors	
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	
Imported/Exported Material			
Remarks			
Work Summary	Q3 2025 GWM - low flow		

Observations

Time	Observation
07:47	GB onsite, begin setup
07:57	Perform quick cal (2 sensors) on AT 600, all parameters stable
08:15	Mob to MW – 411D
08:57	Begin purge at MW – 411D, refer to GWM form for more details
09:57	Mob to MW-428 and collect M/E/E sample with pump
10:22	Decon pump from MW-428
10:32	Mob to MW-407S, begin M/E/E sample
10:50	Decon pump from MW-407S, begin to sample MW-407D
11:14	Decon pump from MW-407D
11:27	Mob to MW-413, sample MW-413S, Decon pump and sample MW-413D
11:49	Decon pump from MW-413D, mob to MW-425 to sample M/E/E
12:36	Decon pump from MW-425, begin demob for day
12:50	Dumped purge water into labeled drum (roughly 35 gal filled) and finish notes
12:55	All staff offsite

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/14/25

Default Site Location

Site Information

Date	07/08/2025	Date	07/14/2025
Time	13:36	Time	08:14
Report Number		Weather	Sunny
Staff On-site	Gabriel Borgmeyer, Patrick Verbryke	Staff From Time	13:36
Staff From Time	8:00 AM	Staff To Time	13:36
Staff To Time	4:08 PM	Contractor	
Contractor Crew		Visitors	Patrick Rohan
Contractor From Time	13:36	Contractor To Time	13:36
Tailgate meeting conducted	Yes	Equipment On Site	Low flow equipment, PDB sampling equipment
Imported/Exported Material			
Remarks			
Work Summary	Sampling PDB locations		

Observations

Time	Observation
8:00 AM	Arrive on site, exchange materials with Gabe Borgmeyer, conduct safety meeting with new safety contractor
08:38	Prep completed, starting PDB collection at MW-332
8:46 AM	MW-332 has no bag or cap, depth measurements only
9:09 AM	Sampled MW-323
9:22 AM	MW-322 has no bag and no cap, depth measurements only
9:39 AM	Sampled W-11D
9:56 AM	Sampled MW-183
10:20 AM	Sampled MW-331
10:45 AM	Sampled MW-321
11:28	Taking small break to recover from exertion to open well MW-414, de-threaded bolt removed
11:42	Resuming work
11:50 AM	Sampled MW-414S
12:00 PM	Sampled MW-414D
12:24 PM	Sampled MW-415S
12:36 PM	Sampled MW-415D
12:56	MW-416S and MW-416D missing bag and cap, depth measurements only. Bolt was bent and needs replacement
1:10 PM	Sampled MW-311
13:20	Off-site to get drink and take cool down break
13:51	Back on site heading to next well
2:04 PM	Sampled W-2
2:56 PM	Sampled MW-33. Well casing top came off, needs repairs
3:19 PM	Sampled MW-32

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/14/25

Time	Observation
3:54 PM	Sampled MW-82
16:08	Leaving site for day (PV)

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/15/25

Default Site Location

Site Information

Date	07/08/2025	Date	07/15/2025
Time	13:59	Time	07:38
Report Number		Weather	Sunny
Staff On-site	Gabriel Borgmeyer, Patrick Rohan, Patrick Verbryke	Staff From Time	13:59
Staff From Time	7:38 AM	Staff To Time	13:59
Staff To Time	4:24 PM	Contractor	
Contractor Crew		Visitors	CSRE Global security officer
Contractor From Time	13:59	Contractor To Time	13:59
Tailgate meeting conducted		Equipment On Site	Low flow, PDB sampling
Imported/Exported Material			
Remarks			
Work Summary	Continued PDB sampling		

Observations

Time	Observation
07:38	Arrive on site, awaiting others
07:51	Gabe Borgmeyer and security on site, conducting safety meeting and work prep
08:16	Safety meeting and prep done, starting on first well
08:29	Sampled MW-251
8:41 AM	Sampled MW-253
8:59 AM	Sampled W-10
9:13 AM	Sampled MW-153
9:40 AM	Sampled MW-163
9:57 AM	Sampled MW-312
10:18 AM	Sampled MW-132
10:30 AM	Sampled MW-133
10:41 AM	Sampled MW-131
11:13	Unable to locate MW-142, in gravel area and may be covered up
11:14	Unable to sample W-8D, thread bolt stuck in socket, need bolt extractor
11:27 AM	Sampled MW-41
11:49 AM	Sampled MW-122
11:53	MW-123 missing bag and cap, depth measurements only
12:14 PM	Sampled MW-302
12:25 PM	Sampled MW-303
12:40 PM	Courier on site to pick up samples
12:54 PM	MW-343 has no bag, cap, or lid, well dry as well
1:08 PM	Sampled MW-333
1:22 PM	Unable to sample MW-241, car parked on top

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/15/25

Time	Observation
1:31 PM	Sampled MW-92
2:05 PM	Sampled MW-173
14:13	Taking short break to cool down
14:31	Resuming PDB collection
2:41 PM	Sampled MW-112
2:54 PM	Sampled MW-313
3:15 PM	Break for passing Thunderstorm
16:24	Leaving site due to continuous thunder alerts, unable to sample

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/16/25

Default Site Location

Site Information

Date	07/16/2025	Time	22:29
Report Number		Weather	Cloudy
Staff On-site	Patrick Verbryke, Gabriel Borgmeyer	Staff From Time	7:24 AM
Staff To Time	3:10 PM	Contractor	
Contractor Crew		Visitors	
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	Low flow sampling, PDB collecting
Imported/Exported Material			
Remarks			
Work Summary	Collecting pdbs, soil gas measurments		

Observations

Time	Observation
7:25 AM	Arive on site, waiting for Gabriel Borgmeyer
07:34	Gabe Borgmeyer on site, begin prep and safety meeting
07:51	Prep complete starting on soil gas point 1
8:10 AM	SGP-1 PID = 0.0 ppm CH4 = 0 % CO2 = 0 % vol O2 = 20.9%
08:21	SGP-2 PID = 0.0 ppm CH4 = 0% CO2 = 0.0 % vol O2 = 20.9 %
8:30 AM	SGP-3 PID = 0.0 ppm CH4 = 0 CO2 = 2.53 % vol O2 = 17.1%
8:46 AM	Sampled MW-22
08:59	No bag or line in 273, depth measurements only
9:11 AM	Sampled W-4D
9:26 AM	Sampled W-4R
9:45 AM	Sampled MW-401
10:00 AM	Sampled MW-417S
10:09 AM	Sampled MW-417D
10:36 AM	Sampled MW-423D

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 07/16/25

Time	Observation
10:46 AM	Sampled MW-423S
11:16 AM	Sampled MW-422D, dupe AD-300 taken, time 1200
11:28 AM	Sampled MW-422S
11:43 AM	Sampled MW-419S
11:52 AM	Sampled MW-419D
12:11 PM	Sampled MW-408D
12:22 PM	Sampled MW-408S
12:45 PM	Sampled MW-403
12:59 PM	Sampled MW-406S
13:08	Sampled MW-406D
1:26 PM	Sampled MW-424D
1:36 PM	Sampled MW-424S
1:45 PM	Sampled MW-404
14:00	Sampled MW-405S
14:12	Sampled MW-405D
14:21	Finished with PDB collection, collecting all samples and updating chain of custody
15:01	Chain finished, dumping waste water
15:10	Leaving site for day

Photos

APPENDIX A-4
OCTOBER 2025 GROUNDWATER SAMPLING FIELD NOTES

Low-Flow Test Report:

Test Date / Time: 10/13/2025 8:49:45 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-413S **Latitude: 39.77461271** **Longitude: -86.10277276** **Well Diameter: 2 cm** **Casing Type: PVC** **Screen Length: 7 m** **Top of Screen: 15 m** **Total Depth: 22.33 m** **Initial Depth to Water: 14.48 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18.5 m** **Estimated Total Volume Pumped: 1200 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 0842
Compressor at 20 psi, 13/2 recharge cycle
Initial: water clear with few dark brown flocs, mild rotten-like odor
Recording at 0849
Stable sample at 0910 with MS/MSD
Final: water clear with few fine black particles, mild rotten-like odor
Decon at 0933

Weather Conditions:
55, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/13/2025 8:49 AM	00:00	6.93 pH	17.88 °C	0.91 mS/cm	0.07 mg/L	1.15 NTU	-116.0 mV	14.48 ft	100.00 ml/min
10/13/2025 8:52 AM	03:00	6.89 pH	18.13 °C	0.88 mS/cm	0.13 mg/L	0.59 NTU	-126.0 mV	14.48 ft	100.00 ml/min
10/13/2025 8:55 AM	06:00	6.90 pH	18.32 °C	0.86 mS/cm	0.13 mg/L	0.42 NTU	-127.7 mV	14.48 ft	100.00 ml/min
10/13/2025 8:58 AM	09:00	6.90 pH	18.57 °C	0.85 mS/cm	0.11 mg/L	0.03 NTU	-131.2 mV	14.48 ft	100.00 ml/min
10/13/2025 9:01 AM	12:00	6.91 pH	18.65 °C	0.85 mS/cm	0.10 mg/L	0.21 NTU	-133.9 mV	14.48 ft	100.00 ml/min

Samples

Sample ID:	Description:

MW-413S-20251013	Stable sample at 0910 12 bottles: VOCs, Nitrate/Sulfate, Dissolved Fe, MS/MSD

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/13/2025 9:59:57 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-413D **Latitude: 39.77572573** **Longitude: -86.10640336** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 35.38 ft** **Initial Depth to Water: 15.06 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30.5 m** **Estimated Total Volume Pumped: 2400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 0953
Compressor at 30 psi, 13/2 recharge cycle
Initial: water clear with fine black particles, mild rotten-like odor
Recording at 0959
Stable sample at 1029
Final: water clear with fine black particles, no odor
Decon at 1050

Weather Conditions:
55, clear

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/13/2025 9:59 AM	00:00	7.13 pH	18.79 °C	1.10 mS/cm	0.55 mg/L	12.45 NTU	-107.5 mV	15.06 ft	100.00 ml/min
10/13/2025 10:02 AM	03:00	7.15 pH	18.53 °C	1.10 mS/cm	0.26 mg/L	9.02 NTU	-113.9 mV	15.06 ft	100.00 ml/min
10/13/2025 10:05 AM	06:00	7.16 pH	18.43 °C	1.09 mS/cm	0.20 mg/L	8.79 NTU	-120.0 mV	15.06 ft	100.00 ml/min
10/13/2025 10:08 AM	09:00	7.16 pH	18.37 °C	1.10 mS/cm	0.18 mg/L	6.97 NTU	-123.6 mV	15.06 ft	100.00 ml/min
10/13/2025 10:11 AM	12:00	7.17 pH	18.35 °C	1.10 mS/cm	0.15 mg/L	4.64 NTU	-125.7 mV	15.06 ft	100.00 ml/min
10/13/2025 10:14 AM	15:00	7.17 pH	18.36 °C	1.10 mS/cm	0.14 mg/L	4.32 NTU	-127.7 mV	15.06 ft	100.00 ml/min
10/13/2025 10:17 AM	18:00	7.17 pH	18.35 °C	1.10 mS/cm	0.12 mg/L	3.70 NTU	-129.0 mV	15.06 ft	100.00 ml/min
10/13/2025 10:20 AM	21:00	7.17 pH	18.35 °C	1.10 mS/cm	0.11 mg/L	2.80 NTU	-129.7 mV	15.06 ft	100.00 ml/min
10/13/2025 10:23 AM	24:00	7.17 pH	18.32 °C	1.10 mS/cm	0.10 mg/L	4.19 NTU	-131.1 mV	15.06 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-413D-20251013	Stable parameters sample at 1029 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC
AD-100-20251013	Dup of MW-413D 3 VOAs

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/13/2025 11:39:32 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-425 **Latitude: 39.77552611** **Longitude: -86.10631649** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 20 ft** **Total Depth: 29.28 ft** **Initial Depth to Water: 12.25 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 24.64 m** **Estimated Total Volume Pumped: 2400 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 1132
Compressor at 25 psi, 13/2 recharge cycle
Initial: water clear with few fine black particles, no odor
Recording at 1139
Stable sample at 1210
Final: water clear with no particles or odor
Decon at 1229

Weather Conditions:
60, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/13/2025 11:39 AM	00:00	7.07 pH	23.26 °C	1.00 mS/cm	1.08 mg/L	55.98 NTU	-82.8 mV	12.25 ft	100.00 ml/min
10/13/2025 11:42 AM	03:00	6.79 pH	22.37 °C	1.02 mS/cm	0.53 mg/L	45.09 NTU	-58.1 mV	12.25 ft	100.00 ml/min
10/13/2025 11:45 AM	06:00	6.80 pH	22.14 °C	1.02 mS/cm	0.40 mg/L	37.94 NTU	-56.4 mV	12.25 ft	100.00 ml/min
10/13/2025 11:48 AM	09:00	6.81 pH	22.06 °C	1.03 mS/cm	0.36 mg/L	17.21 NTU	-60.2 mV	12.25 ft	100.00 ml/min
10/13/2025 11:51 AM	12:00	6.81 pH	22.05 °C	1.04 mS/cm	0.32 mg/L	10.89 NTU	-62.8 mV	12.25 ft	100.00 ml/min
10/13/2025 11:54 AM	15:00	6.83 pH	21.95 °C	1.06 mS/cm	0.29 mg/L	9.54 NTU	-66.5 mV	12.25 ft	100.00 ml/min
10/13/2025 11:57 AM	18:00	6.84 pH	21.82 °C	1.07 mS/cm	0.28 mg/L	7.49 NTU	-69.2 mV	12.25 ft	100.00 ml/min
10/13/2025 12:00 PM	21:00	6.87 pH	21.87 °C	1.08 mS/cm	0.26 mg/L	5.68 NTU	-72.0 mV	12.25 ft	100.00 ml/min
10/13/2025 12:03 PM	24:00	6.89 pH	21.91 °C	1.08 mS/cm	0.25 mg/L	5.10 NTU	-74.3 mV	12.25 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-425-20251013	Stable sample at 1210 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/13/2025 1:06:41 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-426 **Latitude: 39.77488379** **Longitude: -86.10673743** **Well Diameter: 2 cm** **Casing Type: PVC** **Screen Length: 20 ft** **Top of Screen: 14 ft** **Total Depth: 34.02 ft** **Initial Depth to Water: 12.16 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 24 ft** **Estimated Total Volume Pumped: 4050 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 150 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 1259
Compressor at 25 psi, 13/2 recharge cycle
Initial: water clear with black particles, mild rotten-like odor
Recording at 1306
Stable sample at 1335
Final: water clear with no particles, mild rotten-like odor
Decon at 1350

Weather Conditions:
65, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/13/2025 1:06 PM	00:00	7.10 pH	22.51 °C	1.14 mS/cm	0.62 mg/L	16.63 NTU	-79.1 mV	12.16 ft	150.00 ml/min
10/13/2025 1:09 PM	03:00	6.76 pH	20.60 °C	1.14 mS/cm	0.30 mg/L	17.39 NTU	-55.5 mV	12.16 ft	150.00 ml/min
10/13/2025 1:12 PM	06:00	6.75 pH	20.09 °C	1.13 mS/cm	0.21 mg/L	20.16 NTU	-52.5 mV	12.16 ft	150.00 ml/min
10/13/2025 1:15 PM	09:00	6.79 pH	20.10 °C	1.12 mS/cm	0.17 mg/L	26.46 NTU	-54.0 mV	12.16 ft	150.00 ml/min
10/13/2025 1:18 PM	12:00	6.80 pH	20.22 °C	1.12 mS/cm	0.15 mg/L	16.03 NTU	-56.3 mV	12.16 ft	150.00 ml/min
10/13/2025 1:21 PM	15:00	6.80 pH	20.11 °C	1.13 mS/cm	0.14 mg/L	11.33 NTU	-58.5 mV	12.16 ft	150.00 ml/min
10/13/2025 1:24 PM	18:00	6.79 pH	20.11 °C	1.14 mS/cm	0.14 mg/L	6.25 NTU	-60.2 mV	12.16 ft	150.00 ml/min
10/13/2025 1:27 PM	21:00	6.80 pH	20.10 °C	1.13 mS/cm	0.13 mg/L	3.35 NTU	-61.4 mV	12.16 ft	150.00 ml/min
10/13/2025 1:30 PM	24:00	6.80 pH	20.06 °C	1.13 mS/cm	0.11 mg/L	1.96 NTU	-62.4 mV	12.16 ft	150.00 ml/min

10/13/2025 1:33 PM	27:00	6.81 pH	20.12 °C	1.13 mS/cm	0.10 mg/L	2.07 NTU	-63.2 mV	12.16 ft	150.00 ml/min

Samples

Sample ID:	Description:
MW-426-20251013	Stable sample at 1335 6 bottles: 3x VOAs for VOCs, 3x M/E/E

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/13/2025 2:37:23 PM
Project: GE Indy
Operator Name: GB

Location Name: W-9 **Latitude: 39.77458333** **Longitude: -86.10625245** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9.4 ft** **Top of Screen: 32.3 ft** **Total Depth: 40.78 ft** **Initial Depth to Water: 31.01 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 36.54 ft** **Estimated Total Volume Pumped: 5100 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 1429
Compressor at 35 psi, 13/2 recharge cycle
Initial: water clear with few fine brown particles, no odor
Recording at 1437
Stable sample at 1530
Final: water clear with no particles or odor
Decon at 1543

Weather Conditions:
65, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/13/2025 2:37 PM	00:00	7.04 pH	21.78 °C	1.07 mS/cm	0.92 mg/L	61.37 NTU	-66.7 mV	31.01 ft	100.00 ml/min
10/13/2025 2:40 PM	03:00	6.93 pH	20.91 °C	1.13 mS/cm	0.54 mg/L	63.05 NTU	-59.6 mV	31.01 ft	100.00 ml/min
10/13/2025 2:43 PM	06:00	6.89 pH	20.59 °C	1.16 mS/cm	0.40 mg/L	70.11 NTU	-58.4 mV	31.01 ft	100.00 ml/min
10/13/2025 2:46 PM	09:00	6.88 pH	20.53 °C	1.16 mS/cm	0.33 mg/L	66.12 NTU	-59.0 mV	31.01 ft	100.00 ml/min
10/13/2025 2:49 PM	12:00	6.88 pH	20.43 °C	1.17 mS/cm	0.29 mg/L	60.71 NTU	-59.9 mV	31.01 ft	100.00 ml/min
10/13/2025 2:52 PM	15:00	6.88 pH	20.14 °C	1.17 mS/cm	0.27 mg/L	57.92 NTU	-61.0 mV	31.01 ft	100.00 ml/min
10/13/2025 2:55 PM	18:00	6.89 pH	20.10 °C	1.17 mS/cm	0.23 mg/L	36.71 NTU	-62.3 mV	31.01 ft	100.00 ml/min
10/13/2025 2:58 PM	21:00	6.89 pH	20.11 °C	1.17 mS/cm	0.21 mg/L	39.86 NTU	-63.5 mV	31.01 ft	100.00 ml/min
10/13/2025 3:01 PM	24:00	6.90 pH	20.10 °C	1.17 mS/cm	0.19 mg/L	35.41 NTU	-64.7 mV	31.01 ft	100.00 ml/min

10/13/2025 3:04 PM	27:00	6.91 pH	20.13 °C	1.17 mS/cm	0.18 mg/L	27.16 NTU	-66.0 mV	31.01 ft	100.00 ml/min
10/13/2025 3:07 PM	30:00	6.91 pH	20.07 °C	1.17 mS/cm	0.17 mg/L	20.34 NTU	-67.0 mV	31.01 ft	100.00 ml/min
10/13/2025 3:10 PM	33:00	6.92 pH	19.97 °C	1.18 mS/cm	0.15 mg/L	21.99 NTU	-68.2 mV	31.01 ft	100.00 ml/min
10/13/2025 3:13 PM	36:00	6.93 pH	20.08 °C	1.18 mS/cm	0.14 mg/L	19.44 NTU	-69.3 mV	31.01 ft	100.00 ml/min
10/13/2025 3:16 PM	39:00	6.94 pH	20.13 °C	1.18 mS/cm	0.14 mg/L	16.74 NTU	-70.7 mV	31.01 ft	100.00 ml/min
10/13/2025 3:19 PM	42:00	6.96 pH	20.03 °C	1.18 mS/cm	0.13 mg/L	12.67 NTU	-72.0 mV	31.01 ft	100.00 ml/min
10/13/2025 3:22 PM	45:00	6.97 pH	20.00 °C	1.18 mS/cm	0.11 mg/L	10.54 NTU	-73.5 mV	31.01 ft	100.00 ml/min
10/13/2025 3:25 PM	48:00	6.99 pH	20.03 °C	1.18 mS/cm	0.11 mg/L	6.18 NTU	-74.9 mV	31.01 ft	100.00 ml/min
10/13/2025 3:28 PM	51:00	7.01 pH	19.94 °C	1.18 mS/cm	0.11 mg/L	10.61 NTU	-76.4 mV	31.01 ft	100.00 ml/min

Samples

Sample ID:	Description:
W-9-20251013	Stable sample at 1530 6 bottles: VOCs + M/E/E

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/13/2025 4:21:44 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-428 **Latitude: 39.77680737** **Longitude: -86.10517233** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 15 ft** **Total Depth: 24.97 ft** **Initial Depth to Water: 16.47 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 19.98 ft** **Estimated Total Volume Pumped: 3011.667 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purging at 1613
Compressor at 20 psi, 14/1 recharge cycle
Initial: water clear with no particles, mild organic-like odor
Recording at 1621
Passive sample at 1700
Final: water clear with fine brown particles, mild organic-like odor
Decon at 1710

Weather Conditions:
75, partly sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/13/2025 4:21 PM	00:00	7.07 pH	22.40 °C	2.75 mS/cm	2.45 mg/L	62.18 NTU	-106.9 mV	16.47 ft	100.00 ml/min
10/13/2025 4:24 PM	03:00	7.02 pH	23.09 °C	2.79 mS/cm	0.62 mg/L	53.86 NTU	-103.9 mV	16.47 ft	100.00 ml/min
10/13/2025 4:27 PM	06:00	7.00 pH	23.35 °C	2.81 mS/cm	0.58 mg/L	63.15 NTU	-104.1 mV	16.47 ft	100.00 ml/min
10/13/2025 4:30 PM	09:00	7.00 pH	23.27 °C	2.81 mS/cm	0.35 mg/L	58.98 NTU	-107.0 mV	16.47 ft	100.00 ml/min
10/13/2025 4:33 PM	12:00	7.00 pH	23.27 °C	2.78 mS/cm	0.28 mg/L	45.14 NTU	-108.3 mV	16.47 ft	100.00 ml/min
10/13/2025 4:36 PM	15:00	7.01 pH	23.27 °C	2.75 mS/cm	0.22 mg/L	39.06 NTU	-110.1 mV	16.47 ft	100.00 ml/min
10/13/2025 4:36 PM	15:07	7.01 pH	23.27 °C	2.75 mS/cm	0.22 mg/L	40.96 NTU	-110.3 mV	16.47 ft	100.00 ml/min
10/13/2025 4:39 PM	18:07	7.01 pH	23.44 °C	2.73 mS/cm	0.19 mg/L	44.38 NTU	-111.7 mV	16.47 ft	100.00 ml/min
10/13/2025 4:42 PM	21:07	7.01 pH	23.46 °C	2.75 mS/cm	0.18 mg/L	41.70 NTU	-112.7 mV	16.47 ft	100.00 ml/min

10/13/2025 4:45 PM	24:07	7.01 pH	23.41 °C	2.74 mS/cm	0.17 mg/L	36.71 NTU	-113.3 mV	17.42 ft	100.00 ml/min
10/13/2025 4:48 PM	27:07	7.01 pH	23.23 °C	2.73 mS/cm	0.16 mg/L	40.14 NTU	-113.8 mV	16.47 ft	100.00 ml/min
10/13/2025 4:51 PM	30:07	7.01 pH	23.06 °C	2.72 mS/cm	0.15 mg/L	33.99 NTU	-114.2 mV	16.47 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-428-20251013	Passive sample due to turbidity 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/14/2025 9:11:50 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-407D **Latitude: 39.7762553** **Longitude: -86.10567968** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 29.45 ft** **Initial Depth to Water: 19.96 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 27.72 ft** **Estimated Total Volume Pumped: 3600 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 0903
Compressor at 25 psi, 13/2 recharge cycle
Purge water clear with few fine black particles, mild rotten-like odor
Recording at 0911
Stable sample at 0955
Final: water clear with fine black particles, mild rotten-like odor
Decon at 1020

Weather Conditions:
60, clear

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/14/2025 9:11 AM	00:00	7.08 pH	18.38 °C	1.59 mS/cm	0.58 mg/L	8.59 NTU	34.4 mV	19.96 ft	100.00 ml/min
10/14/2025 9:14 AM	03:00	6.97 pH	18.67 °C	1.58 mS/cm	0.36 mg/L	7.48 NTU	12.7 mV	19.96 ft	100.00 ml/min
10/14/2025 9:17 AM	06:00	6.95 pH	18.82 °C	1.57 mS/cm	0.29 mg/L	8.77 NTU	-8.6 mV	19.96 ft	100.00 ml/min
10/14/2025 9:20 AM	09:00	6.94 pH	18.82 °C	1.57 mS/cm	0.25 mg/L	6.41 NTU	-30.7 mV	19.96 ft	100.00 ml/min
10/14/2025 9:23 AM	12:00	6.94 pH	18.86 °C	1.57 mS/cm	0.24 mg/L	4.54 NTU	-40.6 mV	19.96 ft	100.00 ml/min
10/14/2025 9:26 AM	15:00	6.93 pH	18.87 °C	1.56 mS/cm	0.20 mg/L	3.04 NTU	-48.1 mV	19.96 ft	100.00 ml/min
10/14/2025 9:29 AM	18:00	6.93 pH	18.88 °C	1.57 mS/cm	0.20 mg/L	11.12 NTU	-53.3 mV	19.96 ft	100.00 ml/min
10/14/2025 9:32 AM	21:00	6.93 pH	18.93 °C	1.55 mS/cm	0.17 mg/L	9.29 NTU	-56.0 mV	19.96 ft	100.00 ml/min
10/14/2025 9:35 AM	24:00	6.93 pH	18.85 °C	1.54 mS/cm	0.15 mg/L	3.40 NTU	-58.3 mV	19.96 ft	100.00 ml/min

10/14/2025 9:38 AM	27:00	6.93 pH	18.86 °C	1.52 mS/cm	0.14 mg/L	2.34 NTU	-60.8 mV	19.96 ft	100.00 ml/min
10/14/2025 9:41 AM	30:00	6.92 pH	18.85 °C	1.50 mS/cm	0.12 mg/L	1.40 NTU	-62.5 mV	19.96 ft	100.00 ml/min
10/14/2025 9:44 AM	33:00	6.92 pH	18.85 °C	1.49 mS/cm	0.11 mg/L	0.69 NTU	-64.7 mV	19.96 ft	100.00 ml/min
10/14/2025 9:47 AM	36:00	6.92 pH	18.88 °C	1.52 mS/cm	0.10 mg/L	6.21 NTU	-66.4 mV	19.96 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-407D-20251014	Stable sample at 0955 12 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC, MS/MSD

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/14/2025 10:43:10 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-407S **Latitude: 39.77631403** **Longitude: -86.10553319** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 5 ft** **Top of Screen: 15 ft** **Total Depth: 20.53 ft** **Initial Depth to Water: 17.27 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 19.26 ft** **Estimated Total Volume Pumped: 1350 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 50 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 1033
Compressor at 20 psi, 14/1 recharge
Initial: water clear with few dark particles, mild rotten-like odor
Recording at 1040
Stable sample at 1118
Final: water clear with no particles, mild rotten-like odor
Decon at 1150

Weather Conditions:
65, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/14/2025 10:43 AM	00:00	6.90 pH	22.42 °C	1.36 mS/cm	0.97 mg/L	3.19 NTU	-60.1 mV	17.27 ft	50.00 ml/min
10/14/2025 10:46 AM	03:00	6.87 pH	21.93 °C	1.36 mS/cm	0.56 mg/L	2.23 NTU	-65.4 mV	17.27 ft	50.00 ml/min
10/14/2025 10:49 AM	06:00	6.86 pH	21.52 °C	1.35 mS/cm	0.45 mg/L	1.79 NTU	-68.5 mV	17.27 ft	50.00 ml/min
10/14/2025 10:52 AM	09:00	6.85 pH	21.33 °C	1.35 mS/cm	0.37 mg/L	1.41 NTU	-71.0 mV	17.27 ft	50.00 ml/min
10/14/2025 10:55 AM	12:00	6.86 pH	21.21 °C	1.36 mS/cm	0.32 mg/L	1.00 NTU	-72.9 mV	17.27 ft	50.00 ml/min
10/14/2025 10:58 AM	15:00	6.86 pH	21.17 °C	1.36 mS/cm	0.28 mg/L	1.44 NTU	-74.4 mV	17.27 ft	50.00 ml/min
10/14/2025 11:01 AM	18:00	6.86 pH	21.16 °C	1.36 mS/cm	0.25 mg/L	1.18 NTU	-75.7 mV	17.27 ft	50.00 ml/min
10/14/2025 11:04 AM	21:00	6.87 pH	21.12 °C	1.36 mS/cm	0.24 mg/L	0.94 NTU	-76.4 mV	17.27 ft	50.00 ml/min
10/14/2025 11:07 AM	24:00	6.87 pH	21.03 °C	1.36 mS/cm	0.23 mg/L	1.07 NTU	-77.2 mV	17.27 ft	50.00 ml/min

10/14/2025 11:10 AM	27:00	6.87 pH	21.04 °C	1.36 mS/cm	0.22 mg/L	0.98 NTU	-78.0 mV	17.27 ft	50.00 ml/min

Samples

Sample ID:	Description:
MW-407S-20251014	Stable sample at 1118 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC
AD-200-20251014	3 VOAs dup of MW-407S

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/14/2025 12:42:54 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-402S **Latitude: 39.77632848** **Longitude: -86.10551377** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 15 ft** **Total Depth: 25.27 ft** **Initial Depth to Water: 19.08 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 22.18 ft** **Estimated Total Volume Pumped: 1350 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 50 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 1225
Compressor at 20 psi, 13/2 recharge cycle
Purge water clear with no particles, mild rotten-like odor
Recording at 1242
Passive sample at 1317
Final: water clear with no particles mild rotten-like odor
Decon at 1338

Weather Conditions:
75, light breeze, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/14/2025 12:42 PM	00:00	6.74 pH	26.51 °C	9.31 mS/cm	0.88 mg/L	93.07 NTU	-45.3 mV	22.03 ft	50.00 ml/min
10/14/2025 12:45 PM	03:00	6.59 pH	23.23 °C	9.44 mS/cm	0.18 mg/L	74.65 NTU	-28.8 mV	19.08 ft	50.00 ml/min
10/14/2025 12:48 PM	06:00	6.56 pH	22.20 °C	9.28 mS/cm	0.13 mg/L	66.88 NTU	-26.9 mV	19.08 ft	50.00 ml/min
10/14/2025 12:51 PM	09:00	6.59 pH	21.58 °C	9.31 mS/cm	0.12 mg/L	52.23 NTU	-30.1 mV	19.08 ft	50.00 ml/min
10/14/2025 12:54 PM	12:00	6.63 pH	21.65 °C	9.28 mS/cm	0.11 mg/L	46.82 NTU	-33.9 mV	19.08 ft	50.00 ml/min
10/14/2025 12:57 PM	15:00	6.64 pH	21.73 °C	9.22 mS/cm	0.09 mg/L	35.10 NTU	-36.4 mV	19.08 ft	50.00 ml/min
10/14/2025 1:00 PM	18:00	6.65 pH	21.61 °C	9.17 mS/cm	0.06 mg/L	30.06 NTU	-38.4 mV	19.08 ft	50.00 ml/min
10/14/2025 1:03 PM	21:00	6.66 pH	21.63 °C	9.10 mS/cm	0.05 mg/L	26.65 NTU	-40.1 mV	19.08 ft	50.00 ml/min
10/14/2025 1:06 PM	24:00	6.67 pH	21.41 °C	9.00 mS/cm	0.05 mg/L	29.26 NTU	-41.8 mV	19.08 ft	50.00 ml/min

10/14/2025 1:09 PM	27:00	6.67 pH	21.35 °C	9.02 mS/cm	0.04 mg/L	25.48 NTU	-42.8 mV	19.08 ft	50.00 ml/min

Samples

Sample ID:	Description:
MW-402S-20251014	Passive sample due to drawdown, unstable turbidity at 1317 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/14/2025 1:57:49 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-402D **Latitude: 39.77618633** **Longitude: -86.10576674** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 30 ft** **Total Depth: 38.99 ft** **Initial Depth to Water: 19.69 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 34.5 ft** **Estimated Total Volume Pumped: 4305 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 150 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 1350
Compressor at 35 psi, 12/3 recharge cycle
Purge water clear with light grey tint and black particles, no odor
Recording at 1357
Sample at 1430
Final: water clear with black particles and no odor
Decon at 1448

Weather Conditions:
75, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/14/2025 1:57 PM	00:00	6.95 pH	21.88 °C	1.82 mS/cm	0.39 mg/L	49.64 NTU	-48.7 mV	19.69 ft	150.00 ml/min
10/14/2025 2:00 PM	03:00	6.77 pH	20.23 °C	1.71 mS/cm	0.19 mg/L	41.45 NTU	-39.2 mV	19.69 ft	150.00 ml/min
10/14/2025 2:11 PM	13:42	6.81 pH	19.62 °C	1.55 mS/cm	0.10 mg/L	26.49 NTU	-44.4 mV	19.69 ft	150.00 ml/min
10/14/2025 2:14 PM	16:42	6.82 pH	19.43 °C	1.53 mS/cm	0.10 mg/L	31.70 NTU	-45.7 mV	19.69 ft	150.00 ml/min
10/14/2025 2:17 PM	19:42	6.83 pH	19.24 °C	1.51 mS/cm	0.08 mg/L	36.30 NTU	-46.7 mV	19.69 ft	150.00 ml/min
10/14/2025 2:20 PM	22:42	6.84 pH	19.20 °C	1.49 mS/cm	0.07 mg/L	26.87 NTU	-47.7 mV	19.69 ft	150.00 ml/min
10/14/2025 2:23 PM	25:42	6.85 pH	19.06 °C	1.47 mS/cm	0.06 mg/L	22.12 NTU	-48.7 mV	19.69 ft	150.00 ml/min
10/14/2025 2:26 PM	28:42	6.85 pH	19.09 °C	1.47 mS/cm	0.05 mg/L	24.87 NTU	-49.3 mV	19.69 ft	150.00 ml/min

Samples

Sample ID:	Description:
MW-402D-20251014	Passive sample due to turbidity at 1430 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/14/2025 3:34:11 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-418D **Latitude: 39.77614125** **Longitude: -86.10578977** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 10 ft** **Top of Screen: 31 ft** **Total Depth: 41.16 ft** **Initial Depth to Water: 19.49 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 36 ft** **Estimated Total Volume Pumped: 3300 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 1528
Compressor at 35 psi, 13/2 recharge cycle
Initial: water clear with no particles, mild rotten-like odor
Recording at 1533
Passive sample at 1614
Final: water clear with no particles or odor
Decon at 1634

Weather Conditions:
77, sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/14/2025 3:34 PM	00:00	6.89 pH	23.97 °C	1.33 mS/cm	1.03 mg/L	36.25 NTU	-46.7 mV	19.49 ft	100.00 ml/min
10/14/2025 3:37 PM	03:00	6.71 pH	22.63 °C	1.32 mS/cm	0.40 mg/L	57.39 NTU	-32.8 mV	19.49 ft	100.00 ml/min
10/14/2025 3:40 PM	06:00	6.64 pH	21.93 °C	1.30 mS/cm	0.26 mg/L	47.39 NTU	-27.2 mV	19.49 ft	100.00 ml/min
10/14/2025 3:43 PM	09:00	6.60 pH	21.51 °C	1.31 mS/cm	0.21 mg/L	42.57 NTU	-25.0 mV	19.49 ft	100.00 ml/min
10/14/2025 3:46 PM	12:00	6.59 pH	21.57 °C	1.30 mS/cm	0.19 mg/L	45.91 NTU	-24.5 mV	19.49 ft	100.00 ml/min
10/14/2025 3:49 PM	15:00	6.59 pH	21.29 °C	1.29 mS/cm	0.17 mg/L	58.89 NTU	-24.5 mV	19.49 ft	100.00 ml/min
10/14/2025 3:52 PM	18:00	6.59 pH	21.14 °C	1.25 mS/cm	0.16 mg/L	31.91 NTU	-24.8 mV	19.49 ft	100.00 ml/min
10/14/2025 3:55 PM	21:00	6.60 pH	20.87 °C	1.24 mS/cm	0.14 mg/L	31.63 NTU	-25.2 mV	19.49 ft	100.00 ml/min
10/14/2025 3:58 PM	24:00	6.61 pH	20.90 °C	1.22 mS/cm	0.14 mg/L	27.10 NTU	-25.3 mV	19.49 ft	100.00 ml/min

10/14/2025 4:01 PM	27:00	6.62 pH	20.72 °C	1.22 mS/cm	0.13 mg/L	37.83 NTU	-26.2 mV	19.49 ft	100.00 ml/min
10/14/2025 4:04 PM	30:00	6.63 pH	20.75 °C	1.23 mS/cm	0.12 mg/L	35.51 NTU	-27.9 mV	19.49 ft	100.00 ml/min
10/14/2025 4:07 PM	33:00	6.65 pH	20.68 °C	1.21 mS/cm	0.12 mg/L	42.22 NTU	-29.3 mV	19.49 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-418D-20251014	Passive sample due to turbidity at 1614 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/15/2025 8:50:51 AM
Project: GE Indy
Operator Name: GB

Location Name: W-8 **Latitude: 39.77540175** **Longitude: -86.10608986** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 23 ft** **Top of Screen: 10.4 ft** **Total Depth: 29.41 ft** **Initial Depth to Water: 21.39 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 26.2 ft** **Estimated Total Volume Pumped: 3900 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purging at 0842
Compressor at 25 psi, 13/2 recharge cycle
Initial: water clear with no particles, no odor
Recording at 0850
Passive sample at 0936
Final: water clear with no particles, no odor
Decon at 0948

Weather Conditions:
55, partly sunny

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/15/2025 8:50 AM	00:00	8.07 pH	16.97 °C	1.11 mS/cm	2.07 mg/L	123.51 NTU	215.7 mV	21.39 ft	100.00 ml/min
10/15/2025 8:53 AM	03:00	7.44 pH	16.88 °C	1.09 mS/cm	0.42 mg/L	86.91 NTU	147.2 mV	21.39 ft	100.00 ml/min
10/15/2025 8:56 AM	06:00	7.32 pH	16.84 °C	1.10 mS/cm	0.30 mg/L	73.23 NTU	126.9 mV	21.39 ft	100.00 ml/min
10/15/2025 8:59 AM	09:00	7.28 pH	16.75 °C	1.10 mS/cm	0.25 mg/L	75.64 NTU	68.8 mV	21.39 ft	100.00 ml/min
10/15/2025 9:02 AM	12:00	7.26 pH	16.72 °C	1.10 mS/cm	0.22 mg/L	60.90 NTU	39.9 mV	21.39 ft	100.00 ml/min
10/15/2025 9:05 AM	15:00	7.26 pH	16.72 °C	1.10 mS/cm	0.20 mg/L	59.51 NTU	31.2 mV	21.39 ft	100.00 ml/min
10/15/2025 9:08 AM	18:00	7.25 pH	16.71 °C	1.10 mS/cm	0.18 mg/L	55.92 NTU	22.5 mV	21.39 ft	100.00 ml/min
10/15/2025 9:11 AM	21:00	7.25 pH	16.70 °C	1.10 mS/cm	0.17 mg/L	47.81 NTU	21.3 mV	21.39 ft	100.00 ml/min
10/15/2025 9:14 AM	24:00	7.24 pH	16.69 °C	1.10 mS/cm	0.17 mg/L	48.85 NTU	19.6 mV	21.39 ft	100.00 ml/min

10/15/2025 9:17 AM	27:00	7.24 pH	16.67 °C	1.10 mS/cm	0.14 mg/L	52.63 NTU	15.6 mV	21.39 ft	100.00 ml/min
10/15/2025 9:20 AM	30:00	7.24 pH	16.66 °C	1.10 mS/cm	0.15 mg/L	41.14 NTU	14.7 mV	21.39 ft	100.00 ml/min
10/15/2025 9:23 AM	33:00	7.24 pH	16.64 °C	1.10 mS/cm	0.12 mg/L	42.45 NTU	13.4 mV	21.39 ft	100.00 ml/min
10/15/2025 9:26 AM	36:00	7.24 pH	16.66 °C	1.10 mS/cm	0.12 mg/L	37.63 NTU	11.7 mV	21.39 ft	100.00 ml/min
10/15/2025 9:29 AM	39:00	7.24 pH	16.71 °C	1.10 mS/cm	0.10 mg/L	33.36 NTU	11.7 mV	21.39 ft	100.00 ml/min

Samples

Sample ID:	Description:
W-8-20251015	Passive sample due to turbidity at 0936 12 bottles: VOCs, M/E/E, MS/MSD

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/15/2025 10:28:24 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-418S **Latitude: 39.77658046** **Longitude: -86.10522566** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 20 ft** **Total Depth: 26.35 ft** **Initial Depth to Water: 16.74 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 23.18 ft** **Estimated Total Volume Pumped: 2100 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purging at 1024
Compressor at 25 psi, 13.5/1.5 recharge cycle
Initial: water clear with grey tint, black particles, mild organic-like odor
Recording at 1028
Stable sample at 1055
Final: water clear with no particles, moderate organic-like odor
Decon at 1113

Weather Conditions:
65, overcast

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/15/2025 10:28 AM	00:00	7.04 pH	18.82 °C	1.25 mS/cm	0.90 mg/L	115.05 NTU	-50.4 mV	16.74 ft	100.00 ml/min
10/15/2025 10:31 AM	03:00	6.97 pH	18.90 °C	1.24 mS/cm	0.26 mg/L	87.51 NTU	-49.3 mV	16.74 ft	100.00 ml/min
10/15/2025 10:34 AM	06:00	6.95 pH	18.96 °C	1.23 mS/cm	0.20 mg/L	87.42 NTU	-49.1 mV	16.74 ft	100.00 ml/min
10/15/2025 10:37 AM	09:00	6.93 pH	18.99 °C	1.21 mS/cm	0.23 mg/L	84.25 NTU	-48.8 mV	16.74 ft	100.00 ml/min
10/15/2025 10:40 AM	12:00	6.93 pH	19.02 °C	1.20 mS/cm	0.14 mg/L	104.77 NTU	-49.4 mV	16.74 ft	100.00 ml/min
10/15/2025 10:43 AM	15:00	6.93 pH	19.02 °C	1.19 mS/cm	0.13 mg/L	79.44 NTU	-50.1 mV	16.74 ft	100.00 ml/min
10/15/2025 10:46 AM	18:00	6.93 pH	19.02 °C	1.19 mS/cm	0.11 mg/L	75.36 NTU	-50.7 mV	16.74 ft	100.00 ml/min
10/15/2025 10:49 AM	21:00	6.93 pH	18.99 °C	1.18 mS/cm	0.09 mg/L	74.74 NTU	-51.4 mV	16.74 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-418S-20251015	Stable samples at 1055 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/15/2025 11:59:16 AM
Project: GE Indy
Operator Name: GB

Location Name: MW-410D **Latitude: 39.77656723** **Longitude: -86.10538804** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 34.39 ft** **Initial Depth to Water: 25.74 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30.2 ft** **Estimated Total Volume Pumped: 1950 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 200 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purging at 1152
Compressor at 30 psi, 13/2 recharge cycle
Initial: water clear with light tan tint and dark particles, mild rotten-like odor
Recording at 1159
Stable sample at 1220
Final: water clear with dark particles, mild rotten-like odor
Decon at 1241

Weather Conditions:
70, overcast

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/15/2025 11:59 AM	00:00	7.05 pH	18.97 °C	0.97 mS/cm	0.26 mg/L	1.76 NTU	-33.8 mV	25.74 ft	200.00 ml/min
10/15/2025 12:02 PM	03:00	7.02 pH	18.67 °C	0.99 mS/cm	0.16 mg/L	2.59 NTU	-35.1 mV	25.74 ft	200.00 ml/min
10/15/2025 12:06 PM	06:45	7.02 pH	18.57 °C	1.00 mS/cm	0.11 mg/L	3.04 NTU	-37.5 mV	25.74 ft	200.00 ml/min
10/15/2025 12:09 PM	09:45	7.03 pH	18.48 °C	1.01 mS/cm	0.09 mg/L	1.15 NTU	-39.9 mV	25.74 ft	200.00 ml/min

Samples

Sample ID:	Description:
MW-410D-20251015	Stable sample at 1220 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

AD-400-20251015	Full dup of MW-410D 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/15/2025 1:08:31 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-410S **Latitude: 39.77571684** **Longitude: -86.1061065** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 21.09 ft** **Initial Depth to Water: 13.98 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18.05 ft** **Estimated Total Volume Pumped: 1350 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 150 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purge at 1300
Compressor at 20 psi, 13/2 recharge cycle
Initial: water clear with dark particles, mild rotten-like odor
Recording at 1308
Stable sample at 1330
Final: water clear with no particles, mild rotten-like odor
Decon at 1338

Weather Conditions:
70, overcast

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/15/2025 1:08 PM	00:00	7.04 pH	20.87 °C	0.88 mS/cm	0.24 mg/L	0.99 NTU	-37.3 mV	13.98 ft	150.00 ml/min
10/15/2025 1:11 PM	03:00	7.00 pH	20.44 °C	0.88 mS/cm	0.16 mg/L	0.50 NTU	-37.1 mV	13.98 ft	150.00 ml/min
10/15/2025 1:14 PM	06:00	7.00 pH	20.35 °C	0.87 mS/cm	0.12 mg/L	0.48 NTU	-38.5 mV	13.98 ft	150.00 ml/min
10/15/2025 1:17 PM	09:00	7.02 pH	20.19 °C	0.87 mS/cm	0.09 mg/L	0.46 NTU	-41.0 mV	13.98 ft	150.00 ml/min

Samples

Sample ID:	Description:
MW-410S-20251015	Stable sample at 1330 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/15/2025 2:27:05 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-411S **Latitude: 39.77579807** **Longitude: -86.10614016** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 7 ft** **Top of Screen: 15 ft** **Total Depth: 21.01 ft** **Initial Depth to Water: 13.92 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 18 ft** **Estimated Total Volume Pumped: 930 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purging at 1416
Compressor at 20 psi, 13/2 recharge cycle
Initial: water clear with dark particles, moderate rotten-like odor
Recording at 1427
Sample at 1441
Final: water clear with no particles, moderate rotten-like odor
Decon at 1500

Weather Conditions:
75, overcast

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/15/2025 2:27 PM	00:00	6.65 pH	22.39 °C	1.82 mS/cm	0.38 mg/L	9.96 NTU	-35.6 mV	13.92 ft	100.00 ml/min
10/15/2025 2:27 PM	00:18	6.65 pH	21.77 °C	1.82 mS/cm	0.40 mg/L	10.86 NTU	-36.5 mV	13.92 ft	100.00 ml/min
10/15/2025 2:30 PM	03:18	6.63 pH	20.52 °C	1.82 mS/cm	0.16 mg/L	9.44 NTU	-40.4 mV	13.92 ft	100.00 ml/min
10/15/2025 2:33 PM	06:18	6.61 pH	20.35 °C	1.82 mS/cm	0.13 mg/L	11.89 NTU	-43.4 mV	13.92 ft	100.00 ml/min
10/15/2025 2:36 PM	09:18	6.60 pH	20.25 °C	1.83 mS/cm	0.11 mg/L	9.91 NTU	-46.0 mV	13.92 ft	100.00 ml/min

Samples

Sample ID:	Description:

MW-411S-20251015	Stable sample at 1441 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Low-Flow Test Report:

Test Date / Time: 10/15/2025 3:28:22 PM
Project: GE Indy
Operator Name: GB

Location Name: MW-411D **Latitude: 39.77600298** **Longitude: -86.10607732** **Well Diameter: 2 in** **Casing Type: PVC** **Screen Length: 9 ft** **Top of Screen: 26 ft** **Total Depth: 34.22 ft** **Initial Depth to Water: 14.43 ft**	**Pump Type: Bladder** **Tubing Type: Bonded LDPE** **Pump Intake From TOC: 30.11 ft** **Estimated Total Volume Pumped: 3900 ml** **Flow Cell Volume: 130 ml** **Final Flow Rate: 100 ml/min** **Final Draw Down: 0 ft**	**Instrument Used: Aqua TROLL 600** **Serial Number: 707273**

Test Notes:
Purging at 1521
Compressor at 30 psi, 13/2 recharge cycle
Initial: water clear with black particles, strong rotten-like odor
Recording at 1528
Stable sample at 1615
Final: water clear with black particles, strong rotten-like odor
Decon at 1625

Weather Conditions:
70, overcast

Low-Flow Readings:

Date Time	Elapsed Time	pH	Temperature	Specific Conductivity	RDO Concentration	Turbidity	ORP	Depth to Water	Flow
		+/- 0.1	+/- 3 %	+/- 3 %	+/- 10 %	+/- 10 %	+/- 10	+/- 0.5	
10/15/2025 3:28 PM	00:00	6.75 pH	20.36 °C	2.04 mS/cm	0.54 mg/L	3.74 NTU	-77.2 mV	14.43 ft	100.00 ml/min
10/15/2025 3:31 PM	03:00	6.68 pH	19.77 °C	2.06 mS/cm	0.26 mg/L	1.64 NTU	-91.1 mV	14.43 ft	100.00 ml/min
10/15/2025 3:34 PM	06:00	6.65 pH	19.46 °C	2.07 mS/cm	0.18 mg/L	1.51 NTU	-100.3 mV	14.43 ft	100.00 ml/min
10/15/2025 3:37 PM	09:00	6.64 pH	19.29 °C	2.07 mS/cm	0.16 mg/L	1.16 NTU	-108.7 mV	14.43 ft	100.00 ml/min
10/15/2025 3:40 PM	12:00	6.64 pH	19.28 °C	2.08 mS/cm	0.12 mg/L	3.14 NTU	-115.6 mV	14.43 ft	100.00 ml/min
10/15/2025 3:43 PM	15:00	6.64 pH	19.08 °C	2.07 mS/cm	0.09 mg/L	9.70 NTU	-124.4 mV	14.43 ft	100.00 ml/min
10/15/2025 3:46 PM	18:00	6.65 pH	19.02 °C	2.09 mS/cm	0.07 mg/L	1.88 NTU	-135.9 mV	14.43 ft	100.00 ml/min
10/15/2025 3:49 PM	21:00	6.66 pH	18.98 °C	2.09 mS/cm	0.05 mg/L	1.35 NTU	-149.0 mV	14.43 ft	100.00 ml/min
10/15/2025 3:52 PM	24:00	6.67 pH	18.95 °C	2.06 mS/cm	0.04 mg/L	4.26 NTU	-162.0 mV	14.43 ft	100.00 ml/min

10/15/2025 3:55 PM	27:00	6.68 pH	18.91 °C	2.06 mS/cm	0.03 mg/L	1.90 NTU	-174.1 mV	14.43 ft	100.00 ml/min
10/15/2025 3:58 PM	30:00	6.69 pH	18.87 °C	2.07 mS/cm	0.03 mg/L	1.20 NTU	-184.4 mV	14.43 ft	100.00 ml/min
10/15/2025 4:01 PM	33:00	6.70 pH	18.79 °C	2.12 mS/cm	0.02 mg/L	1.69 NTU	-191.0 mV	14.43 ft	100.00 ml/min
10/15/2025 4:04 PM	36:00	6.71 pH	18.82 °C	2.14 mS/cm	0.02 mg/L	2.68 NTU	-195.6 mV	14.43 ft	100.00 ml/min
10/15/2025 4:07 PM	39:00	6.71 pH	18.90 °C	2.11 mS/cm	0.01 mg/L	2.43 NTU	-199.3 mV	14.43 ft	100.00 ml/min

Samples

Sample ID:	Description:
MW-411D-20251015	Stable sample at 1615 6 bottles: VOCs, Nitrate/Sulfate, Dissolved FE, TOC

Created using VuSitu from In-Situ, Inc.

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW402

Date:	10/14/2025	Casing Material:	PVC	Depth to Water:	19.08
Weather Conditions:	NA 75	Casing Diameter:	2	Well Depth:	25.27
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 22.18 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
NA	Clear with no particles	Mild rotten like odor	No	Compressor at 20 psi, 13/2 recharge cycle Recording at 1241

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
13:03	50	21.35	6.67	9.02	-42.8	0.04	25.48	22.03	Grab sample due to draw down and turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1332	Clear with no particles	Mild rotten like odor	No	Decon at 1338

Sampling Summary

Sample Date:	10/14/2025	Analysis:	
Sample Time:	1317	Bottles:	NA
Sample ID:	MW-402S-20251014	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, TOC, nitrate/sulfate, dissolved Fe Decon at 1338		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW402D

Date:	10/14/2025	Casing Material:	PVC	Depth to Water:	19.69
Weather Conditions:	NA 75	Casing Diameter:	2	Well Depth:	38.99
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 34.50 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1350	Clear with light gray tint and black particles	None	No	Compressor at 35 psi, 12/3 recharge cycle Recording at 1357

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
14:08	150	19.09	6.85	1.47	-49.3	0.05	24.87	19.69	Passive sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1444	Clear with black particles	None	No	Decon at 1448

Sampling Summary

Sample Date:	10/14/2025	Analysis:	NA
Sample Time:	1430	Bottles:	NA
Sample ID:	MW-402D-20251014	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, TOC, nitrate/sulfate, dissolved iron Decon at 1448		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW407D

Date:	10/14/2025	Casing Material:	PVC	Depth to Water:	19.96
Weather Conditions:	Clear 60	Casing Diameter:	2	Well Depth:	29.45
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 27.72				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0903	Clear with few fine black particles	Mild rotten like odor	No	Compressor at 25 psi, 13/2 recharge cycle Recording at 0911

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
09:35	100	18.88	6.92	1.52	-66.4	0.10	6.21	19.96	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
NA	Clear with fine black particles	Mild rotten-like odor	No	Decon at 1020

Sampling Summary

Sample Date:	10/14/2025	Analysis:	NA
Sample Time:	1033	Bottles:	NA
Sample ID:	MW-407D-20251014	QC Sample ID:	MS/MSD
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	MS/MSD taken Decon at 1020		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW407S

Date:	10/14/2025	Casing Material:	PVC	Depth to Water:	17.27
Weather Conditions:	Sunny 65	Casing Diameter:	2	Well Depth:	20.53
Water Quality Meter:	AquaTroll 600	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 19.26 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1033	Clear with few dark particles	Mild rotten-like odor	No	Compressor at 20 psi, 14/1 recharge cycle Recording at 1040

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
10:47	50	21.04	6.87	1.36	-78.0	0.22	0.98	17.81	Stable samples

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1148	Clear with no particles	Mild rotten like odor	No	Decon at 1150

Sampling Summary

Sample Date:	10/14/2025	Analysis:	NA
Sample Time:	1118	Bottles:	NA
Sample ID:	MW-407S-20251014	QC Sample ID:	AD-200-20251014
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, TOC, sulfate/nitrate, dissolved iron, VOCs dup		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW410D

Date:	10/15/2025	Casing Material:	PVC	Depth to Water:	25.74
Weather Conditions:	Cloudy 70	Casing Diameter:	2	Well Depth:	34.39
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 30.20 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1152	Clear with light tan tint and dark particles	Mild rotten like odor	No	Compressor at 30 psi, 12/3 recharge cycle recording at 1159

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
12:01	200	18.48	7.03	1.01	-39.9	0.09	1.15	25.74	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1239	Clear with dark particles	Mild rotten like odor	No	Decon at 1241

Sampling Summary

Sample Date:	10/15/2025	Analysis:	NA
Sample Time:	1220	Bottles:	NA
Sample ID:	MW-410D-20251015	QC Sample ID:	AD-400-20251015
QC Sample Time:	1220	Sampler Name:	GB
Remarks:	VOCs, TOC, nitrate/sulfate, dissolved iron (6 bottles) Full duplicate taken (6 bottles) Decon at 1241		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW410S

Date:	10/15/2025	Casing Material:	PVC	Depth to Water:	13.98
Weather Conditions:	Cloudy 70	Casing Diameter:	2	Well Depth:	21.09
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 18.05 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1300	Clear with dark particles	Mild rotten like odor	No	Compressor at 20 psi, 12/3 recharge cycle recording at 1308

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
13:16	150	20.19	7.02	0.87	-41.0	0.09	0.46	13.98	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1336	Clear with no particles	Mild rotten like odor	No	Decon at 1338

Sampling Summary

Sample Date:	10/15/2025	Analysis:	NA
Sample Time:	1330	Bottles:	NA
Sample ID:	MW-410S-20251015	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, TOC, nitrate/sulfate, dissolved iron Decon at 1338		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW411D

Date:	10/15/2025	Casing Material:	PVC	Depth to Water:	14.43
Weather Conditions:	Cloudy 70	Casing Diameter:	2	Well Depth:	34.22
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 30.11 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1521	Clear with black particles	Strong rotten-like odor	No	Compressor at 30 psi, 13/2 recharge cycle Recording at 1528

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
15:31	100	18.90	6.71	2.11	-199.3	0.01	2.43	14.43	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1622	Clear with black particles	Strong rotten like odor	No	Decon at 1625

Sampling Summary

Sample Date:	10/15/2025	Analysis:	NA
Sample Time:	1615	Bottles:	NA
Sample ID:	MW-411D-20251015	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, TOC, nitrate/sulfate, dissolved iron Decon at 1625		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW411S

Date:	10/15/2025	Casing Material:	PVC	Depth to Water:	13.92
Weather Conditions:	Cloudy 70	Casing Diameter:	2	Well Depth:	21.01
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 18.00 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1416	Clear with dark particles	Moderate rotten like odor	No	Compressor at 20 psi, 13/2 recharge cycle Recording at 1427

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
15:08	100	20.25	6.60	1.83	-46.0	0.11	9.91	13.92	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1455	Clear with no particles	Moderate rotten like odor	No	Decon at 1500

Sampling Summary

Sample Date:	10/15/2025	Analysis:	NA
Sample Time:	1441	Bottles:	NA
Sample ID:	MW-411S-20251015	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, TOC, nitrate/sulfate, dissolved iron Decon at 1500		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW413D

Date:	10/13/2025	Casing Material:	PVC	Depth to Water:	15.06
Weather Conditions:	Clear 55	Casing Diameter:	2	Well Depth:	35.38
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 30.50 feet				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0953	Clear with fine black particles	Mild rotten like odor	No	Compressor at 30 psi, 13/2 recharge cycle Recording began at 0959

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
10:06	100	18.32	7.17	1.10	-131.1	0.10	4.19	15.06	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1046	Clear with fine black particles	None	No	Decon at 1050

Sampling Summary

Sample Date:	10/13/2025	Analysis:	NA
Sample Time:	1029	Bottles:	NA
Sample ID:	MW-413D-20251013	QC Sample ID:	AD-100-20251013
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, Nitrate/Sulfate, TOC, Dissolved Fe Decon at 1050		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW413S

Date:	10/13/2025	Casing Material:	PVC	Depth to Water:	14.48
Weather Conditions:	Clear 55	Casing Diameter:	2	Well Depth:	22.33
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	NA				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0842	Clear with dark brown flocs	Mild rotten like odor	No	Compressor at 20 psi, 13/2 recharge cycle Recording began at 0849

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
08:57	100	18.65	6.91	0.85	-133.9	0.10	0.21	14.48	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
0928	Clear with few fine black particles	Mild rotten like odor	No	Decon at 0933

Sampling Summary

Sample Date:	10/13/2025	Analysis:	NA
Sample Time:	0910	Bottles:	NA
Sample ID:	MW-413S-20251013	QC Sample ID:	MW-413S-20251013
QC Sample Time:	0910	Sampler Name:	GB
Remarks:	MS/MSD taken Decon at 0933		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW418D

Date:	10/14/2025	Casing Material:	PVC	Depth to Water:	19.49
Weather Conditions:	NA 75	Casing Diameter:	2	Well Depth:	41.16
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 36.00 feet				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1528	Clear with no particles	Mild rotten like odor	No	Compressor at 35 psi, 13/2 recharge cycle Recording at 1533

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
15:42	100	20.68	6.65	1.21	-29.3	0.12	42.22	19.49	Passive sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1630	Clear, no particles	Non	No	Decon at 1634

Sampling Summary

Sample Date:	10/14/2025	Analysis:	NA
Sample Time:	1614	Bottles:	NA
Sample ID:	MW-418D-20251014	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, TOC, nitrate/sulfate, dissolved iron Decon at 1634		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW418S

Date:	10/15/2025	Casing Material:	PVC	Depth to Water:	16.74
Weather Conditions:	Cloudy 65	Casing Diameter:	2	Well Depth:	26.35
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 23.18 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1024	Clear with light gray tint and black particles	Mild organic-like odor	No	Compressor at 25 psi, 13.5/1.5 recharge cycle recording at 1028

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
10:37	100	18.99	6.93	1.18	-51.4	0.09	74.74	16.74	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1110	Clear	Moderate organic like odor	No	Decon at 1113

Sampling Summary

Sample Date:	10/15/2025	Analysis:	NA
Sample Time:	1055	Bottles:	NA
Sample ID:	MW-418S-20251015	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, TOC, nitrate/sulfate, dissolved iron Decon at 1113		

Powered by QNOPY

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW425

Date:	10/13/2025	Casing Material:	PVC	Depth to Water:	12.25
Weather Conditions:	Clear|Sunny 60	Casing Diameter:	2	Well Depth:	29.28
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 24.64 feet				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1132	Clear with few fine black particles	None	No	Compressor at 25 psi, 13/2 recharge cycle Recording at 1139

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
11:50	100	21.91	6.89	1.08	-74.3	0.25	5.10	12.25	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1227	Clear with no particles	None	No	Decon at 1229

Sampling Summary

Sample Date:	10/13/2025	Analysis:	NA
Sample Time:	1210	Bottles:	NA
Sample ID:	MW-425-20251013	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	Decon at 1229		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW426

Date:	10/13/2025	Casing Material:	PVC	Depth to Water:	12.16
Weather Conditions:	Clear 65	Casing Diameter:	2	Well Depth:	34.02
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 24.00 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1259	Clear with black particles	Mild rotten like odor	No	Compressor at 25 psi, 13/2 recharge cycle recording at 1306

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
13:26	150	20.12	6.81	1.13	-63.2	0.10	2.07	12.16	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1347	Clear with no particles	Mild rotten like odor	No	Decon at 1350

Sampling Summary

Sample Date:	10/13/2025	Analysis:	NA
Sample Time:	1335	Bottles:	NA
Sample ID:	MW-426-20251013	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs and MEE Decon at 1350		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

MW428

Date:	10/13/2025	Casing Material:	PVC	Depth to Water:	16.47
Weather Conditions:	Partly Sunny 75	Casing Diameter:	2	Well Depth:	24.97
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 19.98 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1613	Clear with no particles	Mild organic like odor	No	Compressor at 20 psi, 14/1 recharge cycle recording at 1621

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
16:38	50	23.06	7.01	2.72	-114.2	0.15	33.99	17.42	Passive sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
NA	Clear with fine brown particles	Mild organic like odor	No	Decon pump at 1715

Sampling Summary

Sample Date:	10/13/2025	Analysis:	NA
Sample Time:	1700	Bottles:	NA
Sample ID:	MW-428-20251013	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, nitrate/ sulfate, TOC, dissolved Fe Decon pump at 1715		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

W-8

Date:	10/15/2025	Casing Material:	PVC	Depth to Water:	21.39
Weather Conditions:	Partly Sunny 61	Casing Diameter:	2	Well Depth:	29.41
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 26.20 feet btoc				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
0842	Clear with no particles	None	No	Compressor at 25 psi, 13/2 recharge cycle Recording at 0850

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
09:20	100	16.71	7.24	1.10	11.7	0.10	33.36	21.39	Passive sample due to turbidity

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
0945	Clear, no particles	None	No	Decon at 0948

Sampling Summary

Sample Date:	10/15/2025	Analysis:	NA
Sample Time:	0936	Bottles:	NA
Sample ID:	W-8-20251015	QC Sample ID:	W-8-20251015
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs, M/E/E, MS/MSD		

Groundwater Monitoring Field Data Form

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No.: 1940103494

W-9

Date:	10/13/2025	Casing Material:	PVC	Depth to Water:	31.01
Weather Conditions:	Sunny|Clear 70	Casing Diameter:	2	Well Depth:	40.78
Water Quality Meter:	AquaTroll	Casing Volumes to Remove:	NA	Pump Intake Depth:	NA
Purge Method:	Low Flow - QED Bladder Pump	NAPL Start Depth	NA	Water Column in Well:	NA
Purge Volume Units:	ml	NAPL End Depth	NA	Water Volume in Well:	NA
Sampling Type:	Low Flow	NAPL Thickness	NA	Total Volume to Remove:	NA
Comments:	Pump at 36.54				

Initial Observations

Purge Start Time	Color	Odor	Sheen/Product	Remarks
1429	Clear with fine brown particles	None	No	Compressor at 35 psi, 13/2 recharge cycle Recording at 1437

Field Parameters

Time	Flow Rate	Temp	pH	Cond.	ORP	DO	Turbidity	DTW	Remarks
	ml/min	C	SU	mS/cm	mV	mg/L	NTU	FT	
14:45	100	19.94	7.01	1.18	-76.4	0.11	10.61	31.01	Stable parameters

Final Observations

End purge time	Color	Odor	Sheen/Product	Remarks
1540	Clear with no particles	None	No	Decon at 1543

Sampling Summary

Sample Date:	10/13/2025	Analysis:	NA
Sample Time:	1530	Bottles:	NA
Sample ID:	W-9-20251013	QC Sample ID:	NA
QC Sample Time:	NA	Sampler Name:	GB
Remarks:	VOCs and MEE Decon at 1543		

GE Indy Gauging Sheet
Gauging Date:
Gauged By: PV

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes	Sample parameters	Sample Date/Time (EX: MW-##-YYYYMMDD, 0830)
MW-112	767.58	Middle	47.8-57.8				Semi-Annual PDB; VOC only	
MW-122	765.49	Middle	49.5-59.5				Annual PDB; VOC only	
MW-123	765.17	Lower	80.7-90.7			Difficult to locate	Semi-Annual PDB; VOC only	
MW-131	772.88	Upper	22-32	15.94	30.93	Bolt (2), cap and bag replaced	Quarterly PDB; VOC only	Bag and cap missing no sample, restringing
MW-132	772.39	Middle	59.5-69.5				Semi-Annual PDB; VOC only	
MW-133	772.68	Lower	87.7-97.7				Semi-Annual PDB; VOC only	
MW-142	770.92	Middle	53.5-63.5			Difficult to locate	Annual PDB; VOC only	
MW-153	768.95	Lower	80-90				Semi-Annual PDB; VOC only	
MW-163	770.49	Lower	85.2-95.2				Semi-Annual PDB; VOC only	
MW-173	768.97	Lower	87.8-97.8				Semi-Annual PDB; VOC only	
MW-183	772.17	Lower	94.3-105.3				Annual PDB; VOC only	
MW-22	769.71	Middle	50-60				Semi-Annual PDB; VOC only	
MW-241	767.58	Upper	24-34	12.76	33.61	Often inaccessible (under car)	Quarterly PDB; VOC only	MW-241-20251015, 942
MW-251	767.81	Upper	20-30	12.38	13.91	well shorter than listed	Quarterly PDB; VOC only	MW-251-20251015, 833
MW-253	767.70	Lower	82-92				Semi-Annual PDB; VOC only	
MW-273	772.44	Lower	88-98			Difficult to locate	Annual PDB; VOC only	
MW-302	767.79	Middle	50-60				Annual PDB; VOC only	
MW-303	766.19	Lower	79-89				Semi-Annual PDB; VOC only	
MW-311	774.51	Upper	25-35	15.95	34.40	At corner of slab on roadway; may buried under debris Bolts Eyesockets	Quarterly PDB; VOC only	MW-311-20251014, 1022 AD-300, 1200 only 2 bottles
MW-312	771.75	Middle	56-66				Semi-Annual PDB; VOC only	
MW-313	767.61	Lower	77-87				Semi-Annual PDB; VOC only	
MW-32	777.34	Middle	53-63				Annual PDB; VOC only	
MW-321	770.54	Upper	23-33	12.66	27.34		Quarterly PDB; VOC only	MW-321-20251014, 912
MW-322	769.75	Middle	50-60				Semi-Annual PDB; VOC only	
MW-323	770.23	Lower	80-90				Semi-Annual PDB; VOC only	
MW-33	777.63	Lower	94-104				Annual PDB; VOC only	
MW-331	772.43	Upper	22-32	15.31	32.25	Bolts, Eyesockets, lids	Quarterly PDB; VOC only	MW-331-20251014, 848
MW-332	773.82	Middle	52.5-62.5				Annual PDB; VOC only	
MW-333	764.82	Lower	80-90				Semi-Annual PDB; VOC only	
MW-343	764.05	Lower	76-86				Annual PDB; VOC only	

Confidential

GE Indy Gauging Sheet
Gauging Date:
Gauged By:

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes (with 2 bolt holes)	Sample parameters	Sample Date/Time (EX: MW-##-YYYYMMDD, 0830)
MW-401	777.62	Upper	15-25	19.05	23.29	Bolts (2) bigger lid, dirt in vault	Quarterly PDB; VOC only	MW-401-20251014, 1106
MW-402	777.67	Upper	15-25				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-402D	777.75	Upper	30-40				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-403	777.87	Upper	15-25	18.00	23.00		Quarterly PDB; VOC only	MW-403-20251014, 1354
MW-404	777.76	Upper	15-25	19.35	25.00	New lid, Eyesockets, Bolts	Quarterly PDB; VOC only	MW-404-20251014, 1312
MW-405D	777.85	Upper	26-35				Semi-Annual PDB; VOC only	
MW-405S	777.83	Upper	15-22				Semi-Annual PDB; VOC only	
MW-406D	777.53	Upper	26-35	19.70	32.90	Bolts (2)	Quarterly PDB; VOC only	MW-406D-20251014, 1358
MW-406S	777.72	Upper	15-22	19.55	20.51	↑	Quarterly PDB; VOC only	MW-406S-20251014, 1326
MW-407D	777.64	Upper	26-35				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-407S	777.71	Upper	15-22				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-408D	777.79	Upper	26-35	19.52	34.2		Quarterly PDB; VOC only	MW-408D-20251014, 1255
MW-408S	777.92	Upper	14.7-21.7	17.91	21.10		Quarterly PDB; VOC only	MW-408S-20251014, 1244
MW-41	771.10	Upper	22-27	12.22	25.44	Bolts (2)	Quarterly PDB; VOC only	MW-41-20251015, 908
MW-410D	772.20	Upper	26-35				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-410S	772.16	Upper	15-22				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-411D	772.34	Upper	26-35				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-411S	772.28	Upper	15-22				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-413D	772.21	Upper	26-35				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-413S	772.13	Upper	15-22				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-414D	771.23	Upper	26-35				Semi-Annual PDB; VOC only	
MW-414S	771.23	Upper	15-22				Semi-Annual PDB; VOC only	
MW-415D	771.96	Upper	26-35				Semi-Annual PDB; VOC only	
MW-415S	771.93	Upper	15-22				Semi-Annual PDB; VOC only	
MW-416D	773.24	Upper	26-36	14.90	34.60	Bolts, Eye socket	Quarterly PDB; VOC only	W/O cap/bag, restringing
MW-416S	773.32	Upper	15-22	14.90	21.61	↑	Quarterly PDB; VOC only	↑
MW-417D	777.64	Upper	31-40				Semi-Annual PDB; VOC only	
MW-417S	777.64	Upper	20-27				Semi-Annual PDB; VOC only	
MW-418D	777.76	Upper	31-41				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-418S	777.73	Upper	20-27				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-419D	777.91	Upper	31-41	16.93	41.66	Bolts (2)	Quarterly PDB; VOC only	MW-419D-20251014, 1228
MW-419S	777.99	Upper	17-27	17.09	26.23	↑	Quarterly PDB; VOC only	MW-419S-20251014, 1218
MW-422D	777.69	Upper	29-38	14.10	37.74	Bolts (2)	Quarterly PDB; VOC only	MW-422D-20251014, 1200

Confidential

GE Indy Gauging Sheet
Gauging Date:
Gauged By:

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes	Sample parameters	Sample Date/Time (EX: MW-##-YYYYMMDD, 0830)
MW-422S	777.68	Upper	19-26	14.50	25.60	Bolt (2)	Quarterly PDB; VOC only	MW-422S-20251014, 1150
MW-423D	777.69	Upper	29-38	18.05	37.34		Quarterly PDB; VOC only	MW-423D-20251014, 1135
MW-423S	777.64	Upper	19-26	17.45	25.10		Quarterly PDB; VOC only	MW-423S-20251014, 1123
MW-424D	777.63	Upper	29-38				Semi-Annual PDB; VOC only	
MW-424S	777.57	Upper	19-26				Semi-Annual PDB; VOC only	
MW-425	769.39	Upper	10-30				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-426	769.19	Upper	14-34				Quarterly Low-Flow; VOC/MEE	
MW-427	768.79	Upper	15-25			Difficult to locate - under debris	Quarterly PDB; VOC only	
MW-428	777.77	Upper	15-25				Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	
MW-82	774.50	Middle	56-61				Annual PDB; VOC only	
MW-92	771.62	Middle	53-63				Annual PDB; VOC only	
W-10	768.61	Upper	21.4-31.9	12.91	17.02	Bolt (1)	Quarterly PDB; VOC only	W-10-20251015, 850
W-11D	772.17	Middle	55-65.5				Semi-Annual PDB; VOC only	
W-2	780.02	Upper	20-30	10.22	29.15		Quarterly PDB; VOC only	W-2-20251014, 1039
W-4D	772.52	Middle	57.2-67.4				Annual PDB; VOC only	
W-4R	772.44	Upper	15-25	14.24	25.10		Quarterly PDB; VOC only	W-4R-20251014, 927
W-8	770.53	Upper	21.1-31.5				Quarterly Low-Flow; VOC/MEE	
W-8D	770.70	Middle	56.7-67.1				Annual PDB; VOC only	
W-9	771.37	Upper	32.3-41.7				Quarterly Low-Flow; VOC/MEE	

AMSL - Above Mean Sea Level.
TOC - Top of Casing
bgs - below ground surface
Water Elevation = TOC elevation - Depth to water
-- = measurement not applicable
Annual
Semi-annual
Quarterly

Confidential

GE Indy Gauging Sheet
Gauging Date: 10/13-15/25
Gauged By: GB

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes	Sample parameters	Sample Date/Time (EX: MW-##-YYYYMMDD, 0830)
MW-112	767.58	Middle	47.8-57.8				Semi-Annual PDB; VOC only	
MW-122	765.49	Middle	49.5-59.5				Annual PDB; VOC only	
MW-123	765.17	Lower	80.7-90.7			Difficult to locate	Semi-Annual PDB; VOC only	
MW-131	772.88	Upper	22-32				Quarterly PDB; VOC only	
MW-132	772.39	Middle	59.5-69.5				Semi-Annual PDB; VOC only	
MW-133	772.68	Lower	87.7-97.7				Semi-Annual PDB; VOC only	
MW-142	770.92	Middle	53.5-63.5			Difficult to locate	Annual PDB; VOC only	
MW-153	768.95	Lower	80-90				Semi-Annual PDB; VOC only	
MW-163	770.49	Lower	85.2-95.2				Semi-Annual PDB; VOC only	
MW-173	768.97	Lower	87.8-97.8				Semi-Annual PDB; VOC only	
MW-183	772.17	Lower	94.3-105.3				Annual PDB; VOC only	
MW-22	769.71	Middle	50-60				Semi-Annual PDB; VOC only	
MW-241	767.58	Upper	24-34			Often inaccessible (under car)	Quarterly PDB; VOC only	
MW-251	767.81	Upper	20-30				Quarterly PDB; VOC only	
MW-253	767.70	Lower	82-92				Semi-Annual PDB; VOC only	
MW-273	772.44	Lower	88-98			Difficult to locate	Annual PDB; VOC only	
MW-302	767.79	Middle	50-60				Annual PDB; VOC only	
MW-303	766.19	Lower	79-89				Semi-Annual PDB; VOC only	
MW-311	774.51	Upper	25-35			At corner of slab on roadway; may burried under debris	Quarterly PDB; VOC only	
MW-312	771.75	Middle	56-66				Semi-Annual PDB; VOC only	
MW-313	767.61	Lower	77-87				Semi-Annual PDB; VOC only	
MW-32	777.34	Middle	53-63				Annual PDB; VOC only	
MW-321	770.54	Upper	23-33				Quarterly PDB; VOC only	
MW-322	769.75	Middle	50-60				Semi-Annual PDB; VOC only	
MW-323	770.23	Lower	80-90				Semi-Annual PDB; VOC only	
MW-33	777.63	Lower	94-104				Annual PDB; VOC only	
MW-331	772.43	Upper	22-32				Quarterly PDB; VOC only	
MW-332	773.82	Middle	52.5-62.5				Annual PDB; VOC only	
MW-333	764.82	Lower	80-90				Semi-Annual PDB; VOC only	
MW-343	764.05	Lower	76-86				Annual PDB; VOC only	

Confidential

GE Indy Gauging Sheet
Gauging Date:
Gauged By: GB
10/13-15/25

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes	Sample parameters	Sample Date/Time (EX: MW-##-YYYYMMDD, 0830)
MW-401	777.62	Upper	15-25				Quarterly PDB; VOC only	
MW-402	777.67	Upper	15-25	19.08	25.27		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-402-20251014@1317
MW-402D	777.75	Upper	30-40	19.69	38.99		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-402D-20251014@1430
MW-403	777.87	Upper	15-25				Quarterly PDB; VOC only	
MW-404	777.76	Upper	15-25				Quarterly PDB; VOC only	
MW-405D	777.85	Upper	26-35				Semi-Annual PDB; VOC only	
MW-405S	777.83	Upper	15-22				Semi-Annual PDB; VOC only	
MW-406D	777.53	Upper	26-35				Quarterly PDB; VOC only	
MW-406S	777.72	Upper	15-22				Quarterly PDB; VOC only	
MW-407D	777.64	Upper	26-35	19.96	29.45	MS/MSD taken	Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-407D-20251014@0955
MW-407S	777.71	Upper	15-22	17.27	20.53	AD-200 (VOCs only) taken	Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-407S-20251014@1118
MW-408D	777.79	Upper	26-35				Quarterly PDB; VOC only	
MW-408S	777.92	Upper	14.7-21.7				Quarterly PDB; VOC only	
MW-41	771.10	Upper	22-27				Quarterly PDB; VOC only	
MW-410D	772.20	Upper	26-35	25.74	34.39	AD-400 (full dup) taken	Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-410D-20251015@1220
MW-410S	772.16	Upper	15-22	13.98	21.09		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-410S-20251015@1330
MW-411D	772.34	Upper	26-35	14.43	34.22		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-411D-20251015@1615
MW-411S	772.28	Upper	15-22	13.92	21.01		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-411S-20251015@1441
MW-413D	772.21	Upper	26-35	15.06	35.38	AD-100 (VOCs only) taken	Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-413D-20251013@1029
MW-413S	772.13	Upper	15-22	14.48	22.33	MS/MSD taken	Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-413S-20251013@0910
MW-414D	771.23	Upper	26-35				Semi-Annual PDB; VOC only	
MW-414S	771.23	Upper	15-22				Semi-Annual PDB; VOC only	
MW-415D	771.96	Upper	26-35				Semi-Annual PDB; VOC only	
MW-415S	771.93	Upper	15-22				Semi-Annual PDB; VOC only	
MW-416D	773.24	Upper	26-36				Quarterly PDB; VOC only	
MW-416S	773.32	Upper	15-22				Quarterly PDB; VOC only	
MW-417D	777.64	Upper	31-40				Semi-Annual PDB; VOC only	
MW-417S	777.64	Upper	20-27				Semi-Annual PDB; VOC only	
MW-418D	777.76	Upper	31-41	19.49	41.16		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-418D-20251014@1614
MW-418S	777.73	Upper	20-27	16.74	26.35		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-418S-20251015@1055
MW-419D	777.91	Upper	31-41				Quarterly PDB; VOC only	
MW-419S	777.99	Upper	17-27				Quarterly PDB; VOC only	
MW-422D	777.69	Upper	29-38				Quarterly PDB; VOC only	

GE Indy Gauging Sheet
Gauging Date:
Gauged By: GB
10/13-15/25

Well I.D.	Top of Casing Reference Elevation (ft amsl)	Unit	Screen Interval (feet bgs)	Depth to Water (feet)	Depth to Bottom (feet)	Notes	Sample parameters	Sample Date/Time (EX: MW-##-YYYYMMDD, 0830)
MW-422S	777.68	Upper	19-26				Quarterly PDB; VOC only	
MW-423D	777.69	Upper	29-38				Quarterly PDB; VOC only	
MW-423S	777.64	Upper	19-26				Quarterly PDB; VOC only	
MW-424D	777.63	Upper	29-38				Semi-Annual PDB; VOC only	
MW-424S	777.57	Upper	19-26				Semi-Annual PDB; VOC only	
MW-425	769.39	Upper	10-30	12.25	29.28		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-425-20251013@1210
MW-426	769.19	Upper	14-34	12.16	34.02		Quarterly Low-Flow; VOC/MEE	MW-426-20251013@1335
MW-427	768.79	Upper	15-25			Difficult to locate - under debris	Quarterly PDB; VOC only	
MW-428	777.77	Upper	15-25	16.47	24.97		Quarterly Low-Flow; VOC/Sulfate/Nitrate/TOC/Dis. Fe; MEE Semi-annual	MW-428-20251013@1700
MW-82	774.50	Middle	56-61				Annual PDB; VOC only	
MW-92	771.62	Middle	53-63				Annual PDB; VOC only	
W-10	768.61	Upper	21.4-31.9				Quarterly PDB; VOC only	
W-11D	772.17	Middle	55-65.5				Semi-Annual PDB; VOC only	
W-2	780.02	Upper	20-30				Quarterly PDB; VOC only	
W-4D	772.52	Middle	57.2-67.4				Annual PDB; VOC only	
W-4R	772.44	Upper	15-25				Quarterly PDB; VOC only	
W-8	770.53	Upper	21.1-31.5	21.39	29.41	MS/MSD taken	Quarterly Low-Flow; VOC/MEE	W-8-20251015@0936
W-8D	770.70	Middle	56.7-67.1				Annual PDB; VOC only	
W-9	771.37	Upper	32.3-41.7	31.01	40.78		Quarterly Low-Flow; VOC/MEE	W-9-20251013@1530

AMSL - Above Mean Sea Level.
TOC - Top of Casing
bgs - below ground surface
Water Elevation = TOC elevation - Depth to water
-- = measurement not applicable
Annual
Semi-annual
Quarterly

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 10/13/25

Default Site Location


Site Information

Date	10/13/2025	Time	07:41
Report Number		Weather	Clear
Staff On-site	Gabriel Borgmeyer	Staff From Time	07:39
Staff To Time		Contractor	
Contractor Crew		Visitors	CSRE Security
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	GWM Equipment
Imported/Exported Material			
Work Summary	Q4 GWM - low flow sampling		
Remarks			

Observations

Time	Observation
07:39	Onsite, begin setting up equipment
07:55	Calibrate AT600 (SN 707273) with calibration solution, refer to calibration report for details (see attached)
08:05	Collect EB-01-20251013 by pouring distilled water over bladder pump into 40mL VOAs with HCl
08:12	Kayla from CSRE security onsite, discussed hazards and explained plan for event
08:20	Mob to MW-413
08:42	Begin purge at MW – 413 S, refer to GWM Form for more details
09:33	Decon pump from MW-413S
09:53	Begin purge at MW-413D, refer to GWM form for more details
10:50	Decon pump from MW-413D Kayla from CSRE security offsite for restroom
11:10	Mob to MW-425
11:38	Begin purging at MW – 425, referred to GWM form for details
12:29	Decon pump from MW-425
12:46	Mob to MW-426
12:59	Begin purge at MW-426, refer to GWM form for more details
13:50	Decon pump from MW-426
14:12	Mob to W-9
15:43	Decon pump from W-9
16:05	Mob to MW-428
16:13	Begin purge at MW-428, refer to GWM form for more details
17:15	Decon pump from MW -428, begin demob for EOD
17:30	Mob to drum to dump purge water
17:40	Purge water dumped and drum secured Discuss plans for tomorrow with site security
17:41	Site security offsite Prepare daily summary for P. Rohan
17:50	Offsite

Photos



(0.00000, 0.00000)
--

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 10/14/25

Default Site Location

Site Information

Date	10/14/2025	Time	08:29
Report Number		Weather	Sunny
Staff On-site	Gabriel Borgmeyer, Patrick Verbryke	Staff From Time	08:26
Staff To Time	14:14	Contractor	
Contractor Crew		Visitors	Security
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	
Imported/Exported Material			
Work Summary			
Remarks			

Observations

Time	Observation
08:26	Arrive on site, hand out equipment and tailgate safety meeting
08:48	MW-331-20251014 @ 848
09:12	MW-321-20251014 @ 912
09:27	W-4R-20251014 @ 927
10:00	MW-416S and MW-416 missing caps and bags. Restrung with new bags, caps, and line
10:22	MW-311-20251014 @ 1022, Dupe AD-300-20251014 @ 1200 only enough for 2 bottles
10:39	W-2-20251014 @ 1039
10:49	Taking small snack/cool off break
10:59	Resuming work
11:06	MW-401-20251014 @ 1106
11:23	MW-423S-20251014 @ 1123
11:35	MW-423D-20251014 @ 1135
11:50	MW-422S-20251014 @ 11:50
12:00	MW-422D-20251014 @ 1200
12:18	MW-419S-20251014 @ 1218
12:28	MW-419D-20251014 @ 1228
12:44	MW-408S-20251014 @ 1244
12:55	MW-408D-20251014 @ 1255
13:12	MW-404-20251014 @ 1312
13:26	MW-406S-20251014 @ 1326
13:36	MW-406D-20251014 @ 1336
13:54	MW-403-20251014 @ 1354
14:14	Leaving site for day. Gabe Borgmeyer remaining

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 10/14/25

Default Site Location

Site Information

Date	10/14/2025	Time	07:47
Report Number		Weather	Clear
Staff On-site	Gabriel Borgmeyer, Patrick Verbryke	Staff From Time	07:44
Staff To Time		Contractor	
Contractor Crew		Visitors	Kayla from CSRE Security
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	GWM equipment
Imported/Exported Material			
Work Summary	Q4 GWM sampling		
Remarks			

Observations

Time	Observation
07:44	Onsite Begin mob for day
07:56	Calibrate AT600 (SN 707273) with Zobell calibration solution See attached calibration report
08:11	P. Verbryke onsite, distribute field equipment
08:12	Kayla from CSRE onsite
08:20	Site security discussion held
08:38	Mob to MW-407S/D
09:03	Begin purge at MW-407D, refer to GEM form for more details
09:30	Noted low water in MW-407S. Call P. Rohan to advise Decision: attempt to low-flow, and use peristaltic pump if well is dry and needs to recharge
10:20	Decon pump from MW-407D
10:33	Begin purge at MW-407S, refer to GWM form for more details
11:15	Courier onsite, deliver first batch of samples
11:50	Decon pump from MW – 407S
12:03	Mob to MW-402S
12:25	Begin purge at MW-402S, refer to GWM for more details Let purge to drop turbidity
13:38	Decon pump from MW-402S
13:50	Begin purge at MW-402D
14:47	Decon pump from MW-402D
15:06	Mob to MW-418
15:28	Begin purge at MW – 418D, refer to GWM form for more details
16:34	Decon pump from MW – 418D
16:40	Mob to drum to dump purge water and demob for EOD
16:47	All purge water dumped and drum secured Discuss plans for tomorrow with site security


Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 10/14/25

Time	Observation
17:01	Composed daily summary and sent to P. Rohan
17:05	Offsite for EOD

Photos



(0.00000, 0.00000)
--

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 10/15/25

Default Site Location

Site Information

Date	10/15/2025	Time	08:02
Report Number		Weather	Cloudy
Staff On-site	Patrick Verbryke, Gabriel Borgmeyer, Paul Schiele	Staff From Time	08:00
Staff To Time	11:26	Contractor	
Contractor Crew		Visitors	
Contractor From Time	08:00	Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	
Imported/Exported Material			
Work Summary			
Remarks			

Observations

Time	Observation
08:00	Arrive on site, tailgate
08:33	MW-251-202521015 @ 833
08:50	W-10-20251015 @ 850
09:08	MW-41-20251015 @ 908
09:33	MW-131 bag and cap missing, replaced with new ones, no sample
09:42	MW-241-20251015 @ 942
09:54	SGP 1 Calibration 0-cal @ 1004 Span calibration @ 1005 No water in Well Pid: 0ppm CH4: 0% CO2:2.6% 5100 ppm O2: 16.6%
10:22	SGP-2 No water in Well Pid: 0.0 ppm CH4: 0% CO2: 5100 ppm 2.62% O2: 17.5%

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 10/15/25

Time	Observation
10:33	SGP-3 No water in Well Pid: 0.0 ppm CH4: 0.0% CO2: 3.30% O2: 17.4%
11:26	Leaving site with samples and Equipment return, Gabe Borgmeyer remaining

Photos

Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 10/15/25

Default Site Location

Site Information

Date	10/15/2025	Time	07:47
Report Number		Weather	Cloudy
Staff On-site	Gabriel Borgmeyer, Paul Schiele, Patrick Verbryke	Staff From Time	07:46
Staff To Time		Contractor	
Contractor Crew		Visitors	Kayla from CSRE Security
Contractor From Time		Contractor To Time	
Tailgate meeting conducted	Yes	Equipment On Site	GWM Equipment
Imported/Exported Material			
Work Summary	Q4 GWM Sampling		
Remarks			

Observations

Time	Observation
07:46	Onsite Begin mob for day
08:02	P. Verbryke onsite
08:04	Calibrate AT 600 (SN 707273) with Zobell cal solution See attached image of cal report for details
08:07	P. Schiele onsite
08:13	Kayla from CSRE security onsite Held safety meeting
08:20	Mob to W-8
08:42	Begin purge at W-8, refer to GWM form for more details
09:48	Decon pump from W-8
10:03	Mob to MW-418S
10:24	Begin purge at MW – 418S, refer to GWM form for more details
11:13	Decon pump from MW-418S
11:25	Transferred samples and chain to P. Verbryke P. Verbryke offsite P. Schiele offsite
11:35	Mob to MW-410
11:52	Start purge at MW-410D, refer to GWM form for more details
12:41	Decon pump from MW-410D
13:00	Begin purge at MW – 410S, refer to GWM form for more details
13:38	Decon pump from MW-410S
13:53	Kayla from CSRE Security offsite for restroom
13:56	Mob to MW-411
14:27	Begin purge at MW – 411S, refer to GWM form for more details
15:00	Decon pump from MW – 411S
15:21	Begin purge at MW – 411D, referred to GWM form for more details


Daily Field Report

Site: Indianapolis CE
3530 E Michigan St, Indianapolis, IN 46201

Project No: 1940103494
Date: 10/15/25

Time	Observation
16:25	Decon pump from MW-411D Begin demob for EOD
16:50	Mob to drum to dump purge water
17:03	All water dumped in drum from Q3 event (image attached) Put drum in vehicle to return to vendor
17:07	Drum closed and secured Remaining onsite to finish COC
17:20	Offsite to submit samples, return equipment

Photos



(0.00000, 0.00000)
--



(0.00000, 0.00000)
--

APPENDIX B
LABORATORY ANALYTICAL REPORTS

APPENDIX B-1
MARCH 2025 GROUNDWATER SAMPLING EVENT

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

March 18, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on March 04, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
DoD Certification via A2LA #: 2926.01
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605
Georgia Certification #: 959
GMP+ Certification #: GMP050884
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
ISO/IEC 17025 Certification via A2LA #: 2926.01
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240
Mississippi Certification #: MN00064
Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081
New Jersey Certification #: MN002
New York Certification #: 11647
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Oklahoma Certification #: 9507
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192
Utah Certification #: MN00064
Vermont Certification #: VT-027053137
Virginia Certification #: 460163
Washington Certification #: C486
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification via A2LA #: 2926.01
USDA Permit #: P330-19-00208

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50395132001	**W-9-332025**	Water	03/03/25 11:46	03/04/25 11:55
50395132002	**MW-425-03032025**	Water	03/03/25 11:32	03/04/25 11:55
50395132003	**MW-410D-03032025**	Water	03/03/25 13:58	03/04/25 11:55
50395132004	**MW-410S-03032025**	Water	03/03/25 14:54	03/04/25 11:55
50395132005	**MW-413S-03032025**	Water	03/03/25 16:18	03/04/25 11:55
50395132006	**MW-426-03032025**	Water	03/03/25 13:34	03/04/25 11:55
50395132007	**MW-22-03032025**	Water	03/03/25 15:36	03/04/25 11:55
50395132008	**MW-173-03032025**	Water	03/03/25 16:05	03/04/25 11:55
50395132009	**MW-112-03032025**	Water	03/03/25 16:23	03/04/25 11:55
50395132010	**MW-313-03032025**	Water	03/03/25 16:40	03/04/25 11:55
50395132011	**AD-100-03032025**	Water	03/03/25 12:00	03/04/25 11:55
50395132012	**MW-413D-03042025**	Water	03/04/25 10:15	03/04/25 11:55
50395132013	**MW-411D-03042025**	Water	03/04/25 10:17	03/04/25 11:55
50395132014	**AD-200-03042025**	Water	03/04/25 10:17	03/04/25 11:55
50395132015	**Trip Blank**	Water	03/03/25 08:00	03/04/25 11:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50395132001	**W-9-332025**	RSK 175	ALE	3	PASI-M
		EPA 5030/8260	ALA	75	PASI-I
50395132002	**MW-425-03032025**	EPA 300.0	GLT	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395132003	**MW-410D-03032025**	EPA 300.0	GLT	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395132004	**MW-410S-03032025**	EPA 300.0	GLT	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395132005	**MW-413S-03032025**	EPA 300.0	GLT	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395132006	**MW-426-03032025**	RSK 175	ALE	3	PASI-M
		EPA 5030/8260	ALA	75	PASI-I
50395132007	**MW-22-03032025**	EPA 5030/8260	ALA	75	PASI-I
50395132008	**MW-173-03032025**	EPA 5030/8260	ALA	75	PASI-I
50395132009	**MW-112-03032025**	EPA 5030/8260	ALA	75	PASI-I
50395132010	**MW-313-03032025**	EPA 5030/8260	ALA	75	PASI-I
50395132011	**AD-100-03032025**	EPA 300.0	GLT	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	KCS	2	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		SM 5310C	ATS	1	PASI-I
50395132012	**MW-413D-03042025**	EPA 300.0	GLT	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395132013	**MW-411D-03042025**	EPA 300.0	GLT	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395132014	**AD-200-03042025**	EPA 5030/8260	ALA	75	PASI-I
50395132015	**Trip Blank**	EPA 5030/8260	ALA	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis
PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395132001	**W-9-332025**					
RSK 175	Methane	4850	ug/L	10.0	03/07/25 19:13	
RSK 175	Ethane	37.2	ug/L	10.0	03/07/25 19:13	
50395132002	**MW-425-03032025**					
EPA 300.0	Sulfate	48600	ug/L	250	03/12/25 11:09	
RSK 175	Methane	15000	ug/L	10.0	03/07/25 19:01	E
RSK 175	Ethane	146	ug/L	10.0	03/07/25 19:01	
EPA 6010	Iron, Dissolved	9710	ug/L	100	03/14/25 15:23	
EPA 5030/8260	Chloroethane	1290	ug/L	50.0	03/06/25 05:01	
EPA 5030/8260	1,1-Dichloroethane	6.0	ug/L	5.0	03/06/25 04:34	
EPA 5030/8260	Vinyl chloride	3.6	ug/L	2.0	03/06/25 04:34	
SM 5310C	Total Organic Carbon	3870	ug/L	1000	03/06/25 06:07	
50395132003	**MW-410D-03032025**					
EPA 300.0	Sulfate	11700	ug/L	250	03/12/25 12:00	
RSK 175	Methane	22700	ug/L	10.0	03/07/25 19:47	E
RSK 175	Ethane	164	ug/L	10.0	03/07/25 19:47	
RSK 175	Ethene	313	ug/L	10.0	03/07/25 19:47	
EPA 6010	Iron, Dissolved	8040	ug/L	100	03/14/25 15:25	
EPA 5030/8260	Chloroethane	3330	ug/L	125	03/06/25 05:54	
EPA 5030/8260	1,1-Dichloroethane	325	ug/L	25.0	03/06/25 05:27	
EPA 5030/8260	cis-1,2-Dichloroethene	270	ug/L	25.0	03/06/25 05:27	
EPA 5030/8260	Vinyl chloride	268	ug/L	10.0	03/06/25 05:27	
SM 5310C	Total Organic Carbon	4850	ug/L	1000	03/06/25 06:18	
50395132004	**MW-410S-03032025**					
EPA 300.0	Sulfate	6460	ug/L	250	03/12/25 13:26	
RSK 175	Methane	18100	ug/L	10.0	03/07/25 19:58	E
RSK 175	Ethane	64.9	ug/L	10.0	03/07/25 19:58	
EPA 6010	Iron, Dissolved	3600	ug/L	100	03/14/25 15:27	
EPA 5030/8260	Chloroethane	549	ug/L	25.0	03/06/25 06:21	
EPA 5030/8260	1,1-Dichloroethane	146	ug/L	5.0	03/07/25 02:53	
EPA 5030/8260	cis-1,2-Dichloroethene	42.0	ug/L	5.0	03/07/25 02:53	
EPA 5030/8260	1,1,1-Trichloroethane	173	ug/L	5.0	03/07/25 02:53	
EPA 5030/8260	Trichloroethene	23.4	ug/L	5.0	03/07/25 02:53	
EPA 5030/8260	Vinyl chloride	14.0	ug/L	2.0	03/07/25 02:53	
SM 5310C	Total Organic Carbon	5900	ug/L	1000	03/06/25 06:29	
50395132005	**MW-413S-03032025**					
EPA 300.0	Sulfate	35700	ug/L	250	03/12/25 14:18	
RSK 175	Methane	13800	ug/L	10.0	03/07/25 20:09	
RSK 175	Ethane	79.5	ug/L	10.0	03/07/25 20:09	
RSK 175	Ethene	52.0	ug/L	10.0	03/07/25 20:09	
EPA 6010	Iron, Dissolved	2010	ug/L	100	03/14/25 15:37	
EPA 5030/8260	Chloroethane	99.1	ug/L	5.0	03/06/25 07:14	
EPA 5030/8260	cis-1,2-Dichloroethene	31.3	ug/L	5.0	03/06/25 07:14	
EPA 5030/8260	Vinyl chloride	34.6	ug/L	2.0	03/06/25 07:14	
SM 5310C	Total Organic Carbon	4120	ug/L	1000	03/06/25 06:41	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395132006	**MW-426-03032025**					
RSK 175	Methane	1680	ug/L	10.0	03/07/25 19:35	
RSK 175	Ethane	10.2	ug/L	10.0	03/07/25 19:35	
EPA 5030/8260	Chloroethane	433	ug/L	50.0	03/06/25 11:15	M1
EPA 5030/8260	1,1-Dichloroethane	11.3	ug/L	5.0	03/07/25 10:28	
EPA 5030/8260	cis-1,2-Dichloroethene	42.3	ug/L	5.0	03/07/25 10:28	
EPA 5030/8260	Vinyl chloride	24.7	ug/L	2.0	03/07/25 10:28	
50395132007	**MW-22-03032025**					
EPA 5030/8260	cis-1,2-Dichloroethene	32.4	ug/L	5.0	03/06/25 07:41	
EPA 5030/8260	Vinyl chloride	50.4	ug/L	2.0	03/06/25 07:41	
50395132008	**MW-173-03032025**					
EPA 5030/8260	1,2-Dichloroethane	7.3	ug/L	5.0	03/06/25 08:08	
EPA 5030/8260	cis-1,2-Dichloroethene	778	ug/L	50.0	03/06/25 08:35	
EPA 5030/8260	trans-1,2-Dichloroethene	17.0	ug/L	5.0	03/06/25 08:08	
EPA 5030/8260	Vinyl chloride	117	ug/L	2.0	03/06/25 08:08	
50395132009	**MW-112-03032025**					
EPA 5030/8260	cis-1,2-Dichloroethene	280	ug/L	5.0	03/06/25 09:01	
EPA 5030/8260	Vinyl chloride	244	ug/L	20.0	03/06/25 09:28	
50395132010	**MW-313-03032025**					
EPA 5030/8260	cis-1,2-Dichloroethene	383	ug/L	50.0	03/06/25 10:22	
EPA 5030/8260	Vinyl chloride	31.0	ug/L	2.0	03/06/25 09:55	
50395132011	**AD-100-03032025**					
EPA 300.0	Sulfate	48300	ug/L	250	03/12/25 15:09	
RSK 175	Methane	14900	ug/L	10.0	03/07/25 19:24	E
RSK 175	Ethane	146	ug/L	10.0	03/07/25 19:24	
EPA 6010	Iron, Dissolved	10500	ug/L	100	03/14/25 16:17	
EPA 5030/8260	Chloroethane	1360	ug/L	50.0	03/07/25 03:47	
EPA 5030/8260	1,1-Dichloroethane	6.0	ug/L	5.0	03/07/25 03:20	
EPA 5030/8260	Vinyl chloride	3.5	ug/L	2.0	03/07/25 03:20	
SM 5310C	Total Organic Carbon	4040	ug/L	1000	03/06/25 06:51	
50395132012	**MW-413D-03042025**					
EPA 300.0	Sulfate	56500	ug/L	2500	03/12/25 16:52	
RSK 175	Methane	1340	ug/L	10.0	03/07/25 22:47	
RSK 175	Ethene	33.7	ug/L	10.0	03/07/25 22:47	
EPA 6010	Iron, Dissolved	3490	ug/L	100	03/14/25 15:47	
EPA 5030/8260	Chloroethane	73.2	ug/L	5.0	03/07/25 04:13	
EPA 5030/8260	Vinyl chloride	131	ug/L	2.0	03/07/25 04:13	
SM 5310C	Total Organic Carbon	6520	ug/L	1000	03/06/25 07:03	
50395132013	**MW-411D-03042025**					
EPA 300.0	Sulfate	33500	ug/L	250	03/12/25 17:26	
RSK 175	Methane	22000	ug/L	10.0	03/07/25 22:58	E
RSK 175	Ethane	120	ug/L	10.0	03/07/25 22:58	
RSK 175	Ethene	112	ug/L	10.0	03/07/25 22:58	
EPA 6010	Iron, Dissolved	7980	ug/L	100	03/14/25 15:49	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395132013	**MW-411D-03042025**					
EPA 5030/8260	Chloroethane	5100	ug/L	500	03/07/25 11:48	
EPA 5030/8260	1,2-Dichloroethane	8.8	ug/L	5.0	03/07/25 05:07	
EPA 5030/8260	cis-1,2-Dichloroethene	5.8	ug/L	5.0	03/07/25 05:07	
EPA 5030/8260	trans-1,2-Dichloroethene	6.7	ug/L	5.0	03/07/25 05:07	
EPA 5030/8260	Vinyl chloride	15.7	ug/L	2.0	03/07/25 05:07	
SM 5310C	Total Organic Carbon	19900	ug/L	1000	03/06/25 07:17	
50395132014	**AD-200-03042025**					
EPA 5030/8260	Chloroethane	4850	ug/L	125	03/07/25 06:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: W-9-332025 **Lab ID: 50395132001** Collected: 03/03/25 11:46 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**4850**	ug/L	10.0	2.8	1		03/07/25 19:13	74-82-8	
Ethane	**37.2**	ug/L	10.0	1.3	1		03/07/25 19:13	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		03/07/25 19:13	74-85-1	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/06/25 04:07	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/06/25 04:07	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/06/25 04:07	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/06/25 04:07	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/06/25 04:07	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/06/25 04:07	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/06/25 04:07	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/06/25 04:07	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/06/25 04:07	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/06/25 04:07	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/06/25 04:07	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/06/25 04:07	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/06/25 04:07	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/06/25 04:07	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/06/25 04:07	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/06/25 04:07	108-90-7	
Chloroethane	ND	ug/L	5.0	0.46	1		03/06/25 04:07	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/06/25 04:07	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/06/25 04:07	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/06/25 04:07	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/06/25 04:07	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/06/25 04:07	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/06/25 04:07	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/06/25 04:07	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/06/25 04:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/06/25 04:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/06/25 04:07	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/06/25 04:07	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/06/25 04:07	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/06/25 04:07	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/06/25 04:07	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/06/25 04:07	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/06/25 04:07	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/06/25 04:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 04:07	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 04:07	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 04:07	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 04:07	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 04:07	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: W-9-332025 **Lab ID: 50395132001** Collected: 03/03/25 11:46 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/06/25 04:07	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/06/25 04:07	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/06/25 04:07	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/06/25 04:07	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/06/25 04:07	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/06/25 04:07	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		03/06/25 04:07	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/06/25 04:07	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/06/25 04:07	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/06/25 04:07	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 04:07	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 04:07	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/06/25 04:07	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/06/25 04:07	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/06/25 04:07	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 04:07	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/06/25 04:07	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/06/25 04:07	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/06/25 04:07	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/06/25 04:07	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/06/25 04:07	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/06/25 04:07	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/06/25 04:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/06/25 04:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/06/25 04:07	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/06/25 04:07	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/06/25 04:07	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/06/25 04:07	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/06/25 04:07	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 04:07	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/06/25 04:07	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.41	1		03/06/25 04:07	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/06/25 04:07	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		03/06/25 04:07	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		03/06/25 04:07	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		03/06/25 04:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-425-03032025 **Lab ID: 50395132002** Collected: 03/03/25 11:32 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**48600**	ug/L	250	190	1		03/12/25 11:09	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**15000**	ug/L	10.0	2.8	1		03/07/25 19:01	74-82-8	E
Ethane	**146**	ug/L	10.0	1.3	1		03/07/25 19:01	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		03/07/25 19:01	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**9710**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 15:23	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/06/25 04:34	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/06/25 04:34	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/06/25 04:34	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/06/25 04:34	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/06/25 04:34	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/06/25 04:34	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/06/25 04:34	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/06/25 04:34	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/06/25 04:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/06/25 04:34	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/06/25 04:34	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/06/25 04:34	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/06/25 04:34	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/06/25 04:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/06/25 04:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/06/25 04:34	108-90-7	
Chloroethane	**1290**	ug/L	50.0	4.6	10		03/06/25 05:01	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/06/25 04:34	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/06/25 04:34	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/06/25 04:34	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/06/25 04:34	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/06/25 04:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/06/25 04:34	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/06/25 04:34	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/06/25 04:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/06/25 04:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/06/25 04:34	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/06/25 04:34	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/06/25 04:34	75-71-8	
1,1-Dichloroethane	**6.0**	ug/L	5.0	0.26	1		03/06/25 04:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/06/25 04:34	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-425-03032025 **Lab ID: 50395132002** Collected: 03/03/25 11:32 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/06/25 04:34	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/06/25 04:34	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/06/25 04:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 04:34	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 04:34	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 04:34	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 04:34	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 04:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/06/25 04:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/06/25 04:34	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/06/25 04:34	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/06/25 04:34	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/06/25 04:34	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/06/25 04:34	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		03/06/25 04:34	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/06/25 04:34	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/06/25 04:34	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/06/25 04:34	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 04:34	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 04:34	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/06/25 04:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/06/25 04:34	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/06/25 04:34	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 04:34	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/06/25 04:34	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/06/25 04:34	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/06/25 04:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/06/25 04:34	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/06/25 04:34	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/06/25 04:34	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/06/25 04:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/06/25 04:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/06/25 04:34	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/06/25 04:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/06/25 04:34	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/06/25 04:34	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/06/25 04:34	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 04:34	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/06/25 04:34	108-05-4	
Vinyl chloride	**3.6**	ug/L	2.0	0.41	1		03/06/25 04:34	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/06/25 04:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		03/06/25 04:34	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		03/06/25 04:34	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		03/06/25 04:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-425-03032025 **Lab ID: 50395132002** Collected: 03/03/25 11:32 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 08:52		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 08:52	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3870**	ug/L	1000	300	1		03/06/25 06:07	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-410D-03032025 **Lab ID: 50395132003** Collected: 03/03/25 13:58 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**11700**	ug/L	250	190	1		03/12/25 12:00	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**22700**	ug/L	10.0	2.8	1		03/07/25 19:47	74-82-8	E
Ethane	**164**	ug/L	10.0	1.3	1		03/07/25 19:47	74-84-0	
Ethene	**313**	ug/L	10.0	1.1	1		03/07/25 19:47	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**8040**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 15:25	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	8.2	5		03/06/25 05:27	67-64-1	
Acrolein	ND	ug/L	250	27.0	5		03/06/25 05:27	107-02-8	
Acrylonitrile	ND	ug/L	500	6.0	5		03/06/25 05:27	107-13-1	
Benzene	ND	ug/L	25.0	1.2	5		03/06/25 05:27	71-43-2	
Bromobenzene	ND	ug/L	25.0	1.5	5		03/06/25 05:27	108-86-1	
Bromochloromethane	ND	ug/L	25.0	1.3	5		03/06/25 05:27	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	1.6	5		03/06/25 05:27	75-27-4	
Bromoform	ND	ug/L	25.0	1.7	5		03/06/25 05:27	75-25-2	
Bromomethane	ND	ug/L	25.0	4.0	5		03/06/25 05:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	6.6	5		03/06/25 05:27	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	1.1	5		03/06/25 05:27	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	1.2	5		03/06/25 05:27	98-06-6	
Carbon disulfide	ND	ug/L	50.0	1.2	5		03/06/25 05:27	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	1.3	5		03/06/25 05:27	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	108-90-7	
Chloroethane	**3330**	ug/L	125	11.6	25		03/06/25 05:54	75-00-3	
Chloroform	ND	ug/L	25.0	1.6	5		03/06/25 05:27	67-66-3	
Chloromethane	ND	ug/L	25.0	1.2	5		03/06/25 05:27	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	1.6	5		03/06/25 05:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	1.4	5		03/06/25 05:27	106-93-4	
Dibromomethane	ND	ug/L	25.0	1.4	5		03/06/25 05:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	1.1	5		03/06/25 05:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	1.2	5		03/06/25 05:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	1.9	5		03/06/25 05:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	1.6	5		03/06/25 05:27	75-71-8	
1,1-Dichloroethane	**325**	ug/L	25.0	1.3	5		03/06/25 05:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	1.1	5		03/06/25 05:27	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-410D-03032025 **Lab ID: 50395132003** Collected: 03/03/25 13:58 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	25.0	1.1	5		03/06/25 05:27	75-35-4	
cis-1,2-Dichloroethene	**270**	ug/L	25.0	1.4	5		03/06/25 05:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	1.3	5		03/06/25 05:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.4	5		03/06/25 05:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	1.3	5		03/06/25 05:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	2.5	5		03/06/25 05:27	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.2	5		03/06/25 05:27	100-41-4	
Ethyl methacrylate	ND	ug/L	500	1.4	5		03/06/25 05:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	4.2	5		03/06/25 05:27	87-68-3	
n-Hexane	ND	ug/L	25.0	1.1	5		03/06/25 05:27	110-54-3	
2-Hexanone	ND	ug/L	125	6.2	5		03/06/25 05:27	591-78-6	
Iodomethane	ND	ug/L	50.0	1.7	5		03/06/25 05:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.2	5		03/06/25 05:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	1.2	5		03/06/25 05:27	99-87-6	
Methylene Chloride	ND	ug/L	25.0	5.0	5		03/06/25 05:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	7.0	5		03/06/25 05:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	7.0	5		03/06/25 05:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	6.4	5		03/06/25 05:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	1.3	5		03/06/25 05:27	1634-04-4	
Naphthalene	ND	ug/L	6.0	1.3	5		03/06/25 05:27	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	1.2	5		03/06/25 05:27	103-65-1	
Styrene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.5	5		03/06/25 05:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	1.6	5		03/06/25 05:27	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	1.2	5		03/06/25 05:27	127-18-4	
Toluene	ND	ug/L	25.0	1.9	5		03/06/25 05:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.6	5		03/06/25 05:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	1.4	5		03/06/25 05:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	1.2	5		03/06/25 05:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.8	5		03/06/25 05:27	79-00-5	
Trichloroethene	ND	ug/L	25.0	1.1	5		03/06/25 05:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	1.5	5		03/06/25 05:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	1.6	5		03/06/25 05:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.3	5		03/06/25 05:27	108-67-8	
Vinyl acetate	ND	ug/L	250	4.3	5		03/06/25 05:27	108-05-4	
Vinyl chloride	**268**	ug/L	10.0	2.1	5		03/06/25 05:27	75-01-4	
Xylene (Total)	ND	ug/L	50.0	1.9	5		03/06/25 05:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		5		03/06/25 05:27	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		5		03/06/25 05:27	460-00-4	
Toluene-d8 (S)	100	%.	73-122		5		03/06/25 05:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-410D-03032025 **Lab ID: 50395132003** Collected: 03/03/25 13:58 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 08:56		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 08:56	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4850**	ug/L	1000	300	1		03/06/25 06:18	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-410S-03032025 **Lab ID: 50395132004** Collected: 03/03/25 14:54 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**6460**	ug/L	250	190	1		03/12/25 13:26	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**18100**	ug/L	10.0	2.8	1		03/07/25 19:58	74-82-8	E
Ethane	**64.9**	ug/L	10.0	1.3	1		03/07/25 19:58	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		03/07/25 19:58	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**3600**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 15:27	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/07/25 02:53	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/07/25 02:53	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/07/25 02:53	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/07/25 02:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/07/25 02:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/07/25 02:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/07/25 02:53	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/07/25 02:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/07/25 02:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/07/25 02:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/07/25 02:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/07/25 02:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/07/25 02:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/07/25 02:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/07/25 02:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/07/25 02:53	108-90-7	
Chloroethane	**549**	ug/L	25.0	2.3	5		03/06/25 06:21	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/07/25 02:53	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/07/25 02:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/07/25 02:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/07/25 02:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/07/25 02:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/07/25 02:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/07/25 02:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/07/25 02:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/07/25 02:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/07/25 02:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/07/25 02:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/07/25 02:53	75-71-8	
1,1-Dichloroethane	**146**	ug/L	5.0	0.26	1		03/07/25 02:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/07/25 02:53	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-410S-03032025 **Lab ID: 50395132004** Collected: 03/03/25 14:54 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/07/25 02:53	75-35-4	
cis-1,2-Dichloroethene	**42.0**	ug/L	5.0	0.28	1		03/07/25 02:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/07/25 02:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 02:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 02:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 02:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 02:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 02:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/07/25 02:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/07/25 02:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/07/25 02:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/07/25 02:53	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/07/25 02:53	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/07/25 02:53	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		03/07/25 02:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/07/25 02:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/07/25 02:53	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/07/25 02:53	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 02:53	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 02:53	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/07/25 02:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/07/25 02:53	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/07/25 02:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 02:53	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/07/25 02:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/07/25 02:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/07/25 02:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/07/25 02:53	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/07/25 02:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/07/25 02:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/07/25 02:53	120-82-1	
1,1,1-Trichloroethane	**173**	ug/L	5.0	0.24	1		03/07/25 02:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/07/25 02:53	79-00-5	
Trichloroethene	**23.4**	ug/L	5.0	0.22	1		03/07/25 02:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/07/25 02:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/07/25 02:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/07/25 02:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 02:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/07/25 02:53	108-05-4	
Vinyl chloride	**14.0**	ug/L	2.0	0.41	1		03/07/25 02:53	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/07/25 02:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		03/07/25 02:53	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		03/07/25 02:53	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		03/07/25 02:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-410S-03032025 **Lab ID: 50395132004** Collected: 03/03/25 14:54 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 08:58		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 08:58	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5900**	ug/L	1000	300	1		03/06/25 06:29	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-413S-03032025 **Lab ID: 50395132005** Collected: 03/03/25 16:18 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**35700**	ug/L	250	190	1		03/12/25 14:18	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**13800**	ug/L	10.0	2.8	1		03/07/25 20:09	74-82-8	
Ethane	**79.5**	ug/L	10.0	1.3	1		03/07/25 20:09	74-84-0	
Ethene	**52.0**	ug/L	10.0	1.1	1		03/07/25 20:09	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**2010**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 15:37	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/06/25 07:14	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/06/25 07:14	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/06/25 07:14	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/06/25 07:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/06/25 07:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/06/25 07:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/06/25 07:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/06/25 07:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/06/25 07:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/06/25 07:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/06/25 07:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/06/25 07:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/06/25 07:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/06/25 07:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/06/25 07:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/06/25 07:14	108-90-7	
Chloroethane	**99.1**	ug/L	5.0	0.46	1		03/06/25 07:14	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/06/25 07:14	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/06/25 07:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/06/25 07:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/06/25 07:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/06/25 07:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/06/25 07:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/06/25 07:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/06/25 07:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/06/25 07:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/06/25 07:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/06/25 07:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/06/25 07:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/06/25 07:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/06/25 07:14	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-413S-03032025 **Lab ID: 50395132005** Collected: 03/03/25 16:18 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/06/25 07:14	75-35-4	
cis-1,2-Dichloroethene	**31.3**	ug/L	5.0	0.28	1		03/06/25 07:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/06/25 07:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 07:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 07:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 07:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 07:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 07:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/06/25 07:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/06/25 07:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/06/25 07:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/06/25 07:14	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/06/25 07:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/06/25 07:14	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		03/06/25 07:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/06/25 07:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/06/25 07:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/06/25 07:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 07:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 07:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/06/25 07:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/06/25 07:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/06/25 07:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 07:14	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/06/25 07:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/06/25 07:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/06/25 07:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/06/25 07:14	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/06/25 07:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/06/25 07:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/06/25 07:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/06/25 07:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/06/25 07:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/06/25 07:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/06/25 07:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/06/25 07:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/06/25 07:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 07:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/06/25 07:14	108-05-4	
Vinyl chloride	**34.6**	ug/L	2.0	0.41	1		03/06/25 07:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/06/25 07:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		1		03/06/25 07:14	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		03/06/25 07:14	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		03/06/25 07:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-413S-03032025 **Lab ID: 50395132005** Collected: 03/03/25 16:18 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 09:07		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 09:07	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4120**	ug/L	1000	300	1		03/06/25 06:41	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-426-03032025 **Lab ID: 50395132006** Collected: 03/03/25 13:34 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**1680**	ug/L	10.0	2.8	1		03/07/25 19:35	74-82-8	
Ethane	**10.2**	ug/L	10.0	1.3	1		03/07/25 19:35	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		03/07/25 19:35	74-85-1	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/07/25 10:28	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/07/25 10:28	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/07/25 10:28	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/07/25 10:28	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/07/25 10:28	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/07/25 10:28	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/07/25 10:28	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/07/25 10:28	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/07/25 10:28	74-83-9	R1
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/07/25 10:28	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/07/25 10:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/07/25 10:28	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/07/25 10:28	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/07/25 10:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/07/25 10:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/07/25 10:28	108-90-7	
Chloroethane	**433**	ug/L	50.0	4.6	10		03/06/25 11:15	75-00-3	M1
Chloroform	ND	ug/L	5.0	0.32	1		03/07/25 10:28	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/07/25 10:28	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/07/25 10:28	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/07/25 10:28	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/07/25 10:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/07/25 10:28	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/07/25 10:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/07/25 10:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/07/25 10:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/07/25 10:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/07/25 10:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/07/25 10:28	75-71-8	
1,1-Dichloroethane	**11.3**	ug/L	5.0	0.26	1		03/07/25 10:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/07/25 10:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/07/25 10:28	75-35-4	
cis-1,2-Dichloroethene	**42.3**	ug/L	5.0	0.28	1		03/07/25 10:28	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/07/25 10:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 10:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 10:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 10:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 10:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 10:28	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-426-03032025 **Lab ID: 50395132006** Collected: 03/03/25 13:34 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/07/25 10:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/07/25 10:28	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/07/25 10:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/07/25 10:28	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/07/25 10:28	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/07/25 10:28	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		03/07/25 10:28	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/07/25 10:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/07/25 10:28	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/07/25 10:28	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 10:28	90-12-0	R1
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 10:28	91-57-6	R1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/07/25 10:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/07/25 10:28	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/07/25 10:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 10:28	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/07/25 10:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/07/25 10:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/07/25 10:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/07/25 10:28	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/07/25 10:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/07/25 10:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/07/25 10:28	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/07/25 10:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/07/25 10:28	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/07/25 10:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/07/25 10:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/07/25 10:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/07/25 10:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 10:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/07/25 10:28	108-05-4	
Vinyl chloride	**24.7**	ug/L	2.0	0.41	1		03/07/25 10:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/07/25 10:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		03/07/25 10:28	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	79-124		1		03/07/25 10:28	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		03/07/25 10:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-22-03032025 **Lab ID: 50395132007** Collected: 03/03/25 15:36 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/06/25 07:41	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/06/25 07:41	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/06/25 07:41	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/06/25 07:41	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/06/25 07:41	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/06/25 07:41	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/06/25 07:41	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/06/25 07:41	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/06/25 07:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/06/25 07:41	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/06/25 07:41	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/06/25 07:41	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/06/25 07:41	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/06/25 07:41	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/06/25 07:41	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/06/25 07:41	108-90-7	
Chloroethane	ND	ug/L	5.0	0.46	1		03/06/25 07:41	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/06/25 07:41	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/06/25 07:41	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/06/25 07:41	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/06/25 07:41	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/06/25 07:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/06/25 07:41	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/06/25 07:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/06/25 07:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/06/25 07:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/06/25 07:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/06/25 07:41	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/06/25 07:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/06/25 07:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/06/25 07:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/06/25 07:41	75-35-4	
cis-1,2-Dichloroethene	**32.4**	ug/L	5.0	0.28	1		03/06/25 07:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/06/25 07:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 07:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 07:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 07:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 07:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 07:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/06/25 07:41	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/06/25 07:41	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/06/25 07:41	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/06/25 07:41	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/06/25 07:41	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/06/25 07:41	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-22-03032025 **Lab ID: 50395132007** Collected: 03/03/25 15:36 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.34	1		03/06/25 07:41	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/06/25 07:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/06/25 07:41	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/06/25 07:41	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 07:41	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 07:41	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/06/25 07:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/06/25 07:41	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/06/25 07:41	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 07:41	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/06/25 07:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/06/25 07:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/06/25 07:41	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/06/25 07:41	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/06/25 07:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/06/25 07:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/06/25 07:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/06/25 07:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/06/25 07:41	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/06/25 07:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/06/25 07:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/06/25 07:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/06/25 07:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 07:41	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/06/25 07:41	108-05-4	
Vinyl chloride	**50.4**	ug/L	2.0	0.41	1		03/06/25 07:41	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/06/25 07:41	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		03/06/25 07:41	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		03/06/25 07:41	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		03/06/25 07:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-173-03032025 **Lab ID: 50395132008** Collected: 03/03/25 16:05 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/06/25 08:08	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/06/25 08:08	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/06/25 08:08	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/06/25 08:08	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/06/25 08:08	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/06/25 08:08	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/06/25 08:08	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/06/25 08:08	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/06/25 08:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/06/25 08:08	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/06/25 08:08	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/06/25 08:08	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/06/25 08:08	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/06/25 08:08	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/06/25 08:08	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/06/25 08:08	108-90-7	
Chloroethane	ND	ug/L	5.0	0.46	1		03/06/25 08:08	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/06/25 08:08	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/06/25 08:08	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/06/25 08:08	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/06/25 08:08	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/06/25 08:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/06/25 08:08	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/06/25 08:08	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/06/25 08:08	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/06/25 08:08	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/06/25 08:08	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/06/25 08:08	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/06/25 08:08	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/06/25 08:08	75-34-3	
1,2-Dichloroethane	**7.3**	ug/L	5.0	0.22	1		03/06/25 08:08	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/06/25 08:08	75-35-4	
cis-1,2-Dichloroethene	**778**	ug/L	50.0	2.8	10		03/06/25 08:35	156-59-2	
trans-1,2-Dichloroethene	**17.0**	ug/L	5.0	0.25	1		03/06/25 08:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 08:08	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 08:08	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 08:08	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 08:08	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 08:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/06/25 08:08	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/06/25 08:08	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/06/25 08:08	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/06/25 08:08	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/06/25 08:08	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/06/25 08:08	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-173-03032025 **Lab ID: 50395132008** Collected: 03/03/25 16:05 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.34	1		03/06/25 08:08	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/06/25 08:08	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/06/25 08:08	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/06/25 08:08	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 08:08	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 08:08	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/06/25 08:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/06/25 08:08	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/06/25 08:08	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 08:08	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/06/25 08:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/06/25 08:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/06/25 08:08	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/06/25 08:08	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/06/25 08:08	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/06/25 08:08	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/06/25 08:08	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/06/25 08:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/06/25 08:08	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/06/25 08:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/06/25 08:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/06/25 08:08	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/06/25 08:08	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 08:08	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/06/25 08:08	108-05-4	
Vinyl chloride	**117**	ug/L	2.0	0.41	1		03/06/25 08:08	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/06/25 08:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		1		03/06/25 08:08	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		03/06/25 08:08	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		03/06/25 08:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-112-03032025 **Lab ID: 50395132009** Collected: 03/03/25 16:23 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/06/25 09:01	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/06/25 09:01	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/06/25 09:01	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/06/25 09:01	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/06/25 09:01	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/06/25 09:01	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/06/25 09:01	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/06/25 09:01	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/06/25 09:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/06/25 09:01	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/06/25 09:01	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/06/25 09:01	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/06/25 09:01	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/06/25 09:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/06/25 09:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/06/25 09:01	108-90-7	
Chloroethane	ND	ug/L	5.0	0.46	1		03/06/25 09:01	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/06/25 09:01	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/06/25 09:01	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/06/25 09:01	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/06/25 09:01	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/06/25 09:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/06/25 09:01	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/06/25 09:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/06/25 09:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/06/25 09:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/06/25 09:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/06/25 09:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/06/25 09:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/06/25 09:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/06/25 09:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/06/25 09:01	75-35-4	
cis-1,2-Dichloroethene	**280**	ug/L	5.0	0.28	1		03/06/25 09:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/06/25 09:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 09:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 09:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 09:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 09:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 09:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/06/25 09:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/06/25 09:01	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/06/25 09:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/06/25 09:01	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/06/25 09:01	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/06/25 09:01	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-112-03032025 **Lab ID: 50395132009** Collected: 03/03/25 16:23 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.34	1		03/06/25 09:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/06/25 09:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/06/25 09:01	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/06/25 09:01	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 09:01	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 09:01	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/06/25 09:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/06/25 09:01	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/06/25 09:01	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 09:01	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/06/25 09:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/06/25 09:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/06/25 09:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/06/25 09:01	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/06/25 09:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/06/25 09:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/06/25 09:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/06/25 09:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/06/25 09:01	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/06/25 09:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/06/25 09:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/06/25 09:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/06/25 09:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 09:01	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/06/25 09:01	108-05-4	
Vinyl chloride	**244**	ug/L	20.0	4.1	10		03/06/25 09:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/06/25 09:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		1		03/06/25 09:01	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		03/06/25 09:01	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		03/06/25 09:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-313-03032025 **Lab ID: 50395132010** Collected: 03/03/25 16:40 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/06/25 09:55	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/06/25 09:55	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/06/25 09:55	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/06/25 09:55	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/06/25 09:55	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/06/25 09:55	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/06/25 09:55	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/06/25 09:55	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/06/25 09:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/06/25 09:55	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/06/25 09:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/06/25 09:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/06/25 09:55	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/06/25 09:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/06/25 09:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/06/25 09:55	108-90-7	
Chloroethane	ND	ug/L	5.0	0.46	1		03/06/25 09:55	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/06/25 09:55	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/06/25 09:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/06/25 09:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/06/25 09:55	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/06/25 09:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/06/25 09:55	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/06/25 09:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/06/25 09:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/06/25 09:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/06/25 09:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/06/25 09:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/06/25 09:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/06/25 09:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/06/25 09:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/06/25 09:55	75-35-4	
cis-1,2-Dichloroethene	**383**	ug/L	50.0	2.8	10		03/06/25 10:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/06/25 09:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 09:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 09:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 09:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 09:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 09:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/06/25 09:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/06/25 09:55	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/06/25 09:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/06/25 09:55	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/06/25 09:55	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/06/25 09:55	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-313-03032025 **Lab ID: 50395132010** Collected: 03/03/25 16:40 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.34	1		03/06/25 09:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/06/25 09:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/06/25 09:55	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/06/25 09:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 09:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 09:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/06/25 09:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/06/25 09:55	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/06/25 09:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 09:55	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/06/25 09:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/06/25 09:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/06/25 09:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/06/25 09:55	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/06/25 09:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/06/25 09:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/06/25 09:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/06/25 09:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/06/25 09:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/06/25 09:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/06/25 09:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/06/25 09:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/06/25 09:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 09:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/06/25 09:55	108-05-4	
Vinyl chloride	**31.0**	ug/L	2.0	0.41	1		03/06/25 09:55	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/06/25 09:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		03/06/25 09:55	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		03/06/25 09:55	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		03/06/25 09:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: AD-100-03032025 **Lab ID: 50395132011** Collected: 03/03/25 12:00 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**48300**	ug/L	250	190	1		03/12/25 15:09	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**14900**	ug/L	10.0	2.8	1		03/07/25 19:24	74-82-8	E
Ethane	**146**	ug/L	10.0	1.3	1		03/07/25 19:24	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		03/07/25 19:24	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**10500**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 16:17	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/07/25 03:20	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/07/25 03:20	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/07/25 03:20	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/07/25 03:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/07/25 03:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/07/25 03:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/07/25 03:20	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/07/25 03:20	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/07/25 03:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/07/25 03:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/07/25 03:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/07/25 03:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/07/25 03:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/07/25 03:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/07/25 03:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/07/25 03:20	108-90-7	
Chloroethane	**1360**	ug/L	50.0	4.6	10		03/07/25 03:47	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/07/25 03:20	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/07/25 03:20	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/07/25 03:20	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/07/25 03:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/07/25 03:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/07/25 03:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/07/25 03:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/07/25 03:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/07/25 03:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/07/25 03:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/07/25 03:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/07/25 03:20	75-71-8	
1,1-Dichloroethane	**6.0**	ug/L	5.0	0.26	1		03/07/25 03:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/07/25 03:20	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: AD-100-03032025 **Lab ID: 50395132011** Collected: 03/03/25 12:00 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/07/25 03:20	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/07/25 03:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/07/25 03:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 03:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 03:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 03:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 03:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 03:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/07/25 03:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/07/25 03:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/07/25 03:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/07/25 03:20	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/07/25 03:20	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/07/25 03:20	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		03/07/25 03:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/07/25 03:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/07/25 03:20	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/07/25 03:20	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 03:20	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 03:20	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/07/25 03:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/07/25 03:20	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/07/25 03:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 03:20	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/07/25 03:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/07/25 03:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/07/25 03:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/07/25 03:20	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/07/25 03:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/07/25 03:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/07/25 03:20	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/07/25 03:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/07/25 03:20	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/07/25 03:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/07/25 03:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/07/25 03:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/07/25 03:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 03:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/07/25 03:20	108-05-4	
Vinyl chloride	**3.5**	ug/L	2.0	0.41	1		03/07/25 03:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/07/25 03:20	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		1		03/07/25 03:20	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	79-124		1		03/07/25 03:20	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		03/07/25 03:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: AD-100-03032025 **Lab ID: 50395132011** Collected: 03/03/25 12:00 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 08:54		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 08:54	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4040**	ug/L	1000	300	1		03/06/25 06:51	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-413D-03042025 **Lab ID: 50395132012** Collected: 03/04/25 10:15 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**56500**	ug/L	2500	1900	10		03/12/25 16:52	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**1340**	ug/L	10.0	2.8	1		03/07/25 22:47	74-82-8	
Ethane	ND	ug/L	10.0	1.3	1		03/07/25 22:47	74-84-0	
Ethene	**33.7**	ug/L	10.0	1.1	1		03/07/25 22:47	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**3490**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 15:47	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/07/25 04:13	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/07/25 04:13	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/07/25 04:13	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/07/25 04:13	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/07/25 04:13	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/07/25 04:13	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/07/25 04:13	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/07/25 04:13	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/07/25 04:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/07/25 04:13	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/07/25 04:13	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/07/25 04:13	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/07/25 04:13	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/07/25 04:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/07/25 04:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/07/25 04:13	108-90-7	
Chloroethane	**73.2**	ug/L	5.0	0.46	1		03/07/25 04:13	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/07/25 04:13	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/07/25 04:13	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/07/25 04:13	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/07/25 04:13	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/07/25 04:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/07/25 04:13	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/07/25 04:13	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/07/25 04:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/07/25 04:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/07/25 04:13	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/07/25 04:13	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/07/25 04:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/07/25 04:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/07/25 04:13	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-413D-03042025 **Lab ID: 50395132012** Collected: 03/04/25 10:15 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/07/25 04:13	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/07/25 04:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/07/25 04:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 04:13	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 04:13	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 04:13	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 04:13	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 04:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/07/25 04:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/07/25 04:13	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/07/25 04:13	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/07/25 04:13	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/07/25 04:13	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/07/25 04:13	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		03/07/25 04:13	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/07/25 04:13	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/07/25 04:13	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/07/25 04:13	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 04:13	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 04:13	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/07/25 04:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/07/25 04:13	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/07/25 04:13	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 04:13	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/07/25 04:13	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/07/25 04:13	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/07/25 04:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/07/25 04:13	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/07/25 04:13	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/07/25 04:13	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/07/25 04:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/07/25 04:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/07/25 04:13	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/07/25 04:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/07/25 04:13	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/07/25 04:13	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/07/25 04:13	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 04:13	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/07/25 04:13	108-05-4	
Vinyl chloride	**131**	ug/L	2.0	0.41	1		03/07/25 04:13	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/07/25 04:13	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		03/07/25 04:13	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		03/07/25 04:13	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		03/07/25 04:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-413D-03042025 **Lab ID: 50395132012** Collected: 03/04/25 10:15 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 09:09		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 09:09	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**6520**	ug/L	1000	300	1		03/06/25 07:03	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-411D-03042025 **Lab ID: 50395132013** Collected: 03/04/25 10:17 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**33500**	ug/L	250	190	1		03/12/25 17:26	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**22000**	ug/L	10.0	2.8	1		03/07/25 22:58	74-82-8	E
Ethane	**120**	ug/L	10.0	1.3	1		03/07/25 22:58	74-84-0	
Ethene	**112**	ug/L	10.0	1.1	1		03/07/25 22:58	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**7980**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 15:49	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/07/25 05:07	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/07/25 05:07	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/07/25 05:07	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/07/25 05:07	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/07/25 05:07	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/07/25 05:07	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/07/25 05:07	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/07/25 05:07	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/07/25 05:07	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/07/25 05:07	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/07/25 05:07	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/07/25 05:07	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/07/25 05:07	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/07/25 05:07	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/07/25 05:07	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/07/25 05:07	108-90-7	
Chloroethane	**5100**	ug/L	500	46.2	100		03/07/25 11:48	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/07/25 05:07	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/07/25 05:07	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/07/25 05:07	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/07/25 05:07	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/07/25 05:07	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/07/25 05:07	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/07/25 05:07	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/07/25 05:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/07/25 05:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/07/25 05:07	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/07/25 05:07	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/07/25 05:07	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/07/25 05:07	75-34-3	
1,2-Dichloroethane	**8.8**	ug/L	5.0	0.22	1		03/07/25 05:07	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-411D-03042025 **Lab ID: 50395132013** Collected: 03/04/25 10:17 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/07/25 05:07	75-35-4	
cis-1,2-Dichloroethene	**5.8**	ug/L	5.0	0.28	1		03/07/25 05:07	156-59-2	
trans-1,2-Dichloroethene	**6.7**	ug/L	5.0	0.25	1		03/07/25 05:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 05:07	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 05:07	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/07/25 05:07	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 05:07	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/07/25 05:07	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/07/25 05:07	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/07/25 05:07	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/07/25 05:07	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/07/25 05:07	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/07/25 05:07	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/07/25 05:07	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		03/07/25 05:07	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/07/25 05:07	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/07/25 05:07	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/07/25 05:07	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 05:07	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/07/25 05:07	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/07/25 05:07	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/07/25 05:07	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/07/25 05:07	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 05:07	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/07/25 05:07	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/07/25 05:07	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/07/25 05:07	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/07/25 05:07	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/07/25 05:07	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/07/25 05:07	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/07/25 05:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/07/25 05:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/07/25 05:07	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/07/25 05:07	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/07/25 05:07	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/07/25 05:07	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/07/25 05:07	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/07/25 05:07	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/07/25 05:07	108-05-4	
Vinyl chloride	**15.7**	ug/L	2.0	0.41	1		03/07/25 05:07	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/07/25 05:07	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%.	82-128		1		03/07/25 05:07	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		03/07/25 05:07	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		03/07/25 05:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: MW-411D-03042025 **Lab ID: 50395132013** Collected: 03/04/25 10:17 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 09:11		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 09:11	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**19900**	ug/L	1000	300	1		03/06/25 07:17	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: AD-200-03042025 **Lab ID: 50395132014** Collected: 03/04/25 10:17 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	2500	41.2	25		03/07/25 06:00	67-64-1	
Acrolein	ND	ug/L	1250	135	25		03/07/25 06:00	107-02-8	
Acrylonitrile	ND	ug/L	2500	30.2	25		03/07/25 06:00	107-13-1	
Benzene	ND	ug/L	125	6.0	25		03/07/25 06:00	71-43-2	
Bromobenzene	ND	ug/L	125	7.6	25		03/07/25 06:00	108-86-1	
Bromochloromethane	ND	ug/L	125	6.5	25		03/07/25 06:00	74-97-5	
Bromodichloromethane	ND	ug/L	125	7.9	25		03/07/25 06:00	75-27-4	
Bromoform	ND	ug/L	125	8.4	25		03/07/25 06:00	75-25-2	
Bromomethane	ND	ug/L	125	20.2	25		03/07/25 06:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	625	33.2	25		03/07/25 06:00	78-93-3	
n-Butylbenzene	ND	ug/L	125	6.7	25		03/07/25 06:00	104-51-8	
sec-Butylbenzene	ND	ug/L	125	5.6	25		03/07/25 06:00	135-98-8	
tert-Butylbenzene	ND	ug/L	125	5.8	25		03/07/25 06:00	98-06-6	
Carbon disulfide	ND	ug/L	250	6.2	25		03/07/25 06:00	75-15-0	
Carbon tetrachloride	ND	ug/L	125	6.3	25		03/07/25 06:00	56-23-5	
Chlorobenzene	ND	ug/L	125	6.3	25		03/07/25 06:00	108-90-7	
Chloroethane	**4850**	ug/L	125	11.6	25		03/07/25 06:00	75-00-3	
Chloroform	ND	ug/L	125	8.0	25		03/07/25 06:00	67-66-3	
Chloromethane	ND	ug/L	125	6.0	25		03/07/25 06:00	74-87-3	
2-Chlorotoluene	ND	ug/L	125	6.4	25		03/07/25 06:00	95-49-8	
4-Chlorotoluene	ND	ug/L	125	6.4	25		03/07/25 06:00	106-43-4	
Dibromochloromethane	ND	ug/L	125	7.8	25		03/07/25 06:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	125	7.1	25		03/07/25 06:00	106-93-4	
Dibromomethane	ND	ug/L	125	6.8	25		03/07/25 06:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	125	5.5	25		03/07/25 06:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	125	6.6	25		03/07/25 06:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	125	6.0	25		03/07/25 06:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	2500	9.4	25		03/07/25 06:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	125	7.8	25		03/07/25 06:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	125	6.4	25		03/07/25 06:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	125	5.6	25		03/07/25 06:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	125	5.4	25		03/07/25 06:00	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	125	6.9	25		03/07/25 06:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	125	6.3	25		03/07/25 06:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	125	6.7	25		03/07/25 06:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	125	6.8	25		03/07/25 06:00	142-28-9	
2,2-Dichloropropane	ND	ug/L	125	6.7	25		03/07/25 06:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	125	6.4	25		03/07/25 06:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	125	6.5	25		03/07/25 06:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	125	12.7	25		03/07/25 06:00	10061-02-6	
Ethylbenzene	ND	ug/L	125	6.0	25		03/07/25 06:00	100-41-4	
Ethyl methacrylate	ND	ug/L	2500	7.2	25		03/07/25 06:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	125	21.2	25		03/07/25 06:00	87-68-3	
n-Hexane	ND	ug/L	125	5.6	25		03/07/25 06:00	110-54-3	
2-Hexanone	ND	ug/L	625	31.0	25		03/07/25 06:00	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: AD-200-03042025 **Lab ID: 50395132014** Collected: 03/04/25 10:17 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	250	8.4	25		03/07/25 06:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	125	5.8	25		03/07/25 06:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	125	5.8	25		03/07/25 06:00	99-87-6	
Methylene Chloride	ND	ug/L	125	25.0	25		03/07/25 06:00	75-09-2	
1-Methylnaphthalene	ND	ug/L	250	35.2	25		03/07/25 06:00	90-12-0	
2-Methylnaphthalene	ND	ug/L	250	35.0	25		03/07/25 06:00	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	625	31.8	25		03/07/25 06:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	100	6.3	25		03/07/25 06:00	1634-04-4	
Naphthalene	ND	ug/L	30.0	6.4	25		03/07/25 06:00	91-20-3	
n-Propylbenzene	ND	ug/L	125	6.2	25		03/07/25 06:00	103-65-1	
Styrene	ND	ug/L	125	6.7	25		03/07/25 06:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	125	7.5	25		03/07/25 06:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	125	7.8	25		03/07/25 06:00	79-34-5	
Tetrachloroethene	ND	ug/L	125	6.2	25		03/07/25 06:00	127-18-4	
Toluene	ND	ug/L	125	9.5	25		03/07/25 06:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	125	7.9	25		03/07/25 06:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	125	6.8	25		03/07/25 06:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	125	6.0	25		03/07/25 06:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	125	9.1	25		03/07/25 06:00	79-00-5	
Trichloroethene	ND	ug/L	125	5.4	25		03/07/25 06:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	125	7.5	25		03/07/25 06:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	125	8.2	25		03/07/25 06:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	125	6.4	25		03/07/25 06:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	125	6.3	25		03/07/25 06:00	108-67-8	
Vinyl acetate	ND	ug/L	1250	21.4	25		03/07/25 06:00	108-05-4	
Vinyl chloride	ND	ug/L	50.0	10.4	25		03/07/25 06:00	75-01-4	
Xylene (Total)	ND	ug/L	250	9.5	25		03/07/25 06:00	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		25		03/07/25 06:00	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	79-124		25		03/07/25 06:00	460-00-4	
Toluene-d8 (S)	100	%.	73-122		25		03/07/25 06:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: Trip Blank **Lab ID: 50395132015** Collected: 03/03/25 08:00 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		03/06/25 10:48	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		03/06/25 10:48	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		03/06/25 10:48	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		03/06/25 10:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		03/06/25 10:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		03/06/25 10:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		03/06/25 10:48	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		03/06/25 10:48	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/06/25 10:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		03/06/25 10:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		03/06/25 10:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		03/06/25 10:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		03/06/25 10:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		03/06/25 10:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		03/06/25 10:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		03/06/25 10:48	108-90-7	
Chloroethane	ND	ug/L	5.0	0.46	1		03/06/25 10:48	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		03/06/25 10:48	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		03/06/25 10:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		03/06/25 10:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/06/25 10:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		03/06/25 10:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		03/06/25 10:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		03/06/25 10:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		03/06/25 10:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		03/06/25 10:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		03/06/25 10:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		03/06/25 10:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		03/06/25 10:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/06/25 10:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		03/06/25 10:48	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		03/06/25 10:48	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/06/25 10:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		03/06/25 10:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 10:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 10:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		03/06/25 10:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 10:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		03/06/25 10:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		03/06/25 10:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		03/06/25 10:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		03/06/25 10:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		03/06/25 10:48	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/06/25 10:48	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		03/06/25 10:48	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Sample: Trip Blank **Lab ID: 50395132015** Collected: 03/03/25 08:00 Received: 03/04/25 11:55 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.34	1		03/06/25 10:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		03/06/25 10:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		03/06/25 10:48	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		03/06/25 10:48	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 10:48	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		03/06/25 10:48	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		03/06/25 10:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		03/06/25 10:48	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		03/06/25 10:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 10:48	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		03/06/25 10:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		03/06/25 10:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		03/06/25 10:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		03/06/25 10:48	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		03/06/25 10:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		03/06/25 10:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		03/06/25 10:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		03/06/25 10:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		03/06/25 10:48	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		03/06/25 10:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		03/06/25 10:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		03/06/25 10:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		03/06/25 10:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		03/06/25 10:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		03/06/25 10:48	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.41	1		03/06/25 10:48	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		03/06/25 10:48	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		03/06/25 10:48	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	79-124		1		03/06/25 10:48	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		03/06/25 10:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

QC Batch: 833545 — Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 — Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395132002, 50395132003, 50395132004, 50395132005, 50395132011, 50395132012, 50395132013

METHOD BLANK: 3814096 — Matrix: Water
Associated Lab Samples: 50395132002, 50395132003, 50395132004, 50395132005, 50395132011, 50395132012, 50395132013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	03/12/25 10:34	

LABORATORY CONTROL SAMPLE: 3814097

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4750	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814116 3814117

Parameter	Units	50395679001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	139 mg/L	50000	50000	187000	186000	96	96	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814118 3814119

Parameter	Units	50395151002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	44800	5000	5000	49700	49800	98	101	80-120	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

QC Batch: 995026
QC Batch Method: RSK 175
Analysis Method: RSK 175
Analysis Description: RSK 175 GCV HEADSPACE
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 50395132001, 50395132002, 50395132003, 50395132004, 50395132005, 50395132006, 50395132011

METHOD BLANK: 5190842 Matrix: Water
Associated Lab Samples: 50395132001, 50395132002, 50395132003, 50395132004, 50395132005, 50395132006, 50395132011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.3	03/07/25 16:11	
Ethene	ug/L	ND	10.0	1.1	03/07/25 16:11	
Methane	ug/L	ND	10.0	2.8	03/07/25 16:11	

LABORATORY CONTROL SAMPLE & LCSD: 5190843 5190844

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	114	111	111	98	97	85-115	0	20	
Ethene	ug/L	106	103	102	97	97	85-115	0	20	
Methane	ug/L	60.7	58.8	58.1	97	96	85-115	1	20	

SAMPLE DUPLICATE: 5190845

Parameter	Units	60470169006 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	ND	1.6J		20	
Ethene	ug/L	ND	ND		20	
Methane	ug/L	14.1	6.4J		20	

SAMPLE DUPLICATE: 5190846

Parameter	Units	50395075001 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	ND	ND		20	
Ethene	ug/L	ND	ND		20	
Methane	ug/L	3530	3590	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

QC Batch: 995027
QC Batch Method: RSK 175
Analysis Method: RSK 175
Analysis Description: RSK 175 GCV HEADSPACE
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 50395132012, 50395132013

METHOD BLANK: 5190848 Matrix: Water
Associated Lab Samples: 50395132012, 50395132013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.3	03/07/25 21:05	
Ethene	ug/L	ND	10.0	1.1	03/07/25 21:05	
Methane	ug/L	ND	10.0	2.8	03/07/25 21:05	

LABORATORY CONTROL SAMPLE & LCSD: 5190849 5190850

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	114	111	111	98	98	85-115	0	20	
Ethene	ug/L	106	103	102	97	97	85-115	0	20	
Methane	ug/L	60.7	58.4	58.6	96	97	85-115	0	20	

SAMPLE DUPLICATE: 5190851

Parameter	Units	10725350003 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	<1.3	ND		20	
Ethene	ug/L	<1.1	ND		20	
Methane	ug/L	62.7	62.0	1	20	

SAMPLE DUPLICATE: 5193562

Parameter	Units	10725350009 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	4.8J	4.9J		20	
Ethene	ug/L	39.6	40.8	3	20	
Methane	ug/L	2410	2440	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

QC Batch: 834158
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395132002, 50395132003, 50395132004, 50395132005, 50395132011, 50395132012, 50395132013

METHOD BLANK: 3816847 Matrix: Water
Associated Lab Samples: 50395132002, 50395132003, 50395132004, 50395132005, 50395132011, 50395132012, 50395132013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	03/14/25 15:19	

LABORATORY CONTROL SAMPLE: 3816848

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	10300	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3816849 3816850

Parameter	Units	50395132004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	3600	10000	10000	14400	14000	108	104	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

QC Batch: 833037
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395132001, 50395132002, 50395132003, 50395132005, 50395132007, 50395132008, 50395132009, 50395132010, 50395132015

METHOD BLANK: 3811075
Matrix: Water
Associated Lab Samples: 50395132001, 50395132002, 50395132003, 50395132005, 50395132007, 50395132008, 50395132009, 50395132010, 50395132015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.30	03/06/25 03:40	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.24	03/06/25 03:40	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.31	03/06/25 03:40	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	03/06/25 03:40	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	03/06/25 03:40	
1,1-Dichloroethene	ug/L	ND	5.0	0.21	03/06/25 03:40	
1,1-Dichloropropene	ug/L	ND	5.0	0.26	03/06/25 03:40	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.32	03/06/25 03:40	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	03/06/25 03:40	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.27	03/06/25 03:40	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.26	03/06/25 03:40	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.28	03/06/25 03:40	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.22	03/06/25 03:40	
1,2-Dichloroethane	ug/L	ND	5.0	0.22	03/06/25 03:40	
1,2-Dichloropropane	ug/L	ND	5.0	0.27	03/06/25 03:40	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.25	03/06/25 03:40	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.26	03/06/25 03:40	
1,3-Dichloropropane	ug/L	ND	5.0	0.27	03/06/25 03:40	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.24	03/06/25 03:40	
1-Methylnaphthalene	ug/L	ND	10.0	1.4	03/06/25 03:40	
2,2-Dichloropropane	ug/L	ND	5.0	0.27	03/06/25 03:40	
2-Butanone (MEK)	ug/L	ND	25.0	1.3	03/06/25 03:40	
2-Chlorotoluene	ug/L	ND	5.0	0.25	03/06/25 03:40	
2-Hexanone	ug/L	ND	25.0	1.2	03/06/25 03:40	
2-Methylnaphthalene	ug/L	ND	10.0	1.4	03/06/25 03:40	
4-Chlorotoluene	ug/L	ND	5.0	0.26	03/06/25 03:40	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.3	03/06/25 03:40	
Acetone	ug/L	ND	100	1.6	03/06/25 03:40	
Acrolein	ug/L	ND	50.0	5.4	03/06/25 03:40	
Acrylonitrile	ug/L	ND	100	1.2	03/06/25 03:40	
Benzene	ug/L	ND	5.0	0.24	03/06/25 03:40	
Bromobenzene	ug/L	ND	5.0	0.30	03/06/25 03:40	
Bromochloromethane	ug/L	ND	5.0	0.26	03/06/25 03:40	
Bromodichloromethane	ug/L	ND	5.0	0.32	03/06/25 03:40	
Bromoform	ug/L	ND	5.0	0.34	03/06/25 03:40	
Bromomethane	ug/L	ND	5.0	0.81	03/06/25 03:40	
Carbon disulfide	ug/L	ND	10.0	0.25	03/06/25 03:40	
Carbon tetrachloride	ug/L	ND	5.0	0.25	03/06/25 03:40	
Chlorobenzene	ug/L	ND	5.0	0.25	03/06/25 03:40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

METHOD BLANK: 3811075 Matrix: Water

Associated Lab Samples: 50395132001, 50395132002, 50395132003, 50395132005, 50395132007, 50395132008, 50395132009, 50395132010, 50395132015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.46	03/06/25 03:40	
Chloroform	ug/L	ND	5.0	0.32	03/06/25 03:40	
Chloromethane	ug/L	ND	5.0	0.24	03/06/25 03:40	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.28	03/06/25 03:40	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.26	03/06/25 03:40	
Dibromochloromethane	ug/L	ND	5.0	0.31	03/06/25 03:40	
Dibromomethane	ug/L	ND	5.0	0.27	03/06/25 03:40	
Dichlorodifluoromethane	ug/L	ND	5.0	0.31	03/06/25 03:40	
Ethyl methacrylate	ug/L	ND	100	0.29	03/06/25 03:40	
Ethylbenzene	ug/L	ND	5.0	0.24	03/06/25 03:40	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.85	03/06/25 03:40	
Iodomethane	ug/L	ND	10.0	0.34	03/06/25 03:40	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.23	03/06/25 03:40	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.25	03/06/25 03:40	
Methylene Chloride	ug/L	ND	5.0	1.0	03/06/25 03:40	
n-Butylbenzene	ug/L	ND	5.0	0.27	03/06/25 03:40	
n-Hexane	ug/L	ND	5.0	0.22	03/06/25 03:40	
n-Propylbenzene	ug/L	ND	5.0	0.25	03/06/25 03:40	
Naphthalene	ug/L	ND	1.2	0.26	03/06/25 03:40	
p-Isopropyltoluene	ug/L	ND	5.0	0.23	03/06/25 03:40	
sec-Butylbenzene	ug/L	ND	5.0	0.22	03/06/25 03:40	
Styrene	ug/L	ND	5.0	0.27	03/06/25 03:40	
tert-Butylbenzene	ug/L	ND	5.0	0.23	03/06/25 03:40	
Tetrachloroethene	ug/L	ND	5.0	0.25	03/06/25 03:40	
Toluene	ug/L	ND	5.0	0.38	03/06/25 03:40	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.25	03/06/25 03:40	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.51	03/06/25 03:40	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.38	03/06/25 03:40	
Trichloroethene	ug/L	ND	5.0	0.22	03/06/25 03:40	
Trichlorofluoromethane	ug/L	ND	5.0	0.30	03/06/25 03:40	
Vinyl acetate	ug/L	ND	50.0	0.86	03/06/25 03:40	
Vinyl chloride	ug/L	ND	2.0	0.41	03/06/25 03:40	
Xylene (Total)	ug/L	ND	10.0	0.38	03/06/25 03:40	
4-Bromofluorobenzene (S)	%.	96	79-124		03/06/25 03:40	
Dibromofluoromethane (S)	%.	105	82-128		03/06/25 03:40	1d
Toluene-d8 (S)	%.	100	73-122		03/06/25 03:40	

LABORATORY CONTROL SAMPLE: 3811076

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	48.3	97	81-130	
1,1,1-Trichloroethane	ug/L	50	46.5	93	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	46.3	93	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

LABORATORY CONTROL SAMPLE: 3811076

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	46.4	93	79-125	
1,1-Dichloroethane	ug/L	50	46.4	93	79-120	
1,1-Dichloroethene	ug/L	50	46.5	93	71-130	
1,1-Dichloropropene	ug/L	50	50.7	101	78-144	
1,2,3-Trichlorobenzene	ug/L	50	44.1	88	57-146	
1,2,3-Trichloropropane	ug/L	50	46.7	93	74-127	
1,2,4-Trichlorobenzene	ug/L	50	42.2	84	62-136	
1,2,4-Trimethylbenzene	ug/L	50	45.5	91	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	46.8	94	80-120	
1,2-Dichlorobenzene	ug/L	50	45.0	90	79-123	
1,2-Dichloroethane	ug/L	50	47.8	96	72-123	
1,2-Dichloropropane	ug/L	50	47.5	95	76-125	
1,3,5-Trimethylbenzene	ug/L	50	45.2	90	71-120	
1,3-Dichlorobenzene	ug/L	50	44.5	89	78-117	
1,3-Dichloropropane	ug/L	50	46.5	93	77-126	
1,4-Dichlorobenzene	ug/L	50	45.4	91	79-116	
1-Methylnaphthalene	ug/L	50	50.0	100	50-190	
2,2-Dichloropropane	ug/L	50	35.1	70	48-138	
2-Butanone (MEK)	ug/L	250	254	102	67-135	
2-Chlorotoluene	ug/L	50	44.8	90	75-122	
2-Hexanone	ug/L	250	252	101	65-135	
2-Methylnaphthalene	ug/L	50	46.2	92	55-184	
4-Chlorotoluene	ug/L	50	45.2	90	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	257	103	69-136	
Acetone	ug/L	250	213	85	34-156	
Acrolein	ug/L	1000	1220	122	59-191	
Acrylonitrile	ug/L	250	231	92	67-146	
Benzene	ug/L	50	44.9	90	76-122	
Bromobenzene	ug/L	50	45.1	90	75-121	
Bromochloromethane	ug/L	50	46.8	94	73-119	
Bromodichloromethane	ug/L	50	48.5	97	80-126	
Bromoform	ug/L	50	50.5	101	77-124	
Bromomethane	ug/L	50	34.6	69	10-175	
Carbon disulfide	ug/L	50	47.1	94	69-121	
Carbon tetrachloride	ug/L	50	49.5	99	73-127	
Chlorobenzene	ug/L	50	44.8	90	76-118	
Chloroethane	ug/L	50	54.9	110	36-162	
Chloroform	ug/L	50	46.3	93	78-121	
Chloromethane	ug/L	50	45.8	92	37-143	
cis-1,2-Dichloroethene	ug/L	50	46.1	92	77-123	
cis-1,3-Dichloropropene	ug/L	50	46.5	93	76-132	
Dibromochloromethane	ug/L	50	51.6	103	79-130	
Dibromomethane	ug/L	50	48.3	97	79-124	
Dichlorodifluoromethane	ug/L	50	53.7	107	29-126	
Ethyl methacrylate	ug/L	50	55.1J	110	78-137	
Ethylbenzene	ug/L	50	45.4	91	76-120	
Hexachloro-1,3-butadiene	ug/L	50	40.6	81	60-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

LABORATORY CONTROL SAMPLE: 3811076

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	9.4J	19	10-148	
Isopropylbenzene (Cumene)	ug/L	50	46.5	93	71-124	
Methyl-tert-butyl ether	ug/L	50	46.3	93	71-121	
Methylene Chloride	ug/L	50	43.0	86	71-121	
n-Butylbenzene	ug/L	50	43.0	86	68-131	
n-Hexane	ug/L	50	39.7	79	51-126	
n-Propylbenzene	ug/L	50	45.2	90	67-127	
Naphthalene	ug/L	50	45.6	91	62-143	
p-Isopropyltoluene	ug/L	50	45.6	91	72-124	
sec-Butylbenzene	ug/L	50	44.4	89	71-126	
Styrene	ug/L	50	46.8	94	80-121	
tert-Butylbenzene	ug/L	50	52.2	104	71-128	
Tetrachloroethene	ug/L	50	46.9	94	71-122	
Toluene	ug/L	50	44.7	89	74-118	
trans-1,2-Dichloroethene	ug/L	50	46.0	92	75-122	
trans-1,3-Dichloropropene	ug/L	50	46.2	92	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	43.8J	88	53-136	
Trichloroethene	ug/L	50	45.8	92	74-125	
Trichlorofluoromethane	ug/L	50	65.6	131	64-138	
Vinyl acetate	ug/L	200	268	134	74-154	
Vinyl chloride	ug/L	50	52.1	104	55-139	
Xylene (Total)	ug/L	150	138	92	73-119	
4-Bromofluorobenzene (S)	%.			100	79-124	
Dibromofluoromethane (S)	%.			105	82-128	
Toluene-d8 (S)	%.			101	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

QC Batch: 833211
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395132004, 50395132006, 50395132011, 50395132012, 50395132013, 50395132014

METHOD BLANK: 3811934 Matrix: Water
Associated Lab Samples: 50395132004, 50395132006, 50395132011, 50395132012, 50395132013, 50395132014

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.30	03/07/25 02:26	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.24	03/07/25 02:26	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.31	03/07/25 02:26	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	03/07/25 02:26	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	03/07/25 02:26	
1,1-Dichloroethene	ug/L	ND	5.0	0.21	03/07/25 02:26	
1,1-Dichloropropene	ug/L	ND	5.0	0.26	03/07/25 02:26	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.32	03/07/25 02:26	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	03/07/25 02:26	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.27	03/07/25 02:26	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.26	03/07/25 02:26	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.28	03/07/25 02:26	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.22	03/07/25 02:26	
1,2-Dichloroethane	ug/L	ND	5.0	0.22	03/07/25 02:26	
1,2-Dichloropropane	ug/L	ND	5.0	0.27	03/07/25 02:26	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.25	03/07/25 02:26	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.26	03/07/25 02:26	
1,3-Dichloropropane	ug/L	ND	5.0	0.27	03/07/25 02:26	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.24	03/07/25 02:26	
1-Methylnaphthalene	ug/L	ND	10.0	1.4	03/07/25 02:26	
2,2-Dichloropropane	ug/L	ND	5.0	0.27	03/07/25 02:26	
2-Butanone (MEK)	ug/L	ND	25.0	1.3	03/07/25 02:26	
2-Chlorotoluene	ug/L	ND	5.0	0.25	03/07/25 02:26	
2-Hexanone	ug/L	ND	25.0	1.2	03/07/25 02:26	
2-Methylnaphthalene	ug/L	ND	10.0	1.4	03/07/25 02:26	
4-Chlorotoluene	ug/L	ND	5.0	0.26	03/07/25 02:26	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.3	03/07/25 02:26	
Acetone	ug/L	ND	100	1.6	03/07/25 02:26	
Acrolein	ug/L	ND	50.0	5.4	03/07/25 02:26	
Acrylonitrile	ug/L	ND	100	1.2	03/07/25 02:26	
Benzene	ug/L	ND	5.0	0.24	03/07/25 02:26	
Bromobenzene	ug/L	ND	5.0	0.30	03/07/25 02:26	
Bromochloromethane	ug/L	ND	5.0	0.26	03/07/25 02:26	
Bromodichloromethane	ug/L	ND	5.0	0.32	03/07/25 02:26	
Bromoform	ug/L	ND	5.0	0.34	03/07/25 02:26	
Bromomethane	ug/L	ND	5.0	0.81	03/07/25 02:26	
Carbon disulfide	ug/L	ND	10.0	0.25	03/07/25 02:26	
Carbon tetrachloride	ug/L	ND	5.0	0.25	03/07/25 02:26	
Chlorobenzene	ug/L	ND	5.0	0.25	03/07/25 02:26	
Chloroethane	ug/L	ND	5.0	0.46	03/07/25 02:26	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

METHOD BLANK: 3811934 Matrix: Water
Associated Lab Samples: 50395132004, 50395132006, 50395132011, 50395132012, 50395132013, 50395132014

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.32	03/07/25 02:26	
Chloromethane	ug/L	ND	5.0	0.24	03/07/25 02:26	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.28	03/07/25 02:26	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.26	03/07/25 02:26	
Dibromochloromethane	ug/L	ND	5.0	0.31	03/07/25 02:26	
Dibromomethane	ug/L	ND	5.0	0.27	03/07/25 02:26	
Dichlorodifluoromethane	ug/L	ND	5.0	0.31	03/07/25 02:26	
Ethyl methacrylate	ug/L	ND	100	0.29	03/07/25 02:26	
Ethylbenzene	ug/L	ND	5.0	0.24	03/07/25 02:26	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.85	03/07/25 02:26	
Iodomethane	ug/L	ND	10.0	0.34	03/07/25 02:26	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.23	03/07/25 02:26	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.25	03/07/25 02:26	
Methylene Chloride	ug/L	ND	5.0	1.0	03/07/25 02:26	
n-Butylbenzene	ug/L	ND	5.0	0.27	03/07/25 02:26	
n-Hexane	ug/L	ND	5.0	0.22	03/07/25 02:26	
n-Propylbenzene	ug/L	ND	5.0	0.25	03/07/25 02:26	
Naphthalene	ug/L	ND	1.2	0.26	03/07/25 02:26	
p-Isopropyltoluene	ug/L	ND	5.0	0.23	03/07/25 02:26	
sec-Butylbenzene	ug/L	ND	5.0	0.22	03/07/25 02:26	
Styrene	ug/L	ND	5.0	0.27	03/07/25 02:26	
tert-Butylbenzene	ug/L	ND	5.0	0.23	03/07/25 02:26	
Tetrachloroethene	ug/L	ND	5.0	0.25	03/07/25 02:26	
Toluene	ug/L	ND	5.0	0.38	03/07/25 02:26	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.25	03/07/25 02:26	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.51	03/07/25 02:26	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.38	03/07/25 02:26	
Trichloroethene	ug/L	ND	5.0	0.22	03/07/25 02:26	
Trichlorofluoromethane	ug/L	ND	5.0	0.30	03/07/25 02:26	
Vinyl acetate	ug/L	ND	50.0	0.86	03/07/25 02:26	
Vinyl chloride	ug/L	ND	2.0	0.41	03/07/25 02:26	
Xylene (Total)	ug/L	ND	10.0	0.38	03/07/25 02:26	
4-Bromofluorobenzene (S)	%.	98	79-124		03/07/25 02:26	
Dibromofluoromethane (S)	%.	104	82-128		03/07/25 02:26	
Toluene-d8 (S)	%.	100	73-122		03/07/25 02:26	

LABORATORY CONTROL SAMPLE: 3811935

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.1	94	81-130	
1,1,1-Trichloroethane	ug/L	50	45.4	91	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	46.6	93	70-126	
1,1,2-Trichloroethane	ug/L	50	45.3	91	79-125	
1,1-Dichloroethane	ug/L	50	46.0	92	79-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

LABORATORY CONTROL SAMPLE: 3811935

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	45.3	91	71-130	
1,1-Dichloropropene	ug/L	50	49.4	99	78-144	
1,2,3-Trichlorobenzene	ug/L	50	44.2	88	57-146	
1,2,3-Trichloropropane	ug/L	50	47.1	94	74-127	
1,2,4-Trichlorobenzene	ug/L	50	42.9	86	62-136	
1,2,4-Trimethylbenzene	ug/L	50	44.9	90	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	46.1	92	80-120	
1,2-Dichlorobenzene	ug/L	50	44.6	89	79-123	
1,2-Dichloroethane	ug/L	50	47.3	95	72-123	
1,2-Dichloropropane	ug/L	50	47.3	95	76-125	
1,3,5-Trimethylbenzene	ug/L	50	44.6	89	71-120	
1,3-Dichlorobenzene	ug/L	50	43.1	86	78-117	
1,3-Dichloropropane	ug/L	50	45.5	91	77-126	
1,4-Dichlorobenzene	ug/L	50	44.8	90	79-116	
1-Methylnaphthalene	ug/L	50	48.5	97	50-190	
2,2-Dichloropropane	ug/L	50	34.6	69	48-138	
2-Butanone (MEK)	ug/L	250	256	102	67-135	
2-Chlorotoluene	ug/L	50	44.6	89	75-122	
2-Hexanone	ug/L	250	251	100	65-135	
2-Methylnaphthalene	ug/L	50	45.0	90	55-184	
4-Chlorotoluene	ug/L	50	45.1	90	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	255	102	69-136	
Acetone	ug/L	250	215	86	34-156	
Acrolein	ug/L	1000	1180	118	59-191	
Acrylonitrile	ug/L	250	232	93	67-146	
Benzene	ug/L	50	44.4	89	76-122	
Bromobenzene	ug/L	50	43.2	86	75-121	
Bromochloromethane	ug/L	50	46.9	94	73-119	
Bromodichloromethane	ug/L	50	48.1	96	80-126	
Bromoform	ug/L	50	49.8	100	77-124	
Bromomethane	ug/L	50	30.5	61	10-175	
Carbon disulfide	ug/L	50	45.3	91	69-121	
Carbon tetrachloride	ug/L	50	48.0	96	73-127	
Chlorobenzene	ug/L	50	43.7	87	76-118	
Chloroethane	ug/L	50	54.1	108	36-162	
Chloroform	ug/L	50	45.8	92	78-121	
Chloromethane	ug/L	50	45.9	92	37-143	
cis-1,2-Dichloroethene	ug/L	50	45.5	91	77-123	
cis-1,3-Dichloropropene	ug/L	50	45.7	91	76-132	
Dibromochloromethane	ug/L	50	50.4	101	79-130	
Dibromomethane	ug/L	50	47.7	95	79-124	
Dichlorodifluoromethane	ug/L	50	48.0	96	29-126	
Ethyl methacrylate	ug/L	50	53.7J	107	78-137	
Ethylbenzene	ug/L	50	44.6	89	76-120	
Hexachloro-1,3-butadiene	ug/L	50	40.1	80	60-131	
Iodomethane	ug/L	50	14.8	30	10-148	
Isopropylbenzene (Cumene)	ug/L	50	45.1	90	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

LABORATORY CONTROL SAMPLE: 3811935

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	45.5	91	71-121	
Methylene Chloride	ug/L	50	42.1	84	71-121	
n-Butylbenzene	ug/L	50	42.3	85	68-131	
n-Hexane	ug/L	50	38.1	76	51-126	
n-Propylbenzene	ug/L	50	44.3	89	67-127	
Naphthalene	ug/L	50	45.9	92	62-143	
p-Isopropyltoluene	ug/L	50	43.9	88	72-124	
sec-Butylbenzene	ug/L	50	43.9	88	71-126	
Styrene	ug/L	50	45.6	91	80-121	
tert-Butylbenzene	ug/L	50	51.1	102	71-128	
Tetrachloroethene	ug/L	50	45.7	91	71-122	
Toluene	ug/L	50	43.3	87	74-118	
trans-1,2-Dichloroethene	ug/L	50	45.2	90	75-122	
trans-1,3-Dichloropropene	ug/L	50	45.1	90	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	42.1J	84	53-136	
Trichloroethene	ug/L	50	45.1	90	74-125	
Trichlorofluoromethane	ug/L	50	63.2	126	64-138	
Vinyl acetate	ug/L	200	270	135	74-154	
Vinyl chloride	ug/L	50	50.0	100	55-139	
Xylene (Total)	ug/L	150	134	90	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			106	82-128	
Toluene-d8 (S)	%.			100	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3811936 3811937

Parameter	Units	50395132006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	49.3	48.8	99	98	47-139	1	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	49.7	50.2	99	100	47-145	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	46.5	46.1	93	92	49-133	1	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	46.9	45.7	94	91	52-136	3	20	
1,1-Dichloroethane	ug/L	11.3	50	50	61.2	61.6	100	101	52-137	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.3	49.5	97	99	53-144	2	20	
1,1-Dichloropropene	ug/L	ND	50	50	52.1	52.4	104	105	49-150	1	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	39.1	42.9	78	86	20-153	9	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	46.9	46.5	94	93	47-134	1	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	37.4	41.0	75	82	23-141	9	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	43.3	44.2	87	88	41-131	2	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	47.1	46.4	94	93	55-133	1	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	43.6	44.5	87	89	43-133	2	20	
1,2-Dichloroethane	ug/L	ND	50	50	49.6	49.1	99	98	50-138	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	49.0	48.8	98	98	54-139	1	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	42.8	43.8	86	88	39-133	2	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	42.6	43.2	85	86	41-131	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3811936 3811937

Parameter	Units	50395132006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	46.9	45.9	94	92	50-136	2	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	42.3	43.5	85	87	41-131	3	20	
1-Methylnaphthalene	ug/L	ND	50	50	37.3	48.1	75	96	10-188	25	20	R1
2,2-Dichloropropane	ug/L	ND	50	50	28.3	27.9	57	56	17-141	1	20	
2-Butanone (MEK)	ug/L	ND	250	250	259	259	104	104	45-138	0	20	
2-Chlorotoluene	ug/L	ND	50	50	44.3	44.8	89	90	36-141	1	20	
2-Hexanone	ug/L	ND	250	250	255	251	102	100	45-135	2	20	
2-Methylnaphthalene	ug/L	ND	50	50	34.5	43.3	69	87	10-197	23	20	R1
4-Chlorotoluene	ug/L	ND	50	50	44.5	45.1	89	90	38-134	1	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	258	255	103	102	46-138	1	20	
Acetone	ug/L	ND	250	250	219	216	88	86	25-151	2	20	
Acrolein	ug/L	ND	1000	1000	913	890	91	89	36-168	3	20	
Acrylonitrile	ug/L	ND	250	250	227	229	91	92	47-147	1	20	
Benzene	ug/L	ND	50	50	47.1	47.1	94	94	53-138	0	20	
Bromobenzene	ug/L	ND	50	50	42.8	42.5	86	85	47-130	1	20	
Bromochloromethane	ug/L	ND	50	50	48.8	47.6	98	95	52-130	3	20	
Bromodichloromethane	ug/L	ND	50	50	49.6	49.4	99	99	50-146	0	20	
Bromoform	ug/L	ND	50	50	50.2	49.7	100	99	45-132	1	20	
Bromomethane	ug/L	ND	50	50	17.8	25.6	36	51	10-173	36	20	R1
Carbon disulfide	ug/L	ND	50	50	45.6	47.4	91	95	47-133	4	20	
Carbon tetrachloride	ug/L	ND	50	50	51.7	52.2	103	104	43-148	1	20	
Chlorobenzene	ug/L	ND	50	50	44.9	44.8	90	90	52-131	0	20	
Chloroethane	ug/L	433	50	50	523	517	181	169	25-169	1	20	E,M1
Chloroform	ug/L	ND	50	50	48.7	48.5	97	97	54-138	0	20	
Chloromethane	ug/L	ND	50	50	50.0	51.0	100	102	33-137	2	20	
cis-1,2-Dichloroethene	ug/L	42.3	50	50	89.6	90.4	95	96	50-141	1	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	43.9	44.1	88	88	47-135	1	20	
Dibromochloromethane	ug/L	ND	50	50	51.9	51.3	104	103	48-139	1	20	
Dibromomethane	ug/L	ND	50	50	49.4	48.4	99	97	51-141	2	20	
Dichlorodifluoromethane	ug/L	ND	50	50	48.5	50.1	97	100	15-130	3	20	
Ethyl methacrylate	ug/L	ND	50	50	53.9J	52.9J	108	106	51-142		20	
Ethylbenzene	ug/L	ND	50	50	45.9	46.0	92	92	50-136	0	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	34.3	37.7	69	75	15-141	9	20	
Iodomethane	ug/L	ND	50	50	9.7J	13.7	19	27	10-145		20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	45.7	45.8	91	92	46-137	0	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	45.3	45.9	91	92	47-135	1	20	
Methylene Chloride	ug/L	ND	50	50	42.8	43.0	86	86	48-131	0	20	
n-Butylbenzene	ug/L	ND	50	50	38.6	40.7	77	81	30-138	5	20	
n-Hexane	ug/L	ND	50	50	34.7	34.6	69	69	35-137	0	20	
n-Propylbenzene	ug/L	ND	50	50	43.4	44.2	87	88	37-135	2	20	
Naphthalene	ug/L	ND	50	50	40.9	44.7	82	89	34-152	9	20	
p-Isopropyltoluene	ug/L	ND	50	50	41.7	43.6	83	87	35-136	5	20	
sec-Butylbenzene	ug/L	ND	50	50	42.6	44.1	85	88	36-137	3	20	
Styrene	ug/L	ND	50	50	45.2	45.4	90	91	46-136	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3811936 3811937

Parameter	Units	50395132006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	40.4	41.0	81	82	40-137	1	20	
Tetrachloroethene	ug/L	ND	50	50	45.3	46.9	91	94	44-138	4	20	
Toluene	ug/L	ND	50	50	45.5	45.4	91	91	52-132	0	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	46.7	48.3	93	96	50-137	3	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	43.5	42.8	87	86	46-130	2	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	36.6J	35.1J	73	70	24-134		20	
Trichloroethene	ug/L	ND	50	50	47.4	47.6	95	95	49-140	0	20	
Trichlorofluoromethane	ug/L	ND	50	50	67.5	68.2	135	136	44-153	1	20	
Vinyl acetate	ug/L	ND	200	200	181	173	91	87	32-142	4	20	
Vinyl chloride	ug/L	24.7	50	50	76.7	77.5	104	106	41-147	1	20	
Xylene (Total)	ug/L	ND	150	150	137	138	91	92	44-138	1	20	
4-Bromofluorobenzene (S)	%.						100	98	79-124			
Dibromofluoromethane (S)	%.						107	107	82-128			
Toluene-d8 (S)	%.						100	99	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

QC Batch: 832917
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395132002, 50395132003, 50395132004, 50395132005, 50395132011, 50395132012, 50395132013

METHOD BLANK: 3810543 Matrix: Water
Associated Lab Samples: 50395132002, 50395132003, 50395132004, 50395132005, 50395132011, 50395132012, 50395132013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	03/05/25 08:49	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	03/05/25 08:49	

LABORATORY CONTROL SAMPLE: 3810544

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	103	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.1	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3810545 3810546

Parameter	Units	50395132004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	0.92	0.92	91	91	90-110	1	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	1.9	1.9	94	94	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

QC Batch: 833052
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395132002, 50395132003, 50395132004, 50395132005, 50395132011, 50395132012, 50395132013

METHOD BLANK: 3811153 Matrix: Water
Associated Lab Samples: 50395132002, 50395132003, 50395132004, 50395132005, 50395132011, 50395132012, 50395132013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	03/06/25 02:36	

LABORATORY CONTROL SAMPLE: 3811154

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9740	97	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3811155 3811156

Parameter	Units	60469540007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	3.4 mg/L	10000	10000	12700	12600	93	92	80-120	1	15	

MATRIX SPIKE SAMPLE: 3811157

Parameter	Units	60470121006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	0.82J mg/L	10000	10600	98	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Neither matrix spike nor matrix precision data could be provided for this analytical batch due to insufficient sample volume.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 GCV Headspace	Water	RSK 175 Modified	N/A

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50395132002	**MW-425-03032025**	EPA 300.0	833545		
50395132003	**MW-410D-03032025**	EPA 300.0	833545		
50395132004	**MW-410S-03032025**	EPA 300.0	833545		
50395132005	**MW-413S-03032025**	EPA 300.0	833545		
50395132011	**AD-100-03032025**	EPA 300.0	833545		
50395132012	**MW-413D-03042025**	EPA 300.0	833545		
50395132013	**MW-411D-03042025**	EPA 300.0	833545		
50395132001	**W-9-332025**	RSK 175	995026		
50395132002	**MW-425-03032025**	RSK 175	995026		
50395132003	**MW-410D-03032025**	RSK 175	995026		
50395132004	**MW-410S-03032025**	RSK 175	995026		
50395132005	**MW-413S-03032025**	RSK 175	995026		
50395132006	**MW-426-03032025**	RSK 175	995026		
50395132011	**AD-100-03032025**	RSK 175	995026		
50395132012	**MW-413D-03042025**	RSK 175	995027		
50395132013	**MW-411D-03042025**	RSK 175	995027		
50395132002	**MW-425-03032025**	EPA 3010	834158	EPA 6010	834455
50395132003	**MW-410D-03032025**	EPA 3010	834158	EPA 6010	834455
50395132004	**MW-410S-03032025**	EPA 3010	834158	EPA 6010	834455
50395132005	**MW-413S-03032025**	EPA 3010	834158	EPA 6010	834455
50395132011	**AD-100-03032025**	EPA 3010	834158	EPA 6010	834455
50395132012	**MW-413D-03042025**	EPA 3010	834158	EPA 6010	834455
50395132013	**MW-411D-03042025**	EPA 3010	834158	EPA 6010	834455
50395132001	**W-9-332025**	EPA 5030/8260	833037		
50395132002	**MW-425-03032025**	EPA 5030/8260	833037		
50395132003	**MW-410D-03032025**	EPA 5030/8260	833037		
50395132004	**MW-410S-03032025**	EPA 5030/8260	833211		
50395132005	**MW-413S-03032025**	EPA 5030/8260	833037		
50395132006	**MW-426-03032025**	EPA 5030/8260	833211		
50395132007	**MW-22-03032025**	EPA 5030/8260	833037		
50395132008	**MW-173-03032025**	EPA 5030/8260	833037		
50395132009	**MW-112-03032025**	EPA 5030/8260	833037		
50395132010	**MW-313-03032025**	EPA 5030/8260	833037		
50395132011	**AD-100-03032025**	EPA 5030/8260	833211		
50395132012	**MW-413D-03042025**	EPA 5030/8260	833211		
50395132013	**MW-411D-03042025**	EPA 5030/8260	833211		
50395132014	**AD-200-03042025**	EPA 5030/8260	833211		
50395132015	**Trip Blank**	EPA 5030/8260	833037		
50395132002	**MW-425-03032025**	EPA 353.2	832917		
50395132003	**MW-410D-03032025**	EPA 353.2	832917		
50395132004	**MW-410S-03032025**	EPA 353.2	832917		
50395132005	**MW-413S-03032025**	EPA 353.2	832917		
50395132011	**AD-100-03032025**	EPA 353.2	832917		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395132

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50395132012	**MW-413D-03042025**	EPA 353.2	832917		
50395132013	**MW-411D-03042025**	EPA 353.2	832917		
50395132002	**MW-425-03032025**	SM 5310C	833052		
50395132003	**MW-410D-03032025**	SM 5310C	833052		
50395132004	**MW-410S-03032025**	SM 5310C	833052		
50395132005	**MW-413S-03032025**	SM 5310C	833052		
50395132011	**AD-100-03032025**	SM 5310C	833052		
50395132012	**MW-413D-03042025**	SM 5310C	833052		
50395132013	**MW-411D-03042025**	SM 5310C	833052		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

WO# : 50395132

50395132

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940 10 34 014		
Project Name:	1Q25 Indy CE Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [V] ET		County / State origin of sample(s):	Indiana
Data Deliverables: [V] Level II [ ] Level III [ ] Level IV [V] EQUIS [ ] Other Just Lyz	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No		
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other	DW PWSID # or WW Permit # as applicable:	
	Date Results Requested: 10 Day TAT	Field Filtered (if applicable): [V] Yes [ ] No Analysis: Dissolved Iron by 6010	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 3 6 6 3 3

Identify Container Preservative Type***: 3 4 4 2 1

**Container size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: Heather Patterson; AcctNum / Client ID:; Table #:; Profile / Template: 2747-28; Prelog / Bottle Ord. ID: EZ 3199179

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2	Sample Comment	Preservation non-conformance identified for sample.
W-9-332025	GW	G			3/3/25	11:46	6				X	X			001	
MW-425-03032025						11:32	9			X	X	X	X	X	002	
MW-410D-03032025						13:58	9			X	X	X	X	X	003	
MW-410S-03032025						14:54	9			X	X	X	X	X	004	
MW-413-03032025						16:18	9			X	X	X	X	X	005	
MW-426-03032025						13:34	12				X	X			MS/MSD VOC only	006
MW-22-03032025						15:36	3				X				007	
MW-173-03032025						16:05	3				X				008	
MW-112-03032025						16:23	3				X				009	
MW-313-03032025						16:40	3				X				019	

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By: (Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	H	0.0	0.5	0.5	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryk	3/4/25 11:17	Pace	3/4/25 11:12	
Pace	3/4/25 1155	Pace	3/4/25 11:55	Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other
				Page: of

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	1Q25 Indy CE Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [✓] EQUIS [ ] Other — Just Lv2

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [✓] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2	Sample Comment
AD-100-03032025	GW	G			3/3/25	12:00	9			X	X	X	X	X	011
MW-413D-03042025	"	"			3/4/25	10:15	9			X	X	X	X	X	012
MW-411D-03042025	"	"			"	10:17	9			X	X	X	X	X	013
AD-200-03042025	"	"			"	10:17	3				X				014
Trip Blanke							3				X				015

Specify Container Size **: 3 6 6 3 3

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

Identify Container Preservative Type***: 3 4 4 2 1

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3199179**

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By:
(Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	H	0.0	0.5	0.5	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke	3/4/25 11:12	Pace	3/4/25 11:12	
Pace	3/4/25 1155	DJ/Pace	3/4/25 1155	Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
				Page: of

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 3/4/25 15:34 JG

1. **Thermometer:** 1 2 3 4 5 6 7 8 9 A B C D E F G (H) I

2. **Cooler Temperature(s):** 0.5/0.5 (Initial/Corrected)
RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

3. **Courier:** *Circle One* Fed Ex UPS Client (Pace) Now/Jett Other

4. **Custody Seal on Cooler/Box Present:** ☐ Yes ☑ No

(If yes)Seals Intact: ☐ Yes ☐ No (leave blank if no seals were present)

5. **Packing Material:** ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____

6. **Ice Type:** ☑ Wet ☐ Blue ☐ None

7. **Was the PM notified of out of temp cooler:** ☐ Yes ☐ No
Cooler temp should be above freezing to 6°C
If the PM was contacted in the comments below please write how they instructed the project to proceed

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		—	All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** **Circle: ~~HNO3 (<2)~~, H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9)** Any non-conformance to pH recommendations will be noted on the container count form	—		
Short Hold Time Analysis (48 hours or less)? **Analysis:** Nitrate 353.2	—					
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:		Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A —
Rush TAT Requested (4 days or less):		—	Residual Chlorine Check (Total/Amenable/Free Cyanide)			—
Custody Signatures Present?	—		Headspace in **VOA Vials** (>6mm): See Containter Count form for details	Present	Absent —	No VOA Vials Sent
Containers Intact?	—		Trip Blank Present?	—		
Sample Label (IDs/Dates/Times) Match COC?: JG 3/4/25 Except TCs, which only require sample ID	✗	—	Trip Blank Custody Seals?:	—		
Extra labels on Terracore Vials? (soils only)			Out Of Temp Instructions if applicable:			

COMMENTS: Rcvd MW-413 w/ the ID MW-4135, only one VG9H for MW-173 w/ the correct ID JG 3/4/25
MW-112 lists 16:23 for its time JG 3/4/25

Per PVerbryke, MW-413 should be MW-413S. 030525hmp

COC PAGE 1 of 2

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	DG9H VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AMBER GLASS: AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC: BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER: CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1				3		3																							WT				
2				↓		↓						1						1		1									↓	✓	✓		
3				↓		↓						↓						↓		↓									↓	↓	↓		
4				↓		↓						↓						↓		↓									↓				
5				↓		↓						↓						↓		↓									↓				
6				9		↓																							↓				
7				3																													
8				↓																													
9																																	
10				↓																									↓				
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 2 of 2

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU	BG1U	MeOH (only) SBS DI R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9D	DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
					AMBER GLASS													PLASTIC									OTHER										
1					3		3								1						1		1									WT	✓	✓		
2					↓		↓								↓						↓		↓									↓	↓	↓		
3																																				
4																																				
5					↓																											↓				
6																																				
7																																				
8																																				
9																																				
10																																				
11																																				
12																																				

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

March 17, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on March 05, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
DoD Certification via A2LA #: 2926.01
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605
Georgia Certification #: 959
GMP+ Certification #: GMP050884
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
ISO/IEC 17025 Certification via A2LA #: 2926.01
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240
Mississippi Certification #: MN00064
Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081
New Jersey Certification #: MN002
New York Certification #: 11647
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Oklahoma Certification #: 9507
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192
Utah Certification #: MN00064
Vermont Certification #: VT-027053137
Virginia Certification #: 460163
Washington Certification #: C486
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification via A2LA #: 2926.01
USDA Permit #: P330-19-00208

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50395234001	**MW-411S-03042025**	Water	03/04/25 12:16	03/05/25 13:15
50395234002	**MW-402-03042025**	Water	03/04/25 13:24	03/05/25 13:15
50395234003	**MW-402D-03042025**	Water	03/04/25 15:35	03/05/25 13:15
50395234004	**MW-407S-03042025**	Water	03/04/25 14:35	03/05/25 13:15
50395234005	**MW-407D-03042025**	Water	03/04/25 16:28	03/05/25 13:15
50395234006	**MW-401-03042025**	Water	03/04/25 16:28	03/05/25 13:15
50395234007	**MW-403-03042025**	Water	03/04/25 16:55	03/05/25 13:15
50395234008	**MW-418S-03052025**	Water	03/05/25 09:45	03/05/25 13:15
50395234009	**MW-418D-03052025**	Water	03/05/25 11:05	03/05/25 13:15
50395234010	**MW-417S-03052025**	Water	03/05/25 09:15	03/05/25 13:15
50395234011	**MW-417D-03052025**	Water	03/05/25 09:26	03/05/25 13:15
50395234012	**MW-423S-03052025**	Water	03/05/25 09:51	03/05/25 13:15
50395234013	**MW-423D-03052025**	Water	03/05/25 10:04	03/05/25 13:15
50395234014	**MW-422S-03052025**	Water	03/05/25 10:50	03/05/25 13:15
50395234015	**MW-422D-03052025**	Water	03/05/25 11:02	03/05/25 13:15
50395234016	**Trip Blank**	Water	03/05/25 08:00	03/05/25 13:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50395234001	**MW-411S-03042025**	EPA 300.0	ZM	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395234002	**MW-402-03042025**	EPA 300.0	ZM	2	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395234003	**MW-402D-03042025**	EPA 300.0	ZM	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395234004	**MW-407S-03042025**	EPA 300.0	ZM	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395234005	**MW-407D-03042025**	EPA 300.0	ZM	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395234006	**MW-401-03042025**	EPA 5030/8260	JRW	75	PASI-I
50395234007	**MW-403-03042025**	EPA 5030/8260	JRW	75	PASI-I
50395234008	**MW-418S-03052025**	EPA 300.0	ZM	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		SM 5310C	ATS	1	PASI-I
50395234009	**MW-418D-03052025**	EPA 300.0	ZM	2	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395234010	**MW-417S-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395234011	**MW-417D-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395234012	**MW-423S-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395234013	**MW-423D-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395234014	**MW-422S-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395234015	**MW-422D-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395234016	**Trip Blank**	EPA 5030/8260	JRW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis
PASI-M = Pace Analytical Services - Minneapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395234001	**MW-411S-03042025**					
EPA 300.0	Sulfate	6360	ug/L	250	03/10/25 19:18	
RSK 175	Methane	17700	ug/L	10.0	03/07/25 23:10	E
RSK 175	Ethane	329	ug/L	10.0	03/07/25 23:10	
RSK 175	Ethene	1790	ug/L	10.0	03/07/25 23:10	
EPA 6010	Iron, Dissolved	11400	ug/L	100	03/14/25 15:57	
EPA 5030/8260	Chloroethane	19500	ug/L	500	03/07/25 18:36	
EPA 5030/8260	1,1-Dichloroethane	2260	ug/L	50.0	03/07/25 18:04	
EPA 5030/8260	cis-1,2-Dichloroethene	1860	ug/L	50.0	03/07/25 18:04	
EPA 5030/8260	trans-1,2-Dichloroethene	107	ug/L	50.0	03/07/25 18:04	
EPA 5030/8260	1,1,1-Trichloroethane	64.6	ug/L	50.0	03/07/25 18:04	
EPA 5030/8260	Vinyl chloride	543	ug/L	20.0	03/07/25 18:04	
SM 5310C	Total Organic Carbon	16100	ug/L	1000	03/10/25 21:36	
50395234002	**MW-402-03042025**					
EPA 300.0	Chloride	2360	mg/L	25.0	03/10/25 22:06	
EPA 300.0	Sulfate	48500	ug/L	2500	03/10/25 21:49	
RSK 175	Methane	5340	ug/L	10.0	03/07/25 23:21	
RSK 175	Ethane	74.8	ug/L	10.0	03/07/25 23:21	
RSK 175	Ethene	140	ug/L	10.0	03/07/25 23:21	
EPA 6010	Iron, Dissolved	25300	ug/L	100	03/14/25 16:00	
EPA 5030/8260	Chloroethane	413	ug/L	50.0	03/10/25 14:55	
EPA 5030/8260	1,1-Dichloroethane	1060	ug/L	50.0	03/10/25 14:55	M1
EPA 5030/8260	cis-1,2-Dichloroethene	16600	ug/L	500	03/10/25 15:26	M1
EPA 5030/8260	trans-1,2-Dichloroethene	202	ug/L	50.0	03/10/25 14:55	
EPA 5030/8260	1,1,1-Trichloroethane	70.8	ug/L	50.0	03/10/25 14:55	
EPA 5030/8260	Trichloroethene	64.3	ug/L	50.0	03/10/25 14:55	
EPA 5030/8260	Vinyl chloride	2390	ug/L	20.0	03/10/25 14:55	M1
50395234003	**MW-402D-03042025**					
EPA 300.0	Sulfate	37400	ug/L	250	03/10/25 20:08	
RSK 175	Methane	7620	ug/L	10.0	03/07/25 23:43	
RSK 175	Ethane	109	ug/L	10.0	03/07/25 23:43	
RSK 175	Ethene	81.1	ug/L	10.0	03/07/25 23:43	
EPA 6010	Iron, Dissolved	7220	ug/L	100	03/14/25 16:02	
EPA 5030/8260	Vinyl chloride	43.3	ug/L	2.0	03/07/25 18:20	
SM 5310C	Total Organic Carbon	5870	ug/L	1000	03/10/25 23:11	
50395234004	**MW-407S-03042025**					
EPA 300.0	Sulfate	17200	ug/L	250	03/11/25 00:37	
RSK 175	Methane	17200	ug/L	10.0	03/07/25 23:32	E
RSK 175	Ethane	70.8	ug/L	10.0	03/07/25 23:32	
RSK 175	Ethene	63.2	ug/L	10.0	03/07/25 23:32	
EPA 6010	Iron, Dissolved	3290	ug/L	100	03/14/25 16:21	
EPA 5030/8260	Chloroethane	22.3	ug/L	5.0	03/10/25 15:58	
EPA 5030/8260	cis-1,2-Dichloroethene	57.7	ug/L	5.0	03/10/25 15:58	
EPA 5030/8260	Vinyl chloride	165	ug/L	2.0	03/10/25 15:58	
SM 5310C	Total Organic Carbon	15700	ug/L	1000	03/10/25 23:36	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395234005	**MW-407D-03042025**					
EPA 300.0	Sulfate	1270	ug/L	250	03/11/25 01:27	
RSK 175	Methane	18600	ug/L	10.0	03/07/25 23:55	E
RSK 175	Ethane	350	ug/L	10.0	03/07/25 23:55	
RSK 175	Ethene	403	ug/L	10.0	03/07/25 23:55	
EPA 6010	Iron, Dissolved	5570	ug/L	100	03/14/25 16:06	
EPA 5030/8260	Chloroethane	142	ug/L	5.0	03/10/25 16:30	
EPA 5030/8260	cis-1,2-Dichloroethene	49.6	ug/L	5.0	03/10/25 16:30	
EPA 5030/8260	Vinyl chloride	57.2	ug/L	2.0	03/10/25 16:30	
SM 5310C	Total Organic Carbon	16800	ug/L	1000	03/10/25 23:49	
50395234006	**MW-401-03042025**					
EPA 5030/8260	Chloroethane	311	ug/L	125	03/10/25 18:05	
EPA 5030/8260	1,1-Dichloroethane	136	ug/L	5.0	03/10/25 17:33	
EPA 5030/8260	1,1-Dichloroethene	8.7	ug/L	5.0	03/10/25 17:33	
EPA 5030/8260	cis-1,2-Dichloroethene	4480	ug/L	125	03/10/25 18:05	
EPA 5030/8260	trans-1,2-Dichloroethene	19.7	ug/L	5.0	03/10/25 17:33	
EPA 5030/8260	1,1,1-Trichloroethane	51.9	ug/L	5.0	03/10/25 17:33	
EPA 5030/8260	Trichloroethene	15.9	ug/L	5.0	03/10/25 17:33	
EPA 5030/8260	Vinyl chloride	625	ug/L	50.0	03/10/25 18:05	
50395234007	**MW-403-03042025**					
EPA 5030/8260	Chloroethane	160	ug/L	5.0	03/10/25 18:36	
EPA 5030/8260	1,1-Dichloroethane	65.5	ug/L	5.0	03/10/25 18:36	
EPA 5030/8260	1,1-Dichloroethene	6.5	ug/L	5.0	03/10/25 18:36	
EPA 5030/8260	cis-1,2-Dichloroethene	335	ug/L	50.0	03/11/25 15:20	
EPA 5030/8260	1,1,1-Trichloroethane	33.3	ug/L	5.0	03/10/25 18:36	
EPA 5030/8260	Trichloroethene	6.6	ug/L	5.0	03/10/25 18:36	
EPA 5030/8260	Vinyl chloride	180	ug/L	2.0	03/10/25 18:36	
50395234008	**MW-418S-03052025**					
EPA 300.0	Sulfate	398	ug/L	250	03/13/25 17:51	
RSK 175	Methane	13200	ug/L	10.0	03/08/25 00:06	
RSK 175	Ethane	1000	ug/L	10.0	03/08/25 00:06	
RSK 175	Ethene	11100	ug/L	10.0	03/08/25 00:06	
EPA 6010	Iron, Dissolved	13800	ug/L	100	03/14/25 16:13	
EPA 5030/8260	Chloroethane	101	ug/L	50.0	03/10/25 19:08	
EPA 5030/8260	1,1-Dichloroethane	114	ug/L	50.0	03/10/25 19:08	
EPA 5030/8260	cis-1,2-Dichloroethene	4910	ug/L	500	03/10/25 19:39	
EPA 5030/8260	Vinyl chloride	7780	ug/L	200	03/10/25 19:39	
SM 5310C	Total Organic Carbon	11200	ug/L	1000	03/11/25 00:02	
50395234009	**MW-418D-03052025**					
EPA 300.0	Chloride	101	mg/L	2.5	03/11/25 04:00	
RSK 175	Methane	18700	ug/L	10.0	03/08/25 00:17	E
RSK 175	Ethane	154	ug/L	10.0	03/08/25 00:17	
RSK 175	Ethene	199	ug/L	10.0	03/08/25 00:17	
EPA 6010	Iron, Dissolved	12800	ug/L	100	03/14/25 16:15	
EPA 5030/8260	Chloroethane	8.0	ug/L	5.0	03/11/25 13:45	
EPA 5030/8260	cis-1,2-Dichloroethene	9.3	ug/L	5.0	03/11/25 13:45	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395234009	**MW-418D-03052025**					
EPA 5030/8260	Vinyl chloride	572	ug/L	20.0	03/12/25 12:55	M1
SM 5310C	Total Organic Carbon	5230	ug/L	1000	03/11/25 02:44	
50395234010	**MW-417S-03052025**					
EPA 5030/8260	Chloroethane	20.4	ug/L	5.0	03/10/25 20:11	
EPA 5030/8260	1,1-Dichloroethane	14.3	ug/L	5.0	03/10/25 20:11	
EPA 5030/8260	cis-1,2-Dichloroethene	40.9	ug/L	5.0	03/10/25 20:11	
EPA 5030/8260	trans-1,2-Dichloroethene	6.1	ug/L	5.0	03/10/25 20:11	
EPA 5030/8260	Vinyl chloride	19.7	ug/L	2.0	03/10/25 20:11	
50395234011	**MW-417D-03052025**					
EPA 5030/8260	Chloroethane	586	ug/L	50.0	03/10/25 21:14	
EPA 5030/8260	Vinyl chloride	11.9	ug/L	2.0	03/10/25 20:42	
50395234012	**MW-423S-03052025**					
EPA 5030/8260	Chloroethane	234	ug/L	50.0	03/10/25 22:17	
EPA 5030/8260	1,1-Dichloroethane	329	ug/L	50.0	03/10/25 22:17	
EPA 5030/8260	1,2-Dichloroethane	15.4	ug/L	5.0	03/10/25 21:46	
EPA 5030/8260	1,1-Dichloroethene	284	ug/L	5.0	03/10/25 21:46	
EPA 5030/8260	cis-1,2-Dichloroethene	850	ug/L	50.0	03/10/25 22:17	
EPA 5030/8260	trans-1,2-Dichloroethene	24.3	ug/L	5.0	03/10/25 21:46	
EPA 5030/8260	1,1,1-Trichloroethane	1630	ug/L	50.0	03/10/25 22:17	
EPA 5030/8260	Trichloroethene	143	ug/L	5.0	03/10/25 21:46	
EPA 5030/8260	Vinyl chloride	417	ug/L	20.0	03/10/25 22:17	
50395234013	**MW-423D-03052025**					
EPA 5030/8260	Chloroethane	160	ug/L	5.0	03/10/25 22:49	
EPA 5030/8260	1,1-Dichloroethane	188	ug/L	5.0	03/10/25 22:49	
EPA 5030/8260	1,2-Dichloroethane	9.7	ug/L	5.0	03/10/25 22:49	
EPA 5030/8260	1,1-Dichloroethene	65.1	ug/L	5.0	03/10/25 22:49	
EPA 5030/8260	cis-1,2-Dichloroethene	270	ug/L	50.0	03/11/25 14:17	
EPA 5030/8260	trans-1,2-Dichloroethene	8.7	ug/L	5.0	03/10/25 22:49	
EPA 5030/8260	1,1,1-Trichloroethane	410	ug/L	50.0	03/11/25 14:17	
EPA 5030/8260	Trichloroethene	21.9	ug/L	5.0	03/10/25 22:49	
EPA 5030/8260	Vinyl chloride	234	ug/L	2.0	03/10/25 22:49	
50395234014	**MW-422S-03052025**					
EPA 5030/8260	cis-1,2-Dichloroethene	48.8	ug/L	5.0	03/10/25 15:42	
EPA 5030/8260	Vinyl chloride	2750	ug/L	40.0	03/10/25 16:14	
50395234015	**MW-422D-03052025**					
EPA 5030/8260	cis-1,2-Dichloroethene	442	ug/L	50.0	03/10/25 17:17	
EPA 5030/8260	trans-1,2-Dichloroethene	7.8	ug/L	5.0	03/10/25 16:45	
EPA 5030/8260	Vinyl chloride	1180	ug/L	20.0	03/10/25 17:17	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-411S-03042025 **Lab ID: 50395234001** Collected: 03/04/25 12:16 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**6360**	ug/L	250	190	1		03/10/25 19:18	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**17700**	ug/L	10.0	2.8	1		03/07/25 23:10	74-82-8	E
Ethane	**329**	ug/L	10.0	1.3	1		03/07/25 23:10	74-84-0	
Ethene	**1790**	ug/L	10.0	1.1	1		03/07/25 23:10	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**11400**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 15:57	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		03/07/25 18:04	67-64-1	
Acrolein	ND	ug/L	500	183	10		03/07/25 18:04	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		03/07/25 18:04	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		03/07/25 18:04	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		03/07/25 18:04	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		03/07/25 18:04	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		03/07/25 18:04	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		03/07/25 18:04	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		03/07/25 18:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		03/07/25 18:04	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		03/07/25 18:04	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		03/07/25 18:04	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		03/07/25 18:04	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		03/07/25 18:04	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		03/07/25 18:04	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		03/07/25 18:04	108-90-7	
Chloroethane	**19500**	ug/L	500	84.6	100		03/07/25 18:36	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		03/07/25 18:04	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		03/07/25 18:04	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		03/07/25 18:04	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		03/07/25 18:04	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		03/07/25 18:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		03/07/25 18:04	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		03/07/25 18:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		03/07/25 18:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		03/07/25 18:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		03/07/25 18:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		03/07/25 18:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		03/07/25 18:04	75-71-8	L1
1,1-Dichloroethane	**2260**	ug/L	50.0	2.6	10		03/07/25 18:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		03/07/25 18:04	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-411S-03042025 **Lab ID: 50395234001** Collected: 03/04/25 12:16 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	50.0	2.9	10		03/07/25 18:04	75-35-4	
cis-1,2-Dichloroethene	**1860**	ug/L	50.0	2.7	10		03/07/25 18:04	156-59-2	
trans-1,2-Dichloroethene	**107**	ug/L	50.0	3.6	10		03/07/25 18:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		03/07/25 18:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		03/07/25 18:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		03/07/25 18:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		03/07/25 18:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		03/07/25 18:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		03/07/25 18:04	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		03/07/25 18:04	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		03/07/25 18:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		03/07/25 18:04	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		03/07/25 18:04	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		03/07/25 18:04	591-78-6	
Iodomethane	ND	ug/L	100	3.3	10		03/07/25 18:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		03/07/25 18:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		03/07/25 18:04	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		03/07/25 18:04	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		03/07/25 18:04	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		03/07/25 18:04	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		03/07/25 18:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		03/07/25 18:04	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		03/07/25 18:04	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		03/07/25 18:04	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		03/07/25 18:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		03/07/25 18:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		03/07/25 18:04	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		03/07/25 18:04	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		03/07/25 18:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		03/07/25 18:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/07/25 18:04	120-82-1	
1,1,1-Trichloroethane	**64.6**	ug/L	50.0	3.4	10		03/07/25 18:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		03/07/25 18:04	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.3	10		03/07/25 18:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		03/07/25 18:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		03/07/25 18:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		03/07/25 18:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		03/07/25 18:04	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		03/07/25 18:04	108-05-4	
Vinyl chloride	**543**	ug/L	20.0	8.8	10		03/07/25 18:04	75-01-4	
Xylene (Total)	ND	ug/L	100	2.9	10		03/07/25 18:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		10		03/07/25 18:04	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		10		03/07/25 18:04	460-00-4	
Toluene-d8 (S)	90	%.	73-122		10		03/07/25 18:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-411S-03042025 **Lab ID: 50395234001** Collected: 03/04/25 12:16 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.40	0.052	4		03/05/25 15:53		D3
Nitrogen, Nitrate	ND	mg/L	0.40	0.052	4		03/05/25 15:53	14797-55-8	D3
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**16100**	ug/L	1000	300	1		03/10/25 21:36	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-402-03042025 **Lab ID: 50395234002** Collected: 03/04/25 13:24 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Chloride	**2360**	mg/L	25.0	7.9	100		03/10/25 22:06	16887-00-6	
Sulfate	**48500**	ug/L	2500	1900	10		03/10/25 21:49	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**5340**	ug/L	10.0	2.8	1		03/07/25 23:21	74-82-8	
Ethane	**74.8**	ug/L	10.0	1.3	1		03/07/25 23:21	74-84-0	
Ethene	**140**	ug/L	10.0	1.1	1		03/07/25 23:21	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**25300**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 16:00	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		03/10/25 14:55	67-64-1	
Acrolein	ND	ug/L	500	183	10		03/10/25 14:55	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		03/10/25 14:55	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		03/10/25 14:55	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		03/10/25 14:55	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		03/10/25 14:55	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		03/10/25 14:55	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		03/10/25 14:55	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		03/10/25 14:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		03/10/25 14:55	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		03/10/25 14:55	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		03/10/25 14:55	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		03/10/25 14:55	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		03/10/25 14:55	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		03/10/25 14:55	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		03/10/25 14:55	108-90-7	
Chloroethane	**413**	ug/L	50.0	8.5	10		03/10/25 14:55	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		03/10/25 14:55	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		03/10/25 14:55	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		03/10/25 14:55	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		03/10/25 14:55	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		03/10/25 14:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		03/10/25 14:55	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		03/10/25 14:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		03/10/25 14:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		03/10/25 14:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		03/10/25 14:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		03/10/25 14:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		03/10/25 14:55	75-71-8	
1,1-Dichloroethane	**1060**	ug/L	50.0	2.6	10		03/10/25 14:55	75-34-3	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-402-03042025 **Lab ID: 50395234002** Collected: 03/04/25 13:24 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		03/10/25 14:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	2.9	10		03/10/25 14:55	75-35-4	
cis-1,2-Dichloroethene	**16600**	ug/L	500	26.9	100		03/10/25 15:26	156-59-2	M1
trans-1,2-Dichloroethene	**202**	ug/L	50.0	3.6	10		03/10/25 14:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		03/10/25 14:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		03/10/25 14:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		03/10/25 14:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		03/10/25 14:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		03/10/25 14:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		03/10/25 14:55	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		03/10/25 14:55	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		03/10/25 14:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		03/10/25 14:55	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		03/10/25 14:55	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		03/10/25 14:55	591-78-6	
Iodomethane	ND	ug/L	100	3.3	10		03/10/25 14:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		03/10/25 14:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		03/10/25 14:55	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		03/10/25 14:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		03/10/25 14:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		03/10/25 14:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		03/10/25 14:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		03/10/25 14:55	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		03/10/25 14:55	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		03/10/25 14:55	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		03/10/25 14:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		03/10/25 14:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		03/10/25 14:55	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		03/10/25 14:55	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		03/10/25 14:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		03/10/25 14:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/10/25 14:55	120-82-1	
1,1,1-Trichloroethane	**70.8**	ug/L	50.0	3.4	10		03/10/25 14:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		03/10/25 14:55	79-00-5	
Trichloroethene	**64.3**	ug/L	50.0	2.3	10		03/10/25 14:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		03/10/25 14:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		03/10/25 14:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		03/10/25 14:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		03/10/25 14:55	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		03/10/25 14:55	108-05-4	
Vinyl chloride	**2390**	ug/L	20.0	8.8	10		03/10/25 14:55	75-01-4	M1
Xylene (Total)	ND	ug/L	100	2.9	10		03/10/25 14:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	118	%.	82-128		10		03/10/25 14:55	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		10		03/10/25 14:55	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-402-03042025 **Lab ID: 50395234002** Collected: 03/04/25 13:24 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Surrogates									
Toluene-d8 (S)	90	%.	73-122		10		03/10/25 14:55	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 15:55		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 15:55	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	ND	ug/L	7000	2100	7		03/11/25 16:45	7440-44-0	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-402D-03042025 **Lab ID: 50395234003** Collected: 03/04/25 15:35 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**37400**	ug/L	250	190	1		03/10/25 20:08	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**7620**	ug/L	10.0	2.8	1		03/07/25 23:43	74-82-8	
Ethane	**109**	ug/L	10.0	1.3	1		03/07/25 23:43	74-84-0	
Ethene	**81.1**	ug/L	10.0	1.1	1		03/07/25 23:43	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**7220**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 16:02	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/07/25 18:20	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/07/25 18:20	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/07/25 18:20	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/07/25 18:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/07/25 18:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/07/25 18:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/07/25 18:20	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/07/25 18:20	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/07/25 18:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/07/25 18:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/07/25 18:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/07/25 18:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/07/25 18:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/07/25 18:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/07/25 18:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/07/25 18:20	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/07/25 18:20	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/07/25 18:20	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/07/25 18:20	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/07/25 18:20	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/07/25 18:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/07/25 18:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/07/25 18:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/07/25 18:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/07/25 18:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/07/25 18:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/07/25 18:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/07/25 18:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/07/25 18:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/07/25 18:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/07/25 18:20	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-402D-03042025 **Lab ID: 50395234003** Collected: 03/04/25 15:35 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/07/25 18:20	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/07/25 18:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/07/25 18:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/07/25 18:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/07/25 18:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/07/25 18:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/07/25 18:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/07/25 18:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/07/25 18:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/07/25 18:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/07/25 18:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/07/25 18:20	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/07/25 18:20	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/07/25 18:20	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		03/07/25 18:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/07/25 18:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/07/25 18:20	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/07/25 18:20	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/07/25 18:20	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/07/25 18:20	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/07/25 18:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/07/25 18:20	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/07/25 18:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/07/25 18:20	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/07/25 18:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/07/25 18:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/07/25 18:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/07/25 18:20	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/07/25 18:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/07/25 18:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/07/25 18:20	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/07/25 18:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/07/25 18:20	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/07/25 18:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/07/25 18:20	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/07/25 18:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/07/25 18:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/07/25 18:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/07/25 18:20	108-05-4	
Vinyl chloride	**43.3**	ug/L	2.0	0.45	1		03/07/25 18:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/07/25 18:20	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		03/07/25 18:20	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/07/25 18:20	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/07/25 18:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-402D-03042025 **Lab ID: 50395234003** Collected: 03/04/25 15:35 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 16:02		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 16:02	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5870**	ug/L	1000	300	1		03/10/25 23:11	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-407S-03042025 **Lab ID: 50395234004** Collected: 03/04/25 14:35 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**17200**	ug/L	250	190	1		03/11/25 00:37	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**17200**	ug/L	10.0	2.8	1		03/07/25 23:32	74-82-8	E
Ethane	**70.8**	ug/L	10.0	1.3	1		03/07/25 23:32	74-84-0	
Ethene	**63.2**	ug/L	10.0	1.1	1		03/07/25 23:32	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**3290**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 16:21	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/10/25 15:58	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/10/25 15:58	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/10/25 15:58	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/10/25 15:58	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/10/25 15:58	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/10/25 15:58	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/10/25 15:58	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/10/25 15:58	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/10/25 15:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/10/25 15:58	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/10/25 15:58	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/10/25 15:58	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 15:58	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/10/25 15:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/10/25 15:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/10/25 15:58	108-90-7	
Chloroethane	**22.3**	ug/L	5.0	0.85	1		03/10/25 15:58	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/10/25 15:58	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/10/25 15:58	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/10/25 15:58	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/10/25 15:58	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/10/25 15:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/10/25 15:58	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/10/25 15:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/10/25 15:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/10/25 15:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/10/25 15:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/10/25 15:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/10/25 15:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/10/25 15:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/10/25 15:58	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-407S-03042025 **Lab ID: 50395234004** Collected: 03/04/25 14:35 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/10/25 15:58	75-35-4	
cis-1,2-Dichloroethene	**57.7**	ug/L	5.0	0.27	1		03/10/25 15:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		03/10/25 15:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/10/25 15:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/10/25 15:58	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 15:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/10/25 15:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/10/25 15:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/10/25 15:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/10/25 15:58	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/10/25 15:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/10/25 15:58	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/10/25 15:58	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/10/25 15:58	591-78-6	
Iodomethane	ND	ug/L	10.0	0.33	1		03/10/25 15:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/10/25 15:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/10/25 15:58	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/10/25 15:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/10/25 15:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/10/25 15:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/10/25 15:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/10/25 15:58	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/10/25 15:58	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/10/25 15:58	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/10/25 15:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/10/25 15:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/10/25 15:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/10/25 15:58	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/10/25 15:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/10/25 15:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 15:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/10/25 15:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/10/25 15:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/10/25 15:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/10/25 15:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/10/25 15:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/10/25 15:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 15:58	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/10/25 15:58	108-05-4	
Vinyl chloride	**165**	ug/L	2.0	0.88	1		03/10/25 15:58	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/10/25 15:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		03/10/25 15:58	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/10/25 15:58	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/10/25 15:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-407S-03042025 **Lab ID: 50395234004** Collected: 03/04/25 14:35 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 16:00		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 16:00	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**15700**	ug/L	1000	300	1		03/10/25 23:36	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-407D-03042025 **Lab ID: 50395234005** Collected: 03/04/25 16:28 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**1270**	ug/L	250	190	1		03/11/25 01:27	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**18600**	ug/L	10.0	2.8	1		03/07/25 23:55	74-82-8	E
Ethane	**350**	ug/L	10.0	1.3	1		03/07/25 23:55	74-84-0	
Ethene	**403**	ug/L	10.0	1.1	1		03/07/25 23:55	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**5570**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 16:06	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/10/25 16:30	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/10/25 16:30	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/10/25 16:30	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/10/25 16:30	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/10/25 16:30	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/10/25 16:30	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/10/25 16:30	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/10/25 16:30	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/10/25 16:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/10/25 16:30	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/10/25 16:30	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/10/25 16:30	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 16:30	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/10/25 16:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/10/25 16:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/10/25 16:30	108-90-7	
Chloroethane	**142**	ug/L	5.0	0.85	1		03/10/25 16:30	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/10/25 16:30	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/10/25 16:30	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/10/25 16:30	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/10/25 16:30	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/10/25 16:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/10/25 16:30	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/10/25 16:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/10/25 16:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/10/25 16:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/10/25 16:30	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/10/25 16:30	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/10/25 16:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/10/25 16:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/10/25 16:30	107-06-2	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-407D-03042025 **Lab ID: 50395234005** Collected: 03/04/25 16:28 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/10/25 16:30	75-35-4	
cis-1,2-Dichloroethene	**49.6**	ug/L	5.0	0.27	1		03/10/25 16:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		03/10/25 16:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/10/25 16:30	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/10/25 16:30	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 16:30	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/10/25 16:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/10/25 16:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/10/25 16:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/10/25 16:30	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/10/25 16:30	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/10/25 16:30	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/10/25 16:30	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/10/25 16:30	591-78-6	
Iodomethane	ND	ug/L	10.0	0.33	1		03/10/25 16:30	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/10/25 16:30	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/10/25 16:30	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/10/25 16:30	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/10/25 16:30	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/10/25 16:30	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/10/25 16:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/10/25 16:30	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/10/25 16:30	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/10/25 16:30	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/10/25 16:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/10/25 16:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/10/25 16:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/10/25 16:30	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/10/25 16:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/10/25 16:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 16:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/10/25 16:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/10/25 16:30	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/10/25 16:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/10/25 16:30	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/10/25 16:30	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/10/25 16:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 16:30	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/10/25 16:30	108-05-4	
Vinyl chloride	**57.2**	ug/L	2.0	0.88	1		03/10/25 16:30	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/10/25 16:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		03/10/25 16:30	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/10/25 16:30	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/10/25 16:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-407D-03042025 **Lab ID: 50395234005** Collected: 03/04/25 16:28 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.40	0.052	4		03/05/25 16:04		D3
Nitrogen, Nitrate	ND	mg/L	0.40	0.052	4		03/05/25 16:04	14797-55-8	D3
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**16800**	ug/L	1000	300	1		03/10/25 23:49	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-401-03042025 **Lab ID: 50395234006** Collected: 03/04/25 16:28 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/10/25 17:33	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/10/25 17:33	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/10/25 17:33	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/10/25 17:33	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/10/25 17:33	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/10/25 17:33	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/10/25 17:33	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/10/25 17:33	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/10/25 17:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/10/25 17:33	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/10/25 17:33	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/10/25 17:33	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 17:33	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/10/25 17:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/10/25 17:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/10/25 17:33	108-90-7	
Chloroethane	**311**	ug/L	125	21.2	25		03/10/25 18:05	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/10/25 17:33	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/10/25 17:33	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/10/25 17:33	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/10/25 17:33	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/10/25 17:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/10/25 17:33	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/10/25 17:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/10/25 17:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/10/25 17:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/10/25 17:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/10/25 17:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/10/25 17:33	75-71-8	
1,1-Dichloroethane	**136**	ug/L	5.0	0.26	1		03/10/25 17:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/10/25 17:33	107-06-2	
1,1-Dichloroethene	**8.7**	ug/L	5.0	0.29	1		03/10/25 17:33	75-35-4	
cis-1,2-Dichloroethene	**4480**	ug/L	125	6.7	25		03/10/25 18:05	156-59-2	
trans-1,2-Dichloroethene	**19.7**	ug/L	5.0	0.36	1		03/10/25 17:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/10/25 17:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/10/25 17:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 17:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/10/25 17:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/10/25 17:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/10/25 17:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/10/25 17:33	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/10/25 17:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/10/25 17:33	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/10/25 17:33	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/10/25 17:33	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-401-03042025 **Lab ID: 50395234006** Collected: 03/04/25 16:28 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/10/25 17:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/10/25 17:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/10/25 17:33	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/10/25 17:33	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/10/25 17:33	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/10/25 17:33	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/10/25 17:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/10/25 17:33	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/10/25 17:33	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/10/25 17:33	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/10/25 17:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/10/25 17:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/10/25 17:33	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/10/25 17:33	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/10/25 17:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/10/25 17:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 17:33	120-82-1	
1,1,1-Trichloroethane	**51.9**	ug/L	5.0	0.34	1		03/10/25 17:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/10/25 17:33	79-00-5	
Trichloroethene	**15.9**	ug/L	5.0	0.23	1		03/10/25 17:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/10/25 17:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/10/25 17:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/10/25 17:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 17:33	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/10/25 17:33	108-05-4	
Vinyl chloride	**625**	ug/L	50.0	22.0	25		03/10/25 18:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/10/25 17:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	119	%.	82-128		1		03/10/25 17:33	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		03/10/25 17:33	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/10/25 17:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-403-03042025 **Lab ID: 50395234007** Collected: 03/04/25 16:55 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/10/25 18:36	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/10/25 18:36	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/10/25 18:36	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/10/25 18:36	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/10/25 18:36	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/10/25 18:36	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/10/25 18:36	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/10/25 18:36	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/10/25 18:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/10/25 18:36	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/10/25 18:36	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/10/25 18:36	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 18:36	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/10/25 18:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/10/25 18:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/10/25 18:36	108-90-7	
Chloroethane	**160**	ug/L	5.0	0.85	1		03/10/25 18:36	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/10/25 18:36	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/10/25 18:36	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/10/25 18:36	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/10/25 18:36	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/10/25 18:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/10/25 18:36	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/10/25 18:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/10/25 18:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/10/25 18:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/10/25 18:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/10/25 18:36	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/10/25 18:36	75-71-8	
1,1-Dichloroethane	**65.5**	ug/L	5.0	0.26	1		03/10/25 18:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/10/25 18:36	107-06-2	
1,1-Dichloroethene	**6.5**	ug/L	5.0	0.29	1		03/10/25 18:36	75-35-4	
cis-1,2-Dichloroethene	**335**	ug/L	50.0	5.1	10		03/11/25 15:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		03/10/25 18:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/10/25 18:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/10/25 18:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 18:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/10/25 18:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/10/25 18:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/10/25 18:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/10/25 18:36	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/10/25 18:36	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/10/25 18:36	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/10/25 18:36	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/10/25 18:36	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-403-03042025 **Lab ID: 50395234007** Collected: 03/04/25 16:55 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/10/25 18:36	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/10/25 18:36	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/10/25 18:36	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/10/25 18:36	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/10/25 18:36	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/10/25 18:36	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/10/25 18:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/10/25 18:36	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/10/25 18:36	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/10/25 18:36	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/10/25 18:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/10/25 18:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/10/25 18:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/10/25 18:36	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/10/25 18:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/10/25 18:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 18:36	120-82-1	
1,1,1-Trichloroethane	**33.3**	ug/L	5.0	0.34	1		03/10/25 18:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/10/25 18:36	79-00-5	
Trichloroethene	**6.6**	ug/L	5.0	0.23	1		03/10/25 18:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/10/25 18:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/10/25 18:36	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/10/25 18:36	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 18:36	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/10/25 18:36	108-05-4	
Vinyl chloride	**180**	ug/L	2.0	0.88	1		03/10/25 18:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/10/25 18:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		03/10/25 18:36	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		03/10/25 18:36	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/10/25 18:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-418S-03052025 **Lab ID: 50395234008** Collected: 03/05/25 09:45 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**398**	ug/L	250	190	1		03/13/25 17:51	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**13200**	ug/L	10.0	2.8	1		03/08/25 00:06	74-82-8	
Ethane	**1000**	ug/L	10.0	1.3	1		03/08/25 00:06	74-84-0	
Ethene	**11100**	ug/L	10.0	1.1	1		03/08/25 00:06	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**13800**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 16:13	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		03/10/25 19:08	67-64-1	
Acrolein	ND	ug/L	500	183	10		03/10/25 19:08	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		03/10/25 19:08	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		03/10/25 19:08	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		03/10/25 19:08	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		03/10/25 19:08	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		03/10/25 19:08	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		03/10/25 19:08	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		03/10/25 19:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		03/10/25 19:08	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		03/10/25 19:08	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		03/10/25 19:08	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		03/10/25 19:08	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		03/10/25 19:08	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		03/10/25 19:08	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		03/10/25 19:08	108-90-7	
Chloroethane	**101**	ug/L	50.0	8.5	10		03/10/25 19:08	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		03/10/25 19:08	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		03/10/25 19:08	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		03/10/25 19:08	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		03/10/25 19:08	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		03/10/25 19:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		03/10/25 19:08	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		03/10/25 19:08	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		03/10/25 19:08	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		03/10/25 19:08	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		03/10/25 19:08	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		03/10/25 19:08	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		03/10/25 19:08	75-71-8	
1,1-Dichloroethane	**114**	ug/L	50.0	2.6	10		03/10/25 19:08	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		03/10/25 19:08	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-418S-03052025 **Lab ID: 50395234008** Collected: 03/05/25 09:45 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	50.0	2.9	10		03/10/25 19:08	75-35-4	
cis-1,2-Dichloroethene	**4910**	ug/L	500	26.9	100		03/10/25 19:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	3.6	10		03/10/25 19:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		03/10/25 19:08	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		03/10/25 19:08	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		03/10/25 19:08	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		03/10/25 19:08	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		03/10/25 19:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		03/10/25 19:08	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		03/10/25 19:08	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		03/10/25 19:08	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		03/10/25 19:08	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		03/10/25 19:08	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		03/10/25 19:08	591-78-6	
Iodomethane	ND	ug/L	100	3.3	10		03/10/25 19:08	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		03/10/25 19:08	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		03/10/25 19:08	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		03/10/25 19:08	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		03/10/25 19:08	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		03/10/25 19:08	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		03/10/25 19:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		03/10/25 19:08	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		03/10/25 19:08	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		03/10/25 19:08	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		03/10/25 19:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		03/10/25 19:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		03/10/25 19:08	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		03/10/25 19:08	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		03/10/25 19:08	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		03/10/25 19:08	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/10/25 19:08	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.4	10		03/10/25 19:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		03/10/25 19:08	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.3	10		03/10/25 19:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		03/10/25 19:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		03/10/25 19:08	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		03/10/25 19:08	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		03/10/25 19:08	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		03/10/25 19:08	108-05-4	
Vinyl chloride	**7780**	ug/L	200	88.2	100		03/10/25 19:39	75-01-4	
Xylene (Total)	ND	ug/L	100	2.9	10		03/10/25 19:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		10		03/10/25 19:08	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		10		03/10/25 19:08	460-00-4	
Toluene-d8 (S)	92	%.	73-122		10		03/10/25 19:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-418S-03052025 **Lab ID: 50395234008** Collected: 03/05/25 09:45 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.20	0.026	2		03/05/25 16:06		D3
Nitrogen, Nitrate	ND	mg/L	0.20	0.026	2		03/05/25 16:06	14797-55-8	D3
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**11200**	ug/L	1000	300	1		03/11/25 00:02	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-418D-03052025 **Lab ID: 50395234009** Collected: 03/05/25 11:05 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Chloride	**101**	mg/L	2.5	0.79	10		03/11/25 04:00	16887-00-6	
Sulfate	ND	ug/L	250	190	1		03/11/25 03:43	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**18700**	ug/L	10.0	2.8	1		03/08/25 00:17	74-82-8	E
Ethane	**154**	ug/L	10.0	1.3	1		03/08/25 00:17	74-84-0	
Ethene	**199**	ug/L	10.0	1.1	1		03/08/25 00:17	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**12800**	ug/L	100	41.0	1	03/14/25 14:16	03/14/25 16:15	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 13:45	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 13:45	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 13:45	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 13:45	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 13:45	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 13:45	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 13:45	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 13:45	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 13:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 13:45	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 13:45	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 13:45	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 13:45	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 13:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 13:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 13:45	108-90-7	
Chloroethane	**8.0**	ug/L	5.0	0.41	1		03/11/25 13:45	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 13:45	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 13:45	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 13:45	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 13:45	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 13:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 13:45	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 13:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 13:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 13:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 13:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 13:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 13:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 13:45	75-34-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-418D-03052025 **Lab ID: 50395234009** Collected: 03/05/25 11:05 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 13:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 13:45	75-35-4	
cis-1,2-Dichloroethene	**9.3**	ug/L	5.0	0.51	1		03/11/25 13:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 13:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 13:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 13:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 13:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 13:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 13:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 13:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 13:45	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 13:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 13:45	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 13:45	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 13:45	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 13:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 13:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 13:45	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 13:45	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 13:45	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 13:45	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 13:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 13:45	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 13:45	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 13:45	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 13:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 13:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 13:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 13:45	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 13:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 13:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 13:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 13:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 13:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 13:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 13:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 13:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 13:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 13:45	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 13:45	108-05-4	
Vinyl chloride	**572**	ug/L	20.0	8.8	10		03/12/25 12:55	75-01-4	M1
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 13:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		03/11/25 13:45	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/11/25 13:45	460-00-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-418D-03052025 **Lab ID: 50395234009** Collected: 03/05/25 11:05 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Surrogates									
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 13:45	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/05/25 16:11		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/05/25 16:11	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5230**	ug/L	1000	300	1		03/11/25 02:44	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-417S-03052025 **Lab ID: 50395234010** Collected: 03/05/25 09:15 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/10/25 20:11	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/10/25 20:11	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/10/25 20:11	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/10/25 20:11	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/10/25 20:11	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/10/25 20:11	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/10/25 20:11	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/10/25 20:11	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/10/25 20:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/10/25 20:11	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/10/25 20:11	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/10/25 20:11	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 20:11	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/10/25 20:11	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/10/25 20:11	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/10/25 20:11	108-90-7	
Chloroethane	**20.4**	ug/L	5.0	0.85	1		03/10/25 20:11	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/10/25 20:11	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/10/25 20:11	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/10/25 20:11	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/10/25 20:11	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/10/25 20:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/10/25 20:11	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/10/25 20:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/10/25 20:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/10/25 20:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/10/25 20:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/10/25 20:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/10/25 20:11	75-71-8	
1,1-Dichloroethane	**14.3**	ug/L	5.0	0.26	1		03/10/25 20:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/10/25 20:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/10/25 20:11	75-35-4	
cis-1,2-Dichloroethene	**40.9**	ug/L	5.0	0.27	1		03/10/25 20:11	156-59-2	
trans-1,2-Dichloroethene	**6.1**	ug/L	5.0	0.36	1		03/10/25 20:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/10/25 20:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/10/25 20:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 20:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/10/25 20:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/10/25 20:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/10/25 20:11	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/10/25 20:11	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/10/25 20:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/10/25 20:11	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/10/25 20:11	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/10/25 20:11	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-417S-03052025 **Lab ID: 50395234010** Collected: 03/05/25 09:15 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/10/25 20:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/10/25 20:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/10/25 20:11	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/10/25 20:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/10/25 20:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/10/25 20:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/10/25 20:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/10/25 20:11	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/10/25 20:11	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/10/25 20:11	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/10/25 20:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/10/25 20:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/10/25 20:11	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/10/25 20:11	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/10/25 20:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/10/25 20:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 20:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/10/25 20:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/10/25 20:11	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/10/25 20:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/10/25 20:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/10/25 20:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/10/25 20:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 20:11	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/10/25 20:11	108-05-4	
Vinyl chloride	**19.7**	ug/L	2.0	0.88	1		03/10/25 20:11	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/10/25 20:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		03/10/25 20:11	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		03/10/25 20:11	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		03/10/25 20:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-417D-03052025 **Lab ID: 50395234011** Collected: 03/05/25 09:26 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/10/25 20:42	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/10/25 20:42	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/10/25 20:42	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/10/25 20:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/10/25 20:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/10/25 20:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/10/25 20:42	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/10/25 20:42	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/10/25 20:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/10/25 20:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/10/25 20:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/10/25 20:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 20:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/10/25 20:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/10/25 20:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/10/25 20:42	108-90-7	
Chloroethane	**586**	ug/L	50.0	8.5	10		03/10/25 21:14	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/10/25 20:42	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/10/25 20:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/10/25 20:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/10/25 20:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/10/25 20:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/10/25 20:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/10/25 20:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/10/25 20:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/10/25 20:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/10/25 20:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/10/25 20:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/10/25 20:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/10/25 20:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/10/25 20:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/10/25 20:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.27	1		03/10/25 20:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		03/10/25 20:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/10/25 20:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/10/25 20:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 20:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/10/25 20:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/10/25 20:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/10/25 20:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/10/25 20:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/10/25 20:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/10/25 20:42	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/10/25 20:42	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/10/25 20:42	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-417D-03052025 **Lab ID: 50395234011** Collected: 03/05/25 09:26 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/10/25 20:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/10/25 20:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/10/25 20:42	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/10/25 20:42	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/10/25 20:42	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/10/25 20:42	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/10/25 20:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/10/25 20:42	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/10/25 20:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/10/25 20:42	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/10/25 20:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/10/25 20:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/10/25 20:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/10/25 20:42	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/10/25 20:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/10/25 20:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 20:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/10/25 20:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/10/25 20:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/10/25 20:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/10/25 20:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/10/25 20:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/10/25 20:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 20:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/10/25 20:42	108-05-4	
Vinyl chloride	**11.9**	ug/L	2.0	0.88	1		03/10/25 20:42	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/10/25 20:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		1		03/10/25 20:42	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		03/10/25 20:42	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		03/10/25 20:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-423S-03052025 **Lab ID: 50395234012** Collected: 03/05/25 09:51 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/10/25 21:46	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/10/25 21:46	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/10/25 21:46	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/10/25 21:46	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/10/25 21:46	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/10/25 21:46	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/10/25 21:46	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/10/25 21:46	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/10/25 21:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/10/25 21:46	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/10/25 21:46	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/10/25 21:46	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 21:46	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/10/25 21:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/10/25 21:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/10/25 21:46	108-90-7	
Chloroethane	**234**	ug/L	50.0	8.5	10		03/10/25 22:17	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/10/25 21:46	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/10/25 21:46	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/10/25 21:46	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/10/25 21:46	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/10/25 21:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/10/25 21:46	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/10/25 21:46	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/10/25 21:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/10/25 21:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/10/25 21:46	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/10/25 21:46	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/10/25 21:46	75-71-8	
1,1-Dichloroethane	**329**	ug/L	50.0	2.6	10		03/10/25 22:17	75-34-3	
1,2-Dichloroethane	**15.4**	ug/L	5.0	0.21	1		03/10/25 21:46	107-06-2	
1,1-Dichloroethene	**284**	ug/L	5.0	0.29	1		03/10/25 21:46	75-35-4	
cis-1,2-Dichloroethene	**850**	ug/L	50.0	2.7	10		03/10/25 22:17	156-59-2	
trans-1,2-Dichloroethene	**24.3**	ug/L	5.0	0.36	1		03/10/25 21:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/10/25 21:46	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/10/25 21:46	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 21:46	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/10/25 21:46	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/10/25 21:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/10/25 21:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/10/25 21:46	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/10/25 21:46	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/10/25 21:46	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/10/25 21:46	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/10/25 21:46	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-423S-03052025 **Lab ID: 50395234012** Collected: 03/05/25 09:51 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/10/25 21:46	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/10/25 21:46	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/10/25 21:46	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/10/25 21:46	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/10/25 21:46	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/10/25 21:46	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/10/25 21:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/10/25 21:46	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/10/25 21:46	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/10/25 21:46	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/10/25 21:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/10/25 21:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/10/25 21:46	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/10/25 21:46	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/10/25 21:46	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/10/25 21:46	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 21:46	120-82-1	
1,1,1-Trichloroethane	**1630**	ug/L	50.0	3.4	10		03/10/25 22:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/10/25 21:46	79-00-5	
Trichloroethene	**143**	ug/L	5.0	0.23	1		03/10/25 21:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/10/25 21:46	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/10/25 21:46	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/10/25 21:46	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 21:46	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/10/25 21:46	108-05-4	
Vinyl chloride	**417**	ug/L	20.0	8.8	10		03/10/25 22:17	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/10/25 21:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	125	%.	82-128		1		03/10/25 21:46	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		03/10/25 21:46	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/10/25 21:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-423D-03052025 **Lab ID: 50395234013** Collected: 03/05/25 10:04 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/10/25 22:49	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/10/25 22:49	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/10/25 22:49	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/10/25 22:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/10/25 22:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/10/25 22:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/10/25 22:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/10/25 22:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/10/25 22:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/10/25 22:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/10/25 22:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/10/25 22:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 22:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/10/25 22:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/10/25 22:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/10/25 22:49	108-90-7	
Chloroethane	**160**	ug/L	5.0	0.85	1		03/10/25 22:49	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/10/25 22:49	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/10/25 22:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/10/25 22:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/10/25 22:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/10/25 22:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/10/25 22:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/10/25 22:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/10/25 22:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/10/25 22:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/10/25 22:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/10/25 22:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/10/25 22:49	75-71-8	
1,1-Dichloroethane	**188**	ug/L	5.0	0.26	1		03/10/25 22:49	75-34-3	
1,2-Dichloroethane	**9.7**	ug/L	5.0	0.21	1		03/10/25 22:49	107-06-2	
1,1-Dichloroethene	**65.1**	ug/L	5.0	0.29	1		03/10/25 22:49	75-35-4	
cis-1,2-Dichloroethene	**270**	ug/L	50.0	5.1	10		03/11/25 14:17	156-59-2	
trans-1,2-Dichloroethene	**8.7**	ug/L	5.0	0.36	1		03/10/25 22:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/10/25 22:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/10/25 22:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 22:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/10/25 22:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/10/25 22:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/10/25 22:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/10/25 22:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/10/25 22:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/10/25 22:49	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/10/25 22:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/10/25 22:49	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-423D-03052025 **Lab ID: 50395234013** Collected: 03/05/25 10:04 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/10/25 22:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/10/25 22:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/10/25 22:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/10/25 22:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/10/25 22:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/10/25 22:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/10/25 22:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/10/25 22:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/10/25 22:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/10/25 22:49	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/10/25 22:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/10/25 22:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/10/25 22:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/10/25 22:49	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/10/25 22:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/10/25 22:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 22:49	120-82-1	
1,1,1-Trichloroethane	**410**	ug/L	50.0	4.2	10		03/11/25 14:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/10/25 22:49	79-00-5	
Trichloroethene	**21.9**	ug/L	5.0	0.23	1		03/10/25 22:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/10/25 22:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/10/25 22:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/10/25 22:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/10/25 22:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/10/25 22:49	108-05-4	
Vinyl chloride	**234**	ug/L	2.0	0.88	1		03/10/25 22:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/10/25 22:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		1		03/10/25 22:49	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		03/10/25 22:49	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		03/10/25 22:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-422S-03052025 **Lab ID: 50395234014** Collected: 03/05/25 10:50 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/10/25 15:42	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/10/25 15:42	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/10/25 15:42	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/10/25 15:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/10/25 15:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/10/25 15:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/10/25 15:42	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/10/25 15:42	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/10/25 15:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/10/25 15:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/10/25 15:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/10/25 15:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/10/25 15:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/10/25 15:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/10/25 15:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/10/25 15:42	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/10/25 15:42	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/10/25 15:42	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/10/25 15:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/10/25 15:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/10/25 15:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/10/25 15:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/10/25 15:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/10/25 15:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/10/25 15:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/10/25 15:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/10/25 15:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/10/25 15:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/10/25 15:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/10/25 15:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/10/25 15:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/10/25 15:42	75-35-4	
cis-1,2-Dichloroethene	**48.8**	ug/L	5.0	0.51	1		03/10/25 15:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/10/25 15:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/10/25 15:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 15:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/10/25 15:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/10/25 15:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/10/25 15:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/10/25 15:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/10/25 15:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/10/25 15:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/10/25 15:42	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/10/25 15:42	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/10/25 15:42	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-422S-03052025 **Lab ID: 50395234014** Collected: 03/05/25 10:50 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/10/25 15:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/10/25 15:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/10/25 15:42	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/10/25 15:42	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/10/25 15:42	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/10/25 15:42	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/10/25 15:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/10/25 15:42	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/10/25 15:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/10/25 15:42	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/10/25 15:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/10/25 15:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/10/25 15:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/10/25 15:42	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/10/25 15:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 15:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/10/25 15:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/10/25 15:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/10/25 15:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/10/25 15:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/10/25 15:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/10/25 15:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/10/25 15:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/10/25 15:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/10/25 15:42	108-05-4	
Vinyl chloride	**2750**	ug/L	40.0	8.9	20		03/10/25 16:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/10/25 15:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	120	%.	82-128		1		03/10/25 15:42	1868-53-7	
4-Bromofluorobenzene (S)	108	%.	79-124		1		03/10/25 15:42	460-00-4	
Toluene-d8 (S)	89	%.	73-122		1		03/10/25 15:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-422D-03052025 **Lab ID: 50395234015** Collected: 03/05/25 11:02 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/10/25 16:45	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/10/25 16:45	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/10/25 16:45	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/10/25 16:45	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/10/25 16:45	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/10/25 16:45	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/10/25 16:45	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/10/25 16:45	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/10/25 16:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/10/25 16:45	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/10/25 16:45	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/10/25 16:45	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/10/25 16:45	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/10/25 16:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/10/25 16:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/10/25 16:45	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/10/25 16:45	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/10/25 16:45	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/10/25 16:45	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/10/25 16:45	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/10/25 16:45	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/10/25 16:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/10/25 16:45	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/10/25 16:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/10/25 16:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/10/25 16:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/10/25 16:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/10/25 16:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/10/25 16:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/10/25 16:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/10/25 16:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/10/25 16:45	75-35-4	
cis-1,2-Dichloroethene	**442**	ug/L	50.0	5.1	10		03/10/25 17:17	156-59-2	
trans-1,2-Dichloroethene	**7.8**	ug/L	5.0	0.43	1		03/10/25 16:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/10/25 16:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 16:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/10/25 16:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/10/25 16:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/10/25 16:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/10/25 16:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/10/25 16:45	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/10/25 16:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/10/25 16:45	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/10/25 16:45	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/10/25 16:45	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: MW-422D-03052025 **Lab ID: 50395234015** Collected: 03/05/25 11:02 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/10/25 16:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/10/25 16:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/10/25 16:45	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/10/25 16:45	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/10/25 16:45	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/10/25 16:45	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/10/25 16:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/10/25 16:45	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/10/25 16:45	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/10/25 16:45	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/10/25 16:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/10/25 16:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/10/25 16:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/10/25 16:45	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/10/25 16:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 16:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/10/25 16:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/10/25 16:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/10/25 16:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/10/25 16:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/10/25 16:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/10/25 16:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/10/25 16:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/10/25 16:45	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/10/25 16:45	108-05-4	
Vinyl chloride	**1180**	ug/L	20.0	4.5	10		03/10/25 17:17	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/10/25 16:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		1		03/10/25 16:45	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		03/10/25 16:45	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/10/25 16:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: Trip Blank **Lab ID: 50395234016** Collected: 03/05/25 08:00 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/10/25 17:49	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/10/25 17:49	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/10/25 17:49	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/10/25 17:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/10/25 17:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/10/25 17:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/10/25 17:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/10/25 17:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/10/25 17:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/10/25 17:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/10/25 17:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/10/25 17:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/10/25 17:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/10/25 17:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/10/25 17:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/10/25 17:49	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/10/25 17:49	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/10/25 17:49	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/10/25 17:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/10/25 17:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/10/25 17:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/10/25 17:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/10/25 17:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/10/25 17:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/10/25 17:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/10/25 17:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/10/25 17:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/10/25 17:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/10/25 17:49	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/10/25 17:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/10/25 17:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/10/25 17:49	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/10/25 17:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/10/25 17:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/10/25 17:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/10/25 17:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/10/25 17:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/10/25 17:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/10/25 17:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/10/25 17:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/10/25 17:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/10/25 17:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/10/25 17:49	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/10/25 17:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/10/25 17:49	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Sample: Trip Blank **Lab ID: 50395234016** Collected: 03/05/25 08:00 Received: 03/05/25 13:15 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/10/25 17:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/10/25 17:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/10/25 17:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/10/25 17:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/10/25 17:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/10/25 17:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/10/25 17:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/10/25 17:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/10/25 17:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/10/25 17:49	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/10/25 17:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/10/25 17:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/10/25 17:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/10/25 17:49	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/10/25 17:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/10/25 17:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/10/25 17:49	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/10/25 17:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/10/25 17:49	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/10/25 17:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/10/25 17:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/10/25 17:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/10/25 17:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/10/25 17:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/10/25 17:49	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/10/25 17:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/10/25 17:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		03/10/25 17:49	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		03/10/25 17:49	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/10/25 17:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833559
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008, 50395234009

METHOD BLANK: 3814144 Matrix: Water
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008, 50395234009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloride	mg/L	ND	0.25	0.079	03/10/25 10:47	
Sulfate	ug/L	ND	250	190	03/10/25 10:47	

LABORATORY CONTROL SAMPLE: 3814145

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	2.5	2.3	91	90-110	
Sulfate	ug/L	5000	4670	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814146 3814147

Parameter	Units	50395234002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	2360	250	250	2430	2410	29	23	80-120	1	15	M0
Sulfate	ug/L	48500	50000	50000	97200	97200	97	97	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814148 3814149

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	101	25	25	122	122	83	82	80-120	0	15	
Sulfate	ug/L	ND	5000	5000	4910	4980	96	97	80-120	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 995027
QC Batch Method: RSK 175
Analysis Method: RSK 175
Analysis Description: RSK 175 GCV HEADSPACE
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008, 50395234009

METHOD BLANK: 5190848 Matrix: Water
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008, 50395234009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.3	03/07/25 21:05	
Ethene	ug/L	ND	10.0	1.1	03/07/25 21:05	
Methane	ug/L	ND	10.0	2.8	03/07/25 21:05	

LABORATORY CONTROL SAMPLE & LCSD: 5190849 5190850

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	114	111	111	98	98	85-115	0	20	
Ethene	ug/L	106	103	102	97	97	85-115	0	20	
Methane	ug/L	60.7	58.4	58.6	96	97	85-115	0	20	

SAMPLE DUPLICATE: 5190851

Parameter	Units	10725350003 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	<1.3	ND		20	
Ethene	ug/L	<1.1	ND		20	
Methane	ug/L	62.7	62.0	1	20	

SAMPLE DUPLICATE: 5193562

Parameter	Units	10725350009 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	4.8J	4.9J		20	
Ethene	ug/L	39.6	40.8	3	20	
Methane	ug/L	2410	2440	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 834158 | Analysis Method: EPA 6010
QC Batch Method: EPA 3010 | Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008, 50395234009

METHOD BLANK: 3816847 Matrix: Water
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008, 50395234009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	03/14/25 15:19	

LABORATORY CONTROL SAMPLE: 3816848

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	10300	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3816849 3816850

Parameter	Units	50395132004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	3600	10000	10000	14400	14000	108	104	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833329
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234003

METHOD BLANK: 3812654 Matrix: Water
Associated Lab Samples: 50395234003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	03/07/25 10:58	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	03/07/25 10:58	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	03/07/25 10:58	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	03/07/25 10:58	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	03/07/25 10:58	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	03/07/25 10:58	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	03/07/25 10:58	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	03/07/25 10:58	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	03/07/25 10:58	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	03/07/25 10:58	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	03/07/25 10:58	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	03/07/25 10:58	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	03/07/25 10:58	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	03/07/25 10:58	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	03/07/25 10:58	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	03/07/25 10:58	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	03/07/25 10:58	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	03/07/25 10:58	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	03/07/25 10:58	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	03/07/25 10:58	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	03/07/25 10:58	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	03/07/25 10:58	
2-Chlorotoluene	ug/L	ND	5.0	0.41	03/07/25 10:58	
2-Hexanone	ug/L	ND	25.0	3.2	03/07/25 10:58	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	03/07/25 10:58	
4-Chlorotoluene	ug/L	ND	5.0	0.54	03/07/25 10:58	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	03/07/25 10:58	
Acetone	ug/L	ND	100	12.6	03/07/25 10:58	
Acrolein	ug/L	ND	50.0	12.3	03/07/25 10:58	
Acrylonitrile	ug/L	ND	100	2.3	03/07/25 10:58	
Benzene	ug/L	ND	5.0	0.36	03/07/25 10:58	
Bromobenzene	ug/L	ND	5.0	0.55	03/07/25 10:58	
Bromochloromethane	ug/L	ND	5.0	0.43	03/07/25 10:58	
Bromodichloromethane	ug/L	ND	5.0	0.36	03/07/25 10:58	
Bromoform	ug/L	ND	5.0	0.52	03/07/25 10:58	
Bromomethane	ug/L	ND	5.0	0.45	03/07/25 10:58	
Carbon disulfide	ug/L	ND	10.0	0.80	03/07/25 10:58	
Carbon tetrachloride	ug/L	ND	5.0	0.42	03/07/25 10:58	
Chlorobenzene	ug/L	ND	5.0	0.38	03/07/25 10:58	
Chloroethane	ug/L	ND	5.0	0.41	03/07/25 10:58	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

METHOD BLANK: 3812654 Matrix: Water
Associated Lab Samples: 50395234003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.38	03/07/25 10:58	
Chloromethane	ug/L	ND	5.0	0.68	03/07/25 10:58	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	03/07/25 10:58	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	03/07/25 10:58	
Dibromochloromethane	ug/L	ND	5.0	0.28	03/07/25 10:58	
Dibromomethane	ug/L	ND	5.0	0.32	03/07/25 10:58	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	03/07/25 10:58	
Ethyl methacrylate	ug/L	ND	100	0.51	03/07/25 10:58	
Ethylbenzene	ug/L	ND	5.0	0.34	03/07/25 10:58	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	03/07/25 10:58	
Iodomethane	ug/L	ND	10.0	0.44	03/07/25 10:58	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	03/07/25 10:58	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	03/07/25 10:58	
Methylene Chloride	ug/L	ND	5.0	2.7	03/07/25 10:58	
n-Butylbenzene	ug/L	ND	5.0	0.60	03/07/25 10:58	
n-Hexane	ug/L	ND	5.0	0.70	03/07/25 10:58	
n-Propylbenzene	ug/L	ND	5.0	0.51	03/07/25 10:58	
Naphthalene	ug/L	ND	1.2	0.40	03/07/25 10:58	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	03/07/25 10:58	
sec-Butylbenzene	ug/L	ND	5.0	0.47	03/07/25 10:58	
Styrene	ug/L	ND	5.0	0.36	03/07/25 10:58	
tert-Butylbenzene	ug/L	ND	5.0	0.42	03/07/25 10:58	
Tetrachloroethene	ug/L	ND	5.0	0.42	03/07/25 10:58	
Toluene	ug/L	ND	5.0	3.9	03/07/25 10:58	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	03/07/25 10:58	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	03/07/25 10:58	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	03/07/25 10:58	
Trichloroethene	ug/L	ND	5.0	0.39	03/07/25 10:58	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	03/07/25 10:58	
Vinyl acetate	ug/L	ND	50.0	1.6	03/07/25 10:58	
Vinyl chloride	ug/L	ND	2.0	0.45	03/07/25 10:58	
Xylene (Total)	ug/L	ND	10.0	0.84	03/07/25 10:58	
4-Bromofluorobenzene (S)	%.	105	79-124		03/07/25 10:58	
Dibromofluoromethane (S)	%.	112	82-128		03/07/25 10:58	
Toluene-d8 (S)	%.	90	73-122		03/07/25 10:58	

LABORATORY CONTROL SAMPLE: 3812655

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	49.4	99	81-130	
1,1,1-Trichloroethane	ug/L	50	52.2	104	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	42.8	86	70-126	
1,1,2-Trichloroethane	ug/L	50	43.9	88	79-125	
1,1-Dichloroethane	ug/L	50	49.3	99	79-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3812655

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	56.0	112	71-130	
1,1-Dichloropropene	ug/L	50	60.2	120	78-144	
1,2,3-Trichlorobenzene	ug/L	50	54.1	108	57-146	
1,2,3-Trichloropropane	ug/L	50	46.3	93	74-127	
1,2,4-Trichlorobenzene	ug/L	50	53.4	107	62-136	
1,2,4-Trimethylbenzene	ug/L	50	46.9	94	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	44.4	89	80-120	
1,2-Dichlorobenzene	ug/L	50	49.2	98	79-123	
1,2-Dichloroethane	ug/L	50	49.7	99	72-123	
1,2-Dichloropropane	ug/L	50	49.8	100	76-125	
1,3,5-Trimethylbenzene	ug/L	50	48.1	96	71-120	
1,3-Dichlorobenzene	ug/L	50	50.5	101	78-117	
1,3-Dichloropropane	ug/L	50	45.1	90	77-126	
1,4-Dichlorobenzene	ug/L	50	51.1	102	79-116	
1-Methylnaphthalene	ug/L	50	47.9	96	50-190	
2,2-Dichloropropane	ug/L	50	55.2	110	48-138	
2-Butanone (MEK)	ug/L	250	272	109	67-135	
2-Chlorotoluene	ug/L	50	50.6	101	75-122	
2-Hexanone	ug/L	250	216	86	65-135	
2-Methylnaphthalene	ug/L	50	45.6	91	55-184	
4-Chlorotoluene	ug/L	50	49.7	99	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	217	87	69-136	
Acetone	ug/L	250	221	88	34-156	
Acrolein	ug/L	1000	1070	107	59-191	
Acrylonitrile	ug/L	250	291	117	67-146	
Benzene	ug/L	50	54.9	110	76-122	
Bromobenzene	ug/L	50	58.9	118	75-121	
Bromochloromethane	ug/L	50	46.2	92	73-119	
Bromodichloromethane	ug/L	50	47.7	95	80-126	
Bromoform	ug/L	50	50.7	101	77-124	
Bromomethane	ug/L	50	30.1	60	10-175	
Carbon disulfide	ug/L	50	50.9	102	69-121	
Carbon tetrachloride	ug/L	50	56.3	113	73-127	
Chlorobenzene	ug/L	50	48.2	96	76-118	
Chloroethane	ug/L	50	48.3	97	36-162	
Chloroform	ug/L	50	50.6	101	78-121	
Chloromethane	ug/L	50	45.1	90	37-143	
cis-1,2-Dichloroethene	ug/L	50	49.1	98	77-123	
cis-1,3-Dichloropropene	ug/L	50	43.9	88	76-132	
Dibromochloromethane	ug/L	50	48.4	97	79-130	
Dibromomethane	ug/L	50	47.6	95	79-124	
Dichlorodifluoromethane	ug/L	50	53.0	106	29-126	
Ethyl methacrylate	ug/L	50	46.6J	93	78-137	
Ethylbenzene	ug/L	50	50.3	101	76-120	
Hexachloro-1,3-butadiene	ug/L	50	60.3	121	60-131	
Iodomethane	ug/L	50	28.4	57	10-148	
Isopropylbenzene (Cumene)	ug/L	50	54.8	110	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3812655

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	49.8	100	71-121	
Methylene Chloride	ug/L	50	45.1	90	71-121	
n-Butylbenzene	ug/L	50	51.9	104	68-131	
n-Hexane	ug/L	50	48.1	96	51-126	
n-Propylbenzene	ug/L	50	51.9	104	67-127	
Naphthalene	ug/L	50	51.1	102	62-143	
p-Isopropyltoluene	ug/L	50	52.0	104	72-124	
sec-Butylbenzene	ug/L	50	53.4	107	71-126	
Styrene	ug/L	50	48.9	98	80-121	
tert-Butylbenzene	ug/L	50	63.7	127	71-128	
Tetrachloroethene	ug/L	50	54.2	108	71-122	
Toluene	ug/L	50	45.6	91	74-118	
trans-1,2-Dichloroethene	ug/L	50	54.7	109	75-122	
trans-1,3-Dichloropropene	ug/L	50	42.3	85	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	45.4J	91	53-136	
Trichloroethene	ug/L	50	53.6	107	74-125	
Trichlorofluoromethane	ug/L	50	70.1	140	64-138	L1
Vinyl acetate	ug/L	200	260	130	74-154	
Vinyl chloride	ug/L	50	56.6	113	55-139	
Xylene (Total)	ug/L	150	157	105	73-119	
4-Bromofluorobenzene (S)	%.			105	79-124	
Dibromofluoromethane (S)	%.			97	82-128	
Toluene-d8 (S)	%.			90	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3812656 3812657

Parameter	Units	50395129007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	43.6	41.6	87	83	47-139	5	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	44.9	42.4	90	85	47-145	6	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	35.9	35.4	72	71	49-133	1	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	39.1	37.9	78	76	52-136	3	20	
1,1-Dichloroethane	ug/L	ND	50	50	46.2	44.3	92	89	52-137	4	20	
1,1-Dichloroethene	ug/L	ND	50	50	47.3	44.8	95	90	53-144	5	20	
1,1-Dichloropropene	ug/L	ND	50	50	49.9	48.1	100	96	49-150	4	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	39.2	38.1	78	76	20-153	3	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	36.8	36.4	74	73	47-134	1	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	37.2	35.7	74	71	23-141	4	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	41.7	37.1	76	67	41-131	12	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	38.9	37.1	78	74	55-133	5	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	42.4	41.2	85	82	43-133	3	20	
1,2-Dichloroethane	ug/L	ND	50	50	44.5	43.6	89	87	50-138	2	20	
1,2-Dichloropropane	ug/L	ND	50	50	45.9	43.5	92	87	54-139	5	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	39.5	37.8	79	75	39-133	5	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	41.3	39.8	83	80	41-131	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3812656 3812657

Parameter	Units	50395129007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	41.1	40.3	82	81	50-136	2	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	42.3	41.1	85	82	41-131	3	20	
1-Methylnaphthalene	ug/L	ND	50	50	34.8	34.2	69	67	10-188	2	20	
2,2-Dichloropropane	ug/L	ND	50	50	43.6	42.3	87	85	17-141	3	20	
2-Butanone (MEK)	ug/L	ND	250	250	194	188	78	75	45-138	3	20	
2-Chlorotoluene	ug/L	ND	50	50	42.2	41.1	84	82	36-141	3	20	
2-Hexanone	ug/L	ND	250	250	168	164	67	66	45-135	2	20	
2-Methylnaphthalene	ug/L	ND	50	50	33.3	32.6	67	65	10-197	2	20	
4-Chlorotoluene	ug/L	ND	50	50	40.9	39.5	82	79	38-134	3	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	174	174	69	70	46-138	0	20	
Acetone	ug/L	ND	250	250	153	154	61	61	25-151	0	20	
Acrolein	ug/L	ND	1000	1000	667	678	67	68	36-168	2	20	
Acrylonitrile	ug/L	ND	250	250	220	199	88	80	47-147	10	20	
Benzene	ug/L	ND	50	50	48.3	46.7	97	93	53-138	3	20	
Bromobenzene	ug/L	ND	50	50	53.0	51.8	106	104	47-130	2	20	
Bromochloromethane	ug/L	ND	50	50	41.8	42.2	84	84	52-130	1	20	
Bromodichloromethane	ug/L	ND	50	50	44.4	43.1	89	86	50-146	3	20	
Bromoform	ug/L	ND	50	50	38.5	38.7	77	77	45-132	1	20	
Bromomethane	ug/L	ND	50	50	20.1	25.3	40	51	10-173	23	20	R1
Carbon disulfide	ug/L	ND	50	50	43.3	41.5	87	83	47-133	4	20	
Carbon tetrachloride	ug/L	ND	50	50	45.7	45.1	91	90	43-148	1	20	
Chlorobenzene	ug/L	ND	50	50	42.2	41.1	84	82	52-131	3	20	
Chloroethane	ug/L	ND	50	50	173	72.8	347	146	25-169	82	20	M1,R1
Chloroform	ug/L	ND	50	50	46.0	44.3	92	89	54-138	4	20	
Chloromethane	ug/L	ND	50	50	38.6	33.7	77	67	33-137	13	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	44.0	43.6	88	87	50-141	1	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	38.4	37.5	77	75	47-135	2	20	
Dibromochloromethane	ug/L	ND	50	50	41.9	40.7	84	81	48-139	3	20	
Dibromomethane	ug/L	ND	50	50	44.3	43.0	89	86	51-141	3	20	
Dichlorodifluoromethane	ug/L	ND	50	50	40.8	37.8	82	76	15-130	8	20	
Ethyl methacrylate	ug/L	ND	50	50	39.5J	36.1J	79	72	51-142		20	
Ethylbenzene	ug/L	ND	50	50	44.1	42.6	86	84	50-136	3	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	40.8	39.6	82	79	15-141	3	20	
Iodomethane	ug/L	ND	50	50	23.8	15.4	48	31	10-145	43	20	R1
Isopropylbenzene (Cumene)	ug/L	ND	50	50	47.1	45.5	94	91	46-137	4	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	43.5	43.1	87	86	47-135	1	20	
Methylene Chloride	ug/L	ND	50	50	42.2	40.1	84	80	48-131	5	20	
n-Butylbenzene	ug/L	ND	50	50	40.8	39.4	82	79	30-138	3	20	
n-Hexane	ug/L	ND	50	50	38.4	37.5	77	75	35-137	2	20	
n-Propylbenzene	ug/L	ND	50	50	41.8	40.4	83	80	37-135	3	20	
Naphthalene	ug/L	2.4	50	50	41.5	39.3	78	74	34-152	6	20	
p-Isopropyltoluene	ug/L	ND	50	50	42.0	40.6	84	81	35-136	3	20	
sec-Butylbenzene	ug/L	ND	50	50	43.8	42.4	88	85	36-137	3	20	
Styrene	ug/L	ND	50	50	40.9	33.4	82	67	46-136	20	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3812656 3812657

Parameter	Units	50395129007 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	53.4	51.2	107	102	40-137	4	20	
Tetrachloroethene	ug/L	ND	50	50	43.0	41.6	86	83	44-138	3	20	
Toluene	ug/L	ND	50	50	42.6	39.7	85	79	52-132	7	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	46.8	45.0	94	90	50-137	4	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	37.2	35.7	74	71	46-130	4	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	35.4J	36.2J	71	72	24-134		20	
Trichloroethene	ug/L	ND	50	50	45.3	44.4	91	89	49-140	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	60.0	56.8	120	114	44-153	5	20	
Vinyl acetate	ug/L	ND	200	200	184	178	92	89	32-142	4	20	
Vinyl chloride	ug/L	ND	50	50	48.5	46.1	97	92	41-147	5	20	
Xylene (Total)	ug/L	ND	150	150	143	137	92	88	44-138	4	20	
4-Bromofluorobenzene (S)	%.						110	109	79-124			
Dibromofluoromethane (S)	%.						100	100	82-128			
Toluene-d8 (S)	%.						94	93	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833345
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234001

METHOD BLANK: 3812807 Matrix: Water
Associated Lab Samples: 50395234001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.26	03/07/25 11:14	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.34	03/07/25 11:14	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	03/07/25 11:14	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.27	03/07/25 11:14	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	03/07/25 11:14	
1,1-Dichloroethene	ug/L	ND	5.0	0.29	03/07/25 11:14	
1,1-Dichloropropene	ug/L	ND	5.0	0.28	03/07/25 11:14	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.29	03/07/25 11:14	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.53	03/07/25 11:14	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.35	03/07/25 11:14	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.20	03/07/25 11:14	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.32	03/07/25 11:14	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.25	03/07/25 11:14	
1,2-Dichloroethane	ug/L	ND	5.0	0.21	03/07/25 11:14	
1,2-Dichloropropane	ug/L	ND	5.0	0.28	03/07/25 11:14	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.31	03/07/25 11:14	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.31	03/07/25 11:14	
1,3-Dichloropropane	ug/L	ND	5.0	0.24	03/07/25 11:14	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.12	03/07/25 11:14	
1-Methylnaphthalene	ug/L	ND	10.0	0.32	03/07/25 11:14	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	03/07/25 11:14	
2-Butanone (MEK)	ug/L	ND	25.0	2.3	03/07/25 11:14	
2-Chlorotoluene	ug/L	ND	5.0	0.19	03/07/25 11:14	
2-Hexanone	ug/L	ND	25.0	2.5	03/07/25 11:14	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	03/07/25 11:14	
4-Chlorotoluene	ug/L	ND	5.0	0.26	03/07/25 11:14	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.4	03/07/25 11:14	
Acetone	ug/L	ND	100	4.8	03/07/25 11:14	
Acrolein	ug/L	ND	50.0	18.3	03/07/25 11:14	
Acrylonitrile	ug/L	ND	100	1.5	03/07/25 11:14	
Benzene	ug/L	ND	5.0	0.28	03/07/25 11:14	
Bromobenzene	ug/L	ND	5.0	0.36	03/07/25 11:14	
Bromochloromethane	ug/L	ND	5.0	0.32	03/07/25 11:14	
Bromodichloromethane	ug/L	ND	5.0	0.22	03/07/25 11:14	
Bromoform	ug/L	ND	5.0	0.22	03/07/25 11:14	
Bromomethane	ug/L	ND	5.0	0.81	03/07/25 11:14	
Carbon disulfide	ug/L	ND	10.0	0.64	03/07/25 11:14	
Carbon tetrachloride	ug/L	ND	5.0	0.34	03/07/25 11:14	
Chlorobenzene	ug/L	ND	5.0	0.21	03/07/25 11:14	
Chloroethane	ug/L	ND	5.0	0.85	03/07/25 11:14	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

METHOD BLANK: 3812807 Matrix: Water
Associated Lab Samples: 50395234001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.33	03/07/25 11:14	
Chloromethane	ug/L	ND	5.0	1.4	03/07/25 11:14	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.27	03/07/25 11:14	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.25	03/07/25 11:14	
Dibromochloromethane	ug/L	ND	5.0	0.30	03/07/25 11:14	
Dibromomethane	ug/L	ND	5.0	0.20	03/07/25 11:14	
Dichlorodifluoromethane	ug/L	ND	5.0	0.88	03/07/25 11:14	
Ethyl methacrylate	ug/L	ND	100	0.46	03/07/25 11:14	
Ethylbenzene	ug/L	ND	5.0	0.46	03/07/25 11:14	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.33	03/07/25 11:14	
Iodomethane	ug/L	ND	10.0	0.33	03/07/25 11:14	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.30	03/07/25 11:14	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.24	03/07/25 11:14	
Methylene Chloride	ug/L	ND	5.0	2.0	03/07/25 11:14	
n-Butylbenzene	ug/L	ND	5.0	0.30	03/07/25 11:14	
n-Hexane	ug/L	ND	5.0	0.22	03/07/25 11:14	
n-Propylbenzene	ug/L	ND	5.0	0.21	03/07/25 11:14	
Naphthalene	ug/L	ND	1.2	0.22	03/07/25 11:14	
p-Isopropyltoluene	ug/L	ND	5.0	0.31	03/07/25 11:14	
sec-Butylbenzene	ug/L	ND	5.0	0.24	03/07/25 11:14	
Styrene	ug/L	ND	5.0	0.24	03/07/25 11:14	
tert-Butylbenzene	ug/L	ND	5.0	0.31	03/07/25 11:14	
Tetrachloroethene	ug/L	ND	5.0	0.32	03/07/25 11:14	
Toluene	ug/L	ND	5.0	0.19	03/07/25 11:14	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	03/07/25 11:14	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	03/07/25 11:14	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.52	03/07/25 11:14	
Trichloroethene	ug/L	ND	5.0	0.23	03/07/25 11:14	
Trichlorofluoromethane	ug/L	ND	5.0	0.89	03/07/25 11:14	
Vinyl acetate	ug/L	ND	50.0	1.3	03/07/25 11:14	
Vinyl chloride	ug/L	ND	2.0	0.88	03/07/25 11:14	
Xylene (Total)	ug/L	ND	10.0	0.29	03/07/25 11:14	
4-Bromofluorobenzene (S)	%.	102	79-124		03/07/25 11:14	
Dibromofluoromethane (S)	%.	109	82-128		03/07/25 11:14	1d
Toluene-d8 (S)	%.	90	73-122		03/07/25 11:14	

LABORATORY CONTROL SAMPLE: 3812808

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.5	101	81-130	
1,1,1-Trichloroethane	ug/L	50	48.6	97	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	45.3	91	70-126	
1,1,2-Trichloroethane	ug/L	50	48.0	96	79-125	
1,1-Dichloroethane	ug/L	50	44.5	89	79-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3812808

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	47.1	94	71-130	
1,1-Dichloropropene	ug/L	50	47.8	96	78-144	
1,2,3-Trichlorobenzene	ug/L	50	55.3	111	57-146	
1,2,3-Trichloropropane	ug/L	50	48.1	96	74-127	
1,2,4-Trichlorobenzene	ug/L	50	55.8	112	62-136	
1,2,4-Trimethylbenzene	ug/L	50	48.5	97	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	51.5	103	80-120	
1,2-Dichlorobenzene	ug/L	50	48.9	98	79-123	
1,2-Dichloroethane	ug/L	50	47.5	95	72-123	
1,2-Dichloropropane	ug/L	50	48.2	96	76-125	
1,3,5-Trimethylbenzene	ug/L	50	49.2	98	71-120	
1,3-Dichlorobenzene	ug/L	50	49.7	99	78-117	
1,3-Dichloropropane	ug/L	50	48.3	97	77-126	
1,4-Dichlorobenzene	ug/L	50	48.8	98	79-116	
1-Methylnaphthalene	ug/L	50	62.3	125	50-190	
2,2-Dichloropropane	ug/L	50	49.3	99	48-138	
2-Butanone (MEK)	ug/L	250	230	92	67-135	
2-Chlorotoluene	ug/L	50	47.7	95	75-122	
2-Hexanone	ug/L	250	235	94	65-135	
2-Methylnaphthalene	ug/L	50	58.0	116	55-184	
4-Chlorotoluene	ug/L	50	48.0	96	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	230	92	69-136	
Acetone	ug/L	250	213	85	34-156	
Acrolein	ug/L	1000	1040	104	59-191	
Acrylonitrile	ug/L	250	237	95	67-146	
Benzene	ug/L	50	50.2	100	76-122	
Bromobenzene	ug/L	50	56.0	112	75-121	
Bromochloromethane	ug/L	50	44.0	88	73-119	
Bromodichloromethane	ug/L	50	48.0	96	80-126	
Bromoform	ug/L	50	49.2	98	77-124	
Bromomethane	ug/L	50	8.5	17	10-175	
Carbon disulfide	ug/L	50	47.8	96	69-121	
Carbon tetrachloride	ug/L	50	49.1	98	73-127	
Chlorobenzene	ug/L	50	49.7	99	76-118	
Chloroethane	ug/L	50	57.5	115	36-162	
Chloroform	ug/L	50	47.1	94	78-121	
Chloromethane	ug/L	50	33.2	66	37-143	
cis-1,2-Dichloroethene	ug/L	50	47.1	94	77-123	
cis-1,3-Dichloropropene	ug/L	50	48.2	96	76-132	
Dibromochloromethane	ug/L	50	51.6	103	79-130	
Dibromomethane	ug/L	50	46.7	93	79-124	
Dichlorodifluoromethane	ug/L	50	73.0	146	29-126	L1
Ethyl methacrylate	ug/L	50	46.1J	92	78-137	
Ethylbenzene	ug/L	50	50.2	100	76-120	
Hexachloro-1,3-butadiene	ug/L	50	59.2	118	60-131	
Iodomethane	ug/L	50	4.9J	10	10-148	
Isopropylbenzene (Cumene)	ug/L	50	52.8	106	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3812808

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	49.0	98	71-121	
Methylene Chloride	ug/L	50	43.8	88	71-121	
n-Butylbenzene	ug/L	50	50.0	100	68-131	
n-Hexane	ug/L	50	49.7	99	51-126	
n-Propylbenzene	ug/L	50	45.8	92	67-127	
Naphthalene	ug/L	50	51.2	102	62-143	
p-Isopropyltoluene	ug/L	50	50.3	101	72-124	
sec-Butylbenzene	ug/L	50	47.4	95	71-126	
Styrene	ug/L	50	49.2	98	80-121	
tert-Butylbenzene	ug/L	50	50.5	101	71-128	
Tetrachloroethene	ug/L	50	51.0	102	71-122	
Toluene	ug/L	50	47.4	95	74-118	
trans-1,2-Dichloroethene	ug/L	50	48.9	98	75-122	
trans-1,3-Dichloropropene	ug/L	50	49.0	98	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	47.4J	95	53-136	
Trichloroethene	ug/L	50	50.3	101	74-125	
Trichlorofluoromethane	ug/L	50	53.1	106	64-138	
Vinyl acetate	ug/L	200	260	130	74-154	
Vinyl chloride	ug/L	50	50.9	102	55-139	
Xylene (Total)	ug/L	100	102	102	73-119	
4-Bromofluorobenzene (S)	%.			106	79-124	
Dibromofluoromethane (S)	%.			92	82-128	
Toluene-d8 (S)	%.			93	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833615
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234014, 50395234015, 50395234016

METHOD BLANK: 3814281 Matrix: Water
Associated Lab Samples: 50395234014, 50395234015, 50395234016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	03/10/25 14:07	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	03/10/25 14:07	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	03/10/25 14:07	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	03/10/25 14:07	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	03/10/25 14:07	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	03/10/25 14:07	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	03/10/25 14:07	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	03/10/25 14:07	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	03/10/25 14:07	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	03/10/25 14:07	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	03/10/25 14:07	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	03/10/25 14:07	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	03/10/25 14:07	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	03/10/25 14:07	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	03/10/25 14:07	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	03/10/25 14:07	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	03/10/25 14:07	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	03/10/25 14:07	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	03/10/25 14:07	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	03/10/25 14:07	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	03/10/25 14:07	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	03/10/25 14:07	
2-Chlorotoluene	ug/L	ND	5.0	0.41	03/10/25 14:07	
2-Hexanone	ug/L	ND	25.0	3.2	03/10/25 14:07	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	03/10/25 14:07	
4-Chlorotoluene	ug/L	ND	5.0	0.54	03/10/25 14:07	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	03/10/25 14:07	
Acetone	ug/L	ND	100	12.6	03/10/25 14:07	
Acrolein	ug/L	ND	50.0	12.3	03/10/25 14:07	
Acrylonitrile	ug/L	ND	100	2.3	03/10/25 14:07	
Benzene	ug/L	ND	5.0	0.36	03/10/25 14:07	
Bromobenzene	ug/L	ND	5.0	0.55	03/10/25 14:07	
Bromochloromethane	ug/L	ND	5.0	0.43	03/10/25 14:07	
Bromodichloromethane	ug/L	ND	5.0	0.36	03/10/25 14:07	
Bromoform	ug/L	ND	5.0	0.52	03/10/25 14:07	
Bromomethane	ug/L	ND	5.0	0.45	03/10/25 14:07	
Carbon disulfide	ug/L	ND	10.0	0.80	03/10/25 14:07	
Carbon tetrachloride	ug/L	ND	5.0	0.42	03/10/25 14:07	
Chlorobenzene	ug/L	ND	5.0	0.38	03/10/25 14:07	
Chloroethane	ug/L	ND	5.0	0.41	03/10/25 14:07	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

METHOD BLANK: 3814281 Matrix: Water
Associated Lab Samples: 50395234014, 50395234015, 50395234016

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.38	03/10/25 14:07	
Chloromethane	ug/L	ND	5.0	0.68	03/10/25 14:07	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	03/10/25 14:07	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	03/10/25 14:07	
Dibromochloromethane	ug/L	ND	5.0	0.28	03/10/25 14:07	
Dibromomethane	ug/L	ND	5.0	0.32	03/10/25 14:07	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	03/10/25 14:07	
Ethyl methacrylate	ug/L	ND	100	0.51	03/10/25 14:07	
Ethylbenzene	ug/L	ND	5.0	0.34	03/10/25 14:07	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	03/10/25 14:07	
Iodomethane	ug/L	ND	10.0	0.44	03/10/25 14:07	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	03/10/25 14:07	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	03/10/25 14:07	
Methylene Chloride	ug/L	ND	5.0	2.7	03/10/25 14:07	
n-Butylbenzene	ug/L	ND	5.0	0.60	03/10/25 14:07	
n-Hexane	ug/L	ND	5.0	0.70	03/10/25 14:07	
n-Propylbenzene	ug/L	ND	5.0	0.51	03/10/25 14:07	
Naphthalene	ug/L	ND	1.2	0.40	03/10/25 14:07	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	03/10/25 14:07	
sec-Butylbenzene	ug/L	ND	5.0	0.47	03/10/25 14:07	
Styrene	ug/L	ND	5.0	0.36	03/10/25 14:07	
tert-Butylbenzene	ug/L	ND	5.0	0.42	03/10/25 14:07	
Tetrachloroethene	ug/L	ND	5.0	0.42	03/10/25 14:07	
Toluene	ug/L	ND	5.0	3.9	03/10/25 14:07	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	03/10/25 14:07	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	03/10/25 14:07	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	03/10/25 14:07	
Trichloroethene	ug/L	ND	5.0	0.39	03/10/25 14:07	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	03/10/25 14:07	
Vinyl acetate	ug/L	ND	50.0	1.6	03/10/25 14:07	
Vinyl chloride	ug/L	ND	2.0	0.45	03/10/25 14:07	
Xylene (Total)	ug/L	ND	10.0	0.84	03/10/25 14:07	
4-Bromofluorobenzene (S)	%.	105	79-124		03/10/25 14:07	
Dibromofluoromethane (S)	%.	117	82-128		03/10/25 14:07	
Toluene-d8 (S)	%.	89	73-122		03/10/25 14:07	

LABORATORY CONTROL SAMPLE: 3814282

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	45.7	91	81-130	
1,1,1-Trichloroethane	ug/L	50	50.9	102	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	39.6	79	70-126	
1,1,2-Trichloroethane	ug/L	50	41.1	82	79-125	
1,1-Dichloroethane	ug/L	50	50.5	101	79-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3814282

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	53.5	107	71-130	
1,1-Dichloropropene	ug/L	50	57.8	116	78-144	
1,2,3-Trichlorobenzene	ug/L	50	49.2	98	57-146	
1,2,3-Trichloropropane	ug/L	50	42.6	85	74-127	
1,2,4-Trichlorobenzene	ug/L	50	49.1	98	62-136	
1,2,4-Trimethylbenzene	ug/L	50	44.1	88	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	41.6	83	80-120	
1,2-Dichlorobenzene	ug/L	50	46.6	93	79-123	
1,2-Dichloroethane	ug/L	50	47.8	96	72-123	
1,2-Dichloropropane	ug/L	50	47.9	96	76-125	
1,3,5-Trimethylbenzene	ug/L	50	45.8	92	71-120	
1,3-Dichlorobenzene	ug/L	50	47.7	95	78-117	
1,3-Dichloropropane	ug/L	50	43.1	86	77-126	
1,4-Dichlorobenzene	ug/L	50	48.6	97	79-116	
1-Methylnaphthalene	ug/L	50	41.6	83	50-190	
2,2-Dichloropropane	ug/L	50	53.6	107	48-138	
2-Butanone (MEK)	ug/L	250	239	96	67-135	
2-Chlorotoluene	ug/L	50	47.4	95	75-122	
2-Hexanone	ug/L	250	199	79	65-135	
2-Methylnaphthalene	ug/L	50	39.8	80	55-184	
4-Chlorotoluene	ug/L	50	46.6	93	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	200	80	69-136	
Acetone	ug/L	250	203	81	34-156	
Acrolein	ug/L	1000	902	90	59-191	
Acrylonitrile	ug/L	250	276	111	67-146	
Benzene	ug/L	50	52.8	106	76-122	
Bromobenzene	ug/L	50	55.9	112	75-121	
Bromochloromethane	ug/L	50	46.0	92	73-119	
Bromodichloromethane	ug/L	50	46.0	92	80-126	
Bromoform	ug/L	50	45.6	91	77-124	
Bromomethane	ug/L	50	18.4	37	10-175	
Carbon disulfide	ug/L	50	51.1	102	69-121	
Carbon tetrachloride	ug/L	50	54.2	108	73-127	
Chlorobenzene	ug/L	50	45.8	92	76-118	
Chloroethane	ug/L	50	75.8	152	36-162	
Chloroform	ug/L	50	48.9	98	78-121	
Chloromethane	ug/L	50	36.2	72	37-143	
cis-1,2-Dichloroethene	ug/L	50	48.1	96	77-123	
cis-1,3-Dichloropropene	ug/L	50	41.2	82	76-132	
Dibromochloromethane	ug/L	50	45.6	91	79-130	
Dibromomethane	ug/L	50	45.8	92	79-124	
Dichlorodifluoromethane	ug/L	50	48.8	98	29-126	
Ethyl methacrylate	ug/L	50	43.7J	87	78-137	
Ethylbenzene	ug/L	50	47.4	95	76-120	
Hexachloro-1,3-butadiene	ug/L	50	53.9	108	60-131	
Iodomethane	ug/L	50	12.4	25	10-148	
Isopropylbenzene (Cumene)	ug/L	50	51.7	103	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3814282

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	47.6	95	71-121	
Methylene Chloride	ug/L	50	44.4	89	71-121	
n-Butylbenzene	ug/L	50	48.3	97	68-131	
n-Hexane	ug/L	50	45.2	90	51-126	
n-Propylbenzene	ug/L	50	49.0	98	67-127	
Naphthalene	ug/L	50	47.2	94	62-143	
p-Isopropyltoluene	ug/L	50	49.1	98	72-124	
sec-Butylbenzene	ug/L	50	49.7	99	71-126	
Styrene	ug/L	50	46.5	93	80-121	
tert-Butylbenzene	ug/L	50	59.7	119	71-128	
Tetrachloroethene	ug/L	50	52.2	104	71-122	
Toluene	ug/L	50	43.5	87	74-118	
trans-1,2-Dichloroethene	ug/L	50	53.8	108	75-122	
trans-1,3-Dichloropropene	ug/L	50	40.0	80	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	40.6J	81	53-136	
Trichloroethene	ug/L	50	52.1	104	74-125	
Trichlorofluoromethane	ug/L	50	67.7	135	64-138	
Vinyl acetate	ug/L	200	243	121	74-154	
Vinyl chloride	ug/L	50	52.3	105	55-139	
Xylene (Total)	ug/L	150	149	100	73-119	
4-Bromofluorobenzene (S)	%.			105	79-124	
Dibromofluoromethane (S)	%.			99	82-128	
Toluene-d8 (S)	%.			90	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814380 3814381

Parameter	Units	50395137002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	41.2	43.7	82	87	47-139	6	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	43.6	41.1	87	82	47-145	6	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	36.0	37.0	72	74	49-133	3	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	38.0	39.2	76	78	52-136	3	20	
1,1-Dichloroethane	ug/L	ND	50	50	45.6	43.3	91	87	52-137	5	20	
1,1-Dichloroethene	ug/L	ND	50	50	46.8	42.6	94	85	53-144	9	20	
1,1-Dichloropropene	ug/L	ND	50	50	49.4	46.5	99	93	49-150	6	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	38.8	41.4	78	83	20-153	6	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	37.3	40.0	75	80	47-134	7	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	36.7	39.1	73	78	23-141	6	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	38.7	38.4	77	76	41-131	1	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	37.6	38.3	75	77	55-133	2	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	41.5	41.8	83	84	43-133	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	43.6	43.0	87	86	50-138	2	20	
1,2-Dichloropropane	ug/L	ND	50	50	44.5	44.1	89	88	54-139	1	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	39.4	38.7	78	77	39-133	2	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	40.4	40.8	81	82	41-131	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814380 3814381

Parameter	Units	50395137002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	39.6	41.3	79	83	50-136	4	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	41.9	42.2	84	84	41-131	1	20	
1-Methylnaphthalene	ug/L	ND	50	50	34.9	36.6	70	73	10-188	5	20	
2,2-Dichloropropane	ug/L	ND	50	50	42.8	40.4	86	81	17-141	6	20	
2-Butanone (MEK)	ug/L	ND	250	250	207	187	83	75	45-138	10	20	
2-Chlorotoluene	ug/L	ND	50	50	41.7	41.5	83	83	36-141	1	20	
2-Hexanone	ug/L	ND	250	250	175	166	70	66	45-135	5	20	
2-Methylnaphthalene	ug/L	ND	50	50	33.1	35.0	66	70	10-197	6	20	
4-Chlorotoluene	ug/L	ND	50	50	40.6	40.4	81	81	38-134	1	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	179	175	72	70	46-138	2	20	
Acetone	ug/L	ND	250	250	170	145	64	54	25-151	16	20	
Acrolein	ug/L	ND	1000	1000	756	717	76	72	36-168	5	20	
Acrylonitrile	ug/L	ND	250	250	228	223	91	89	47-147	2	20	
Benzene	ug/L	ND	50	50	47.2	47.0	94	94	53-138	1	20	
Bromobenzene	ug/L	ND	50	50	52.0	51.1	104	102	47-130	2	20	
Bromochloromethane	ug/L	ND	50	50	40.7	41.0	81	82	52-130	1	20	
Bromodichloromethane	ug/L	ND	50	50	43.3	43.0	87	86	50-146	1	20	
Bromoform	ug/L	ND	50	50	39.1	42.3	78	85	45-132	8	20	
Bromomethane	ug/L	ND	50	50	28.3	25.0	57	50	10-173	12	20	
Carbon disulfide	ug/L	ND	50	50	42.8	39.1	86	78	47-133	9	20	
Carbon tetrachloride	ug/L	ND	50	50	46.0	42.9	92	86	43-148	7	20	
Chlorobenzene	ug/L	ND	50	50	41.5	40.8	83	82	52-131	2	20	
Chloroethane	ug/L	ND	50	50	75.0	52.8	150	106	25-169	35	20	R1
Chloroform	ug/L	ND	50	50	45.4	43.0	91	86	54-138	5	20	
Chloromethane	ug/L	ND	50	50	34.6	33.6	69	67	33-137	3	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	43.9	42.4	88	85	50-141	3	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	36.7	38.4	73	77	47-135	5	20	
Dibromochloromethane	ug/L	ND	50	50	40.3	42.6	81	85	48-139	6	20	
Dibromomethane	ug/L	ND	50	50	42.2	41.1	84	82	51-141	3	20	
Dichlorodifluoromethane	ug/L	ND	50	50	40.4	36.8	81	74	15-130	9	20	
Ethyl methacrylate	ug/L	ND	50	50	40.9J	40.8J	82	82	51-142		20	
Ethylbenzene	ug/L	ND	50	50	42.7	41.1	85	82	50-136	4	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	40.5	40.8	81	82	15-141	1	20	
Iodomethane	ug/L	ND	50	50	7.8J	6.3J	16	13	10-145		20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	46.2	44.2	92	88	46-137	4	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	42.2	44.8	84	90	47-135	6	20	
Methylene Chloride	ug/L	ND	50	50	42.3	40.3	85	81	48-131	5	20	
n-Butylbenzene	ug/L	ND	50	50	40.3	38.9	81	78	30-138	3	20	
n-Hexane	ug/L	ND	50	50	39.2	37.3	78	75	35-137	5	20	
n-Propylbenzene	ug/L	ND	50	50	41.3	40.7	83	81	37-135	2	20	
Naphthalene	ug/L	ND	50	50	39.3	40.7	79	81	34-152	3	20	
p-Isopropyltoluene	ug/L	ND	50	50	41.4	40.5	83	81	35-136	2	20	
sec-Butylbenzene	ug/L	ND	50	50	42.9	41.9	86	84	36-137	2	20	
Styrene	ug/L	ND	50	50	42.7	41.9	85	84	46-136	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814380 3814381

Parameter	Units	50395137002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	52.5	52.1	105	104	40-137	1	20	
Tetrachloroethene	ug/L	ND	50	50	42.5	41.1	84	81	44-138	3	20	
Toluene	ug/L	ND	50	50	40.2	38.5	79	76	52-132	4	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	45.8	43.2	92	86	50-137	6	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	35.4	37.0	71	74	46-130	4	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	35.3J	32.6J	71	65	24-134		20	
Trichloroethene	ug/L	ND	50	50	44.4	43.2	89	86	49-140	3	20	
Trichlorofluoromethane	ug/L	ND	50	50	58.2	52.8	116	106	44-153	10	20	
Vinyl acetate	ug/L	ND	200	200	202	209	101	105	32-142	4	20	
Vinyl chloride	ug/L	ND	50	50	47.7	44.1	95	88	41-147	8	20	
Xylene (Total)	ug/L	ND	150	150	135	130	90	87	44-138	3	20	
4-Bromofluorobenzene (S)	%.						110	107	79-124			
Dibromofluoromethane (S)	%.						99	95	82-128			
Toluene-d8 (S)	%.						92	92	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833618 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234002, 50395234004, 50395234005, 50395234006, 50395234007, 50395234008, 50395234010, 50395234011, 50395234012, 50395234013

METHOD BLANK: 3814284 Matrix: Water
Associated Lab Samples: 50395234002, 50395234004, 50395234005, 50395234006, 50395234007, 50395234008, 50395234010, 50395234011, 50395234012, 50395234013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.26	03/10/25 14:23	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.34	03/10/25 14:23	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	03/10/25 14:23	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.27	03/10/25 14:23	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	03/10/25 14:23	
1,1-Dichloroethene	ug/L	ND	5.0	0.29	03/10/25 14:23	
1,1-Dichloropropene	ug/L	ND	5.0	0.28	03/10/25 14:23	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.29	03/10/25 14:23	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.53	03/10/25 14:23	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.35	03/10/25 14:23	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.20	03/10/25 14:23	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.32	03/10/25 14:23	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.25	03/10/25 14:23	
1,2-Dichloroethane	ug/L	ND	5.0	0.21	03/10/25 14:23	
1,2-Dichloropropane	ug/L	ND	5.0	0.28	03/10/25 14:23	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.31	03/10/25 14:23	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.31	03/10/25 14:23	
1,3-Dichloropropane	ug/L	ND	5.0	0.24	03/10/25 14:23	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.12	03/10/25 14:23	
1-Methylnaphthalene	ug/L	ND	10.0	0.32	03/10/25 14:23	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	03/10/25 14:23	
2-Butanone (MEK)	ug/L	ND	25.0	2.3	03/10/25 14:23	
2-Chlorotoluene	ug/L	ND	5.0	0.19	03/10/25 14:23	
2-Hexanone	ug/L	ND	25.0	2.5	03/10/25 14:23	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	03/10/25 14:23	
4-Chlorotoluene	ug/L	ND	5.0	0.26	03/10/25 14:23	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.4	03/10/25 14:23	
Acetone	ug/L	ND	100	4.8	03/10/25 14:23	
Acrolein	ug/L	ND	50.0	18.3	03/10/25 14:23	
Acrylonitrile	ug/L	ND	100	1.5	03/10/25 14:23	
Benzene	ug/L	ND	5.0	0.28	03/10/25 14:23	
Bromobenzene	ug/L	ND	5.0	0.36	03/10/25 14:23	
Bromochloromethane	ug/L	ND	5.0	0.32	03/10/25 14:23	
Bromodichloromethane	ug/L	ND	5.0	0.22	03/10/25 14:23	
Bromoform	ug/L	ND	5.0	0.22	03/10/25 14:23	
Bromomethane	ug/L	ND	5.0	0.81	03/10/25 14:23	
Carbon disulfide	ug/L	ND	10.0	0.64	03/10/25 14:23	
Carbon tetrachloride	ug/L	ND	5.0	0.34	03/10/25 14:23	
Chlorobenzene	ug/L	ND	5.0	0.21	03/10/25 14:23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

METHOD BLANK: 3814284 Matrix: Water

Associated Lab Samples: 50395234002, 50395234004, 50395234005, 50395234006, 50395234007, 50395234008, 50395234010, 50395234011, 50395234012, 50395234013

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.85	03/10/25 14:23	
Chloroform	ug/L	ND	5.0	0.33	03/10/25 14:23	
Chloromethane	ug/L	ND	5.0	1.4	03/10/25 14:23	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.27	03/10/25 14:23	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.25	03/10/25 14:23	
Dibromochloromethane	ug/L	ND	5.0	0.30	03/10/25 14:23	
Dibromomethane	ug/L	ND	5.0	0.20	03/10/25 14:23	
Dichlorodifluoromethane	ug/L	ND	5.0	0.88	03/10/25 14:23	
Ethyl methacrylate	ug/L	ND	100	0.46	03/10/25 14:23	
Ethylbenzene	ug/L	ND	5.0	0.46	03/10/25 14:23	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.33	03/10/25 14:23	
Iodomethane	ug/L	ND	10.0	0.33	03/10/25 14:23	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.30	03/10/25 14:23	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.24	03/10/25 14:23	
Methylene Chloride	ug/L	ND	5.0	2.0	03/10/25 14:23	
n-Butylbenzene	ug/L	ND	5.0	0.30	03/10/25 14:23	
n-Hexane	ug/L	ND	5.0	0.22	03/10/25 14:23	
n-Propylbenzene	ug/L	ND	5.0	0.21	03/10/25 14:23	
Naphthalene	ug/L	ND	1.2	0.22	03/10/25 14:23	
p-Isopropyltoluene	ug/L	ND	5.0	0.31	03/10/25 14:23	
sec-Butylbenzene	ug/L	ND	5.0	0.24	03/10/25 14:23	
Styrene	ug/L	ND	5.0	0.24	03/10/25 14:23	
tert-Butylbenzene	ug/L	ND	5.0	0.31	03/10/25 14:23	
Tetrachloroethene	ug/L	ND	5.0	0.32	03/10/25 14:23	
Toluene	ug/L	ND	5.0	0.19	03/10/25 14:23	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	03/10/25 14:23	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	03/10/25 14:23	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.52	03/10/25 14:23	
Trichloroethene	ug/L	ND	5.0	0.23	03/10/25 14:23	
Trichlorofluoromethane	ug/L	ND	5.0	0.89	03/10/25 14:23	
Vinyl acetate	ug/L	ND	50.0	1.3	03/10/25 14:23	
Vinyl chloride	ug/L	ND	2.0	0.88	03/10/25 14:23	
Xylene (Total)	ug/L	ND	10.0	0.29	03/10/25 14:23	
4-Bromofluorobenzene (S)	%.	104	79-124		03/10/25 14:23	
Dibromofluoromethane (S)	%.	114	82-128		03/10/25 14:23	
Toluene-d8 (S)	%.	92	73-122		03/10/25 14:23	

LABORATORY CONTROL SAMPLE: 3814285

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.4	103	81-130	
1,1,1-Trichloroethane	ug/L	50	52.3	105	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	45.5	91	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3814285

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	47.7	95	79-125	
1,1-Dichloroethane	ug/L	50	51.3	103	79-120	
1,1-Dichloroethene	ug/L	50	50.4	101	71-130	
1,1-Dichloropropene	ug/L	50	57.7	115	78-144	
1,2,3-Trichlorobenzene	ug/L	50	54.8	110	57-146	
1,2,3-Trichloropropane	ug/L	50	49.2	98	74-127	
1,2,4-Trichlorobenzene	ug/L	50	55.5	111	62-136	
1,2,4-Trimethylbenzene	ug/L	50	49.4	99	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	51.9	104	80-120	
1,2-Dichlorobenzene	ug/L	50	50.0	100	79-123	
1,2-Dichloroethane	ug/L	50	49.5	99	72-123	
1,2-Dichloropropane	ug/L	50	52.2	104	76-125	
1,3,5-Trimethylbenzene	ug/L	50	51.0	102	71-120	
1,3-Dichlorobenzene	ug/L	50	51.5	103	78-117	
1,3-Dichloropropane	ug/L	50	49.1	98	77-126	
1,4-Dichlorobenzene	ug/L	50	52.5	105	79-116	
1-Methylnaphthalene	ug/L	50	58.3	117	50-190	
2,2-Dichloropropane	ug/L	50	57.0	114	48-138	
2-Butanone (MEK)	ug/L	250	234	94	67-135	
2-Chlorotoluene	ug/L	50	50.8	102	75-122	
2-Hexanone	ug/L	250	225	90	65-135	
2-Methylnaphthalene	ug/L	50	49.3	99	55-184	
4-Chlorotoluene	ug/L	50	49.9	100	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	229	92	69-136	
Acetone	ug/L	250	205	82	34-156	
Acrolein	ug/L	1000	939	94	59-191	
Acrylonitrile	ug/L	250	247	99	67-146	
Benzene	ug/L	50	54.4	109	76-122	
Bromobenzene	ug/L	50	57.9	116	75-121	
Bromochloromethane	ug/L	50	47.3	95	73-119	
Bromodichloromethane	ug/L	50	50.7	101	80-126	
Bromoform	ug/L	50	49.6	99	77-124	
Bromomethane	ug/L	50	24.8	50	10-175	
Carbon disulfide	ug/L	50	49.8	100	69-121	
Carbon tetrachloride	ug/L	50	53.5	107	73-127	
Chlorobenzene	ug/L	50	51.2	102	76-118	
Chloroethane	ug/L	50	43.5	87	36-162	
Chloroform	ug/L	50	50.9	102	78-121	
Chloromethane	ug/L	50	34.5	69	37-143	
cis-1,2-Dichloroethene	ug/L	50	51.4	103	77-123	
cis-1,3-Dichloropropene	ug/L	50	49.8	100	76-132	
Dibromochloromethane	ug/L	50	52.1	104	79-130	
Dibromomethane	ug/L	50	49.0	98	79-124	
Dichlorodifluoromethane	ug/L	50	45.4	91	29-126	
Ethyl methacrylate	ug/L	50	50.7J	101	78-137	
Ethylbenzene	ug/L	50	53.7	107	76-120	
Hexachloro-1,3-butadiene	ug/L	50	57.4	115	60-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3814285

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	23.1	46	10-148	
Isopropylbenzene (Cumene)	ug/L	50	56.9	114	71-124	
Methyl-tert-butyl ether	ug/L	50	49.6	99	71-121	
Methylene Chloride	ug/L	50	45.3	91	71-121	
n-Butylbenzene	ug/L	50	51.5	103	68-131	
n-Hexane	ug/L	50	47.3	95	51-126	
n-Propylbenzene	ug/L	50	48.8	98	67-127	
Naphthalene	ug/L	50	51.7	103	62-143	
p-Isopropyltoluene	ug/L	50	52.7	105	72-124	
sec-Butylbenzene	ug/L	50	49.6	99	71-126	
Styrene	ug/L	50	51.5	103	80-121	
tert-Butylbenzene	ug/L	50	61.1	122	71-128	
Tetrachloroethene	ug/L	50	54.3	109	71-122	
Toluene	ug/L	50	49.2	98	74-118	
trans-1,2-Dichloroethene	ug/L	50	52.7	105	75-122	
trans-1,3-Dichloropropene	ug/L	50	48.9	98	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	47.6J	95	53-136	
Trichloroethene	ug/L	50	55.0	110	74-125	
Trichlorofluoromethane	ug/L	50	55.5	111	64-138	
Vinyl acetate	ug/L	200	268	134	74-154	
Vinyl chloride	ug/L	50	50.3	101	55-139	
Xylene (Total)	ug/L	150	163	108	73-119	
4-Bromofluorobenzene (S)	%.			106	79-124	
Dibromofluoromethane (S)	%.			97	82-128	
Toluene-d8 (S)	%.			91	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814286 3814287

Parameter	Units	50395234002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	500	500	413	441	83	88	47-139	7	20	
1,1,1-Trichloroethane	ug/L	70.8	500	500	471	473	80	81	47-145	0	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	500	500	366	390	73	78	49-133	6	20	
1,1,2-Trichloroethane	ug/L	ND	500	500	395	411	79	82	52-136	4	20	
1,1-Dichloroethane	ug/L	1060	500	500	1110	1090	11	6	52-137	2	20	M1
1,1-Dichloroethene	ug/L	ND	500	500	416	413	79	78	53-144	1	20	
1,1-Dichloropropene	ug/L	ND	500	500	452	469	90	94	49-150	4	20	
1,2,3-Trichlorobenzene	ug/L	ND	500	500	398	427	80	85	20-153	7	20	
1,2,3-Trichloropropane	ug/L	ND	500	500	385	409	77	82	47-134	6	20	
1,2,4-Trichlorobenzene	ug/L	ND	500	500	378	409	76	82	23-141	8	20	
1,2,4-Trimethylbenzene	ug/L	ND	500	500	386	405	77	81	41-131	5	20	
1,2-Dibromoethane (EDB)	ug/L	ND	500	500	424	442	85	88	55-133	4	20	
1,2-Dichlorobenzene	ug/L	ND	500	500	404	424	81	85	43-133	5	20	
1,2-Dichloroethane	ug/L	ND	500	500	434	447	87	89	50-138	3	20	
1,2-Dichloropropane	ug/L	ND	500	500	441	453	88	91	54-139	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814286 3814287

Parameter	Units	50395234002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	500	500	396	410	79	82	39-133	3	20	
1,3-Dichlorobenzene	ug/L	ND	500	500	398	423	80	85	41-131	6	20	
1,3-Dichloropropane	ug/L	ND	500	500	407	415	81	83	50-136	2	20	
1,4-Dichlorobenzene	ug/L	ND	500	500	407	428	81	86	41-131	5	20	
1-Methylnaphthalene	ug/L	ND	500	500	453	480	91	96	10-188	6	20	
2,2-Dichloropropane	ug/L	ND	500	500	465	482	93	96	17-141	4	20	
2-Butanone (MEK)	ug/L	ND	2500	2500	1870	1890	75	76	45-138	1	20	
2-Chlorotoluene	ug/L	ND	500	500	401	418	80	84	36-141	4	20	
2-Hexanone	ug/L	ND	2500	2500	1720	1730	69	69	45-135	1	20	
2-Methylnaphthalene	ug/L	ND	500	500	365	394	73	79	10-197	8	20	
4-Chlorotoluene	ug/L	ND	500	500	391	411	78	82	38-134	5	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	2500	2500	1760	1820	70	73	46-138	4	20	
Acetone	ug/L	ND	2500	2500	1540	1500	62	60	25-151	3	20	
Acrolein	ug/L	ND	10000	10000	7090	7320	71	73	36-168	3	20	
Acrylonitrile	ug/L	ND	2500	2500	1920	1950	77	78	47-147	2	20	
Benzene	ug/L	ND	500	500	444	460	89	92	53-138	4	20	
Bromobenzene	ug/L	ND	500	500	481	496	96	99	47-130	3	20	
Bromochloromethane	ug/L	ND	500	500	426	424	85	85	52-130	0	20	
Bromodichloromethane	ug/L	ND	500	500	433	451	87	90	50-146	4	20	
Bromoform	ug/L	ND	500	500	385	423	77	85	45-132	10	20	
Bromomethane	ug/L	ND	500	500	213	254	43	51	10-173	18	20	
Carbon disulfide	ug/L	ND	500	500	393	396	79	79	47-133	1	20	
Carbon tetrachloride	ug/L	ND	500	500	421	438	84	88	43-148	4	20	
Chlorobenzene	ug/L	ND	500	500	415	437	83	87	52-131	5	20	
Chloroethane	ug/L	413	500	500	613	595	40	36	25-169	3	20	
Chloroform	ug/L	ND	500	500	440	454	88	91	54-138	3	20	
Chloromethane	ug/L	ND	500	500	296	303	59	61	33-137	2	20	
cis-1,2-Dichloroethene	ug/L	16600	500	500	11600	11000	-1000	-1130	50-141	6	20	E,M1
cis-1,3-Dichloropropene	ug/L	ND	500	500	403	420	81	84	47-135	4	20	
Dibromochloromethane	ug/L	ND	500	500	430	451	86	90	48-139	5	20	
Dibromomethane	ug/L	ND	500	500	440	446	88	89	51-141	1	20	
Dichlorodifluoromethane	ug/L	ND	500	500	350	358	70	72	15-130	2	20	
Ethyl methacrylate	ug/L	ND	500	500	420J	436J	84	87	51-142		20	
Ethylbenzene	ug/L	ND	500	500	431	437	86	87	50-136	1	20	
Hexachloro-1,3-butadiene	ug/L	ND	500	500	381	404	76	81	15-141	6	20	
Iodomethane	ug/L	ND	500	500	299	307	60	61	10-145	3	20	
Isopropylbenzene (Cumene)	ug/L	ND	500	500	451	460	90	92	46-137	2	20	
Methyl-tert-butyl ether	ug/L	ND	500	500	425	438	85	88	47-135	3	20	
Methylene Chloride	ug/L	ND	500	500	402	408	80	82	48-131	2	20	
n-Butylbenzene	ug/L	ND	500	500	374	390	75	78	30-138	4	20	
n-Hexane	ug/L	ND	500	500	358	368	72	74	35-137	3	20	
n-Propylbenzene	ug/L	ND	500	500	376	392	75	78	37-135	4	20	
Naphthalene	ug/L	ND	500	500	391	419	78	84	34-152	7	20	
p-Isopropyltoluene	ug/L	ND	500	500	392	413	78	83	35-136	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814286 3814287

Parameter	Units	50395234002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	500	500	383	401	77	80	36-137	5	20	
Styrene	ug/L	ND	500	500	427	438	85	88	46-136	2	20	
tert-Butylbenzene	ug/L	ND	500	500	523	546	105	109	40-137	4	20	
Tetrachloroethene	ug/L	ND	500	500	389	411	78	82	44-138	6	20	
Toluene	ug/L	ND	500	500	401	410	76	78	52-132	2	20	
trans-1,2-Dichloroethene	ug/L	202	500	500	546	553	69	70	50-137	1	20	
trans-1,3-Dichloropropene	ug/L	ND	500	500	390	407	78	81	46-130	4	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	500	500	341J	358J	68	72	24-134		20	
Trichloroethene	ug/L	64.3	500	500	487	499	85	87	49-140	2	20	
Trichlorofluoromethane	ug/L	ND	500	500	442	445	88	89	44-153	1	20	
Vinyl acetate	ug/L	ND	2000	2000	2140	2250	107	112	32-142	5	20	
Vinyl chloride	ug/L	2390	500	500	1720	1630	-134	-153	41-147	6	20	M1
Xylene (Total)	ug/L	ND	1500	1500	1320	1350	88	90	44-138	2	20	
4-Bromofluorobenzene (S)	%.						110	108	79-124			
Dibromofluoromethane (S)	%.						100	99	82-128			
Toluene-d8 (S)	%.						92	92	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833761
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50395234009

METHOD BLANK: 3814770 Matrix: Water
Associated Lab Samples: 50395234009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	03/11/25 11:39	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	03/11/25 11:39	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	03/11/25 11:39	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	03/11/25 11:39	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	03/11/25 11:39	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	03/11/25 11:39	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	03/11/25 11:39	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	03/11/25 11:39	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	03/11/25 11:39	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	03/11/25 11:39	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	03/11/25 11:39	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	03/11/25 11:39	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	03/11/25 11:39	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	03/11/25 11:39	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	03/11/25 11:39	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	03/11/25 11:39	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	03/11/25 11:39	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	03/11/25 11:39	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	03/11/25 11:39	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	03/11/25 11:39	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	03/11/25 11:39	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	03/11/25 11:39	
2-Chlorotoluene	ug/L	ND	5.0	0.41	03/11/25 11:39	
2-Hexanone	ug/L	ND	25.0	3.2	03/11/25 11:39	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	03/11/25 11:39	
4-Chlorotoluene	ug/L	ND	5.0	0.54	03/11/25 11:39	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	03/11/25 11:39	
Acetone	ug/L	ND	100	12.6	03/11/25 11:39	
Acrolein	ug/L	ND	50.0	12.3	03/11/25 11:39	
Acrylonitrile	ug/L	ND	100	2.3	03/11/25 11:39	
Benzene	ug/L	ND	5.0	0.36	03/11/25 11:39	
Bromobenzene	ug/L	ND	5.0	0.55	03/11/25 11:39	
Bromochloromethane	ug/L	ND	5.0	0.43	03/11/25 11:39	
Bromodichloromethane	ug/L	ND	5.0	0.36	03/11/25 11:39	
Bromoform	ug/L	ND	5.0	0.52	03/11/25 11:39	
Bromomethane	ug/L	ND	5.0	0.45	03/11/25 11:39	
Carbon disulfide	ug/L	ND	10.0	0.80	03/11/25 11:39	
Carbon tetrachloride	ug/L	ND	5.0	0.42	03/11/25 11:39	
Chlorobenzene	ug/L	ND	5.0	0.38	03/11/25 11:39	
Chloroethane	ug/L	ND	5.0	0.41	03/11/25 11:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

METHOD BLANK: 3814770 Matrix: Water
Associated Lab Samples: 50395234009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.38	03/11/25 11:39	
Chloromethane	ug/L	ND	5.0	0.68	03/11/25 11:39	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	03/11/25 11:39	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	03/11/25 11:39	
Dibromochloromethane	ug/L	ND	5.0	0.28	03/11/25 11:39	
Dibromomethane	ug/L	ND	5.0	0.32	03/11/25 11:39	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	03/11/25 11:39	
Ethyl methacrylate	ug/L	ND	100	0.51	03/11/25 11:39	
Ethylbenzene	ug/L	ND	5.0	0.34	03/11/25 11:39	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	03/11/25 11:39	
Iodomethane	ug/L	ND	10.0	0.44	03/11/25 11:39	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	03/11/25 11:39	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	03/11/25 11:39	
Methylene Chloride	ug/L	ND	5.0	2.7	03/11/25 11:39	
n-Butylbenzene	ug/L	ND	5.0	0.60	03/11/25 11:39	
n-Hexane	ug/L	ND	5.0	0.70	03/11/25 11:39	
n-Propylbenzene	ug/L	ND	5.0	0.51	03/11/25 11:39	
Naphthalene	ug/L	ND	1.2	0.40	03/11/25 11:39	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	03/11/25 11:39	
sec-Butylbenzene	ug/L	ND	5.0	0.47	03/11/25 11:39	
Styrene	ug/L	ND	5.0	0.36	03/11/25 11:39	
tert-Butylbenzene	ug/L	ND	5.0	0.42	03/11/25 11:39	
Tetrachloroethene	ug/L	ND	5.0	0.42	03/11/25 11:39	
Toluene	ug/L	ND	5.0	3.9	03/11/25 11:39	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	03/11/25 11:39	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	03/11/25 11:39	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	03/11/25 11:39	
Trichloroethene	ug/L	ND	5.0	0.39	03/11/25 11:39	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	03/11/25 11:39	
Vinyl acetate	ug/L	ND	50.0	1.6	03/11/25 11:39	
Vinyl chloride	ug/L	ND	2.0	0.88	03/11/25 11:39	
Xylene (Total)	ug/L	ND	10.0	0.84	03/11/25 11:39	
4-Bromofluorobenzene (S)	%.	107	79-124		03/11/25 11:39	
Dibromofluoromethane (S)	%.	116	82-128		03/11/25 11:39	
Toluene-d8 (S)	%.	90	73-122		03/11/25 11:39	

LABORATORY CONTROL SAMPLE: 3814771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	46.0	92	81-130	
1,1,1-Trichloroethane	ug/L	50	47.9	96	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	38.4	77	70-126	
1,1,2-Trichloroethane	ug/L	50	40.9	82	79-125	
1,1-Dichloroethane	ug/L	50	48.4	97	79-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3814771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	51.5	103	71-130	
1,1-Dichloropropene	ug/L	50	54.2	108	78-144	
1,2,3-Trichlorobenzene	ug/L	50	47.0	94	57-146	
1,2,3-Trichloropropane	ug/L	50	40.4	81	74-127	
1,2,4-Trichlorobenzene	ug/L	50	46.5	93	62-136	
1,2,4-Trimethylbenzene	ug/L	50	43.7	87	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	41.4	83	80-120	
1,2-Dichlorobenzene	ug/L	50	46.4	93	79-123	
1,2-Dichloroethane	ug/L	50	47.8	96	72-123	
1,2-Dichloropropane	ug/L	50	47.1	94	76-125	
1,3,5-Trimethylbenzene	ug/L	50	44.2	88	71-120	
1,3-Dichlorobenzene	ug/L	50	47.6	95	78-117	
1,3-Dichloropropane	ug/L	50	43.3	87	77-126	
1,4-Dichlorobenzene	ug/L	50	48.4	97	79-116	
1-Methylnaphthalene	ug/L	50	39.2	78	50-190	
2,2-Dichloropropane	ug/L	50	49.8	100	48-138	
2-Butanone (MEK)	ug/L	250	221	88	67-135	
2-Chlorotoluene	ug/L	50	47.0	94	75-122	
2-Hexanone	ug/L	250	185	74	65-135	
2-Methylnaphthalene	ug/L	50	37.6	75	55-184	
4-Chlorotoluene	ug/L	50	46.5	93	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	188	75	69-136	
Acetone	ug/L	250	186	74	34-156	
Acrolein	ug/L	1000	886	89	59-191	
Acrylonitrile	ug/L	250	262	105	67-146	
Benzene	ug/L	50	51.9	104	76-122	
Bromobenzene	ug/L	50	56.1	112	75-121	
Bromochloromethane	ug/L	50	45.2	90	73-119	
Bromodichloromethane	ug/L	50	45.5	91	80-126	
Bromoform	ug/L	50	44.7	89	77-124	
Bromomethane	ug/L	50	28.9	58	10-175	
Carbon disulfide	ug/L	50	46.7	93	69-121	
Carbon tetrachloride	ug/L	50	50.4	101	73-127	
Chlorobenzene	ug/L	50	45.2	90	76-118	
Chloroethane	ug/L	50	52.4	105	36-162	
Chloroform	ug/L	50	48.3	97	78-121	
Chloromethane	ug/L	50	40.2	80	37-143	
cis-1,2-Dichloroethene	ug/L	50	47.1	94	77-123	
cis-1,3-Dichloropropene	ug/L	50	41.4	83	76-132	
Dibromochloromethane	ug/L	50	45.3	91	79-130	
Dibromomethane	ug/L	50	44.8	90	79-124	
Dichlorodifluoromethane	ug/L	50	42.9	86	29-126	
Ethyl methacrylate	ug/L	50	42.8J	86	78-137	
Ethylbenzene	ug/L	50	46.3	93	76-120	
Hexachloro-1,3-butadiene	ug/L	50	48.2	96	60-131	
Iodomethane	ug/L	50	17.9	36	10-148	
Isopropylbenzene (Cumene)	ug/L	50	51.2	102	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

LABORATORY CONTROL SAMPLE: 3814771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	46.9	94	71-121	
Methylene Chloride	ug/L	50	42.6	85	71-121	
n-Butylbenzene	ug/L	50	47.2	94	68-131	
n-Hexane	ug/L	50	41.7	83	51-126	
n-Propylbenzene	ug/L	50	47.3	95	67-127	
Naphthalene	ug/L	50	45.3	91	62-143	
p-Isopropyltoluene	ug/L	50	47.7	95	72-124	
sec-Butylbenzene	ug/L	50	48.4	97	71-126	
Styrene	ug/L	50	46.9	94	80-121	
tert-Butylbenzene	ug/L	50	58.1	116	71-128	
Tetrachloroethene	ug/L	50	49.9	100	71-122	
Toluene	ug/L	50	42.9	86	74-118	
trans-1,2-Dichloroethene	ug/L	50	51.3	103	75-122	
trans-1,3-Dichloropropene	ug/L	50	40.6	81	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	39.3J	79	53-136	
Trichloroethene	ug/L	50	49.5	99	74-125	
Trichlorofluoromethane	ug/L	50	63.9	128	64-138	
Vinyl acetate	ug/L	200	236	118	74-154	
Vinyl chloride	ug/L	50	53.2	106	55-139	
Xylene (Total)	ug/L	150	149	99	73-119	
4-Bromofluorobenzene (S)	%.			108	79-124	
Dibromofluoromethane (S)	%.			96	82-128	
Toluene-d8 (S)	%.			91	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814772 3814773

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	39.3	43.8	79	88	47-139	11	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	39.5	41.8	79	84	47-145	6	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	34.7	38.1	69	76	49-133	9	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	37.9	40.7	76	81	52-136	7	20	
1,1-Dichloroethane	ug/L	ND	50	50	42.2	44.8	84	90	52-137	6	20	
1,1-Dichloroethene	ug/L	ND	50	50	41.0	42.7	82	85	53-144	4	20	
1,1-Dichloropropene	ug/L	ND	50	50	44.8	47.3	90	95	49-150	6	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	36.8	42.5	74	85	20-153	14	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	35.8	38.9	72	78	47-134	8	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	33.6	39.1	67	78	23-141	15	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	35.5	38.3	71	77	41-131	8	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	36.5	39.1	73	78	55-133	7	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	38.9	42.8	78	86	43-133	9	20	
1,2-Dichloroethane	ug/L	ND	50	50	42.3	45.0	85	90	50-138	6	20	
1,2-Dichloropropane	ug/L	ND	50	50	41.8	44.6	84	89	54-139	7	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	36.2	39.1	72	78	39-133	8	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	37.9	41.7	76	83	41-131	10	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814772 3814773

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	39.2	41.4	78	83	50-136	5	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	39.4	42.9	79	86	41-131	8	20	
1-Methylnaphthalene	ug/L	ND	50	50	32.8	38.4	66	77	10-188	16	20	
2,2-Dichloropropane	ug/L	ND	50	50	39.1	40.7	78	81	17-141	4	20	
2-Butanone (MEK)	ug/L	ND	250	250	189	193	75	77	45-138	2	20	
2-Chlorotoluene	ug/L	ND	50	50	38.5	42.2	77	84	36-141	9	20	
2-Hexanone	ug/L	ND	250	250	159	165	64	66	45-135	3	20	
2-Methylnaphthalene	ug/L	ND	50	50	30.8	36.2	62	72	10-197	16	20	
4-Chlorotoluene	ug/L	ND	50	50	37.7	40.7	75	81	38-134	8	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	166	171	66	68	46-138	3	20	
Acetone	ug/L	ND	250	250	153	148	61	59	25-151	3	20	
Acrolein	ug/L	ND	1000	1000	656	674	66	67	36-168	3	20	
Acrylonitrile	ug/L	ND	250	250	212	228	85	91	47-147	7	20	
Benzene	ug/L	ND	50	50	44.9	48.0	90	96	53-138	7	20	
Bromobenzene	ug/L	ND	50	50	49.7	52.6	99	105	47-130	6	20	
Bromochloromethane	ug/L	ND	50	50	41.4	42.7	83	85	52-130	3	20	
Bromodichloromethane	ug/L	ND	50	50	40.7	42.3	81	85	50-146	4	20	
Bromoform	ug/L	ND	50	50	37.3	42.9	75	86	45-132	14	20	
Bromomethane	ug/L	ND	50	50	19.8	23.1	40	46	10-173	15	20	
Carbon disulfide	ug/L	ND	50	50	37.1	38.5	74	77	47-133	4	20	
Carbon tetrachloride	ug/L	ND	50	50	41.1	43.0	82	86	43-148	4	20	
Chlorobenzene	ug/L	ND	50	50	39.1	41.6	78	83	52-131	6	20	
Chloroethane	ug/L	8.0	50	50	45.8	46.0	76	76	25-169	1	20	
Chloroform	ug/L	ND	50	50	42.3	44.4	85	89	54-138	5	20	
Chloromethane	ug/L	ND	50	50	33.5	39.9	67	80	33-137	18	20	
cis-1,2-Dichloroethene	ug/L	9.3	50	50	48.7	50.1	79	82	50-141	3	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	35.1	38.5	70	77	47-135	9	20	
Dibromochloromethane	ug/L	ND	50	50	39.3	44.0	79	88	48-139	11	20	
Dibromomethane	ug/L	ND	50	50	39.9	42.3	80	85	51-141	6	20	
Dichlorodifluoromethane	ug/L	ND	50	50	34.3	35.9	69	72	15-130	5	20	
Ethyl methacrylate	ug/L	ND	50	50	38.7J	41.5J	77	83	51-142		20	
Ethylbenzene	ug/L	ND	50	50	39.6	41.1	79	82	50-136	4	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	36.9	41.6	74	83	15-141	12	20	
Iodomethane	ug/L	ND	50	50	19.6	22.9	39	46	10-145	16	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	42.6	45.1	85	90	46-137	6	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	41.7	45.5	83	91	47-135	9	20	
Methylene Chloride	ug/L	ND	50	50	44.8	44.8	90	90	48-131	0	20	
n-Butylbenzene	ug/L	ND	50	50	36.3	39.2	73	78	30-138	8	20	
n-Hexane	ug/L	ND	50	50	34.8	37.5	70	75	35-137	7	20	
n-Propylbenzene	ug/L	ND	50	50	37.9	41.1	76	82	37-135	8	20	
Naphthalene	ug/L	ND	50	50	36.9	41.8	74	84	34-152	12	20	
p-Isopropyltoluene	ug/L	ND	50	50	37.7	40.5	75	81	35-136	7	20	
sec-Butylbenzene	ug/L	ND	50	50	39.3	42.5	79	85	36-137	8	20	
Styrene	ug/L	ND	50	50	40.6	42.8	81	86	46-136	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814772 3814773

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	47.8	52.5	96	105	40-137	9	20	
Tetrachloroethene	ug/L	ND	50	50	37.5	40.4	75	81	44-138	7	20	
Toluene	ug/L	ND	50	50	37.1	38.9	74	78	52-132	5	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	42.1	44.5	84	89	50-137	6	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	34.7	37.2	69	74	46-130	7	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	32.9J	34.4J	66	69	24-134		20	
Trichloroethene	ug/L	ND	50	50	39.8	42.5	80	85	49-140	7	20	
Trichlorofluoromethane	ug/L	ND	50	50	50.8	51.3	102	103	44-153	1	20	
Vinyl acetate	ug/L	ND	200	200	179	194	89	97	32-142	8	20	
Vinyl chloride	ug/L	572	50	50	376	364	-392	-415	41-147	3	20	E,M1
Xylene (Total)	ug/L	ND	150	150	125	131	83	88	44-138	5	20	
4-Bromofluorobenzene (S)	%.						110	108	79-124			
Dibromofluoromethane (S)	%.						100	96	82-128			
Toluene-d8 (S)	%.						93	90	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833030
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008, 50395234009

METHOD BLANK: 3811019 Matrix: Water
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008, 50395234009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	03/05/25 15:49	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	03/05/25 15:49	

LABORATORY CONTROL SAMPLE: 3811020

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	103	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.1	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3811021 3811022

Parameter	Units	50395234002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	0.73	0.74	73	74	90-110	1	20	M3
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	1.6	1.6	78	78	90-110	1	20	M3

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3811023 3811024

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	0.57	0.57	57	57	90-110	0	20	M3
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	1.4	1.4	68	68	90-110	0	20	M3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833626 | Analysis Method: SM 5310C
QC Batch Method: SM 5310C | Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008

METHOD BLANK: 3814309 Matrix: Water
Associated Lab Samples: 50395234001, 50395234002, 50395234003, 50395234004, 50395234005, 50395234008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	03/10/25 20:01	

LABORATORY CONTROL SAMPLE: 3814310

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	10100	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814311 3814392

Parameter	Units	50395234002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	ND	50000	50000	55200	56400	98	100	80-120	2	15	

MATRIX SPIKE SAMPLE: 3814312

Parameter	Units	50395234003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	5870	10000	16000	101	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

QC Batch: 833627
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395234009

METHOD BLANK: 3814314 Matrix: Water
Associated Lab Samples: 50395234009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	03/11/25 02:22	

LABORATORY CONTROL SAMPLE: 3814315

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	10300	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814316 3814317

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	5230	10000	10000	14800	15100	96	99	80-120	2	15	

MATRIX SPIKE SAMPLE: 3814318

Parameter	Units	50395300007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	7.5 mg/L	40000	47000	99	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Neither matrix spike nor matrix precision data could be provided for this analytical batch due to insufficient sample volume.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
R1	RPD value was outside control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 GCV Headspace	Water	RSK 175 Modified	N/A

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50395234001	**MW-411S-03042025**	EPA 300.0	833559		
50395234002	**MW-402-03042025**	EPA 300.0	833559		
50395234003	**MW-402D-03042025**	EPA 300.0	833559		
50395234004	**MW-407S-03042025**	EPA 300.0	833559		
50395234005	**MW-407D-03042025**	EPA 300.0	833559		
50395234008	**MW-418S-03052025**	EPA 300.0	833559		
50395234009	**MW-418D-03052025**	EPA 300.0	833559		
50395234001	**MW-411S-03042025**	RSK 175	995027		
50395234002	**MW-402-03042025**	RSK 175	995027		
50395234003	**MW-402D-03042025**	RSK 175	995027		
50395234004	**MW-407S-03042025**	RSK 175	995027		
50395234005	**MW-407D-03042025**	RSK 175	995027		
50395234008	**MW-418S-03052025**	RSK 175	995027		
50395234009	**MW-418D-03052025**	RSK 175	995027		
50395234001	**MW-411S-03042025**	EPA 3010	834158	EPA 6010	834455
50395234002	**MW-402-03042025**	EPA 3010	834158	EPA 6010	834455
50395234003	**MW-402D-03042025**	EPA 3010	834158	EPA 6010	834455
50395234004	**MW-407S-03042025**	EPA 3010	834158	EPA 6010	834455
50395234005	**MW-407D-03042025**	EPA 3010	834158	EPA 6010	834455
50395234008	**MW-418S-03052025**	EPA 3010	834158	EPA 6010	834455
50395234009	**MW-418D-03052025**	EPA 3010	834158	EPA 6010	834455
50395234001	**MW-411S-03042025**	EPA 5030/8260	833345		
50395234002	**MW-402-03042025**	EPA 5030/8260	833618		
50395234003	**MW-402D-03042025**	EPA 5030/8260	833329		
50395234004	**MW-407S-03042025**	EPA 5030/8260	833618		
50395234005	**MW-407D-03042025**	EPA 5030/8260	833618		
50395234006	**MW-401-03042025**	EPA 5030/8260	833618		
50395234007	**MW-403-03042025**	EPA 5030/8260	833618		
50395234008	**MW-418S-03052025**	EPA 5030/8260	833618		
50395234009	**MW-418D-03052025**	EPA 5030/8260	833761		
50395234010	**MW-417S-03052025**	EPA 5030/8260	833618		
50395234011	**MW-417D-03052025**	EPA 5030/8260	833618		
50395234012	**MW-423S-03052025**	EPA 5030/8260	833618		
50395234013	**MW-423D-03052025**	EPA 5030/8260	833618		
50395234014	**MW-422S-03052025**	EPA 5030/8260	833615		
50395234015	**MW-422D-03052025**	EPA 5030/8260	833615		
50395234016	**Trip Blank**	EPA 5030/8260	833615		
50395234001	**MW-411S-03042025**	EPA 353.2	833030		
50395234002	**MW-402-03042025**	EPA 353.2	833030		
50395234003	**MW-402D-03042025**	EPA 353.2	833030		
50395234004	**MW-407S-03042025**	EPA 353.2	833030		
50395234005	**MW-407D-03042025**	EPA 353.2	833030		
50395234008	**MW-418S-03052025**	EPA 353.2	833030		
50395234009	**MW-418D-03052025**	EPA 353.2	833030		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395234

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50395234001	**MW-411S-03042025**	SM 5310C	833626		
50395234002	**MW-402-03042025**	SM 5310C	833626		
50395234003	**MW-402D-03042025**	SM 5310C	833626		
50395234004	**MW-407S-03042025**	SM 5310C	833626		
50395234005	**MW-407D-03042025**	SM 5310C	833626		
50395234008	**MW-418S-03052025**	SM 5310C	833626		
50395234009	**MW-418D-03052025**	SM 5310C	833627		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 50395234

50395234

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	1Q25 Indy CE Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [√] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [√] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [√] Yes [ ] No

Analysis:

Specify Container Size **: 3 6 6 3 3

Identify Container Preservative Type***: 3 4 4 2 1

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3199179**

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2	Sample Comment	Preservation non-conformance identified for sample.
MW-415-03042025	GW	G			3/4/25	12:16	9			X	X	X	X	X	001	
MW-402-03042025					3/4/25	13:24	15			X	X	X	X	X	MS/MSD VOC 002	
MW-402D-03042025						15:35	9			X	X	X	X	X	003	
MW-407S-03042025						14:35	9			X	X	X	X	X	004	
MW-407D-03042025						16:29	9			X	X	X	X	X	005	
MW-401-03042025						16:28	3				X				006	
MW-403-03042025					↓	16:55	3				X				007	
MW-495-03052025					3/5/25	9:45	9			X	X	X	X	X	008	
MW-418-03052025					3/5/25	11:05	15			X	X	X	X	X	MS/MSD VOC 009	
MW-475-03052025	↓	↓			↓	9:15	3				X				010	

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By: (Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	A	+0.2	0.1	0.3	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke Ramboll	3/5/25 12:40	Pace	3/5/25 1240	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [√] Courier
Pace	3/5/25 13:15	Pace	3-5-25 13:15	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: of

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	1Q25 Indy CE Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [√] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [√] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [√] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2	Sample Comment
MW-417D-03052025	GW	G			3/5/25	9:19	3				X				011
MW-4235-03052025	"	"			"	9:51	3				X				012
MW-423D-03052025	"	"			"	10:04	3				X				013
MW-4225-03052025	"	"			"	10:50	3				X				014
MW-422D-03052025	"	"			"	11:02	3				X				015
Trip Blanks							3				X				016

Specify Container Size **: 3 6 6 3 3

Identify Container Preservative Type***: 3 4 4 2 1

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only
- Proj. Mgr: Heather Patterson
- AcctNum / Client ID:
- Table #:
- Profile / Template: 2747-28
- Prelog / Bottle Ord. ID: EZ 3199179

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By:
(Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	A	+0.2			Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbrycke Ramboll	3/5/25 12:40	Pace	3/5/25 1240	
Pace	3/5/25 1311	Pace	3-5-25 13:15	Delivered by: [ ] In-Person [√] Courier [ ] FedEx [ ] UPS [ ] Other
				Page: of

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

F-IN-Q-290-rev.29, 4Oct2024

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: RC 3-5-25 13:20

1. **Thermometer:** 1 2 3 4 5 6 7 8 9 (A) B C D E F G H I
2. **Cooler Temperature(s):** 0.1/0.3 (Initial/Corrected) — RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)
3. **Courier:** Circle One — Fed Ex UPS Client (Pace) Now/Jett Other
4. **Custody Seal on Cooler/Box Present:** ☐ Yes ☑ No
   (If yes)Seals Intact: ☐ Yes ☐ No **(leave blank if no seals were present)**
5. **Packing Material:** ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____
6. **Ice Type:** ☑ Wet ☐ Blue ☐ None
7. **Was the PM notified of out of temp cooler?** ☐ Yes ☐ No
   Cooler temp should be above freezing to 6°C
   If the PM was contacted in the comments below please write how they instructed the project to proceed

All discrepancies will be written out in the comments section below.

	Yes	No
USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		✓
Short Hold Time Analysis (48 hours or less)? **Analysis:** NO3	✓	
Time 5035A TC placed in Freezer or Short Holds To Lab	Time: 15:10	
Rush TAT Requested (4 days or less):		✓
Custody Signatures Present?	✓	
Containers Intact?:	✓	
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID		✓
Extra labels on Terracore Vials? (soils only)		

	Yes	No	N/A
All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any containes with a septum cap or preserved with HCl.** **Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9)** Any non-conformance to pH recommendations will be noted on the container count form	✓		
Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A ✓
Residual Chlorine Check (Total/Amenable/Free Cyanide)			✓
Headspace in **VOA Vials** (>6mm): See Containter Count form for details	Present	Absent ✓	No VOA Vials Sent
Trip Blank Present?	✓		
Trip Blank Custody Seals?:	✓		
Out Of Temp Instructions if applicable:			

COMMENTS: MW-418 was labelled as MW-418D on all samples but had correct date/time present. MW-417D time read 9:26 instead of 9:19. RC 3-5-25

Per PVerbryke, MW-418 sample ID should be MW-418D. MW-417D collection time is 0926. 030525hmp

COC PAGE 1 of 2

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9D DG9U	VG9T	AMBER GLASS: AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC: BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER: CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1				3			3						1						1		1									WT	✓	✓		
2				9																														
3				3																														
4																																		
5																																		
6																																		
7																																		
8							3						1						1		1										✓	✓		
9				9			1						1						1		1	ID:MW-48D									1	1		
10				3																														
11																																		
12																																		

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 2 of 2

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	AMBER GLASS: DG9H VG9H	VOA VIAL HS (>6mm)	AMBER GLASS: VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC: BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER: CG3H	CG3F	Syringe Kit			Matrix
1				3				T:	9:26																				WT
2																													
3																													
4																													
5																													
6																													
7																													
8																													
9																													
10																													
11																													
12																													

Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
Red	Yellow	Green	Black
HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

March 19, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on March 06, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
DoD Certification via A2LA #: 2926.01
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605
Georgia Certification #: 959
GMP+ Certification #: GMP050884
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
ISO/IEC 17025 Certification via A2LA #: 2926.01
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240
Mississippi Certification #: MN00064
Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081
New Jersey Certification #: MN002
New York Certification #: 11647
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Oklahoma Certification #: 9507
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192
Utah Certification #: MN00064
Vermont Certification #: VT-027053137
Virginia Certification #: 460163
Washington Certification #: C486
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification via A2LA #: 2926.01
USDA Permit #: P330-19-00208

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50395467001	**MW-428-03052025**	Water	03/05/25 14:30	03/06/25 17:31
50395467002	**AD-300-03052025**	Water	03/05/25 12:00	03/06/25 17:31
50395467003	**MW-408S-03052025**	Water	03/05/25 14:13	03/06/25 17:31
50395467004	**MW-408D-03052025**	Water	03/05/25 14:00	03/06/25 17:31
50395467005	**MW-405S-03052025**	Water	03/05/25 14:43	03/06/25 17:31
50395467006	**MW-405D-03052025**	Water	03/05/25 14:37	03/06/25 17:31
50395467007	**MW-404-03052025**	Water	03/05/25 15:06	03/06/25 17:31
50395467008	**MW-406S-03052025**	Water	03/05/25 16:03	03/06/25 17:31
50395467009	**MW-406D-03052025**	Water	03/05/25 15:58	03/06/25 17:31
50395467010	**MW-424S-03052025**	Water	03/05/25 15:20	03/06/25 17:31
50395467011	**MW-424D-03052025**	Water	03/05/25 15:25	03/06/25 17:31
50395467012	**MW-419S-03052025**	Water	03/05/25 16:25	03/06/25 17:31
50395467013	**MW-419D-03052025**	Water	03/05/25 16:14	03/06/25 17:31
50395467014	**W-2-03052025**	Water	03/05/25 16:45	03/06/25 17:31
50395467015	**W-8-03062025**	Water	03/06/25 10:20	03/06/25 17:31
50395467016	**MW-253-03062025**	Water	03/06/25 08:35	03/06/25 17:31
50395467017	**MW-251-03062025**	Water	03/06/25 08:24	03/06/25 17:31
50395467018	**W-10-03062025**	Water	03/06/25 08:47	03/06/25 17:31
50395467019	**MW-153-03062025**	Water	03/06/25 09:00	03/06/25 17:31
50395467020	**MW-163-03062025**	Water	03/06/25 09:31	03/06/25 17:31
50395467021	**MW-312-03062025**	Water	03/06/25 09:46	03/06/25 17:31
50395467022	**MW-132-03062025**	Water	03/06/25 10:12	03/06/25 17:31
50395467023	**MW-133-03062025**	Water	03/06/25 10:22	03/06/25 17:31
50395467024	**MW-131-03062025**	Water	03/06/25 10:27	03/06/25 17:31
50395467025	**MW-41-03062025**	Water	03/06/25 11:01	03/06/25 17:31
50395467026	**MW-123-03062025**	Water	03/06/25 11:12	03/06/25 17:31
50395467027	**MW-303-03062025**	Water	03/06/25 11:28	03/06/25 17:31
50395467028	**MW-333-03062025**	Water	03/06/25 12:10	03/06/25 17:31
50395467029	**MW-323-03062025**	Water	03/06/25 14:15	03/06/25 17:31
50395467030	**AD-400-03062025**	Water	03/06/25 12:00	03/06/25 17:31
50395467031	**MW-322-03062025**	Water	03/06/25 14:33	03/06/25 17:31
50395467032	**MW-416S-03062025**	Water	03/06/25 13:40	03/06/25 17:31
50395467033	**MW-416D-03062025**	Water	03/06/25 13:55	03/06/25 17:31
50395467034	**MW-110-03062025**	Water	03/06/25 13:45	03/06/25 17:31
50395467035	**MW-415S-03062025**	Water	03/06/25 14:24	03/06/25 17:31
50395467036	**MW-415D-03062025**	Water	03/06/25 14:05	03/06/25 17:31
50395467037	**MW-331-03062025**	Water	03/06/25 15:06	03/06/25 17:31

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50395467038	**W-4R-03062025**	Water	03/06/25 15:29	03/06/25 17:31
50395467039	**MW-321-03062025**	Water	03/06/25 15:00	03/06/25 17:31
50395467040	**MW-414S-03062025**	Water	03/06/25 15:37	03/06/25 17:31
50395467041	**MW-414D-03062025**	Water	03/06/25 15:30	03/06/25 17:31
50395467042	**Trip Blanks**	Water	03/05/25 08:00	03/06/25 17:31

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50395467001	**MW-428-03052025**	EPA 300.0	ZM	1	PASI-I
		RSK 175	ALE	3	PASI-M
		EPA 6010	FRW	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50395467002	**AD-300-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467003	**MW-408S-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467004	**MW-408D-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467005	**MW-405S-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467006	**MW-405D-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467007	**MW-404-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467008	**MW-406S-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467009	**MW-406D-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467010	**MW-424S-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467011	**MW-424D-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467012	**MW-419S-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467013	**MW-419D-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467014	**W-2-03052025**	EPA 5030/8260	JRW	75	PASI-I
50395467015	**W-8-03062025**	RSK 175	ALE	3	PASI-M
		EPA 5030/8260	JRW	75	PASI-I
50395467016	**MW-253-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467017	**MW-251-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467018	**W-10-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467019	**MW-153-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467020	**MW-163-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467021	**MW-312-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467022	**MW-132-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467023	**MW-133-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467024	**MW-131-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467025	**MW-41-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467026	**MW-123-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467027	**MW-303-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467028	**MW-333-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467029	**MW-323-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467030	**AD-400-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467031	**MW-322-03062025**	EPA 5030/8260	JRW	75	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50395467032	**MW-416S-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467033	**MW-416D-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467034	**MW-110-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467035	**MW-415S-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467036	**MW-415D-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467037	**MW-331-03062025**	EPA 5030/8260	TMW	75	PASI-I
50395467038	**W-4R-03062025**	EPA 5030/8260	TMW	75	PASI-I
50395467039	**MW-321-03062025**	EPA 5030/8260	TMW	75	PASI-I
50395467040	**MW-414S-03062025**	EPA 5030/8260	TMW	75	PASI-I
50395467041	**MW-414D-03062025**	EPA 5030/8260	JRW	75	PASI-I
50395467042	**Trip Blanks**	EPA 5030/8260	JRW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis
PASI-M = Pace Analytical Services - Minneapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395467001	**MW-428-03052025**					
EPA 300.0	Sulfate	1140	ug/L	250	03/11/25 17:07	
RSK 175	Methane	716	ug/L	10.0	03/12/25 05:55	
EPA 6010	Iron, Dissolved	236	ug/L	100	03/18/25 12:44	
EPA 5030/8260	Chloroethane	15.5	ug/L	5.0	03/11/25 12:26	
SM 5310C	Total Organic Carbon	20900	ug/L	5000	03/11/25 18:08	
50395467002	**AD-300-03052025**					
EPA 5030/8260	Chloroethane	23.7	ug/L	5.0	03/14/25 13:29	
50395467004	**MW-408D-03052025**					
EPA 5030/8260	Chloroethane	827	ug/L	50.0	03/11/25 14:33	
EPA 5030/8260	1,1-Dichloroethane	58.8	ug/L	5.0	03/11/25 14:01	
EPA 5030/8260	Vinyl chloride	8.9	ug/L	2.0	03/11/25 14:01	
50395467005	**MW-405S-03052025**					
EPA 5030/8260	Chloroethane	10.4	ug/L	5.0	03/11/25 15:52	
50395467006	**MW-405D-03052025**					
EPA 5030/8260	Chloroethane	2050	ug/L	50.0	03/11/25 15:05	
EPA 5030/8260	cis-1,2-Dichloroethene	233	ug/L	50.0	03/11/25 15:05	
EPA 5030/8260	Vinyl chloride	1220	ug/L	20.0	03/11/25 15:05	
50395467007	**MW-404-03052025**					
EPA 5030/8260	Chloroethane	19200	ug/L	1000	03/11/25 16:40	
EPA 5030/8260	1,1-Dichloroethane	52000	ug/L	1000	03/11/25 16:40	
EPA 5030/8260	1,2-Dichloroethane	513	ug/L	250	03/11/25 16:08	
EPA 5030/8260	1,1-Dichloroethene	525	ug/L	250	03/11/25 16:08	
EPA 5030/8260	cis-1,2-Dichloroethene	33900	ug/L	1000	03/11/25 16:40	
EPA 5030/8260	trans-1,2-Dichloroethene	2360	ug/L	250	03/11/25 16:08	
EPA 5030/8260	1,1,1-Trichloroethane	11600	ug/L	1000	03/11/25 16:40	
EPA 5030/8260	Vinyl chloride	14200	ug/L	400	03/11/25 16:40	
50395467008	**MW-406S-03052025**					
EPA 5030/8260	Chloroethane	1140	ug/L	50.0	03/11/25 17:11	
EPA 5030/8260	1,1-Dichloroethane	1880	ug/L	50.0	03/11/25 17:11	
EPA 5030/8260	1,1-Dichloroethene	80.6	ug/L	50.0	03/11/25 17:11	
EPA 5030/8260	cis-1,2-Dichloroethene	13000	ug/L	500	03/11/25 17:43	
EPA 5030/8260	trans-1,2-Dichloroethene	175	ug/L	50.0	03/11/25 17:11	
EPA 5030/8260	1,1,1-Trichloroethane	233	ug/L	50.0	03/11/25 17:11	
EPA 5030/8260	Vinyl chloride	1530	ug/L	20.0	03/11/25 17:11	
50395467009	**MW-406D-03052025**					
EPA 5030/8260	1,1-Dichloroethane	2350	ug/L	250	03/11/25 18:15	
EPA 5030/8260	1,1-Dichloroethene	622	ug/L	250	03/11/25 18:15	
EPA 5030/8260	cis-1,2-Dichloroethene	19800	ug/L	2500	03/11/25 18:46	
EPA 5030/8260	Vinyl chloride	2090	ug/L	100	03/11/25 18:15	
50395467010	**MW-424S-03052025**					
EPA 5030/8260	Chloroethane	9850	ug/L	500	03/12/25 14:30	
EPA 5030/8260	trans-1,2-Dichloroethene	67.8	ug/L	50.0	03/11/25 19:50	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395467010	**MW-424S-03052025**					
EPA 5030/8260	Vinyl chloride	23.2	ug/L	20.0	03/11/25 19:50	
50395467011	**MW-424D-03052025**					
EPA 5030/8260	Chloroethane	729	ug/L	50.0	03/14/25 15:04	
EPA 5030/8260	1,1-Dichloroethane	108	ug/L	5.0	03/13/25 15:49	
EPA 5030/8260	cis-1,2-Dichloroethene	5.0	ug/L	5.0	03/13/25 15:49	
EPA 5030/8260	trans-1,2-Dichloroethene	10.3	ug/L	5.0	03/13/25 15:49	
EPA 5030/8260	n-Hexane	5.9	ug/L	5.0	03/13/25 15:49	
EPA 5030/8260	1,1,1-Trichloroethane	33.0	ug/L	5.0	03/13/25 15:49	
EPA 5030/8260	Vinyl chloride	261	ug/L	2.0	03/13/25 15:49	
50395467014	**W-2-03052025**					
EPA 5030/8260	Acetone	343	ug/L	100	03/13/25 15:33	
EPA 5030/8260	Benzene	10.4	ug/L	5.0	03/13/25 15:33	
EPA 5030/8260	2-Butanone (MEK)	452	ug/L	25.0	03/13/25 15:33	
EPA 5030/8260	Chloroethane	981	ug/L	50.0	03/12/25 16:36	M1
EPA 5030/8260	cis-1,2-Dichloroethene	52.7	ug/L	5.0	03/13/25 15:33	
EPA 5030/8260	trans-1,2-Dichloroethene	24.4	ug/L	5.0	03/13/25 15:33	
EPA 5030/8260	Vinyl chloride	106	ug/L	2.0	03/13/25 15:33	M1
50395467016	**MW-253-03062025**					
EPA 5030/8260	Chloroethane	609	ug/L	50.0	03/12/25 17:08	
EPA 5030/8260	cis-1,2-Dichloroethene	16200	ug/L	500	03/12/25 17:39	
EPA 5030/8260	trans-1,2-Dichloroethene	159	ug/L	50.0	03/12/25 17:08	
EPA 5030/8260	Vinyl chloride	2530	ug/L	20.0	03/12/25 17:08	
50395467020	**MW-163-03062025**					
EPA 5030/8260	cis-1,2-Dichloroethene	6470	ug/L	500	03/12/25 18:42	
EPA 5030/8260	trans-1,2-Dichloroethene	51.5	ug/L	50.0	03/12/25 18:11	
EPA 5030/8260	Vinyl chloride	2030	ug/L	20.0	03/12/25 18:11	
50395467022	**MW-132-03062025**					
EPA 5030/8260	1,1-Dichloroethane	43.7	ug/L	5.0	03/12/25 19:14	
EPA 5030/8260	cis-1,2-Dichloroethene	435	ug/L	50.0	03/12/25 19:46	
EPA 5030/8260	trans-1,2-Dichloroethene	32.2	ug/L	5.0	03/12/25 19:14	
EPA 5030/8260	Trichloroethene	514	ug/L	50.0	03/12/25 19:46	
EPA 5030/8260	Vinyl chloride	179	ug/L	2.0	03/12/25 19:14	
50395467023	**MW-133-03062025**					
EPA 5030/8260	cis-1,2-Dichloroethene	809	ug/L	50.0	03/12/25 20:49	
EPA 5030/8260	trans-1,2-Dichloroethene	19.6	ug/L	5.0	03/12/25 20:17	
EPA 5030/8260	Vinyl chloride	465	ug/L	20.0	03/12/25 20:49	
50395467024	**MW-131-03062025**					
EPA 5030/8260	Carbon tetrachloride	6.7	ug/L	5.0	03/11/25 19:34	
EPA 5030/8260	Chloroform	9.1	ug/L	5.0	03/11/25 19:34	
EPA 5030/8260	1,1-Dichloroethane	19.7	ug/L	5.0	03/11/25 19:34	
EPA 5030/8260	cis-1,2-Dichloroethene	8.6	ug/L	5.0	03/11/25 19:34	
EPA 5030/8260	1,1,1-Trichloroethane	171	ug/L	5.0	03/11/25 19:34	
EPA 5030/8260	Trichloroethene	44.9	ug/L	5.0	03/11/25 19:34	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395467027	**MW-303-03062025**					
EPA 5030/8260	1,1-Dichloroethene	6.3	ug/L	5.0	03/14/25 14:01	
EPA 5030/8260	cis-1,2-Dichloroethene	1450	ug/L	50.0	03/14/25 14:32	
EPA 5030/8260	trans-1,2-Dichloroethene	9.3	ug/L	5.0	03/14/25 14:01	
EPA 5030/8260	Vinyl chloride	444	ug/L	20.0	03/14/25 14:32	
50395467028	**MW-333-03062025**					
EPA 5030/8260	Chloroethane	99.9	ug/L	50.0	03/14/25 15:41	
EPA 5030/8260	cis-1,2-Dichloroethene	12100	ug/L	500	03/14/25 16:12	
EPA 5030/8260	trans-1,2-Dichloroethene	97.0	ug/L	50.0	03/14/25 15:41	
EPA 5030/8260	Vinyl chloride	2160	ug/L	20.0	03/14/25 15:41	
50395467029	**MW-323-03062025**					
EPA 5030/8260	cis-1,2-Dichloroethene	202	ug/L	5.0	03/14/25 16:44	
EPA 5030/8260	Vinyl chloride	6.3	ug/L	2.0	03/14/25 16:44	
50395467030	**AD-400-03062025**					
EPA 5030/8260	1,1-Dichloroethane	40.3	ug/L	5.0	03/14/25 17:15	
EPA 5030/8260	cis-1,2-Dichloroethene	420	ug/L	50.0	03/14/25 17:47	
EPA 5030/8260	trans-1,2-Dichloroethene	32.1	ug/L	5.0	03/14/25 17:15	
EPA 5030/8260	Trichloroethene	478	ug/L	50.0	03/14/25 17:47	
EPA 5030/8260	Vinyl chloride	159	ug/L	2.0	03/14/25 17:15	
50395467031	**MW-322-03062025**					
EPA 5030/8260	Chloroethane	256	ug/L	5.0	03/14/25 18:19	
EPA 5030/8260	1,1-Dichloroethane	5.9	ug/L	5.0	03/14/25 18:19	
EPA 5030/8260	cis-1,2-Dichloroethene	477	ug/L	50.0	03/14/25 18:50	
EPA 5030/8260	trans-1,2-Dichloroethene	17.7	ug/L	5.0	03/14/25 18:19	
EPA 5030/8260	Trichloroethene	6.0	ug/L	5.0	03/14/25 18:19	
EPA 5030/8260	Vinyl chloride	679	ug/L	20.0	03/14/25 18:50	
50395467032	**MW-416S-03062025**					
EPA 5030/8260	Chloroethane	336	ug/L	50.0	03/14/25 19:53	
EPA 5030/8260	1,1-Dichloroethane	184	ug/L	5.0	03/14/25 19:22	
EPA 5030/8260	cis-1,2-Dichloroethene	207	ug/L	5.0	03/14/25 19:22	
EPA 5030/8260	Vinyl chloride	110	ug/L	2.0	03/14/25 19:22	
50395467033	**MW-416D-03062025**					
EPA 5030/8260	Benzene	7.3	ug/L	5.0	03/14/25 20:25	
EPA 5030/8260	Chloroethane	537	ug/L	50.0	03/14/25 20:57	
EPA 5030/8260	1,1-Dichloroethane	532	ug/L	50.0	03/14/25 20:57	
EPA 5030/8260	1,2-Dichloroethane	5.0	ug/L	5.0	03/14/25 20:25	
EPA 5030/8260	cis-1,2-Dichloroethene	693	ug/L	50.0	03/14/25 20:57	
EPA 5030/8260	trans-1,2-Dichloroethene	13.6	ug/L	5.0	03/14/25 20:25	
EPA 5030/8260	Vinyl chloride	161	ug/L	2.0	03/14/25 20:25	
50395467034	**MW-110-03062025**					
EPA 5030/8260	1,1-Dichloroethane	77.5	ug/L	5.0	03/14/25 21:28	M1
EPA 5030/8260	cis-1,2-Dichloroethene	18.8	ug/L	5.0	03/14/25 21:28	
EPA 5030/8260	Vinyl chloride	3.6	ug/L	2.0	03/14/25 21:28	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50395467035	**MW-415S-03062025**					
EPA 5030/8260	Chloroethane	421	ug/L	50.0	03/13/25 14:46	
EPA 5030/8260	Vinyl chloride	3.3	ug/L	2.0	03/13/25 14:14	
50395467036	**MW-415D-03062025**					
EPA 5030/8260	Chloroethane	29.5	ug/L	5.0	03/13/25 15:18	
EPA 5030/8260	cis-1,2-Dichloroethene	10.6	ug/L	5.0	03/13/25 15:18	
EPA 5030/8260	Tetrachloroethene	20.0	ug/L	5.0	03/13/25 15:18	
EPA 5030/8260	Vinyl chloride	15.8	ug/L	2.0	03/13/25 15:18	
50395467037	**MW-331-03062025**					
EPA 5030/8260	Chloroethane	11.8	ug/L	5.0	03/17/25 14:38	
EPA 5030/8260	cis-1,2-Dichloroethene	27.0	ug/L	5.0	03/17/25 14:38	
EPA 5030/8260	Vinyl chloride	28.8	ug/L	2.0	03/17/25 14:38	
50395467038	**W-4R-03062025**					
EPA 5030/8260	Benzene	19.4	ug/L	5.0	03/17/25 15:09	
EPA 5030/8260	Chloroethane	1040	ug/L	50.0	03/17/25 15:39	
EPA 5030/8260	1,1-Dichloroethane	12.6	ug/L	5.0	03/17/25 15:09	
EPA 5030/8260	cis-1,2-Dichloroethene	219	ug/L	5.0	03/17/25 15:09	
EPA 5030/8260	Vinyl chloride	160	ug/L	2.0	03/17/25 15:09	
50395467039	**MW-321-03062025**					
EPA 5030/8260	Chloroethane	88.2	ug/L	5.0	03/17/25 18:11	
EPA 5030/8260	cis-1,2-Dichloroethene	273	ug/L	5.0	03/17/25 18:11	
EPA 5030/8260	Vinyl chloride	260	ug/L	2.0	03/17/25 18:11	
50395467040	**MW-414S-03062025**					
EPA 5030/8260	Chloroethane	712	ug/L	50.0	03/17/25 19:42	
50395467041	**MW-414D-03062025**					
EPA 5030/8260	Chloroethane	112	ug/L	5.0	03/13/25 16:21	
EPA 5030/8260	cis-1,2-Dichloroethene	68.4	ug/L	5.0	03/13/25 16:21	
EPA 5030/8260	Vinyl chloride	226	ug/L	2.0	03/13/25 16:21	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-428-03052025 **Lab ID: 50395467001** Collected: 03/05/25 14:30 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**1140**	ug/L	250	190	1		03/11/25 17:07	14808-79-8	
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**716**	ug/L	10.0	2.8	1		03/12/25 05:55	74-82-8	
Ethane	ND	ug/L	10.0	1.3	1		03/12/25 05:55	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		03/12/25 05:55	74-85-1	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**236**	ug/L	100	41.0	1	03/18/25 10:41	03/18/25 12:44	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/11/25 12:26	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/11/25 12:26	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/11/25 12:26	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/11/25 12:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/11/25 12:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/11/25 12:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/11/25 12:26	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/11/25 12:26	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/11/25 12:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/11/25 12:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/11/25 12:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/11/25 12:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/11/25 12:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/11/25 12:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/11/25 12:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/11/25 12:26	108-90-7	
Chloroethane	**15.5**	ug/L	5.0	0.85	1		03/11/25 12:26	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/11/25 12:26	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/11/25 12:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/11/25 12:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/11/25 12:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/11/25 12:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/11/25 12:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/11/25 12:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/11/25 12:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/11/25 12:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/11/25 12:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/11/25 12:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/11/25 12:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/11/25 12:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/11/25 12:26	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-428-03052025 **Lab ID: 50395467001** Collected: 03/05/25 14:30 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/11/25 12:26	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.27	1		03/11/25 12:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		03/11/25 12:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/11/25 12:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/11/25 12:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 12:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/11/25 12:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/11/25 12:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/11/25 12:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/11/25 12:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/11/25 12:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/11/25 12:26	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/11/25 12:26	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/11/25 12:26	591-78-6	
Iodomethane	ND	ug/L	10.0	0.33	1		03/11/25 12:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/11/25 12:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/11/25 12:26	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/11/25 12:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/11/25 12:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/11/25 12:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/11/25 12:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/11/25 12:26	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/11/25 12:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/11/25 12:26	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/11/25 12:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/11/25 12:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/11/25 12:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/11/25 12:26	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/11/25 12:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/11/25 12:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 12:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/11/25 12:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/11/25 12:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/11/25 12:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/11/25 12:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/11/25 12:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/11/25 12:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/11/25 12:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/11/25 12:26	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.88	1		03/11/25 12:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/11/25 12:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%.	82-128		1		03/11/25 12:26	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/11/25 12:26	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 12:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-428-03052025 **Lab ID: 50395467001** Collected: 03/05/25 14:30 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		03/07/25 13:34		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		03/07/25 13:34	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**20900**	ug/L	5000	1500	5		03/11/25 18:08	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: AD-300-03052025 **Lab ID: 50395467002** Collected: 03/05/25 12:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/14/25 13:29	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/14/25 13:29	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/14/25 13:29	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/14/25 13:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/14/25 13:29	108-86-1	L1
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/14/25 13:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/14/25 13:29	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/14/25 13:29	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/14/25 13:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/14/25 13:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/14/25 13:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/14/25 13:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 13:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/14/25 13:29	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/14/25 13:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/14/25 13:29	108-90-7	
Chloroethane	**23.7**	ug/L	5.0	0.41	1		03/14/25 13:29	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/14/25 13:29	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/14/25 13:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/14/25 13:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/14/25 13:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/14/25 13:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/14/25 13:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/14/25 13:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 13:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 13:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/14/25 13:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/14/25 13:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/14/25 13:29	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/14/25 13:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/14/25 13:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/14/25 13:29	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/14/25 13:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/14/25 13:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/14/25 13:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/14/25 13:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/14/25 13:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/14/25 13:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/14/25 13:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/14/25 13:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/14/25 13:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/14/25 13:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/14/25 13:29	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/14/25 13:29	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/14/25 13:29	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: AD-300-03052025 **Lab ID: 50395467002** Collected: 03/05/25 12:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/14/25 13:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/14/25 13:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/14/25 13:29	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/14/25 13:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/14/25 13:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/14/25 13:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/14/25 13:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/14/25 13:29	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/14/25 13:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/14/25 13:29	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/14/25 13:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/14/25 13:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/14/25 13:29	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/14/25 13:29	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/14/25 13:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/14/25 13:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/14/25 13:29	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/14/25 13:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/14/25 13:29	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/14/25 13:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/14/25 13:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/14/25 13:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/14/25 13:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 13:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/14/25 13:29	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/14/25 13:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/14/25 13:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		1		03/14/25 13:29	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/14/25 13:29	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/14/25 13:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-408S-03052025 **Lab ID: 50395467003** Collected: 03/05/25 14:13 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 14:49	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 14:49	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 14:49	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 14:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 14:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 14:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 14:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 14:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 14:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 14:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 14:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 14:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 14:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 14:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 14:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 14:49	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 14:49	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 14:49	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 14:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 14:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 14:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 14:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 14:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 14:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 14:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 14:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 14:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 14:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 14:49	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 14:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 14:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 14:49	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 14:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 14:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 14:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 14:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 14:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 14:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 14:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 14:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 14:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 14:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 14:49	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 14:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 14:49	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-408S-03052025 **Lab ID: 50395467003** Collected: 03/05/25 14:13 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 14:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 14:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 14:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 14:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 14:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 14:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 14:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 14:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 14:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 14:49	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 14:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 14:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 14:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 14:49	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 14:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 14:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 14:49	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 14:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 14:49	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 14:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 14:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 14:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 14:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 14:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 14:49	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 14:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 14:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		03/11/25 14:49	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		03/11/25 14:49	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		03/11/25 14:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-408D-03052025 **Lab ID: 50395467004** Collected: 03/05/25 14:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/11/25 14:01	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/11/25 14:01	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/11/25 14:01	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/11/25 14:01	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/11/25 14:01	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/11/25 14:01	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/11/25 14:01	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/11/25 14:01	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/11/25 14:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/11/25 14:01	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/11/25 14:01	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/11/25 14:01	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/11/25 14:01	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/11/25 14:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/11/25 14:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/11/25 14:01	108-90-7	
Chloroethane	**827**	ug/L	50.0	8.5	10		03/11/25 14:33	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/11/25 14:01	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/11/25 14:01	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/11/25 14:01	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/11/25 14:01	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/11/25 14:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/11/25 14:01	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/11/25 14:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/11/25 14:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/11/25 14:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/11/25 14:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/11/25 14:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/11/25 14:01	75-71-8	
1,1-Dichloroethane	**58.8**	ug/L	5.0	0.26	1		03/11/25 14:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/11/25 14:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/11/25 14:01	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.27	1		03/11/25 14:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		03/11/25 14:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/11/25 14:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/11/25 14:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 14:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/11/25 14:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/11/25 14:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/11/25 14:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/11/25 14:01	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/11/25 14:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/11/25 14:01	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/11/25 14:01	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/11/25 14:01	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-408D-03052025 **Lab ID: 50395467004** Collected: 03/05/25 14:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/11/25 14:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/11/25 14:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/11/25 14:01	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/11/25 14:01	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/11/25 14:01	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/11/25 14:01	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/11/25 14:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/11/25 14:01	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/11/25 14:01	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/11/25 14:01	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/11/25 14:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/11/25 14:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/11/25 14:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/11/25 14:01	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/11/25 14:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/11/25 14:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 14:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/11/25 14:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/11/25 14:01	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/11/25 14:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/11/25 14:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/11/25 14:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/11/25 14:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/11/25 14:01	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/11/25 14:01	108-05-4	
Vinyl chloride	**8.9**	ug/L	2.0	0.88	1		03/11/25 14:01	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/11/25 14:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		1		03/11/25 14:01	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		03/11/25 14:01	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 14:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-405S-03052025 **Lab ID: 50395467005** Collected: 03/05/25 14:43 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 15:52	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 15:52	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 15:52	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 15:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 15:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 15:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 15:52	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 15:52	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 15:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 15:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 15:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 15:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 15:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 15:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 15:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 15:52	108-90-7	
Chloroethane	**10.4**	ug/L	5.0	0.41	1		03/11/25 15:52	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 15:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 15:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 15:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 15:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 15:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 15:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 15:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 15:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 15:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 15:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 15:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 15:52	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 15:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 15:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 15:52	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 15:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 15:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 15:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 15:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 15:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 15:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 15:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 15:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 15:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 15:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 15:52	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 15:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 15:52	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-405S-03052025 **Lab ID: 50395467005** Collected: 03/05/25 14:43 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 15:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 15:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 15:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 15:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 15:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 15:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 15:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 15:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 15:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 15:52	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 15:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 15:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 15:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 15:52	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 15:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 15:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 15:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 15:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 15:52	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 15:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 15:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 15:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 15:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 15:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 15:52	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 15:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 15:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		03/11/25 15:52	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/11/25 15:52	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 15:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-405D-03052025 **Lab ID: 50395467006** Collected: 03/05/25 14:37 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		03/11/25 15:05	67-64-1	
Acrolein	ND	ug/L	500	183	10		03/11/25 15:05	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		03/11/25 15:05	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		03/11/25 15:05	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		03/11/25 15:05	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		03/11/25 15:05	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		03/11/25 15:05	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		03/11/25 15:05	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		03/11/25 15:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		03/11/25 15:05	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		03/11/25 15:05	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		03/11/25 15:05	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		03/11/25 15:05	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		03/11/25 15:05	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		03/11/25 15:05	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		03/11/25 15:05	108-90-7	
Chloroethane	**2050**	ug/L	50.0	8.5	10		03/11/25 15:05	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		03/11/25 15:05	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		03/11/25 15:05	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		03/11/25 15:05	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		03/11/25 15:05	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		03/11/25 15:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		03/11/25 15:05	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		03/11/25 15:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		03/11/25 15:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		03/11/25 15:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		03/11/25 15:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		03/11/25 15:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		03/11/25 15:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	2.6	10		03/11/25 15:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		03/11/25 15:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	2.9	10		03/11/25 15:05	75-35-4	
cis-1,2-Dichloroethene	**233**	ug/L	50.0	2.7	10		03/11/25 15:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	3.6	10		03/11/25 15:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		03/11/25 15:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		03/11/25 15:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		03/11/25 15:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		03/11/25 15:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		03/11/25 15:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		03/11/25 15:05	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		03/11/25 15:05	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		03/11/25 15:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		03/11/25 15:05	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		03/11/25 15:05	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		03/11/25 15:05	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-405D-03052025 **Lab ID: 50395467006** Collected: 03/05/25 14:37 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	3.3	10		03/11/25 15:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		03/11/25 15:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		03/11/25 15:05	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		03/11/25 15:05	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		03/11/25 15:05	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		03/11/25 15:05	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		03/11/25 15:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		03/11/25 15:05	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		03/11/25 15:05	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		03/11/25 15:05	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		03/11/25 15:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		03/11/25 15:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		03/11/25 15:05	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		03/11/25 15:05	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		03/11/25 15:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		03/11/25 15:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/11/25 15:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.4	10		03/11/25 15:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		03/11/25 15:05	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.3	10		03/11/25 15:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		03/11/25 15:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		03/11/25 15:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		03/11/25 15:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		03/11/25 15:05	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		03/11/25 15:05	108-05-4	
Vinyl chloride	**1220**	ug/L	20.0	8.8	10		03/11/25 15:05	75-01-4	
Xylene (Total)	ND	ug/L	100	2.9	10		03/11/25 15:05	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%.	82-128		10		03/11/25 15:05	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		10		03/11/25 15:05	460-00-4	
Toluene-d8 (S)	92	%.	73-122		10		03/11/25 15:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-404-03052025 **Lab ID: 50395467007** Collected: 03/05/25 15:06 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	240	50		03/11/25 16:08	67-64-1	
Acrolein	ND	ug/L	2500	915	50		03/11/25 16:08	107-02-8	
Acrylonitrile	ND	ug/L	5000	73.5	50		03/11/25 16:08	107-13-1	
Benzene	ND	ug/L	250	14.1	50		03/11/25 16:08	71-43-2	
Bromobenzene	ND	ug/L	250	18.0	50		03/11/25 16:08	108-86-1	
Bromochloromethane	ND	ug/L	250	16.0	50		03/11/25 16:08	74-97-5	
Bromodichloromethane	ND	ug/L	250	10.8	50		03/11/25 16:08	75-27-4	
Bromoform	ND	ug/L	250	11.0	50		03/11/25 16:08	75-25-2	
Bromomethane	ND	ug/L	250	40.4	50		03/11/25 16:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	116	50		03/11/25 16:08	78-93-3	
n-Butylbenzene	ND	ug/L	250	15.0	50		03/11/25 16:08	104-51-8	
sec-Butylbenzene	ND	ug/L	250	12.2	50		03/11/25 16:08	135-98-8	
tert-Butylbenzene	ND	ug/L	250	15.7	50		03/11/25 16:08	98-06-6	
Carbon disulfide	ND	ug/L	500	32.2	50		03/11/25 16:08	75-15-0	
Carbon tetrachloride	ND	ug/L	250	16.8	50		03/11/25 16:08	56-23-5	
Chlorobenzene	ND	ug/L	250	10.4	50		03/11/25 16:08	108-90-7	
Chloroethane	**19200**	ug/L	1000	169	200		03/11/25 16:40	75-00-3	
Chloroform	ND	ug/L	250	16.6	50		03/11/25 16:08	67-66-3	
Chloromethane	ND	ug/L	250	72.5	50		03/11/25 16:08	74-87-3	
2-Chlorotoluene	ND	ug/L	250	9.4	50		03/11/25 16:08	95-49-8	
4-Chlorotoluene	ND	ug/L	250	12.8	50		03/11/25 16:08	106-43-4	
Dibromochloromethane	ND	ug/L	250	14.9	50		03/11/25 16:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	16.2	50		03/11/25 16:08	106-93-4	
Dibromomethane	ND	ug/L	250	10.2	50		03/11/25 16:08	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	12.6	50		03/11/25 16:08	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	15.6	50		03/11/25 16:08	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	5.8	50		03/11/25 16:08	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	25.9	50		03/11/25 16:08	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	44.1	50		03/11/25 16:08	75-71-8	
1,1-Dichloroethane	**52000**	ug/L	1000	52.0	200		03/11/25 16:40	75-34-3	
1,2-Dichloroethane	**513**	ug/L	250	10.4	50		03/11/25 16:08	107-06-2	
1,1-Dichloroethene	**525**	ug/L	250	14.6	50		03/11/25 16:08	75-35-4	
cis-1,2-Dichloroethene	**33900**	ug/L	1000	53.8	200		03/11/25 16:40	156-59-2	
trans-1,2-Dichloroethene	**2360**	ug/L	250	18.0	50		03/11/25 16:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	13.8	50		03/11/25 16:08	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	12.0	50		03/11/25 16:08	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	15.0	50		03/11/25 16:08	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	13.8	50		03/11/25 16:08	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	12.7	50		03/11/25 16:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	14.3	50		03/11/25 16:08	10061-02-6	
Ethylbenzene	ND	ug/L	250	23.2	50		03/11/25 16:08	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	23.2	50		03/11/25 16:08	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	16.5	50		03/11/25 16:08	87-68-3	
n-Hexane	ND	ug/L	250	10.8	50		03/11/25 16:08	110-54-3	
2-Hexanone	ND	ug/L	1250	125	50		03/11/25 16:08	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-404-03052025 **Lab ID: 50395467007** Collected: 03/05/25 15:06 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	500	16.6	50		03/11/25 16:08	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	14.8	50		03/11/25 16:08	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	15.4	50		03/11/25 16:08	99-87-6	
Methylene Chloride	ND	ug/L	250	97.5	50		03/11/25 16:08	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	16.2	50		03/11/25 16:08	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	22.1	50		03/11/25 16:08	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	72.0	50		03/11/25 16:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	12.2	50		03/11/25 16:08	1634-04-4	
Naphthalene	ND	ug/L	60.0	11.2	50		03/11/25 16:08	91-20-3	
n-Propylbenzene	ND	ug/L	250	10.4	50		03/11/25 16:08	103-65-1	
Styrene	ND	ug/L	250	11.8	50		03/11/25 16:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	13.1	50		03/11/25 16:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	20.4	50		03/11/25 16:08	79-34-5	
Tetrachloroethene	ND	ug/L	250	15.8	50		03/11/25 16:08	127-18-4	
Toluene	ND	ug/L	250	9.4	50		03/11/25 16:08	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	14.6	50		03/11/25 16:08	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	17.4	50		03/11/25 16:08	120-82-1	
1,1,1-Trichloroethane	**11600**	ug/L	1000	67.8	200		03/11/25 16:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	13.4	50		03/11/25 16:08	79-00-5	
Trichloroethene	ND	ug/L	250	11.4	50		03/11/25 16:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	44.5	50		03/11/25 16:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	26.5	50		03/11/25 16:08	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	9.9	50		03/11/25 16:08	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	15.7	50		03/11/25 16:08	108-67-8	
Vinyl acetate	ND	ug/L	2500	63.0	50		03/11/25 16:08	108-05-4	
Vinyl chloride	**14200**	ug/L	400	176	200		03/11/25 16:40	75-01-4	
Xylene (Total)	ND	ug/L	500	14.6	50		03/11/25 16:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		50		03/11/25 16:08	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		50		03/11/25 16:08	460-00-4	
Toluene-d8 (S)	91	%.	73-122		50		03/11/25 16:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-406S-03052025 **Lab ID: 50395467008** Collected: 03/05/25 16:03 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		03/11/25 17:11	67-64-1	
Acrolein	ND	ug/L	500	183	10		03/11/25 17:11	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		03/11/25 17:11	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		03/11/25 17:11	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		03/11/25 17:11	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		03/11/25 17:11	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		03/11/25 17:11	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		03/11/25 17:11	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		03/11/25 17:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		03/11/25 17:11	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		03/11/25 17:11	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		03/11/25 17:11	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		03/11/25 17:11	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		03/11/25 17:11	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		03/11/25 17:11	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		03/11/25 17:11	108-90-7	
Chloroethane	**1140**	ug/L	50.0	8.5	10		03/11/25 17:11	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		03/11/25 17:11	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		03/11/25 17:11	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		03/11/25 17:11	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		03/11/25 17:11	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		03/11/25 17:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		03/11/25 17:11	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		03/11/25 17:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		03/11/25 17:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		03/11/25 17:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		03/11/25 17:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		03/11/25 17:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		03/11/25 17:11	75-71-8	
1,1-Dichloroethane	**1880**	ug/L	50.0	2.6	10		03/11/25 17:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		03/11/25 17:11	107-06-2	
1,1-Dichloroethene	**80.6**	ug/L	50.0	2.9	10		03/11/25 17:11	75-35-4	
cis-1,2-Dichloroethene	**13000**	ug/L	500	26.9	100		03/11/25 17:43	156-59-2	
trans-1,2-Dichloroethene	**175**	ug/L	50.0	3.6	10		03/11/25 17:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		03/11/25 17:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		03/11/25 17:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		03/11/25 17:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		03/11/25 17:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		03/11/25 17:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		03/11/25 17:11	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		03/11/25 17:11	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		03/11/25 17:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		03/11/25 17:11	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		03/11/25 17:11	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		03/11/25 17:11	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-406S-03052025 **Lab ID: 50395467008** Collected: 03/05/25 16:03 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	3.3	10		03/11/25 17:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		03/11/25 17:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		03/11/25 17:11	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		03/11/25 17:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		03/11/25 17:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		03/11/25 17:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		03/11/25 17:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		03/11/25 17:11	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		03/11/25 17:11	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		03/11/25 17:11	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		03/11/25 17:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		03/11/25 17:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		03/11/25 17:11	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		03/11/25 17:11	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		03/11/25 17:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		03/11/25 17:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/11/25 17:11	120-82-1	
1,1,1-Trichloroethane	**233**	ug/L	50.0	3.4	10		03/11/25 17:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		03/11/25 17:11	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.3	10		03/11/25 17:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		03/11/25 17:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		03/11/25 17:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		03/11/25 17:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		03/11/25 17:11	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		03/11/25 17:11	108-05-4	
Vinyl chloride	**1530**	ug/L	20.0	8.8	10		03/11/25 17:11	75-01-4	
Xylene (Total)	ND	ug/L	100	2.9	10		03/11/25 17:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		10		03/11/25 17:11	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		10		03/11/25 17:11	460-00-4	
Toluene-d8 (S)	92	%.	73-122		10		03/11/25 17:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-406D-03052025 **Lab ID: 50395467009** Collected: 03/05/25 15:58 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	240	50		03/11/25 18:15	67-64-1	
Acrolein	ND	ug/L	2500	915	50		03/11/25 18:15	107-02-8	
Acrylonitrile	ND	ug/L	5000	73.5	50		03/11/25 18:15	107-13-1	
Benzene	ND	ug/L	250	14.1	50		03/11/25 18:15	71-43-2	
Bromobenzene	ND	ug/L	250	18.0	50		03/11/25 18:15	108-86-1	
Bromochloromethane	ND	ug/L	250	16.0	50		03/11/25 18:15	74-97-5	
Bromodichloromethane	ND	ug/L	250	10.8	50		03/11/25 18:15	75-27-4	
Bromoform	ND	ug/L	250	11.0	50		03/11/25 18:15	75-25-2	
Bromomethane	ND	ug/L	250	40.4	50		03/11/25 18:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	116	50		03/11/25 18:15	78-93-3	
n-Butylbenzene	ND	ug/L	250	15.0	50		03/11/25 18:15	104-51-8	
sec-Butylbenzene	ND	ug/L	250	12.2	50		03/11/25 18:15	135-98-8	
tert-Butylbenzene	ND	ug/L	250	15.7	50		03/11/25 18:15	98-06-6	
Carbon disulfide	ND	ug/L	500	32.2	50		03/11/25 18:15	75-15-0	
Carbon tetrachloride	ND	ug/L	250	16.8	50		03/11/25 18:15	56-23-5	
Chlorobenzene	ND	ug/L	250	10.4	50		03/11/25 18:15	108-90-7	
Chloroethane	ND	ug/L	250	42.3	50		03/11/25 18:15	75-00-3	
Chloroform	ND	ug/L	250	16.6	50		03/11/25 18:15	67-66-3	
Chloromethane	ND	ug/L	250	72.5	50		03/11/25 18:15	74-87-3	
2-Chlorotoluene	ND	ug/L	250	9.4	50		03/11/25 18:15	95-49-8	
4-Chlorotoluene	ND	ug/L	250	12.8	50		03/11/25 18:15	106-43-4	
Dibromochloromethane	ND	ug/L	250	14.9	50		03/11/25 18:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	16.2	50		03/11/25 18:15	106-93-4	
Dibromomethane	ND	ug/L	250	10.2	50		03/11/25 18:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	12.6	50		03/11/25 18:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	15.6	50		03/11/25 18:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	5.8	50		03/11/25 18:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	25.9	50		03/11/25 18:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	44.1	50		03/11/25 18:15	75-71-8	
1,1-Dichloroethane	**2350**	ug/L	250	13.0	50		03/11/25 18:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	10.4	50		03/11/25 18:15	107-06-2	
1,1-Dichloroethene	**622**	ug/L	250	14.6	50		03/11/25 18:15	75-35-4	
cis-1,2-Dichloroethene	**19800**	ug/L	2500	134	500		03/11/25 18:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	250	18.0	50		03/11/25 18:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	13.8	50		03/11/25 18:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	12.0	50		03/11/25 18:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	15.0	50		03/11/25 18:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	13.8	50		03/11/25 18:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	12.7	50		03/11/25 18:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	14.3	50		03/11/25 18:15	10061-02-6	
Ethylbenzene	ND	ug/L	250	23.2	50		03/11/25 18:15	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	23.2	50		03/11/25 18:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	16.5	50		03/11/25 18:15	87-68-3	
n-Hexane	ND	ug/L	250	10.8	50		03/11/25 18:15	110-54-3	
2-Hexanone	ND	ug/L	1250	125	50		03/11/25 18:15	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-406D-03052025 **Lab ID: 50395467009** Collected: 03/05/25 15:58 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	500	16.6	50		03/11/25 18:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	14.8	50		03/11/25 18:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	15.4	50		03/11/25 18:15	99-87-6	
Methylene Chloride	ND	ug/L	250	97.5	50		03/11/25 18:15	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	16.2	50		03/11/25 18:15	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	22.1	50		03/11/25 18:15	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	72.0	50		03/11/25 18:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	12.2	50		03/11/25 18:15	1634-04-4	
Naphthalene	ND	ug/L	60.0	11.2	50		03/11/25 18:15	91-20-3	
n-Propylbenzene	ND	ug/L	250	10.4	50		03/11/25 18:15	103-65-1	
Styrene	ND	ug/L	250	11.8	50		03/11/25 18:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	13.1	50		03/11/25 18:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	20.4	50		03/11/25 18:15	79-34-5	
Tetrachloroethene	ND	ug/L	250	15.8	50		03/11/25 18:15	127-18-4	
Toluene	ND	ug/L	250	9.4	50		03/11/25 18:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	14.6	50		03/11/25 18:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	17.4	50		03/11/25 18:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	250	17.0	50		03/11/25 18:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	13.4	50		03/11/25 18:15	79-00-5	
Trichloroethene	ND	ug/L	250	11.4	50		03/11/25 18:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	44.5	50		03/11/25 18:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	26.5	50		03/11/25 18:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	9.9	50		03/11/25 18:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	15.7	50		03/11/25 18:15	108-67-8	
Vinyl acetate	ND	ug/L	2500	63.0	50		03/11/25 18:15	108-05-4	
Vinyl chloride	**2090**	ug/L	100	44.1	50		03/11/25 18:15	75-01-4	
Xylene (Total)	ND	ug/L	500	14.6	50		03/11/25 18:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		50		03/11/25 18:15	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		50		03/11/25 18:15	460-00-4	
Toluene-d8 (S)	94	%.	73-122		50		03/11/25 18:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-424S-03052025 **Lab ID: 50395467010** Collected: 03/05/25 15:20 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		03/11/25 19:50	67-64-1	
Acrolein	ND	ug/L	500	183	10		03/11/25 19:50	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		03/11/25 19:50	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		03/11/25 19:50	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		03/11/25 19:50	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		03/11/25 19:50	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		03/11/25 19:50	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		03/11/25 19:50	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		03/11/25 19:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		03/11/25 19:50	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		03/11/25 19:50	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		03/11/25 19:50	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		03/11/25 19:50	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		03/11/25 19:50	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		03/11/25 19:50	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		03/11/25 19:50	108-90-7	
Chloroethane	**9850**	ug/L	500	84.6	100		03/12/25 14:30	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		03/11/25 19:50	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		03/11/25 19:50	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		03/11/25 19:50	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		03/11/25 19:50	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		03/11/25 19:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		03/11/25 19:50	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		03/11/25 19:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		03/11/25 19:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		03/11/25 19:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		03/11/25 19:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		03/11/25 19:50	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		03/11/25 19:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	2.6	10		03/11/25 19:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		03/11/25 19:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	2.9	10		03/11/25 19:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	50.0	2.7	10		03/11/25 19:50	156-59-2	
trans-1,2-Dichloroethene	**67.8**	ug/L	50.0	3.6	10		03/11/25 19:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		03/11/25 19:50	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		03/11/25 19:50	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		03/11/25 19:50	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		03/11/25 19:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		03/11/25 19:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		03/11/25 19:50	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		03/11/25 19:50	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		03/11/25 19:50	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		03/11/25 19:50	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		03/11/25 19:50	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		03/11/25 19:50	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-424S-03052025 **Lab ID: 50395467010** Collected: 03/05/25 15:20 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	3.3	10		03/11/25 19:50	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		03/11/25 19:50	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		03/11/25 19:50	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		03/11/25 19:50	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		03/11/25 19:50	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		03/11/25 19:50	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		03/11/25 19:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		03/11/25 19:50	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		03/11/25 19:50	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		03/11/25 19:50	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		03/11/25 19:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		03/11/25 19:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		03/11/25 19:50	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		03/11/25 19:50	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		03/11/25 19:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		03/11/25 19:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/11/25 19:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.4	10		03/11/25 19:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		03/11/25 19:50	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.3	10		03/11/25 19:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		03/11/25 19:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		03/11/25 19:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		03/11/25 19:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		03/11/25 19:50	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		03/11/25 19:50	108-05-4	
Vinyl chloride	**23.2**	ug/L	20.0	8.8	10		03/11/25 19:50	75-01-4	
Xylene (Total)	ND	ug/L	100	2.9	10		03/11/25 19:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		10		03/11/25 19:50	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		10		03/11/25 19:50	460-00-4	
Toluene-d8 (S)	95	%.	73-122		10		03/11/25 19:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-424D-03052025 **Lab ID: 50395467011** Collected: 03/05/25 15:25 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/13/25 15:49	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/13/25 15:49	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/13/25 15:49	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/13/25 15:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/13/25 15:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/13/25 15:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/13/25 15:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/13/25 15:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/13/25 15:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/13/25 15:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/13/25 15:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/13/25 15:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/13/25 15:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/13/25 15:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/13/25 15:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/13/25 15:49	108-90-7	
Chloroethane	**729**	ug/L	50.0	4.1	10		03/14/25 15:04	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/13/25 15:49	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/13/25 15:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/13/25 15:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/13/25 15:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/13/25 15:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/13/25 15:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/13/25 15:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/13/25 15:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/13/25 15:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/13/25 15:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/13/25 15:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/13/25 15:49	75-71-8	
1,1-Dichloroethane	**108**	ug/L	5.0	0.48	1		03/13/25 15:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/13/25 15:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/13/25 15:49	75-35-4	
cis-1,2-Dichloroethene	**5.0**	ug/L	5.0	0.51	1		03/13/25 15:49	156-59-2	
trans-1,2-Dichloroethene	**10.3**	ug/L	5.0	0.43	1		03/13/25 15:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/13/25 15:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/13/25 15:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/13/25 15:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/13/25 15:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/13/25 15:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/13/25 15:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/13/25 15:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/13/25 15:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/13/25 15:49	87-68-3	
n-Hexane	**5.9**	ug/L	5.0	0.70	1		03/13/25 15:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/13/25 15:49	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-424D-03052025 **Lab ID: 50395467011** Collected: 03/05/25 15:25 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/13/25 15:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/13/25 15:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/13/25 15:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/13/25 15:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/13/25 15:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/13/25 15:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/13/25 15:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/13/25 15:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/13/25 15:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/13/25 15:49	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/13/25 15:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/13/25 15:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/13/25 15:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/13/25 15:49	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/13/25 15:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/13/25 15:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/13/25 15:49	120-82-1	
1,1,1-Trichloroethane	**33.0**	ug/L	5.0	0.42	1		03/13/25 15:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/13/25 15:49	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/13/25 15:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/13/25 15:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/13/25 15:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/13/25 15:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/13/25 15:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/13/25 15:49	108-05-4	
Vinyl chloride	**261**	ug/L	2.0	0.45	1		03/13/25 15:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/13/25 15:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		03/13/25 15:49	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		03/13/25 15:49	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		03/13/25 15:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-419S-03052025 **Lab ID: 50395467012** Collected: 03/05/25 16:25 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 16:24	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 16:24	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 16:24	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 16:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 16:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 16:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 16:24	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 16:24	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 16:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 16:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 16:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 16:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 16:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 16:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 16:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 16:24	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 16:24	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 16:24	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 16:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 16:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 16:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 16:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 16:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 16:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 16:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 16:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 16:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 16:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 16:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 16:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 16:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 16:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 16:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 16:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 16:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 16:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 16:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 16:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 16:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 16:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 16:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 16:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 16:24	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 16:24	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 16:24	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-419S-03052025 **Lab ID: 50395467012** Collected: 03/05/25 16:25 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 16:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 16:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 16:24	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 16:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 16:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 16:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 16:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 16:24	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 16:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 16:24	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 16:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 16:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 16:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 16:24	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 16:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 16:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 16:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 16:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 16:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 16:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 16:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 16:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 16:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 16:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 16:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 16:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 16:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		03/11/25 16:24	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		03/11/25 16:24	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 16:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-419D-03052025 **Lab ID: 50395467013** Collected: 03/05/25 16:14 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 16:55	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 16:55	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 16:55	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 16:55	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 16:55	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 16:55	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 16:55	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 16:55	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 16:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 16:55	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 16:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 16:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 16:55	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 16:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 16:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 16:55	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 16:55	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 16:55	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 16:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 16:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 16:55	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 16:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 16:55	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 16:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 16:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 16:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 16:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 16:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 16:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 16:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 16:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 16:55	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 16:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 16:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 16:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 16:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 16:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 16:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 16:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 16:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 16:55	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 16:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 16:55	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 16:55	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 16:55	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-419D-03052025 **Lab ID: 50395467013** Collected: 03/05/25 16:14 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 16:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 16:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 16:55	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 16:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 16:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 16:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 16:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 16:55	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 16:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 16:55	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 16:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 16:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 16:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 16:55	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 16:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 16:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 16:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 16:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 16:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 16:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 16:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 16:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 16:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 16:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 16:55	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 16:55	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 16:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		03/11/25 16:55	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		03/11/25 16:55	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 16:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: W-2-03052025 **Lab ID: 50395467014** Collected: 03/05/25 16:45 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	**343**	ug/L	100	4.8	1		03/13/25 15:33	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/13/25 15:33	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/13/25 15:33	107-13-1	
Benzene	**10.4**	ug/L	5.0	0.28	1		03/13/25 15:33	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/13/25 15:33	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/13/25 15:33	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/13/25 15:33	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/13/25 15:33	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/13/25 15:33	74-83-9	
2-Butanone (MEK)	**452**	ug/L	25.0	2.3	1		03/13/25 15:33	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/13/25 15:33	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/13/25 15:33	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/13/25 15:33	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/13/25 15:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/13/25 15:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/13/25 15:33	108-90-7	
Chloroethane	**981**	ug/L	50.0	8.5	10		03/12/25 16:36	75-00-3	M1
Chloroform	ND	ug/L	5.0	0.33	1		03/13/25 15:33	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/13/25 15:33	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/13/25 15:33	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/13/25 15:33	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/13/25 15:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/13/25 15:33	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/13/25 15:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/13/25 15:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/13/25 15:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/13/25 15:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/13/25 15:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/13/25 15:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/13/25 15:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/13/25 15:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/13/25 15:33	75-35-4	
cis-1,2-Dichloroethene	**52.7**	ug/L	5.0	0.27	1		03/13/25 15:33	156-59-2	
trans-1,2-Dichloroethene	**24.4**	ug/L	5.0	0.36	1		03/13/25 15:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/13/25 15:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/13/25 15:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/13/25 15:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/13/25 15:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/13/25 15:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/13/25 15:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/13/25 15:33	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/13/25 15:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/13/25 15:33	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/13/25 15:33	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/13/25 15:33	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: W-2-03052025 **Lab ID: 50395467014** Collected: 03/05/25 16:45 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/13/25 15:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/13/25 15:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/13/25 15:33	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/13/25 15:33	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/13/25 15:33	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/13/25 15:33	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/13/25 15:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/13/25 15:33	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/13/25 15:33	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/13/25 15:33	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/13/25 15:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/13/25 15:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/13/25 15:33	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/13/25 15:33	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/13/25 15:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/13/25 15:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/13/25 15:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/13/25 15:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/13/25 15:33	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/13/25 15:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/13/25 15:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/13/25 15:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/13/25 15:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/13/25 15:33	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/13/25 15:33	108-05-4	
Vinyl chloride	**106**	ug/L	2.0	0.88	1		03/13/25 15:33	75-01-4	M1
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/13/25 15:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		03/13/25 15:33	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/13/25 15:33	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		03/13/25 15:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: W-8-03062025 **Lab ID: 50395467015** Collected: 03/06/25 10:20 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	ND	ug/L	10.0	2.8	1		03/12/25 06:06	74-82-8	
Ethane	ND	ug/L	10.0	1.3	1		03/12/25 06:06	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		03/12/25 06:06	74-85-1	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/11/25 20:21	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/11/25 20:21	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/11/25 20:21	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/11/25 20:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/11/25 20:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/11/25 20:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/11/25 20:21	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/11/25 20:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/11/25 20:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/11/25 20:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/11/25 20:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/11/25 20:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/11/25 20:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/11/25 20:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/11/25 20:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/11/25 20:21	108-90-7	
Chloroethane	ND	ug/L	5.0	0.85	1		03/11/25 20:21	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/11/25 20:21	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/11/25 20:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/11/25 20:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/11/25 20:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/11/25 20:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/11/25 20:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/11/25 20:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/11/25 20:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/11/25 20:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/11/25 20:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/11/25 20:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/11/25 20:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/11/25 20:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/11/25 20:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/11/25 20:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.27	1		03/11/25 20:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		03/11/25 20:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/11/25 20:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/11/25 20:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 20:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/11/25 20:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/11/25 20:21	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: W-8-03062025 **Lab ID: 50395467015** Collected: 03/06/25 10:20 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/11/25 20:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/11/25 20:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/11/25 20:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/11/25 20:21	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/11/25 20:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/11/25 20:21	591-78-6	
Iodomethane	ND	ug/L	10.0	0.33	1		03/11/25 20:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/11/25 20:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/11/25 20:21	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/11/25 20:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/11/25 20:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/11/25 20:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/11/25 20:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/11/25 20:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/11/25 20:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/11/25 20:21	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/11/25 20:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/11/25 20:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/11/25 20:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/11/25 20:21	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/11/25 20:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/11/25 20:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 20:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/11/25 20:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/11/25 20:21	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/11/25 20:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/11/25 20:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/11/25 20:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/11/25 20:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/11/25 20:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/11/25 20:21	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.88	1		03/11/25 20:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/11/25 20:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		1		03/11/25 20:21	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		03/11/25 20:21	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 20:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-253-03062025 **Lab ID: 50395467016** Collected: 03/06/25 08:35 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		03/12/25 17:08	67-64-1	
Acrolein	ND	ug/L	500	183	10		03/12/25 17:08	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		03/12/25 17:08	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		03/12/25 17:08	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		03/12/25 17:08	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		03/12/25 17:08	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		03/12/25 17:08	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		03/12/25 17:08	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		03/12/25 17:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		03/12/25 17:08	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		03/12/25 17:08	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		03/12/25 17:08	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		03/12/25 17:08	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		03/12/25 17:08	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		03/12/25 17:08	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		03/12/25 17:08	108-90-7	
Chloroethane	**609**	ug/L	50.0	8.5	10		03/12/25 17:08	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		03/12/25 17:08	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		03/12/25 17:08	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		03/12/25 17:08	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		03/12/25 17:08	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		03/12/25 17:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		03/12/25 17:08	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		03/12/25 17:08	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		03/12/25 17:08	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		03/12/25 17:08	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		03/12/25 17:08	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		03/12/25 17:08	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		03/12/25 17:08	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	2.6	10		03/12/25 17:08	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		03/12/25 17:08	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	2.9	10		03/12/25 17:08	75-35-4	
cis-1,2-Dichloroethene	**16200**	ug/L	500	26.9	100		03/12/25 17:39	156-59-2	
trans-1,2-Dichloroethene	**159**	ug/L	50.0	3.6	10		03/12/25 17:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		03/12/25 17:08	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		03/12/25 17:08	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		03/12/25 17:08	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		03/12/25 17:08	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		03/12/25 17:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		03/12/25 17:08	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		03/12/25 17:08	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		03/12/25 17:08	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		03/12/25 17:08	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		03/12/25 17:08	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		03/12/25 17:08	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-253-03062025 **Lab ID: 50395467016** Collected: 03/06/25 08:35 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	3.3	10		03/12/25 17:08	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		03/12/25 17:08	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		03/12/25 17:08	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		03/12/25 17:08	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		03/12/25 17:08	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		03/12/25 17:08	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		03/12/25 17:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		03/12/25 17:08	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		03/12/25 17:08	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		03/12/25 17:08	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		03/12/25 17:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		03/12/25 17:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		03/12/25 17:08	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		03/12/25 17:08	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		03/12/25 17:08	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		03/12/25 17:08	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/12/25 17:08	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.4	10		03/12/25 17:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		03/12/25 17:08	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.3	10		03/12/25 17:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		03/12/25 17:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		03/12/25 17:08	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		03/12/25 17:08	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		03/12/25 17:08	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		03/12/25 17:08	108-05-4	
Vinyl chloride	**2530**	ug/L	20.0	8.8	10		03/12/25 17:08	75-01-4	
Xylene (Total)	ND	ug/L	100	2.9	10		03/12/25 17:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		10		03/12/25 17:08	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		10		03/12/25 17:08	460-00-4	
Toluene-d8 (S)	90	%.	73-122		10		03/12/25 17:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-251-03062025 **Lab ID: 50395467017** Collected: 03/06/25 08:24 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 17:27	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 17:27	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 17:27	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 17:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 17:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 17:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 17:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 17:27	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 17:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 17:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 17:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 17:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 17:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 17:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 17:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 17:27	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 17:27	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 17:27	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 17:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 17:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 17:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 17:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 17:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 17:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 17:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 17:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 17:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 17:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 17:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 17:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 17:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 17:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 17:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 17:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 17:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 17:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 17:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 17:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 17:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 17:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 17:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 17:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 17:27	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 17:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 17:27	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-251-03062025 **Lab ID: 50395467017** Collected: 03/06/25 08:24 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 17:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 17:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 17:27	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 17:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 17:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 17:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 17:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 17:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 17:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 17:27	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 17:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 17:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 17:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 17:27	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 17:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 17:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 17:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 17:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 17:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 17:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 17:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 17:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 17:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 17:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 17:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 17:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 17:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		03/11/25 17:27	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		03/11/25 17:27	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		03/11/25 17:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: W-10-03062025 **Lab ID: 50395467018** Collected: 03/06/25 08:47 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 17:59	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 17:59	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 17:59	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 17:59	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 17:59	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 17:59	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 17:59	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 17:59	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 17:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 17:59	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 17:59	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 17:59	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 17:59	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 17:59	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 17:59	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 17:59	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 17:59	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 17:59	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 17:59	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 17:59	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 17:59	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 17:59	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 17:59	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 17:59	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 17:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 17:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 17:59	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 17:59	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 17:59	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 17:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 17:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 17:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 17:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 17:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 17:59	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 17:59	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 17:59	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 17:59	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 17:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 17:59	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 17:59	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 17:59	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 17:59	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 17:59	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 17:59	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: W-10-03062025 **Lab ID: 50395467018** Collected: 03/06/25 08:47 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 17:59	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 17:59	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 17:59	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 17:59	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 17:59	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 17:59	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 17:59	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 17:59	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 17:59	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 17:59	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 17:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 17:59	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 17:59	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 17:59	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 17:59	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 17:59	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 17:59	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 17:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 17:59	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 17:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 17:59	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 17:59	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 17:59	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 17:59	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 17:59	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 17:59	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 17:59	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		03/11/25 17:59	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		03/11/25 17:59	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		03/11/25 17:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-153-03062025 **Lab ID: 50395467019** Collected: 03/06/25 09:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 18:30	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 18:30	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 18:30	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 18:30	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 18:30	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 18:30	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 18:30	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 18:30	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 18:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 18:30	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 18:30	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 18:30	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 18:30	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 18:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 18:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 18:30	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 18:30	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 18:30	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 18:30	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 18:30	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 18:30	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 18:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 18:30	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 18:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 18:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 18:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 18:30	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 18:30	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 18:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 18:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 18:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 18:30	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 18:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 18:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 18:30	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 18:30	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 18:30	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 18:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 18:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 18:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 18:30	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 18:30	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 18:30	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 18:30	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 18:30	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-153-03062025 **Lab ID: 50395467019** Collected: 03/06/25 09:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 18:30	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 18:30	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 18:30	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 18:30	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 18:30	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 18:30	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 18:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 18:30	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 18:30	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 18:30	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 18:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 18:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 18:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 18:30	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 18:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 18:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 18:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 18:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 18:30	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 18:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 18:30	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 18:30	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 18:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 18:30	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 18:30	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 18:30	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 18:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		03/11/25 18:30	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		03/11/25 18:30	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/11/25 18:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-163-03062025 **Lab ID: 50395467020** Collected: 03/06/25 09:31 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		03/12/25 18:11	67-64-1	
Acrolein	ND	ug/L	500	183	10		03/12/25 18:11	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		03/12/25 18:11	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		03/12/25 18:11	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		03/12/25 18:11	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		03/12/25 18:11	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		03/12/25 18:11	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		03/12/25 18:11	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		03/12/25 18:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		03/12/25 18:11	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		03/12/25 18:11	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		03/12/25 18:11	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		03/12/25 18:11	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		03/12/25 18:11	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		03/12/25 18:11	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		03/12/25 18:11	108-90-7	
Chloroethane	ND	ug/L	50.0	8.5	10		03/12/25 18:11	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		03/12/25 18:11	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		03/12/25 18:11	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		03/12/25 18:11	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		03/12/25 18:11	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		03/12/25 18:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		03/12/25 18:11	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		03/12/25 18:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		03/12/25 18:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		03/12/25 18:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		03/12/25 18:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		03/12/25 18:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		03/12/25 18:11	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	2.6	10		03/12/25 18:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		03/12/25 18:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	2.9	10		03/12/25 18:11	75-35-4	
cis-1,2-Dichloroethene	**6470**	ug/L	500	26.9	100		03/12/25 18:42	156-59-2	
trans-1,2-Dichloroethene	**51.5**	ug/L	50.0	3.6	10		03/12/25 18:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		03/12/25 18:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		03/12/25 18:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		03/12/25 18:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		03/12/25 18:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		03/12/25 18:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		03/12/25 18:11	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		03/12/25 18:11	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		03/12/25 18:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		03/12/25 18:11	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		03/12/25 18:11	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		03/12/25 18:11	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-163-03062025 **Lab ID: 50395467020** Collected: 03/06/25 09:31 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	3.3	10		03/12/25 18:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		03/12/25 18:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		03/12/25 18:11	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		03/12/25 18:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		03/12/25 18:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		03/12/25 18:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		03/12/25 18:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		03/12/25 18:11	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		03/12/25 18:11	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		03/12/25 18:11	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		03/12/25 18:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		03/12/25 18:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		03/12/25 18:11	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		03/12/25 18:11	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		03/12/25 18:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		03/12/25 18:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/12/25 18:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.4	10		03/12/25 18:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		03/12/25 18:11	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.3	10		03/12/25 18:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		03/12/25 18:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		03/12/25 18:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		03/12/25 18:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		03/12/25 18:11	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		03/12/25 18:11	108-05-4	
Vinyl chloride	**2030**	ug/L	20.0	8.8	10		03/12/25 18:11	75-01-4	
Xylene (Total)	ND	ug/L	100	2.9	10		03/12/25 18:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		10		03/12/25 18:11	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		10		03/12/25 18:11	460-00-4	
Toluene-d8 (S)	92	%.	73-122		10		03/12/25 18:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-312-03062025 **Lab ID: 50395467021** Collected: 03/06/25 09:46 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 19:02	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 19:02	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 19:02	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 19:02	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 19:02	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 19:02	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 19:02	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 19:02	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 19:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 19:02	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 19:02	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 19:02	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 19:02	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 19:02	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 19:02	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 19:02	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 19:02	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 19:02	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 19:02	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 19:02	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 19:02	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 19:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 19:02	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 19:02	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 19:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 19:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 19:02	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 19:02	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 19:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 19:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 19:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 19:02	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 19:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 19:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 19:02	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 19:02	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 19:02	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 19:02	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 19:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 19:02	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 19:02	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 19:02	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 19:02	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 19:02	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 19:02	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-312-03062025 **Lab ID: 50395467021** Collected: 03/06/25 09:46 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 19:02	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 19:02	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 19:02	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 19:02	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 19:02	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 19:02	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 19:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 19:02	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 19:02	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 19:02	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 19:02	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 19:02	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 19:02	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 19:02	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 19:02	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 19:02	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 19:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 19:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 19:02	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 19:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 19:02	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 19:02	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 19:02	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 19:02	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 19:02	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 19:02	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 19:02	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		03/11/25 19:02	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		03/11/25 19:02	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		03/11/25 19:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-132-03062025 **Lab ID: 50395467022** Collected: 03/06/25 10:12 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/12/25 19:14	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/12/25 19:14	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/12/25 19:14	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/12/25 19:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/12/25 19:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/12/25 19:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/12/25 19:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/12/25 19:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/12/25 19:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/12/25 19:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/12/25 19:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/12/25 19:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/12/25 19:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/12/25 19:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/12/25 19:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/12/25 19:14	108-90-7	
Chloroethane	ND	ug/L	5.0	0.85	1		03/12/25 19:14	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/12/25 19:14	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/12/25 19:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/12/25 19:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/12/25 19:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/12/25 19:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/12/25 19:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/12/25 19:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/12/25 19:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/12/25 19:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/12/25 19:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/12/25 19:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/12/25 19:14	75-71-8	
1,1-Dichloroethane	**43.7**	ug/L	5.0	0.26	1		03/12/25 19:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/12/25 19:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/12/25 19:14	75-35-4	
cis-1,2-Dichloroethene	**435**	ug/L	50.0	2.7	10		03/12/25 19:46	156-59-2	
trans-1,2-Dichloroethene	**32.2**	ug/L	5.0	0.36	1		03/12/25 19:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/12/25 19:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/12/25 19:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/12/25 19:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/12/25 19:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/12/25 19:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/12/25 19:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/12/25 19:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/12/25 19:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/12/25 19:14	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/12/25 19:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/12/25 19:14	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-132-03062025 **Lab ID: 50395467022** Collected: 03/06/25 10:12 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/12/25 19:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/12/25 19:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/12/25 19:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/12/25 19:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/12/25 19:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/12/25 19:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/12/25 19:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/12/25 19:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/12/25 19:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/12/25 19:14	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/12/25 19:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/12/25 19:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/12/25 19:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/12/25 19:14	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/12/25 19:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/12/25 19:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/12/25 19:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/12/25 19:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/12/25 19:14	79-00-5	
Trichloroethene	**514**	ug/L	50.0	2.3	10		03/12/25 19:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/12/25 19:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/12/25 19:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/12/25 19:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/12/25 19:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/12/25 19:14	108-05-4	
Vinyl chloride	**179**	ug/L	2.0	0.88	1		03/12/25 19:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/12/25 19:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		03/12/25 19:14	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		03/12/25 19:14	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/12/25 19:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-133-03062025 **Lab ID: 50395467023** Collected: 03/06/25 10:22 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		03/12/25 20:17	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		03/12/25 20:17	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		03/12/25 20:17	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		03/12/25 20:17	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		03/12/25 20:17	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		03/12/25 20:17	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		03/12/25 20:17	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		03/12/25 20:17	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		03/12/25 20:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		03/12/25 20:17	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		03/12/25 20:17	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		03/12/25 20:17	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		03/12/25 20:17	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		03/12/25 20:17	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		03/12/25 20:17	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		03/12/25 20:17	108-90-7	
Chloroethane	ND	ug/L	5.0	0.85	1		03/12/25 20:17	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		03/12/25 20:17	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		03/12/25 20:17	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		03/12/25 20:17	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		03/12/25 20:17	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		03/12/25 20:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		03/12/25 20:17	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		03/12/25 20:17	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		03/12/25 20:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		03/12/25 20:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		03/12/25 20:17	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		03/12/25 20:17	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		03/12/25 20:17	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		03/12/25 20:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		03/12/25 20:17	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		03/12/25 20:17	75-35-4	
cis-1,2-Dichloroethene	**809**	ug/L	50.0	2.7	10		03/12/25 20:49	156-59-2	
trans-1,2-Dichloroethene	**19.6**	ug/L	5.0	0.36	1		03/12/25 20:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		03/12/25 20:17	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		03/12/25 20:17	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/12/25 20:17	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		03/12/25 20:17	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		03/12/25 20:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		03/12/25 20:17	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		03/12/25 20:17	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		03/12/25 20:17	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		03/12/25 20:17	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		03/12/25 20:17	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		03/12/25 20:17	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-133-03062025 **Lab ID: 50395467023** Collected: 03/06/25 10:22 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		03/12/25 20:17	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		03/12/25 20:17	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		03/12/25 20:17	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		03/12/25 20:17	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		03/12/25 20:17	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		03/12/25 20:17	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		03/12/25 20:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		03/12/25 20:17	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		03/12/25 20:17	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		03/12/25 20:17	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		03/12/25 20:17	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		03/12/25 20:17	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		03/12/25 20:17	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		03/12/25 20:17	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		03/12/25 20:17	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		03/12/25 20:17	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/12/25 20:17	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		03/12/25 20:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		03/12/25 20:17	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		03/12/25 20:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		03/12/25 20:17	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		03/12/25 20:17	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		03/12/25 20:17	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		03/12/25 20:17	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		03/12/25 20:17	108-05-4	
Vinyl chloride	**465**	ug/L	20.0	8.8	10		03/12/25 20:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		03/12/25 20:17	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		03/12/25 20:17	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/12/25 20:17	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/12/25 20:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-131-03062025 **Lab ID: 50395467024** Collected: 03/06/25 10:27 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 19:34	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 19:34	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 19:34	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 19:34	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 19:34	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 19:34	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 19:34	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 19:34	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 19:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 19:34	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 19:34	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 19:34	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 19:34	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 19:34	75-15-0	
Carbon tetrachloride	**6.7**	ug/L	5.0	0.42	1		03/11/25 19:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 19:34	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 19:34	75-00-3	
Chloroform	**9.1**	ug/L	5.0	0.38	1		03/11/25 19:34	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 19:34	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 19:34	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 19:34	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 19:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 19:34	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 19:34	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 19:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 19:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 19:34	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 19:34	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 19:34	75-71-8	
1,1-Dichloroethane	**19.7**	ug/L	5.0	0.48	1		03/11/25 19:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 19:34	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 19:34	75-35-4	
cis-1,2-Dichloroethene	**8.6**	ug/L	5.0	0.51	1		03/11/25 19:34	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 19:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 19:34	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 19:34	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 19:34	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 19:34	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 19:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 19:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 19:34	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 19:34	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 19:34	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 19:34	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 19:34	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-131-03062025 **Lab ID: 50395467024** Collected: 03/06/25 10:27 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 19:34	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 19:34	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 19:34	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 19:34	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 19:34	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 19:34	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 19:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 19:34	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 19:34	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 19:34	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 19:34	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 19:34	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 19:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 19:34	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 19:34	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 19:34	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 19:34	120-82-1	
1,1,1-Trichloroethane	**171**	ug/L	5.0	0.42	1		03/11/25 19:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 19:34	79-00-5	
Trichloroethene	**44.9**	ug/L	5.0	0.39	1		03/11/25 19:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 19:34	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 19:34	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 19:34	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 19:34	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 19:34	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 19:34	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 19:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	118	%.	82-128		1		03/11/25 19:34	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		03/11/25 19:34	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 19:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-41-03062025 **Lab ID: 50395467025** Collected: 03/06/25 11:01 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/11/25 20:05	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/11/25 20:05	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/11/25 20:05	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/11/25 20:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/11/25 20:05	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/11/25 20:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/11/25 20:05	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/11/25 20:05	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/11/25 20:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/11/25 20:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/11/25 20:05	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/11/25 20:05	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 20:05	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/11/25 20:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/11/25 20:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/11/25 20:05	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/11/25 20:05	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/11/25 20:05	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/11/25 20:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/11/25 20:05	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/11/25 20:05	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/11/25 20:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/11/25 20:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/11/25 20:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 20:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/11/25 20:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/11/25 20:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/11/25 20:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/11/25 20:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/11/25 20:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/11/25 20:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/11/25 20:05	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/11/25 20:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/11/25 20:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/11/25 20:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/11/25 20:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/11/25 20:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/11/25 20:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/11/25 20:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/11/25 20:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/11/25 20:05	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/11/25 20:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/11/25 20:05	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/11/25 20:05	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/11/25 20:05	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-41-03062025 **Lab ID: 50395467025** Collected: 03/06/25 11:01 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/11/25 20:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/11/25 20:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/11/25 20:05	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/11/25 20:05	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/11/25 20:05	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/11/25 20:05	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/11/25 20:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/11/25 20:05	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/11/25 20:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/11/25 20:05	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/11/25 20:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/11/25 20:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/11/25 20:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/11/25 20:05	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/11/25 20:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/11/25 20:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/11/25 20:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/11/25 20:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/11/25 20:05	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/11/25 20:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/11/25 20:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/11/25 20:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/11/25 20:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/11/25 20:05	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/11/25 20:05	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/11/25 20:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/11/25 20:05	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		03/11/25 20:05	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		03/11/25 20:05	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/11/25 20:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-123-03062025 **Lab ID: 50395467026** Collected: 03/06/25 11:12 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/12/25 12:39	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/12/25 12:39	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/12/25 12:39	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/12/25 12:39	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/12/25 12:39	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/12/25 12:39	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/12/25 12:39	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/12/25 12:39	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/12/25 12:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/12/25 12:39	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/12/25 12:39	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/12/25 12:39	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/12/25 12:39	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/12/25 12:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/12/25 12:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/12/25 12:39	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/12/25 12:39	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/12/25 12:39	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/12/25 12:39	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/12/25 12:39	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/12/25 12:39	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/12/25 12:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/12/25 12:39	106-93-4	L2
Dibromomethane	ND	ug/L	5.0	0.32	1		03/12/25 12:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/12/25 12:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/12/25 12:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/12/25 12:39	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/12/25 12:39	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/12/25 12:39	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/12/25 12:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/12/25 12:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/12/25 12:39	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/12/25 12:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/12/25 12:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/12/25 12:39	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/12/25 12:39	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/12/25 12:39	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/12/25 12:39	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/12/25 12:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/12/25 12:39	10061-02-6	L2
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/12/25 12:39	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/12/25 12:39	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/12/25 12:39	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/12/25 12:39	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/12/25 12:39	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-123-03062025 **Lab ID: 50395467026** Collected: 03/06/25 11:12 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/12/25 12:39	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/12/25 12:39	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/12/25 12:39	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/12/25 12:39	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/12/25 12:39	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/12/25 12:39	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/12/25 12:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/12/25 12:39	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/12/25 12:39	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/12/25 12:39	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/12/25 12:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/12/25 12:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/12/25 12:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/12/25 12:39	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/12/25 12:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/12/25 12:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/12/25 12:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/12/25 12:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/12/25 12:39	79-00-5	L2
Trichloroethene	ND	ug/L	5.0	0.39	1		03/12/25 12:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/12/25 12:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/12/25 12:39	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/12/25 12:39	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/12/25 12:39	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/12/25 12:39	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/12/25 12:39	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/12/25 12:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		03/12/25 12:39	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		03/12/25 12:39	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/12/25 12:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-303-03062025 **Lab ID: 50395467027** Collected: 03/06/25 11:28 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/14/25 14:01	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/14/25 14:01	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/14/25 14:01	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/14/25 14:01	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/14/25 14:01	108-86-1	L1
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/14/25 14:01	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/14/25 14:01	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/14/25 14:01	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/14/25 14:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/14/25 14:01	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/14/25 14:01	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/14/25 14:01	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 14:01	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/14/25 14:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/14/25 14:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/14/25 14:01	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/14/25 14:01	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/14/25 14:01	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/14/25 14:01	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/14/25 14:01	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/14/25 14:01	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/14/25 14:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/14/25 14:01	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/14/25 14:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 14:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 14:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/14/25 14:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/14/25 14:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/14/25 14:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/14/25 14:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/14/25 14:01	107-06-2	
1,1-Dichloroethene	**6.3**	ug/L	5.0	0.46	1		03/14/25 14:01	75-35-4	
cis-1,2-Dichloroethene	**1450**	ug/L	50.0	5.1	10		03/14/25 14:32	156-59-2	
trans-1,2-Dichloroethene	**9.3**	ug/L	5.0	0.43	1		03/14/25 14:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/14/25 14:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/14/25 14:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/14/25 14:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/14/25 14:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/14/25 14:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/14/25 14:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/14/25 14:01	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/14/25 14:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/14/25 14:01	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/14/25 14:01	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/14/25 14:01	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-303-03062025 **Lab ID: 50395467027** Collected: 03/06/25 11:28 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/14/25 14:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/14/25 14:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/14/25 14:01	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/14/25 14:01	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/14/25 14:01	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/14/25 14:01	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/14/25 14:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/14/25 14:01	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/14/25 14:01	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/14/25 14:01	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/14/25 14:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/14/25 14:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/14/25 14:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/14/25 14:01	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/14/25 14:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/14/25 14:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/14/25 14:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/14/25 14:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/14/25 14:01	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/14/25 14:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/14/25 14:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/14/25 14:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/14/25 14:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 14:01	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/14/25 14:01	108-05-4	
Vinyl chloride	**444**	ug/L	20.0	4.5	10		03/14/25 14:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/14/25 14:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		1		03/14/25 14:01	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/14/25 14:01	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		03/14/25 14:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-333-03062025 **Lab ID: 50395467028** Collected: 03/06/25 12:10 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	126	10		03/14/25 15:41	67-64-1	
Acrolein	ND	ug/L	500	123	10		03/14/25 15:41	107-02-8	
Acrylonitrile	ND	ug/L	1000	22.6	10		03/14/25 15:41	107-13-1	
Benzene	ND	ug/L	50.0	3.6	10		03/14/25 15:41	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.5	10		03/14/25 15:41	108-86-1	L1
Bromochloromethane	ND	ug/L	50.0	4.3	10		03/14/25 15:41	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	3.6	10		03/14/25 15:41	75-27-4	
Bromoform	ND	ug/L	50.0	5.2	10		03/14/25 15:41	75-25-2	
Bromomethane	ND	ug/L	50.0	4.5	10		03/14/25 15:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	40.1	10		03/14/25 15:41	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	6.0	10		03/14/25 15:41	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	4.7	10		03/14/25 15:41	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		03/14/25 15:41	98-06-6	
Carbon disulfide	ND	ug/L	100	8.0	10		03/14/25 15:41	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	4.2	10		03/14/25 15:41	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.8	10		03/14/25 15:41	108-90-7	
Chloroethane	**99.9**	ug/L	50.0	4.1	10		03/14/25 15:41	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		03/14/25 15:41	67-66-3	
Chloromethane	ND	ug/L	50.0	6.8	10		03/14/25 15:41	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	4.1	10		03/14/25 15:41	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.4	10		03/14/25 15:41	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	2.8	10		03/14/25 15:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.0	10		03/14/25 15:41	106-93-4	
Dibromomethane	ND	ug/L	50.0	3.2	10		03/14/25 15:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.6	10		03/14/25 15:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	4.6	10		03/14/25 15:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	5.0	10		03/14/25 15:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.4	10		03/14/25 15:41	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.8	10		03/14/25 15:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	4.8	10		03/14/25 15:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	3.3	10		03/14/25 15:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.6	10		03/14/25 15:41	75-35-4	
cis-1,2-Dichloroethene	**12100**	ug/L	500	51.2	100		03/14/25 16:12	156-59-2	
trans-1,2-Dichloroethene	**97.0**	ug/L	50.0	4.3	10		03/14/25 15:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.8	10		03/14/25 15:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	3.0	10		03/14/25 15:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	5.0	10		03/14/25 15:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.8	10		03/14/25 15:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.3	10		03/14/25 15:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.4	10		03/14/25 15:41	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.4	10		03/14/25 15:41	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.1	10		03/14/25 15:41	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	7.3	10		03/14/25 15:41	87-68-3	
n-Hexane	ND	ug/L	50.0	7.0	10		03/14/25 15:41	110-54-3	
2-Hexanone	ND	ug/L	250	32.2	10		03/14/25 15:41	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-333-03062025 **Lab ID: 50395467028** Collected: 03/06/25 12:10 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	4.4	10		03/14/25 15:41	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.6	10		03/14/25 15:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	4.7	10		03/14/25 15:41	99-87-6	
Methylene Chloride	ND	ug/L	50.0	26.8	10		03/14/25 15:41	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	5.8	10		03/14/25 15:41	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	6.8	10		03/14/25 15:41	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	28.7	10		03/14/25 15:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.8	10		03/14/25 15:41	1634-04-4	
Naphthalene	ND	ug/L	12.0	4.0	10		03/14/25 15:41	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	5.1	10		03/14/25 15:41	103-65-1	
Styrene	ND	ug/L	50.0	3.6	10		03/14/25 15:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.2	10		03/14/25 15:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	5.9	10		03/14/25 15:41	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	4.2	10		03/14/25 15:41	127-18-4	
Toluene	ND	ug/L	50.0	38.6	10		03/14/25 15:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.5	10		03/14/25 15:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.5	10		03/14/25 15:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	4.2	10		03/14/25 15:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.9	10		03/14/25 15:41	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.9	10		03/14/25 15:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	3.5	10		03/14/25 15:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	7.1	10		03/14/25 15:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.0	10		03/14/25 15:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.2	10		03/14/25 15:41	108-67-8	
Vinyl acetate	ND	ug/L	500	16.5	10		03/14/25 15:41	108-05-4	
Vinyl chloride	**2160**	ug/L	20.0	4.5	10		03/14/25 15:41	75-01-4	
Xylene (Total)	ND	ug/L	100	8.4	10		03/14/25 15:41	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		10		03/14/25 15:41	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		10		03/14/25 15:41	460-00-4	
Toluene-d8 (S)	92	%.	73-122		10		03/14/25 15:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-323-03062025 **Lab ID: 50395467029** Collected: 03/06/25 14:15 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/14/25 16:44	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/14/25 16:44	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/14/25 16:44	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/14/25 16:44	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/14/25 16:44	108-86-1	L1
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/14/25 16:44	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/14/25 16:44	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/14/25 16:44	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/14/25 16:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/14/25 16:44	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/14/25 16:44	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/14/25 16:44	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 16:44	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/14/25 16:44	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/14/25 16:44	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/14/25 16:44	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/14/25 16:44	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/14/25 16:44	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/14/25 16:44	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/14/25 16:44	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/14/25 16:44	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/14/25 16:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/14/25 16:44	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/14/25 16:44	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 16:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 16:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/14/25 16:44	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/14/25 16:44	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/14/25 16:44	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/14/25 16:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/14/25 16:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/14/25 16:44	75-35-4	
cis-1,2-Dichloroethene	**202**	ug/L	5.0	0.51	1		03/14/25 16:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/14/25 16:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/14/25 16:44	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/14/25 16:44	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/14/25 16:44	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/14/25 16:44	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/14/25 16:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/14/25 16:44	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/14/25 16:44	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/14/25 16:44	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/14/25 16:44	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/14/25 16:44	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/14/25 16:44	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-323-03062025 **Lab ID: 50395467029** Collected: 03/06/25 14:15 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/14/25 16:44	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/14/25 16:44	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/14/25 16:44	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/14/25 16:44	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/14/25 16:44	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/14/25 16:44	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/14/25 16:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/14/25 16:44	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/14/25 16:44	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/14/25 16:44	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/14/25 16:44	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/14/25 16:44	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/14/25 16:44	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/14/25 16:44	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/14/25 16:44	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/14/25 16:44	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/14/25 16:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/14/25 16:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/14/25 16:44	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/14/25 16:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/14/25 16:44	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/14/25 16:44	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/14/25 16:44	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 16:44	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/14/25 16:44	108-05-4	
Vinyl chloride	**6.3**	ug/L	2.0	0.45	1		03/14/25 16:44	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/14/25 16:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		03/14/25 16:44	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		03/14/25 16:44	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/14/25 16:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: AD-400-03062025 **Lab ID: 50395467030** Collected: 03/06/25 12:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/14/25 17:15	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/14/25 17:15	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/14/25 17:15	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/14/25 17:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/14/25 17:15	108-86-1	L1
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/14/25 17:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/14/25 17:15	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/14/25 17:15	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/14/25 17:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/14/25 17:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/14/25 17:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/14/25 17:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 17:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/14/25 17:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/14/25 17:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/14/25 17:15	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/14/25 17:15	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/14/25 17:15	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/14/25 17:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/14/25 17:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/14/25 17:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/14/25 17:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/14/25 17:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/14/25 17:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 17:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 17:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/14/25 17:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/14/25 17:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/14/25 17:15	75-71-8	
1,1-Dichloroethane	**40.3**	ug/L	5.0	0.48	1		03/14/25 17:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/14/25 17:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/14/25 17:15	75-35-4	
cis-1,2-Dichloroethene	**420**	ug/L	50.0	5.1	10		03/14/25 17:47	156-59-2	
trans-1,2-Dichloroethene	**32.1**	ug/L	5.0	0.43	1		03/14/25 17:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/14/25 17:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/14/25 17:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/14/25 17:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/14/25 17:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/14/25 17:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/14/25 17:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/14/25 17:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/14/25 17:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/14/25 17:15	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/14/25 17:15	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/14/25 17:15	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: AD-400-03062025 **Lab ID: 50395467030** Collected: 03/06/25 12:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/14/25 17:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/14/25 17:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/14/25 17:15	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/14/25 17:15	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/14/25 17:15	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/14/25 17:15	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/14/25 17:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/14/25 17:15	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/14/25 17:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/14/25 17:15	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/14/25 17:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/14/25 17:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/14/25 17:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/14/25 17:15	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/14/25 17:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/14/25 17:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/14/25 17:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/14/25 17:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/14/25 17:15	79-00-5	
Trichloroethene	**478**	ug/L	50.0	3.9	10		03/14/25 17:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/14/25 17:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/14/25 17:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/14/25 17:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 17:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/14/25 17:15	108-05-4	
Vinyl chloride	**159**	ug/L	2.0	0.45	1		03/14/25 17:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/14/25 17:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		03/14/25 17:15	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/14/25 17:15	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/14/25 17:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-322-03062025 **Lab ID: 50395467031** Collected: 03/06/25 14:33 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/14/25 18:19	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/14/25 18:19	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/14/25 18:19	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/14/25 18:19	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/14/25 18:19	108-86-1	L1
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/14/25 18:19	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/14/25 18:19	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/14/25 18:19	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/14/25 18:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/14/25 18:19	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/14/25 18:19	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/14/25 18:19	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 18:19	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/14/25 18:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/14/25 18:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/14/25 18:19	108-90-7	
Chloroethane	**256**	ug/L	5.0	0.41	1		03/14/25 18:19	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/14/25 18:19	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/14/25 18:19	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/14/25 18:19	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/14/25 18:19	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/14/25 18:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/14/25 18:19	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/14/25 18:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 18:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 18:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/14/25 18:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/14/25 18:19	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/14/25 18:19	75-71-8	
1,1-Dichloroethane	**5.9**	ug/L	5.0	0.48	1		03/14/25 18:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/14/25 18:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/14/25 18:19	75-35-4	
cis-1,2-Dichloroethene	**477**	ug/L	50.0	5.1	10		03/14/25 18:50	156-59-2	
trans-1,2-Dichloroethene	**17.7**	ug/L	5.0	0.43	1		03/14/25 18:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/14/25 18:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/14/25 18:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/14/25 18:19	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/14/25 18:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/14/25 18:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/14/25 18:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/14/25 18:19	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/14/25 18:19	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/14/25 18:19	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/14/25 18:19	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/14/25 18:19	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-322-03062025 **Lab ID: 50395467031** Collected: 03/06/25 14:33 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/14/25 18:19	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/14/25 18:19	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/14/25 18:19	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/14/25 18:19	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/14/25 18:19	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/14/25 18:19	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/14/25 18:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/14/25 18:19	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/14/25 18:19	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/14/25 18:19	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/14/25 18:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/14/25 18:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/14/25 18:19	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/14/25 18:19	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/14/25 18:19	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/14/25 18:19	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/14/25 18:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/14/25 18:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/14/25 18:19	79-00-5	
Trichloroethene	**6.0**	ug/L	5.0	0.39	1		03/14/25 18:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/14/25 18:19	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/14/25 18:19	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/14/25 18:19	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 18:19	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/14/25 18:19	108-05-4	
Vinyl chloride	**679**	ug/L	20.0	4.5	10		03/14/25 18:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/14/25 18:19	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		03/14/25 18:19	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		03/14/25 18:19	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/14/25 18:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-416S-03062025 **Lab ID: 50395467032** Collected: 03/06/25 13:40 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/14/25 19:22	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/14/25 19:22	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/14/25 19:22	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/14/25 19:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/14/25 19:22	108-86-1	L1
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/14/25 19:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/14/25 19:22	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/14/25 19:22	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/14/25 19:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/14/25 19:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/14/25 19:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/14/25 19:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 19:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/14/25 19:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/14/25 19:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/14/25 19:22	108-90-7	
Chloroethane	**336**	ug/L	50.0	4.1	10		03/14/25 19:53	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/14/25 19:22	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/14/25 19:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/14/25 19:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/14/25 19:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/14/25 19:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/14/25 19:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/14/25 19:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 19:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 19:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/14/25 19:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/14/25 19:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/14/25 19:22	75-71-8	
1,1-Dichloroethane	**184**	ug/L	5.0	0.48	1		03/14/25 19:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/14/25 19:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/14/25 19:22	75-35-4	
cis-1,2-Dichloroethene	**207**	ug/L	5.0	0.51	1		03/14/25 19:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/14/25 19:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/14/25 19:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/14/25 19:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/14/25 19:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/14/25 19:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/14/25 19:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/14/25 19:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/14/25 19:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/14/25 19:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/14/25 19:22	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/14/25 19:22	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/14/25 19:22	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-416S-03062025 **Lab ID: 50395467032** Collected: 03/06/25 13:40 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/14/25 19:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/14/25 19:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/14/25 19:22	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/14/25 19:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/14/25 19:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/14/25 19:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/14/25 19:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/14/25 19:22	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/14/25 19:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/14/25 19:22	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/14/25 19:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/14/25 19:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/14/25 19:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/14/25 19:22	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/14/25 19:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/14/25 19:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/14/25 19:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/14/25 19:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/14/25 19:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/14/25 19:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/14/25 19:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/14/25 19:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/14/25 19:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 19:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/14/25 19:22	108-05-4	
Vinyl chloride	**110**	ug/L	2.0	0.45	1		03/14/25 19:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/14/25 19:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		03/14/25 19:22	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		03/14/25 19:22	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/14/25 19:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-416D-03062025 **Lab ID: 50395467033** Collected: 03/06/25 13:55 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/14/25 20:25	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/14/25 20:25	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/14/25 20:25	107-13-1	
Benzene	**7.3**	ug/L	5.0	0.36	1		03/14/25 20:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/14/25 20:25	108-86-1	L1
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/14/25 20:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/14/25 20:25	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/14/25 20:25	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/14/25 20:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/14/25 20:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/14/25 20:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/14/25 20:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 20:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/14/25 20:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/14/25 20:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/14/25 20:25	108-90-7	
Chloroethane	**537**	ug/L	50.0	4.1	10		03/14/25 20:57	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/14/25 20:25	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/14/25 20:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/14/25 20:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/14/25 20:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/14/25 20:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/14/25 20:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/14/25 20:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 20:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 20:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/14/25 20:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/14/25 20:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/14/25 20:25	75-71-8	
1,1-Dichloroethane	**532**	ug/L	50.0	4.8	10		03/14/25 20:57	75-34-3	
1,2-Dichloroethane	**5.0**	ug/L	5.0	0.33	1		03/14/25 20:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/14/25 20:25	75-35-4	
cis-1,2-Dichloroethene	**693**	ug/L	50.0	5.1	10		03/14/25 20:57	156-59-2	
trans-1,2-Dichloroethene	**13.6**	ug/L	5.0	0.43	1		03/14/25 20:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/14/25 20:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/14/25 20:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/14/25 20:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/14/25 20:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/14/25 20:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/14/25 20:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/14/25 20:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/14/25 20:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/14/25 20:25	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/14/25 20:25	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/14/25 20:25	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-416D-03062025 **Lab ID: 50395467033** Collected: 03/06/25 13:55 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/14/25 20:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/14/25 20:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/14/25 20:25	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/14/25 20:25	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/14/25 20:25	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/14/25 20:25	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/14/25 20:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/14/25 20:25	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/14/25 20:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/14/25 20:25	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/14/25 20:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/14/25 20:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/14/25 20:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/14/25 20:25	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/14/25 20:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/14/25 20:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/14/25 20:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/14/25 20:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/14/25 20:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/14/25 20:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/14/25 20:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/14/25 20:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/14/25 20:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 20:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/14/25 20:25	108-05-4	
Vinyl chloride	**161**	ug/L	2.0	0.45	1		03/14/25 20:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/14/25 20:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		03/14/25 20:25	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/14/25 20:25	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/14/25 20:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-110-03062025 **Lab ID: 50395467034** Collected: 03/06/25 13:45 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/14/25 21:28	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/14/25 21:28	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/14/25 21:28	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/14/25 21:28	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/14/25 21:28	108-86-1	L1
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/14/25 21:28	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/14/25 21:28	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/14/25 21:28	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/14/25 21:28	74-83-9	R1
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/14/25 21:28	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/14/25 21:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/14/25 21:28	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 21:28	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/14/25 21:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/14/25 21:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/14/25 21:28	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/14/25 21:28	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/14/25 21:28	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/14/25 21:28	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/14/25 21:28	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/14/25 21:28	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/14/25 21:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/14/25 21:28	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/14/25 21:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 21:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/14/25 21:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/14/25 21:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/14/25 21:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/14/25 21:28	75-71-8	
1,1-Dichloroethane	**77.5**	ug/L	5.0	0.48	1		03/14/25 21:28	75-34-3	M1
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/14/25 21:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/14/25 21:28	75-35-4	
cis-1,2-Dichloroethene	**18.8**	ug/L	5.0	0.51	1		03/14/25 21:28	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/14/25 21:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/14/25 21:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/14/25 21:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/14/25 21:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/14/25 21:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/14/25 21:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/14/25 21:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/14/25 21:28	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/14/25 21:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/14/25 21:28	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/14/25 21:28	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/14/25 21:28	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-110-03062025 **Lab ID: 50395467034** Collected: 03/06/25 13:45 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/14/25 21:28	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/14/25 21:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/14/25 21:28	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/14/25 21:28	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/14/25 21:28	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/14/25 21:28	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/14/25 21:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/14/25 21:28	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/14/25 21:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/14/25 21:28	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/14/25 21:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/14/25 21:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/14/25 21:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/14/25 21:28	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/14/25 21:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/14/25 21:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/14/25 21:28	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/14/25 21:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/14/25 21:28	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/14/25 21:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/14/25 21:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/14/25 21:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/14/25 21:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/14/25 21:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/14/25 21:28	108-05-4	
Vinyl chloride	**3.6**	ug/L	2.0	0.45	1		03/14/25 21:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/14/25 21:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		03/14/25 21:28	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		03/14/25 21:28	460-00-4	
Toluene-d8 (S)	91	%.	73-122		1		03/14/25 21:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-415S-03062025 **Lab ID: 50395467035** Collected: 03/06/25 14:24 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/13/25 14:14	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/13/25 14:14	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/13/25 14:14	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/13/25 14:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/13/25 14:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/13/25 14:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/13/25 14:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/13/25 14:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/13/25 14:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/13/25 14:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/13/25 14:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/13/25 14:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/13/25 14:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/13/25 14:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/13/25 14:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/13/25 14:14	108-90-7	
Chloroethane	**421**	ug/L	50.0	4.1	10		03/13/25 14:46	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/13/25 14:14	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/13/25 14:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/13/25 14:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/13/25 14:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/13/25 14:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/13/25 14:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/13/25 14:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/13/25 14:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/13/25 14:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/13/25 14:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/13/25 14:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/13/25 14:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/13/25 14:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/13/25 14:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/13/25 14:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/13/25 14:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/13/25 14:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/13/25 14:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/13/25 14:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/13/25 14:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/13/25 14:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/13/25 14:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/13/25 14:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/13/25 14:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/13/25 14:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/13/25 14:14	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/13/25 14:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/13/25 14:14	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-415S-03062025 **Lab ID: 50395467035** Collected: 03/06/25 14:24 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/13/25 14:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/13/25 14:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/13/25 14:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/13/25 14:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/13/25 14:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/13/25 14:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/13/25 14:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/13/25 14:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/13/25 14:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/13/25 14:14	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/13/25 14:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/13/25 14:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/13/25 14:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/13/25 14:14	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/13/25 14:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/13/25 14:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/13/25 14:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/13/25 14:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/13/25 14:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/13/25 14:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/13/25 14:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/13/25 14:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/13/25 14:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/13/25 14:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/13/25 14:14	108-05-4	
Vinyl chloride	**3.3**	ug/L	2.0	0.45	1		03/13/25 14:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/13/25 14:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%.	82-128		1		03/13/25 14:14	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		03/13/25 14:14	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		03/13/25 14:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-415D-03062025 **Lab ID: 50395467036** Collected: 03/06/25 14:05 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/13/25 15:18	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/13/25 15:18	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/13/25 15:18	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/13/25 15:18	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/13/25 15:18	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/13/25 15:18	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/13/25 15:18	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/13/25 15:18	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/13/25 15:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/13/25 15:18	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/13/25 15:18	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/13/25 15:18	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/13/25 15:18	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/13/25 15:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/13/25 15:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/13/25 15:18	108-90-7	
Chloroethane	**29.5**	ug/L	5.0	0.41	1		03/13/25 15:18	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/13/25 15:18	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/13/25 15:18	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/13/25 15:18	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/13/25 15:18	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/13/25 15:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/13/25 15:18	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/13/25 15:18	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/13/25 15:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/13/25 15:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/13/25 15:18	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/13/25 15:18	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/13/25 15:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/13/25 15:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/13/25 15:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/13/25 15:18	75-35-4	
cis-1,2-Dichloroethene	**10.6**	ug/L	5.0	0.51	1		03/13/25 15:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/13/25 15:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/13/25 15:18	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/13/25 15:18	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/13/25 15:18	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/13/25 15:18	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/13/25 15:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/13/25 15:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/13/25 15:18	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/13/25 15:18	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/13/25 15:18	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/13/25 15:18	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/13/25 15:18	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-415D-03062025 **Lab ID: 50395467036** Collected: 03/06/25 14:05 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/13/25 15:18	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/13/25 15:18	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/13/25 15:18	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/13/25 15:18	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/13/25 15:18	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/13/25 15:18	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/13/25 15:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/13/25 15:18	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/13/25 15:18	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/13/25 15:18	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/13/25 15:18	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/13/25 15:18	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/13/25 15:18	79-34-5	
Tetrachloroethene	**20.0**	ug/L	5.0	0.42	1		03/13/25 15:18	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/13/25 15:18	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/13/25 15:18	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/13/25 15:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/13/25 15:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/13/25 15:18	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/13/25 15:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/13/25 15:18	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/13/25 15:18	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/13/25 15:18	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/13/25 15:18	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/13/25 15:18	108-05-4	
Vinyl chloride	**15.8**	ug/L	2.0	0.45	1		03/13/25 15:18	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/13/25 15:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		1		03/13/25 15:18	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		03/13/25 15:18	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		03/13/25 15:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-331-03062025 **Lab ID: 50395467037** Collected: 03/06/25 15:06 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		03/17/25 14:38	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		03/17/25 14:38	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		03/17/25 14:38	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		03/17/25 14:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		03/17/25 14:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		03/17/25 14:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		03/17/25 14:38	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		03/17/25 14:38	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		03/17/25 14:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		03/17/25 14:38	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		03/17/25 14:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		03/17/25 14:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/17/25 14:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		03/17/25 14:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		03/17/25 14:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		03/17/25 14:38	108-90-7	
Chloroethane	**11.8**	ug/L	5.0	0.61	1		03/17/25 14:38	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/17/25 14:38	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		03/17/25 14:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		03/17/25 14:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		03/17/25 14:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		03/17/25 14:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		03/17/25 14:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		03/17/25 14:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		03/17/25 14:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		03/17/25 14:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		03/17/25 14:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		03/17/25 14:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		03/17/25 14:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		03/17/25 14:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		03/17/25 14:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		03/17/25 14:38	75-35-4	
cis-1,2-Dichloroethene	**27.0**	ug/L	5.0	0.41	1		03/17/25 14:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/17/25 14:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		03/17/25 14:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		03/17/25 14:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/17/25 14:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		03/17/25 14:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		03/17/25 14:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		03/17/25 14:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		03/17/25 14:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		03/17/25 14:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		03/17/25 14:38	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		03/17/25 14:38	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		03/17/25 14:38	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-331-03062025 **Lab ID: 50395467037** Collected: 03/06/25 15:06 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		03/17/25 14:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		03/17/25 14:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		03/17/25 14:38	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		03/17/25 14:38	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		03/17/25 14:38	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		03/17/25 14:38	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		03/17/25 14:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		03/17/25 14:38	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		03/17/25 14:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		03/17/25 14:38	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		03/17/25 14:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		03/17/25 14:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		03/17/25 14:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		03/17/25 14:38	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		03/17/25 14:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		03/17/25 14:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		03/17/25 14:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		03/17/25 14:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		03/17/25 14:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		03/17/25 14:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		03/17/25 14:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		03/17/25 14:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		03/17/25 14:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		03/17/25 14:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		03/17/25 14:38	108-05-4	
Vinyl chloride	**28.8**	ug/L	2.0	0.37	1		03/17/25 14:38	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		03/17/25 14:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		03/17/25 14:38	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		03/17/25 14:38	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		03/17/25 14:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: W-4R-03062025 **Lab ID: 50395467038** Collected: 03/06/25 15:29 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		03/17/25 15:09	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		03/17/25 15:09	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		03/17/25 15:09	107-13-1	
Benzene	**19.4**	ug/L	5.0	0.30	1		03/17/25 15:09	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		03/17/25 15:09	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		03/17/25 15:09	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		03/17/25 15:09	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		03/17/25 15:09	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		03/17/25 15:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		03/17/25 15:09	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		03/17/25 15:09	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		03/17/25 15:09	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/17/25 15:09	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		03/17/25 15:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		03/17/25 15:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		03/17/25 15:09	108-90-7	
Chloroethane	**1040**	ug/L	50.0	6.1	10		03/17/25 15:39	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/17/25 15:09	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		03/17/25 15:09	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		03/17/25 15:09	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		03/17/25 15:09	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		03/17/25 15:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		03/17/25 15:09	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		03/17/25 15:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		03/17/25 15:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		03/17/25 15:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		03/17/25 15:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		03/17/25 15:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		03/17/25 15:09	75-71-8	
1,1-Dichloroethane	**12.6**	ug/L	5.0	0.33	1		03/17/25 15:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		03/17/25 15:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		03/17/25 15:09	75-35-4	
cis-1,2-Dichloroethene	**219**	ug/L	5.0	0.41	1		03/17/25 15:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/17/25 15:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		03/17/25 15:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		03/17/25 15:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/17/25 15:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		03/17/25 15:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		03/17/25 15:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		03/17/25 15:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		03/17/25 15:09	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		03/17/25 15:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		03/17/25 15:09	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		03/17/25 15:09	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		03/17/25 15:09	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: W-4R-03062025 **Lab ID: 50395467038** Collected: 03/06/25 15:29 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		03/17/25 15:09	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		03/17/25 15:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		03/17/25 15:09	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		03/17/25 15:09	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		03/17/25 15:09	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		03/17/25 15:09	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		03/17/25 15:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		03/17/25 15:09	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		03/17/25 15:09	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		03/17/25 15:09	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		03/17/25 15:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		03/17/25 15:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		03/17/25 15:09	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		03/17/25 15:09	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		03/17/25 15:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		03/17/25 15:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		03/17/25 15:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		03/17/25 15:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		03/17/25 15:09	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		03/17/25 15:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		03/17/25 15:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		03/17/25 15:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		03/17/25 15:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		03/17/25 15:09	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		03/17/25 15:09	108-05-4	
Vinyl chloride	**160**	ug/L	2.0	0.37	1		03/17/25 15:09	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		03/17/25 15:09	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		03/17/25 15:09	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		03/17/25 15:09	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		03/17/25 15:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-321-03062025 **Lab ID: 50395467039** Collected: 03/06/25 15:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		03/17/25 18:11	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		03/17/25 18:11	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		03/17/25 18:11	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		03/17/25 18:11	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		03/17/25 18:11	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		03/17/25 18:11	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		03/17/25 18:11	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		03/17/25 18:11	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		03/17/25 18:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		03/17/25 18:11	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		03/17/25 18:11	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		03/17/25 18:11	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/17/25 18:11	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		03/17/25 18:11	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		03/17/25 18:11	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		03/17/25 18:11	108-90-7	
Chloroethane	**88.2**	ug/L	5.0	0.61	1		03/17/25 18:11	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/17/25 18:11	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		03/17/25 18:11	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		03/17/25 18:11	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		03/17/25 18:11	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		03/17/25 18:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		03/17/25 18:11	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		03/17/25 18:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		03/17/25 18:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		03/17/25 18:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		03/17/25 18:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		03/17/25 18:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		03/17/25 18:11	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		03/17/25 18:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		03/17/25 18:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		03/17/25 18:11	75-35-4	
cis-1,2-Dichloroethene	**273**	ug/L	5.0	0.41	1		03/17/25 18:11	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/17/25 18:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		03/17/25 18:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		03/17/25 18:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/17/25 18:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		03/17/25 18:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		03/17/25 18:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		03/17/25 18:11	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		03/17/25 18:11	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		03/17/25 18:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		03/17/25 18:11	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		03/17/25 18:11	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		03/17/25 18:11	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-321-03062025 **Lab ID: 50395467039** Collected: 03/06/25 15:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		03/17/25 18:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		03/17/25 18:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		03/17/25 18:11	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		03/17/25 18:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		03/17/25 18:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		03/17/25 18:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		03/17/25 18:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		03/17/25 18:11	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		03/17/25 18:11	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		03/17/25 18:11	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		03/17/25 18:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		03/17/25 18:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		03/17/25 18:11	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		03/17/25 18:11	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		03/17/25 18:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		03/17/25 18:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		03/17/25 18:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		03/17/25 18:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		03/17/25 18:11	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		03/17/25 18:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		03/17/25 18:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		03/17/25 18:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		03/17/25 18:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		03/17/25 18:11	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		03/17/25 18:11	108-05-4	
Vinyl chloride	**260**	ug/L	2.0	0.37	1		03/17/25 18:11	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		03/17/25 18:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		03/17/25 18:11	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		03/17/25 18:11	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		03/17/25 18:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-414S-03062025 **Lab ID: 50395467040** Collected: 03/06/25 15:37 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		03/17/25 19:12	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		03/17/25 19:12	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		03/17/25 19:12	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		03/17/25 19:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		03/17/25 19:12	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		03/17/25 19:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		03/17/25 19:12	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		03/17/25 19:12	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		03/17/25 19:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		03/17/25 19:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		03/17/25 19:12	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		03/17/25 19:12	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/17/25 19:12	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		03/17/25 19:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		03/17/25 19:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		03/17/25 19:12	108-90-7	
Chloroethane	**712**	ug/L	50.0	6.1	10		03/17/25 19:42	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/17/25 19:12	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		03/17/25 19:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		03/17/25 19:12	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		03/17/25 19:12	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		03/17/25 19:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		03/17/25 19:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		03/17/25 19:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		03/17/25 19:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		03/17/25 19:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		03/17/25 19:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		03/17/25 19:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		03/17/25 19:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		03/17/25 19:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		03/17/25 19:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		03/17/25 19:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		03/17/25 19:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		03/17/25 19:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		03/17/25 19:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		03/17/25 19:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		03/17/25 19:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		03/17/25 19:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		03/17/25 19:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		03/17/25 19:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		03/17/25 19:12	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		03/17/25 19:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		03/17/25 19:12	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		03/17/25 19:12	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		03/17/25 19:12	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-414S-03062025 **Lab ID: 50395467040** Collected: 03/06/25 15:37 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		03/17/25 19:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		03/17/25 19:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		03/17/25 19:12	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		03/17/25 19:12	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		03/17/25 19:12	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		03/17/25 19:12	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		03/17/25 19:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		03/17/25 19:12	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		03/17/25 19:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		03/17/25 19:12	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		03/17/25 19:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		03/17/25 19:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		03/17/25 19:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		03/17/25 19:12	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		03/17/25 19:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		03/17/25 19:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		03/17/25 19:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		03/17/25 19:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		03/17/25 19:12	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		03/17/25 19:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		03/17/25 19:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		03/17/25 19:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		03/17/25 19:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		03/17/25 19:12	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		03/17/25 19:12	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.37	1		03/17/25 19:12	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		03/17/25 19:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		03/17/25 19:12	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		03/17/25 19:12	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		03/17/25 19:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-414D-03062025 **Lab ID: 50395467041** Collected: 03/06/25 15:30 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/13/25 16:21	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/13/25 16:21	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/13/25 16:21	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/13/25 16:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/13/25 16:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/13/25 16:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/13/25 16:21	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/13/25 16:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/13/25 16:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/13/25 16:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/13/25 16:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/13/25 16:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/13/25 16:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/13/25 16:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/13/25 16:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/13/25 16:21	108-90-7	
Chloroethane	**112**	ug/L	5.0	0.41	1		03/13/25 16:21	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/13/25 16:21	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/13/25 16:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/13/25 16:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/13/25 16:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/13/25 16:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/13/25 16:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		03/13/25 16:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/13/25 16:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/13/25 16:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/13/25 16:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/13/25 16:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/13/25 16:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/13/25 16:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/13/25 16:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/13/25 16:21	75-35-4	
cis-1,2-Dichloroethene	**68.4**	ug/L	5.0	0.51	1		03/13/25 16:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/13/25 16:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/13/25 16:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/13/25 16:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/13/25 16:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/13/25 16:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/13/25 16:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/13/25 16:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/13/25 16:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/13/25 16:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/13/25 16:21	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/13/25 16:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/13/25 16:21	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: MW-414D-03062025 **Lab ID: 50395467041** Collected: 03/06/25 15:30 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/13/25 16:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/13/25 16:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/13/25 16:21	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/13/25 16:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/13/25 16:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/13/25 16:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/13/25 16:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/13/25 16:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/13/25 16:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/13/25 16:21	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/13/25 16:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/13/25 16:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/13/25 16:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/13/25 16:21	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/13/25 16:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/13/25 16:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/13/25 16:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/13/25 16:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/13/25 16:21	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		03/13/25 16:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/13/25 16:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/13/25 16:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/13/25 16:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/13/25 16:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/13/25 16:21	108-05-4	
Vinyl chloride	**226**	ug/L	2.0	0.45	1		03/13/25 16:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/13/25 16:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		03/13/25 16:21	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		03/13/25 16:21	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		03/13/25 16:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: Trip Blanks **Lab ID: 50395467042** Collected: 03/05/25 08:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		03/12/25 14:14	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		03/12/25 14:14	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		03/12/25 14:14	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		03/12/25 14:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		03/12/25 14:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		03/12/25 14:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		03/12/25 14:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		03/12/25 14:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		03/12/25 14:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		03/12/25 14:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		03/12/25 14:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		03/12/25 14:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		03/12/25 14:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		03/12/25 14:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		03/12/25 14:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		03/12/25 14:14	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		03/12/25 14:14	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		03/12/25 14:14	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		03/12/25 14:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		03/12/25 14:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		03/12/25 14:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		03/12/25 14:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		03/12/25 14:14	106-93-4	L2
Dibromomethane	ND	ug/L	5.0	0.32	1		03/12/25 14:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/12/25 14:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		03/12/25 14:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		03/12/25 14:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		03/12/25 14:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		03/12/25 14:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		03/12/25 14:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		03/12/25 14:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		03/12/25 14:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		03/12/25 14:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		03/12/25 14:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		03/12/25 14:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		03/12/25 14:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		03/12/25 14:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		03/12/25 14:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		03/12/25 14:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		03/12/25 14:14	10061-02-6	L2
Ethylbenzene	ND	ug/L	5.0	0.34	1		03/12/25 14:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		03/12/25 14:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		03/12/25 14:14	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		03/12/25 14:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		03/12/25 14:14	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Sample: Trip Blanks **Lab ID: 50395467042** Collected: 03/05/25 08:00 Received: 03/06/25 17:31 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		03/12/25 14:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		03/12/25 14:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		03/12/25 14:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		03/12/25 14:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		03/12/25 14:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		03/12/25 14:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		03/12/25 14:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		03/12/25 14:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		03/12/25 14:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		03/12/25 14:14	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		03/12/25 14:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		03/12/25 14:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		03/12/25 14:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		03/12/25 14:14	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		03/12/25 14:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		03/12/25 14:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		03/12/25 14:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		03/12/25 14:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		03/12/25 14:14	79-00-5	L2
Trichloroethene	ND	ug/L	5.0	0.39	1		03/12/25 14:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		03/12/25 14:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		03/12/25 14:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		03/12/25 14:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		03/12/25 14:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		03/12/25 14:14	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		03/12/25 14:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		03/12/25 14:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		03/12/25 14:14	1868-53-7	
4-Bromofluorobenzene (S)	108	%.	79-124		1		03/12/25 14:14	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		03/12/25 14:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 833559
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467001

METHOD BLANK: 3814144 Matrix: Water
Associated Lab Samples: 50395467001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	03/10/25 10:47	

LABORATORY CONTROL SAMPLE: 3814145

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4670	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814146 3814147

Parameter	Units	50395234002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	48500	50000	50000	97200	97200	97	97	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814148 3814149

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	ND	5000	5000	4910	4980	96	97	80-120	1	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 995734
QC Batch Method: RSK 175
Analysis Method: RSK 175
Analysis Description: RSK 175 GCV HEADSPACE
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 50395467001, 50395467015

METHOD BLANK: 5195152 Matrix: Water
Associated Lab Samples: 50395467001, 50395467015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.3	03/12/25 04:13	
Ethene	ug/L	ND	10.0	1.1	03/12/25 04:13	
Methane	ug/L	ND	10.0	2.8	03/12/25 04:13	

LABORATORY CONTROL SAMPLE & LCSD: 5195153 5195154

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	114	109	110	96	97	85-115	1	20	
Ethene	ug/L	106	101	101	96	96	85-115	0	20	
Methane	ug/L	60.7	57.9	57.9	95	95	85-115	0	20	

SAMPLE DUPLICATE: 5195155

Parameter	Units	10726022001 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	ND	ND		20	H3
Ethene	ug/L	ND	ND		20	H3
Methane	ug/L	ND	ND		20	H3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 834858
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467001

METHOD BLANK: 3819852 Matrix: Water
Associated Lab Samples: 50395467001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	03/18/25 12:33	

LABORATORY CONTROL SAMPLE: 3819853

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9480	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3819854 3819855

Parameter	Units	50395557001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	<100	10000	10000	9740	9840	97	98	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 833761 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50395467003, 50395467005, 50395467012, 50395467013, 50395467017, 50395467018, 50395467019, 50395467021, 50395467024, 50395467025

METHOD BLANK: 3814770 Matrix: Water

Associated Lab Samples: 50395467003, 50395467005, 50395467012, 50395467013, 50395467017, 50395467018, 50395467019, 50395467021, 50395467024, 50395467025

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	03/11/25 11:39	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	03/11/25 11:39	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	03/11/25 11:39	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	03/11/25 11:39	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	03/11/25 11:39	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	03/11/25 11:39	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	03/11/25 11:39	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	03/11/25 11:39	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	03/11/25 11:39	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	03/11/25 11:39	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	03/11/25 11:39	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	03/11/25 11:39	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	03/11/25 11:39	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	03/11/25 11:39	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	03/11/25 11:39	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	03/11/25 11:39	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	03/11/25 11:39	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	03/11/25 11:39	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	03/11/25 11:39	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	03/11/25 11:39	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	03/11/25 11:39	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	03/11/25 11:39	
2-Chlorotoluene	ug/L	ND	5.0	0.41	03/11/25 11:39	
2-Hexanone	ug/L	ND	25.0	3.2	03/11/25 11:39	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	03/11/25 11:39	
4-Chlorotoluene	ug/L	ND	5.0	0.54	03/11/25 11:39	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	03/11/25 11:39	
Acetone	ug/L	ND	100	12.6	03/11/25 11:39	
Acrolein	ug/L	ND	50.0	12.3	03/11/25 11:39	
Acrylonitrile	ug/L	ND	100	2.3	03/11/25 11:39	
Benzene	ug/L	ND	5.0	0.36	03/11/25 11:39	
Bromobenzene	ug/L	ND	5.0	0.55	03/11/25 11:39	
Bromochloromethane	ug/L	ND	5.0	0.43	03/11/25 11:39	
Bromodichloromethane	ug/L	ND	5.0	0.36	03/11/25 11:39	
Bromoform	ug/L	ND	5.0	0.52	03/11/25 11:39	
Bromomethane	ug/L	ND	5.0	0.45	03/11/25 11:39	
Carbon disulfide	ug/L	ND	10.0	0.80	03/11/25 11:39	
Carbon tetrachloride	ug/L	ND	5.0	0.42	03/11/25 11:39	
Chlorobenzene	ug/L	ND	5.0	0.38	03/11/25 11:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

METHOD BLANK: 3814770 Matrix: Water

Associated Lab Samples: 50395467003, 50395467005, 50395467012, 50395467013, 50395467017, 50395467018, 50395467019, 50395467021, 50395467024, 50395467025

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.41	03/11/25 11:39	
Chloroform	ug/L	ND	5.0	0.38	03/11/25 11:39	
Chloromethane	ug/L	ND	5.0	0.68	03/11/25 11:39	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	03/11/25 11:39	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	03/11/25 11:39	
Dibromochloromethane	ug/L	ND	5.0	0.28	03/11/25 11:39	
Dibromomethane	ug/L	ND	5.0	0.32	03/11/25 11:39	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	03/11/25 11:39	
Ethyl methacrylate	ug/L	ND	100	0.51	03/11/25 11:39	
Ethylbenzene	ug/L	ND	5.0	0.34	03/11/25 11:39	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	03/11/25 11:39	
Iodomethane	ug/L	ND	10.0	0.44	03/11/25 11:39	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	03/11/25 11:39	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	03/11/25 11:39	
Methylene Chloride	ug/L	ND	5.0	2.7	03/11/25 11:39	
n-Butylbenzene	ug/L	ND	5.0	0.60	03/11/25 11:39	
n-Hexane	ug/L	ND	5.0	0.70	03/11/25 11:39	
n-Propylbenzene	ug/L	ND	5.0	0.51	03/11/25 11:39	
Naphthalene	ug/L	ND	1.2	0.40	03/11/25 11:39	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	03/11/25 11:39	
sec-Butylbenzene	ug/L	ND	5.0	0.47	03/11/25 11:39	
Styrene	ug/L	ND	5.0	0.36	03/11/25 11:39	
tert-Butylbenzene	ug/L	ND	5.0	0.42	03/11/25 11:39	
Tetrachloroethene	ug/L	ND	5.0	0.42	03/11/25 11:39	
Toluene	ug/L	ND	5.0	3.9	03/11/25 11:39	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	03/11/25 11:39	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	03/11/25 11:39	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	03/11/25 11:39	
Trichloroethene	ug/L	ND	5.0	0.39	03/11/25 11:39	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	03/11/25 11:39	
Vinyl acetate	ug/L	ND	50.0	1.6	03/11/25 11:39	
Vinyl chloride	ug/L	ND	2.0	0.45	03/11/25 11:39	
Xylene (Total)	ug/L	ND	10.0	0.84	03/11/25 11:39	
4-Bromofluorobenzene (S)	%.	107	79-124		03/11/25 11:39	
Dibromofluoromethane (S)	%.	116	82-128		03/11/25 11:39	
Toluene-d8 (S)	%.	90	73-122		03/11/25 11:39	

LABORATORY CONTROL SAMPLE: 3814771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	46.0	92	81-130	
1,1,1-Trichloroethane	ug/L	50	47.9	96	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	38.4	77	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3814771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	40.9	82	79-125	
1,1-Dichloroethane	ug/L	50	48.4	97	79-120	
1,1-Dichloroethene	ug/L	50	51.5	103	71-130	
1,1-Dichloropropene	ug/L	50	54.2	108	78-144	
1,2,3-Trichlorobenzene	ug/L	50	47.0	94	57-146	
1,2,3-Trichloropropane	ug/L	50	40.4	81	74-127	
1,2,4-Trichlorobenzene	ug/L	50	46.5	93	62-136	
1,2,4-Trimethylbenzene	ug/L	50	43.7	87	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	41.4	83	80-120	
1,2-Dichlorobenzene	ug/L	50	46.4	93	79-123	
1,2-Dichloroethane	ug/L	50	47.8	96	72-123	
1,2-Dichloropropane	ug/L	50	47.1	94	76-125	
1,3,5-Trimethylbenzene	ug/L	50	44.2	88	71-120	
1,3-Dichlorobenzene	ug/L	50	47.6	95	78-117	
1,3-Dichloropropane	ug/L	50	43.3	87	77-126	
1,4-Dichlorobenzene	ug/L	50	48.4	97	79-116	
1-Methylnaphthalene	ug/L	50	39.2	78	50-190	
2,2-Dichloropropane	ug/L	50	49.8	100	48-138	
2-Butanone (MEK)	ug/L	250	221	88	67-135	
2-Chlorotoluene	ug/L	50	47.0	94	75-122	
2-Hexanone	ug/L	250	185	74	65-135	
2-Methylnaphthalene	ug/L	50	37.6	75	55-184	
4-Chlorotoluene	ug/L	50	46.5	93	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	188	75	69-136	
Acetone	ug/L	250	186	74	34-156	
Acrolein	ug/L	1000	886	89	59-191	
Acrylonitrile	ug/L	250	262	105	67-146	
Benzene	ug/L	50	51.9	104	76-122	
Bromobenzene	ug/L	50	56.1	112	75-121	
Bromochloromethane	ug/L	50	45.2	90	73-119	
Bromodichloromethane	ug/L	50	45.5	91	80-126	
Bromoform	ug/L	50	44.7	89	77-124	
Bromomethane	ug/L	50	28.9	58	10-175	
Carbon disulfide	ug/L	50	46.7	93	69-121	
Carbon tetrachloride	ug/L	50	50.4	101	73-127	
Chlorobenzene	ug/L	50	45.2	90	76-118	
Chloroethane	ug/L	50	52.4	105	36-162	
Chloroform	ug/L	50	48.3	97	78-121	
Chloromethane	ug/L	50	40.2	80	37-143	
cis-1,2-Dichloroethene	ug/L	50	47.1	94	77-123	
cis-1,3-Dichloropropene	ug/L	50	41.4	83	76-132	
Dibromochloromethane	ug/L	50	45.3	91	79-130	
Dibromomethane	ug/L	50	44.8	90	79-124	
Dichlorodifluoromethane	ug/L	50	42.9	86	29-126	
Ethyl methacrylate	ug/L	50	42.8J	86	78-137	
Ethylbenzene	ug/L	50	46.3	93	76-120	
Hexachloro-1,3-butadiene	ug/L	50	48.2	96	60-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3814771

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	17.9	36	10-148	
Isopropylbenzene (Cumene)	ug/L	50	51.2	102	71-124	
Methyl-tert-butyl ether	ug/L	50	46.9	94	71-121	
Methylene Chloride	ug/L	50	42.6	85	71-121	
n-Butylbenzene	ug/L	50	47.2	94	68-131	
n-Hexane	ug/L	50	41.7	83	51-126	
n-Propylbenzene	ug/L	50	47.3	95	67-127	
Naphthalene	ug/L	50	45.3	91	62-143	
p-Isopropyltoluene	ug/L	50	47.7	95	72-124	
sec-Butylbenzene	ug/L	50	48.4	97	71-126	
Styrene	ug/L	50	46.9	94	80-121	
tert-Butylbenzene	ug/L	50	58.1	116	71-128	
Tetrachloroethene	ug/L	50	49.9	100	71-122	
Toluene	ug/L	50	42.9	86	74-118	
trans-1,2-Dichloroethene	ug/L	50	51.3	103	75-122	
trans-1,3-Dichloropropene	ug/L	50	40.6	81	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	39.3J	79	53-136	
Trichloroethene	ug/L	50	49.5	99	74-125	
Trichlorofluoromethane	ug/L	50	63.9	128	64-138	
Vinyl acetate	ug/L	200	236	118	74-154	
Vinyl chloride	ug/L	50	53.2	106	55-139	
Xylene (Total)	ug/L	150	149	99	73-119	
4-Bromofluorobenzene (S)	%.			108	79-124	
Dibromofluoromethane (S)	%.			96	82-128	
Toluene-d8 (S)	%.			91	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814772 3814773

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	39.3	43.8	79	88	47-139	11	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	39.5	41.8	79	84	47-145	6	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	34.7	38.1	69	76	49-133	9	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	37.9	40.7	76	81	52-136	7	20	
1,1-Dichloroethane	ug/L	ND	50	50	42.2	44.8	84	90	52-137	6	20	
1,1-Dichloroethene	ug/L	ND	50	50	41.0	42.7	82	85	53-144	4	20	
1,1-Dichloropropene	ug/L	ND	50	50	44.8	47.3	90	95	49-150	6	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	36.8	42.5	74	85	20-153	14	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	35.8	38.9	72	78	47-134	8	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	33.6	39.1	67	78	23-141	15	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	35.5	38.3	71	77	41-131	8	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	36.5	39.1	73	78	55-133	7	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	38.9	42.8	78	86	43-133	9	20	
1,2-Dichloroethane	ug/L	ND	50	50	42.3	45.0	85	90	50-138	6	20	
1,2-Dichloropropane	ug/L	ND	50	50	41.8	44.6	84	89	54-139	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814772 3814773

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	36.2	39.1	72	78	39-133	8	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	37.9	41.7	76	83	41-131	10	20	
1,3-Dichloropropane	ug/L	ND	50	50	39.2	41.4	78	83	50-136	5	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	39.4	42.9	79	86	41-131	8	20	
1-Methylnaphthalene	ug/L	ND	50	50	32.8	38.4	66	77	10-188	16	20	
2,2-Dichloropropane	ug/L	ND	50	50	39.1	40.7	78	81	17-141	4	20	
2-Butanone (MEK)	ug/L	ND	250	250	189	193	75	77	45-138	2	20	
2-Chlorotoluene	ug/L	ND	50	50	38.5	42.2	77	84	36-141	9	20	
2-Hexanone	ug/L	ND	250	250	159	165	64	66	45-135	3	20	
2-Methylnaphthalene	ug/L	ND	50	50	30.8	36.2	62	72	10-197	16	20	
4-Chlorotoluene	ug/L	ND	50	50	37.7	40.7	75	81	38-134	8	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	166	171	66	68	46-138	3	20	
Acetone	ug/L	ND	250	250	153	148	61	59	25-151	3	20	
Acrolein	ug/L	ND	1000	1000	656	674	66	67	36-168	3	20	
Acrylonitrile	ug/L	ND	250	250	212	228	85	91	47-147	7	20	
Benzene	ug/L	ND	50	50	44.9	48.0	90	96	53-138	7	20	
Bromobenzene	ug/L	ND	50	50	49.7	52.6	99	105	47-130	6	20	
Bromochloromethane	ug/L	ND	50	50	41.4	42.7	83	85	52-130	3	20	
Bromodichloromethane	ug/L	ND	50	50	40.7	42.3	81	85	50-146	4	20	
Bromoform	ug/L	ND	50	50	37.3	42.9	75	86	45-132	14	20	
Bromomethane	ug/L	ND	50	50	19.8	23.1	40	46	10-173	15	20	
Carbon disulfide	ug/L	ND	50	50	37.1	38.5	74	77	47-133	4	20	
Carbon tetrachloride	ug/L	ND	50	50	41.1	43.0	82	86	43-148	4	20	
Chlorobenzene	ug/L	ND	50	50	39.1	41.6	78	83	52-131	6	20	
Chloroethane	ug/L	8.0	50	50	45.8	46.0	76	76	25-169	1	20	
Chloroform	ug/L	ND	50	50	42.3	44.4	85	89	54-138	5	20	
Chloromethane	ug/L	ND	50	50	33.5	39.9	67	80	33-137	18	20	
cis-1,2-Dichloroethene	ug/L	9.3	50	50	48.7	50.1	79	82	50-141	3	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	35.1	38.5	70	77	47-135	9	20	
Dibromochloromethane	ug/L	ND	50	50	39.3	44.0	79	88	48-139	11	20	
Dibromomethane	ug/L	ND	50	50	39.9	42.3	80	85	51-141	6	20	
Dichlorodifluoromethane	ug/L	ND	50	50	34.3	35.9	69	72	15-130	5	20	
Ethyl methacrylate	ug/L	ND	50	50	38.7J	41.5J	77	83	51-142		20	
Ethylbenzene	ug/L	ND	50	50	39.6	41.1	79	82	50-136	4	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	36.9	41.6	74	83	15-141	12	20	
Iodomethane	ug/L	ND	50	50	19.6	22.9	39	46	10-145	16	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	42.6	45.1	85	90	46-137	6	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	41.7	45.5	83	91	47-135	9	20	
Methylene Chloride	ug/L	ND	50	50	44.8	44.8	90	90	48-131	0	20	
n-Butylbenzene	ug/L	ND	50	50	36.3	39.2	73	78	30-138	8	20	
n-Hexane	ug/L	ND	50	50	34.8	37.5	70	75	35-137	7	20	
n-Propylbenzene	ug/L	ND	50	50	37.9	41.1	76	82	37-135	8	20	
Naphthalene	ug/L	ND	50	50	36.9	41.8	74	84	34-152	12	20	
p-Isopropyltoluene	ug/L	ND	50	50	37.7	40.5	75	81	35-136	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814772 3814773

Parameter	Units	50395234009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	39.3	42.5	79	85	36-137	8	20	
Styrene	ug/L	ND	50	50	40.6	42.8	81	86	46-136	5	20	
tert-Butylbenzene	ug/L	ND	50	50	47.8	52.5	96	105	40-137	9	20	
Tetrachloroethene	ug/L	ND	50	50	37.5	40.4	75	81	44-138	7	20	
Toluene	ug/L	ND	50	50	37.1	38.9	74	78	52-132	5	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	42.1	44.5	84	89	50-137	6	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	34.7	37.2	69	74	46-130	7	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	32.9J	34.4J	66	69	24-134		20	
Trichloroethene	ug/L	ND	50	50	39.8	42.5	80	85	49-140	7	20	
Trichlorofluoromethane	ug/L	ND	50	50	50.8	51.3	102	103	44-153	1	20	
Vinyl acetate	ug/L	ND	200	200	179	194	89	97	32-142	8	20	
Vinyl chloride	ug/L	572	50	50	376	364	-392	-415	41-147	3	20	E,M1
Xylene (Total)	ug/L	ND	150	150	125	131	83	88	44-138	5	20	
4-Bromofluorobenzene (S)	%.						110	108	79-124			
Dibromofluoromethane (S)	%.						100	96	82-128			
Toluene-d8 (S)	%.						93	90	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 833764
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467001, 50395467004, 50395467006, 50395467007, 50395467008, 50395467009, 50395467010, 50395467015

METHOD BLANK: 3814777
Matrix: Water
Associated Lab Samples: 50395467001, 50395467004, 50395467006, 50395467007, 50395467008, 50395467009, 50395467010, 50395467015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.26	03/11/25 11:55	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.34	03/11/25 11:55	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	03/11/25 11:55	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.27	03/11/25 11:55	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	03/11/25 11:55	
1,1-Dichloroethene	ug/L	ND	5.0	0.29	03/11/25 11:55	
1,1-Dichloropropene	ug/L	ND	5.0	0.28	03/11/25 11:55	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.29	03/11/25 11:55	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.53	03/11/25 11:55	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.35	03/11/25 11:55	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.20	03/11/25 11:55	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.32	03/11/25 11:55	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.25	03/11/25 11:55	
1,2-Dichloroethane	ug/L	ND	5.0	0.21	03/11/25 11:55	
1,2-Dichloropropane	ug/L	ND	5.0	0.28	03/11/25 11:55	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.31	03/11/25 11:55	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.31	03/11/25 11:55	
1,3-Dichloropropane	ug/L	ND	5.0	0.24	03/11/25 11:55	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.12	03/11/25 11:55	
1-Methylnaphthalene	ug/L	ND	10.0	0.32	03/11/25 11:55	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	03/11/25 11:55	
2-Butanone (MEK)	ug/L	ND	25.0	2.3	03/11/25 11:55	
2-Chlorotoluene	ug/L	ND	5.0	0.19	03/11/25 11:55	
2-Hexanone	ug/L	ND	25.0	2.5	03/11/25 11:55	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	03/11/25 11:55	
4-Chlorotoluene	ug/L	ND	5.0	0.26	03/11/25 11:55	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.4	03/11/25 11:55	
Acetone	ug/L	ND	100	4.8	03/11/25 11:55	
Acrolein	ug/L	ND	50.0	18.3	03/11/25 11:55	
Acrylonitrile	ug/L	ND	100	1.5	03/11/25 11:55	
Benzene	ug/L	ND	5.0	0.28	03/11/25 11:55	
Bromobenzene	ug/L	ND	5.0	0.36	03/11/25 11:55	
Bromochloromethane	ug/L	ND	5.0	0.32	03/11/25 11:55	
Bromodichloromethane	ug/L	ND	5.0	0.22	03/11/25 11:55	
Bromoform	ug/L	ND	5.0	0.22	03/11/25 11:55	
Bromomethane	ug/L	ND	5.0	0.81	03/11/25 11:55	
Carbon disulfide	ug/L	ND	10.0	0.64	03/11/25 11:55	
Carbon tetrachloride	ug/L	ND	5.0	0.34	03/11/25 11:55	
Chlorobenzene	ug/L	ND	5.0	0.21	03/11/25 11:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

METHOD BLANK: 3814777 Matrix: Water
Associated Lab Samples: 50395467001, 50395467004, 50395467006, 50395467007, 50395467008, 50395467009, 50395467010, 50395467015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.85	03/11/25 11:55	
Chloroform	ug/L	ND	5.0	0.33	03/11/25 11:55	
Chloromethane	ug/L	ND	5.0	1.4	03/11/25 11:55	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.27	03/11/25 11:55	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.25	03/11/25 11:55	
Dibromochloromethane	ug/L	ND	5.0	0.30	03/11/25 11:55	
Dibromomethane	ug/L	ND	5.0	0.20	03/11/25 11:55	
Dichlorodifluoromethane	ug/L	ND	5.0	0.88	03/11/25 11:55	
Ethyl methacrylate	ug/L	ND	100	0.46	03/11/25 11:55	
Ethylbenzene	ug/L	ND	5.0	0.46	03/11/25 11:55	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.33	03/11/25 11:55	
Iodomethane	ug/L	ND	10.0	0.33	03/11/25 11:55	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.30	03/11/25 11:55	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.24	03/11/25 11:55	
Methylene Chloride	ug/L	ND	5.0	2.0	03/11/25 11:55	
n-Butylbenzene	ug/L	ND	5.0	0.30	03/11/25 11:55	
n-Hexane	ug/L	ND	5.0	0.22	03/11/25 11:55	
n-Propylbenzene	ug/L	ND	5.0	0.21	03/11/25 11:55	
Naphthalene	ug/L	ND	1.2	0.22	03/11/25 11:55	
p-Isopropyltoluene	ug/L	ND	5.0	0.31	03/11/25 11:55	
sec-Butylbenzene	ug/L	ND	5.0	0.24	03/11/25 11:55	
Styrene	ug/L	ND	5.0	0.24	03/11/25 11:55	
tert-Butylbenzene	ug/L	ND	5.0	0.31	03/11/25 11:55	
Tetrachloroethene	ug/L	ND	5.0	0.32	03/11/25 11:55	
Toluene	ug/L	ND	5.0	0.19	03/11/25 11:55	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	03/11/25 11:55	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	03/11/25 11:55	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.52	03/11/25 11:55	
Trichloroethene	ug/L	ND	5.0	0.23	03/11/25 11:55	
Trichlorofluoromethane	ug/L	ND	5.0	0.89	03/11/25 11:55	
Vinyl acetate	ug/L	ND	50.0	1.3	03/11/25 11:55	
Vinyl chloride	ug/L	ND	2.0	0.88	03/11/25 11:55	
Xylene (Total)	ug/L	ND	10.0	0.29	03/11/25 11:55	
4-Bromofluorobenzene (S)	%.	102	79-124		03/11/25 11:55	
Dibromofluoromethane (S)	%.	112	82-128		03/11/25 11:55	
Toluene-d8 (S)	%.	92	73-122		03/11/25 11:55	

LABORATORY CONTROL SAMPLE: 3814778

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	48.4	97	81-130	
1,1,1-Trichloroethane	ug/L	50	49.3	99	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	43.7	87	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3814778

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	44.7	89	79-125	
1,1-Dichloroethane	ug/L	50	48.9	98	79-120	
1,1-Dichloroethene	ug/L	50	47.1	94	71-130	
1,1-Dichloropropene	ug/L	50	54.4	109	78-144	
1,2,3-Trichlorobenzene	ug/L	50	51.4	103	57-146	
1,2,3-Trichloropropane	ug/L	50	47.4	95	74-127	
1,2,4-Trichlorobenzene	ug/L	50	52.1	104	62-136	
1,2,4-Trimethylbenzene	ug/L	50	48.0	96	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	48.6	97	80-120	
1,2-Dichlorobenzene	ug/L	50	48.3	97	79-123	
1,2-Dichloroethane	ug/L	50	47.8	96	72-123	
1,2-Dichloropropane	ug/L	50	49.6	99	76-125	
1,3,5-Trimethylbenzene	ug/L	50	49.0	98	71-120	
1,3-Dichlorobenzene	ug/L	50	49.9	100	78-117	
1,3-Dichloropropane	ug/L	50	46.1	92	77-126	
1,4-Dichlorobenzene	ug/L	50	50.3	101	79-116	
1-Methylnaphthalene	ug/L	50	53.9	108	50-190	
2,2-Dichloropropane	ug/L	50	52.3	105	48-138	
2-Butanone (MEK)	ug/L	250	217	87	67-135	
2-Chlorotoluene	ug/L	50	49.1	98	75-122	
2-Hexanone	ug/L	250	205	82	65-135	
2-Methylnaphthalene	ug/L	50	46.2	92	55-184	
4-Chlorotoluene	ug/L	50	48.5	97	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	207	83	69-136	
Acetone	ug/L	250	192	77	34-156	
Acrolein	ug/L	1000	877	88	59-191	
Acrylonitrile	ug/L	250	232	93	67-146	
Benzene	ug/L	50	51.6	103	76-122	
Bromobenzene	ug/L	50	55.3	111	75-121	
Bromochloromethane	ug/L	50	45.0	90	73-119	
Bromodichloromethane	ug/L	50	47.9	96	80-126	
Bromoform	ug/L	50	46.2	92	77-124	
Bromomethane	ug/L	50	33.2	66	10-175	
Carbon disulfide	ug/L	50	46.8	94	69-121	
Carbon tetrachloride	ug/L	50	49.7	99	73-127	
Chlorobenzene	ug/L	50	48.9	98	76-118	
Chloroethane	ug/L	50	42.4	85	36-162	
Chloroform	ug/L	50	48.7	97	78-121	
Chloromethane	ug/L	50	36.5	73	37-143	
cis-1,2-Dichloroethene	ug/L	50	49.3	99	77-123	
cis-1,3-Dichloropropene	ug/L	50	46.9	94	76-132	
Dibromochloromethane	ug/L	50	50.0	100	79-130	
Dibromomethane	ug/L	50	47.4	95	79-124	
Dichlorodifluoromethane	ug/L	50	40.3	81	29-126	
Ethyl methacrylate	ug/L	50	47.7J	95	78-137	
Ethylbenzene	ug/L	50	50.9	102	76-120	
Hexachloro-1,3-butadiene	ug/L	50	52.8	106	60-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3814778

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	35.3	71	10-148	
Isopropylbenzene (Cumene)	ug/L	50	53.9	108	71-124	
Methyl-tert-butyl ether	ug/L	50	47.0	94	71-121	
Methylene Chloride	ug/L	50	42.4	85	71-121	
n-Butylbenzene	ug/L	50	49.6	99	68-131	
n-Hexane	ug/L	50	43.2	86	51-126	
n-Propylbenzene	ug/L	50	47.1	94	67-127	
Naphthalene	ug/L	50	48.4	97	62-143	
p-Isopropyltoluene	ug/L	50	50.3	101	72-124	
sec-Butylbenzene	ug/L	50	48.0	96	71-126	
Styrene	ug/L	50	49.6	99	80-121	
tert-Butylbenzene	ug/L	50	63.8	128	71-128	
Tetrachloroethene	ug/L	50	50.3	101	71-122	
Toluene	ug/L	50	46.5	93	74-118	
trans-1,2-Dichloroethene	ug/L	50	49.5	99	75-122	
trans-1,3-Dichloropropene	ug/L	50	45.8	92	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	43.8J	88	53-136	
Trichloroethene	ug/L	50	51.6	103	74-125	
Trichlorofluoromethane	ug/L	50	52.0	104	64-138	
Vinyl acetate	ug/L	200	254	127	74-154	
Vinyl chloride	ug/L	50	48.3	97	55-139	
Xylene (Total)	ug/L	150	155	103	73-119	
4-Bromofluorobenzene (S)	%.			107	79-124	
Dibromofluoromethane (S)	%.			94	82-128	
Toluene-d8 (S)	%.			92	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814779 3814780

Parameter	Units	50395467015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	40.5	41.2	81	82	47-139	2	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	39.0	37.7	78	75	47-145	3	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	36.9	37.6	74	75	49-133	2	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	39.3	39.4	79	79	52-136	0	20	
1,1-Dichloroethane	ug/L	ND	50	50	40.0	39.5	80	79	52-137	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	36.4	36.0	73	72	53-144	1	20	
1,1-Dichloropropene	ug/L	ND	50	50	42.3	41.7	85	83	49-150	2	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	39.4	40.2	79	80	20-153	2	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	38.2	39.2	76	78	47-134	3	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	36.7	37.4	73	75	23-141	2	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	37.1	36.6	74	73	41-131	1	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	41.2	42.2	82	84	55-133	2	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	39.5	39.2	79	78	43-133	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	40.9	40.5	82	81	50-138	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	42.0	41.9	84	84	54-139	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814779 3814780

Parameter	Units	50395467015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	37.6	37.4	75	75	39-133	0	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	38.6	38.4	77	77	41-131	1	20	
1,3-Dichloropropane	ug/L	ND	50	50	39.9	40.0	80	80	50-136	0	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	39.7	38.8	79	78	41-131	2	20	
1-Methylnaphthalene	ug/L	ND	50	50	42.8	44.9	86	90	10-188	5	20	
2,2-Dichloropropane	ug/L	ND	50	50	38.7	38.4	77	77	17-141	1	20	
2-Butanone (MEK)	ug/L	ND	250	250	166	170	66	68	45-138	2	20	
2-Chlorotoluene	ug/L	ND	50	50	38.4	38.1	77	76	36-141	1	20	
2-Hexanone	ug/L	ND	250	250	163	166	65	66	45-135	2	20	
2-Methylnaphthalene	ug/L	ND	50	50	36.0	37.6	72	75	10-197	4	20	
4-Chlorotoluene	ug/L	ND	50	50	37.8	37.3	76	75	38-134	1	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	169	170	68	68	46-138	1	20	
Acetone	ug/L	ND	250	250	141	153	57	61	25-151	8	20	
Acrolein	ug/L	ND	1000	1000	626	633	63	63	36-168	1	20	
Acrylonitrile	ug/L	ND	250	250	183	184	73	74	47-147	0	20	
Benzene	ug/L	ND	50	50	43.0	42.1	86	84	53-138	2	20	
Bromobenzene	ug/L	ND	50	50	40.0	46.5	80	93	47-130	15	20	
Bromochloromethane	ug/L	ND	50	50	39.7	39.6	79	79	52-130	0	20	
Bromodichloromethane	ug/L	ND	50	50	41.0	39.9	82	80	50-146	3	20	
Bromoform	ug/L	ND	50	50	38.7	39.2	77	78	45-132	1	20	
Bromomethane	ug/L	ND	50	50	23.2	26.3	46	53	10-173	12	20	
Carbon disulfide	ug/L	ND	50	50	36.0	35.0	72	70	47-133	3	20	
Carbon tetrachloride	ug/L	ND	50	50	38.0	37.5	76	75	43-148	2	20	
Chlorobenzene	ug/L	ND	50	50	39.9	40.0	80	80	52-131	0	20	
Chloroethane	ug/L	ND	50	50	34.5	32.4	69	65	25-169	6	20	
Chloroform	ug/L	ND	50	50	40.2	40.3	80	81	54-138	0	20	
Chloromethane	ug/L	ND	50	50	31.1	29.9	62	60	33-137	4	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	40.6	40.0	81	80	50-141	1	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	38.4	38.9	77	78	47-135	1	20	
Dibromochloromethane	ug/L	ND	50	50	41.7	41.9	83	84	48-139	0	20	
Dibromomethane	ug/L	ND	50	50	40.3	41.3	81	83	51-141	2	20	
Dichlorodifluoromethane	ug/L	ND	50	50	31.6	30.1	63	60	15-130	5	20	
Ethyl methacrylate	ug/L	ND	50	50	40.5J	41.6J	81	83	51-142		20	
Ethylbenzene	ug/L	ND	50	50	40.3	40.1	81	80	50-136	0	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	36.7	36.9	73	74	15-141	1	20	
Iodomethane	ug/L	ND	50	50	35.0	32.6	70	65	10-145	7	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	42.1	41.4	84	83	46-137	2	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	39.9	41.7	80	83	47-135	4	20	
Methylene Chloride	ug/L	ND	50	50	42.3	40.3	85	81	48-131	5	20	
n-Butylbenzene	ug/L	ND	50	50	36.0	34.8	72	70	30-138	3	20	
n-Hexane	ug/L	ND	50	50	34.6	33.6	69	67	35-137	3	20	
n-Propylbenzene	ug/L	ND	50	50	35.6	34.8	71	70	37-135	2	20	
Naphthalene	ug/L	ND	50	50	38.4	39.4	77	79	34-152	2	20	
p-Isopropyltoluene	ug/L	ND	50	50	37.9	36.8	76	74	35-136	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814779 3814780

Parameter	Units	50395467015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	36.6	35.8	73	72	36-137	2	20	
Styrene	ug/L	ND	50	50	40.4	39.7	81	79	46-136	2	20	
tert-Butylbenzene	ug/L	ND	50	50	49.7	49.2	99	98	40-137	1	20	
Tetrachloroethene	ug/L	ND	50	50	37.4	36.4	75	73	44-138	3	20	
Toluene	ug/L	ND	50	50	38.0	37.7	76	75	52-132	1	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	39.6	39.0	79	78	50-137	2	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	37.9	38.2	76	76	46-130	1	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	34.5J	32.7J	69	65	24-134		20	
Trichloroethene	ug/L	ND	50	50	40.5	40.0	81	80	49-140	1	20	
Trichlorofluoromethane	ug/L	ND	50	50	39.8	38.4	80	77	44-153	4	20	
Vinyl acetate	ug/L	ND	200	200	186	185	93	93	32-142	0	20	
Vinyl chloride	ug/L	ND	50	50	38.7	37.8	77	76	41-147	2	20	
Xylene (Total)	ug/L	ND	150	150	124	122	83	81	44-138	2	20	
4-Bromofluorobenzene (S)	%.						107	108	79-124			
Dibromofluoromethane (S)	%.						93	93	82-128			
Toluene-d8 (S)	%.						93	92	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 833957
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467026, 50395467042

METHOD BLANK: 3815790
Matrix: Water
Associated Lab Samples: 50395467026, 50395467042

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	03/12/25 12:08	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	03/12/25 12:08	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	03/12/25 12:08	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	03/12/25 12:08	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	03/12/25 12:08	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	03/12/25 12:08	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	03/12/25 12:08	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	03/12/25 12:08	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	03/12/25 12:08	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	03/12/25 12:08	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	03/12/25 12:08	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	03/12/25 12:08	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	03/12/25 12:08	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	03/12/25 12:08	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	03/12/25 12:08	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	03/12/25 12:08	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	03/12/25 12:08	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	03/12/25 12:08	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	03/12/25 12:08	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	03/12/25 12:08	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	03/12/25 12:08	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	03/12/25 12:08	
2-Chlorotoluene	ug/L	ND	5.0	0.41	03/12/25 12:08	
2-Hexanone	ug/L	ND	25.0	3.2	03/12/25 12:08	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	03/12/25 12:08	
4-Chlorotoluene	ug/L	ND	5.0	0.54	03/12/25 12:08	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	03/12/25 12:08	
Acetone	ug/L	ND	100	12.6	03/12/25 12:08	
Acrolein	ug/L	ND	50.0	12.3	03/12/25 12:08	
Acrylonitrile	ug/L	ND	100	2.3	03/12/25 12:08	
Benzene	ug/L	ND	5.0	0.36	03/12/25 12:08	
Bromobenzene	ug/L	ND	5.0	0.55	03/12/25 12:08	
Bromochloromethane	ug/L	ND	5.0	0.43	03/12/25 12:08	
Bromodichloromethane	ug/L	ND	5.0	0.36	03/12/25 12:08	
Bromoform	ug/L	ND	5.0	0.52	03/12/25 12:08	
Bromomethane	ug/L	ND	5.0	0.45	03/12/25 12:08	
Carbon disulfide	ug/L	ND	10.0	0.80	03/12/25 12:08	
Carbon tetrachloride	ug/L	ND	5.0	0.42	03/12/25 12:08	
Chlorobenzene	ug/L	ND	5.0	0.38	03/12/25 12:08	
Chloroethane	ug/L	ND	5.0	0.41	03/12/25 12:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

METHOD BLANK: 3815790 Matrix: Water
Associated Lab Samples: 50395467026, 50395467042

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.38	03/12/25 12:08	
Chloromethane	ug/L	ND	5.0	0.68	03/12/25 12:08	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	03/12/25 12:08	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	03/12/25 12:08	
Dibromochloromethane	ug/L	ND	5.0	0.28	03/12/25 12:08	
Dibromomethane	ug/L	ND	5.0	0.32	03/12/25 12:08	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	03/12/25 12:08	
Ethyl methacrylate	ug/L	ND	100	0.51	03/12/25 12:08	
Ethylbenzene	ug/L	ND	5.0	0.34	03/12/25 12:08	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	03/12/25 12:08	
Iodomethane	ug/L	ND	10.0	0.44	03/12/25 12:08	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	03/12/25 12:08	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	03/12/25 12:08	
Methylene Chloride	ug/L	ND	5.0	2.7	03/12/25 12:08	
n-Butylbenzene	ug/L	ND	5.0	0.60	03/12/25 12:08	
n-Hexane	ug/L	ND	5.0	0.70	03/12/25 12:08	
n-Propylbenzene	ug/L	ND	5.0	0.51	03/12/25 12:08	
Naphthalene	ug/L	ND	1.2	0.40	03/12/25 12:08	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	03/12/25 12:08	
sec-Butylbenzene	ug/L	ND	5.0	0.47	03/12/25 12:08	
Styrene	ug/L	ND	5.0	0.36	03/12/25 12:08	
tert-Butylbenzene	ug/L	ND	5.0	0.42	03/12/25 12:08	
Tetrachloroethene	ug/L	ND	5.0	0.42	03/12/25 12:08	
Toluene	ug/L	ND	5.0	3.9	03/12/25 12:08	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	03/12/25 12:08	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	03/12/25 12:08	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	03/12/25 12:08	
Trichloroethene	ug/L	ND	5.0	0.39	03/12/25 12:08	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	03/12/25 12:08	
Vinyl acetate	ug/L	ND	50.0	1.6	03/12/25 12:08	
Vinyl chloride	ug/L	ND	2.0	0.45	03/12/25 12:08	
Xylene (Total)	ug/L	ND	10.0	0.84	03/12/25 12:08	
4-Bromofluorobenzene (S)	%.	106	79-124		03/12/25 12:08	
Dibromofluoromethane (S)	%.	110	82-128		03/12/25 12:08	
Toluene-d8 (S)	%.	93	73-122		03/12/25 12:08	

LABORATORY CONTROL SAMPLE: 3815791

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	42.9	86	81-130	
1,1,1-Trichloroethane	ug/L	50	48.2	96	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	37.1	74	70-126	
1,1,2-Trichloroethane	ug/L	50	38.8	78	79-125	L2
1,1-Dichloroethane	ug/L	50	49.7	99	79-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3815791

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	52.4	105	71-130	
1,1-Dichloropropene	ug/L	50	55.1	110	78-144	
1,2,3-Trichlorobenzene	ug/L	50	45.2	90	57-146	
1,2,3-Trichloropropane	ug/L	50	40.6	81	74-127	
1,2,4-Trichlorobenzene	ug/L	50	44.3	89	62-136	
1,2,4-Trimethylbenzene	ug/L	50	41.5	83	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	39.0	78	80-120	L2
1,2-Dichlorobenzene	ug/L	50	44.1	88	79-123	
1,2-Dichloroethane	ug/L	50	46.5	93	72-123	
1,2-Dichloropropane	ug/L	50	45.8	92	76-125	
1,3,5-Trimethylbenzene	ug/L	50	42.4	85	71-120	
1,3-Dichlorobenzene	ug/L	50	45.2	90	78-117	
1,3-Dichloropropane	ug/L	50	40.9	82	77-126	
1,4-Dichlorobenzene	ug/L	50	46.3	93	79-116	
1-Methylnaphthalene	ug/L	50	38.3	77	50-190	
2,2-Dichloropropane	ug/L	50	50.4	101	48-138	
2-Butanone (MEK)	ug/L	250	240	96	67-135	
2-Chlorotoluene	ug/L	50	45.4	91	75-122	
2-Hexanone	ug/L	250	185	74	65-135	
2-Methylnaphthalene	ug/L	50	36.6	73	55-184	
4-Chlorotoluene	ug/L	50	44.1	88	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	186	74	69-136	
Acetone	ug/L	250	190	76	34-156	
Acrolein	ug/L	1000	922	92	59-191	
Acrylonitrile	ug/L	250	264	106	67-146	
Benzene	ug/L	50	52.2	104	76-122	
Bromobenzene	ug/L	50	53.8	108	75-121	
Bromochloromethane	ug/L	50	45.5	91	73-119	
Bromodichloromethane	ug/L	50	44.2	88	80-126	
Bromoform	ug/L	50	42.8	86	77-124	
Bromomethane	ug/L	50	29.1	58	10-175	
Carbon disulfide	ug/L	50	48.1	96	69-121	
Carbon tetrachloride	ug/L	50	50.9	102	73-127	
Chlorobenzene	ug/L	50	43.9	88	76-118	
Chloroethane	ug/L	50	50.7	101	36-162	
Chloroform	ug/L	50	48.1	96	78-121	
Chloromethane	ug/L	50	43.7	87	37-143	
cis-1,2-Dichloroethene	ug/L	50	47.1	94	77-123	
cis-1,3-Dichloropropene	ug/L	50	39.1	78	76-132	
Dibromochloromethane	ug/L	50	42.4	85	79-130	
Dibromomethane	ug/L	50	43.9	88	79-124	
Dichlorodifluoromethane	ug/L	50	44.3	89	29-126	
Ethyl methacrylate	ug/L	50	40.3J	81	78-137	
Ethylbenzene	ug/L	50	45.7	91	76-120	
Hexachloro-1,3-butadiene	ug/L	50	47.9	96	60-131	
Iodomethane	ug/L	50	25.8	52	10-148	
Isopropylbenzene (Cumene)	ug/L	50	49.8	100	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3815791

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	45.4	91	71-121	
Methylene Chloride	ug/L	50	43.6	87	71-121	
n-Butylbenzene	ug/L	50	45.9	92	68-131	
n-Hexane	ug/L	50	43.3	87	51-126	
n-Propylbenzene	ug/L	50	46.0	92	67-127	
Naphthalene	ug/L	50	44.0	88	62-143	
p-Isopropyltoluene	ug/L	50	46.3	93	72-124	
sec-Butylbenzene	ug/L	50	47.2	94	71-126	
Styrene	ug/L	50	44.7	89	80-121	
tert-Butylbenzene	ug/L	50	56.1	112	71-128	
Tetrachloroethene	ug/L	50	49.0	98	71-122	
Toluene	ug/L	50	41.3	83	74-118	
trans-1,2-Dichloroethene	ug/L	50	52.2	104	75-122	
trans-1,3-Dichloropropene	ug/L	50	37.6	75	77-126	L2
trans-1,4-Dichloro-2-butene	ug/L	50	40.3J	81	53-136	
Trichloroethene	ug/L	50	48.6	97	74-125	
Trichlorofluoromethane	ug/L	50	63.9	128	64-138	
Vinyl acetate	ug/L	200	233	116	74-154	
Vinyl chloride	ug/L	50	55.5	111	55-139	
Xylene (Total)	ug/L	150	143	95	73-119	
4-Bromofluorobenzene (S)	%.			107	79-124	
Dibromofluoromethane (S)	%.			100	82-128	
Toluene-d8 (S)	%.			89	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3820230 3820231

Parameter	Units	50395640001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	41.2	38.5	82	77	47-139	7	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	39.1	35.5	78	71	47-145	10	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	36.7	32.7	73	65	49-133	12	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	38.6	35.3	77	71	52-136	9	20	
1,1-Dichloroethane	ug/L	ND	50	50	42.3	38.5	85	77	52-137	9	20	
1,1-Dichloroethene	ug/L	ND	50	50	40.5	36.5	81	73	53-144	10	20	
1,1-Dichloropropene	ug/L	ND	50	50	45.4	40.3	91	81	49-150	12	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	40.2	38.3	80	77	20-153	5	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	36.9	34.3	74	69	47-134	7	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	36.4	35.0	73	70	23-141	4	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	35.6	32.6	71	65	41-131	9	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	37.2	34.0	74	68	55-133	9	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	40.3	37.1	81	74	43-133	8	20	
1,2-Dichloroethane	ug/L	ND	50	50	42.6	39.4	85	79	50-138	8	20	
1,2-Dichloropropane	ug/L	ND	50	50	42.1	39.7	84	79	54-139	6	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	36.2	32.9	72	66	39-133	9	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	38.8	35.4	78	71	41-131	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3820230 3820231

Parameter	Units	50395640001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	39.7	36.6	79	73	50-136	8	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	40.0	36.5	80	73	41-131	9	20	
1-Methylnaphthalene	ug/L	ND	50	50	35.7	34.6	71	69	10-188	3	20	
2,2-Dichloropropane	ug/L	ND	50	50	37.9	34.5	76	69	17-141	9	20	
2-Butanone (MEK)	ug/L	ND	250	250	189	169	76	68	45-138	11	20	
2-Chlorotoluene	ug/L	ND	50	50	39.4	36.0	79	72	36-141	9	20	
2-Hexanone	ug/L	ND	250	250	165	144	66	58	45-135	14	20	
2-Methylnaphthalene	ug/L	ND	50	50	33.4	32.3	67	65	10-197	3	20	
4-Chlorotoluene	ug/L	ND	50	50	38.1	35.0	76	70	38-134	9	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	173	152	69	61	46-138	13	20	
Acetone	ug/L	ND	250	250	141	139	57	55	25-151	2	20	
Acrolein	ug/L	ND	1000	1000	652	611	65	61	36-168	6	20	
Acrylonitrile	ug/L	ND	250	250	212	193	85	77	47-147	10	20	
Benzene	ug/L	ND	50	50	45.0	40.7	90	81	53-138	10	20	
Bromobenzene	ug/L	ND	50	50	50.9	46.4	102	93	47-130	9	20	
Bromochloromethane	ug/L	ND	50	50	41.8	38.0	84	76	52-130	9	20	
Bromodichloromethane	ug/L	ND	50	50	40.1	37.5	80	75	50-146	7	20	
Bromoform	ug/L	ND	50	50	38.9	38.5	78	77	45-132	1	20	
Bromomethane	ug/L	ND	50	50	21.9	22.1	44	44	10-173	0	20	
Carbon disulfide	ug/L	ND	50	50	37.3	33.0	75	66	47-133	12	20	
Carbon tetrachloride	ug/L	ND	50	50	40.5	36.0	81	72	43-148	12	20	
Chlorobenzene	ug/L	ND	50	50	39.2	36.1	78	72	52-131	8	20	
Chloroethane	ug/L	ND	50	50	40.1	35.9	80	72	25-169	11	20	
Chloroform	ug/L	ND	50	50	42.1	38.9	84	78	54-138	8	20	
Chloromethane	ug/L	ND	50	50	35.4	32.5	71	65	33-137	8	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	40.7	37.6	80	74	50-141	8	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	35.7	33.7	71	67	47-135	6	20	
Dibromochloromethane	ug/L	ND	50	50	40.6	37.5	81	75	48-139	8	20	
Dibromomethane	ug/L	ND	50	50	40.5	36.5	81	73	51-141	10	20	
Dichlorodifluoromethane	ug/L	ND	50	50	32.4	29.0	65	58	15-130	11	20	
Ethyl methacrylate	ug/L	ND	50	50	39.4J	36.2J	79	72	51-142		20	
Ethylbenzene	ug/L	ND	50	50	39.2	35.8	78	72	50-136	9	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	38.7	36.0	77	72	15-141	7	20	
Iodomethane	ug/L	ND	50	50	27.5	25.5	55	51	10-145	8	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	42.8	38.0	86	76	46-137	12	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	45.8	43.7	88	83	47-135	5	20	
Methylene Chloride	ug/L	ND	50	50	38.6	35.4	77	71	48-131	9	20	
n-Butylbenzene	ug/L	ND	50	50	36.7	32.7	73	65	30-138	12	20	
n-Hexane	ug/L	ND	50	50	34.8	31.3	70	63	35-137	11	20	
n-Propylbenzene	ug/L	ND	50	50	38.5	34.9	77	70	37-135	10	20	
Naphthalene	ug/L	ND	50	50	40.7	37.4	81	75	34-152	9	20	
p-Isopropyltoluene	ug/L	ND	50	50	37.6	33.8	75	68	35-136	11	20	
sec-Butylbenzene	ug/L	ND	50	50	39.8	35.5	80	71	36-137	11	20	
Styrene	ug/L	ND	50	50	41.3	37.0	83	74	46-136	11	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3820230 3820231

Parameter	Units	50395640001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	48.8	44.7	98	89	40-137	9	20	
Tetrachloroethene	ug/L	ND	50	50	37.9	34.5	76	69	44-138	9	20	
Toluene	ug/L	ND	50	50	37.4	34.2	75	68	52-132	9	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	41.8	37.8	84	76	50-137	10	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	34.7	32.3	69	65	46-130	7	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	33.6J	29.2J	67	58	24-134		20	
Trichloroethene	ug/L	ND	50	50	40.6	36.9	81	74	49-140	10	20	
Trichlorofluoromethane	ug/L	ND	50	50	48.5	42.6	97	85	44-153	13	20	
Vinyl acetate	ug/L	ND	200	200	178	167	89	83	32-142	7	20	
Vinyl chloride	ug/L	ND	50	50	42.4	38.4	85	77	41-147	10	20	
Xylene (Total)	ug/L	ND	150	150	126	114	84	76	44-138	10	20	
4-Bromofluorobenzene (S)	%.						111	109	79-124			
Dibromofluoromethane (S)	%.						94	95	82-128			
Toluene-d8 (S)	%.						92	93	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 833966
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467014, 50395467016, 50395467020, 50395467022, 50395467023

METHOD BLANK: 3815815 Matrix: Water
Associated Lab Samples: 50395467014, 50395467016, 50395467020, 50395467022, 50395467023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.26	03/12/25 12:23	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.34	03/12/25 12:23	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	03/12/25 12:23	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.27	03/12/25 12:23	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	03/12/25 12:23	
1,1-Dichloroethene	ug/L	ND	5.0	0.29	03/12/25 12:23	
1,1-Dichloropropene	ug/L	ND	5.0	0.28	03/12/25 12:23	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.29	03/12/25 12:23	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.53	03/12/25 12:23	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.35	03/12/25 12:23	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.20	03/12/25 12:23	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.32	03/12/25 12:23	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.25	03/12/25 12:23	
1,2-Dichloroethane	ug/L	ND	5.0	0.21	03/12/25 12:23	
1,2-Dichloropropane	ug/L	ND	5.0	0.28	03/12/25 12:23	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.31	03/12/25 12:23	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.31	03/12/25 12:23	
1,3-Dichloropropane	ug/L	ND	5.0	0.24	03/12/25 12:23	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.12	03/12/25 12:23	
1-Methylnaphthalene	ug/L	ND	10.0	0.32	03/12/25 12:23	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	03/12/25 12:23	
2-Butanone (MEK)	ug/L	ND	25.0	2.3	03/12/25 12:23	
2-Chlorotoluene	ug/L	ND	5.0	0.19	03/12/25 12:23	
2-Hexanone	ug/L	ND	25.0	2.5	03/12/25 12:23	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	03/12/25 12:23	
4-Chlorotoluene	ug/L	ND	5.0	0.26	03/12/25 12:23	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.4	03/12/25 12:23	
Acetone	ug/L	ND	100	4.8	03/12/25 12:23	
Acrolein	ug/L	ND	50.0	18.3	03/12/25 12:23	
Acrylonitrile	ug/L	ND	100	1.5	03/12/25 12:23	
Benzene	ug/L	ND	5.0	0.28	03/12/25 12:23	
Bromobenzene	ug/L	ND	5.0	0.36	03/12/25 12:23	
Bromochloromethane	ug/L	ND	5.0	0.32	03/12/25 12:23	
Bromodichloromethane	ug/L	ND	5.0	0.22	03/12/25 12:23	
Bromoform	ug/L	ND	5.0	0.22	03/12/25 12:23	
Bromomethane	ug/L	ND	5.0	0.81	03/12/25 12:23	
Carbon disulfide	ug/L	ND	10.0	0.64	03/12/25 12:23	
Carbon tetrachloride	ug/L	ND	5.0	0.34	03/12/25 12:23	
Chlorobenzene	ug/L	ND	5.0	0.21	03/12/25 12:23	
Chloroethane	ug/L	ND	5.0	0.85	03/12/25 12:23	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

METHOD BLANK: 3815815 Matrix: Water
Associated Lab Samples: 50395467014, 50395467016, 50395467020, 50395467022, 50395467023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.33	03/12/25 12:23	
Chloromethane	ug/L	ND	5.0	1.4	03/12/25 12:23	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.27	03/12/25 12:23	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.25	03/12/25 12:23	
Dibromochloromethane	ug/L	ND	5.0	0.30	03/12/25 12:23	
Dibromomethane	ug/L	ND	5.0	0.20	03/12/25 12:23	
Dichlorodifluoromethane	ug/L	ND	5.0	0.88	03/12/25 12:23	
Ethyl methacrylate	ug/L	ND	100	0.46	03/12/25 12:23	
Ethylbenzene	ug/L	ND	5.0	0.46	03/12/25 12:23	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.33	03/12/25 12:23	
Iodomethane	ug/L	ND	10.0	0.33	03/12/25 12:23	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.30	03/12/25 12:23	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.24	03/12/25 12:23	
Methylene Chloride	ug/L	ND	5.0	2.0	03/12/25 12:23	
n-Butylbenzene	ug/L	ND	5.0	0.30	03/12/25 12:23	
n-Hexane	ug/L	ND	5.0	0.22	03/12/25 12:23	
n-Propylbenzene	ug/L	ND	5.0	0.21	03/12/25 12:23	
Naphthalene	ug/L	ND	1.2	0.22	03/12/25 12:23	
p-Isopropyltoluene	ug/L	ND	5.0	0.31	03/12/25 12:23	
sec-Butylbenzene	ug/L	ND	5.0	0.24	03/12/25 12:23	
Styrene	ug/L	ND	5.0	0.24	03/12/25 12:23	
tert-Butylbenzene	ug/L	ND	5.0	0.31	03/12/25 12:23	
Tetrachloroethene	ug/L	ND	5.0	0.32	03/12/25 12:23	
Toluene	ug/L	ND	5.0	0.19	03/12/25 12:23	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	03/12/25 12:23	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	03/12/25 12:23	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.52	03/12/25 12:23	
Trichloroethene	ug/L	ND	5.0	0.23	03/12/25 12:23	
Trichlorofluoromethane	ug/L	ND	5.0	0.89	03/12/25 12:23	
Vinyl acetate	ug/L	ND	50.0	1.3	03/12/25 12:23	
Vinyl chloride	ug/L	ND	2.0	0.88	03/12/25 12:23	
Xylene (Total)	ug/L	ND	10.0	0.29	03/12/25 12:23	
4-Bromofluorobenzene (S)	%.	102	79-124		03/12/25 12:23	
Dibromofluoromethane (S)	%.	111	82-128		03/12/25 12:23	
Toluene-d8 (S)	%.	93	73-122		03/12/25 12:23	

LABORATORY CONTROL SAMPLE: 3815816

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.8	104	81-130	
1,1,1-Trichloroethane	ug/L	50	56.0	112	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	48.2	96	70-126	
1,1,2-Trichloroethane	ug/L	50	48.4	97	79-125	
1,1-Dichloroethane	ug/L	50	54.8	110	79-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3815816

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	53.6	107	71-130	
1,1-Dichloropropene	ug/L	50	63.0	126	78-144	
1,2,3-Trichlorobenzene	ug/L	50	55.7	111	57-146	
1,2,3-Trichloropropane	ug/L	50	52.4	105	74-127	
1,2,4-Trichlorobenzene	ug/L	50	56.1	112	62-136	
1,2,4-Trimethylbenzene	ug/L	50	51.4	103	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	52.5	105	80-120	
1,2-Dichlorobenzene	ug/L	50	52.0	104	79-123	
1,2-Dichloroethane	ug/L	50	53.4	107	72-123	
1,2-Dichloropropane	ug/L	50	55.0	110	76-125	
1,3,5-Trimethylbenzene	ug/L	50	53.0	106	71-120	
1,3-Dichlorobenzene	ug/L	50	52.9	106	78-117	
1,3-Dichloropropane	ug/L	50	49.6	99	77-126	
1,4-Dichlorobenzene	ug/L	50	54.3	109	79-116	
1-Methylnaphthalene	ug/L	50	61.2	122	50-190	
2,2-Dichloropropane	ug/L	50	59.3	119	48-138	
2-Butanone (MEK)	ug/L	250	255	102	67-135	
2-Chlorotoluene	ug/L	50	52.8	106	75-122	
2-Hexanone	ug/L	250	227	91	65-135	
2-Methylnaphthalene	ug/L	50	50.9	102	55-184	
4-Chlorotoluene	ug/L	50	52.0	104	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	227	91	69-136	
Acetone	ug/L	250	224	90	34-156	
Acrolein	ug/L	1000	999	100	59-191	
Acrylonitrile	ug/L	250	273	109	67-146	
Benzene	ug/L	50	58.8	118	76-122	
Bromobenzene	ug/L	50	59.5	119	75-121	
Bromochloromethane	ug/L	50	51.5	103	73-119	
Bromodichloromethane	ug/L	50	52.2	104	80-126	
Bromoform	ug/L	50	50.5	101	77-124	
Bromomethane	ug/L	50	40.6	81	10-175	
Carbon disulfide	ug/L	50	53.3	107	69-121	
Carbon tetrachloride	ug/L	50	56.9	114	73-127	
Chlorobenzene	ug/L	50	52.7	105	76-118	
Chloroethane	ug/L	50	48.5	97	36-162	
Chloroform	ug/L	50	53.9	108	78-121	
Chloromethane	ug/L	50	43.9	88	37-143	
cis-1,2-Dichloroethene	ug/L	50	55.3	111	77-123	
cis-1,3-Dichloropropene	ug/L	50	50.6	101	76-132	
Dibromochloromethane	ug/L	50	52.6	105	79-130	
Dibromomethane	ug/L	50	52.8	106	79-124	
Dichlorodifluoromethane	ug/L	50	45.8	92	29-126	
Ethyl methacrylate	ug/L	50	51.8J	104	78-137	
Ethylbenzene	ug/L	50	55.9	112	76-120	
Hexachloro-1,3-butadiene	ug/L	50	59.7	119	60-131	
Iodomethane	ug/L	50	42.4	85	10-148	
Isopropylbenzene (Cumene)	ug/L	50	58.9	118	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3815816

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	50.9	102	71-121	
Methylene Chloride	ug/L	50	48.6	97	71-121	
n-Butylbenzene	ug/L	50	54.7	109	68-131	
n-Hexane	ug/L	50	51.1	102	51-126	
n-Propylbenzene	ug/L	50	51.6	103	67-127	
Naphthalene	ug/L	50	53.6	107	62-143	
p-Isopropyltoluene	ug/L	50	55.3	111	72-124	
sec-Butylbenzene	ug/L	50	53.1	106	71-126	
Styrene	ug/L	50	52.1	104	80-121	
tert-Butylbenzene	ug/L	50	62.7	125	71-128	
Tetrachloroethene	ug/L	50	56.5	113	71-122	
Toluene	ug/L	50	51.2	102	74-118	
trans-1,2-Dichloroethene	ug/L	50	56.7	113	75-122	
trans-1,3-Dichloropropene	ug/L	50	48.4	97	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	47.8J	96	53-136	
Trichloroethene	ug/L	50	57.4	115	74-125	
Trichlorofluoromethane	ug/L	50	58.8	118	64-138	
Vinyl acetate	ug/L	200	281	141	74-154	
Vinyl chloride	ug/L	50	55.5	111	55-139	
Xylene (Total)	ug/L	150	166	111	73-119	
4-Bromofluorobenzene (S)	%.			107	79-124	
Dibromofluoromethane (S)	%.			97	82-128	
Toluene-d8 (S)	%.			90	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3816111 3816112

Parameter	Units	50395467014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	45.5	45.6	91	91	47-139	0	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	41.7	41.4	83	83	47-145	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	41.1	39.3	82	79	49-133	4	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	43.5	43.7	87	87	52-136	0	20	
1,1-Dichloroethane	ug/L	ND	50	50	47.8	47.3	86	85	52-137	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	39.1	37.8	77	75	53-144	3	20	
1,1-Dichloropropene	ug/L	ND	50	50	45.5	45.0	91	90	49-150	1	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	46.6	47.5	93	95	20-153	2	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	43.2	41.2	86	82	47-134	5	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	43.9	45.1	88	90	23-141	3	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	40.3	39.8	81	80	41-131	1	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	46.2	46.2	92	92	55-133	0	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	43.2	43.1	86	86	43-133	0	20	
1,2-Dichloroethane	ug/L	ND	50	50	45.8	45.8	92	92	50-138	0	20	
1,2-Dichloropropane	ug/L	ND	50	50	47.1	46.4	94	93	54-139	1	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	40.8	40.1	82	80	39-133	2	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	42.0	41.7	84	83	41-131	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3816111 3816112

Parameter	Units	50395467014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	44.0	44.1	88	88	50-136	0	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	42.8	43.0	86	86	41-131	1	20	
1-Methylnaphthalene	ug/L	ND	50	50	50.4	51.7	101	103	10-188	3	20	
2,2-Dichloropropane	ug/L	ND	50	50	43.8	43.3	88	87	17-141	1	20	
2-Butanone (MEK)	ug/L	452	250	250	610	625	63	69	45-138	3	20	
2-Chlorotoluene	ug/L	ND	50	50	41.4	41.0	83	82	36-141	1	20	
2-Hexanone	ug/L	ND	250	250	188	184	74	72	45-135	2	20	
2-Methylnaphthalene	ug/L	ND	50	50	42.9	43.9	86	88	10-197	2	20	
4-Chlorotoluene	ug/L	ND	50	50	40.4	40.5	81	81	38-134	0	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	196	192	78	77	46-138	2	20	
Acetone	ug/L	343	250	250	447	480	42	55	25-151	7	20	
Acrolein	ug/L	ND	1000	1000	680	676	68	68	36-168	1	20	
Acrylonitrile	ug/L	ND	250	250	200	194	80	78	47-147	3	20	
Benzene	ug/L	10.4	50	50	56.8	56.2	93	92	53-138	1	20	
Bromobenzene	ug/L	ND	50	50	51.4	50.5	103	101	47-130	2	20	
Bromochloromethane	ug/L	ND	50	50	44.4	43.2	89	86	52-130	3	20	
Bromodichloromethane	ug/L	ND	50	50	44.6	43.9	89	88	50-146	2	20	
Bromoform	ug/L	ND	50	50	43.2	42.4	86	85	45-132	2	20	
Bromomethane	ug/L	ND	50	50	25.8	25.7	52	51	10-173	0	20	
Carbon disulfide	ug/L	ND	50	50	39.3	37.8	79	76	47-133	4	20	
Carbon tetrachloride	ug/L	ND	50	50	41.0	40.7	82	81	43-148	1	20	
Chlorobenzene	ug/L	ND	50	50	44.3	43.7	89	87	52-131	1	20	
Chloroethane	ug/L	981	50	50	513	518	-936	-927	25-169	1	20	E,M1
Chloroform	ug/L	ND	50	50	44.5	43.8	89	88	54-138	2	20	
Chloromethane	ug/L	ND	50	50	36.7	36.9	73	74	33-137	1	20	
cis-1,2-Dichloroethene	ug/L	52.7	50	50	89.1	89.0	73	73	50-141	0	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	42.7	44.0	85	88	47-135	3	20	
Dibromochloromethane	ug/L	ND	50	50	47.1	46.5	94	93	48-139	1	20	
Dibromomethane	ug/L	ND	50	50	44.9	43.6	90	87	51-141	3	20	
Dichlorodifluoromethane	ug/L	ND	50	50	31.4	30.3	63	61	15-130	4	20	
Ethyl methacrylate	ug/L	ND	50	50	45.7J	44.6J	91	89	51-142		20	
Ethylbenzene	ug/L	ND	50	50	43.7	43.5	87	87	50-136	0	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	42.4	43.5	85	87	15-141	2	20	
Iodomethane	ug/L	ND	50	50	35.5	32.7	71	65	10-145	8	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	45.2	45.9	90	92	46-137	1	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	45.3	45.4	91	91	47-135	0	20	
Methylene Chloride	ug/L	ND	50	50	41.9	42.2	84	84	48-131	1	20	
n-Butylbenzene	ug/L	ND	50	50	38.8	38.9	78	78	30-138	0	20	
n-Hexane	ug/L	ND	50	50	37.9	37.5	76	75	35-137	1	20	
n-Propylbenzene	ug/L	ND	50	50	38.1	38.3	76	77	37-135	1	20	
Naphthalene	ug/L	ND	50	50	44.1	44.4	88	89	34-152	1	20	
p-Isopropyltoluene	ug/L	ND	50	50	40.8	40.5	82	81	35-136	1	20	
sec-Butylbenzene	ug/L	ND	50	50	39.1	38.9	78	78	36-137	1	20	
Styrene	ug/L	ND	50	50	43.9	43.8	88	88	46-136	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3816111 3816112

Parameter	Units	50395467014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	53.8	53.3	108	107	40-137	1	20	
Tetrachloroethene	ug/L	ND	50	50	40.5	40.7	81	81	44-138	0	20	
Toluene	ug/L	ND	50	50	42.6	42.3	85	84	52-132	1	20	
trans-1,2-Dichloroethene	ug/L	24.4	50	50	63.0	60.7	77	72	50-137	4	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	42.5	42.7	85	85	46-130	0	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	37.5J	37.9J	75	76	24-134		20	
Trichloroethene	ug/L	ND	50	50	45.7	45.7	88	88	49-140	0	20	
Trichlorofluoromethane	ug/L	ND	50	50	40.6	39.6	81	79	44-153	3	20	
Vinyl acetate	ug/L	ND	200	200	211	205	105	102	32-142	3	20	
Vinyl chloride	ug/L	106	50	50	119	121	26	29	41-147	2	20	M1
Xylene (Total)	ug/L	ND	150	150	134	134	89	90	44-138	1	20	
4-Bromofluorobenzene (S)	%.						107	111	79-124			
Dibromofluoromethane (S)	%.						96	95	82-128			
Toluene-d8 (S)	%.						94	94	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 833997
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467002, 50395467027, 50395467028, 50395467029, 50395467030, 50395467031, 50395467032, 50395467033, 50395467034

METHOD BLANK: 3816070
Matrix: Water
Associated Lab Samples: 50395467002, 50395467027, 50395467028, 50395467029, 50395467030, 50395467031, 50395467032, 50395467033, 50395467034

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	03/14/25 12:58	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	03/14/25 12:58	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	03/14/25 12:58	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	03/14/25 12:58	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	03/14/25 12:58	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	03/14/25 12:58	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	03/14/25 12:58	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	03/14/25 12:58	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	03/14/25 12:58	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	03/14/25 12:58	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	03/14/25 12:58	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	03/14/25 12:58	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	03/14/25 12:58	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	03/14/25 12:58	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	03/14/25 12:58	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	03/14/25 12:58	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	03/14/25 12:58	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	03/14/25 12:58	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	03/14/25 12:58	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	03/14/25 12:58	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	03/14/25 12:58	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	03/14/25 12:58	
2-Chlorotoluene	ug/L	ND	5.0	0.41	03/14/25 12:58	
2-Hexanone	ug/L	ND	25.0	3.2	03/14/25 12:58	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	03/14/25 12:58	
4-Chlorotoluene	ug/L	ND	5.0	0.54	03/14/25 12:58	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	03/14/25 12:58	
Acetone	ug/L	ND	100	12.6	03/14/25 12:58	
Acrolein	ug/L	ND	50.0	12.3	03/14/25 12:58	
Acrylonitrile	ug/L	ND	100	2.3	03/14/25 12:58	
Benzene	ug/L	ND	5.0	0.36	03/14/25 12:58	
Bromobenzene	ug/L	ND	5.0	0.55	03/14/25 12:58	
Bromochloromethane	ug/L	ND	5.0	0.43	03/14/25 12:58	
Bromodichloromethane	ug/L	ND	5.0	0.36	03/14/25 12:58	
Bromoform	ug/L	ND	5.0	0.52	03/14/25 12:58	
Bromomethane	ug/L	ND	5.0	0.45	03/14/25 12:58	
Carbon disulfide	ug/L	ND	10.0	0.80	03/14/25 12:58	
Carbon tetrachloride	ug/L	ND	5.0	0.42	03/14/25 12:58	
Chlorobenzene	ug/L	ND	5.0	0.38	03/14/25 12:58	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

METHOD BLANK: 3816070 Matrix: Water

Associated Lab Samples: 50395467002, 50395467027, 50395467028, 50395467029, 50395467030, 50395467031, 50395467032, 50395467033, 50395467034

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.41	03/14/25 12:58	
Chloroform	ug/L	ND	5.0	0.38	03/14/25 12:58	
Chloromethane	ug/L	ND	5.0	0.68	03/14/25 12:58	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	03/14/25 12:58	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	03/14/25 12:58	
Dibromochloromethane	ug/L	ND	5.0	0.28	03/14/25 12:58	
Dibromomethane	ug/L	ND	5.0	0.32	03/14/25 12:58	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	03/14/25 12:58	
Ethyl methacrylate	ug/L	ND	100	0.51	03/14/25 12:58	
Ethylbenzene	ug/L	ND	5.0	0.34	03/14/25 12:58	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	03/14/25 12:58	
Iodomethane	ug/L	ND	10.0	0.44	03/14/25 12:58	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	03/14/25 12:58	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	03/14/25 12:58	
Methylene Chloride	ug/L	ND	5.0	2.7	03/14/25 12:58	
n-Butylbenzene	ug/L	ND	5.0	0.60	03/14/25 12:58	
n-Hexane	ug/L	ND	5.0	0.70	03/14/25 12:58	
n-Propylbenzene	ug/L	ND	5.0	0.51	03/14/25 12:58	
Naphthalene	ug/L	ND	1.2	0.40	03/14/25 12:58	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	03/14/25 12:58	
sec-Butylbenzene	ug/L	ND	5.0	0.47	03/14/25 12:58	
Styrene	ug/L	ND	5.0	0.36	03/14/25 12:58	
tert-Butylbenzene	ug/L	ND	5.0	0.42	03/14/25 12:58	
Tetrachloroethene	ug/L	ND	5.0	0.42	03/14/25 12:58	
Toluene	ug/L	ND	5.0	3.9	03/14/25 12:58	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	03/14/25 12:58	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	03/14/25 12:58	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	03/14/25 12:58	
Trichloroethene	ug/L	ND	5.0	0.39	03/14/25 12:58	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	03/14/25 12:58	
Vinyl acetate	ug/L	ND	50.0	1.6	03/14/25 12:58	
Vinyl chloride	ug/L	ND	2.0	0.45	03/14/25 12:58	
Xylene (Total)	ug/L	ND	10.0	0.84	03/14/25 12:58	
4-Bromofluorobenzene (S)	%.	104	79-124		03/14/25 12:58	
Dibromofluoromethane (S)	%.	109	82-128		03/14/25 12:58	
Toluene-d8 (S)	%.	90	73-122		03/14/25 12:58	

LABORATORY CONTROL SAMPLE: 3816071

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.9	102	81-130	
1,1,1-Trichloroethane	ug/L	50	48.2	96	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	44.9	90	70-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3816071

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	47.3	95	79-125	
1,1-Dichloroethane	ug/L	50	49.1	98	79-120	
1,1-Dichloroethene	ug/L	50	49.7	99	71-130	
1,1-Dichloropropene	ug/L	50	56.5	113	78-144	
1,2,3-Trichlorobenzene	ug/L	50	55.5	111	57-146	
1,2,3-Trichloropropane	ug/L	50	47.1	94	74-127	
1,2,4-Trichlorobenzene	ug/L	50	54.7	109	62-136	
1,2,4-Trimethylbenzene	ug/L	50	46.9	94	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	46.8	94	80-120	
1,2-Dichlorobenzene	ug/L	50	50.6	101	79-123	
1,2-Dichloroethane	ug/L	50	49.4	99	72-123	
1,2-Dichloropropane	ug/L	50	50.2	100	76-125	
1,3,5-Trimethylbenzene	ug/L	50	48.2	96	71-120	
1,3-Dichlorobenzene	ug/L	50	51.2	102	78-117	
1,3-Dichloropropane	ug/L	50	49.8	100	77-126	
1,4-Dichlorobenzene	ug/L	50	53.0	106	79-116	
1-Methylnaphthalene	ug/L	50	48.4	97	50-190	
2,2-Dichloropropane	ug/L	50	51.0	102	48-138	
2-Butanone (MEK)	ug/L	250	259	104	67-135	
2-Chlorotoluene	ug/L	50	51.7	103	75-122	
2-Hexanone	ug/L	250	229	91	65-135	
2-Methylnaphthalene	ug/L	50	45.9	92	55-184	
4-Chlorotoluene	ug/L	50	50.6	101	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	234	94	69-136	
Acetone	ug/L	250	203	81	34-156	
Acrolein	ug/L	1000	952	95	59-191	
Acrylonitrile	ug/L	250	277	111	67-146	
Benzene	ug/L	50	53.1	106	76-122	
Bromobenzene	ug/L	50	62.4	125	75-121	L1
Bromochloromethane	ug/L	50	46.8	94	73-119	
Bromodichloromethane	ug/L	50	48.1	96	80-126	
Bromoform	ug/L	50	53.4	107	77-124	
Bromomethane	ug/L	50	24.2	48	10-175	
Carbon disulfide	ug/L	50	45.6	91	69-121	
Carbon tetrachloride	ug/L	50	50.7	101	73-127	
Chlorobenzene	ug/L	50	48.8	98	76-118	
Chloroethane	ug/L	50	44.3	89	36-162	
Chloroform	ug/L	50	48.8	98	78-121	
Chloromethane	ug/L	50	39.4	79	37-143	
cis-1,2-Dichloroethene	ug/L	50	47.4	95	77-123	
cis-1,3-Dichloropropene	ug/L	50	47.1	94	76-132	
Dibromochloromethane	ug/L	50	51.1	102	79-130	
Dibromomethane	ug/L	50	46.8	94	79-124	
Dichlorodifluoromethane	ug/L	50	36.5	73	29-126	
Ethyl methacrylate	ug/L	50	50.5J	101	78-137	
Ethylbenzene	ug/L	50	49.7	99	76-120	
Hexachloro-1,3-butadiene	ug/L	50	59.8	120	60-131	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3816071

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	24.0	48	10-148	
Isopropylbenzene (Cumene)	ug/L	50	54.6	109	71-124	
Methyl-tert-butyl ether	ug/L	50	51.5	103	71-121	
Methylene Chloride	ug/L	50	49.8	100	71-121	
n-Butylbenzene	ug/L	50	51.0	102	68-131	
n-Hexane	ug/L	50	42.7	85	51-126	
n-Propylbenzene	ug/L	50	50.9	102	67-127	
Naphthalene	ug/L	50	50.8	102	62-143	
p-Isopropyltoluene	ug/L	50	51.4	103	72-124	
sec-Butylbenzene	ug/L	50	52.1	104	71-126	
Styrene	ug/L	50	50.4	101	80-121	
tert-Butylbenzene	ug/L	50	63.0	126	71-128	
Tetrachloroethene	ug/L	50	54.6	109	71-122	
Toluene	ug/L	50	46.9	94	74-118	
trans-1,2-Dichloroethene	ug/L	50	50.3	101	75-122	
trans-1,3-Dichloropropene	ug/L	50	46.3	93	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	46.9J	94	53-136	
Trichloroethene	ug/L	50	50.8	102	74-125	
Trichlorofluoromethane	ug/L	50	55.1	110	64-138	
Vinyl acetate	ug/L	200	264	132	74-154	
Vinyl chloride	ug/L	50	47.8	96	55-139	
Xylene (Total)	ug/L	150	159	106	73-119	
4-Bromofluorobenzene (S)	%.			104	79-124	
Dibromofluoromethane (S)	%.			92	82-128	
Toluene-d8 (S)	%.			94	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3816072 3816073

Parameter	Units	50395467034 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	43.1	47.3	86	95	47-139	9	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	40.4	43.6	81	87	47-145	8	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	38.8	41.1	78	82	49-133	6	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	40.8	43.2	82	86	52-136	6	20	
1,1-Dichloroethane	ug/L	77.5	50	50	98.8	101	43	47	52-137	2	20	M1
1,1-Dichloroethene	ug/L	ND	50	50	42.1	43.7	84	87	53-144	4	20	
1,1-Dichloropropene	ug/L	ND	50	50	47.2	49.9	94	100	49-150	6	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	43.0	47.5	86	95	20-153	10	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	40.6	42.4	81	85	47-134	4	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	39.3	43.0	79	86	23-141	9	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	37.6	40.5	75	81	41-131	7	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	40.4	42.3	81	85	55-133	4	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	42.4	45.7	85	91	43-133	7	20	
1,2-Dichloroethane	ug/L	ND	50	50	44.1	47.0	88	94	50-138	6	20	
1,2-Dichloropropane	ug/L	ND	50	50	43.5	46.3	87	93	54-139	6	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3816072 3816073

Parameter	Units	50395467034 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	38.3	41.6	77	83	39-133	8	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	40.4	43.8	81	88	41-131	8	20	
1,3-Dichloropropane	ug/L	ND	50	50	43.0	45.4	86	91	50-136	5	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	42.0	45.2	84	90	41-131	7	20	
1-Methylnaphthalene	ug/L	ND	50	50	38.4	42.6	77	85	10-188	10	20	
2,2-Dichloropropane	ug/L	ND	50	50	40.4	42.9	81	86	17-141	6	20	
2-Butanone (MEK)	ug/L	ND	250	250	218	227	87	91	45-138	4	20	
2-Chlorotoluene	ug/L	ND	50	50	41.6	45.2	83	90	36-141	8	20	
2-Hexanone	ug/L	ND	250	250	193	200	77	80	45-135	4	20	
2-Methylnaphthalene	ug/L	ND	50	50	35.9	39.3	72	79	10-197	9	20	
4-Chlorotoluene	ug/L	ND	50	50	40.3	43.5	81	87	38-134	8	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	200	209	80	84	46-138	4	20	
Acetone	ug/L	ND	250	250	174	185	66	71	25-151	6	20	
Acrolein	ug/L	ND	1000	1000	737	751	74	75	36-168	2	20	
Acrylonitrile	ug/L	ND	250	250	227	245	91	98	47-147	8	20	
Benzene	ug/L	ND	50	50	45.6	48.7	91	97	53-138	7	20	
Bromobenzene	ug/L	ND	50	50	52.6	55.6	105	111	47-130	6	20	
Bromochloromethane	ug/L	ND	50	50	43.2	44.1	86	88	52-130	2	20	
Bromodichloromethane	ug/L	ND	50	50	41.2	44.0	82	88	50-146	7	20	
Bromoform	ug/L	ND	50	50	42.9	47.6	86	95	45-132	10	20	
Bromomethane	ug/L	ND	50	50	18.7	24.8	37	50	10-173	28	20	R1
Carbon disulfide	ug/L	ND	50	50	38.0	39.7	76	79	47-133	4	20	
Carbon tetrachloride	ug/L	ND	50	50	42.4	45.1	85	90	43-148	6	20	
Chlorobenzene	ug/L	ND	50	50	41.7	43.3	83	87	52-131	4	20	
Chloroethane	ug/L	ND	50	50	40.4	41.2	81	82	25-169	2	20	
Chloroform	ug/L	ND	50	50	42.8	44.9	86	90	54-138	5	20	
Chloromethane	ug/L	ND	50	50	36.6	37.5	73	75	33-137	2	20	
cis-1,2-Dichloroethene	ug/L	18.8	50	50	54.9	56.9	72	76	50-141	3	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	38.2	41.2	76	82	47-135	8	20	
Dibromochloromethane	ug/L	ND	50	50	43.6	46.3	87	93	48-139	6	20	
Dibromomethane	ug/L	ND	50	50	41.2	43.2	82	86	51-141	5	20	
Dichlorodifluoromethane	ug/L	ND	50	50	30.0	31.7	60	63	15-130	5	20	
Ethyl methacrylate	ug/L	ND	50	50	43.8J	45.8J	88	92	51-142		20	
Ethylbenzene	ug/L	ND	50	50	42.4	44.4	85	89	50-136	5	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	46.9	51.4	94	103	15-141	9	20	
Iodomethane	ug/L	ND	50	50	27.3	28.3	55	57	10-145	3	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	45.8	48.2	92	96	46-137	5	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	43.8	47.4	88	95	47-135	8	20	
Methylene Chloride	ug/L	ND	50	50	41.5	43.3	83	87	48-131	4	20	
n-Butylbenzene	ug/L	ND	50	50	39.7	42.6	79	85	30-138	7	20	
n-Hexane	ug/L	ND	50	50	36.0	38.7	72	77	35-137	7	20	
n-Propylbenzene	ug/L	ND	50	50	41.4	44.5	83	89	37-135	7	20	
Naphthalene	ug/L	ND	50	50	41.4	45.4	83	91	34-152	9	20	
p-Isopropyltoluene	ug/L	ND	50	50	41.2	44.2	82	88	35-136	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3816072 3816073

Parameter	Units	50395467034 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	43.4	46.4	87	93	36-137	7	20	
Styrene	ug/L	ND	50	50	43.3	44.6	87	89	46-136	3	20	
tert-Butylbenzene	ug/L	ND	50	50	52.2	56.3	104	113	40-137	8	20	
Tetrachloroethene	ug/L	ND	50	50	44.0	46.2	88	92	44-138	5	20	
Toluene	ug/L	ND	50	50	39.9	42.6	80	85	52-132	7	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	42.4	44.6	83	87	50-137	5	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	38.0	40.2	76	80	46-130	6	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	38.3J	39J	77	78	24-134		20	
Trichloroethene	ug/L	ND	50	50	43.2	45.7	85	90	49-140	6	20	
Trichlorofluoromethane	ug/L	ND	50	50	47.4	48.7	95	97	44-153	3	20	
Vinyl acetate	ug/L	ND	200	200	188	199	94	100	32-142	6	20	
Vinyl chloride	ug/L	3.6	50	50	44.8	46.1	82	85	41-147	3	20	
Xylene (Total)	ug/L	ND	150	150	134	140	89	93	44-138	5	20	
4-Bromofluorobenzene (S)	%.						106	104	79-124			
Dibromofluoromethane (S)	%.						94	93	82-128			
Toluene-d8 (S)	%.						94	95	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 834203
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467011, 50395467035, 50395467036, 50395467041

METHOD BLANK: 3817010 Matrix: Water
Associated Lab Samples: 50395467011, 50395467035, 50395467036, 50395467041

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	03/13/25 13:11	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	03/13/25 13:11	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	03/13/25 13:11	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	03/13/25 13:11	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	03/13/25 13:11	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	03/13/25 13:11	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	03/13/25 13:11	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	03/13/25 13:11	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	03/13/25 13:11	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	03/13/25 13:11	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	03/13/25 13:11	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	03/13/25 13:11	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	03/13/25 13:11	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	03/13/25 13:11	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	03/13/25 13:11	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	03/13/25 13:11	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	03/13/25 13:11	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	03/13/25 13:11	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	03/13/25 13:11	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	03/13/25 13:11	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	03/13/25 13:11	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	03/13/25 13:11	
2-Chlorotoluene	ug/L	ND	5.0	0.41	03/13/25 13:11	
2-Hexanone	ug/L	ND	25.0	3.2	03/13/25 13:11	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	03/13/25 13:11	
4-Chlorotoluene	ug/L	ND	5.0	0.54	03/13/25 13:11	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	03/13/25 13:11	
Acetone	ug/L	ND	100	12.6	03/13/25 13:11	
Acrolein	ug/L	ND	50.0	12.3	03/13/25 13:11	
Acrylonitrile	ug/L	ND	100	2.3	03/13/25 13:11	
Benzene	ug/L	ND	5.0	0.36	03/13/25 13:11	
Bromobenzene	ug/L	ND	5.0	0.55	03/13/25 13:11	
Bromochloromethane	ug/L	ND	5.0	0.43	03/13/25 13:11	
Bromodichloromethane	ug/L	ND	5.0	0.36	03/13/25 13:11	
Bromoform	ug/L	ND	5.0	0.52	03/13/25 13:11	
Bromomethane	ug/L	ND	5.0	0.45	03/13/25 13:11	
Carbon disulfide	ug/L	ND	10.0	0.80	03/13/25 13:11	
Carbon tetrachloride	ug/L	ND	5.0	0.42	03/13/25 13:11	
Chlorobenzene	ug/L	ND	5.0	0.38	03/13/25 13:11	
Chloroethane	ug/L	ND	5.0	0.41	03/13/25 13:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

METHOD BLANK: 3817010 Matrix: Water
Associated Lab Samples: 50395467011, 50395467035, 50395467036, 50395467041

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.38	03/13/25 13:11	
Chloromethane	ug/L	ND	5.0	0.68	03/13/25 13:11	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	03/13/25 13:11	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	03/13/25 13:11	
Dibromochloromethane	ug/L	ND	5.0	0.28	03/13/25 13:11	
Dibromomethane	ug/L	ND	5.0	0.32	03/13/25 13:11	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	03/13/25 13:11	
Ethyl methacrylate	ug/L	ND	100	0.51	03/13/25 13:11	
Ethylbenzene	ug/L	ND	5.0	0.34	03/13/25 13:11	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	03/13/25 13:11	
Iodomethane	ug/L	ND	10.0	0.44	03/13/25 13:11	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	03/13/25 13:11	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	03/13/25 13:11	
Methylene Chloride	ug/L	ND	5.0	2.7	03/13/25 13:11	
n-Butylbenzene	ug/L	ND	5.0	0.60	03/13/25 13:11	
n-Hexane	ug/L	ND	5.0	0.70	03/13/25 13:11	
n-Propylbenzene	ug/L	ND	5.0	0.51	03/13/25 13:11	
Naphthalene	ug/L	ND	1.2	0.40	03/13/25 13:11	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	03/13/25 13:11	
sec-Butylbenzene	ug/L	ND	5.0	0.47	03/13/25 13:11	
Styrene	ug/L	ND	5.0	0.36	03/13/25 13:11	
tert-Butylbenzene	ug/L	ND	5.0	0.42	03/13/25 13:11	
Tetrachloroethene	ug/L	ND	5.0	0.42	03/13/25 13:11	
Toluene	ug/L	ND	5.0	3.9	03/13/25 13:11	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	03/13/25 13:11	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	03/13/25 13:11	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	03/13/25 13:11	
Trichloroethene	ug/L	ND	5.0	0.39	03/13/25 13:11	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	03/13/25 13:11	
Vinyl acetate	ug/L	ND	50.0	1.6	03/13/25 13:11	
Vinyl chloride	ug/L	ND	2.0	0.45	03/13/25 13:11	
Xylene (Total)	ug/L	ND	10.0	0.84	03/13/25 13:11	
4-Bromofluorobenzene (S)	%.	104	79-124		03/13/25 13:11	
Dibromofluoromethane (S)	%.	112	82-128		03/13/25 13:11	
Toluene-d8 (S)	%.	93	73-122		03/13/25 13:11	

LABORATORY CONTROL SAMPLE: 3817011

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	44.4	89	81-130	
1,1,1-Trichloroethane	ug/L	50	45.8	92	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	40.1	80	70-126	
1,1,2-Trichloroethane	ug/L	50	41.8	84	79-125	
1,1-Dichloroethane	ug/L	50	47.3	95	79-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3817011

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	49.7	99	71-130	
1,1-Dichloropropene	ug/L	50	53.4	107	78-144	
1,2,3-Trichlorobenzene	ug/L	50	50.5	101	57-146	
1,2,3-Trichloropropane	ug/L	50	41.3	83	74-127	
1,2,4-Trichlorobenzene	ug/L	50	49.9	100	62-136	
1,2,4-Trimethylbenzene	ug/L	50	43.4	87	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	40.5	81	80-120	
1,2-Dichlorobenzene	ug/L	50	47.3	95	79-123	
1,2-Dichloroethane	ug/L	50	44.8	90	72-123	
1,2-Dichloropropane	ug/L	50	46.4	93	76-125	
1,3,5-Trimethylbenzene	ug/L	50	44.5	89	71-120	
1,3-Dichlorobenzene	ug/L	50	47.3	95	78-117	
1,3-Dichloropropane	ug/L	50	43.8	88	77-126	
1,4-Dichlorobenzene	ug/L	50	48.8	98	79-116	
1-Methylnaphthalene	ug/L	50	44.7	89	50-190	
2,2-Dichloropropane	ug/L	50	48.4	97	48-138	
2-Butanone (MEK)	ug/L	250	233	93	67-135	
2-Chlorotoluene	ug/L	50	47.5	95	75-122	
2-Hexanone	ug/L	250	197	79	65-135	
2-Methylnaphthalene	ug/L	50	43.6	87	55-184	
4-Chlorotoluene	ug/L	50	47.0	94	77-120	
4-Methyl-2-pentanone (MIBK)	ug/L	250	205	82	69-136	
Acetone	ug/L	250	185	74	34-156	
Acrolein	ug/L	1000	885	89	59-191	
Acrylonitrile	ug/L	250	257	103	67-146	
Benzene	ug/L	50	49.9	100	76-122	
Bromobenzene	ug/L	50	56.1	112	75-121	
Bromochloromethane	ug/L	50	43.8	88	73-119	
Bromodichloromethane	ug/L	50	43.8	88	80-126	
Bromoform	ug/L	50	45.9	92	77-124	
Bromomethane	ug/L	50	28.2	56	10-175	
Carbon disulfide	ug/L	50	46.7	93	69-121	
Carbon tetrachloride	ug/L	50	48.5	97	73-127	
Chlorobenzene	ug/L	50	45.1	90	76-118	
Chloroethane	ug/L	50	46.7	93	36-162	
Chloroform	ug/L	50	46.0	92	78-121	
Chloromethane	ug/L	50	42.9	86	37-143	
cis-1,2-Dichloroethene	ug/L	50	45.9	92	77-123	
cis-1,3-Dichloropropene	ug/L	50	42.4	85	76-132	
Dibromochloromethane	ug/L	50	44.4	89	79-130	
Dibromomethane	ug/L	50	43.3	87	79-124	
Dichlorodifluoromethane	ug/L	50	36.7	73	29-126	
Ethyl methacrylate	ug/L	50	43.6J	87	78-137	
Ethylbenzene	ug/L	50	46.2	92	76-120	
Hexachloro-1,3-butadiene	ug/L	50	54.9	110	60-131	
Iodomethane	ug/L	50	29.7	59	10-148	
Isopropylbenzene (Cumene)	ug/L	50	50.7	101	71-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3817011

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	44.6	89	71-121	
Methylene Chloride	ug/L	50	42.6	85	71-121	
n-Butylbenzene	ug/L	50	48.6	97	68-131	
n-Hexane	ug/L	50	41.4	83	51-126	
n-Propylbenzene	ug/L	50	48.3	97	67-127	
Naphthalene	ug/L	50	47.7	95	62-143	
p-Isopropyltoluene	ug/L	50	48.6	97	72-124	
sec-Butylbenzene	ug/L	50	49.6	99	71-126	
Styrene	ug/L	50	46.0	92	80-121	
tert-Butylbenzene	ug/L	50	58.4	117	71-128	
Tetrachloroethene	ug/L	50	49.3	99	71-122	
Toluene	ug/L	50	43.9	88	74-118	
trans-1,2-Dichloroethene	ug/L	50	49.3	99	75-122	
trans-1,3-Dichloropropene	ug/L	50	40.6	81	77-126	
trans-1,4-Dichloro-2-butene	ug/L	50	38.9J	78	53-136	
Trichloroethene	ug/L	50	48.0	96	74-125	
Trichlorofluoromethane	ug/L	50	57.6	115	64-138	
Vinyl acetate	ug/L	200	234	117	74-154	
Vinyl chloride	ug/L	50	51.5	103	55-139	
Xylene (Total)	ug/L	150	147	98	73-119	
4-Bromofluorobenzene (S)	%.			104	79-124	
Dibromofluoromethane (S)	%.			95	82-128	
Toluene-d8 (S)	%.			94	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3817220 3817221

Parameter	Units	50395654001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	39.0	46.8	78	94	47-139	18	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	35.2	40.9	70	82	47-145	15	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	32.4	37.9	65	76	49-133	16	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	35.8	42.8	72	86	52-136	18	20	
1,1-Dichloroethane	ug/L	ND	50	50	37.1	43.2	74	86	52-137	15	20	
1,1-Dichloroethene	ug/L	ND	50	50	35.3	41.6	71	83	53-144	16	20	
1,1-Dichloropropene	ug/L	ND	50	50	38.6	47.4	77	95	49-150	20	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	41.3	47.6	83	95	20-153	14	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	33.1	40.0	66	80	47-134	19	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	38.3	44.5	77	89	23-141	15	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	34.2	39.6	68	79	41-131	15	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	34.7	40.6	69	81	55-133	16	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	39.2	45.2	78	90	43-133	14	20	
1,2-Dichloroethane	ug/L	ND	50	50	38.9	45.7	78	91	50-138	16	20	
1,2-Dichloropropane	ug/L	ND	50	50	38.3	45.1	77	90	54-139	16	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	35.0	40.2	70	80	39-133	14	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	37.7	43.5	75	87	41-131	14	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3817220 3817221

Parameter	Units	50395654001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	37.5	44.0	75	88	50-136	16	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	39.4	45.2	79	90	41-131	14	20	
1-Methylnaphthalene	ug/L	ND	50	50	34.5	40.2	69	80	10-188	15	20	
2,2-Dichloropropane	ug/L	ND	50	50	35.1	41.1	70	82	17-141	16	20	
2-Butanone (MEK)	ug/L	ND	250	250	154	192	62	77	45-138	22	20	R1
2-Chlorotoluene	ug/L	ND	50	50	37.7	43.8	75	88	36-141	15	20	
2-Hexanone	ug/L	ND	250	250	145	177	58	71	45-135	20	20	
2-Methylnaphthalene	ug/L	ND	50	50	33.0	38.4	66	77	10-197	15	20	
4-Chlorotoluene	ug/L	ND	50	50	36.5	43.0	73	86	38-134	16	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	155	187	62	75	46-138	19	20	
Acetone	ug/L	ND	250	250	124	152	49	61	25-151	21	20	R1
Acrolein	ug/L	ND	1000	1000	561	678	56	68	36-168	19	20	
Acrylonitrile	ug/L	ND	250	250	189	226	76	90	47-147	17	20	
Benzene	ug/L	ND	50	50	39.4	46.3	79	93	53-138	16	20	
Bromobenzene	ug/L	ND	50	50	46.7	54.7	93	109	47-130	16	20	
Bromochloromethane	ug/L	ND	50	50	36.7	42.7	73	85	52-130	15	20	
Bromodichloromethane	ug/L	ND	50	50	37.3	44.0	75	88	50-146	16	20	
Bromoform	ug/L	ND	50	50	38.4	45.8	77	92	45-132	18	20	
Bromomethane	ug/L	ND	50	50	15.4	20.5	31	41	10-173	28	20	R1
Carbon disulfide	ug/L	ND	50	50	32.2	37.7	64	75	47-133	16	20	
Carbon tetrachloride	ug/L	ND	50	50	36.0	43.1	72	86	43-148	18	20	
Chlorobenzene	ug/L	ND	50	50	37.1	43.2	74	86	52-131	15	20	
Chloroethane	ug/L	ND	50	50	38.8	40.9	78	82	25-169	5	20	
Chloroform	ug/L	ND	50	50	38.0	43.8	76	88	54-138	14	20	
Chloromethane	ug/L	ND	50	50	28.1	33.6	56	67	33-137	18	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	38.0	44.2	70	83	50-141	15	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	35.1	41.4	70	83	47-135	16	20	
Dibromochloromethane	ug/L	ND	50	50	38.5	45.7	77	91	48-139	17	20	
Dibromomethane	ug/L	ND	50	50	36.5	42.7	73	85	51-141	16	20	
Dichlorodifluoromethane	ug/L	ND	50	50	26.5	31.3	53	63	15-130	16	20	
Ethyl methacrylate	ug/L	ND	50	50	36.4J	44.2J	73	88	51-142		20	
Ethylbenzene	ug/L	ND	50	50	36.8	42.5	74	85	50-136	14	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	42.0	49.3	84	99	15-141	16	20	
Iodomethane	ug/L	ND	50	50	14.0	18.8	28	38	10-145	29	20	R1
Isopropylbenzene (Cumene)	ug/L	ND	50	50	39.3	46.2	79	92	46-137	16	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	38.0	46.0	76	92	47-135	19	20	
Methylene Chloride	ug/L	ND	50	50	32.1	38.8	64	78	48-131	19	20	
n-Butylbenzene	ug/L	ND	50	50	35.1	41.0	70	82	30-138	15	20	
n-Hexane	ug/L	ND	50	50	30.3	35.5	61	71	35-137	16	20	
n-Propylbenzene	ug/L	ND	50	50	36.3	42.0	73	84	37-135	14	20	
Naphthalene	ug/L	ND	50	50	36.9	42.6	74	85	34-152	14	20	
p-Isopropyltoluene	ug/L	ND	50	50	36.5	42.5	73	85	35-136	15	20	
sec-Butylbenzene	ug/L	ND	50	50	37.7	43.6	75	87	36-137	15	20	
Styrene	ug/L	ND	50	50	38.3	44.9	77	90	46-136	16	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3817220 3817221

Parameter	Units	50395654001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	46.4	53.8	93	108	40-137	15	20	
Tetrachloroethene	ug/L	ND	50	50	41.1	47.6	75	88	44-138	15	20	
Toluene	ug/L	ND	50	50	35.1	41.1	70	82	52-132	16	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	36.5	42.7	73	85	50-137	16	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	33.6	40.8	67	82	46-130	19	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	30.3J	37.7J	61	75	24-134		20	
Trichloroethene	ug/L	ND	50	50	37.9	44.5	73	86	49-140	16	20	
Trichlorofluoromethane	ug/L	ND	50	50	40.3	46.0	81	92	44-153	13	20	
Vinyl acetate	ug/L	ND	200	200	169	203	85	102	32-142	18	20	
Vinyl chloride	ug/L	ND	50	50	34.4	40.1	68	80	41-147	15	20	
Xylene (Total)	ug/L	ND	150	150	118	137	78	91	44-138	15	20	
4-Bromofluorobenzene (S)	%.						106	105	79-124			
Dibromofluoromethane (S)	%.						94	93	82-128			
Toluene-d8 (S)	%.						95	95	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 834738
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467037, 50395467038, 50395467039, 50395467040

METHOD BLANK: 3819524 Matrix: Water
Associated Lab Samples: 50395467037, 50395467038, 50395467039, 50395467040

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.57	03/17/25 12:07	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.32	03/17/25 12:07	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.46	03/17/25 12:07	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.57	03/17/25 12:07	
1,1-Dichloroethane	ug/L	ND	5.0	0.33	03/17/25 12:07	
1,1-Dichloroethene	ug/L	ND	5.0	0.44	03/17/25 12:07	
1,1-Dichloropropene	ug/L	ND	5.0	0.32	03/17/25 12:07	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.57	03/17/25 12:07	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.46	03/17/25 12:07	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.58	03/17/25 12:07	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.54	03/17/25 12:07	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.48	03/17/25 12:07	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.61	03/17/25 12:07	
1,2-Dichloroethane	ug/L	ND	5.0	0.50	03/17/25 12:07	
1,2-Dichloropropane	ug/L	ND	5.0	0.42	03/17/25 12:07	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.45	03/17/25 12:07	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.65	03/17/25 12:07	
1,3-Dichloropropane	ug/L	ND	5.0	0.58	03/17/25 12:07	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.66	03/17/25 12:07	
1-Methylnaphthalene	ug/L	ND	10.0	1.7	03/17/25 12:07	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	03/17/25 12:07	
2-Butanone (MEK)	ug/L	ND	25.0	2.0	03/17/25 12:07	
2-Chlorotoluene	ug/L	ND	5.0	0.50	03/17/25 12:07	
2-Hexanone	ug/L	ND	25.0	2.0	03/17/25 12:07	
2-Methylnaphthalene	ug/L	ND	10.0	2.7	03/17/25 12:07	
4-Chlorotoluene	ug/L	ND	5.0	0.53	03/17/25 12:07	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.9	03/17/25 12:07	
Acetone	ug/L	ND	100	3.8	03/17/25 12:07	
Acrolein	ug/L	ND	50.0	5.9	03/17/25 12:07	
Acrylonitrile	ug/L	ND	100	2.0	03/17/25 12:07	
Benzene	ug/L	ND	5.0	0.30	03/17/25 12:07	
Bromobenzene	ug/L	ND	5.0	0.70	03/17/25 12:07	
Bromochloromethane	ug/L	ND	5.0	0.51	03/17/25 12:07	
Bromodichloromethane	ug/L	ND	5.0	0.54	03/17/25 12:07	
Bromoform	ug/L	ND	5.0	0.54	03/17/25 12:07	
Bromomethane	ug/L	ND	5.0	0.59	03/17/25 12:07	
Carbon disulfide	ug/L	ND	10.0	0.36	03/17/25 12:07	
Carbon tetrachloride	ug/L	ND	5.0	0.33	03/17/25 12:07	
Chlorobenzene	ug/L	ND	5.0	0.52	03/17/25 12:07	
Chloroethane	ug/L	ND	5.0	0.61	03/17/25 12:07	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

METHOD BLANK: 3819524 Matrix: Water
Associated Lab Samples: 50395467037, 50395467038, 50395467039, 50395467040

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.38	03/17/25 12:07	
Chloromethane	ug/L	ND	5.0	0.31	03/17/25 12:07	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.41	03/17/25 12:07	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.52	03/17/25 12:07	
Dibromochloromethane	ug/L	ND	5.0	0.58	03/17/25 12:07	
Dibromomethane	ug/L	ND	5.0	0.64	03/17/25 12:07	
Dichlorodifluoromethane	ug/L	ND	5.0	0.44	03/17/25 12:07	
Ethyl methacrylate	ug/L	ND	100	0.56	03/17/25 12:07	
Ethylbenzene	ug/L	ND	5.0	0.44	03/17/25 12:07	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.31	03/17/25 12:07	
Iodomethane	ug/L	ND	10.0	0.94	03/17/25 12:07	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.39	03/17/25 12:07	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.40	03/17/25 12:07	
Methylene Chloride	ug/L	ND	5.0	5.0	03/17/25 12:07	
n-Butylbenzene	ug/L	ND	5.0	0.36	03/17/25 12:07	
n-Hexane	ug/L	ND	5.0	0.56	03/17/25 12:07	
n-Propylbenzene	ug/L	ND	5.0	0.43	03/17/25 12:07	
Naphthalene	ug/L	ND	1.2	1.2	03/17/25 12:07	
p-Isopropyltoluene	ug/L	ND	5.0	0.38	03/17/25 12:07	
sec-Butylbenzene	ug/L	ND	5.0	0.35	03/17/25 12:07	
Styrene	ug/L	ND	5.0	0.52	03/17/25 12:07	
tert-Butylbenzene	ug/L	ND	5.0	0.42	03/17/25 12:07	
Tetrachloroethene	ug/L	ND	5.0	0.34	03/17/25 12:07	
Toluene	ug/L	ND	5.0	0.79	03/17/25 12:07	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.28	03/17/25 12:07	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.67	03/17/25 12:07	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.53	03/17/25 12:07	
Trichloroethene	ug/L	ND	5.0	0.34	03/17/25 12:07	
Trichlorofluoromethane	ug/L	ND	5.0	0.29	03/17/25 12:07	
Vinyl acetate	ug/L	ND	50.0	1.1	03/17/25 12:07	
Vinyl chloride	ug/L	ND	2.0	0.37	03/17/25 12:07	
Xylene (Total)	ug/L	ND	10.0	0.96	03/17/25 12:07	
4-Bromofluorobenzene (S)	%.	98	79-124		03/17/25 12:07	
Dibromofluoromethane (S)	%.	103	82-128		03/17/25 12:07	1d
Toluene-d8 (S)	%.	100	73-122		03/17/25 12:07	

LABORATORY CONTROL SAMPLE: 3819525

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	47.4	95	71-126	
1,1,2,2-Tetrachloroethane	ug/L	50	47.1	94	70-126	
1,1-Dichloroethene	ug/L	50	48.9	98	71-130	
1,2,4-Trimethylbenzene	ug/L	50	48.4	97	69-120	
1,2-Dibromoethane (EDB)	ug/L	50	48.1	96	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

LABORATORY CONTROL SAMPLE: 3819525

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	47.8	96	72-123	
1,2-Dichloropropane	ug/L	50	48.7	97	76-125	
1,3,5-Trimethylbenzene	ug/L	50	48.5	97	71-120	
Benzene	ug/L	50	46.8	94	76-122	
Chlorobenzene	ug/L	50	45.6	91	76-118	
Chloroform	ug/L	50	45.1	90	78-121	
cis-1,2-Dichloroethene	ug/L	50	47.6	95	77-123	
Ethylbenzene	ug/L	50	47.4	95	76-120	
Isopropylbenzene (Cumene)	ug/L	50	47.4	95	71-124	
Methyl-tert-butyl ether	ug/L	50	49.2	98	71-121	
n-Hexane	ug/L	50	51.6	103	51-126	
Naphthalene	ug/L	50	46.9	94	62-143	
Tetrachloroethene	ug/L	50	46.5	93	71-122	
Toluene	ug/L	50	46.3	93	74-118	
trans-1,2-Dichloroethene	ug/L	50	47.2	94	75-122	
Trichloroethene	ug/L	50	47.5	95	74-125	
Vinyl chloride	ug/L	50	59.2	118	55-139	
Xylene (Total)	ug/L	100	93.3	93	73-119	
4-Bromofluorobenzene (S)	%.			101	79-124	
Dibromofluoromethane (S)	%.			98	82-128	
Toluene-d8 (S)	%.			103	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 833335
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467001

METHOD BLANK: 3812699 Matrix: Water
Associated Lab Samples: 50395467001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	03/07/25 13:31	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	03/07/25 13:31	

LABORATORY CONTROL SAMPLE: 3812700

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	102	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3812701 3812702

Parameter	Units	50395467001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	1.0	1.0	102	103	90-110	1	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.1	2.1	102	103	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

QC Batch: 833629
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50395467001

METHOD BLANK: 3814321 Matrix: Water
Associated Lab Samples: 50395467001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	03/10/25 20:57	

LABORATORY CONTROL SAMPLE: 3814322

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9780	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3814323 3814324

Parameter	Units	50395300001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	2.3 mg/L	10000	10000	11900	11900	96	97	80-120	0	15	

MATRIX SPIKE SAMPLE: 3814325

Parameter	Units	50395366012 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	2.0 mg/L	10000	12300	102	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Neither matrix spike nor matrix precision data could be provided for this analytical batch due to insufficient sample volume.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
H3	Sample was received or analysis requested beyond the recognized method holding time.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 GCV Headspace	Water	RSK 175 Modified	N/A

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50395467001	**MW-428-03052025**	EPA 300.0	833559		
50395467001	**MW-428-03052025**	RSK 175	995734		
50395467015	**W-8-03062025**	RSK 175	995734		
50395467001	**MW-428-03052025**	EPA 3010	834858	EPA 6010	834859
50395467001	**MW-428-03052025**	EPA 5030/8260	833764		
50395467002	**AD-300-03052025**	EPA 5030/8260	833997		
50395467003	**MW-408S-03052025**	EPA 5030/8260	833761		
50395467004	**MW-408D-03052025**	EPA 5030/8260	833764		
50395467005	**MW-405S-03052025**	EPA 5030/8260	833761		
50395467006	**MW-405D-03052025**	EPA 5030/8260	833764		
50395467007	**MW-404-03052025**	EPA 5030/8260	833764		
50395467008	**MW-406S-03052025**	EPA 5030/8260	833764		
50395467009	**MW-406D-03052025**	EPA 5030/8260	833764		
50395467010	**MW-424S-03052025**	EPA 5030/8260	833764		
50395467011	**MW-424D-03052025**	EPA 5030/8260	834203		
50395467012	**MW-419S-03052025**	EPA 5030/8260	833761		
50395467013	**MW-419D-03052025**	EPA 5030/8260	833761		
50395467014	**W-2-03052025**	EPA 5030/8260	833966		
50395467015	**W-8-03062025**	EPA 5030/8260	833764		
50395467016	**MW-253-03062025**	EPA 5030/8260	833966		
50395467017	**MW-251-03062025**	EPA 5030/8260	833761		
50395467018	**W-10-03062025**	EPA 5030/8260	833761		
50395467019	**MW-153-03062025**	EPA 5030/8260	833761		
50395467020	**MW-163-03062025**	EPA 5030/8260	833966		
50395467021	**MW-312-03062025**	EPA 5030/8260	833761		
50395467022	**MW-132-03062025**	EPA 5030/8260	833966		
50395467023	**MW-133-03062025**	EPA 5030/8260	833966		
50395467024	**MW-131-03062025**	EPA 5030/8260	833761		
50395467025	**MW-41-03062025**	EPA 5030/8260	833761		
50395467026	**MW-123-03062025**	EPA 5030/8260	833957		
50395467027	**MW-303-03062025**	EPA 5030/8260	833997		
50395467028	**MW-333-03062025**	EPA 5030/8260	833997		
50395467029	**MW-323-03062025**	EPA 5030/8260	833997		
50395467030	**AD-400-03062025**	EPA 5030/8260	833997		
50395467031	**MW-322-03062025**	EPA 5030/8260	833997		
50395467032	**MW-416S-03062025**	EPA 5030/8260	833997		
50395467033	**MW-416D-03062025**	EPA 5030/8260	833997		
50395467034	**MW-110-03062025**	EPA 5030/8260	833997		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1Q25 Indy CE Sampling
Pace Project No.: 50395467

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50395467035	**MW-415S-03062025**	EPA 5030/8260	834203		
50395467036	**MW-415D-03062025**	EPA 5030/8260	834203		
50395467037	**MW-331-03062025**	EPA 5030/8260	834738		
50395467038	**W-4R-03062025**	EPA 5030/8260	834738		
50395467039	**MW-321-03062025**	EPA 5030/8260	834738		
50395467040	**MW-414S-03062025**	EPA 5030/8260	834738		
50395467041	**MW-414D-03062025**	EPA 5030/8260	834203		
50395467042	**Trip Blanks**	EPA 5030/8260	833957		
50395467001	**MW-428-03052025**	EPA 353.2	833335		
50395467001	**MW-428-03052025**	SM 5310C	833629		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 50395467

50395467

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	1Q25 Indy CE Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [V] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [V] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [V] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 3 6 6 3 3

Identify Container Preservative Type***: 3 4 4 2 1

Analysis Requested

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2
MW-428-03052025	GW	G			3/5/25	14:30	9			X	X	X	X	X
AD-300-03052025						12:00	3				X			
MW-408S-03052025						14:13	3				X			
MW-408D-03052025						14:00	3				X			
MW-405S-03052025						14:03	3				X			
MW-405D-03052025						14:37	3				X			
MW-404-03052025						15:06	3				X			
MW-406S-03052025						16:03	3				X			
MW-406D-03052025						15:58	3				X			
MW-424-03052025						15:20	3				X			

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3199179**

Sample Comment

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By: (Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	H	0.0	0.4	0.4	Y

Relinquished by/Company: (Signature) Patrick Verbrycke Ramboll	Date/Time: 3/6/25 17:31	Received by/Company: (Signature) Pace	Date/Time: 3/6/25 17:31	Tracking Number:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 5

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103484		
Project Name:	1Q25 Indy CE Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [V] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [V] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [V] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 3 6 6 3 3

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

Identify Container Preservative Type***: 3 4 4 2 1

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested

Lab Use Only: Proj. Mgr: Heather Patterson; AcctNum / Client ID:; Table #:; Profile / Template: 2747-28; Prelog / Bottle Ord. ID: EZ 3199179

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2	Sample Comment	Preservation non-conformance identified for sample.
MW-424D-03052025	GW	G			3/5/25	15:25	3				X					
MW-419S-03052025						16:25	3				X					
MW-419D-03052025						16:14	3				X					
W-2-03052025						16:45	3				X					
W-8-03062025					3/6/25	10:20	12				X	X			MS/MSD	
MW-253-03062025						8:35	3				X					
MW-251-03062025						8:24	3				X					
W-10-03062025						8:47	3				X					
MW-153-03062025						9:00	3				X					
MW-163-03062025						9:31	3				X					

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By: (Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
see 1st page					

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbrycke Ramboll	3/6/25	Pace	3/6/25 17:31	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 5

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	1Q25 Indy CE Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [√] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [√] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [√] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2	Sample Comment
Specify Container Size **										3	6	6	3	3	
Identify Container Preservative Type***										3	4	4	2	1	
MW-312-03062025	GW	G			3/6/25	9:46	3				X				
MW-132-03062025	"	"			"	10:12	3				X				
MW-133-03062025	"	"			"	10:22	3				X				
MW-131-03062025	"	"			"	10:27	3				X				
MW-41-03062025	"	"			"	11:01	3				X				
MW-123-03062025	"	"			"	11:12	3				X				
MW-303-03062025	"	"			"	11:28	3				X				
MW-333-03062025	"	"			"	12:10	3				X				
MW-323-03062025	"	"			"	14:15	3				X				
AD-400-03062025	"	"			"	12:00	3				X				

Lab Use Only:
Proj. Mgr: Heather Patterson
AcctNum / Client ID:
Table #:
Profile / Template: 2747-28
Prelog / Bottle Ord. ID: EZ 3199179

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By: (Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
see 1st page					

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke Ramboll	3/6/25	Pace	3/6/25 17:37	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 3 of 5

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	1Q25 Indy CE Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET		County / State origin of sample(s):	Indiana
Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No		
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____	DW PWSID # or WW Permit # as applicable:	
	Date Results Requested: 10 Day TAT	Field Filtered (if applicable): [ ] Yes [ ] No Analysis:	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 3 6 6 3 3

Identify Container Preservative Type***: 3 4 4 2 1

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only: Proj. Mgr: Heather Patterson; AcctNum / Client ID:; Table #:; Profile / Template: 2747-28; Prelog / Bottle Ord. ID: EZ 3199179

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2	Sample Comment	Preservation non-conformance identified for sample.
MW-322-03062025	GW	G			3/6/25	14:33	3				X					
MW-416S-03062025	"	"			"	13:40	3				X					
MW-416D-03062025	"	"			"	13:55	3				X					
MW-110-03062025	"	"			"	13:45	3				X					
MW-455-03062025	"	"			"	14:24	3				X					
MW-415D-03062025	"	"			"	14:05	3				X					
MW-331-03062025	"	"			"	15:06	3				X					
MW-4R-03062025	"	"			"	15:29	3				X					
MW-321-03062025	"	"			"	15:00	3				X					
MW-445-03062025	"	"			"	15:37	3				X					

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By: (Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
see 1st page					

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke Ramboll	3/6/25	Pace	3/6/25 17:31	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In- Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 4 of 5

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103497	Invoice To:	Accounts Payable
Project Name:	1Q25 Indy CE Sampling	Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): **Indiana**

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [✓] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **: 3 6 6 3 3

Identify Container Preservative Type***: 3 4 4 2 1

Analysis Requested

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	5310C TOC	8260 MSV Indiana	Dissolved Gases by RSK175 to Pace® MN	Dissolved Iron by 6010 (Field Filtered)	SO4 by 300.0/Nitrate by 353.2	Sample Comment	Preservation non-conformance identified for sample.
MW-44D-030625	GW	G			3/6/25	15:30	3				X					
Trip Blanks							3				X					

****Container Size:** (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

***** Preservative Types:** (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3199179**

Additional Instructions from Pace®:
Nitrate by 353.2 has a short 48 hour hold time

Collected By:
(Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
see 1st page					

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke Ramboll	3/6/25	Pace	3/6/25 17:31	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 5 of 5

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 3/6/25 17:45 JG

1. Thermometer: 1 2 3 4 5 6 7 8 9 A B C D E F G (H) I
2. Cooler Temperature(s): (Initial/Corrected) 0.4/0.4 | | | |
   RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)
3. Courier: Circle One — Fed Ex UPS (Client) Pace Now/Jett Other
4. Custody Seal on Cooler/Box Present: ☐ Yes ☒ No
   (If yes) Seals Intact: ☐ Yes ☐ No (leave blank if no seals were present)
5. Packing Material: ☐ Bubble Wrap ☑ Bubble Bags ☐ None ☐ Other _____
6. Ice Type: ☑ Wet ☐ Blue ☐ None
7. Was the PM notified of out of temp cooler? ☐ Yes ☐ No
   Cooler temp should be above freezing to 6°C
   If the PM was contacted in the comments below please write how they instructed the project to proceed

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		—	All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl. Circle: HNO3 (<2) (H2SO4 (<2)) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	—		
Short Hold Time Analysis (48 hours or less)? Analysis: Nitrate/Nitrite	—		Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A —
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:		Residual Chlorine Check (Total/Amenable/Free Cyanide)			—
Rush TAT Requested (4 days or less):		—	Headspace in VOA Vials (>6mm): See Containter Count form for details	Present —	Absent	No VOA Vials Sent
Custody Signatures Present?	—		Trip Blank Present?	—		
Containers Intact?:	—		Trip Blank Custody Seals?:	—		
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID		—	Out Of Temp Instructions if applicable:			
Extra labels on Terracore Vials? (soils only)						

COMMENTS: MW-414S label has the incorrect ID but correct date & time (JG 3/6/25)

Per PVerbryke, vials with collection time 1537 are MW-414S. 030725hmp

SWI Location	Note Discription

COC PAGE 1 of 5

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

| | | | | | | | | | | | AMBER GLASS | | | | | | | | | | |

COC PAGE 2 of 5

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

| | | | MeOH (only) | | |

COC PAGE 3 of 5

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

			MeOH (only)							AMBER GLASS							PLASTIC										OTHER					Matrix	Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
			SBS																													Red	Yellow	Green	Black
			DI																															
COC Line Item	WGFU	WGKU BG1U	R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit						HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9
1				3																										WT				
2																																		
3																																		
4																																		
5																																		
6																																		
7																																		
8																																		
9																																		
10				✓																														
11																																		
12																																		

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 4 of 5

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

									AMBER GLASS							PLASTIC									OTHER						
COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix
1				3																									
2																													
3																													
4																													
5																													
6																													
7																													
8																													
9																													
10				↓		"414D0306 2025"																							
11																													
12																													

Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
Red	Yellow	Green	Black
HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 5 of 5

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

									AMBER GLASS							PLASTIC									OTHER					
COC Line Item	WGFU	WGKU	BG1U	MeOH (only) SBS DI R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix
1					3																									WT
2					↓																									↓
3																														
4																														
5																														
6																														
7																														
8																														
9																														
10																														
11																														
12																														

Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
Red	Yellow	Green	Black
HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

APPENDIX B-2
MAY 2025 GROUNDWATER SAMPLING EVENT

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

May 23, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on May 07, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis
- Pace Analytical Services - Minneapolis

Several samples were re-analyzed with headspace due to required dilutions. All vials had been used due to instrument issues. Duplicate results are reported for comparison purposes. 052125hmp

Revised report replaces original report dated 05/22/25. Changed client project number per client request. 052325hmp

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
DoD Certification via A2LA #: 2926.01
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605
Georgia Certification #: 959
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
ISO/IEC 17025 Certification via A2LA #: 2926.01
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240
Mississippi Certification #: MN00064
Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081
New Jersey Certification #: MN002
New York Certification #: 11647
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification via A2LA #: R-036
North Dakota Certification via MN #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Oklahoma Certification #: 9507
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192
Utah Certification #: MN00064
Vermont Certification #: VT-027053137
Virginia Certification #: 460163
Washington Certification #: C486
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification via A2LA #: 2926.01
USDA Permit #: P330-19-00208

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50400710001	**MW-428-20250506**	Water	05/06/25 10:53	05/07/25 12:35
50400710002	**MW-402D-20250506**	Water	05/06/25 13:25	05/07/25 12:35
50400710003	**MW-402-20250506**	Water	05/06/25 14:54	05/07/25 12:35
50400710004	**AD-100-20250506**	Water	05/06/25 12:00	05/07/25 12:35
50400710005	**MW-413S-20250506**	Water	05/06/25 14:21	05/07/25 12:35
50400710006	**MW-413D-20250506**	Water	05/06/25 15:50	05/07/25 12:35
50400710007	**W-9-20250506**	Water	05/06/25 17:04	05/07/25 12:35
50400710008	**MW-410S-20250507**	Water	05/07/25 09:54	05/07/25 12:35
50400710009	**MW-410D-20250507**	Water	05/07/25 11:33	05/07/25 12:35
50400710010	**MW-425-20250507**	Water	05/07/25 09:24	05/07/25 12:35
50400710011	**MW-426-20250507**	Water	05/07/25 11:17	05/07/25 12:35
50400710012	**TRIP BLANK**	Water	05/06/25 08:00	05/07/25 12:35

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50400710001	**MW-428-20250506**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	NWB	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400710002	**MW-402D-20250506**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	NWB	1	PASI-I
		EPA 5030/8260	BES, TMW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400710003	**MW-402-20250506**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	NWB	1	PASI-I
		EPA 5030/8260	BES, TMW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400710004	**AD-100-20250506**	EPA 5030/8260	BES, TMW	75	PASI-I
50400710005	**MW-413S-20250506**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	NWB	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400710006	**MW-413D-20250506**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	NWB	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400710007	**W-9-20250506**	RSK 175	ALE	3	PASI-M
		EPA 5030/8260	TMW	75	PASI-I
50400710008	**MW-410S-20250507**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	NWB	1	PASI-I
		EPA 5030/8260	BES, TMW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400710009	**MW-410D-20250507**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	NWB	1	PASI-I
		EPA 5030/8260	BES, TMW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		SM 5310C	ATS	1	PASI-I
50400710010	**MW-425-20250507**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	NWB	1	PASI-I
		EPA 5030/8260	BES, TMW	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400710011	**MW-426-20250507**	RSK 175	ALE	3	PASI-M
		EPA 5030/8260	BES, TMW	75	PASI-I
50400710012	**TRIP BLANK**	EPA 5030/8260	TMW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis
PASI-M = Pace Analytical Services - Minneapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50400710001	**MW-428-20250506**					
EPA 6010	Iron, Dissolved	72000	ug/L	100	05/08/25 13:02	
EPA 5030/8260	Chloroethane	87.1	ug/L	50.0	05/16/25 01:51	
SM 5310C	Total Organic Carbon	83800	ug/L	50000	05/14/25 14:52	
50400710002	**MW-402D-20250506**					
EPA 300.0	Sulfate	43600	ug/L	2500	05/08/25 02:51	
EPA 6010	Iron, Dissolved	6800	ug/L	100	05/08/25 13:04	
EPA 5030/8260	Benzene	5.2	ug/L	5.0	05/16/25 02:21	
EPA 5030/8260	cis-1,2-Dichloroethene	9.4	ug/L	5.0	05/16/25 02:21	
EPA 5030/8260	Vinyl chloride	436	ug/L	2.0	05/16/25 02:21	P2
EPA 5030/8260	Vinyl chloride	597	ug/L	20.0	05/20/25 18:29	HS
SM 5310C	Total Organic Carbon	5540	ug/L	1000	05/14/25 01:30	
50400710003	**MW-402-20250506**					
EPA 300.0	Sulfate	172000	ug/L	2500	05/08/25 03:25	
EPA 6010	Iron, Dissolved	24900	ug/L	100	05/08/25 13:06	
EPA 5030/8260	Chloroethane	575	ug/L	50.0	05/16/25 02:51	
EPA 5030/8260	1,1-Dichloroethane	719	ug/L	50.0	05/16/25 02:51	
EPA 5030/8260	cis-1,2-Dichloroethene	13000	ug/L	50.0	05/16/25 02:51	P2
EPA 5030/8260	cis-1,2-Dichloroethene	14600	ug/L	1000	05/20/25 19:01	HS
EPA 5030/8260	trans-1,2-Dichloroethene	163	ug/L	50.0	05/16/25 02:51	
EPA 5030/8260	1,1,1-Trichloroethane	309	ug/L	50.0	05/16/25 02:51	
EPA 5030/8260	Trichloroethene	831	ug/L	50.0	05/16/25 02:51	
EPA 5030/8260	Vinyl chloride	1530	ug/L	20.0	05/16/25 02:51	
SM 5310C	Total Organic Carbon	10500	ug/L	10000	05/14/25 15:19	
50400710004	**AD-100-20250506**					
EPA 5030/8260	Chloroethane	558	ug/L	5.0	05/16/25 03:21	P2
EPA 5030/8260	Chloroethane	662	ug/L	250	05/20/25 19:33	HS
EPA 5030/8260	1,1-Dichloroethane	531	ug/L	5.0	05/16/25 03:21	P2
EPA 5030/8260	1,1-Dichloroethane	825	ug/L	250	05/20/25 19:33	HS
EPA 5030/8260	1,1-Dichloroethene	30.5	ug/L	5.0	05/16/25 03:21	
EPA 5030/8260	cis-1,2-Dichloroethene	6360	ug/L	5.0	05/16/25 03:21	P2
EPA 5030/8260	cis-1,2-Dichloroethene	17700	ug/L	250	05/20/25 19:33	HS
EPA 5030/8260	trans-1,2-Dichloroethene	153	ug/L	5.0	05/16/25 03:21	
EPA 5030/8260	Methylene Chloride	11.8	ug/L	5.0	05/16/25 03:21	
EPA 5030/8260	1,1,1-Trichloroethane	291	ug/L	5.0	05/16/25 03:21	
EPA 5030/8260	Trichloroethene	770	ug/L	5.0	05/16/25 03:21	E,P2
EPA 5030/8260	Vinyl chloride	1350	ug/L	2.0	05/16/25 03:21	P2
EPA 5030/8260	Vinyl chloride	1900	ug/L	100	05/20/25 19:33	HS
50400710005	**MW-413S-20250506**					
EPA 300.0	Sulfate	61300	ug/L	2500	05/08/25 04:31	
EPA 6010	Iron, Dissolved	1030	ug/L	100	05/08/25 13:13	
EPA 5030/8260	Chloroethane	233	ug/L	5.0	05/16/25 03:52	
EPA 5030/8260	1,1-Dichloroethane	7.5	ug/L	5.0	05/16/25 03:52	
EPA 5030/8260	cis-1,2-Dichloroethene	83.4	ug/L	5.0	05/16/25 03:52	
EPA 5030/8260	Vinyl chloride	67.0	ug/L	2.0	05/16/25 03:52	
SM 5310C	Total Organic Carbon	4000	ug/L	1000	05/14/25 02:02	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50400710006	**MW-413D-20250506**					
EPA 300.0	Sulfate	56300	ug/L	2500	05/08/25 06:11	
EPA 6010	Iron, Dissolved	2720	ug/L	100	05/08/25 13:15	
EPA 5030/8260	Chloroethane	14.6	ug/L	5.0	05/15/25 22:04	
EPA 5030/8260	Vinyl chloride	132	ug/L	2.0	05/15/25 22:04	
SM 5310C	Total Organic Carbon	4410	ug/L	1000	05/14/25 02:13	
50400710007	**W-9-20250506**					
RSK 175	Methane	1620	ug/L	10.0	05/12/25 19:29	
RSK 175	Ethane	33.2	ug/L	10.0	05/12/25 19:29	
50400710008	**MW-410S-20250507**					
EPA 300.0	Sulfate	8440	ug/L	250	05/08/25 06:28	
EPA 6010	Iron, Dissolved	4060	ug/L	100	05/08/25 13:17	
EPA 5030/8260	Chloroethane	568	ug/L	5.0	05/16/25 04:52	P2
EPA 5030/8260	Chloroethane	635	ug/L	50.0	05/20/25 20:04	HS
EPA 5030/8260	1,1-Dichloroethane	108	ug/L	5.0	05/16/25 04:52	
EPA 5030/8260	cis-1,2-Dichloroethene	36.2	ug/L	5.0	05/16/25 04:52	
EPA 5030/8260	1,1,1-Trichloroethane	140	ug/L	5.0	05/16/25 04:52	
EPA 5030/8260	Trichloroethene	22.8	ug/L	5.0	05/16/25 04:52	
EPA 5030/8260	Vinyl chloride	8.4	ug/L	2.0	05/16/25 04:52	
SM 5310C	Total Organic Carbon	6930	ug/L	1000	05/14/25 03:17	
50400710009	**MW-410D-20250507**					
EPA 300.0	Sulfate	24400	ug/L	250	05/08/25 07:34	
EPA 6010	Iron, Dissolved	6720	ug/L	100	05/08/25 13:20	
EPA 5030/8260	Chloroethane	4410	ug/L	5.0	05/15/25 13:51	P2
EPA 5030/8260	Chloroethane	5080	ug/L	100	05/20/25 20:36	HS
EPA 5030/8260	1,1-Dichloroethane	552	ug/L	5.0	05/15/25 13:51	P2
EPA 5030/8260	1,1-Dichloroethane	661	ug/L	100	05/20/25 20:36	HS
EPA 5030/8260	cis-1,2-Dichloroethene	461	ug/L	5.0	05/15/25 13:51	P2
EPA 5030/8260	cis-1,2-Dichloroethene	575	ug/L	100	05/20/25 20:36	HS
EPA 5030/8260	trans-1,2-Dichloroethene	13.3	ug/L	5.0	05/15/25 13:51	
EPA 5030/8260	1,1,1-Trichloroethane	16.9	ug/L	5.0	05/15/25 13:51	
EPA 5030/8260	Vinyl chloride	169	ug/L	2.0	05/15/25 13:51	
SM 5310C	Total Organic Carbon	5760	ug/L	1000	05/14/25 03:39	
50400710010	**MW-425-20250507**					
EPA 300.0	Sulfate	71100	ug/L	2500	05/08/25 08:24	
EPA 6010	Iron, Dissolved	9320	ug/L	100	05/08/25 13:22	
EPA 5030/8260	Chloroethane	2090	ug/L	5.0	05/15/25 14:22	P2
EPA 5030/8260	Chloroethane	2200	ug/L	100	05/20/25 21:07	HS
EPA 5030/8260	1,1-Dichloroethane	9.2	ug/L	5.0	05/15/25 14:22	
EPA 5030/8260	cis-1,2-Dichloroethene	8.0	ug/L	5.0	05/15/25 14:22	
EPA 5030/8260	Vinyl chloride	3.5	ug/L	2.0	05/15/25 14:22	
SM 5310C	Total Organic Carbon	4550	ug/L	1000	05/14/25 03:49	
50400710011	**MW-426-20250507**					
RSK 175	Methane	7440	ug/L	10.0	05/13/25 04:52	
RSK 175	Ethane	23.8	ug/L	10.0	05/13/25 04:52	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50400710011	**MW-426-20250507**					
RSK 175	Ethene	180	ug/L	10.0	05/13/25 04:52	
EPA 5030/8260	Chloroethane	2500	ug/L	5.0	05/15/25 14:52	P2
EPA 5030/8260	Chloroethane	2840	ug/L	100	05/20/25 21:39	HS
EPA 5030/8260	1,1-Dichloroethane	36.4	ug/L	5.0	05/15/25 14:52	
EPA 5030/8260	cis-1,2-Dichloroethene	240	ug/L	5.0	05/15/25 14:52	
EPA 5030/8260	Vinyl chloride	250	ug/L	2.0	05/15/25 14:52	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-428-20250506 **Lab ID: 50400710001** Collected: 05/06/25 10:53 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	ND	ug/L	250	190	1		05/08/25 01:45	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**72000**	ug/L	100	41.0	1	05/08/25 09:41	05/08/25 13:02	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	132	10		05/16/25 01:51	67-64-1	
Acrolein	ND	ug/L	500	90.0	10		05/16/25 01:51	107-02-8	
Acrylonitrile	ND	ug/L	1000	15.4	10		05/16/25 01:51	107-13-1	
Benzene	ND	ug/L	50.0	3.1	10		05/16/25 01:51	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.0	10		05/16/25 01:51	108-86-1	
Bromochloromethane	ND	ug/L	50.0	5.5	10		05/16/25 01:51	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	4.1	10		05/16/25 01:51	75-27-4	
Bromoform	ND	ug/L	50.0	10.5	10		05/16/25 01:51	75-25-2	
Bromomethane	ND	ug/L	50.0	7.0	10		05/16/25 01:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	156	10		05/16/25 01:51	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	2.8	10		05/16/25 01:51	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.0	10		05/16/25 01:51	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	2.9	10		05/16/25 01:51	98-06-6	
Carbon disulfide	ND	ug/L	100	9.7	10		05/16/25 01:51	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.5	10		05/16/25 01:51	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.9	10		05/16/25 01:51	108-90-7	
Chloroethane	**87.1**	ug/L	50.0	16.3	10		05/16/25 01:51	75-00-3	
Chloroform	ND	ug/L	50.0	5.5	10		05/16/25 01:51	67-66-3	
Chloromethane	ND	ug/L	50.0	3.3	10		05/16/25 01:51	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	3.3	10		05/16/25 01:51	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	3.1	10		05/16/25 01:51	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.7	10		05/16/25 01:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	5.4	10		05/16/25 01:51	106-93-4	
Dibromomethane	ND	ug/L	50.0	9.6	10		05/16/25 01:51	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.2	10		05/16/25 01:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	2.2	10		05/16/25 01:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	2.3	10		05/16/25 01:51	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	12.7	10		05/16/25 01:51	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.7	10		05/16/25 01:51	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	3.4	10		05/16/25 01:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	24.0	10		05/16/25 01:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	3.7	10		05/16/25 01:51	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	50.0	3.4	10		05/16/25 01:51	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	4.1	10		05/16/25 01:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	3.7	10		05/16/25 01:51	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	3.3	10		05/16/25 01:51	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	19.4	10		05/16/25 01:51	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-428-20250506 **Lab ID: 50400710001** Collected: 05/06/25 10:53 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	50.0	3.8	10		05/16/25 01:51	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.8	10		05/16/25 01:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	11.6	10		05/16/25 01:51	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.5	10		05/16/25 01:51	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	30.7	10		05/16/25 01:51	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	2.7	10		05/16/25 01:51	87-68-3	
n-Hexane	ND	ug/L	50.0	40.0	10		05/16/25 01:51	110-54-3	
2-Hexanone	ND	ug/L	250	21.2	10		05/16/25 01:51	591-78-6	
Iodomethane	ND	ug/L	100	17.7	10		05/16/25 01:51	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.2	10		05/16/25 01:51	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	2.7	10		05/16/25 01:51	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		05/16/25 01:51	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	7.4	10		05/16/25 01:51	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	6.4	10		05/16/25 01:51	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	17.7	10		05/16/25 01:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.7	10		05/16/25 01:51	1634-04-4	
Naphthalene	ND	ug/L	12.0	7.6	10		05/16/25 01:51	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.9	10		05/16/25 01:51	103-65-1	
Styrene	ND	ug/L	50.0	3.1	10		05/16/25 01:51	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.6	10		05/16/25 01:51	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	2.9	10		05/16/25 01:51	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.9	10		05/16/25 01:51	127-18-4	
Toluene	ND	ug/L	50.0	14.0	10		05/16/25 01:51	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.2	10		05/16/25 01:51	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.2	10		05/16/25 01:51	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	4.1	10		05/16/25 01:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	5.6	10		05/16/25 01:51	79-00-5	
Trichloroethene	ND	ug/L	50.0	4.1	10		05/16/25 01:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	2.8	10		05/16/25 01:51	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	14.3	10		05/16/25 01:51	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	4.1	10		05/16/25 01:51	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	2.6	10		05/16/25 01:51	108-67-8	
Vinyl acetate	ND	ug/L	500	9.3	10		05/16/25 01:51	108-05-4	
Vinyl chloride	ND	ug/L	20.0	3.0	10		05/16/25 01:51	75-01-4	
Xylene (Total)	ND	ug/L	100	43.0	10		05/16/25 01:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128		10		05/16/25 01:51	1868-53-7	P2
4-Bromofluorobenzene (S)	103	%.	79-124		10		05/16/25 01:51	460-00-4	
Toluene-d8 (S)	93	%.	73-122		10		05/16/25 01:51	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/07/25 16:04		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/07/25 16:04	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-428-20250506 **Lab ID: 50400710001** Collected: 05/06/25 10:53 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**83800**	ug/L	50000	15000	50		05/14/25 14:52	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-402D-20250506 **Lab ID: 50400710002** Collected: 05/06/25 13:25 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**43600**	ug/L	2500	1900	10		05/08/25 02:51	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**6800**	ug/L	100	41.0	1	05/08/25 09:41	05/08/25 13:04	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	13.2	1		05/16/25 02:21	67-64-1	
Acrolein	ND	ug/L	50.0	9.0	1		05/16/25 02:21	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/16/25 02:21	107-13-1	
Benzene	**5.2**	ug/L	5.0	0.31	1		05/16/25 02:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		05/16/25 02:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.55	1		05/16/25 02:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.41	1		05/16/25 02:21	75-27-4	
Bromoform	ND	ug/L	5.0	1.0	1		05/16/25 02:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.70	1		05/16/25 02:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	15.6	1		05/16/25 02:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.28	1		05/16/25 02:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/16/25 02:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 02:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.97	1		05/16/25 02:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.35	1		05/16/25 02:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.29	1		05/16/25 02:21	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		05/16/25 02:21	75-00-3	
Chloroform	ND	ug/L	5.0	0.55	1		05/16/25 02:21	67-66-3	
Chloromethane	ND	ug/L	5.0	0.33	1		05/16/25 02:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/16/25 02:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.31	1		05/16/25 02:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.37	1		05/16/25 02:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.54	1		05/16/25 02:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.96	1		05/16/25 02:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 02:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 02:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.23	1		05/16/25 02:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.3	1		05/16/25 02:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		05/16/25 02:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.34	1		05/16/25 02:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	2.4	1		05/16/25 02:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		05/16/25 02:21	75-35-4	
cis-1,2-Dichloroethene	**9.4**	ug/L	5.0	0.34	1		05/16/25 02:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		05/16/25 02:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.37	1		05/16/25 02:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.33	1		05/16/25 02:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1.9	1		05/16/25 02:21	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-402D-20250506 **Lab ID: 50400710002** Collected: 05/06/25 13:25 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 02:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 02:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		05/16/25 02:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		05/16/25 02:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	3.1	1		05/16/25 02:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.27	1		05/16/25 02:21	87-68-3	
n-Hexane	ND	ug/L	5.0	4.0	1		05/16/25 02:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/16/25 02:21	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		05/16/25 02:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.32	1		05/16/25 02:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.27	1		05/16/25 02:21	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/16/25 02:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.74	1		05/16/25 02:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.64	1		05/16/25 02:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.8	1		05/16/25 02:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.27	1		05/16/25 02:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.76	1		05/16/25 02:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 02:21	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/16/25 02:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		05/16/25 02:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.29	1		05/16/25 02:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.39	1		05/16/25 02:21	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		05/16/25 02:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 02:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 02:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.41	1		05/16/25 02:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.56	1		05/16/25 02:21	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		05/16/25 02:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.28	1		05/16/25 02:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/16/25 02:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		05/16/25 02:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.26	1		05/16/25 02:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.93	1		05/16/25 02:21	108-05-4	
Vinyl chloride	**436**	ug/L	2.0	0.30	1		05/16/25 02:21	75-01-4	P2
Vinyl chloride	**597**	ug/L	20.0	8.8	10		05/20/25 18:29	75-01-4	HS
Xylene (Total)	ND	ug/L	10.0	4.3	1		05/16/25 02:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%.	82-128		1		05/16/25 02:21	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		05/16/25 02:21	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		05/16/25 02:21	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/07/25 16:10		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/07/25 16:10	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-402D-20250506 **Lab ID: 50400710002** Collected: 05/06/25 13:25 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5540**	ug/L	1000	300	1		05/14/25 01:30	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-402-20250506 **Lab ID: 50400710003** Collected: 05/06/25 14:54 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**172000**	ug/L	2500	1900	10		05/08/25 03:25	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**24900**	ug/L	100	41.0	1	05/08/25 09:41	05/08/25 13:06	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	132	10		05/16/25 02:51	67-64-1	
Acrolein	ND	ug/L	500	90.0	10		05/16/25 02:51	107-02-8	
Acrylonitrile	ND	ug/L	1000	15.4	10		05/16/25 02:51	107-13-1	
Benzene	ND	ug/L	50.0	3.1	10		05/16/25 02:51	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.0	10		05/16/25 02:51	108-86-1	
Bromochloromethane	ND	ug/L	50.0	5.5	10		05/16/25 02:51	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	4.1	10		05/16/25 02:51	75-27-4	
Bromoform	ND	ug/L	50.0	10.5	10		05/16/25 02:51	75-25-2	
Bromomethane	ND	ug/L	50.0	7.0	10		05/16/25 02:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	156	10		05/16/25 02:51	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	2.8	10		05/16/25 02:51	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.0	10		05/16/25 02:51	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	2.9	10		05/16/25 02:51	98-06-6	
Carbon disulfide	ND	ug/L	100	9.7	10		05/16/25 02:51	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.5	10		05/16/25 02:51	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.9	10		05/16/25 02:51	108-90-7	
Chloroethane	**575**	ug/L	50.0	16.3	10		05/16/25 02:51	75-00-3	
Chloroform	ND	ug/L	50.0	5.5	10		05/16/25 02:51	67-66-3	
Chloromethane	ND	ug/L	50.0	3.3	10		05/16/25 02:51	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	3.3	10		05/16/25 02:51	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	3.1	10		05/16/25 02:51	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.7	10		05/16/25 02:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	5.4	10		05/16/25 02:51	106-93-4	
Dibromomethane	ND	ug/L	50.0	9.6	10		05/16/25 02:51	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.2	10		05/16/25 02:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	2.2	10		05/16/25 02:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	2.3	10		05/16/25 02:51	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	12.7	10		05/16/25 02:51	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.7	10		05/16/25 02:51	75-71-8	
1,1-Dichloroethane	**719**	ug/L	50.0	3.4	10		05/16/25 02:51	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	24.0	10		05/16/25 02:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	3.7	10		05/16/25 02:51	75-35-4	
cis-1,2-Dichloroethene	**13000**	ug/L	50.0	3.4	10		05/16/25 02:51	156-59-2	P2
cis-1,2-Dichloroethene	**14600**	ug/L	1000	53.8	200		05/20/25 19:01	156-59-2	HS
trans-1,2-Dichloroethene	**163**	ug/L	50.0	4.1	10		05/16/25 02:51	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	3.7	10		05/16/25 02:51	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	3.3	10		05/16/25 02:51	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-402-20250506 **Lab ID: 50400710003** Collected: 05/06/25 14:54 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	50.0	19.4	10		05/16/25 02:51	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.8	10		05/16/25 02:51	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.8	10		05/16/25 02:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	11.6	10		05/16/25 02:51	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.5	10		05/16/25 02:51	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	30.7	10		05/16/25 02:51	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	2.7	10		05/16/25 02:51	87-68-3	
n-Hexane	ND	ug/L	50.0	40.0	10		05/16/25 02:51	110-54-3	
2-Hexanone	ND	ug/L	250	21.2	10		05/16/25 02:51	591-78-6	
Iodomethane	ND	ug/L	100	17.7	10		05/16/25 02:51	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.2	10		05/16/25 02:51	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	2.7	10		05/16/25 02:51	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		05/16/25 02:51	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	7.4	10		05/16/25 02:51	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	6.4	10		05/16/25 02:51	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	17.7	10		05/16/25 02:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.7	10		05/16/25 02:51	1634-04-4	
Naphthalene	ND	ug/L	12.0	7.6	10		05/16/25 02:51	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.9	10		05/16/25 02:51	103-65-1	
Styrene	ND	ug/L	50.0	3.1	10		05/16/25 02:51	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.6	10		05/16/25 02:51	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	2.9	10		05/16/25 02:51	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.9	10		05/16/25 02:51	127-18-4	
Toluene	ND	ug/L	50.0	14.0	10		05/16/25 02:51	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.2	10		05/16/25 02:51	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.2	10		05/16/25 02:51	120-82-1	
1,1,1-Trichloroethane	**309**	ug/L	50.0	4.1	10		05/16/25 02:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	5.6	10		05/16/25 02:51	79-00-5	
Trichloroethene	**831**	ug/L	50.0	4.1	10		05/16/25 02:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	2.8	10		05/16/25 02:51	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	14.3	10		05/16/25 02:51	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	4.1	10		05/16/25 02:51	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	2.6	10		05/16/25 02:51	108-67-8	
Vinyl acetate	ND	ug/L	500	9.3	10		05/16/25 02:51	108-05-4	
Vinyl chloride	**1530**	ug/L	20.0	3.0	10		05/16/25 02:51	75-01-4	
Xylene (Total)	ND	ug/L	100	43.0	10		05/16/25 02:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		10		05/16/25 02:51	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		10		05/16/25 02:51	460-00-4	
Toluene-d8 (S)	93	%.	73-122		10		05/16/25 02:51	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/07/25 16:13		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/07/25 16:13	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-402-20250506 **Lab ID: 50400710003** Collected: 05/06/25 14:54 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**10500**	ug/L	10000	3000	10		05/14/25 15:19	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: AD-100-20250506 **Lab ID: 50400710004** Collected: 05/06/25 12:00 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	13.2	1		05/16/25 03:21	67-64-1	
Acrolein	ND	ug/L	50.0	9.0	1		05/16/25 03:21	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/16/25 03:21	107-13-1	
Benzene	ND	ug/L	5.0	0.31	1		05/16/25 03:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		05/16/25 03:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.55	1		05/16/25 03:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.41	1		05/16/25 03:21	75-27-4	
Bromoform	ND	ug/L	5.0	1.0	1		05/16/25 03:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.70	1		05/16/25 03:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	15.6	1		05/16/25 03:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.28	1		05/16/25 03:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/16/25 03:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 03:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.97	1		05/16/25 03:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.35	1		05/16/25 03:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.29	1		05/16/25 03:21	108-90-7	
Chloroethane	**558**	ug/L	5.0	1.6	1		05/16/25 03:21	75-00-3	P2
Chloroethane	**662**	ug/L	250	42.3	50		05/20/25 19:33	75-00-3	HS
Chloroform	ND	ug/L	5.0	0.55	1		05/16/25 03:21	67-66-3	
Chloromethane	ND	ug/L	5.0	0.33	1		05/16/25 03:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/16/25 03:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.31	1		05/16/25 03:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.37	1		05/16/25 03:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.54	1		05/16/25 03:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.96	1		05/16/25 03:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 03:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 03:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.23	1		05/16/25 03:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.3	1		05/16/25 03:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		05/16/25 03:21	75-71-8	
1,1-Dichloroethane	**531**	ug/L	5.0	0.34	1		05/16/25 03:21	75-34-3	P2
1,1-Dichloroethane	**825**	ug/L	250	13.0	50		05/20/25 19:33	75-34-3	HS
1,2-Dichloroethane	ND	ug/L	5.0	2.4	1		05/16/25 03:21	107-06-2	
1,1-Dichloroethene	**30.5**	ug/L	5.0	0.37	1		05/16/25 03:21	75-35-4	
cis-1,2-Dichloroethene	**6360**	ug/L	5.0	0.34	1		05/16/25 03:21	156-59-2	P2
cis-1,2-Dichloroethene	**17700**	ug/L	250	13.4	50		05/20/25 19:33	156-59-2	HS
trans-1,2-Dichloroethene	**153**	ug/L	5.0	0.41	1		05/16/25 03:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.37	1		05/16/25 03:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.33	1		05/16/25 03:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1.9	1		05/16/25 03:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 03:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 03:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		05/16/25 03:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		05/16/25 03:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	3.1	1		05/16/25 03:21	97-63-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: AD-100-20250506 **Lab ID: 50400710004** Collected: 05/06/25 12:00 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.27	1		05/16/25 03:21	87-68-3	
n-Hexane	ND	ug/L	5.0	4.0	1		05/16/25 03:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/16/25 03:21	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		05/16/25 03:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.32	1		05/16/25 03:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.27	1		05/16/25 03:21	99-87-6	
Methylene Chloride	**11.8**	ug/L	5.0	5.0	1		05/16/25 03:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.74	1		05/16/25 03:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.64	1		05/16/25 03:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.8	1		05/16/25 03:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.27	1		05/16/25 03:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.76	1		05/16/25 03:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 03:21	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/16/25 03:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		05/16/25 03:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.29	1		05/16/25 03:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.39	1		05/16/25 03:21	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		05/16/25 03:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 03:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 03:21	120-82-1	
1,1,1-Trichloroethane	**291**	ug/L	5.0	0.41	1		05/16/25 03:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.56	1		05/16/25 03:21	79-00-5	
Trichloroethene	**770**	ug/L	5.0	0.41	1		05/16/25 03:21	79-01-6	E,P2
Trichlorofluoromethane	ND	ug/L	5.0	0.28	1		05/16/25 03:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/16/25 03:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		05/16/25 03:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.26	1		05/16/25 03:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.93	1		05/16/25 03:21	108-05-4	
Vinyl chloride	**1350**	ug/L	2.0	0.30	1		05/16/25 03:21	75-01-4	P2
Vinyl chloride	**1900**	ug/L	100	44.1	50		05/20/25 19:33	75-01-4	HS
Xylene (Total)	ND	ug/L	10.0	4.3	1		05/16/25 03:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128		1		05/16/25 03:21	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		05/16/25 03:21	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		05/16/25 03:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-413S-20250506 **Lab ID: 50400710005** Collected: 05/06/25 14:21 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**61300**	ug/L	2500	1900	10		05/08/25 04:31	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**1030**	ug/L	100	41.0	1	05/08/25 09:41	05/08/25 13:13	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	13.2	1		05/16/25 03:52	67-64-1	
Acrolein	ND	ug/L	50.0	9.0	1		05/16/25 03:52	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/16/25 03:52	107-13-1	
Benzene	ND	ug/L	5.0	0.31	1		05/16/25 03:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		05/16/25 03:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.55	1		05/16/25 03:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.41	1		05/16/25 03:52	75-27-4	
Bromoform	ND	ug/L	5.0	1.0	1		05/16/25 03:52	75-25-2	
Bromomethane	ND	ug/L	5.0	0.70	1		05/16/25 03:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	15.6	1		05/16/25 03:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.28	1		05/16/25 03:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/16/25 03:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 03:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.97	1		05/16/25 03:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.35	1		05/16/25 03:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.29	1		05/16/25 03:52	108-90-7	
Chloroethane	**233**	ug/L	5.0	1.6	1		05/16/25 03:52	75-00-3	
Chloroform	ND	ug/L	5.0	0.55	1		05/16/25 03:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.33	1		05/16/25 03:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/16/25 03:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.31	1		05/16/25 03:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.37	1		05/16/25 03:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.54	1		05/16/25 03:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.96	1		05/16/25 03:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 03:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 03:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.23	1		05/16/25 03:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.3	1		05/16/25 03:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		05/16/25 03:52	75-71-8	
1,1-Dichloroethane	**7.5**	ug/L	5.0	0.34	1		05/16/25 03:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	2.4	1		05/16/25 03:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		05/16/25 03:52	75-35-4	
cis-1,2-Dichloroethene	**83.4**	ug/L	5.0	0.34	1		05/16/25 03:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		05/16/25 03:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.37	1		05/16/25 03:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.33	1		05/16/25 03:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1.9	1		05/16/25 03:52	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-413S-20250506 **Lab ID: 50400710005** Collected: 05/06/25 14:21 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 03:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 03:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		05/16/25 03:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		05/16/25 03:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	3.1	1		05/16/25 03:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.27	1		05/16/25 03:52	87-68-3	
n-Hexane	ND	ug/L	5.0	4.0	1		05/16/25 03:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/16/25 03:52	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		05/16/25 03:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.32	1		05/16/25 03:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.27	1		05/16/25 03:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/16/25 03:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.74	1		05/16/25 03:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.64	1		05/16/25 03:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.8	1		05/16/25 03:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.27	1		05/16/25 03:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.76	1		05/16/25 03:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 03:52	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/16/25 03:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		05/16/25 03:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.29	1		05/16/25 03:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.39	1		05/16/25 03:52	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		05/16/25 03:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 03:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 03:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.41	1		05/16/25 03:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.56	1		05/16/25 03:52	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		05/16/25 03:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.28	1		05/16/25 03:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/16/25 03:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		05/16/25 03:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.26	1		05/16/25 03:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.93	1		05/16/25 03:52	108-05-4	
Vinyl chloride	**67.0**	ug/L	2.0	0.30	1		05/16/25 03:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	4.3	1		05/16/25 03:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		05/16/25 03:52	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		05/16/25 03:52	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		05/16/25 03:52	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/07/25 16:11		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/07/25 16:11	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-413S-20250506 **Lab ID: 50400710005** Collected: 05/06/25 14:21 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4000**	ug/L	1000	300	1		05/14/25 02:02	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-413D-20250506 **Lab ID: 50400710006** Collected: 05/06/25 15:50 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**56300**	ug/L	2500	1900	10		05/08/25 06:11	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**2720**	ug/L	100	41.0	1	05/08/25 09:41	05/08/25 13:15	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.0	1		05/15/25 22:04	67-64-1	
Acrolein	ND	ug/L	50.0	13.8	1		05/15/25 22:04	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/15/25 22:04	107-13-1	
Benzene	ND	ug/L	5.0	0.29	1		05/15/25 22:04	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.23	1		05/15/25 22:04	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		05/15/25 22:04	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.39	1		05/15/25 22:04	75-27-4	
Bromoform	ND	ug/L	5.0	1.6	1		05/15/25 22:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1.4	1		05/15/25 22:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	9.4	1		05/15/25 22:04	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.50	1		05/15/25 22:04	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 22:04	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		05/15/25 22:04	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		05/15/25 22:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.5	1		05/15/25 22:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 22:04	108-90-7	
Chloroethane	**14.6**	ug/L	5.0	1.4	1		05/15/25 22:04	75-00-3	
Chloroform	ND	ug/L	5.0	0.45	1		05/15/25 22:04	67-66-3	
Chloromethane	ND	ug/L	5.0	0.34	1		05/15/25 22:04	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		05/15/25 22:04	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		05/15/25 22:04	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		05/15/25 22:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.96	1		05/15/25 22:04	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		05/15/25 22:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.24	1		05/15/25 22:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.30	1		05/15/25 22:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 22:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		05/15/25 22:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.4	1		05/15/25 22:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.27	1		05/15/25 22:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.0	1		05/15/25 22:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/15/25 22:04	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.40	1		05/15/25 22:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.29	1		05/15/25 22:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.52	1		05/15/25 22:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.25	1		05/15/25 22:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1.8	1		05/15/25 22:04	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-413D-20250506 **Lab ID: 50400710006** Collected: 05/06/25 15:50 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.46	1		05/15/25 22:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.94	1		05/15/25 22:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.3	1		05/15/25 22:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.36	1		05/15/25 22:04	100-41-4	
Ethyl methacrylate	ND	ug/L	100	2.8	1		05/15/25 22:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		05/15/25 22:04	87-68-3	
n-Hexane	ND	ug/L	5.0	0.45	1		05/15/25 22:04	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.7	1		05/15/25 22:04	591-78-6	
Iodomethane	ND	ug/L	10.0	2.1	1		05/15/25 22:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.27	1		05/15/25 22:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.29	1		05/15/25 22:04	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/15/25 22:04	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 22:04	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 22:04	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		05/15/25 22:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/15/25 22:04	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.94	1		05/15/25 22:04	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.27	1		05/15/25 22:04	103-65-1	
Styrene	ND	ug/L	5.0	0.28	1		05/15/25 22:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.37	1		05/15/25 22:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/15/25 22:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		05/15/25 22:04	127-18-4	
Toluene	ND	ug/L	5.0	0.88	1		05/15/25 22:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		05/15/25 22:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.52	1		05/15/25 22:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		05/15/25 22:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.1	1		05/15/25 22:04	79-00-5	
Trichloroethene	ND	ug/L	5.0	3.1	1		05/15/25 22:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		05/15/25 22:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/15/25 22:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.48	1		05/15/25 22:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 22:04	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.0	1		05/15/25 22:04	108-05-4	
Vinyl chloride	**132**	ug/L	2.0	0.86	1		05/15/25 22:04	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.6	1		05/15/25 22:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		05/15/25 22:04	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		05/15/25 22:04	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		05/15/25 22:04	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/07/25 16:15		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/07/25 16:15	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-413D-20250506 **Lab ID: 50400710006** Collected: 05/06/25 15:50 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4410**	ug/L	1000	300	1		05/14/25 02:13	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: W-9-20250506 **Lab ID: 50400710007** Collected: 05/06/25 17:04 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**1620**	ug/L	10.0	2.8	1		05/12/25 19:29	74-82-8	
Ethane	**33.2**	ug/L	10.0	1.3	1		05/12/25 19:29	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		05/12/25 19:29	74-85-1	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	13.2	1		05/16/25 04:22	67-64-1	
Acrolein	ND	ug/L	50.0	9.0	1		05/16/25 04:22	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/16/25 04:22	107-13-1	
Benzene	ND	ug/L	5.0	0.31	1		05/16/25 04:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		05/16/25 04:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.55	1		05/16/25 04:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.41	1		05/16/25 04:22	75-27-4	
Bromoform	ND	ug/L	5.0	1.0	1		05/16/25 04:22	75-25-2	
Bromomethane	ND	ug/L	5.0	0.70	1		05/16/25 04:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	15.6	1		05/16/25 04:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.28	1		05/16/25 04:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/16/25 04:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 04:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.97	1		05/16/25 04:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.35	1		05/16/25 04:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.29	1		05/16/25 04:22	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		05/16/25 04:22	75-00-3	
Chloroform	ND	ug/L	5.0	0.55	1		05/16/25 04:22	67-66-3	
Chloromethane	ND	ug/L	5.0	0.33	1		05/16/25 04:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/16/25 04:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.31	1		05/16/25 04:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.37	1		05/16/25 04:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.54	1		05/16/25 04:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.96	1		05/16/25 04:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 04:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 04:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.23	1		05/16/25 04:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.3	1		05/16/25 04:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		05/16/25 04:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.34	1		05/16/25 04:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	2.4	1		05/16/25 04:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		05/16/25 04:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.34	1		05/16/25 04:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		05/16/25 04:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.37	1		05/16/25 04:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.33	1		05/16/25 04:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1.9	1		05/16/25 04:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 04:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 04:22	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: W-9-20250506 **Lab ID: 50400710007** Collected: 05/06/25 17:04 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		05/16/25 04:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		05/16/25 04:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	3.1	1		05/16/25 04:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.27	1		05/16/25 04:22	87-68-3	
n-Hexane	ND	ug/L	5.0	4.0	1		05/16/25 04:22	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/16/25 04:22	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		05/16/25 04:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.32	1		05/16/25 04:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.27	1		05/16/25 04:22	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/16/25 04:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.74	1		05/16/25 04:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.64	1		05/16/25 04:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.8	1		05/16/25 04:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.27	1		05/16/25 04:22	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.76	1		05/16/25 04:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 04:22	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/16/25 04:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		05/16/25 04:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.29	1		05/16/25 04:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.39	1		05/16/25 04:22	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		05/16/25 04:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 04:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 04:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.41	1		05/16/25 04:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.56	1		05/16/25 04:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.41	1		05/16/25 04:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.28	1		05/16/25 04:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/16/25 04:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		05/16/25 04:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.26	1		05/16/25 04:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.93	1		05/16/25 04:22	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.30	1		05/16/25 04:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	4.3	1		05/16/25 04:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		05/16/25 04:22	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		05/16/25 04:22	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		05/16/25 04:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-410S-20250507 **Lab ID: 50400710008** Collected: 05/07/25 09:54 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**8440**	ug/L	250	190	1		05/08/25 06:28	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**4060**	ug/L	100	41.0	1	05/08/25 09:41	05/08/25 13:17	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	13.2	1		05/16/25 04:52	67-64-1	
Acrolein	ND	ug/L	50.0	9.0	1		05/16/25 04:52	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/16/25 04:52	107-13-1	
Benzene	ND	ug/L	5.0	0.31	1		05/16/25 04:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		05/16/25 04:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.55	1		05/16/25 04:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.41	1		05/16/25 04:52	75-27-4	
Bromoform	ND	ug/L	5.0	1.0	1		05/16/25 04:52	75-25-2	
Bromomethane	ND	ug/L	5.0	0.70	1		05/16/25 04:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	15.6	1		05/16/25 04:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.28	1		05/16/25 04:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.30	1		05/16/25 04:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 04:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.97	1		05/16/25 04:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.35	1		05/16/25 04:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.29	1		05/16/25 04:52	108-90-7	
Chloroethane	**568**	ug/L	5.0	1.6	1		05/16/25 04:52	75-00-3	P2
Chloroethane	**635**	ug/L	50.0	8.5	10		05/20/25 20:04	75-00-3	HS
Chloroform	ND	ug/L	5.0	0.55	1		05/16/25 04:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.33	1		05/16/25 04:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.33	1		05/16/25 04:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.31	1		05/16/25 04:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.37	1		05/16/25 04:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.54	1		05/16/25 04:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.96	1		05/16/25 04:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 04:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.22	1		05/16/25 04:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.23	1		05/16/25 04:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.3	1		05/16/25 04:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.37	1		05/16/25 04:52	75-71-8	
1,1-Dichloroethane	**108**	ug/L	5.0	0.34	1		05/16/25 04:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	2.4	1		05/16/25 04:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.37	1		05/16/25 04:52	75-35-4	
cis-1,2-Dichloroethene	**36.2**	ug/L	5.0	0.34	1		05/16/25 04:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		05/16/25 04:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.37	1		05/16/25 04:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.33	1		05/16/25 04:52	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-410S-20250507 **Lab ID: 50400710008** Collected: 05/07/25 09:54 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	1.9	1		05/16/25 04:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 04:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 04:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		05/16/25 04:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.35	1		05/16/25 04:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	3.1	1		05/16/25 04:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.27	1		05/16/25 04:52	87-68-3	
n-Hexane	ND	ug/L	5.0	4.0	1		05/16/25 04:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.1	1		05/16/25 04:52	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		05/16/25 04:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.32	1		05/16/25 04:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.27	1		05/16/25 04:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/16/25 04:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.74	1		05/16/25 04:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.64	1		05/16/25 04:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.8	1		05/16/25 04:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.27	1		05/16/25 04:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.76	1		05/16/25 04:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.29	1		05/16/25 04:52	103-65-1	
Styrene	ND	ug/L	5.0	0.31	1		05/16/25 04:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.36	1		05/16/25 04:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.29	1		05/16/25 04:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.39	1		05/16/25 04:52	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		05/16/25 04:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 04:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.32	1		05/16/25 04:52	120-82-1	
1,1,1-Trichloroethane	**140**	ug/L	5.0	0.41	1		05/16/25 04:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.56	1		05/16/25 04:52	79-00-5	
Trichloroethene	**22.8**	ug/L	5.0	0.41	1		05/16/25 04:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.28	1		05/16/25 04:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/16/25 04:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.41	1		05/16/25 04:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.26	1		05/16/25 04:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.93	1		05/16/25 04:52	108-05-4	
Vinyl chloride	**8.4**	ug/L	2.0	0.30	1		05/16/25 04:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	4.3	1		05/16/25 04:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		05/16/25 04:52	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		05/16/25 04:52	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		05/16/25 04:52	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/07/25 16:22		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/07/25 16:22	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-410S-20250507 **Lab ID: 50400710008** Collected: 05/07/25 09:54 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**6930**	ug/L	1000	300	1		05/14/25 03:17	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-410D-20250507 **Lab ID: 50400710009** Collected: 05/07/25 11:33 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**24400**	ug/L	250	190	1		05/08/25 07:34	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**6720**	ug/L	100	41.0	1	05/08/25 09:41	05/08/25 13:20	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.0	1		05/15/25 13:51	67-64-1	
Acrolein	ND	ug/L	50.0	13.8	1		05/15/25 13:51	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/15/25 13:51	107-13-1	
Benzene	ND	ug/L	5.0	0.29	1		05/15/25 13:51	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.23	1		05/15/25 13:51	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		05/15/25 13:51	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.39	1		05/15/25 13:51	75-27-4	
Bromoform	ND	ug/L	5.0	1.6	1		05/15/25 13:51	75-25-2	
Bromomethane	ND	ug/L	5.0	1.4	1		05/15/25 13:51	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	9.4	1		05/15/25 13:51	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.50	1		05/15/25 13:51	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 13:51	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		05/15/25 13:51	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		05/15/25 13:51	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.5	1		05/15/25 13:51	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 13:51	108-90-7	
Chloroethane	**4410**	ug/L	5.0	1.4	1		05/15/25 13:51	75-00-3	P2
Chloroethane	**5080**	ug/L	100	16.9	20		05/20/25 20:36	75-00-3	HS
Chloroform	ND	ug/L	5.0	0.45	1		05/15/25 13:51	67-66-3	
Chloromethane	ND	ug/L	5.0	0.34	1		05/15/25 13:51	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		05/15/25 13:51	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		05/15/25 13:51	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		05/15/25 13:51	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.96	1		05/15/25 13:51	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		05/15/25 13:51	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.24	1		05/15/25 13:51	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.30	1		05/15/25 13:51	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 13:51	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		05/15/25 13:51	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.4	1		05/15/25 13:51	75-71-8	
1,1-Dichloroethane	**552**	ug/L	5.0	0.27	1		05/15/25 13:51	75-34-3	P2
1,1-Dichloroethane	**661**	ug/L	100	5.2	20		05/20/25 20:36	75-34-3	HS
1,2-Dichloroethane	ND	ug/L	5.0	1.0	1		05/15/25 13:51	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/15/25 13:51	75-35-4	
cis-1,2-Dichloroethene	**461**	ug/L	5.0	0.40	1		05/15/25 13:51	156-59-2	P2
cis-1,2-Dichloroethene	**575**	ug/L	100	5.4	20		05/20/25 20:36	156-59-2	HS
trans-1,2-Dichloroethene	**13.3**	ug/L	5.0	0.29	1		05/15/25 13:51	156-60-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-410D-20250507 **Lab ID: 50400710009** Collected: 05/07/25 11:33 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,2-Dichloropropane	ND	ug/L	5.0	0.52	1		05/15/25 13:51	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.25	1		05/15/25 13:51	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1.8	1		05/15/25 13:51	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.46	1		05/15/25 13:51	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.94	1		05/15/25 13:51	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.3	1		05/15/25 13:51	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.36	1		05/15/25 13:51	100-41-4	
Ethyl methacrylate	ND	ug/L	100	2.8	1		05/15/25 13:51	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		05/15/25 13:51	87-68-3	
n-Hexane	ND	ug/L	5.0	0.45	1		05/15/25 13:51	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.7	1		05/15/25 13:51	591-78-6	
Iodomethane	ND	ug/L	10.0	2.1	1		05/15/25 13:51	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.27	1		05/15/25 13:51	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.29	1		05/15/25 13:51	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/15/25 13:51	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 13:51	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 13:51	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		05/15/25 13:51	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/15/25 13:51	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.94	1		05/15/25 13:51	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.27	1		05/15/25 13:51	103-65-1	
Styrene	ND	ug/L	5.0	0.28	1		05/15/25 13:51	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.37	1		05/15/25 13:51	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/15/25 13:51	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		05/15/25 13:51	127-18-4	
Toluene	ND	ug/L	5.0	0.88	1		05/15/25 13:51	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		05/15/25 13:51	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.52	1		05/15/25 13:51	120-82-1	
1,1,1-Trichloroethane	**16.9**	ug/L	5.0	0.31	1		05/15/25 13:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.1	1		05/15/25 13:51	79-00-5	
Trichloroethene	ND	ug/L	5.0	3.1	1		05/15/25 13:51	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		05/15/25 13:51	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/15/25 13:51	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.48	1		05/15/25 13:51	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 13:51	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.0	1		05/15/25 13:51	108-05-4	
Vinyl chloride	**169**	ug/L	2.0	0.86	1		05/15/25 13:51	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.6	1		05/15/25 13:51	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128		1		05/15/25 13:51	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		05/15/25 13:51	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		05/15/25 13:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-410D-20250507 **Lab ID: 50400710009** Collected: 05/07/25 11:33 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/07/25 16:24		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/07/25 16:24	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5760**	ug/L	1000	300	1		05/14/25 03:39	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-425-20250507 **Lab ID: 50400710010** Collected: 05/07/25 09:24 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**71100**	ug/L	2500	1900	10		05/08/25 08:24	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**9320**	ug/L	100	41.0	1	05/08/25 09:41	05/08/25 13:22	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.0	1		05/15/25 14:22	67-64-1	
Acrolein	ND	ug/L	50.0	13.8	1		05/15/25 14:22	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/15/25 14:22	107-13-1	
Benzene	ND	ug/L	5.0	0.29	1		05/15/25 14:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.23	1		05/15/25 14:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		05/15/25 14:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.39	1		05/15/25 14:22	75-27-4	
Bromoform	ND	ug/L	5.0	1.6	1		05/15/25 14:22	75-25-2	
Bromomethane	ND	ug/L	5.0	1.4	1		05/15/25 14:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	9.4	1		05/15/25 14:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.50	1		05/15/25 14:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 14:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		05/15/25 14:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		05/15/25 14:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.5	1		05/15/25 14:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 14:22	108-90-7	
Chloroethane	**2090**	ug/L	5.0	1.4	1		05/15/25 14:22	75-00-3	P2
Chloroethane	**2200**	ug/L	100	16.9	20		05/20/25 21:07	75-00-3	HS
Chloroform	ND	ug/L	5.0	0.45	1		05/15/25 14:22	67-66-3	
Chloromethane	ND	ug/L	5.0	0.34	1		05/15/25 14:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		05/15/25 14:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		05/15/25 14:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		05/15/25 14:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.96	1		05/15/25 14:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		05/15/25 14:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.24	1		05/15/25 14:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.30	1		05/15/25 14:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 14:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		05/15/25 14:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.4	1		05/15/25 14:22	75-71-8	
1,1-Dichloroethane	**9.2**	ug/L	5.0	0.27	1		05/15/25 14:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.0	1		05/15/25 14:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/15/25 14:22	75-35-4	
cis-1,2-Dichloroethene	**8.0**	ug/L	5.0	0.40	1		05/15/25 14:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.29	1		05/15/25 14:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.52	1		05/15/25 14:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.25	1		05/15/25 14:22	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-425-20250507 **Lab ID: 50400710010** Collected: 05/07/25 09:24 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	1.8	1		05/15/25 14:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.46	1		05/15/25 14:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.94	1		05/15/25 14:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.3	1		05/15/25 14:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.36	1		05/15/25 14:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	2.8	1		05/15/25 14:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		05/15/25 14:22	87-68-3	
n-Hexane	ND	ug/L	5.0	0.45	1		05/15/25 14:22	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.7	1		05/15/25 14:22	591-78-6	
Iodomethane	ND	ug/L	10.0	2.1	1		05/15/25 14:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.27	1		05/15/25 14:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.29	1		05/15/25 14:22	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/15/25 14:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 14:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 14:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		05/15/25 14:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/15/25 14:22	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.94	1		05/15/25 14:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.27	1		05/15/25 14:22	103-65-1	
Styrene	ND	ug/L	5.0	0.28	1		05/15/25 14:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.37	1		05/15/25 14:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/15/25 14:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		05/15/25 14:22	127-18-4	
Toluene	ND	ug/L	5.0	0.88	1		05/15/25 14:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		05/15/25 14:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.52	1		05/15/25 14:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		05/15/25 14:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.1	1		05/15/25 14:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	3.1	1		05/15/25 14:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		05/15/25 14:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/15/25 14:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.48	1		05/15/25 14:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 14:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.0	1		05/15/25 14:22	108-05-4	
Vinyl chloride	**3.5**	ug/L	2.0	0.86	1		05/15/25 14:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.6	1		05/15/25 14:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	107	%.	82-128		1		05/15/25 14:22	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		05/15/25 14:22	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		05/15/25 14:22	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/07/25 16:17		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/07/25 16:17	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-425-20250507 **Lab ID: 50400710010** Collected: 05/07/25 09:24 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4550**	ug/L	1000	300	1		05/14/25 03:49	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-426-20250507 **Lab ID: 50400710011** Collected: 05/07/25 11:17 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**7440**	ug/L	10.0	2.8	1		05/13/25 04:52	74-82-8	
Ethane	**23.8**	ug/L	10.0	1.3	1		05/13/25 04:52	74-84-0	
Ethene	**180**	ug/L	10.0	1.1	1		05/13/25 04:52	74-85-1	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.0	1		05/15/25 14:52	67-64-1	
Acrolein	ND	ug/L	50.0	13.8	1		05/15/25 14:52	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/15/25 14:52	107-13-1	
Benzene	ND	ug/L	5.0	0.29	1		05/15/25 14:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.23	1		05/15/25 14:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		05/15/25 14:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.39	1		05/15/25 14:52	75-27-4	
Bromoform	ND	ug/L	5.0	1.6	1		05/15/25 14:52	75-25-2	
Bromomethane	ND	ug/L	5.0	1.4	1		05/15/25 14:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	9.4	1		05/15/25 14:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.50	1		05/15/25 14:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 14:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		05/15/25 14:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		05/15/25 14:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.5	1		05/15/25 14:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 14:52	108-90-7	
Chloroethane	**2500**	ug/L	5.0	1.4	1		05/15/25 14:52	75-00-3	P2
Chloroethane	**2840**	ug/L	100	16.9	20		05/20/25 21:39	75-00-3	HS
Chloroform	ND	ug/L	5.0	0.45	1		05/15/25 14:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.34	1		05/15/25 14:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		05/15/25 14:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		05/15/25 14:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		05/15/25 14:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.96	1		05/15/25 14:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		05/15/25 14:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.24	1		05/15/25 14:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.30	1		05/15/25 14:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 14:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		05/15/25 14:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.4	1		05/15/25 14:52	75-71-8	
1,1-Dichloroethane	**36.4**	ug/L	5.0	0.27	1		05/15/25 14:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.0	1		05/15/25 14:52	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/15/25 14:52	75-35-4	
cis-1,2-Dichloroethene	**240**	ug/L	5.0	0.40	1		05/15/25 14:52	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.29	1		05/15/25 14:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.52	1		05/15/25 14:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.25	1		05/15/25 14:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1.8	1		05/15/25 14:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.46	1		05/15/25 14:52	563-58-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: MW-426-20250507 **Lab ID: 50400710011** Collected: 05/07/25 11:17 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.94	1		05/15/25 14:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.3	1		05/15/25 14:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.36	1		05/15/25 14:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	2.8	1		05/15/25 14:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		05/15/25 14:52	87-68-3	
n-Hexane	ND	ug/L	5.0	0.45	1		05/15/25 14:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.7	1		05/15/25 14:52	591-78-6	
Iodomethane	ND	ug/L	10.0	2.1	1		05/15/25 14:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.27	1		05/15/25 14:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.29	1		05/15/25 14:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/15/25 14:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 14:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 14:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		05/15/25 14:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/15/25 14:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.94	1		05/15/25 14:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.27	1		05/15/25 14:52	103-65-1	
Styrene	ND	ug/L	5.0	0.28	1		05/15/25 14:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.37	1		05/15/25 14:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/15/25 14:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		05/15/25 14:52	127-18-4	
Toluene	ND	ug/L	5.0	0.88	1		05/15/25 14:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		05/15/25 14:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.52	1		05/15/25 14:52	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		05/15/25 14:52	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.1	1		05/15/25 14:52	79-00-5	
Trichloroethene	ND	ug/L	5.0	3.1	1		05/15/25 14:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		05/15/25 14:52	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/15/25 14:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.48	1		05/15/25 14:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 14:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.0	1		05/15/25 14:52	108-05-4	
Vinyl chloride	**250**	ug/L	2.0	0.86	1		05/15/25 14:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.6	1		05/15/25 14:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		05/15/25 14:52	1868-53-7	
4-Bromofluorobenzene (S)	110	%.	79-124		1		05/15/25 14:52	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		05/15/25 14:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: TRIP BLANK **Lab ID: 50400710012** Collected: 05/06/25 08:00 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.0	1		05/15/25 15:22	67-64-1	
Acrolein	ND	ug/L	50.0	13.8	1		05/15/25 15:22	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/15/25 15:22	107-13-1	
Benzene	ND	ug/L	5.0	0.29	1		05/15/25 15:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.23	1		05/15/25 15:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		05/15/25 15:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.39	1		05/15/25 15:22	75-27-4	
Bromoform	ND	ug/L	5.0	1.6	1		05/15/25 15:22	75-25-2	
Bromomethane	ND	ug/L	5.0	1.4	1		05/15/25 15:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	9.4	1		05/15/25 15:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.50	1		05/15/25 15:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 15:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.28	1		05/15/25 15:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		05/15/25 15:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	1.5	1		05/15/25 15:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 15:22	108-90-7	
Chloroethane	ND	ug/L	5.0	1.4	1		05/15/25 15:22	75-00-3	
Chloroform	ND	ug/L	5.0	0.45	1		05/15/25 15:22	67-66-3	
Chloromethane	ND	ug/L	5.0	0.34	1		05/15/25 15:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		05/15/25 15:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.34	1		05/15/25 15:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.89	1		05/15/25 15:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.96	1		05/15/25 15:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	1.1	1		05/15/25 15:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.24	1		05/15/25 15:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.30	1		05/15/25 15:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.27	1		05/15/25 15:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		05/15/25 15:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.4	1		05/15/25 15:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.27	1		05/15/25 15:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	1.0	1		05/15/25 15:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/15/25 15:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.40	1		05/15/25 15:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.29	1		05/15/25 15:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.52	1		05/15/25 15:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.25	1		05/15/25 15:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	1.8	1		05/15/25 15:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.46	1		05/15/25 15:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.94	1		05/15/25 15:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.3	1		05/15/25 15:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.36	1		05/15/25 15:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	2.8	1		05/15/25 15:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.46	1		05/15/25 15:22	87-68-3	
n-Hexane	ND	ug/L	5.0	0.45	1		05/15/25 15:22	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.7	1		05/15/25 15:22	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Sample: TRIP BLANK **Lab ID: 50400710012** Collected: 05/06/25 08:00 Received: 05/07/25 12:35 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	2.1	1		05/15/25 15:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.27	1		05/15/25 15:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.29	1		05/15/25 15:22	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		05/15/25 15:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 15:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.3	1		05/15/25 15:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		05/15/25 15:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.29	1		05/15/25 15:22	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.94	1		05/15/25 15:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.27	1		05/15/25 15:22	103-65-1	
Styrene	ND	ug/L	5.0	0.28	1		05/15/25 15:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.37	1		05/15/25 15:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/15/25 15:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.35	1		05/15/25 15:22	127-18-4	
Toluene	ND	ug/L	5.0	0.88	1		05/15/25 15:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.42	1		05/15/25 15:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.52	1		05/15/25 15:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.31	1		05/15/25 15:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.1	1		05/15/25 15:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	3.1	1		05/15/25 15:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		05/15/25 15:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.4	1		05/15/25 15:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.48	1		05/15/25 15:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.29	1		05/15/25 15:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.0	1		05/15/25 15:22	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.86	1		05/15/25 15:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	2.6	1		05/15/25 15:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		05/15/25 15:22	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		05/15/25 15:22	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		05/15/25 15:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 842399
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710005, 50400710006, 50400710008, 50400710009, 50400710010

METHOD BLANK: 3855595 Matrix: Water
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710005, 50400710006, 50400710008, 50400710009, 50400710010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	05/08/25 08:41	

LABORATORY CONTROL SAMPLE: 3855596

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4700	94	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3855756 3855757

Parameter	Units	50400710005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	61300	50000	50000	103000	103000	84	84	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3858845 3858846

Parameter	Units	50400710008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	8440	5000	5000	13200	13200	96	96	80-120	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 1006295
QC Batch Method: RSK 175
Analysis Method: RSK 175
Analysis Description: RSK 175 GCV HEADSPACE
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 50400710007

METHOD BLANK: 5246233 Matrix: Water
Associated Lab Samples: 50400710007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.3	05/12/25 18:10	
Ethene	ug/L	ND	10.0	1.1	05/12/25 18:10	
Methane	ug/L	ND	10.0	2.8	05/12/25 18:10	

LABORATORY CONTROL SAMPLE & LCSD: 5246234 5246235

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	114	111	107	97	94	85-115	3	20	
Ethene	ug/L	106	102	100	96	94	85-115	2	20	
Methane	ug/L	60.7	60.2	57.6	99	95	85-115	4	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5246236 5246237

Parameter	Units	50400630003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	ND	114	114	92.0	90.5	81	80	65-125	2	20	
Ethene	ug/L	ND	106	106	85.4	91.5	81	86	47-134	7	20	
Methane	ug/L	9420	60.7	60.7	8930	9280	-808	-226	30-150	4	20	P6

SAMPLE DUPLICATE: 5246238

Parameter	Units	60474617005 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	9.9J	10.4		20	
Ethene	ug/L	<1.1	ND		20	
Methane	ug/L	967	968	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 1006298
QC Batch Method: RSK 175
Analysis Method: RSK 175
Analysis Description: RSK 175 GCV HEADSPACE
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 50400710011

METHOD BLANK: 5246244 Matrix: Water
Associated Lab Samples: 50400710011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.3	05/13/25 03:45	
Ethene	ug/L	ND	10.0	1.1	05/13/25 03:45	
Methane	ug/L	ND	10.0	2.8	05/13/25 03:45	

LABORATORY CONTROL SAMPLE & LCSD: 5246245 5246246

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	114	109	108	96	95	85-115	0	20	
Ethene	ug/L	106	98.9	99.4	93	94	85-115	0	20	
Methane	ug/L	60.7	57.3	58.1	94	96	85-115	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5246247 5246248

Parameter	Units	50400749010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	242	114	114	322	318	70	67	65-125	1	20	
Ethene	ug/L	172	106	106	251	249	74	72	47-134	1	20	
Methane	ug/L	9520	60.7	60.7	9110	8840	-676	-1130	30-150	3	20	P6

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5246249 5246250

Parameter	Units	50400936006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	ND	114	114	99.3	98.8	87	87	65-125	1	20	
Ethene	ug/L	ND	106	106	91.6	92.0	86	87	47-134	0	20	
Methane	ug/L	99.4	60.7	60.7	146	137	77	61	30-150	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 842557
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710005, 50400710006, 50400710008, 50400710009, 50400710010

METHOD BLANK: 3856707 Matrix: Water
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710005, 50400710006, 50400710008, 50400710009, 50400710010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	05/08/25 12:19	

LABORATORY CONTROL SAMPLE: 3856708

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9970	100	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3856709 3856710

Parameter	Units	50400664001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	ND	10000	10000	10000	9950	100	99	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 844015 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710004, 50400710005, 50400710007, 50400710008

METHOD BLANK: 3864542 Matrix: Water
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710004, 50400710005, 50400710007, 50400710008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.36	05/16/25 01:21	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.41	05/16/25 01:21	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.29	05/16/25 01:21	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.56	05/16/25 01:21	
1,1-Dichloroethane	ug/L	ND	5.0	0.34	05/16/25 01:21	
1,1-Dichloroethene	ug/L	ND	5.0	0.37	05/16/25 01:21	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	05/16/25 01:21	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.32	05/16/25 01:21	
1,2,3-Trichloropropane	ug/L	ND	5.0	1.4	05/16/25 01:21	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.32	05/16/25 01:21	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.41	05/16/25 01:21	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.54	05/16/25 01:21	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.22	05/16/25 01:21	
1,2-Dichloroethane	ug/L	ND	5.0	2.4	05/16/25 01:21	
1,2-Dichloropropane	ug/L	ND	5.0	0.37	05/16/25 01:21	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.26	05/16/25 01:21	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.22	05/16/25 01:21	
1,3-Dichloropropane	ug/L	ND	5.0	0.33	05/16/25 01:21	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.23	05/16/25 01:21	
1-Methylnaphthalene	ug/L	ND	10.0	0.74	05/16/25 01:21	
2,2-Dichloropropane	ug/L	ND	5.0	1.9	05/16/25 01:21	
2-Butanone (MEK)	ug/L	ND	25.0	15.6	05/16/25 01:21	
2-Chlorotoluene	ug/L	ND	5.0	0.33	05/16/25 01:21	
2-Hexanone	ug/L	ND	25.0	2.1	05/16/25 01:21	
2-Methylnaphthalene	ug/L	ND	10.0	0.64	05/16/25 01:21	
4-Chlorotoluene	ug/L	ND	5.0	0.31	05/16/25 01:21	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.8	05/16/25 01:21	
Acetone	ug/L	ND	100	13.2	05/16/25 01:21	
Acrolein	ug/L	ND	50.0	9.0	05/16/25 01:21	
Acrylonitrile	ug/L	ND	100	1.5	05/16/25 01:21	
Benzene	ug/L	ND	5.0	0.31	05/16/25 01:21	
Bromobenzene	ug/L	ND	5.0	0.30	05/16/25 01:21	
Bromochloromethane	ug/L	ND	5.0	0.55	05/16/25 01:21	
Bromodichloromethane	ug/L	ND	5.0	0.41	05/16/25 01:21	
Bromoform	ug/L	ND	5.0	1.0	05/16/25 01:21	
Bromomethane	ug/L	ND	5.0	0.70	05/16/25 01:21	
Carbon disulfide	ug/L	ND	10.0	0.97	05/16/25 01:21	
Carbon tetrachloride	ug/L	ND	5.0	0.35	05/16/25 01:21	
Chlorobenzene	ug/L	ND	5.0	0.29	05/16/25 01:21	
Chloroethane	ug/L	ND	5.0	1.6	05/16/25 01:21	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

METHOD BLANK: 3864542 Matrix: Water
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710004, 50400710005, 50400710007, 50400710008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.55	05/16/25 01:21	
Chloromethane	ug/L	ND	5.0	0.33	05/16/25 01:21	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.34	05/16/25 01:21	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.38	05/16/25 01:21	
Dibromochloromethane	ug/L	ND	5.0	0.37	05/16/25 01:21	
Dibromomethane	ug/L	ND	5.0	0.96	05/16/25 01:21	
Dichlorodifluoromethane	ug/L	ND	5.0	0.37	05/16/25 01:21	
Ethyl methacrylate	ug/L	ND	100	3.1	05/16/25 01:21	
Ethylbenzene	ug/L	ND	5.0	0.35	05/16/25 01:21	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.27	05/16/25 01:21	
Iodomethane	ug/L	ND	10.0	1.8	05/16/25 01:21	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.32	05/16/25 01:21	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.27	05/16/25 01:21	
Methylene Chloride	ug/L	ND	5.0	5.0	05/16/25 01:21	
n-Butylbenzene	ug/L	ND	5.0	0.28	05/16/25 01:21	
n-Hexane	ug/L	ND	5.0	4.0	05/16/25 01:21	
n-Propylbenzene	ug/L	ND	5.0	0.29	05/16/25 01:21	
Naphthalene	ug/L	ND	1.2	0.76	05/16/25 01:21	
p-Isopropyltoluene	ug/L	ND	5.0	0.27	05/16/25 01:21	
sec-Butylbenzene	ug/L	ND	5.0	0.30	05/16/25 01:21	
Styrene	ug/L	ND	5.0	0.31	05/16/25 01:21	
tert-Butylbenzene	ug/L	ND	5.0	0.29	05/16/25 01:21	
Tetrachloroethene	ug/L	ND	5.0	0.39	05/16/25 01:21	
Toluene	ug/L	ND	5.0	1.4	05/16/25 01:21	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.41	05/16/25 01:21	
trans-1,3-Dichloropropene	ug/L	ND	5.0	1.2	05/16/25 01:21	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.3	05/16/25 01:21	
Trichloroethene	ug/L	ND	5.0	0.41	05/16/25 01:21	
Trichlorofluoromethane	ug/L	ND	5.0	0.28	05/16/25 01:21	
Vinyl acetate	ug/L	ND	50.0	0.93	05/16/25 01:21	
Vinyl chloride	ug/L	ND	2.0	0.30	05/16/25 01:21	
Xylene (Total)	ug/L	ND	10.0	4.3	05/16/25 01:21	
4-Bromofluorobenzene (S)	%.	103	79-124		05/16/25 01:21	
Dibromofluoromethane (S)	%.	102	82-128		05/16/25 01:21	
Toluene-d8 (S)	%.	93	73-122		05/16/25 01:21	

LABORATORY CONTROL SAMPLE: 3864543

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.0	100	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	48.6	97	69-126	
1,1-Dichloroethene	ug/L	50	53.0	106	59-128	
1,2,4-Trimethylbenzene	ug/L	50	46.7	93	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	53.2	106	78-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

LABORATORY CONTROL SAMPLE: 3864543

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	53.6	107	61-127	
1,2-Dichloropropane	ug/L	50	51.4	103	75-124	
Benzene	ug/L	50	49.9	100	76-120	
Chlorobenzene	ug/L	50	47.1	94	77-118	
Chloroform	ug/L	50	51.8	104	74-122	
cis-1,2-Dichloroethene	ug/L	50	49.6	99	78-121	
Ethylbenzene	ug/L	50	47.7	95	76-124	
Isopropylbenzene (Cumene)	ug/L	50	47.4	95	66-113	
Methyl-tert-butyl ether	ug/L	50	55.5	111	74-124	
n-Hexane	ug/L	50	51.3	103	51-127	
Naphthalene	ug/L	50	53.7	107	66-143	
Tetrachloroethene	ug/L	50	48.8	98	71-122	
Toluene	ug/L	50	47.4	95	72-117	
trans-1,2-Dichloroethene	ug/L	50	51.4	103	74-121	
Trichloroethene	ug/L	50	49.2	98	75-124	
Vinyl chloride	ug/L	50	44.7	89	50-150	
Xylene (Total)	ug/L	100	95.4	95	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			104	82-128	
Toluene-d8 (S)	%.			96	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3864544 3864545

Parameter	Units	50400894013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	51.9	57.8	104	116	50-149	11	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	52.3	57.0	105	114	48-139	9	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.7	59.9	97	120	45-146	21	20	R1
1,2,4-Trimethylbenzene	ug/L	ND	50	50	43.1	45.4	86	91	37-139	5	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	55.9	51.8	112	104	56-140	8	20	
1,2-Dichloroethane	ug/L	ND	50	50	56.9	65.4	114	131	45-143	14	20	
1,2-Dichloropropane	ug/L	ND	50	50	55.0	63.6	110	127	53-144	15	20	
Benzene	ug/L	ND	50	50	51.3	57.1	103	114	50-143	11	20	
Chlorobenzene	ug/L	ND	50	50	46.6	49.8	93	100	52-136	7	20	
Chloroform	ug/L	ND	50	50	54.4	61.7	109	123	53-143	13	20	
cis-1,2-Dichloroethene	ug/L	34.7	50	50	85.6	96.4	102	123	49-147	12	20	
Ethylbenzene	ug/L	ND	50	50	50.8	47.8	102	96	43-145	6	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	51.8	50.0	104	100	39-128	4	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	56.5	60.4	113	121	50-144	7	20	
n-Hexane	ug/L	ND	50	50	47.6	53.2	95	106	39-132	11	20	
Naphthalene	ug/L	ND	50	50	55.0	58.3	110	117	43-148	6	20	
Tetrachloroethene	ug/L	ND	50	50	52.8	45.7	104	90	46-146	14	20	
Toluene	ug/L	ND	50	50	48.6	42.9	97	86	48-135	13	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	51.0	53.6	101	106	52-139	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3864544 3864545

Parameter	Units	50400894013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Trichloroethene	ug/L	ND	50	50	51.7	59.9	102	119	46-148	15	20	
Vinyl chloride	ug/L	4.2	50	50	57.3	56.4	106	104	38-167	1	20	
Xylene (Total)	ug/L	ND	150	150	150	147	100	98	45-139	2	20	
4-Bromofluorobenzene (S)	%.						110	99	79-124			
Dibromofluoromethane (S)	%.						108	117	82-128			
Toluene-d8 (S)	%.						102	83	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 844016 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400710006, 50400710009, 50400710010, 50400710011, 50400710012

METHOD BLANK: 3864546 Matrix: Water
Associated Lab Samples: 50400710006, 50400710009, 50400710010, 50400710011, 50400710012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.37	05/15/25 13:21	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.31	05/15/25 13:21	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	05/15/25 13:21	
1,1,2-Trichloroethane	ug/L	ND	5.0	1.1	05/15/25 13:21	
1,1-Dichloroethane	ug/L	ND	5.0	0.27	05/15/25 13:21	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	05/15/25 13:21	
1,1-Dichloropropene	ug/L	ND	5.0	0.46	05/15/25 13:21	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.42	05/15/25 13:21	
1,2,3-Trichloropropane	ug/L	ND	5.0	1.4	05/15/25 13:21	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.52	05/15/25 13:21	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.48	05/15/25 13:21	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.96	05/15/25 13:21	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.24	05/15/25 13:21	
1,2-Dichloroethane	ug/L	ND	5.0	1.0	05/15/25 13:21	
1,2-Dichloropropane	ug/L	ND	5.0	0.52	05/15/25 13:21	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.29	05/15/25 13:21	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.30	05/15/25 13:21	
1,3-Dichloropropane	ug/L	ND	5.0	0.25	05/15/25 13:21	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.27	05/15/25 13:21	
1-Methylnaphthalene	ug/L	ND	10.0	1.3	05/15/25 13:21	
2,2-Dichloropropane	ug/L	ND	5.0	1.8	05/15/25 13:21	
2-Butanone (MEK)	ug/L	ND	25.0	9.4	05/15/25 13:21	
2-Chlorotoluene	ug/L	ND	5.0	0.25	05/15/25 13:21	
2-Hexanone	ug/L	ND	25.0	2.7	05/15/25 13:21	
2-Methylnaphthalene	ug/L	ND	10.0	1.3	05/15/25 13:21	
4-Chlorotoluene	ug/L	ND	5.0	0.34	05/15/25 13:21	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.7	05/15/25 13:21	
Acetone	ug/L	ND	100	14.0	05/15/25 13:21	
Acrolein	ug/L	ND	50.0	13.8	05/15/25 13:21	
Acrylonitrile	ug/L	ND	100	1.5	05/15/25 13:21	
Benzene	ug/L	ND	5.0	0.29	05/15/25 13:21	
Bromobenzene	ug/L	ND	5.0	0.23	05/15/25 13:21	
Bromochloromethane	ug/L	ND	5.0	0.95	05/15/25 13:21	
Bromodichloromethane	ug/L	ND	5.0	0.39	05/15/25 13:21	
Bromoform	ug/L	ND	5.0	1.6	05/15/25 13:21	
Bromomethane	ug/L	ND	5.0	1.4	05/15/25 13:21	
Carbon disulfide	ug/L	ND	10.0	1.0	05/15/25 13:21	
Carbon tetrachloride	ug/L	ND	5.0	1.5	05/15/25 13:21	
Chlorobenzene	ug/L	ND	5.0	0.27	05/15/25 13:21	
Chloroethane	ug/L	ND	5.0	1.4	05/15/25 13:21	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

METHOD BLANK: 3864546 Matrix: Water
Associated Lab Samples: 50400710006, 50400710009, 50400710010, 50400710011, 50400710012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.45	05/15/25 13:21	
Chloromethane	ug/L	ND	5.0	0.34	05/15/25 13:21	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.40	05/15/25 13:21	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.94	05/15/25 13:21	
Dibromochloromethane	ug/L	ND	5.0	0.89	05/15/25 13:21	
Dibromomethane	ug/L	ND	5.0	1.1	05/15/25 13:21	
Dichlorodifluoromethane	ug/L	ND	5.0	1.4	05/15/25 13:21	
Ethyl methacrylate	ug/L	ND	100	2.8	05/15/25 13:21	
Ethylbenzene	ug/L	ND	5.0	0.36	05/15/25 13:21	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.46	05/15/25 13:21	
Iodomethane	ug/L	ND	10.0	2.1	05/15/25 13:21	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.27	05/15/25 13:21	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.29	05/15/25 13:21	
Methylene Chloride	ug/L	ND	5.0	5.0	05/15/25 13:21	
n-Butylbenzene	ug/L	ND	5.0	0.50	05/15/25 13:21	
n-Hexane	ug/L	ND	5.0	0.45	05/15/25 13:21	
n-Propylbenzene	ug/L	ND	5.0	0.27	05/15/25 13:21	
Naphthalene	ug/L	ND	1.2	0.94	05/15/25 13:21	
p-Isopropyltoluene	ug/L	ND	5.0	0.29	05/15/25 13:21	
sec-Butylbenzene	ug/L	ND	5.0	0.29	05/15/25 13:21	
Styrene	ug/L	ND	5.0	0.28	05/15/25 13:21	
tert-Butylbenzene	ug/L	ND	5.0	0.28	05/15/25 13:21	
Tetrachloroethene	ug/L	ND	5.0	0.35	05/15/25 13:21	
Toluene	ug/L	ND	5.0	0.88	05/15/25 13:21	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.29	05/15/25 13:21	
trans-1,3-Dichloropropene	ug/L	ND	5.0	1.3	05/15/25 13:21	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.7	05/15/25 13:21	
Trichloroethene	ug/L	ND	5.0	3.1	05/15/25 13:21	
Trichlorofluoromethane	ug/L	ND	5.0	0.32	05/15/25 13:21	
Vinyl acetate	ug/L	ND	50.0	1.0	05/15/25 13:21	
Vinyl chloride	ug/L	ND	2.0	0.86	05/15/25 13:21	
Xylene (Total)	ug/L	ND	10.0	2.6	05/15/25 13:21	
4-Bromofluorobenzene (S)	%.	116	79-124		05/15/25 13:21	
Dibromofluoromethane (S)	%.	117	82-128		05/15/25 13:21	
Toluene-d8 (S)	%.	106	73-122		05/15/25 13:21	

LABORATORY CONTROL SAMPLE: 3864547

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	45.5	91	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	42.8	86	69-126	
1,1-Dichloroethene	ug/L	50	44.5	89	59-128	
1,2,4-Trimethylbenzene	ug/L	50	41.6	83	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	50.8	102	78-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

LABORATORY CONTROL SAMPLE: 3864547

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	47.2	94	61-127	
1,2-Dichloropropane	ug/L	50	45.0	90	75-124	
Benzene	ug/L	50	43.4	87	76-120	
Chlorobenzene	ug/L	50	42.3	85	77-118	
Chloroform	ug/L	50	44.9	90	74-122	
cis-1,2-Dichloroethene	ug/L	50	44.7	89	78-121	
Ethylbenzene	ug/L	50	41.0	82	76-124	
Isopropylbenzene (Cumene)	ug/L	50	42.9	86	66-113	
Methyl-tert-butyl ether	ug/L	50	49.5	99	74-124	
n-Hexane	ug/L	50	40.5	81	51-127	
Naphthalene	ug/L	50	48.1	96	66-143	
Tetrachloroethene	ug/L	50	51.4	103	71-122	
Toluene	ug/L	50	41.3	83	72-117	
trans-1,2-Dichloroethene	ug/L	50	44.6	89	74-121	
Trichloroethene	ug/L	50	44.7	89	75-124	
Vinyl chloride	ug/L	50	44.2	88	50-150	
Xylene (Total)	ug/L	150	128	85	73-119	
4-Bromofluorobenzene (S)	%.			101	79-124	
Dibromofluoromethane (S)	%.			107	82-128	
Toluene-d8 (S)	%.			97	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3864548 3864549

Parameter	Units	50400710006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	50.1	52.3	100	105	50-149	4	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	51.8	53.0	104	106	48-139	2	20	
1,1-Dichloroethene	ug/L	ND	50	50	52.1	49.4	104	99	45-146	5	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	48.1	50.5	96	101	37-139	5	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	56.1	61.0	112	122	56-140	8	20	
1,2-Dichloroethane	ug/L	ND	50	50	56.5	58.0	113	116	45-143	3	20	
1,2-Dichloropropane	ug/L	ND	50	50	51.6	53.1	103	106	53-144	3	20	
Benzene	ug/L	ND	50	50	48.8	50.1	98	100	50-143	3	20	
Chlorobenzene	ug/L	ND	50	50	48.8	52.0	98	104	52-136	6	20	
Chloroform	ug/L	ND	50	50	51.3	52.5	103	105	53-143	2	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	52.6	53.6	104	106	49-147	2	20	
Ethylbenzene	ug/L	ND	50	50	49.8	51.3	100	103	43-145	3	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	49.9	52.4	100	105	39-128	5	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	56.4	56.9	113	114	50-144	1	20	
n-Hexane	ug/L	ND	50	50	48.6	50.0	97	100	39-132	3	20	
Naphthalene	ug/L	ND	50	50	55.6	56.1	111	112	43-148	1	20	
Tetrachloroethene	ug/L	ND	50	50	50.2	53.7	100	107	46-146	7	20	
Toluene	ug/L	ND	50	50	47.3	49.9	95	100	48-135	5	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	50.7	52.5	101	105	52-139	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3864548 3864549

Parameter	Units	50400710006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Trichloroethene	ug/L	ND	50	50	50.7	52.6	101	105	46-148	4	20	
Vinyl chloride	ug/L	132	50	50	164	163	64	63	38-167	0	20	
Xylene (Total)	ug/L	ND	150	150	143	157	96	105	45-139	9	20	
4-Bromofluorobenzene (S)	%.						100	103	79-124			
Dibromofluoromethane (S)	%.						104	104	82-128			
Toluene-d8 (S)	%.						96	99	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 844798
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400710002, 50400710003, 50400710004, 50400710008, 50400710009, 50400710010, 50400710011

METHOD BLANK: 3868344 Matrix: Water
Associated Lab Samples: 50400710002, 50400710003, 50400710004, 50400710008, 50400710009, 50400710010, 50400710011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1-Dichloroethane	ug/L	ND	5.0	0.26	05/20/25 12:11	
Chloroethane	ug/L	ND	5.0	0.85	05/20/25 12:11	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.27	05/20/25 12:11	
Vinyl chloride	ug/L	ND	2.0	0.88	05/20/25 12:11	
4-Bromofluorobenzene (S)	%.	107	79-124		05/20/25 12:11	
Dibromofluoromethane (S)	%.	94	82-128		05/20/25 12:11	1d
Toluene-d8 (S)	%.	92	73-122		05/20/25 12:11	

LABORATORY CONTROL SAMPLE: 3868345

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethane	ug/L	50	50.2	100	75-120	
Chloroethane	ug/L	50	44.3	89	31-159	
cis-1,2-Dichloroethene	ug/L	50	52.6	105	78-121	
Vinyl chloride	ug/L	50	52.1	104	50-150	
4-Bromofluorobenzene (S)	%.			103	79-124	
Dibromofluoromethane (S)	%.			90	82-128	
Toluene-d8 (S)	%.			94	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 842410
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710005, 50400710006, 50400710008, 50400710009, 50400710010

METHOD BLANK: 3855698 Matrix: Water
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710005, 50400710006, 50400710008, 50400710009, 50400710010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	05/07/25 16:00	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	05/07/25 16:00	

LABORATORY CONTROL SAMPLE: 3855699

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	100	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3855700 3855701

Parameter	Units	50400710001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	0.66	0.66	65	65	90-110	0	20	M3
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	1.5	1.5	76	76	90-110	0	20	M3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

QC Batch: 843439
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710005, 50400710006, 50400710008, 50400710009, 50400710010

METHOD BLANK: 3861825 Matrix: Water
Associated Lab Samples: 50400710001, 50400710002, 50400710003, 50400710005, 50400710006, 50400710008, 50400710009, 50400710010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	05/13/25 22:27	

LABORATORY CONTROL SAMPLE: 3861826

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9870	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3861827 3861828

Parameter	Units	50400710006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	4410	10000	10000	13700	14100	93	97	80-120	3	15	

MATRIX SPIKE SAMPLE: 3861829

Parameter	Units	50400710008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	6930	10000	15800	88	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Neither matrix spike nor matrix precision data could be provided for this analytical batch due to insufficient sample volume.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
HS	Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
P2	Re-extraction or re-analysis could not be performed due to insufficient sample amount.
P6	Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
R1	RPD value was outside control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 GCV Headspace	Water	RSK 175 Modified	N/A

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50400710001	**MW-428-20250506**	EPA 300.0	842399		
50400710002	**MW-402D-20250506**	EPA 300.0	842399		
50400710003	**MW-402-20250506**	EPA 300.0	842399		
50400710005	**MW-413S-20250506**	EPA 300.0	842399		
50400710006	**MW-413D-20250506**	EPA 300.0	842399		
50400710008	**MW-410S-20250507**	EPA 300.0	842399		
50400710009	**MW-410D-20250507**	EPA 300.0	842399		
50400710010	**MW-425-20250507**	EPA 300.0	842399		
50400710007	**W-9-20250506**	RSK 175	1006295		
50400710011	**MW-426-20250507**	RSK 175	1006298		
50400710001	**MW-428-20250506**	EPA 3010	842557	EPA 6010	842559
50400710002	**MW-402D-20250506**	EPA 3010	842557	EPA 6010	842559
50400710003	**MW-402-20250506**	EPA 3010	842557	EPA 6010	842559
50400710005	**MW-413S-20250506**	EPA 3010	842557	EPA 6010	842559
50400710006	**MW-413D-20250506**	EPA 3010	842557	EPA 6010	842559
50400710008	**MW-410S-20250507**	EPA 3010	842557	EPA 6010	842559
50400710009	**MW-410D-20250507**	EPA 3010	842557	EPA 6010	842559
50400710010	**MW-425-20250507**	EPA 3010	842557	EPA 6010	842559
50400710001	**MW-428-20250506**	EPA 5030/8260	844015		
50400710002	**MW-402D-20250506**	EPA 5030/8260	844015		
50400710002	**MW-402D-20250506**	EPA 5030/8260	844798		
50400710003	**MW-402-20250506**	EPA 5030/8260	844015		
50400710003	**MW-402-20250506**	EPA 5030/8260	844798		
50400710004	**AD-100-20250506**	EPA 5030/8260	844015		
50400710004	**AD-100-20250506**	EPA 5030/8260	844798		
50400710005	**MW-413S-20250506**	EPA 5030/8260	844015		
50400710006	**MW-413D-20250506**	EPA 5030/8260	844016		
50400710007	**W-9-20250506**	EPA 5030/8260	844015		
50400710008	**MW-410S-20250507**	EPA 5030/8260	844015		
50400710008	**MW-410S-20250507**	EPA 5030/8260	844798		
50400710009	**MW-410D-20250507**	EPA 5030/8260	844016		
50400710009	**MW-410D-20250507**	EPA 5030/8260	844798		
50400710010	**MW-425-20250507**	EPA 5030/8260	844016		
50400710010	**MW-425-20250507**	EPA 5030/8260	844798		
50400710011	**MW-426-20250507**	EPA 5030/8260	844016		
50400710011	**MW-426-20250507**	EPA 5030/8260	844798		
50400710012	**TRIP BLANK**	EPA 5030/8260	844016		
50400710001	**MW-428-20250506**	EPA 353.2	842410		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Q2 2025 / 194013494
Pace Project No.: 50400710

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50400710002	**MW-402D-20250506**	EPA 353.2	842410		
50400710003	**MW-402-20250506**	EPA 353.2	842410		
50400710005	**MW-413S-20250506**	EPA 353.2	842410		
50400710006	**MW-413D-20250506**	EPA 353.2	842410		
50400710008	**MW-410S-20250507**	EPA 353.2	842410		
50400710009	**MW-410D-20250507**	EPA 353.2	842410		
50400710010	**MW-425-20250507**	EPA 353.2	842410		
50400710001	**MW-428-20250506**	SM 5310C	843439		
50400710002	**MW-402D-20250506**	SM 5310C	843439		
50400710003	**MW-402-20250506**	SM 5310C	843439		
50400710005	**MW-413S-20250506**	SM 5310C	843439		
50400710006	**MW-413D-20250506**	SM 5310C	843439		
50400710008	**MW-410S-20250507**	SM 5310C	843439		
50400710009	**MW-410D-20250507**	SM 5310C	843439		
50400710010	**MW-425-20250507**	SM 5310C	843439		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

50400710

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103454	Invoice To:	Accounts Payable
Project Name:	Q2 2025	Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [V] ET		County / State origin of sample(s):	Indiana
Data Deliverables: [V] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No		
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____	DW PWSID # or WW Permit # as applicable:	
	Date Results Requested:	Field Filtered (if applicable): [V] Yes [ ] No Analysis:	

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**
AcctNum / Client ID:
Table #:
Profile / Template: **2747-28**
Prelog / Bottle Ord. ID: **EZ 3256469**

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	Specify Container Size **	Identify Container Preservative Type***	Analysis Requested: 300.0 IC Anions 28 Days; 353.2 Nitrate	Analysis Requested: 5310C TOC	Analysis Requested: 6010 MET ICP, Fe Dissolved	Analysis Requested: 8260 MSV Indiana	Analysis Requested: DHG	Sample Comment	Preservation non-conformance identified for sample.
MW-428-20250506	GW	Grab			5/6/25	1053	6					X	X	X	X		001	
MW-402D-20250506	"	"			"	1325	6					X	X	X	X		002	
MW-402-20250506	"	"			"	1454	6					X	X	X	X		003	
AD-100-20250506	"	"			"	1200	3								X		004	
MW-435-20250506	"	"			"	1421	6					X	X	X	X		005	
MW-413D-20250506	"	"			"	1550	6					X	X	X	X		006	
W-9-20250506	"	"			"	1704	6								X	X	007	
MW-410S-20250507	"	"			5/7/25	959	6					X	X	X	X		008	
MW-410D-20250507	"	"			"	1133	6					X	X	X	X		009	
MW-425-20250507	"	"			"	924	6					X	X	X	X		010	

Additional Instructions from Pace®:
Please return samples to the lab on ice
Nitrate has a short hold; please return/ship samples on the day of collection

Collected By: (Printed Name) Patrick Verbryke
Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice
1	4	+0.1	0.8	0.9	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke / Ramboll	5/7/25 / 1156	Pace	5/7/25 1156	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [V] Courier
Pace	5/7/25 1235	Pace	5/7/25 1235	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 2 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

50400710

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494	Invoice To:	Accounts Payable
Project Name:	Q2 2025	Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): Indiana

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested:

Field Filtered (if applicable): [✓] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC Sulfate	5310C TOC	6010 MET ICP, Fe Dissolved	8260 MSV Indiana	RSK 175 to Pace MN	353.2 Nitrate	Sample Comment
MW-426-20250507	GW	G			5/7/25	1117	6						X	X		D(1)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3256469**

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
Please return samples to the lab on ice
Nitrate has a short hold; please return/ship samples on the day of collection

Collected By: (Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
2	17	+0.1	0.8	0.9	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke	5/7/25 1156	Pace	5/7/25 1158	
Relinquished by/Company: (Signature) Pace	5/7/25 1235	Received by/Company: (Signature) Pace	5/7/25 1235	Delivered by: [ ] In-Person [✓] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[✓] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 2 6

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 5/7/25 13:22 TBH

1. Thermometer: 1 2 3 4 5 6 7 8 9 A B C D E F G (H) I

2. Cooler Temperature(s): (Initial/Corrected) 0.8/0.9

RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

3. Was the PM notified of out of temp cooler?: (leave blank if samples are in temp) Yes No

Cooler temp should be above freezing to 6°C

If the PM was contacted in the comments below please write how they instructed the project to proceed

3. Packing Material: Bubble Wrap (Bubble Bags) None Other _____

4. Ice Type: (Wet) Blue None

5. Courier: Fed Ex UPS Client (Pace) Now/Jett Other

6. Custody Seal on Cooler/Box Present: Yes (No)

(If yes)Seals Intact: Yes No (leave blank if no seals were present)

All discrepancies will be written out in the comments section below.

	Yes	No
USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		✓
Short Hold Time Analysis (48 hours or less)? Analysis: 353.2	✓	
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:	
Rush TAT Requested (4 days or less):		✓
Custody Signatures Present?	✓	
Containers Intact?:	✓	
Sample Label (IDs/Dates/Times) Match COC? Except TCs, which only require sample ID	✓	

	Yes	No	N/A
All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** Circle: (HNO3 (<2)) (H2SO4 (<2)) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	✓		
Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A ✓
Residual Chlorine Check (Total/Amenable/Free Cyanide)			✓
Headspace in **VOA Vials** (>6mm): See Containter Count form for details	Present	Absent ✓	No VOA Vials Sent ✓
Trip Blank Present?	✓		
Trip Blank Custody Seals?:	✓		
Extra labels on Terracore Vials? (soils only)			

Comments: Received a set of Trip Blanks not on COC. OK to analyze trip blank per ADragos. 050725hmp

MS/MSD containers provided for sample MW-413D-20250506 per PVerbryke. 050925hmp

COC PAGE 1 of 2

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	DG9H VG9H	VOA VIAL HS (>0mm)	VG9U DG9U	VG9T	AMBER GLASS: AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC: BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER: CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1				3								1						1		1									WT	✓	✓		
2				|							|						|		|								|	|	|		
3				|							|						|		|								|	|	|		
4				|																													
5				|							1							1		1									✓	✓		
6				8								1						1		1									✓	✓		
7				5 TMS 3 6																													
8				3								1						1		|									✓	✓		
9				1								1						|		|									|	|		
10				|							1						|		|									|	|		
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass

Plastic

BP1B	1L NaOH plastic
BP1N	1L HNO3 plastic
BP1S	1L H2SO4 plastic
BP1U	1L unpreserved plastic
BP1Z	1L NaOH, Zn, Ac
BP2N	500mL HNO3 plastic
BP2C	500mL NaOH plastic
BP2S	500mL H2SO4 plastic
BP2U	500mL unpreserved plastic
BP2Z	500mL NaOH, Zn Ac
BP3B	250mL NaOH plastic
BP3N	250mL HNO3 plastic
BP3F	250mL HNO3 plastic-field filtered
BP3U	250mL unpreserved plastic
BP3S	250mL H2SO4 plastic
BP3Z	250mL NaOH, ZnAc plastic
NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 2 of 2

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (on'y) SBS DI R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AMBER GLASS: AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC: BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER: CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1				6																										WT				
2				3	Trip Blank																									WT				
3																																		
4																																		
5																																		
6																																		
7																																		
8																																		
9																																		
10																																		
11																																		
12																																		

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
CG3F	250mL clear glass HCl. Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass

Plastic

BP1B	1L NaOH plastic
BP1N	1L HNO3 plastic
BP1S	1L H2SO4 plastic
BP1U	1L unpreserved plastic
BP1Z	1L NaOH, Zn, Ac
BP2N	500mL HNO3 plastic
BP2C	500mL NaOH plastic
BP2S	500mL H2SO4 plastic
BP2U	500mL unpreserved plastic
BP2Z	500mL NaOH, Zn Ac
BP3B	250mL NaOH plastic
BP3N	250mL HNO3 plastic
BP3F	250mL HNO3 plastic-field filtered
BP3U	250mL unpreserved plastic
BP3S	250mL H2SO4 plastic
BP3Z	250mL NaOH, ZnAc plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

May 23, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on May 08, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis
- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
DoD Certification via A2LA #: 2926.01
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137
Florida Certification #: E87605
Georgia Certification #: 959
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
ISO/IEC 17025 Certification via A2LA #: 2926.01
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240
Mississippi Certification #: MN00064
Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081
New Jersey Certification #: MN002
New York Certification #: 11647
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification via A2LA #: R-036
North Dakota Certification via MN #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Oklahoma Certification #: 9507
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #:74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192
Utah Certification #: MN00064
Vermont Certification #: VT-027053137
Virginia Certification #: 460163
Washington Certification #: C486
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification via A2LA #: 2926.01
USDA Permit #: P330-19-00208

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50400936001	**MW-411D-20250507**	Water	05/07/25 14:05	05/08/25 16:45
50400936002	**AD-200-20250507**	Water	05/07/25 12:00	05/08/25 16:45
50400936003	**MW-407S-20250507**	Water	05/07/25 14:02	05/08/25 16:45
50400936004	**MW-411S-20250507**	Water	05/07/25 16:10	05/08/25 16:45
50400936005	**MW-407D-20250507**	Water	05/07/25 16:10	05/08/25 16:45
50400936006	**W-8-20250508**	Water	05/08/25 09:53	05/08/25 16:45
50400936007	**MW-418D-20250508**	Water	05/08/25 12:15	05/08/25 16:45
50400936008	**AD-300-20250508**	Water	05/08/25 12:00	05/08/25 16:45
50400936009	**MW-418S-20250508**	Water	05/08/25 14:05	05/08/25 16:45
50400936010	**MW-251-20250508**	Water	05/08/25 08:21	05/08/25 16:45
50400936011	**W-10-20250508**	Water	05/08/25 08:47	05/08/25 16:45
50400936012	**MW-41-20250508**	Water	05/08/25 09:08	05/08/25 16:45
50400936013	**MW-131-20250508**	Water	05/08/25 09:29	05/08/25 16:45
50400936014	**MW-401-20250508**	Water	05/08/25 10:06	05/08/25 16:45
50400936015	**MW-423D-20250508**	Water	05/08/25 10:28	05/08/25 16:45
50400936016	**MW-423S-20250508**	Water	05/08/25 10:40	05/08/25 16:45
50400936017	**MW-422D-20250508**	Water	05/08/25 11:25	05/08/25 16:45
50400936018	**MW-422S-20250508**	Water	05/08/25 11:08	05/08/25 16:45
50400936019	**MW-419D-20250508**	Water	05/08/25 11:44	05/08/25 16:45
50400936020	**MW-419S-20250508**	Water	05/08/25 11:54	05/08/25 16:45
50400936021	**MW-408D-20250508**	Water	05/08/25 12:16	05/08/25 16:45
50400936022	**MW-408S-20250508**	Water	05/08/25 12:25	05/08/25 16:45
50400936023	**MW-403-20250508**	Water	05/08/25 12:45	05/08/25 16:45
50400936024	**MW-404-20250508**	Water	05/08/25 13:02	05/08/25 16:45
50400936025	**MW-406D-20250508**	Water	05/08/25 13:28	05/08/25 16:45
50400936026	**MW-406S-20250508**	Water	05/08/25 13:37	05/08/25 16:45
50400936027	**W-2-20250508**	Water	05/08/25 13:57	05/08/25 16:45
50400936028	**MW-311-20250508**	Water	05/08/25 14:17	05/08/25 16:45
50400936029	**MW-416D-20250508**	Water	05/08/25 14:33	05/08/25 16:45
50400936030	**MW-416S-20250508**	Water	05/08/25 14:42	05/08/25 16:45
50400936031	**W-4R-20250508**	Water	05/08/25 15:00	05/08/25 16:45
50400936032	**MW-321-20250508**	Water	05/08/25 15:19	05/08/25 16:45
50400936033	**MW-331-20250508**	Water	05/08/25 15:30	05/08/25 16:45
50400936034	**TRIP BLANK-20250508**	Water	05/08/25 15:52	05/08/25 16:45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50400936001	**MW-411D-20250507**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	BES, SLB	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400936002	**AD-200-20250507**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	BES, SLB	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400936003	**MW-407S-20250507**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	BES	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400936004	**MW-411S-20250507**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	BES, SLB	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400936005	**MW-407D-20250507**	EPA 300.0	ZM	2	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	BES, SLB	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400936006	**W-8-20250508**	RSK 175	ALE	3	PASI-M
		EPA 5030/8260	BES	75	PASI-I
50400936007	**MW-418D-20250508**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	BES	75	PASI-I
		EPA 353.2	KCS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50400936008	**AD-300-20250508**	EPA 5030/8260	BES, SLB	75	PASI-I
50400936009	**MW-418S-20250508**	EPA 300.0	ZM	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	BES	75	PASI-I
		EPA 353.2	KCS	2	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		SM 5310C	ATS	1	PASI-I
50400936010	**MW-251-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936011	**W-10-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936012	**MW-41-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936013	**MW-131-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936014	**MW-401-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936015	**MW-423D-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936016	**MW-423S-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936017	**MW-422D-20250508**	EPA 5030/8260	BES, SLB	75	PASI-I
50400936018	**MW-422S-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936019	**MW-419D-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936020	**MW-419S-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936021	**MW-408D-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936022	**MW-408S-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936023	**MW-403-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936024	**MW-404-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936025	**MW-406D-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936026	**MW-406S-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936027	**W-2-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936028	**MW-311-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936029	**MW-416D-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936030	**MW-416S-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936031	**W-4R-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936032	**MW-321-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936033	**MW-331-20250508**	EPA 5030/8260	BES	75	PASI-I
50400936034	**TRIP BLANK-20250508**	EPA 5030/8260	BES	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis
PASI-M = Pace Analytical Services - Minneapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50400936001	**MW-411D-20250507**					
EPA 300.0	Sulfate	14400	ug/L	250	05/10/25 13:25	
EPA 6010	Iron, Dissolved	5200	ug/L	100	05/19/25 13:31	
EPA 5030/8260	Chloroethane	21200	ug/L	1250	05/19/25 13:22	
EPA 5030/8260	1,1-Dichloroethane	1900	ug/L	250	05/16/25 11:03	
EPA 5030/8260	1,1-Dichloroethene	61.9	ug/L	25.0	05/16/25 10:31	
EPA 5030/8260	cis-1,2-Dichloroethene	3520	ug/L	250	05/16/25 11:03	
EPA 5030/8260	trans-1,2-Dichloroethene	139	ug/L	25.0	05/16/25 10:31	
EPA 5030/8260	Vinyl chloride	1450	ug/L	500	05/19/25 13:22	
SM 5310C	Total Organic Carbon	14600	ug/L	1000	05/16/25 01:44	
50400936002	**AD-200-20250507**					
EPA 300.0	Sulfate	14800	ug/L	250	05/10/25 13:59	
EPA 6010	Iron, Dissolved	5180	ug/L	100	05/19/25 13:33	
EPA 5030/8260	Chloroethane	21400	ug/L	1250	05/19/25 13:52	
EPA 5030/8260	1,1-Dichloroethane	1750	ug/L	250	05/16/25 12:06	
EPA 5030/8260	1,1-Dichloroethene	66.5	ug/L	25.0	05/16/25 11:34	
EPA 5030/8260	cis-1,2-Dichloroethene	3260	ug/L	250	05/16/25 12:06	
EPA 5030/8260	trans-1,2-Dichloroethene	146	ug/L	25.0	05/16/25 11:34	
EPA 5030/8260	Vinyl chloride	1500	ug/L	500	05/19/25 13:52	
SM 5310C	Total Organic Carbon	14100	ug/L	1000	05/21/25 02:04	
50400936003	**MW-407S-20250507**					
EPA 300.0	Sulfate	101000	ug/L	2500	05/10/25 14:49	
EPA 6010	Iron, Dissolved	8930	ug/L	100	05/19/25 13:35	
EPA 5030/8260	Chloroethane	27.3	ug/L	5.0	05/16/25 12:37	CH,H7
EPA 5030/8260	cis-1,2-Dichloroethene	6.7	ug/L	5.0	05/16/25 12:37	
EPA 5030/8260	Vinyl chloride	12.6	ug/L	2.0	05/16/25 12:37	CH,H7
SM 5310C	Total Organic Carbon	9800	ug/L	1000	05/21/25 02:25	
50400936004	**MW-411S-20250507**					
EPA 300.0	Sulfate	42800	ug/L	250	05/10/25 15:39	
EPA 6010	Iron, Dissolved	9350	ug/L	100	05/19/25 13:41	
EPA 5030/8260	Chloroethane	23300	ug/L	2500	05/19/25 14:21	
EPA 5030/8260	1,1-Dichloroethane	36000	ug/L	2500	05/19/25 14:21	
EPA 5030/8260	1,2-Dichloroethane	76.3	ug/L	50.0	05/16/25 13:09	
EPA 5030/8260	1,1-Dichloroethene	842	ug/L	50.0	05/16/25 13:09	
EPA 5030/8260	cis-1,2-Dichloroethene	22900	ug/L	500	05/16/25 13:41	
EPA 5030/8260	trans-1,2-Dichloroethene	508	ug/L	50.0	05/16/25 13:09	
EPA 5030/8260	1,1,1-Trichloroethane	15000	ug/L	500	05/16/25 13:41	
EPA 5030/8260	Vinyl chloride	2890	ug/L	1000	05/19/25 14:21	
SM 5310C	Total Organic Carbon	9050	ug/L	1000	05/21/25 02:46	
50400936005	**MW-407D-20250507**					
EPA 300.0	Chloride	55.0	mg/L	2.5	05/10/25 16:29	
EPA 300.0	Sulfate	44700	ug/L	250	05/10/25 16:12	
EPA 6010	Iron, Dissolved	5050	ug/L	100	05/19/25 13:44	
EPA 5030/8260	Chloroethane	101	ug/L	50.0	05/19/25 14:51	
EPA 5030/8260	1,1-Dichloroethane	22.3	ug/L	5.0	05/16/25 14:12	
EPA 5030/8260	cis-1,2-Dichloroethene	800	ug/L	50.0	05/19/25 14:51	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50400936005	**MW-407D-20250507**					
EPA 5030/8260	Vinyl chloride	1120	ug/L	20.0	05/19/25 14:51	M1
SM 5310C	Total Organic Carbon	9070	ug/L	1000	05/21/25 03:06	
50400936006	**W-8-20250508**					
RSK 175	Methane	99.4	ug/L	10.0	05/13/25 06:00	
50400936007	**MW-418D-20250508**					
EPA 6010	Iron, Dissolved	10300	ug/L	100	05/19/25 13:52	
EPA 5030/8260	Chloroethane	5.1	ug/L	5.0	05/16/25 14:44	CH,H7
EPA 5030/8260	cis-1,2-Dichloroethene	21.0	ug/L	5.0	05/16/25 14:44	
EPA 5030/8260	Vinyl chloride	554	ug/L	20.0	05/16/25 15:15	CH,H7
SM 5310C	Total Organic Carbon	3860	ug/L	1000	05/21/25 04:06	
50400936008	**AD-300-20250508**					
EPA 5030/8260	cis-1,2-Dichloroethene	19.6	ug/L	5.0	05/16/25 15:47	
EPA 5030/8260	Vinyl chloride	449	ug/L	20.0	05/19/25 15:20	
50400936009	**MW-418S-20250508**					
EPA 300.0	Sulfate	769	ug/L	250	05/10/25 18:59	
EPA 6010	Iron, Dissolved	7860	ug/L	100	05/19/25 13:55	
EPA 5030/8260	Chloroethane	80.1	ug/L	50.0	05/16/25 16:19	CH,H7
EPA 5030/8260	1,1-Dichloroethane	128	ug/L	50.0	05/16/25 16:19	
EPA 5030/8260	1,1-Dichloroethene	60.7	ug/L	50.0	05/16/25 16:19	
EPA 5030/8260	cis-1,2-Dichloroethene	9230	ug/L	500	05/16/25 16:50	
EPA 5030/8260	Vinyl chloride	9930	ug/L	200	05/16/25 16:50	CH,H7
SM 5310C	Total Organic Carbon	5130	ug/L	1000	05/21/25 05:31	
50400936013	**MW-131-20250508**					
EPA 5030/8260	Carbon tetrachloride	8.0	ug/L	5.0	05/17/25 01:15	
EPA 5030/8260	Chloroform	11.1	ug/L	5.0	05/17/25 01:15	
EPA 5030/8260	1,1-Dichloroethane	18.5	ug/L	5.0	05/17/25 01:15	
EPA 5030/8260	cis-1,2-Dichloroethene	8.0	ug/L	5.0	05/17/25 01:15	
EPA 5030/8260	1,1,1-Trichloroethane	177	ug/L	5.0	05/17/25 01:15	
EPA 5030/8260	Trichloroethene	52.4	ug/L	5.0	05/17/25 01:15	
50400936014	**MW-401-20250508**					
EPA 5030/8260	Chloroethane	65.8	ug/L	25.0	05/17/25 01:46	
EPA 5030/8260	1,1-Dichloroethane	39.0	ug/L	25.0	05/17/25 01:46	
EPA 5030/8260	cis-1,2-Dichloroethene	816	ug/L	25.0	05/17/25 01:46	
EPA 5030/8260	Vinyl chloride	298	ug/L	10.0	05/17/25 01:46	
50400936015	**MW-423D-20250508**					
EPA 5030/8260	Chloroethane	167	ug/L	5.0	05/17/25 02:49	
EPA 5030/8260	1,1-Dichloroethane	226	ug/L	5.0	05/17/25 02:49	
EPA 5030/8260	1,2-Dichloroethane	8.8	ug/L	5.0	05/17/25 02:49	
EPA 5030/8260	1,1-Dichloroethene	84.5	ug/L	5.0	05/17/25 02:49	
EPA 5030/8260	cis-1,2-Dichloroethene	638	ug/L	50.0	05/17/25 03:21	
EPA 5030/8260	trans-1,2-Dichloroethene	10.4	ug/L	5.0	05/17/25 02:49	
EPA 5030/8260	1,1,1-Trichloroethane	574	ug/L	50.0	05/17/25 03:21	
EPA 5030/8260	Trichloroethene	40.3	ug/L	5.0	05/17/25 02:49	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50400936015	**MW-423D-20250508**					
EPA 5030/8260	Vinyl chloride	479	ug/L	20.0	05/17/25 03:21	
50400936016	**MW-423S-20250508**					
EPA 5030/8260	Chloroethane	224	ug/L	5.0	05/17/25 03:52	
EPA 5030/8260	1,1-Dichloroethane	265	ug/L	5.0	05/17/25 03:52	
EPA 5030/8260	1,2-Dichloroethane	12.3	ug/L	5.0	05/17/25 03:52	
EPA 5030/8260	1,1-Dichloroethene	197	ug/L	5.0	05/17/25 03:52	
EPA 5030/8260	cis-1,2-Dichloroethene	1300	ug/L	50.0	05/17/25 04:24	
EPA 5030/8260	trans-1,2-Dichloroethene	20.0	ug/L	5.0	05/17/25 03:52	
EPA 5030/8260	1,1,1-Trichloroethane	1580	ug/L	50.0	05/17/25 04:24	
EPA 5030/8260	Trichloroethene	170	ug/L	5.0	05/17/25 03:52	
EPA 5030/8260	Vinyl chloride	658	ug/L	20.0	05/17/25 04:24	
50400936017	**MW-422D-20250508**					
EPA 5030/8260	cis-1,2-Dichloroethene	607	ug/L	50.0	05/17/25 05:27	
EPA 5030/8260	Vinyl chloride	2730	ug/L	200	05/19/25 15:50	
50400936018	**MW-422S-20250508**					
EPA 5030/8260	cis-1,2-Dichloroethene	434	ug/L	25.0	05/17/25 05:58	
EPA 5030/8260	Vinyl chloride	967	ug/L	10.0	05/17/25 05:58	
50400936021	**MW-408D-20250508**					
EPA 5030/8260	Chloroethane	963	ug/L	50.0	05/17/25 04:08	
EPA 5030/8260	1,1-Dichloroethane	96.2	ug/L	5.0	05/17/25 03:37	
EPA 5030/8260	cis-1,2-Dichloroethene	12.4	ug/L	5.0	05/17/25 03:37	
EPA 5030/8260	Vinyl chloride	22.1	ug/L	2.0	05/17/25 03:37	CH,H7
50400936023	**MW-403-20250508**					
EPA 5030/8260	Chloroethane	118	ug/L	5.0	05/17/25 04:40	
EPA 5030/8260	1,1-Dichloroethane	44.7	ug/L	5.0	05/17/25 04:40	
EPA 5030/8260	cis-1,2-Dichloroethene	332	ug/L	50.0	05/17/25 05:11	
EPA 5030/8260	1,1,1-Trichloroethane	26.1	ug/L	5.0	05/17/25 04:40	
EPA 5030/8260	Trichloroethene	6.0	ug/L	5.0	05/17/25 04:40	
EPA 5030/8260	Vinyl chloride	119	ug/L	2.0	05/17/25 04:40	CH,H7
50400936024	**MW-404-20250508**					
EPA 5030/8260	Chloroethane	12800	ug/L	250	05/17/25 05:43	
EPA 5030/8260	1,1-Dichloroethane	16700	ug/L	1000	05/17/25 06:14	
EPA 5030/8260	1,2-Dichloroethane	338	ug/L	250	05/17/25 05:43	
EPA 5030/8260	1,1-Dichloroethene	350	ug/L	250	05/17/25 05:43	
EPA 5030/8260	cis-1,2-Dichloroethene	24500	ug/L	1000	05/17/25 06:14	
EPA 5030/8260	trans-1,2-Dichloroethene	1010	ug/L	250	05/17/25 05:43	
EPA 5030/8260	1,1,1-Trichloroethane	21500	ug/L	1000	05/17/25 06:14	
EPA 5030/8260	Trichloroethene	1070	ug/L	250	05/17/25 05:43	
EPA 5030/8260	Vinyl chloride	3560	ug/L	100	05/17/25 05:43	CH,H7
50400936025	**MW-406D-20250508**					
EPA 5030/8260	Chloroethane	265	ug/L	100	05/17/25 06:46	
EPA 5030/8260	1,1-Dichloroethane	1710	ug/L	100	05/17/25 06:46	
EPA 5030/8260	1,1-Dichloroethene	437	ug/L	100	05/17/25 06:46	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50400936025	**MW-406D-20250508**					
EPA 5030/8260	cis-1,2-Dichloroethene	15900	ug/L	1000	05/17/25 07:17	
EPA 5030/8260	trans-1,2-Dichloroethene	142	ug/L	100	05/17/25 06:46	
EPA 5030/8260	Vinyl chloride	1440	ug/L	40.0	05/17/25 06:46	CH,H7
50400936026	**MW-406S-20250508**					
EPA 5030/8260	Chloroethane	836	ug/L	50.0	05/20/25 00:20	
EPA 5030/8260	1,1-Dichloroethane	1710	ug/L	50.0	05/20/25 00:20	
EPA 5030/8260	1,1-Dichloroethene	80.9	ug/L	50.0	05/20/25 00:20	
EPA 5030/8260	cis-1,2-Dichloroethene	11200	ug/L	500	05/20/25 00:52	
EPA 5030/8260	trans-1,2-Dichloroethene	143	ug/L	50.0	05/20/25 00:20	
EPA 5030/8260	1,1,1-Trichloroethane	205	ug/L	50.0	05/20/25 00:20	
EPA 5030/8260	Vinyl chloride	1200	ug/L	20.0	05/20/25 00:20	
50400936027	**W-2-20250508**					
EPA 5030/8260	2-Butanone (MEK)	151	ug/L	25.0	05/20/25 01:23	
EPA 5030/8260	Chloroethane	583	ug/L	50.0	05/20/25 01:54	
EPA 5030/8260	1,1-Dichloroethane	5.4	ug/L	5.0	05/20/25 01:23	
EPA 5030/8260	cis-1,2-Dichloroethene	5.5	ug/L	5.0	05/20/25 01:23	
EPA 5030/8260	trans-1,2-Dichloroethene	19.0	ug/L	5.0	05/20/25 01:23	
EPA 5030/8260	Vinyl chloride	17.8	ug/L	2.0	05/20/25 01:23	
50400936028	**MW-311-20250508**					
EPA 5030/8260	Chloroethane	3890	ug/L	250	05/20/25 02:57	
EPA 5030/8260	1,1-Dichloroethane	880	ug/L	25.0	05/20/25 02:26	
EPA 5030/8260	cis-1,2-Dichloroethene	814	ug/L	25.0	05/20/25 02:26	
EPA 5030/8260	trans-1,2-Dichloroethene	26.9	ug/L	25.0	05/20/25 02:26	
EPA 5030/8260	1,1,1-Trichloroethane	188	ug/L	25.0	05/20/25 02:26	
EPA 5030/8260	Vinyl chloride	524	ug/L	10.0	05/20/25 02:26	
50400936029	**MW-416D-20250508**					
EPA 5030/8260	Benzene	10.7	ug/L	5.0	05/20/25 03:29	
EPA 5030/8260	Chloroethane	432	ug/L	50.0	05/20/25 04:00	
EPA 5030/8260	1,1-Dichloroethane	641	ug/L	50.0	05/20/25 04:00	
EPA 5030/8260	1,1-Dichloroethene	8.6	ug/L	5.0	05/20/25 03:29	
EPA 5030/8260	cis-1,2-Dichloroethene	1020	ug/L	50.0	05/20/25 04:00	
EPA 5030/8260	trans-1,2-Dichloroethene	22.5	ug/L	5.0	05/20/25 03:29	
EPA 5030/8260	1,1,1-Trichloroethane	8.3	ug/L	5.0	05/20/25 03:29	
EPA 5030/8260	Vinyl chloride	226	ug/L	2.0	05/20/25 03:29	
50400936030	**MW-416S-20250508**					
EPA 5030/8260	Chloroethane	160	ug/L	5.0	05/20/25 04:32	
EPA 5030/8260	1,1-Dichloroethane	39.9	ug/L	5.0	05/20/25 04:32	
EPA 5030/8260	cis-1,2-Dichloroethene	89.5	ug/L	5.0	05/20/25 04:32	
EPA 5030/8260	Vinyl chloride	81.3	ug/L	2.0	05/20/25 04:32	
50400936031	**W-4R-20250508**					
EPA 5030/8260	Benzene	11.6	ug/L	5.0	05/20/25 05:35	
EPA 5030/8260	Chloroethane	120	ug/L	5.0	05/20/25 05:35	
EPA 5030/8260	cis-1,2-Dichloroethene	170	ug/L	5.0	05/20/25 05:35	
EPA 5030/8260	Vinyl chloride	102	ug/L	2.0	05/20/25 05:35	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50400936032	**MW-321-20250508**					
EPA 5030/8260	Chloroethane	926	ug/L	50.0	05/20/25 16:23	M1
EPA 5030/8260	cis-1,2-Dichloroethene	134	ug/L	5.0	05/20/25 06:38	M1
EPA 5030/8260	Vinyl chloride	169	ug/L	2.0	05/20/25 06:38	M1
50400936033	**MW-331-20250508**					
EPA 5030/8260	cis-1,2-Dichloroethene	28.6	ug/L	5.0	05/20/25 07:09	
EPA 5030/8260	Vinyl chloride	20.6	ug/L	2.0	05/20/25 07:09	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-411D-20250507 **Lab ID: 50400936001** Collected: 05/07/25 14:05 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**14400**	ug/L	250	190	1		05/10/25 13:25	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**5200**	ug/L	100	41.0	1	05/19/25 11:28	05/19/25 13:31	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	63.0	5		05/16/25 10:31	67-64-1	
Acrolein	ND	ug/L	250	61.5	5		05/16/25 10:31	107-02-8	
Acrylonitrile	ND	ug/L	500	11.3	5		05/16/25 10:31	107-13-1	
Benzene	ND	ug/L	25.0	1.8	5		05/16/25 10:31	71-43-2	
Bromobenzene	ND	ug/L	25.0	2.7	5		05/16/25 10:31	108-86-1	
Bromochloromethane	ND	ug/L	25.0	2.2	5		05/16/25 10:31	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	1.8	5		05/16/25 10:31	75-27-4	
Bromoform	ND	ug/L	25.0	2.6	5		05/16/25 10:31	75-25-2	
Bromomethane	ND	ug/L	25.0	2.2	5		05/16/25 10:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	20.0	5		05/16/25 10:31	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	3.0	5		05/16/25 10:31	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	2.3	5		05/16/25 10:31	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	2.1	5		05/16/25 10:31	98-06-6	
Carbon disulfide	ND	ug/L	50.0	4.0	5		05/16/25 10:31	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	2.1	5		05/16/25 10:31	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.9	5		05/16/25 10:31	108-90-7	
Chloroethane	**21200**	ug/L	1250	249	250		05/19/25 13:22	75-00-3	
Chloroform	ND	ug/L	25.0	1.9	5		05/16/25 10:31	67-66-3	
Chloromethane	ND	ug/L	25.0	3.4	5		05/16/25 10:31	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	2.1	5		05/16/25 10:31	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	2.7	5		05/16/25 10:31	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	1.4	5		05/16/25 10:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	2.0	5		05/16/25 10:31	106-93-4	
Dibromomethane	ND	ug/L	25.0	1.6	5		05/16/25 10:31	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	2.3	5		05/16/25 10:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	2.3	5		05/16/25 10:31	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	2.5	5		05/16/25 10:31	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	2.7	5		05/16/25 10:31	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	1.9	5		05/16/25 10:31	75-71-8	
1,1-Dichloroethane	**1900**	ug/L	250	24.2	50		05/16/25 11:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	1.7	5		05/16/25 10:31	107-06-2	
1,1-Dichloroethene	**61.9**	ug/L	25.0	2.3	5		05/16/25 10:31	75-35-4	
cis-1,2-Dichloroethene	**3520**	ug/L	250	25.6	50		05/16/25 11:03	156-59-2	
trans-1,2-Dichloroethene	**139**	ug/L	25.0	2.2	5		05/16/25 10:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	2.4	5		05/16/25 10:31	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.5	5		05/16/25 10:31	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	2.5	5		05/16/25 10:31	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-411D-20250507 **Lab ID: 50400936001** Collected: 05/07/25 14:05 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	25.0	1.9	5		05/16/25 10:31	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.7	5		05/16/25 10:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	1.2	5		05/16/25 10:31	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.7	5		05/16/25 10:31	100-41-4	
Ethyl methacrylate	ND	ug/L	500	2.6	5		05/16/25 10:31	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	3.7	5		05/16/25 10:31	87-68-3	
n-Hexane	ND	ug/L	25.0	3.5	5		05/16/25 10:31	110-54-3	
2-Hexanone	ND	ug/L	125	16.1	5		05/16/25 10:31	591-78-6	
Iodomethane	ND	ug/L	50.0	2.2	5		05/16/25 10:31	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.8	5		05/16/25 10:31	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	2.4	5		05/16/25 10:31	99-87-6	
Methylene Chloride	ND	ug/L	25.0	13.4	5		05/16/25 10:31	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	2.9	5		05/16/25 10:31	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	3.4	5		05/16/25 10:31	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	14.4	5		05/16/25 10:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	1.4	5		05/16/25 10:31	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.0	5		05/16/25 10:31	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	2.6	5		05/16/25 10:31	103-65-1	
Styrene	ND	ug/L	25.0	1.8	5		05/16/25 10:31	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.6	5		05/16/25 10:31	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	3.0	5		05/16/25 10:31	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	2.1	5		05/16/25 10:31	127-18-4	L1
Toluene	ND	ug/L	25.0	19.3	5		05/16/25 10:31	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.8	5		05/16/25 10:31	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.2	5		05/16/25 10:31	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	2.1	5		05/16/25 10:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.4	5		05/16/25 10:31	79-00-5	
Trichloroethene	ND	ug/L	25.0	2.0	5		05/16/25 10:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	1.8	5		05/16/25 10:31	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	25.0	3.5	5		05/16/25 10:31	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	2.5	5		05/16/25 10:31	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	2.1	5		05/16/25 10:31	108-67-8	
Vinyl acetate	ND	ug/L	250	8.2	5		05/16/25 10:31	108-05-4	
Vinyl chloride	**1450**	ug/L	500	142	250		05/19/25 13:22	75-01-4	
Xylene (Total)	ND	ug/L	50.0	4.2	5		05/16/25 10:31	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		5		05/16/25 10:31	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		5		05/16/25 10:31	460-00-4	
Toluene-d8 (S)	96	%.	73-122		5		05/16/25 10:31	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	1.0	0.13	10		05/09/25 09:09		D3
Nitrogen, Nitrate	ND	mg/L	1.0	0.13	10		05/09/25 09:09	14797-55-8	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-411D-20250507 **Lab ID: 50400936001** Collected: 05/07/25 14:05 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**14600**	ug/L	1000	300	1		05/16/25 01:44	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: AD-200-20250507 **Lab ID: 50400936002** Collected: 05/07/25 12:00 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**14800**	ug/L	250	190	1		05/10/25 13:59	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**5180**	ug/L	100	41.0	1	05/19/25 11:28	05/19/25 13:33	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	63.0	5		05/16/25 11:34	67-64-1	
Acrolein	ND	ug/L	250	61.5	5		05/16/25 11:34	107-02-8	
Acrylonitrile	ND	ug/L	500	11.3	5		05/16/25 11:34	107-13-1	
Benzene	ND	ug/L	25.0	1.8	5		05/16/25 11:34	71-43-2	
Bromobenzene	ND	ug/L	25.0	2.7	5		05/16/25 11:34	108-86-1	
Bromochloromethane	ND	ug/L	25.0	2.2	5		05/16/25 11:34	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	1.8	5		05/16/25 11:34	75-27-4	
Bromoform	ND	ug/L	25.0	2.6	5		05/16/25 11:34	75-25-2	
Bromomethane	ND	ug/L	25.0	2.2	5		05/16/25 11:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	20.0	5		05/16/25 11:34	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	3.0	5		05/16/25 11:34	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	2.3	5		05/16/25 11:34	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	2.1	5		05/16/25 11:34	98-06-6	
Carbon disulfide	ND	ug/L	50.0	4.0	5		05/16/25 11:34	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	2.1	5		05/16/25 11:34	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.9	5		05/16/25 11:34	108-90-7	
Chloroethane	**21400**	ug/L	1250	249	250		05/19/25 13:52	75-00-3	
Chloroform	ND	ug/L	25.0	1.9	5		05/16/25 11:34	67-66-3	
Chloromethane	ND	ug/L	25.0	3.4	5		05/16/25 11:34	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	2.1	5		05/16/25 11:34	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	2.7	5		05/16/25 11:34	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	1.4	5		05/16/25 11:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	2.0	5		05/16/25 11:34	106-93-4	
Dibromomethane	ND	ug/L	25.0	1.6	5		05/16/25 11:34	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	2.3	5		05/16/25 11:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	2.3	5		05/16/25 11:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	2.5	5		05/16/25 11:34	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	2.7	5		05/16/25 11:34	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	1.9	5		05/16/25 11:34	75-71-8	
1,1-Dichloroethane	**1750**	ug/L	250	24.2	50		05/16/25 12:06	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	1.7	5		05/16/25 11:34	107-06-2	
1,1-Dichloroethene	**66.5**	ug/L	25.0	2.3	5		05/16/25 11:34	75-35-4	
cis-1,2-Dichloroethene	**3260**	ug/L	250	25.6	50		05/16/25 12:06	156-59-2	
trans-1,2-Dichloroethene	**146**	ug/L	25.0	2.2	5		05/16/25 11:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	2.4	5		05/16/25 11:34	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.5	5		05/16/25 11:34	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	2.5	5		05/16/25 11:34	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: AD-200-20250507 **Lab ID: 50400936002** Collected: 05/07/25 12:00 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	25.0	1.9	5		05/16/25 11:34	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.7	5		05/16/25 11:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	1.2	5		05/16/25 11:34	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.7	5		05/16/25 11:34	100-41-4	
Ethyl methacrylate	ND	ug/L	500	2.6	5		05/16/25 11:34	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	3.7	5		05/16/25 11:34	87-68-3	
n-Hexane	ND	ug/L	25.0	3.5	5		05/16/25 11:34	110-54-3	
2-Hexanone	ND	ug/L	125	16.1	5		05/16/25 11:34	591-78-6	
Iodomethane	ND	ug/L	50.0	2.2	5		05/16/25 11:34	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.8	5		05/16/25 11:34	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	2.4	5		05/16/25 11:34	99-87-6	
Methylene Chloride	ND	ug/L	25.0	13.4	5		05/16/25 11:34	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	2.9	5		05/16/25 11:34	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	3.4	5		05/16/25 11:34	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	14.4	5		05/16/25 11:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	1.4	5		05/16/25 11:34	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.0	5		05/16/25 11:34	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	2.6	5		05/16/25 11:34	103-65-1	
Styrene	ND	ug/L	25.0	1.8	5		05/16/25 11:34	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.6	5		05/16/25 11:34	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	3.0	5		05/16/25 11:34	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	2.1	5		05/16/25 11:34	127-18-4	L1
Toluene	ND	ug/L	25.0	19.3	5		05/16/25 11:34	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.8	5		05/16/25 11:34	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.2	5		05/16/25 11:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	2.1	5		05/16/25 11:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.4	5		05/16/25 11:34	79-00-5	
Trichloroethene	ND	ug/L	25.0	2.0	5		05/16/25 11:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	1.8	5		05/16/25 11:34	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	25.0	3.5	5		05/16/25 11:34	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	2.5	5		05/16/25 11:34	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	2.1	5		05/16/25 11:34	108-67-8	
Vinyl acetate	ND	ug/L	250	8.2	5		05/16/25 11:34	108-05-4	
Vinyl chloride	**1500**	ug/L	500	142	250		05/19/25 13:52	75-01-4	
Xylene (Total)	ND	ug/L	50.0	4.2	5		05/16/25 11:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		5		05/16/25 11:34	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		5		05/16/25 11:34	460-00-4	
Toluene-d8 (S)	96	%.	73-122		5		05/16/25 11:34	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	1.0	0.13	10		05/09/25 08:50		D3
Nitrogen, Nitrate	ND	mg/L	1.0	0.13	10		05/09/25 08:50	14797-55-8	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: AD-200-20250507 **Lab ID: 50400936002** Collected: 05/07/25 12:00 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**14100**	ug/L	1000	300	1		05/21/25 02:04	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-407S-20250507 **Lab ID: 50400936003** Collected: 05/07/25 14:02 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**101000**	ug/L	2500	1900	10		05/10/25 14:49	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**8930**	ug/L	100	41.0	1	05/19/25 11:28	05/19/25 13:35	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/16/25 12:37	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/16/25 12:37	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/16/25 12:37	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/16/25 12:37	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/16/25 12:37	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/16/25 12:37	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/16/25 12:37	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/16/25 12:37	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/16/25 12:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/16/25 12:37	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/16/25 12:37	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/16/25 12:37	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 12:37	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/16/25 12:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/16/25 12:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/16/25 12:37	108-90-7	
Chloroethane	**27.3**	ug/L	5.0	0.41	1		05/16/25 12:37	75-00-3	CH,H7
Chloroform	ND	ug/L	5.0	0.38	1		05/16/25 12:37	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/16/25 12:37	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/16/25 12:37	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/16/25 12:37	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/16/25 12:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/16/25 12:37	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/16/25 12:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 12:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 12:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/16/25 12:37	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/16/25 12:37	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/16/25 12:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/16/25 12:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/16/25 12:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/16/25 12:37	75-35-4	
cis-1,2-Dichloroethene	**6.7**	ug/L	5.0	0.51	1		05/16/25 12:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/16/25 12:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/16/25 12:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/16/25 12:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/16/25 12:37	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-407S-20250507 **Lab ID: 50400936003** Collected: 05/07/25 14:02 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 12:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/16/25 12:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/16/25 12:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/16/25 12:37	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/16/25 12:37	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/16/25 12:37	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/16/25 12:37	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/16/25 12:37	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		05/16/25 12:37	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/16/25 12:37	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/16/25 12:37	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/16/25 12:37	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/16/25 12:37	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/16/25 12:37	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/16/25 12:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/16/25 12:37	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/16/25 12:37	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/16/25 12:37	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/16/25 12:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/16/25 12:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/16/25 12:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/16/25 12:37	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/16/25 12:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/16/25 12:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/16/25 12:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/16/25 12:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/16/25 12:37	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/16/25 12:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/16/25 12:37	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/16/25 12:37	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/16/25 12:37	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 12:37	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/16/25 12:37	108-05-4	
Vinyl chloride	**12.6**	ug/L	2.0	0.45	1		05/16/25 12:37	75-01-4	CH,H7
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/16/25 12:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		05/16/25 12:37	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		05/16/25 12:37	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		05/16/25 12:37	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/09/25 09:07		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/09/25 09:07	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-407S-20250507 **Lab ID: 50400936003** Collected: 05/07/25 14:02 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**9800**	ug/L	1000	300	1		05/21/25 02:25	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-411S-20250507 **Lab ID: 50400936004** Collected: 05/07/25 16:10 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**42800**	ug/L	250	190	1		05/10/25 15:39	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**9350**	ug/L	100	41.0	1	05/19/25 11:28	05/19/25 13:41	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	126	10		05/16/25 13:09	67-64-1	
Acrolein	ND	ug/L	500	123	10		05/16/25 13:09	107-02-8	
Acrylonitrile	ND	ug/L	1000	22.6	10		05/16/25 13:09	107-13-1	
Benzene	ND	ug/L	50.0	3.6	10		05/16/25 13:09	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.5	10		05/16/25 13:09	108-86-1	
Bromochloromethane	ND	ug/L	50.0	4.3	10		05/16/25 13:09	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	3.6	10		05/16/25 13:09	75-27-4	
Bromoform	ND	ug/L	50.0	5.2	10		05/16/25 13:09	75-25-2	
Bromomethane	ND	ug/L	50.0	4.5	10		05/16/25 13:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	40.1	10		05/16/25 13:09	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	6.0	10		05/16/25 13:09	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	4.7	10		05/16/25 13:09	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		05/16/25 13:09	98-06-6	
Carbon disulfide	ND	ug/L	100	8.0	10		05/16/25 13:09	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	4.2	10		05/16/25 13:09	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.8	10		05/16/25 13:09	108-90-7	
Chloroethane	**23300**	ug/L	2500	498	500		05/19/25 14:21	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		05/16/25 13:09	67-66-3	
Chloromethane	ND	ug/L	50.0	6.8	10		05/16/25 13:09	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	4.1	10		05/16/25 13:09	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.4	10		05/16/25 13:09	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	2.8	10		05/16/25 13:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.0	10		05/16/25 13:09	106-93-4	
Dibromomethane	ND	ug/L	50.0	3.2	10		05/16/25 13:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.6	10		05/16/25 13:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	4.6	10		05/16/25 13:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	5.0	10		05/16/25 13:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.4	10		05/16/25 13:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.8	10		05/16/25 13:09	75-71-8	
1,1-Dichloroethane	**36000**	ug/L	2500	270	500		05/19/25 14:21	75-34-3	
1,2-Dichloroethane	**76.3**	ug/L	50.0	3.3	10		05/16/25 13:09	107-06-2	
1,1-Dichloroethene	**842**	ug/L	50.0	4.6	10		05/16/25 13:09	75-35-4	
cis-1,2-Dichloroethene	**22900**	ug/L	500	51.2	100		05/16/25 13:41	156-59-2	
trans-1,2-Dichloroethene	**508**	ug/L	50.0	4.3	10		05/16/25 13:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.8	10		05/16/25 13:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	3.0	10		05/16/25 13:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	5.0	10		05/16/25 13:09	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-411S-20250507 **Lab ID: 50400936004** Collected: 05/07/25 16:10 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	50.0	3.8	10		05/16/25 13:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.3	10		05/16/25 13:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.4	10		05/16/25 13:09	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.4	10		05/16/25 13:09	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.1	10		05/16/25 13:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	7.3	10		05/16/25 13:09	87-68-3	
n-Hexane	ND	ug/L	50.0	7.0	10		05/16/25 13:09	110-54-3	
2-Hexanone	ND	ug/L	250	32.2	10		05/16/25 13:09	591-78-6	
Iodomethane	ND	ug/L	100	4.4	10		05/16/25 13:09	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.6	10		05/16/25 13:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	4.7	10		05/16/25 13:09	99-87-6	
Methylene Chloride	ND	ug/L	50.0	26.8	10		05/16/25 13:09	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	5.8	10		05/16/25 13:09	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	6.8	10		05/16/25 13:09	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	28.7	10		05/16/25 13:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.8	10		05/16/25 13:09	1634-04-4	
Naphthalene	ND	ug/L	12.0	4.0	10		05/16/25 13:09	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	5.1	10		05/16/25 13:09	103-65-1	
Styrene	ND	ug/L	50.0	3.6	10		05/16/25 13:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.2	10		05/16/25 13:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	5.9	10		05/16/25 13:09	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	4.2	10		05/16/25 13:09	127-18-4	L1
Toluene	ND	ug/L	50.0	38.6	10		05/16/25 13:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.5	10		05/16/25 13:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.5	10		05/16/25 13:09	120-82-1	
1,1,1-Trichloroethane	**15000**	ug/L	500	42.4	100		05/16/25 13:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.9	10		05/16/25 13:09	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.9	10		05/16/25 13:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	3.5	10		05/16/25 13:09	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	50.0	7.1	10		05/16/25 13:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.0	10		05/16/25 13:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.2	10		05/16/25 13:09	108-67-8	
Vinyl acetate	ND	ug/L	500	16.5	10		05/16/25 13:09	108-05-4	
Vinyl chloride	**2890**	ug/L	1000	285	500		05/19/25 14:21	75-01-4	
Xylene (Total)	ND	ug/L	100	8.4	10		05/16/25 13:09	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		10		05/16/25 13:09	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		10		05/16/25 13:09	460-00-4	
Toluene-d8 (S)	97	%.	73-122		10		05/16/25 13:09	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	1.0	0.13	10		05/09/25 09:12		D3
Nitrogen, Nitrate	ND	mg/L	1.0	0.13	10		05/09/25 09:12	14797-55-8	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-411S-20250507 **Lab ID: 50400936004** Collected: 05/07/25 16:10 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**9050**	ug/L	1000	300	1		05/21/25 02:46	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-407D-20250507 **Lab ID: 50400936005** Collected: 05/07/25 16:10 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Chloride	**55.0**	mg/L	2.5	0.79	10		05/10/25 16:29	16887-00-6	
Sulfate	**44700**	ug/L	250	190	1		05/10/25 16:12	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**5050**	ug/L	100	41.0	1	05/19/25 11:28	05/19/25 13:44	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/16/25 14:12	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/16/25 14:12	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/16/25 14:12	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/16/25 14:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/16/25 14:12	108-86-1	R1
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/16/25 14:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/16/25 14:12	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/16/25 14:12	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/16/25 14:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/16/25 14:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/16/25 14:12	104-51-8	R1
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/16/25 14:12	135-98-8	R1
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 14:12	98-06-6	R1
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/16/25 14:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/16/25 14:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/16/25 14:12	108-90-7	
Chloroethane	**101**	ug/L	50.0	10	10		05/19/25 14:51	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/16/25 14:12	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/16/25 14:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/16/25 14:12	95-49-8	R1
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/16/25 14:12	106-43-4	R1
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/16/25 14:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/16/25 14:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/16/25 14:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 14:12	95-50-1	R1
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 14:12	541-73-1	R1
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/16/25 14:12	106-46-7	R1
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/16/25 14:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/16/25 14:12	75-71-8	
1,1-Dichloroethane	**22.3**	ug/L	5.0	0.48	1		05/16/25 14:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/16/25 14:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/16/25 14:12	75-35-4	
cis-1,2-Dichloroethene	**800**	ug/L	50.0	5.7	10		05/19/25 14:51	156-59-2	M1
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/16/25 14:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/16/25 14:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/16/25 14:12	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-407D-20250507 **Lab ID: 50400936005** Collected: 05/07/25 16:10 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/16/25 14:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 14:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/16/25 14:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/16/25 14:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/16/25 14:12	100-41-4	R1
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/16/25 14:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/16/25 14:12	87-68-3	R1
n-Hexane	ND	ug/L	5.0	0.70	1		05/16/25 14:12	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/16/25 14:12	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		05/16/25 14:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/16/25 14:12	98-82-8	R1
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/16/25 14:12	99-87-6	R1
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/16/25 14:12	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/16/25 14:12	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/16/25 14:12	91-57-6	R1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/16/25 14:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/16/25 14:12	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/16/25 14:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/16/25 14:12	103-65-1	R1
Styrene	ND	ug/L	5.0	0.36	1		05/16/25 14:12	100-42-5	R1
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/16/25 14:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/16/25 14:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/16/25 14:12	127-18-4	L1,R1
Toluene	ND	ug/L	5.0	3.9	1		05/16/25 14:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/16/25 14:12	87-61-6	R1
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/16/25 14:12	120-82-1	R1
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/16/25 14:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/16/25 14:12	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/16/25 14:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/16/25 14:12	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/16/25 14:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/16/25 14:12	95-63-6	R1
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 14:12	108-67-8	R1
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/16/25 14:12	108-05-4	
Vinyl chloride	**1120**	ug/L	20.0	5.7	10		05/19/25 14:51	75-01-4	M1
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/16/25 14:12	1330-20-7	RS
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		05/16/25 14:12	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		05/16/25 14:12	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		05/16/25 14:12	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/09/25 09:14		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/09/25 09:14	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-407D-20250507 **Lab ID: 50400936005** Collected: 05/07/25 16:10 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**9070**	ug/L	1000	300	1		05/21/25 03:06	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: W-8-20250508 **Lab ID: 50400936006** Collected: 05/08/25 09:53 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 GCV Headspace	Analytical Method: RSK 175 Pace Analytical Services - Minneapolis								
Methane	**99.4**	ug/L	10.0	2.8	1		05/13/25 06:00	74-82-8	
Ethane	ND	ug/L	10.0	1.3	1		05/13/25 06:00	74-84-0	
Ethene	ND	ug/L	10.0	1.1	1		05/13/25 06:00	74-85-1	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/17/25 00:43	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/17/25 00:43	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/17/25 00:43	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/17/25 00:43	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/17/25 00:43	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/17/25 00:43	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/17/25 00:43	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/17/25 00:43	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/17/25 00:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/17/25 00:43	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/17/25 00:43	104-51-8	R1
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/17/25 00:43	135-98-8	R1
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 00:43	98-06-6	R1
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/17/25 00:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/17/25 00:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/17/25 00:43	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		05/17/25 00:43	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/17/25 00:43	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/17/25 00:43	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/17/25 00:43	95-49-8	R1
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/17/25 00:43	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/17/25 00:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/17/25 00:43	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/17/25 00:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 00:43	95-50-1	R1
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 00:43	541-73-1	R1
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/17/25 00:43	106-46-7	R1
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/17/25 00:43	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/17/25 00:43	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/17/25 00:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/17/25 00:43	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/17/25 00:43	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		05/17/25 00:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/17/25 00:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/17/25 00:43	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 00:43	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/17/25 00:43	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/17/25 00:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/17/25 00:43	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: W-8-20250508 **Lab ID: 50400936006** Collected: 05/08/25 09:53 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/17/25 00:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/17/25 00:43	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/17/25 00:43	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/17/25 00:43	87-68-3	R1
n-Hexane	ND	ug/L	5.0	0.70	1		05/17/25 00:43	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/17/25 00:43	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		05/17/25 00:43	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/17/25 00:43	98-82-8	R1
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/17/25 00:43	99-87-6	R1
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/17/25 00:43	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/17/25 00:43	90-12-0	R1
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/17/25 00:43	91-57-6	R1
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/17/25 00:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/17/25 00:43	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/17/25 00:43	91-20-3	R1
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/17/25 00:43	103-65-1	R1
Styrene	ND	ug/L	5.0	0.36	1		05/17/25 00:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/17/25 00:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/17/25 00:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/17/25 00:43	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/17/25 00:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 00:43	87-61-6	R1
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/17/25 00:43	120-82-1	R1
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/17/25 00:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/17/25 00:43	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/17/25 00:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/17/25 00:43	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/17/25 00:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/17/25 00:43	95-63-6	R1
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 00:43	108-67-8	R1
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/17/25 00:43	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		05/17/25 00:43	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/17/25 00:43	1330-20-7	RS
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		05/17/25 00:43	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		05/17/25 00:43	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		05/17/25 00:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-418D-20250508 **Lab ID: 50400936007** Collected: 05/08/25 12:15 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	ND	ug/L	250	190	1		05/10/25 17:52	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**10300**	ug/L	100	41.0	1	05/19/25 11:28	05/19/25 13:52	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/16/25 14:44	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/16/25 14:44	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/16/25 14:44	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/16/25 14:44	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/16/25 14:44	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/16/25 14:44	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/16/25 14:44	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/16/25 14:44	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/16/25 14:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/16/25 14:44	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/16/25 14:44	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/16/25 14:44	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 14:44	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/16/25 14:44	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/16/25 14:44	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/16/25 14:44	108-90-7	
Chloroethane	**5.1**	ug/L	5.0	0.41	1		05/16/25 14:44	75-00-3	CH,H7
Chloroform	ND	ug/L	5.0	0.38	1		05/16/25 14:44	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/16/25 14:44	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/16/25 14:44	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/16/25 14:44	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/16/25 14:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/16/25 14:44	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/16/25 14:44	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 14:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 14:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/16/25 14:44	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/16/25 14:44	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/16/25 14:44	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/16/25 14:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/16/25 14:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/16/25 14:44	75-35-4	
cis-1,2-Dichloroethene	**21.0**	ug/L	5.0	0.51	1		05/16/25 14:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/16/25 14:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/16/25 14:44	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/16/25 14:44	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/16/25 14:44	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-418D-20250508 **Lab ID: 50400936007** Collected: 05/08/25 12:15 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 14:44	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/16/25 14:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/16/25 14:44	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/16/25 14:44	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/16/25 14:44	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/16/25 14:44	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/16/25 14:44	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/16/25 14:44	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		05/16/25 14:44	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/16/25 14:44	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/16/25 14:44	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/16/25 14:44	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/16/25 14:44	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/16/25 14:44	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/16/25 14:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/16/25 14:44	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/16/25 14:44	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/16/25 14:44	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/16/25 14:44	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/16/25 14:44	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/16/25 14:44	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/16/25 14:44	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/16/25 14:44	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/16/25 14:44	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/16/25 14:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/16/25 14:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/16/25 14:44	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/16/25 14:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/16/25 14:44	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/16/25 14:44	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/16/25 14:44	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 14:44	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/16/25 14:44	108-05-4	
Vinyl chloride	**554**	ug/L	20.0	4.5	10		05/16/25 15:15	75-01-4	CH,H7
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/16/25 14:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		05/16/25 14:44	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		05/16/25 14:44	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		05/16/25 14:44	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		05/09/25 09:31		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		05/09/25 09:31	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-418D-20250508 **Lab ID: 50400936007** Collected: 05/08/25 12:15 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3860**	ug/L	1000	300	1		05/21/25 04:06	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: AD-300-20250508 **Lab ID: 50400936008** Collected: 05/08/25 12:00 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/16/25 15:47	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/16/25 15:47	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/16/25 15:47	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/16/25 15:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/16/25 15:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/16/25 15:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/16/25 15:47	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/16/25 15:47	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/16/25 15:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/16/25 15:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/16/25 15:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/16/25 15:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 15:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/16/25 15:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/16/25 15:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/16/25 15:47	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		05/16/25 15:47	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/16/25 15:47	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/16/25 15:47	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/16/25 15:47	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/16/25 15:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/16/25 15:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/16/25 15:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/16/25 15:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 15:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 15:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/16/25 15:47	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/16/25 15:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/16/25 15:47	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/16/25 15:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/16/25 15:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/16/25 15:47	75-35-4	
cis-1,2-Dichloroethene	**19.6**	ug/L	5.0	0.51	1		05/16/25 15:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/16/25 15:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/16/25 15:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/16/25 15:47	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/16/25 15:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 15:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/16/25 15:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/16/25 15:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/16/25 15:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/16/25 15:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/16/25 15:47	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/16/25 15:47	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/16/25 15:47	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: AD-300-20250508 **Lab ID: 50400936008** Collected: 05/08/25 12:00 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/16/25 15:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/16/25 15:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/16/25 15:47	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/16/25 15:47	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/16/25 15:47	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/16/25 15:47	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/16/25 15:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/16/25 15:47	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/16/25 15:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/16/25 15:47	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/16/25 15:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/16/25 15:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/16/25 15:47	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/16/25 15:47	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/16/25 15:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/16/25 15:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/16/25 15:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/16/25 15:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/16/25 15:47	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/16/25 15:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/16/25 15:47	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/16/25 15:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/16/25 15:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 15:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/16/25 15:47	108-05-4	
Vinyl chloride	**449**	ug/L	20.0	5.7	10		05/19/25 15:20	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/16/25 15:47	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		05/16/25 15:47	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		05/16/25 15:47	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		05/16/25 15:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-418S-20250508 **Lab ID: 50400936009** Collected: 05/08/25 14:05 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**769**	ug/L	250	190	1		05/10/25 18:59	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**7860**	ug/L	100	41.0	1	05/19/25 11:28	05/19/25 13:55	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	126	10		05/16/25 16:19	67-64-1	
Acrolein	ND	ug/L	500	123	10		05/16/25 16:19	107-02-8	
Acrylonitrile	ND	ug/L	1000	22.6	10		05/16/25 16:19	107-13-1	
Benzene	ND	ug/L	50.0	3.6	10		05/16/25 16:19	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.5	10		05/16/25 16:19	108-86-1	
Bromochloromethane	ND	ug/L	50.0	4.3	10		05/16/25 16:19	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	3.6	10		05/16/25 16:19	75-27-4	
Bromoform	ND	ug/L	50.0	5.2	10		05/16/25 16:19	75-25-2	
Bromomethane	ND	ug/L	50.0	4.5	10		05/16/25 16:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	40.1	10		05/16/25 16:19	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	6.0	10		05/16/25 16:19	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	4.7	10		05/16/25 16:19	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		05/16/25 16:19	98-06-6	
Carbon disulfide	ND	ug/L	100	8.0	10		05/16/25 16:19	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	4.2	10		05/16/25 16:19	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.8	10		05/16/25 16:19	108-90-7	
Chloroethane	**80.1**	ug/L	50.0	4.1	10		05/16/25 16:19	75-00-3	CH,H7
Chloroform	ND	ug/L	50.0	3.8	10		05/16/25 16:19	67-66-3	
Chloromethane	ND	ug/L	50.0	6.8	10		05/16/25 16:19	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	4.1	10		05/16/25 16:19	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.4	10		05/16/25 16:19	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	2.8	10		05/16/25 16:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.0	10		05/16/25 16:19	106-93-4	
Dibromomethane	ND	ug/L	50.0	3.2	10		05/16/25 16:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.6	10		05/16/25 16:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	4.6	10		05/16/25 16:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	5.0	10		05/16/25 16:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.4	10		05/16/25 16:19	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.8	10		05/16/25 16:19	75-71-8	
1,1-Dichloroethane	**128**	ug/L	50.0	4.8	10		05/16/25 16:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	3.3	10		05/16/25 16:19	107-06-2	
1,1-Dichloroethene	**60.7**	ug/L	50.0	4.6	10		05/16/25 16:19	75-35-4	
cis-1,2-Dichloroethene	**9230**	ug/L	500	51.2	100		05/16/25 16:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	4.3	10		05/16/25 16:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.8	10		05/16/25 16:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	3.0	10		05/16/25 16:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	5.0	10		05/16/25 16:19	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-418S-20250508 **Lab ID: 50400936009** Collected: 05/08/25 14:05 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	50.0	3.8	10		05/16/25 16:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.3	10		05/16/25 16:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.4	10		05/16/25 16:19	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.4	10		05/16/25 16:19	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.1	10		05/16/25 16:19	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	7.3	10		05/16/25 16:19	87-68-3	
n-Hexane	ND	ug/L	50.0	7.0	10		05/16/25 16:19	110-54-3	
2-Hexanone	ND	ug/L	250	32.2	10		05/16/25 16:19	591-78-6	
Iodomethane	ND	ug/L	100	4.4	10		05/16/25 16:19	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.6	10		05/16/25 16:19	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	4.7	10		05/16/25 16:19	99-87-6	
Methylene Chloride	ND	ug/L	50.0	26.8	10		05/16/25 16:19	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	5.8	10		05/16/25 16:19	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	6.8	10		05/16/25 16:19	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	28.7	10		05/16/25 16:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.8	10		05/16/25 16:19	1634-04-4	
Naphthalene	ND	ug/L	12.0	4.0	10		05/16/25 16:19	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	5.1	10		05/16/25 16:19	103-65-1	
Styrene	ND	ug/L	50.0	3.6	10		05/16/25 16:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.2	10		05/16/25 16:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	5.9	10		05/16/25 16:19	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	4.2	10		05/16/25 16:19	127-18-4	L1
Toluene	ND	ug/L	50.0	38.6	10		05/16/25 16:19	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.5	10		05/16/25 16:19	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.5	10		05/16/25 16:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	4.2	10		05/16/25 16:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.9	10		05/16/25 16:19	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.9	10		05/16/25 16:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	3.5	10		05/16/25 16:19	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	50.0	7.1	10		05/16/25 16:19	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.0	10		05/16/25 16:19	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.2	10		05/16/25 16:19	108-67-8	
Vinyl acetate	ND	ug/L	500	16.5	10		05/16/25 16:19	108-05-4	
Vinyl chloride	**9930**	ug/L	200	44.7	100		05/16/25 16:50	75-01-4	CH,H7
Xylene (Total)	ND	ug/L	100	8.4	10		05/16/25 16:19	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		10		05/16/25 16:19	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		10		05/16/25 16:19	460-00-4	
Toluene-d8 (S)	96	%.	73-122		10		05/16/25 16:19	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.20	0.026	2		05/09/25 10:23		D3
Nitrogen, Nitrate	ND	mg/L	0.20	0.026	2		05/09/25 10:23	14797-55-8	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-418S-20250508 **Lab ID: 50400936009** Collected: 05/08/25 14:05 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5130**	ug/L	1000	300	1		05/21/25 05:31	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-251-20250508 **Lab ID: 50400936010** Collected: 05/08/25 08:21 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/16/25 17:22	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/16/25 17:22	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/16/25 17:22	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/16/25 17:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/16/25 17:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/16/25 17:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/16/25 17:22	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/16/25 17:22	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/16/25 17:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/16/25 17:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/16/25 17:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/16/25 17:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 17:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/16/25 17:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/16/25 17:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/16/25 17:22	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		05/16/25 17:22	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/16/25 17:22	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/16/25 17:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/16/25 17:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/16/25 17:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/16/25 17:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/16/25 17:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/16/25 17:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 17:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 17:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/16/25 17:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/16/25 17:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/16/25 17:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/16/25 17:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/16/25 17:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/16/25 17:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		05/16/25 17:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/16/25 17:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/16/25 17:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/16/25 17:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/16/25 17:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 17:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/16/25 17:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/16/25 17:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/16/25 17:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/16/25 17:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/16/25 17:22	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/16/25 17:22	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/16/25 17:22	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-251-20250508 **Lab ID: 50400936010** Collected: 05/08/25 08:21 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/16/25 17:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/16/25 17:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/16/25 17:22	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/16/25 17:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/16/25 17:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/16/25 17:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/16/25 17:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/16/25 17:22	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/16/25 17:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/16/25 17:22	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/16/25 17:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/16/25 17:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/16/25 17:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/16/25 17:22	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/16/25 17:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/16/25 17:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/16/25 17:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/16/25 17:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/16/25 17:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/16/25 17:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/16/25 17:22	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/16/25 17:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/16/25 17:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 17:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/16/25 17:22	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		05/16/25 17:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/16/25 17:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		05/16/25 17:22	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		05/16/25 17:22	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		05/16/25 17:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: W-10-20250508 **Lab ID: 50400936011** Collected: 05/08/25 08:47 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/16/25 17:53	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/16/25 17:53	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/16/25 17:53	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/16/25 17:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/16/25 17:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/16/25 17:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/16/25 17:53	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/16/25 17:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/16/25 17:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/16/25 17:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/16/25 17:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/16/25 17:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 17:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/16/25 17:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/16/25 17:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/16/25 17:53	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		05/16/25 17:53	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/16/25 17:53	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/16/25 17:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/16/25 17:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/16/25 17:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/16/25 17:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/16/25 17:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/16/25 17:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 17:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 17:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/16/25 17:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/16/25 17:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/16/25 17:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/16/25 17:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/16/25 17:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/16/25 17:53	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		05/16/25 17:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/16/25 17:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/16/25 17:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/16/25 17:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/16/25 17:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 17:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/16/25 17:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/16/25 17:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/16/25 17:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/16/25 17:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/16/25 17:53	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/16/25 17:53	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/16/25 17:53	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: W-10-20250508 **Lab ID: 50400936011** Collected: 05/08/25 08:47 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/16/25 17:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/16/25 17:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/16/25 17:53	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/16/25 17:53	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/16/25 17:53	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/16/25 17:53	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/16/25 17:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/16/25 17:53	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/16/25 17:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/16/25 17:53	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/16/25 17:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/16/25 17:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/16/25 17:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/16/25 17:53	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/16/25 17:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/16/25 17:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/16/25 17:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/16/25 17:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/16/25 17:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/16/25 17:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/16/25 17:53	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/16/25 17:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/16/25 17:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 17:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/16/25 17:53	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		05/16/25 17:53	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/16/25 17:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%.	82-128		1		05/16/25 17:53	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		05/16/25 17:53	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		05/16/25 17:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-41-20250508 **Lab ID: 50400936012** Collected: 05/08/25 09:08 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/16/25 18:25	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/16/25 18:25	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/16/25 18:25	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/16/25 18:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/16/25 18:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/16/25 18:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/16/25 18:25	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/16/25 18:25	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/16/25 18:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/16/25 18:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/16/25 18:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/16/25 18:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 18:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/16/25 18:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/16/25 18:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/16/25 18:25	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		05/16/25 18:25	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/16/25 18:25	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/16/25 18:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/16/25 18:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/16/25 18:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/16/25 18:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/16/25 18:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/16/25 18:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 18:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/16/25 18:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/16/25 18:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/16/25 18:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/16/25 18:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/16/25 18:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/16/25 18:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/16/25 18:25	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		05/16/25 18:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/16/25 18:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/16/25 18:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/16/25 18:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/16/25 18:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/16/25 18:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/16/25 18:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/16/25 18:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/16/25 18:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/16/25 18:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/16/25 18:25	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/16/25 18:25	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/16/25 18:25	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-41-20250508 **Lab ID: 50400936012** Collected: 05/08/25 09:08 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/16/25 18:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/16/25 18:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/16/25 18:25	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/16/25 18:25	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/16/25 18:25	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/16/25 18:25	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/16/25 18:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/16/25 18:25	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/16/25 18:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/16/25 18:25	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/16/25 18:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/16/25 18:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/16/25 18:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/16/25 18:25	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/16/25 18:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/16/25 18:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/16/25 18:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/16/25 18:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/16/25 18:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/16/25 18:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/16/25 18:25	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/16/25 18:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/16/25 18:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/16/25 18:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/16/25 18:25	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		05/16/25 18:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/16/25 18:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		1		05/16/25 18:25	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		05/16/25 18:25	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		05/16/25 18:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-131-20250508 **Lab ID: 50400936013** Collected: 05/08/25 09:29 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/17/25 01:15	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/17/25 01:15	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/17/25 01:15	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/17/25 01:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/17/25 01:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/17/25 01:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/17/25 01:15	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/17/25 01:15	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/17/25 01:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/17/25 01:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/17/25 01:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/17/25 01:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 01:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/17/25 01:15	75-15-0	
Carbon tetrachloride	**8.0**	ug/L	5.0	0.42	1		05/17/25 01:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/17/25 01:15	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		05/17/25 01:15	75-00-3	
Chloroform	**11.1**	ug/L	5.0	0.38	1		05/17/25 01:15	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/17/25 01:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/17/25 01:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/17/25 01:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/17/25 01:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/17/25 01:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/17/25 01:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 01:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 01:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/17/25 01:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/17/25 01:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/17/25 01:15	75-71-8	
1,1-Dichloroethane	**18.5**	ug/L	5.0	0.48	1		05/17/25 01:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/17/25 01:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/17/25 01:15	75-35-4	
cis-1,2-Dichloroethene	**8.0**	ug/L	5.0	0.51	1		05/17/25 01:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/17/25 01:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/17/25 01:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 01:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/17/25 01:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/17/25 01:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/17/25 01:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/17/25 01:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/17/25 01:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/17/25 01:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/17/25 01:15	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/17/25 01:15	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/17/25 01:15	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-131-20250508 **Lab ID: 50400936013** Collected: 05/08/25 09:29 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/17/25 01:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/17/25 01:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/17/25 01:15	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/17/25 01:15	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/17/25 01:15	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/17/25 01:15	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/17/25 01:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/17/25 01:15	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/17/25 01:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/17/25 01:15	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/17/25 01:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/17/25 01:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/17/25 01:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/17/25 01:15	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/17/25 01:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 01:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/17/25 01:15	120-82-1	
1,1,1-Trichloroethane	**177**	ug/L	5.0	0.42	1		05/17/25 01:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/17/25 01:15	79-00-5	
Trichloroethene	**52.4**	ug/L	5.0	0.39	1		05/17/25 01:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/17/25 01:15	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/17/25 01:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/17/25 01:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 01:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/17/25 01:15	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		05/17/25 01:15	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/17/25 01:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		05/17/25 01:15	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		05/17/25 01:15	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		05/17/25 01:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-401-20250508 **Lab ID: 50400936014** Collected: 05/08/25 10:06 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	63.0	5		05/17/25 01:46	67-64-1	
Acrolein	ND	ug/L	250	61.5	5		05/17/25 01:46	107-02-8	
Acrylonitrile	ND	ug/L	500	11.3	5		05/17/25 01:46	107-13-1	
Benzene	ND	ug/L	25.0	1.8	5		05/17/25 01:46	71-43-2	
Bromobenzene	ND	ug/L	25.0	2.7	5		05/17/25 01:46	108-86-1	
Bromochloromethane	ND	ug/L	25.0	2.2	5		05/17/25 01:46	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	1.8	5		05/17/25 01:46	75-27-4	
Bromoform	ND	ug/L	25.0	2.6	5		05/17/25 01:46	75-25-2	
Bromomethane	ND	ug/L	25.0	2.2	5		05/17/25 01:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	20.0	5		05/17/25 01:46	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	3.0	5		05/17/25 01:46	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	2.3	5		05/17/25 01:46	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	2.1	5		05/17/25 01:46	98-06-6	
Carbon disulfide	ND	ug/L	50.0	4.0	5		05/17/25 01:46	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	2.1	5		05/17/25 01:46	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.9	5		05/17/25 01:46	108-90-7	
Chloroethane	**65.8**	ug/L	25.0	2.0	5		05/17/25 01:46	75-00-3	
Chloroform	ND	ug/L	25.0	1.9	5		05/17/25 01:46	67-66-3	
Chloromethane	ND	ug/L	25.0	3.4	5		05/17/25 01:46	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	2.1	5		05/17/25 01:46	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	2.7	5		05/17/25 01:46	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	1.4	5		05/17/25 01:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	2.0	5		05/17/25 01:46	106-93-4	
Dibromomethane	ND	ug/L	25.0	1.6	5		05/17/25 01:46	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	2.3	5		05/17/25 01:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	2.3	5		05/17/25 01:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	2.5	5		05/17/25 01:46	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	2.7	5		05/17/25 01:46	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	1.9	5		05/17/25 01:46	75-71-8	
1,1-Dichloroethane	**39.0**	ug/L	25.0	2.4	5		05/17/25 01:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	1.7	5		05/17/25 01:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	2.3	5		05/17/25 01:46	75-35-4	
cis-1,2-Dichloroethene	**816**	ug/L	25.0	2.6	5		05/17/25 01:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	2.2	5		05/17/25 01:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	2.4	5		05/17/25 01:46	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.5	5		05/17/25 01:46	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	2.5	5		05/17/25 01:46	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	1.9	5		05/17/25 01:46	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.7	5		05/17/25 01:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	1.2	5		05/17/25 01:46	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.7	5		05/17/25 01:46	100-41-4	
Ethyl methacrylate	ND	ug/L	500	2.6	5		05/17/25 01:46	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	3.7	5		05/17/25 01:46	87-68-3	
n-Hexane	ND	ug/L	25.0	3.5	5		05/17/25 01:46	110-54-3	
2-Hexanone	ND	ug/L	125	16.1	5		05/17/25 01:46	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-401-20250508 **Lab ID: 50400936014** Collected: 05/08/25 10:06 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	50.0	2.2	5		05/17/25 01:46	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.8	5		05/17/25 01:46	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	2.4	5		05/17/25 01:46	99-87-6	
Methylene Chloride	ND	ug/L	25.0	13.4	5		05/17/25 01:46	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	2.9	5		05/17/25 01:46	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	3.4	5		05/17/25 01:46	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	14.4	5		05/17/25 01:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	1.4	5		05/17/25 01:46	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.0	5		05/17/25 01:46	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	2.6	5		05/17/25 01:46	103-65-1	
Styrene	ND	ug/L	25.0	1.8	5		05/17/25 01:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.6	5		05/17/25 01:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	3.0	5		05/17/25 01:46	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	2.1	5		05/17/25 01:46	127-18-4	L1
Toluene	ND	ug/L	25.0	19.3	5		05/17/25 01:46	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.8	5		05/17/25 01:46	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.2	5		05/17/25 01:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	2.1	5		05/17/25 01:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.4	5		05/17/25 01:46	79-00-5	
Trichloroethene	ND	ug/L	25.0	2.0	5		05/17/25 01:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	1.8	5		05/17/25 01:46	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	25.0	3.5	5		05/17/25 01:46	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	2.5	5		05/17/25 01:46	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	2.1	5		05/17/25 01:46	108-67-8	
Vinyl acetate	ND	ug/L	250	8.2	5		05/17/25 01:46	108-05-4	
Vinyl chloride	**298**	ug/L	10.0	2.2	5		05/17/25 01:46	75-01-4	
Xylene (Total)	ND	ug/L	50.0	4.2	5		05/17/25 01:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		5		05/17/25 01:46	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		5		05/17/25 01:46	460-00-4	
Toluene-d8 (S)	95	%.	73-122		5		05/17/25 01:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-423D-20250508 **Lab ID: 50400936015** Collected: 05/08/25 10:28 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/17/25 02:49	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/17/25 02:49	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/17/25 02:49	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/17/25 02:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/17/25 02:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/17/25 02:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/17/25 02:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/17/25 02:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/17/25 02:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/17/25 02:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/17/25 02:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/17/25 02:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 02:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/17/25 02:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/17/25 02:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/17/25 02:49	108-90-7	
Chloroethane	**167**	ug/L	5.0	0.41	1		05/17/25 02:49	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/17/25 02:49	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/17/25 02:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/17/25 02:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/17/25 02:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/17/25 02:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/17/25 02:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/17/25 02:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 02:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 02:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/17/25 02:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/17/25 02:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/17/25 02:49	75-71-8	
1,1-Dichloroethane	**226**	ug/L	5.0	0.48	1		05/17/25 02:49	75-34-3	
1,2-Dichloroethane	**8.8**	ug/L	5.0	0.33	1		05/17/25 02:49	107-06-2	
1,1-Dichloroethene	**84.5**	ug/L	5.0	0.46	1		05/17/25 02:49	75-35-4	
cis-1,2-Dichloroethene	**638**	ug/L	50.0	5.1	10		05/17/25 03:21	156-59-2	
trans-1,2-Dichloroethene	**10.4**	ug/L	5.0	0.43	1		05/17/25 02:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/17/25 02:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 02:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/17/25 02:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/17/25 02:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/17/25 02:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/17/25 02:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/17/25 02:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/17/25 02:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/17/25 02:49	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/17/25 02:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/17/25 02:49	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-423D-20250508 **Lab ID: 50400936015** Collected: 05/08/25 10:28 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/17/25 02:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/17/25 02:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/17/25 02:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/17/25 02:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/17/25 02:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/17/25 02:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/17/25 02:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/17/25 02:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/17/25 02:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/17/25 02:49	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/17/25 02:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/17/25 02:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/17/25 02:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/17/25 02:49	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/17/25 02:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 02:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/17/25 02:49	120-82-1	
1,1,1-Trichloroethane	**574**	ug/L	50.0	4.2	10		05/17/25 03:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/17/25 02:49	79-00-5	
Trichloroethene	**40.3**	ug/L	5.0	0.39	1		05/17/25 02:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/17/25 02:49	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/17/25 02:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/17/25 02:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 02:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/17/25 02:49	108-05-4	
Vinyl chloride	**479**	ug/L	20.0	4.5	10		05/17/25 03:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/17/25 02:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		05/17/25 02:49	1868-53-7	
4-Bromofluorobenzene (S)	109	%.	79-124		1		05/17/25 02:49	460-00-4	
Toluene-d8 (S)	86	%.	73-122		1		05/17/25 02:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-423S-20250508 **Lab ID: 50400936016** Collected: 05/08/25 10:40 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/17/25 03:52	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/17/25 03:52	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/17/25 03:52	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/17/25 03:52	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/17/25 03:52	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/17/25 03:52	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/17/25 03:52	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/17/25 03:52	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/17/25 03:52	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/17/25 03:52	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/17/25 03:52	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/17/25 03:52	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 03:52	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/17/25 03:52	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/17/25 03:52	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/17/25 03:52	108-90-7	
Chloroethane	**224**	ug/L	5.0	0.41	1		05/17/25 03:52	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/17/25 03:52	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/17/25 03:52	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/17/25 03:52	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/17/25 03:52	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/17/25 03:52	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/17/25 03:52	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/17/25 03:52	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 03:52	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 03:52	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/17/25 03:52	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/17/25 03:52	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/17/25 03:52	75-71-8	
1,1-Dichloroethane	**265**	ug/L	5.0	0.48	1		05/17/25 03:52	75-34-3	
1,2-Dichloroethane	**12.3**	ug/L	5.0	0.33	1		05/17/25 03:52	107-06-2	
1,1-Dichloroethene	**197**	ug/L	5.0	0.46	1		05/17/25 03:52	75-35-4	
cis-1,2-Dichloroethene	**1300**	ug/L	50.0	5.1	10		05/17/25 04:24	156-59-2	
trans-1,2-Dichloroethene	**20.0**	ug/L	5.0	0.43	1		05/17/25 03:52	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/17/25 03:52	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 03:52	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/17/25 03:52	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/17/25 03:52	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/17/25 03:52	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/17/25 03:52	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/17/25 03:52	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/17/25 03:52	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/17/25 03:52	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/17/25 03:52	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/17/25 03:52	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-423S-20250508 **Lab ID: 50400936016** Collected: 05/08/25 10:40 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/17/25 03:52	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/17/25 03:52	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/17/25 03:52	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/17/25 03:52	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/17/25 03:52	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/17/25 03:52	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/17/25 03:52	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/17/25 03:52	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/17/25 03:52	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/17/25 03:52	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/17/25 03:52	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/17/25 03:52	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/17/25 03:52	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/17/25 03:52	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/17/25 03:52	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 03:52	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/17/25 03:52	120-82-1	
1,1,1-Trichloroethane	**1580**	ug/L	50.0	4.2	10		05/17/25 04:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/17/25 03:52	79-00-5	
Trichloroethene	**170**	ug/L	5.0	0.39	1		05/17/25 03:52	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/17/25 03:52	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/17/25 03:52	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/17/25 03:52	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 03:52	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/17/25 03:52	108-05-4	
Vinyl chloride	**658**	ug/L	20.0	4.5	10		05/17/25 04:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/17/25 03:52	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		05/17/25 03:52	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		05/17/25 03:52	460-00-4	
Toluene-d8 (S)	82	%.	73-122		1		05/17/25 03:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-422D-20250508 **Lab ID: 50400936017** Collected: 05/08/25 11:25 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/17/25 04:55	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/17/25 04:55	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/17/25 04:55	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/17/25 04:55	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/17/25 04:55	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/17/25 04:55	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/17/25 04:55	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/17/25 04:55	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/17/25 04:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/17/25 04:55	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/17/25 04:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/17/25 04:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 04:55	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/17/25 04:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/17/25 04:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/17/25 04:55	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		05/17/25 04:55	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/17/25 04:55	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/17/25 04:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/17/25 04:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/17/25 04:55	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/17/25 04:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/17/25 04:55	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/17/25 04:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 04:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 04:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/17/25 04:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/17/25 04:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/17/25 04:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/17/25 04:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/17/25 04:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/17/25 04:55	75-35-4	
cis-1,2-Dichloroethene	**607**	ug/L	50.0	5.1	10		05/17/25 05:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/17/25 04:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/17/25 04:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 04:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/17/25 04:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/17/25 04:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/17/25 04:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/17/25 04:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/17/25 04:55	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/17/25 04:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/17/25 04:55	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/17/25 04:55	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/17/25 04:55	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-422D-20250508 **Lab ID: 50400936017** Collected: 05/08/25 11:25 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/17/25 04:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/17/25 04:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/17/25 04:55	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/17/25 04:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/17/25 04:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/17/25 04:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/17/25 04:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/17/25 04:55	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/17/25 04:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/17/25 04:55	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/17/25 04:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/17/25 04:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/17/25 04:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/17/25 04:55	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/17/25 04:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 04:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/17/25 04:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/17/25 04:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/17/25 04:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/17/25 04:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/17/25 04:55	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/17/25 04:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/17/25 04:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 04:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/17/25 04:55	108-05-4	
Vinyl chloride	**2730**	ug/L	200	57.0	100		05/19/25 15:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/17/25 04:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		05/17/25 04:55	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		05/17/25 04:55	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		05/17/25 04:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-422S-20250508 **Lab ID: 50400936018** Collected: 05/08/25 11:08 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	63.0	5		05/17/25 05:58	67-64-1	
Acrolein	ND	ug/L	250	61.5	5		05/17/25 05:58	107-02-8	
Acrylonitrile	ND	ug/L	500	11.3	5		05/17/25 05:58	107-13-1	
Benzene	ND	ug/L	25.0	1.8	5		05/17/25 05:58	71-43-2	
Bromobenzene	ND	ug/L	25.0	2.7	5		05/17/25 05:58	108-86-1	
Bromochloromethane	ND	ug/L	25.0	2.2	5		05/17/25 05:58	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	1.8	5		05/17/25 05:58	75-27-4	
Bromoform	ND	ug/L	25.0	2.6	5		05/17/25 05:58	75-25-2	
Bromomethane	ND	ug/L	25.0	2.2	5		05/17/25 05:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	20.0	5		05/17/25 05:58	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	3.0	5		05/17/25 05:58	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	2.3	5		05/17/25 05:58	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	2.1	5		05/17/25 05:58	98-06-6	
Carbon disulfide	ND	ug/L	50.0	4.0	5		05/17/25 05:58	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	2.1	5		05/17/25 05:58	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.9	5		05/17/25 05:58	108-90-7	
Chloroethane	ND	ug/L	25.0	2.0	5		05/17/25 05:58	75-00-3	
Chloroform	ND	ug/L	25.0	1.9	5		05/17/25 05:58	67-66-3	
Chloromethane	ND	ug/L	25.0	3.4	5		05/17/25 05:58	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	2.1	5		05/17/25 05:58	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	2.7	5		05/17/25 05:58	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	1.4	5		05/17/25 05:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	2.0	5		05/17/25 05:58	106-93-4	
Dibromomethane	ND	ug/L	25.0	1.6	5		05/17/25 05:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	2.3	5		05/17/25 05:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	2.3	5		05/17/25 05:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	2.5	5		05/17/25 05:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	2.7	5		05/17/25 05:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	1.9	5		05/17/25 05:58	75-71-8	
1,1-Dichloroethane	ND	ug/L	25.0	2.4	5		05/17/25 05:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	1.7	5		05/17/25 05:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	2.3	5		05/17/25 05:58	75-35-4	
cis-1,2-Dichloroethene	**434**	ug/L	25.0	2.6	5		05/17/25 05:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	2.2	5		05/17/25 05:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	2.4	5		05/17/25 05:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.5	5		05/17/25 05:58	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	2.5	5		05/17/25 05:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	1.9	5		05/17/25 05:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.7	5		05/17/25 05:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	1.2	5		05/17/25 05:58	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	1.7	5		05/17/25 05:58	100-41-4	
Ethyl methacrylate	ND	ug/L	500	2.6	5		05/17/25 05:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	3.7	5		05/17/25 05:58	87-68-3	
n-Hexane	ND	ug/L	25.0	3.5	5		05/17/25 05:58	110-54-3	
2-Hexanone	ND	ug/L	125	16.1	5		05/17/25 05:58	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-422S-20250508 **Lab ID: 50400936018** Collected: 05/08/25 11:08 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	50.0	2.2	5		05/17/25 05:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.8	5		05/17/25 05:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	2.4	5		05/17/25 05:58	99-87-6	
Methylene Chloride	ND	ug/L	25.0	13.4	5		05/17/25 05:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	2.9	5		05/17/25 05:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	3.4	5		05/17/25 05:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	14.4	5		05/17/25 05:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	1.4	5		05/17/25 05:58	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.0	5		05/17/25 05:58	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	2.6	5		05/17/25 05:58	103-65-1	
Styrene	ND	ug/L	25.0	1.8	5		05/17/25 05:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.6	5		05/17/25 05:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	3.0	5		05/17/25 05:58	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	2.1	5		05/17/25 05:58	127-18-4	L1
Toluene	ND	ug/L	25.0	19.3	5		05/17/25 05:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.8	5		05/17/25 05:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	2.2	5		05/17/25 05:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	2.1	5		05/17/25 05:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.4	5		05/17/25 05:58	79-00-5	
Trichloroethene	ND	ug/L	25.0	2.0	5		05/17/25 05:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	1.8	5		05/17/25 05:58	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	25.0	3.5	5		05/17/25 05:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	2.5	5		05/17/25 05:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	2.1	5		05/17/25 05:58	108-67-8	
Vinyl acetate	ND	ug/L	250	8.2	5		05/17/25 05:58	108-05-4	
Vinyl chloride	**967**	ug/L	10.0	2.2	5		05/17/25 05:58	75-01-4	
Xylene (Total)	ND	ug/L	50.0	4.2	5		05/17/25 05:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	109	%.	82-128		5		05/17/25 05:58	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		5		05/17/25 05:58	460-00-4	
Toluene-d8 (S)	94	%.	73-122		5		05/17/25 05:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-419D-20250508 **Lab ID: 50400936019** Collected: 05/08/25 11:44 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		05/17/25 07:01	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		05/17/25 07:01	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		05/17/25 07:01	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		05/17/25 07:01	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		05/17/25 07:01	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		05/17/25 07:01	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		05/17/25 07:01	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		05/17/25 07:01	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		05/17/25 07:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		05/17/25 07:01	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		05/17/25 07:01	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		05/17/25 07:01	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 07:01	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		05/17/25 07:01	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		05/17/25 07:01	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		05/17/25 07:01	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		05/17/25 07:01	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		05/17/25 07:01	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		05/17/25 07:01	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		05/17/25 07:01	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		05/17/25 07:01	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		05/17/25 07:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		05/17/25 07:01	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		05/17/25 07:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 07:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		05/17/25 07:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		05/17/25 07:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		05/17/25 07:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		05/17/25 07:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		05/17/25 07:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		05/17/25 07:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		05/17/25 07:01	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		05/17/25 07:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		05/17/25 07:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		05/17/25 07:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 07:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		05/17/25 07:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		05/17/25 07:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		05/17/25 07:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		05/17/25 07:01	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		05/17/25 07:01	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		05/17/25 07:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		05/17/25 07:01	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		05/17/25 07:01	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		05/17/25 07:01	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-419D-20250508 **Lab ID: 50400936019** Collected: 05/08/25 11:44 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		05/17/25 07:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		05/17/25 07:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		05/17/25 07:01	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		05/17/25 07:01	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		05/17/25 07:01	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		05/17/25 07:01	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		05/17/25 07:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		05/17/25 07:01	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		05/17/25 07:01	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		05/17/25 07:01	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		05/17/25 07:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		05/17/25 07:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		05/17/25 07:01	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		05/17/25 07:01	127-18-4	L1
Toluene	ND	ug/L	5.0	3.9	1		05/17/25 07:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 07:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		05/17/25 07:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		05/17/25 07:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		05/17/25 07:01	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		05/17/25 07:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		05/17/25 07:01	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		05/17/25 07:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		05/17/25 07:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		05/17/25 07:01	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		05/17/25 07:01	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.45	1		05/17/25 07:01	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		05/17/25 07:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		1		05/17/25 07:01	1868-53-7	
4-Bromofluorobenzene (S)	115	%.	79-124		1		05/17/25 07:01	460-00-4	
Toluene-d8 (S)	98	%.	73-122		1		05/17/25 07:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-419S-20250508 **Lab ID: 50400936020** Collected: 05/08/25 11:54 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/17/25 03:05	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/17/25 03:05	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/17/25 03:05	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/17/25 03:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/17/25 03:05	108-86-1	R1
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/17/25 03:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/17/25 03:05	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/17/25 03:05	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/17/25 03:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/17/25 03:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/17/25 03:05	104-51-8	R1
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/17/25 03:05	135-98-8	R1
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/17/25 03:05	98-06-6	R1
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/17/25 03:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/17/25 03:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/17/25 03:05	108-90-7	R1
Chloroethane	ND	ug/L	5.0	0.85	1		05/17/25 03:05	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/17/25 03:05	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/17/25 03:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/17/25 03:05	95-49-8	R1
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/17/25 03:05	106-43-4	R1
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/17/25 03:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/17/25 03:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/17/25 03:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/17/25 03:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/17/25 03:05	541-73-1	R1
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/17/25 03:05	106-46-7	R1
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/17/25 03:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/17/25 03:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		05/17/25 03:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/17/25 03:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/17/25 03:05	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.27	1		05/17/25 03:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/17/25 03:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/17/25 03:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/17/25 03:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 03:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/17/25 03:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/17/25 03:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/17/25 03:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/17/25 03:05	100-41-4	R1
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/17/25 03:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/17/25 03:05	87-68-3	R1
n-Hexane	ND	ug/L	5.0	0.22	1		05/17/25 03:05	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/17/25 03:05	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-419S-20250508 **Lab ID: 50400936020** Collected: 05/08/25 11:54 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/17/25 03:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/17/25 03:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/17/25 03:05	99-87-6	R1
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/17/25 03:05	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/17/25 03:05	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/17/25 03:05	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/17/25 03:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/17/25 03:05	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/17/25 03:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/17/25 03:05	103-65-1	R1
Styrene	ND	ug/L	5.0	0.24	1		05/17/25 03:05	100-42-5	R1
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/17/25 03:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/17/25 03:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/17/25 03:05	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/17/25 03:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/17/25 03:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 03:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/17/25 03:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/17/25 03:05	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/17/25 03:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/17/25 03:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/17/25 03:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/17/25 03:05	95-63-6	R1
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/17/25 03:05	108-67-8	R1
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/17/25 03:05	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.88	1		05/17/25 03:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/17/25 03:05	1330-20-7	RS
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		05/17/25 03:05	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		05/17/25 03:05	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		05/17/25 03:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-408D-20250508 **Lab ID: 50400936021** Collected: 05/08/25 12:16 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/17/25 03:37	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/17/25 03:37	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/17/25 03:37	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/17/25 03:37	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/17/25 03:37	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/17/25 03:37	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/17/25 03:37	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/17/25 03:37	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/17/25 03:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/17/25 03:37	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/17/25 03:37	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/17/25 03:37	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/17/25 03:37	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/17/25 03:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/17/25 03:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/17/25 03:37	108-90-7	
Chloroethane	**963**	ug/L	50.0	8.5	10		05/17/25 04:08	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/17/25 03:37	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/17/25 03:37	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/17/25 03:37	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/17/25 03:37	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/17/25 03:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/17/25 03:37	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/17/25 03:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/17/25 03:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/17/25 03:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/17/25 03:37	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/17/25 03:37	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/17/25 03:37	75-71-8	
1,1-Dichloroethane	**96.2**	ug/L	5.0	0.26	1		05/17/25 03:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/17/25 03:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/17/25 03:37	75-35-4	
cis-1,2-Dichloroethene	**12.4**	ug/L	5.0	0.27	1		05/17/25 03:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/17/25 03:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/17/25 03:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/17/25 03:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 03:37	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/17/25 03:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/17/25 03:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/17/25 03:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/17/25 03:37	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/17/25 03:37	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/17/25 03:37	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/17/25 03:37	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/17/25 03:37	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-408D-20250508 **Lab ID: 50400936021** Collected: 05/08/25 12:16 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/17/25 03:37	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/17/25 03:37	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/17/25 03:37	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/17/25 03:37	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/17/25 03:37	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/17/25 03:37	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/17/25 03:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/17/25 03:37	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/17/25 03:37	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/17/25 03:37	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/17/25 03:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/17/25 03:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/17/25 03:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/17/25 03:37	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/17/25 03:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/17/25 03:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 03:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/17/25 03:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/17/25 03:37	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/17/25 03:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/17/25 03:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/17/25 03:37	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/17/25 03:37	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/17/25 03:37	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/17/25 03:37	108-05-4	
Vinyl chloride	**22.1**	ug/L	2.0	0.88	1		05/17/25 03:37	75-01-4	CH,H7
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/17/25 03:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		05/17/25 03:37	1868-53-7	
4-Bromofluorobenzene (S)	130	%.	79-124		1		05/17/25 03:37	460-00-4	S5
Toluene-d8 (S)	98	%.	73-122		1		05/17/25 03:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-408S-20250508 **Lab ID: 50400936022** Collected: 05/08/25 12:25 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/19/25 23:49	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/19/25 23:49	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/19/25 23:49	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/19/25 23:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/19/25 23:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/19/25 23:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/19/25 23:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/19/25 23:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/19/25 23:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/19/25 23:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/19/25 23:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/19/25 23:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/19/25 23:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/19/25 23:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/19/25 23:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/19/25 23:49	108-90-7	
Chloroethane	ND	ug/L	5.0	0.85	1		05/19/25 23:49	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/19/25 23:49	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/19/25 23:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/19/25 23:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/19/25 23:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/19/25 23:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/19/25 23:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/19/25 23:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/19/25 23:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/19/25 23:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/19/25 23:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/19/25 23:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/19/25 23:49	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		05/19/25 23:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/19/25 23:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/19/25 23:49	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.27	1		05/19/25 23:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/19/25 23:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/19/25 23:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/19/25 23:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/19/25 23:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/19/25 23:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/19/25 23:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/19/25 23:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/19/25 23:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/19/25 23:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/19/25 23:49	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/19/25 23:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/19/25 23:49	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-408S-20250508 **Lab ID: 50400936022** Collected: 05/08/25 12:25 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/19/25 23:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/19/25 23:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/19/25 23:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/19/25 23:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/19/25 23:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/19/25 23:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/19/25 23:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/19/25 23:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/19/25 23:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/19/25 23:49	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/19/25 23:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/19/25 23:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/19/25 23:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/19/25 23:49	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/19/25 23:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/19/25 23:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/19/25 23:49	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/19/25 23:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/19/25 23:49	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/19/25 23:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/19/25 23:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/19/25 23:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/19/25 23:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/19/25 23:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/19/25 23:49	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.88	1		05/19/25 23:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/19/25 23:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	95	%.	82-128		1		05/19/25 23:49	1868-53-7	
4-Bromofluorobenzene (S)	108	%.	79-124		1		05/19/25 23:49	460-00-4	
Toluene-d8 (S)	94	%.	73-122		1		05/19/25 23:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-403-20250508 **Lab ID: 50400936023** Collected: 05/08/25 12:45 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/17/25 04:40	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/17/25 04:40	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/17/25 04:40	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/17/25 04:40	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/17/25 04:40	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/17/25 04:40	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/17/25 04:40	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/17/25 04:40	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/17/25 04:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/17/25 04:40	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/17/25 04:40	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/17/25 04:40	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/17/25 04:40	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/17/25 04:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/17/25 04:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/17/25 04:40	108-90-7	
Chloroethane	**118**	ug/L	5.0	0.85	1		05/17/25 04:40	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/17/25 04:40	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/17/25 04:40	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/17/25 04:40	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/17/25 04:40	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/17/25 04:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/17/25 04:40	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/17/25 04:40	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/17/25 04:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/17/25 04:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/17/25 04:40	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/17/25 04:40	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/17/25 04:40	75-71-8	
1,1-Dichloroethane	**44.7**	ug/L	5.0	0.26	1		05/17/25 04:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/17/25 04:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/17/25 04:40	75-35-4	
cis-1,2-Dichloroethene	**332**	ug/L	50.0	2.7	10		05/17/25 05:11	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/17/25 04:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/17/25 04:40	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/17/25 04:40	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/17/25 04:40	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/17/25 04:40	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/17/25 04:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/17/25 04:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/17/25 04:40	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/17/25 04:40	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/17/25 04:40	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/17/25 04:40	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/17/25 04:40	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-403-20250508 **Lab ID: 50400936023** Collected: 05/08/25 12:45 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/17/25 04:40	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/17/25 04:40	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/17/25 04:40	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/17/25 04:40	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/17/25 04:40	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/17/25 04:40	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/17/25 04:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/17/25 04:40	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/17/25 04:40	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/17/25 04:40	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/17/25 04:40	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/17/25 04:40	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/17/25 04:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/17/25 04:40	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/17/25 04:40	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/17/25 04:40	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/17/25 04:40	120-82-1	
1,1,1-Trichloroethane	**26.1**	ug/L	5.0	0.34	1		05/17/25 04:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/17/25 04:40	79-00-5	
Trichloroethene	**6.0**	ug/L	5.0	0.23	1		05/17/25 04:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/17/25 04:40	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/17/25 04:40	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/17/25 04:40	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/17/25 04:40	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/17/25 04:40	108-05-4	
Vinyl chloride	**119**	ug/L	2.0	0.88	1		05/17/25 04:40	75-01-4	CH,H7
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/17/25 04:40	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		05/17/25 04:40	1868-53-7	
4-Bromofluorobenzene (S)	123	%.	79-124		1		05/17/25 04:40	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		05/17/25 04:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-404-20250508 **Lab ID: 50400936024** Collected: 05/08/25 13:02 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	240	50		05/17/25 05:43	67-64-1	
Acrolein	ND	ug/L	2500	915	50		05/17/25 05:43	107-02-8	
Acrylonitrile	ND	ug/L	5000	73.5	50		05/17/25 05:43	107-13-1	
Benzene	ND	ug/L	250	14.1	50		05/17/25 05:43	71-43-2	
Bromobenzene	ND	ug/L	250	18.0	50		05/17/25 05:43	108-86-1	
Bromochloromethane	ND	ug/L	250	16.0	50		05/17/25 05:43	74-97-5	
Bromodichloromethane	ND	ug/L	250	10.8	50		05/17/25 05:43	75-27-4	
Bromoform	ND	ug/L	250	11.0	50		05/17/25 05:43	75-25-2	
Bromomethane	ND	ug/L	250	40.4	50		05/17/25 05:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	116	50		05/17/25 05:43	78-93-3	
n-Butylbenzene	ND	ug/L	250	15.0	50		05/17/25 05:43	104-51-8	
sec-Butylbenzene	ND	ug/L	250	12.2	50		05/17/25 05:43	135-98-8	
tert-Butylbenzene	ND	ug/L	250	15.7	50		05/17/25 05:43	98-06-6	
Carbon disulfide	ND	ug/L	500	32.2	50		05/17/25 05:43	75-15-0	
Carbon tetrachloride	ND	ug/L	250	16.8	50		05/17/25 05:43	56-23-5	
Chlorobenzene	ND	ug/L	250	10.4	50		05/17/25 05:43	108-90-7	
Chloroethane	**12800**	ug/L	250	42.3	50		05/17/25 05:43	75-00-3	
Chloroform	ND	ug/L	250	16.6	50		05/17/25 05:43	67-66-3	
Chloromethane	ND	ug/L	250	72.5	50		05/17/25 05:43	74-87-3	
2-Chlorotoluene	ND	ug/L	250	9.4	50		05/17/25 05:43	95-49-8	
4-Chlorotoluene	ND	ug/L	250	12.8	50		05/17/25 05:43	106-43-4	
Dibromochloromethane	ND	ug/L	250	14.9	50		05/17/25 05:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	16.2	50		05/17/25 05:43	106-93-4	
Dibromomethane	ND	ug/L	250	10.2	50		05/17/25 05:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	12.6	50		05/17/25 05:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	15.6	50		05/17/25 05:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	5.8	50		05/17/25 05:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	25.9	50		05/17/25 05:43	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	44.1	50		05/17/25 05:43	75-71-8	
1,1-Dichloroethane	**16700**	ug/L	1000	52.0	200		05/17/25 06:14	75-34-3	
1,2-Dichloroethane	**338**	ug/L	250	10.4	50		05/17/25 05:43	107-06-2	
1,1-Dichloroethene	**350**	ug/L	250	14.6	50		05/17/25 05:43	75-35-4	
cis-1,2-Dichloroethene	**24500**	ug/L	1000	53.8	200		05/17/25 06:14	156-59-2	
trans-1,2-Dichloroethene	**1010**	ug/L	250	18.0	50		05/17/25 05:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	13.8	50		05/17/25 05:43	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	12.0	50		05/17/25 05:43	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	15.0	50		05/17/25 05:43	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	13.8	50		05/17/25 05:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	12.7	50		05/17/25 05:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	14.3	50		05/17/25 05:43	10061-02-6	
Ethylbenzene	ND	ug/L	250	23.2	50		05/17/25 05:43	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	23.2	50		05/17/25 05:43	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	16.5	50		05/17/25 05:43	87-68-3	
n-Hexane	ND	ug/L	250	10.8	50		05/17/25 05:43	110-54-3	
2-Hexanone	ND	ug/L	1250	125	50		05/17/25 05:43	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-404-20250508 **Lab ID: 50400936024** Collected: 05/08/25 13:02 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	500	16.6	50		05/17/25 05:43	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	14.8	50		05/17/25 05:43	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	15.4	50		05/17/25 05:43	99-87-6	
Methylene Chloride	ND	ug/L	250	97.5	50		05/17/25 05:43	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	16.2	50		05/17/25 05:43	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	22.1	50		05/17/25 05:43	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	72.0	50		05/17/25 05:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	12.2	50		05/17/25 05:43	1634-04-4	
Naphthalene	ND	ug/L	60.0	11.2	50		05/17/25 05:43	91-20-3	
n-Propylbenzene	ND	ug/L	250	10.4	50		05/17/25 05:43	103-65-1	
Styrene	ND	ug/L	250	11.8	50		05/17/25 05:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	13.1	50		05/17/25 05:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	20.4	50		05/17/25 05:43	79-34-5	
Tetrachloroethene	ND	ug/L	250	15.8	50		05/17/25 05:43	127-18-4	
Toluene	ND	ug/L	250	9.4	50		05/17/25 05:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	14.6	50		05/17/25 05:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	17.4	50		05/17/25 05:43	120-82-1	
1,1,1-Trichloroethane	**21500**	ug/L	1000	67.8	200		05/17/25 06:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	13.4	50		05/17/25 05:43	79-00-5	
Trichloroethene	**1070**	ug/L	250	11.4	50		05/17/25 05:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	44.5	50		05/17/25 05:43	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	26.5	50		05/17/25 05:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	9.9	50		05/17/25 05:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	15.7	50		05/17/25 05:43	108-67-8	
Vinyl acetate	ND	ug/L	2500	63.0	50		05/17/25 05:43	108-05-4	
Vinyl chloride	**3560**	ug/L	100	44.1	50		05/17/25 05:43	75-01-4	CH,H7
Xylene (Total)	ND	ug/L	500	14.6	50		05/17/25 05:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		50		05/17/25 05:43	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		50		05/17/25 05:43	460-00-4	
Toluene-d8 (S)	92	%.	73-122		50		05/17/25 05:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-406D-20250508 **Lab ID: 50400936025** Collected: 05/08/25 13:28 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	2000	95.8	20		05/17/25 06:46	67-64-1	
Acrolein	ND	ug/L	1000	366	20		05/17/25 06:46	107-02-8	
Acrylonitrile	ND	ug/L	2000	29.4	20		05/17/25 06:46	107-13-1	
Benzene	ND	ug/L	100	5.6	20		05/17/25 06:46	71-43-2	
Bromobenzene	ND	ug/L	100	7.2	20		05/17/25 06:46	108-86-1	
Bromochloromethane	ND	ug/L	100	6.4	20		05/17/25 06:46	74-97-5	
Bromodichloromethane	ND	ug/L	100	4.3	20		05/17/25 06:46	75-27-4	
Bromoform	ND	ug/L	100	4.4	20		05/17/25 06:46	75-25-2	
Bromomethane	ND	ug/L	100	16.2	20		05/17/25 06:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	500	46.2	20		05/17/25 06:46	78-93-3	
n-Butylbenzene	ND	ug/L	100	6.0	20		05/17/25 06:46	104-51-8	
sec-Butylbenzene	ND	ug/L	100	4.9	20		05/17/25 06:46	135-98-8	
tert-Butylbenzene	ND	ug/L	100	6.3	20		05/17/25 06:46	98-06-6	
Carbon disulfide	ND	ug/L	200	12.9	20		05/17/25 06:46	75-15-0	
Carbon tetrachloride	ND	ug/L	100	6.7	20		05/17/25 06:46	56-23-5	
Chlorobenzene	ND	ug/L	100	4.2	20		05/17/25 06:46	108-90-7	
Chloroethane	**265**	ug/L	100	16.9	20		05/17/25 06:46	75-00-3	
Chloroform	ND	ug/L	100	6.6	20		05/17/25 06:46	67-66-3	
Chloromethane	ND	ug/L	100	29.0	20		05/17/25 06:46	74-87-3	
2-Chlorotoluene	ND	ug/L	100	3.8	20		05/17/25 06:46	95-49-8	
4-Chlorotoluene	ND	ug/L	100	5.1	20		05/17/25 06:46	106-43-4	
Dibromochloromethane	ND	ug/L	100	6.0	20		05/17/25 06:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	100	6.5	20		05/17/25 06:46	106-93-4	
Dibromomethane	ND	ug/L	100	4.1	20		05/17/25 06:46	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	100	5.1	20		05/17/25 06:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	100	6.2	20		05/17/25 06:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	100	2.3	20		05/17/25 06:46	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	2000	10.4	20		05/17/25 06:46	110-57-6	
Dichlorodifluoromethane	ND	ug/L	100	17.6	20		05/17/25 06:46	75-71-8	
1,1-Dichloroethane	**1710**	ug/L	100	5.2	20		05/17/25 06:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	100	4.2	20		05/17/25 06:46	107-06-2	
1,1-Dichloroethene	**437**	ug/L	100	5.8	20		05/17/25 06:46	75-35-4	
cis-1,2-Dichloroethene	**15900**	ug/L	1000	53.8	200		05/17/25 07:17	156-59-2	
trans-1,2-Dichloroethene	**142**	ug/L	100	7.2	20		05/17/25 06:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	100	5.5	20		05/17/25 06:46	78-87-5	
1,3-Dichloropropane	ND	ug/L	100	4.8	20		05/17/25 06:46	142-28-9	
2,2-Dichloropropane	ND	ug/L	100	6.0	20		05/17/25 06:46	594-20-7	
1,1-Dichloropropene	ND	ug/L	100	5.5	20		05/17/25 06:46	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	100	5.1	20		05/17/25 06:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	100	5.7	20		05/17/25 06:46	10061-02-6	
Ethylbenzene	ND	ug/L	100	9.3	20		05/17/25 06:46	100-41-4	
Ethyl methacrylate	ND	ug/L	2000	9.3	20		05/17/25 06:46	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	100	6.6	20		05/17/25 06:46	87-68-3	
n-Hexane	ND	ug/L	100	4.3	20		05/17/25 06:46	110-54-3	
2-Hexanone	ND	ug/L	500	50.0	20		05/17/25 06:46	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-406D-20250508 **Lab ID: 50400936025** Collected: 05/08/25 13:28 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	200	6.7	20		05/17/25 06:46	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	100	5.9	20		05/17/25 06:46	98-82-8	
p-Isopropyltoluene	ND	ug/L	100	6.2	20		05/17/25 06:46	99-87-6	
Methylene Chloride	ND	ug/L	100	39.0	20		05/17/25 06:46	75-09-2	
1-Methylnaphthalene	ND	ug/L	200	6.5	20		05/17/25 06:46	90-12-0	
2-Methylnaphthalene	ND	ug/L	200	8.8	20		05/17/25 06:46	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	500	28.8	20		05/17/25 06:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	80.0	4.9	20		05/17/25 06:46	1634-04-4	
Naphthalene	ND	ug/L	24.0	4.5	20		05/17/25 06:46	91-20-3	
n-Propylbenzene	ND	ug/L	100	4.2	20		05/17/25 06:46	103-65-1	
Styrene	ND	ug/L	100	4.7	20		05/17/25 06:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	100	5.2	20		05/17/25 06:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	100	8.1	20		05/17/25 06:46	79-34-5	
Tetrachloroethene	ND	ug/L	100	6.3	20		05/17/25 06:46	127-18-4	
Toluene	ND	ug/L	100	3.7	20		05/17/25 06:46	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	100	5.8	20		05/17/25 06:46	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	100	7.0	20		05/17/25 06:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	100	6.8	20		05/17/25 06:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	100	5.4	20		05/17/25 06:46	79-00-5	
Trichloroethene	ND	ug/L	100	4.6	20		05/17/25 06:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	100	17.8	20		05/17/25 06:46	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	100	10.6	20		05/17/25 06:46	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	100	4.0	20		05/17/25 06:46	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	100	6.3	20		05/17/25 06:46	108-67-8	
Vinyl acetate	ND	ug/L	1000	25.2	20		05/17/25 06:46	108-05-4	
Vinyl chloride	**1440**	ug/L	40.0	17.6	20		05/17/25 06:46	75-01-4	CH,H7
Xylene (Total)	ND	ug/L	200	5.8	20		05/17/25 06:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		20		05/17/25 06:46	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		20		05/17/25 06:46	460-00-4	
Toluene-d8 (S)	96	%.	73-122		20		05/17/25 06:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-406S-20250508 **Lab ID: 50400936026** Collected: 05/08/25 13:37 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	47.9	10		05/20/25 00:20	67-64-1	
Acrolein	ND	ug/L	500	183	10		05/20/25 00:20	107-02-8	
Acrylonitrile	ND	ug/L	1000	14.7	10		05/20/25 00:20	107-13-1	
Benzene	ND	ug/L	50.0	2.8	10		05/20/25 00:20	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.6	10		05/20/25 00:20	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.2	10		05/20/25 00:20	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	2.2	10		05/20/25 00:20	75-27-4	
Bromoform	ND	ug/L	50.0	2.2	10		05/20/25 00:20	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		05/20/25 00:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	23.1	10		05/20/25 00:20	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.0	10		05/20/25 00:20	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.4	10		05/20/25 00:20	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.1	10		05/20/25 00:20	98-06-6	
Carbon disulfide	ND	ug/L	100	6.4	10		05/20/25 00:20	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.4	10		05/20/25 00:20	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.1	10		05/20/25 00:20	108-90-7	
Chloroethane	**836**	ug/L	50.0	8.5	10		05/20/25 00:20	75-00-3	
Chloroform	ND	ug/L	50.0	3.3	10		05/20/25 00:20	67-66-3	
Chloromethane	ND	ug/L	50.0	14.5	10		05/20/25 00:20	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	1.9	10		05/20/25 00:20	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		05/20/25 00:20	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.0	10		05/20/25 00:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.2	10		05/20/25 00:20	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.0	10		05/20/25 00:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.5	10		05/20/25 00:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	3.1	10		05/20/25 00:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	1.2	10		05/20/25 00:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.2	10		05/20/25 00:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	8.8	10		05/20/25 00:20	75-71-8	
1,1-Dichloroethane	**1710**	ug/L	50.0	2.6	10		05/20/25 00:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.1	10		05/20/25 00:20	107-06-2	
1,1-Dichloroethene	**80.9**	ug/L	50.0	2.9	10		05/20/25 00:20	75-35-4	
cis-1,2-Dichloroethene	**11200**	ug/L	500	26.9	100		05/20/25 00:52	156-59-2	
trans-1,2-Dichloroethene	**143**	ug/L	50.0	3.6	10		05/20/25 00:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.8	10		05/20/25 00:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.4	10		05/20/25 00:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		05/20/25 00:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.8	10		05/20/25 00:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.5	10		05/20/25 00:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		05/20/25 00:20	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		05/20/25 00:20	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.6	10		05/20/25 00:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.3	10		05/20/25 00:20	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		05/20/25 00:20	110-54-3	
2-Hexanone	ND	ug/L	250	25.0	10		05/20/25 00:20	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-406S-20250508 **Lab ID: 50400936026** Collected: 05/08/25 13:37 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	3.3	10		05/20/25 00:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.0	10		05/20/25 00:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.1	10		05/20/25 00:20	99-87-6	
Methylene Chloride	ND	ug/L	50.0	19.5	10		05/20/25 00:20	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	3.2	10		05/20/25 00:20	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	4.4	10		05/20/25 00:20	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	14.4	10		05/20/25 00:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.4	10		05/20/25 00:20	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.2	10		05/20/25 00:20	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.1	10		05/20/25 00:20	103-65-1	
Styrene	ND	ug/L	50.0	2.4	10		05/20/25 00:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.6	10		05/20/25 00:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.1	10		05/20/25 00:20	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.2	10		05/20/25 00:20	127-18-4	
Toluene	ND	ug/L	50.0	1.9	10		05/20/25 00:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	2.9	10		05/20/25 00:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	3.5	10		05/20/25 00:20	120-82-1	
1,1,1-Trichloroethane	**205**	ug/L	50.0	3.4	10		05/20/25 00:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.7	10		05/20/25 00:20	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.3	10		05/20/25 00:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	8.9	10		05/20/25 00:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.3	10		05/20/25 00:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.0	10		05/20/25 00:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	3.1	10		05/20/25 00:20	108-67-8	
Vinyl acetate	ND	ug/L	500	12.6	10		05/20/25 00:20	108-05-4	
Vinyl chloride	**1200**	ug/L	20.0	8.8	10		05/20/25 00:20	75-01-4	
Xylene (Total)	ND	ug/L	100	2.9	10		05/20/25 00:20	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	98	%.	82-128		10		05/20/25 00:20	1868-53-7	
4-Bromofluorobenzene (S)	109	%.	79-124		10		05/20/25 00:20	460-00-4	
Toluene-d8 (S)	93	%.	73-122		10		05/20/25 00:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: W-2-20250508 **Lab ID: 50400936027** Collected: 05/08/25 13:57 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/20/25 01:23	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/20/25 01:23	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/20/25 01:23	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/20/25 01:23	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/20/25 01:23	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/20/25 01:23	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/20/25 01:23	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/20/25 01:23	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/20/25 01:23	74-83-9	
2-Butanone (MEK)	**151**	ug/L	25.0	2.3	1		05/20/25 01:23	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/20/25 01:23	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/20/25 01:23	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 01:23	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/20/25 01:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/20/25 01:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/20/25 01:23	108-90-7	
Chloroethane	**583**	ug/L	50.0	8.5	10		05/20/25 01:54	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/20/25 01:23	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/20/25 01:23	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/20/25 01:23	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/20/25 01:23	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/20/25 01:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/20/25 01:23	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/20/25 01:23	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/20/25 01:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/20/25 01:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/20/25 01:23	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/20/25 01:23	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/20/25 01:23	75-71-8	
1,1-Dichloroethane	**5.4**	ug/L	5.0	0.26	1		05/20/25 01:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/20/25 01:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/20/25 01:23	75-35-4	
cis-1,2-Dichloroethene	**5.5**	ug/L	5.0	0.27	1		05/20/25 01:23	156-59-2	
trans-1,2-Dichloroethene	**19.0**	ug/L	5.0	0.36	1		05/20/25 01:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/20/25 01:23	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/20/25 01:23	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/20/25 01:23	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/20/25 01:23	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/20/25 01:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/20/25 01:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/20/25 01:23	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/20/25 01:23	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/20/25 01:23	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/20/25 01:23	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/20/25 01:23	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: W-2-20250508 **Lab ID: 50400936027** Collected: 05/08/25 13:57 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/20/25 01:23	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/20/25 01:23	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/20/25 01:23	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/20/25 01:23	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/20/25 01:23	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/20/25 01:23	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/20/25 01:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/20/25 01:23	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/20/25 01:23	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/20/25 01:23	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/20/25 01:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/20/25 01:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/20/25 01:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/20/25 01:23	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/20/25 01:23	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/20/25 01:23	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/20/25 01:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/20/25 01:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/20/25 01:23	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/20/25 01:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/20/25 01:23	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/20/25 01:23	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/20/25 01:23	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 01:23	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/20/25 01:23	108-05-4	
Vinyl chloride	**17.8**	ug/L	2.0	0.88	1		05/20/25 01:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/20/25 01:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	97	%.	82-128		1		05/20/25 01:23	1868-53-7	
4-Bromofluorobenzene (S)	108	%.	79-124		1		05/20/25 01:23	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		05/20/25 01:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-311-20250508 **Lab ID: 50400936028** Collected: 05/08/25 14:17 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	24.0	5		05/20/25 02:26	67-64-1	
Acrolein	ND	ug/L	250	91.5	5		05/20/25 02:26	107-02-8	
Acrylonitrile	ND	ug/L	500	7.4	5		05/20/25 02:26	107-13-1	
Benzene	ND	ug/L	25.0	1.4	5		05/20/25 02:26	71-43-2	
Bromobenzene	ND	ug/L	25.0	1.8	5		05/20/25 02:26	108-86-1	
Bromochloromethane	ND	ug/L	25.0	1.6	5		05/20/25 02:26	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	1.1	5		05/20/25 02:26	75-27-4	
Bromoform	ND	ug/L	25.0	1.1	5		05/20/25 02:26	75-25-2	
Bromomethane	ND	ug/L	25.0	4.0	5		05/20/25 02:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	11.6	5		05/20/25 02:26	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	1.5	5		05/20/25 02:26	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	1.2	5		05/20/25 02:26	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	1.6	5		05/20/25 02:26	98-06-6	
Carbon disulfide	ND	ug/L	50.0	3.2	5		05/20/25 02:26	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	1.7	5		05/20/25 02:26	56-23-5	
Chlorobenzene	ND	ug/L	25.0	1.0	5		05/20/25 02:26	108-90-7	
Chloroethane	**3890**	ug/L	250	42.3	50		05/20/25 02:57	75-00-3	
Chloroform	ND	ug/L	25.0	1.7	5		05/20/25 02:26	67-66-3	
Chloromethane	ND	ug/L	25.0	7.2	5		05/20/25 02:26	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	0.94	5		05/20/25 02:26	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	1.3	5		05/20/25 02:26	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	1.5	5		05/20/25 02:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	1.6	5		05/20/25 02:26	106-93-4	
Dibromomethane	ND	ug/L	25.0	1.0	5		05/20/25 02:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	1.3	5		05/20/25 02:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	1.6	5		05/20/25 02:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	0.58	5		05/20/25 02:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	2.6	5		05/20/25 02:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	4.4	5		05/20/25 02:26	75-71-8	
1,1-Dichloroethane	**880**	ug/L	25.0	1.3	5		05/20/25 02:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	1.0	5		05/20/25 02:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	1.5	5		05/20/25 02:26	75-35-4	
cis-1,2-Dichloroethene	**814**	ug/L	25.0	1.3	5		05/20/25 02:26	156-59-2	
trans-1,2-Dichloroethene	**26.9**	ug/L	25.0	1.8	5		05/20/25 02:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	1.4	5		05/20/25 02:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	1.2	5		05/20/25 02:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	1.5	5		05/20/25 02:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	1.4	5		05/20/25 02:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	1.3	5		05/20/25 02:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	1.4	5		05/20/25 02:26	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	2.3	5		05/20/25 02:26	100-41-4	
Ethyl methacrylate	ND	ug/L	500	2.3	5		05/20/25 02:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	1.6	5		05/20/25 02:26	87-68-3	
n-Hexane	ND	ug/L	25.0	1.1	5		05/20/25 02:26	110-54-3	
2-Hexanone	ND	ug/L	125	12.5	5		05/20/25 02:26	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-311-20250508 **Lab ID: 50400936028** Collected: 05/08/25 14:17 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	50.0	1.7	5		05/20/25 02:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	1.5	5		05/20/25 02:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	1.5	5		05/20/25 02:26	99-87-6	
Methylene Chloride	ND	ug/L	25.0	9.8	5		05/20/25 02:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	1.6	5		05/20/25 02:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	2.2	5		05/20/25 02:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	7.2	5		05/20/25 02:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	1.2	5		05/20/25 02:26	1634-04-4	
Naphthalene	ND	ug/L	6.0	1.1	5		05/20/25 02:26	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	1.0	5		05/20/25 02:26	103-65-1	
Styrene	ND	ug/L	25.0	1.2	5		05/20/25 02:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	1.3	5		05/20/25 02:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	2.0	5		05/20/25 02:26	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	1.6	5		05/20/25 02:26	127-18-4	
Toluene	ND	ug/L	25.0	0.94	5		05/20/25 02:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	1.5	5		05/20/25 02:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	1.7	5		05/20/25 02:26	120-82-1	
1,1,1-Trichloroethane	**188**	ug/L	25.0	1.7	5		05/20/25 02:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	1.3	5		05/20/25 02:26	79-00-5	
Trichloroethene	ND	ug/L	25.0	1.1	5		05/20/25 02:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	4.4	5		05/20/25 02:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	2.6	5		05/20/25 02:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	0.99	5		05/20/25 02:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	1.6	5		05/20/25 02:26	108-67-8	
Vinyl acetate	ND	ug/L	250	6.3	5		05/20/25 02:26	108-05-4	
Vinyl chloride	**524**	ug/L	10.0	4.4	5		05/20/25 02:26	75-01-4	
Xylene (Total)	ND	ug/L	50.0	1.5	5		05/20/25 02:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	96	%.	82-128		5		05/20/25 02:26	1868-53-7	
4-Bromofluorobenzene (S)	108	%.	79-124		5		05/20/25 02:26	460-00-4	
Toluene-d8 (S)	93	%.	73-122		5		05/20/25 02:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-416D-20250508 **Lab ID: 50400936029** Collected: 05/08/25 14:33 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/20/25 03:29	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/20/25 03:29	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/20/25 03:29	107-13-1	
Benzene	**10.7**	ug/L	5.0	0.28	1		05/20/25 03:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/20/25 03:29	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/20/25 03:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/20/25 03:29	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/20/25 03:29	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/20/25 03:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/20/25 03:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/20/25 03:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/20/25 03:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 03:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/20/25 03:29	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/20/25 03:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/20/25 03:29	108-90-7	
Chloroethane	**432**	ug/L	50.0	8.5	10		05/20/25 04:00	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/20/25 03:29	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/20/25 03:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/20/25 03:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/20/25 03:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/20/25 03:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/20/25 03:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/20/25 03:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/20/25 03:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/20/25 03:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/20/25 03:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/20/25 03:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/20/25 03:29	75-71-8	
1,1-Dichloroethane	**641**	ug/L	50.0	2.6	10		05/20/25 04:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/20/25 03:29	107-06-2	
1,1-Dichloroethene	**8.6**	ug/L	5.0	0.29	1		05/20/25 03:29	75-35-4	
cis-1,2-Dichloroethene	**1020**	ug/L	50.0	2.7	10		05/20/25 04:00	156-59-2	
trans-1,2-Dichloroethene	**22.5**	ug/L	5.0	0.36	1		05/20/25 03:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/20/25 03:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/20/25 03:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/20/25 03:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/20/25 03:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/20/25 03:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/20/25 03:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/20/25 03:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/20/25 03:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/20/25 03:29	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/20/25 03:29	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/20/25 03:29	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-416D-20250508 **Lab ID: 50400936029** Collected: 05/08/25 14:33 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/20/25 03:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/20/25 03:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/20/25 03:29	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/20/25 03:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/20/25 03:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/20/25 03:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/20/25 03:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/20/25 03:29	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/20/25 03:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/20/25 03:29	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/20/25 03:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/20/25 03:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/20/25 03:29	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/20/25 03:29	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/20/25 03:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/20/25 03:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/20/25 03:29	120-82-1	
1,1,1-Trichloroethane	**8.3**	ug/L	5.0	0.34	1		05/20/25 03:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/20/25 03:29	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/20/25 03:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/20/25 03:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/20/25 03:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/20/25 03:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 03:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/20/25 03:29	108-05-4	
Vinyl chloride	**226**	ug/L	2.0	0.88	1		05/20/25 03:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/20/25 03:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	98	%.	82-128		1		05/20/25 03:29	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		05/20/25 03:29	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		05/20/25 03:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-416S-20250508 **Lab ID: 50400936030** Collected: 05/08/25 14:42 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/20/25 04:32	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/20/25 04:32	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/20/25 04:32	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/20/25 04:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/20/25 04:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/20/25 04:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/20/25 04:32	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/20/25 04:32	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/20/25 04:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/20/25 04:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/20/25 04:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/20/25 04:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 04:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/20/25 04:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/20/25 04:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/20/25 04:32	108-90-7	
Chloroethane	**160**	ug/L	5.0	0.85	1		05/20/25 04:32	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/20/25 04:32	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/20/25 04:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/20/25 04:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/20/25 04:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/20/25 04:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/20/25 04:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/20/25 04:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/20/25 04:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/20/25 04:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/20/25 04:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/20/25 04:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/20/25 04:32	75-71-8	
1,1-Dichloroethane	**39.9**	ug/L	5.0	0.26	1		05/20/25 04:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/20/25 04:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/20/25 04:32	75-35-4	
cis-1,2-Dichloroethene	**89.5**	ug/L	5.0	0.27	1		05/20/25 04:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/20/25 04:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/20/25 04:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/20/25 04:32	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/20/25 04:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/20/25 04:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/20/25 04:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/20/25 04:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/20/25 04:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/20/25 04:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/20/25 04:32	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/20/25 04:32	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/20/25 04:32	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-416S-20250508 **Lab ID: 50400936030** Collected: 05/08/25 14:42 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/20/25 04:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/20/25 04:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/20/25 04:32	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/20/25 04:32	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/20/25 04:32	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/20/25 04:32	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/20/25 04:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/20/25 04:32	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/20/25 04:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/20/25 04:32	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/20/25 04:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/20/25 04:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/20/25 04:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/20/25 04:32	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/20/25 04:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/20/25 04:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/20/25 04:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/20/25 04:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/20/25 04:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/20/25 04:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/20/25 04:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/20/25 04:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/20/25 04:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 04:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/20/25 04:32	108-05-4	
Vinyl chloride	**81.3**	ug/L	2.0	0.88	1		05/20/25 04:32	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/20/25 04:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	94	%.	82-128		1		05/20/25 04:32	1868-53-7	
4-Bromofluorobenzene (S)	108	%.	79-124		1		05/20/25 04:32	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		05/20/25 04:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: W-4R-20250508 **Lab ID: 50400936031** Collected: 05/08/25 15:00 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/20/25 05:35	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/20/25 05:35	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/20/25 05:35	107-13-1	
Benzene	**11.6**	ug/L	5.0	0.28	1		05/20/25 05:35	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/20/25 05:35	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/20/25 05:35	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/20/25 05:35	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/20/25 05:35	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/20/25 05:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/20/25 05:35	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/20/25 05:35	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/20/25 05:35	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 05:35	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/20/25 05:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/20/25 05:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/20/25 05:35	108-90-7	
Chloroethane	**120**	ug/L	5.0	0.85	1		05/20/25 05:35	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/20/25 05:35	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/20/25 05:35	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/20/25 05:35	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/20/25 05:35	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/20/25 05:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/20/25 05:35	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/20/25 05:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/20/25 05:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/20/25 05:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/20/25 05:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/20/25 05:35	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/20/25 05:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		05/20/25 05:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/20/25 05:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/20/25 05:35	75-35-4	
cis-1,2-Dichloroethene	**170**	ug/L	5.0	0.27	1		05/20/25 05:35	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/20/25 05:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/20/25 05:35	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/20/25 05:35	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/20/25 05:35	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/20/25 05:35	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/20/25 05:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/20/25 05:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/20/25 05:35	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/20/25 05:35	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/20/25 05:35	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/20/25 05:35	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/20/25 05:35	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: W-4R-20250508 **Lab ID: 50400936031** Collected: 05/08/25 15:00 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/20/25 05:35	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/20/25 05:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/20/25 05:35	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/20/25 05:35	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/20/25 05:35	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/20/25 05:35	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/20/25 05:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/20/25 05:35	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/20/25 05:35	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/20/25 05:35	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/20/25 05:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/20/25 05:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/20/25 05:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/20/25 05:35	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/20/25 05:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/20/25 05:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/20/25 05:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/20/25 05:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/20/25 05:35	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/20/25 05:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/20/25 05:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/20/25 05:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/20/25 05:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 05:35	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/20/25 05:35	108-05-4	
Vinyl chloride	**102**	ug/L	2.0	0.88	1		05/20/25 05:35	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/20/25 05:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	97	%.	82-128		1		05/20/25 05:35	1868-53-7	
4-Bromofluorobenzene (S)	108	%.	79-124		1		05/20/25 05:35	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		05/20/25 05:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-321-20250508 **Lab ID: 50400936032** Collected: 05/08/25 15:19 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/20/25 06:38	67-64-1	R1
Acrolein	ND	ug/L	50.0	18.3	1		05/20/25 06:38	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/20/25 06:38	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/20/25 06:38	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/20/25 06:38	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/20/25 06:38	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/20/25 06:38	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/20/25 06:38	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/20/25 06:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/20/25 06:38	78-93-3	R1
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/20/25 06:38	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/20/25 06:38	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 06:38	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/20/25 06:38	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/20/25 06:38	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/20/25 06:38	108-90-7	
Chloroethane	**926**	ug/L	50.0	8.5	10		05/20/25 16:23	75-00-3	M1
Chloroform	ND	ug/L	5.0	0.33	1		05/20/25 06:38	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/20/25 06:38	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/20/25 06:38	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/20/25 06:38	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/20/25 06:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/20/25 06:38	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/20/25 06:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/20/25 06:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/20/25 06:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/20/25 06:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/20/25 06:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/20/25 06:38	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		05/20/25 06:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/20/25 06:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/20/25 06:38	75-35-4	
cis-1,2-Dichloroethene	**134**	ug/L	5.0	0.27	1		05/20/25 06:38	156-59-2	M1
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/20/25 06:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/20/25 06:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/20/25 06:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/20/25 06:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/20/25 06:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/20/25 06:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/20/25 06:38	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/20/25 06:38	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/20/25 06:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/20/25 06:38	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/20/25 06:38	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/20/25 06:38	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-321-20250508 **Lab ID: 50400936032** Collected: 05/08/25 15:19 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/20/25 06:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/20/25 06:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/20/25 06:38	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/20/25 06:38	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/20/25 06:38	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/20/25 06:38	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/20/25 06:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/20/25 06:38	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/20/25 06:38	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/20/25 06:38	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/20/25 06:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/20/25 06:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/20/25 06:38	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/20/25 06:38	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/20/25 06:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/20/25 06:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/20/25 06:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/20/25 06:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/20/25 06:38	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/20/25 06:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/20/25 06:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/20/25 06:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/20/25 06:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 06:38	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/20/25 06:38	108-05-4	
Vinyl chloride	**169**	ug/L	2.0	0.88	1		05/20/25 06:38	75-01-4	M1
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/20/25 06:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	95	%.	82-128		1		05/20/25 06:38	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		05/20/25 06:38	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		05/20/25 06:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-331-20250508 **Lab ID: 50400936033** Collected: 05/08/25 15:30 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/20/25 07:09	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/20/25 07:09	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/20/25 07:09	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/20/25 07:09	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/20/25 07:09	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/20/25 07:09	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/20/25 07:09	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/20/25 07:09	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/20/25 07:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/20/25 07:09	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/20/25 07:09	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/20/25 07:09	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 07:09	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/20/25 07:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/20/25 07:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/20/25 07:09	108-90-7	
Chloroethane	ND	ug/L	5.0	0.85	1		05/20/25 07:09	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/20/25 07:09	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/20/25 07:09	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/20/25 07:09	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/20/25 07:09	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/20/25 07:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/20/25 07:09	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/20/25 07:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/20/25 07:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/20/25 07:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/20/25 07:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/20/25 07:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/20/25 07:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		05/20/25 07:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/20/25 07:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/20/25 07:09	75-35-4	
cis-1,2-Dichloroethene	**28.6**	ug/L	5.0	0.27	1		05/20/25 07:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/20/25 07:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/20/25 07:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/20/25 07:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/20/25 07:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/20/25 07:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/20/25 07:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/20/25 07:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/20/25 07:09	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/20/25 07:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/20/25 07:09	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/20/25 07:09	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/20/25 07:09	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: MW-331-20250508 **Lab ID: 50400936033** Collected: 05/08/25 15:30 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/20/25 07:09	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/20/25 07:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/20/25 07:09	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/20/25 07:09	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/20/25 07:09	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/20/25 07:09	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/20/25 07:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/20/25 07:09	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/20/25 07:09	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/20/25 07:09	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/20/25 07:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/20/25 07:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/20/25 07:09	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/20/25 07:09	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/20/25 07:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/20/25 07:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/20/25 07:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/20/25 07:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/20/25 07:09	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/20/25 07:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/20/25 07:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/20/25 07:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/20/25 07:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 07:09	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/20/25 07:09	108-05-4	
Vinyl chloride	**20.6**	ug/L	2.0	0.88	1		05/20/25 07:09	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/20/25 07:09	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	94	%.	82-128		1		05/20/25 07:09	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		05/20/25 07:09	460-00-4	
Toluene-d8 (S)	92	%.	73-122		1		05/20/25 07:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: TRIP BLANK-20250508 **Lab ID: 50400936034** Collected: 05/08/25 15:52 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		05/20/25 07:41	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		05/20/25 07:41	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		05/20/25 07:41	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		05/20/25 07:41	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		05/20/25 07:41	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		05/20/25 07:41	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		05/20/25 07:41	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		05/20/25 07:41	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		05/20/25 07:41	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		05/20/25 07:41	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		05/20/25 07:41	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		05/20/25 07:41	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 07:41	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		05/20/25 07:41	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		05/20/25 07:41	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		05/20/25 07:41	108-90-7	
Chloroethane	ND	ug/L	5.0	0.85	1		05/20/25 07:41	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		05/20/25 07:41	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		05/20/25 07:41	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		05/20/25 07:41	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		05/20/25 07:41	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		05/20/25 07:41	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		05/20/25 07:41	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		05/20/25 07:41	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		05/20/25 07:41	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		05/20/25 07:41	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		05/20/25 07:41	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		05/20/25 07:41	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		05/20/25 07:41	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		05/20/25 07:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		05/20/25 07:41	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		05/20/25 07:41	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.27	1		05/20/25 07:41	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		05/20/25 07:41	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		05/20/25 07:41	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		05/20/25 07:41	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		05/20/25 07:41	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		05/20/25 07:41	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		05/20/25 07:41	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		05/20/25 07:41	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		05/20/25 07:41	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		05/20/25 07:41	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		05/20/25 07:41	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		05/20/25 07:41	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		05/20/25 07:41	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Sample: TRIP BLANK-20250508 **Lab ID: 50400936034** Collected: 05/08/25 15:52 Received: 05/08/25 16:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		05/20/25 07:41	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		05/20/25 07:41	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		05/20/25 07:41	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		05/20/25 07:41	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		05/20/25 07:41	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		05/20/25 07:41	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		05/20/25 07:41	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		05/20/25 07:41	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		05/20/25 07:41	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		05/20/25 07:41	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		05/20/25 07:41	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		05/20/25 07:41	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		05/20/25 07:41	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		05/20/25 07:41	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		05/20/25 07:41	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		05/20/25 07:41	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		05/20/25 07:41	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		05/20/25 07:41	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		05/20/25 07:41	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		05/20/25 07:41	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		05/20/25 07:41	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		05/20/25 07:41	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		05/20/25 07:41	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		05/20/25 07:41	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		05/20/25 07:41	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.88	1		05/20/25 07:41	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		05/20/25 07:41	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	93	%.	82-128		1		05/20/25 07:41	1868-53-7	
4-Bromofluorobenzene (S)	107	%.	79-124		1		05/20/25 07:41	460-00-4	
Toluene-d8 (S)	93	%.	73-122		1		05/20/25 07:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 842829
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936009

METHOD BLANK: 3858482 Matrix: Water
Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloride	mg/L	ND	0.25	0.079	05/10/25 21:12	
Sulfate	ug/L	ND	250	190	05/10/25 21:12	

LABORATORY CONTROL SAMPLE: 3858483

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chloride	mg/L	2.5	2.4	97	90-110	
Sulfate	ug/L	5000	4800	96	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3858484 3858485

Parameter	Units	50400960026 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	22.6	25	25	46.6	46.5	96	96	80-120	0	15	
Sulfate	ug/L	20.8 mg/L	5000	5000	25800	25700	100	99	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3858486 3858487

Parameter	Units	50400936005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Chloride	mg/L	55.0	25	25	80.2	79.3	101	97	80-120	1	15	
Sulfate	ug/L	44700	5000	5000	49700	49600	99	99	80-120	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 1006298
QC Batch Method: RSK 175
Analysis Method: RSK 175
Analysis Description: RSK 175 GCV HEADSPACE
Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 50400936006

METHOD BLANK: 5246244 Matrix: Water
Associated Lab Samples: 50400936006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.3	05/13/25 03:45	
Ethene	ug/L	ND	10.0	1.1	05/13/25 03:45	
Methane	ug/L	ND	10.0	2.8	05/13/25 03:45	

LABORATORY CONTROL SAMPLE & LCSD: 5246245 5246246

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethane	ug/L	114	109	108	96	95	85-115	0	20	
Ethene	ug/L	106	98.9	99.4	93	94	85-115	0	20	
Methane	ug/L	60.7	57.3	58.1	94	96	85-115	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5246247 5246248

Parameter	Units	50400749010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	242	114	114	322	318	70	67	65-125	1	20	
Ethene	ug/L	172	106	106	251	249	74	72	47-134	1	20	
Methane	ug/L	9520	60.7	60.7	9110	8840	-676	-1130	30-150	3	20	P6

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 5246249 5246250

Parameter	Units	50400936006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Ethane	ug/L	ND	114	114	99.3	98.8	87	87	65-125	1	20	
Ethene	ug/L	ND	106	106	91.6	92.0	86	87	47-134	0	20	
Methane	ug/L	99.4	60.7	60.7	146	137	77	61	30-150	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 844496
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936009

METHOD BLANK: 3867121 Matrix: Water
Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	05/19/25 13:15	

LABORATORY CONTROL SAMPLE: 3867122

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9650	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3867123 3867124

Parameter	Units	50400936005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	5050	10000	10000	14500	15000	95	99	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 844113 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936008, 50400936009, 50400936010, 50400936011, 50400936012

METHOD BLANK: 3865286 Matrix: Water
Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936008, 50400936009, 50400936010, 50400936011, 50400936012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	05/16/25 09:59	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	05/16/25 09:59	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	05/16/25 09:59	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	05/16/25 09:59	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	05/16/25 09:59	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	05/16/25 09:59	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	05/16/25 09:59	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	05/16/25 09:59	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	05/16/25 09:59	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	05/16/25 09:59	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	05/16/25 09:59	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	05/16/25 09:59	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	05/16/25 09:59	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	05/16/25 09:59	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	05/16/25 09:59	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	05/16/25 09:59	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	05/16/25 09:59	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	05/16/25 09:59	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	05/16/25 09:59	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	05/16/25 09:59	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	05/16/25 09:59	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	05/16/25 09:59	
2-Chlorotoluene	ug/L	ND	5.0	0.41	05/16/25 09:59	
2-Hexanone	ug/L	ND	25.0	3.2	05/16/25 09:59	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	05/16/25 09:59	
4-Chlorotoluene	ug/L	ND	5.0	0.54	05/16/25 09:59	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	05/16/25 09:59	
Acetone	ug/L	ND	100	12.6	05/16/25 09:59	
Acrolein	ug/L	ND	50.0	12.3	05/16/25 09:59	
Acrylonitrile	ug/L	ND	100	2.3	05/16/25 09:59	
Benzene	ug/L	ND	5.0	0.36	05/16/25 09:59	
Bromobenzene	ug/L	ND	5.0	0.55	05/16/25 09:59	
Bromochloromethane	ug/L	ND	5.0	0.43	05/16/25 09:59	
Bromodichloromethane	ug/L	ND	5.0	0.36	05/16/25 09:59	
Bromoform	ug/L	ND	5.0	0.52	05/16/25 09:59	
Bromomethane	ug/L	ND	5.0	0.45	05/16/25 09:59	
Carbon disulfide	ug/L	ND	10.0	0.80	05/16/25 09:59	
Carbon tetrachloride	ug/L	ND	5.0	0.42	05/16/25 09:59	
Chlorobenzene	ug/L	ND	5.0	0.38	05/16/25 09:59	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

METHOD BLANK: 3865286 Matrix: Water

Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936008, 50400936009, 50400936010, 50400936011, 50400936012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	1.0	05/16/25 09:59	
Chloroform	ug/L	ND	5.0	0.38	05/16/25 09:59	
Chloromethane	ug/L	ND	5.0	0.68	05/16/25 09:59	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	05/16/25 09:59	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	05/16/25 09:59	
Dibromochloromethane	ug/L	ND	5.0	0.28	05/16/25 09:59	
Dibromomethane	ug/L	ND	5.0	0.32	05/16/25 09:59	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	05/16/25 09:59	
Ethyl methacrylate	ug/L	ND	100	0.51	05/16/25 09:59	
Ethylbenzene	ug/L	ND	5.0	0.34	05/16/25 09:59	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	05/16/25 09:59	
Iodomethane	ug/L	ND	10.0	0.44	05/16/25 09:59	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	05/16/25 09:59	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	05/16/25 09:59	
Methylene Chloride	ug/L	ND	5.0	2.7	05/16/25 09:59	
n-Butylbenzene	ug/L	ND	5.0	0.60	05/16/25 09:59	
n-Hexane	ug/L	ND	5.0	0.70	05/16/25 09:59	
n-Propylbenzene	ug/L	ND	5.0	0.51	05/16/25 09:59	
Naphthalene	ug/L	ND	1.2	0.40	05/16/25 09:59	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	05/16/25 09:59	
sec-Butylbenzene	ug/L	ND	5.0	0.47	05/16/25 09:59	
Styrene	ug/L	ND	5.0	0.36	05/16/25 09:59	
tert-Butylbenzene	ug/L	ND	5.0	0.42	05/16/25 09:59	
Tetrachloroethene	ug/L	ND	5.0	0.42	05/16/25 09:59	
Toluene	ug/L	ND	5.0	3.9	05/16/25 09:59	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	05/16/25 09:59	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	05/16/25 09:59	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	05/16/25 09:59	
Trichloroethene	ug/L	ND	5.0	0.39	05/16/25 09:59	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	05/16/25 09:59	
Vinyl acetate	ug/L	ND	50.0	1.6	05/16/25 09:59	
Vinyl chloride	ug/L	ND	2.0	0.57	05/16/25 09:59	
Xylene (Total)	ug/L	ND	10.0	0.84	05/16/25 09:59	
4-Bromofluorobenzene (S)	%.	104	79-124		05/16/25 09:59	
Dibromofluoromethane (S)	%.	110	82-128		05/16/25 09:59	
Toluene-d8 (S)	%.	96	73-122		05/16/25 09:59	

LABORATORY CONTROL SAMPLE: 3865287

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.4	103	78-129	
1,1,1-Trichloroethane	ug/L	50	54.4	109	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	52.0	104	69-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

LABORATORY CONTROL SAMPLE: 3865287

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	51.8	104	77-125	
1,1-Dichloroethane	ug/L	50	56.4	113	75-120	
1,1-Dichloroethene	ug/L	50	58.0	116	59-128	
1,1-Dichloropropene	ug/L	50	64.5	129	79-135	
1,2,3-Trichlorobenzene	ug/L	50	57.3	115	69-144	
1,2,3-Trichloropropane	ug/L	50	53.4	107	75-128	
1,2,4-Trichlorobenzene	ug/L	50	58.5	117	67-139	
1,2,4-Trimethylbenzene	ug/L	50	53.2	106	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	51.8	104	78-125	
1,2-Dichlorobenzene	ug/L	50	52.5	105	79-120	
1,2-Dichloroethane	ug/L	50	53.6	107	61-127	
1,2-Dichloropropane	ug/L	50	54.0	108	75-124	
1,3,5-Trimethylbenzene	ug/L	50	54.2	108	71-122	
1,3-Dichlorobenzene	ug/L	50	54.2	108	78-120	
1,3-Dichloropropane	ug/L	50	53.3	107	76-123	
1,4-Dichlorobenzene	ug/L	50	56.4	113	80-119	
1-Methylnaphthalene	ug/L	50	51.4	103	28-200	
2,2-Dichloropropane	ug/L	50	57.7	115	50-147	
2-Butanone (MEK)	ug/L	250	296	119	64-136	
2-Chlorotoluene	ug/L	50	55.0	110	74-119	
2-Hexanone	ug/L	250	261	105	59-134	
2-Methylnaphthalene	ug/L	50	47.9	96	23-200	
4-Chlorotoluene	ug/L	50	55.3	111	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	265	106	62-133	
Acetone	ug/L	250	269	108	34-156	
Acrolein	ug/L	1000	1350	135	46-156	
Acrylonitrile	ug/L	250	303	121	67-146	
Benzene	ug/L	50	58.2	116	76-120	
Bromobenzene	ug/L	50	46.1	92	73-121	
Bromochloromethane	ug/L	50	54.6	109	69-120	
Bromodichloromethane	ug/L	50	51.3	103	79-127	
Bromoform	ug/L	50	51.5	103	76-135	
Bromomethane	ug/L	50	55.5	111	10-181	
Carbon disulfide	ug/L	50	53.6	107	63-133	
Carbon tetrachloride	ug/L	50	56.1	112	70-131	
Chlorobenzene	ug/L	50	52.8	106	77-118	
Chloroethane	ug/L	50	70.2	140	31-159	
Chloroform	ug/L	50	53.1	106	74-122	
Chloromethane	ug/L	50	52.7	105	38-151	
cis-1,2-Dichloroethene	ug/L	50	54.2	108	78-121	
cis-1,3-Dichloropropene	ug/L	50	56.1	112	75-136	
Dibromochloromethane	ug/L	50	51.9	104	80-132	
Dibromomethane	ug/L	50	51.1	102	78-122	
Dichlorodifluoromethane	ug/L	50	70.3	141	10-172	
Ethyl methacrylate	ug/L	50	55.8J	112	72-147	
Ethylbenzene	ug/L	50	54.6	109	76-124	
Hexachloro-1,3-butadiene	ug/L	50	58.0	116	70-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

LABORATORY CONTROL SAMPLE: 3865287

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	53.1	106	10-143	
Isopropylbenzene (Cumene)	ug/L	50	53.9	108	66-113	
Methyl-tert-butyl ether	ug/L	50	51.8	104	74-124	
Methylene Chloride	ug/L	50	51.8	104	64-134	
n-Butylbenzene	ug/L	50	58.9	118	69-130	
n-Hexane	ug/L	50	53.5	107	51-127	
n-Propylbenzene	ug/L	50	56.0	112	67-127	
Naphthalene	ug/L	50	56.1	112	66-143	
p-Isopropyltoluene	ug/L	50	56.1	112	75-125	
sec-Butylbenzene	ug/L	50	55.5	111	71-126	
Styrene	ug/L	50	51.6	103	79-125	
tert-Butylbenzene	ug/L	50	59.9	120	73-125	
Tetrachloroethene	ug/L	50	62.9	126	71-122	L1
Toluene	ug/L	50	52.5	105	72-117	
trans-1,2-Dichloroethene	ug/L	50	57.1	114	74-121	
trans-1,3-Dichloropropene	ug/L	50	54.3	109	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	53.8J	108	57-137	
Trichloroethene	ug/L	50	56.2	112	75-124	
Trichlorofluoromethane	ug/L	50	80.4	161	55-142	L1
Vinyl acetate	ug/L	200	260	130	66-193	
Vinyl chloride	ug/L	50	70.7	141	50-150	
Xylene (Total)	ug/L	150	161	107	73-119	
4-Bromofluorobenzene (S)	%.			98	79-124	
Dibromofluoromethane (S)	%.			96	82-128	
Toluene-d8 (S)	%.			100	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3865288 3865289

Parameter	Units	50400936005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	41.7	47.1	83	94	50-147	12	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	45.9	49.5	92	99	50-149	8	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	44.4	48.0	89	96	48-139	8	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	44.8	48.5	90	97	51-143	8	20	
1,1-Dichloroethane	ug/L	22.3	50	50	68.3	72.3	92	100	49-144	6	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.6	51.8	92	99	45-146	7	20	
1,1-Dichloropropene	ug/L	ND	50	50	49.5	55.8	99	112	55-157	12	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	35.1	45.5	70	91	30-155	26	20	R1
1,2,3-Trichloropropane	ug/L	ND	50	50	44.5	48.9	89	98	47-146	9	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	31.7	42.4	63	85	25-148	29	20	R1
1,2,4-Trimethylbenzene	ug/L	ND	50	50	29.8	41.7	60	83	37-139	33	20	R1
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	44.4	47.9	89	96	56-140	7	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	34.8	44.0	70	88	43-139	23	20	R1
1,2-Dichloroethane	ug/L	ND	50	50	49.3	51.5	99	103	45-143	4	20	
1,2-Dichloropropane	ug/L	ND	50	50	46.9	51.1	94	102	53-144	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3865288 3865289

Parameter	Units	50400936005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	30.4	42.2	61	84	35-141	33	20	R1
1,3-Dichlorobenzene	ug/L	ND	50	50	31.9	42.3	64	85	39-138	28	20	R1
1,3-Dichloropropane	ug/L	ND	50	50	45.7	50.1	91	100	52-140	9	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	33.5	44.0	67	88	38-140	27	20	R1
1-Methylnaphthalene	ug/L	ND	50	50	35.6	42.7	71	85	12-185	18	20	
2,2-Dichloropropane	ug/L	ND	50	50	48.8	51.8	98	104	27-149	6	20	
2-Butanone (MEK)	ug/L	ND	250	250	250	256	100	102	38-153	3	20	
2-Chlorotoluene	ug/L	ND	50	50	33.2	44.6	66	89	37-141	29	20	R1
2-Hexanone	ug/L	ND	250	250	215	223	86	89	39-143	4	20	
2-Methylnaphthalene	ug/L	ND	50	50	31.1	38.3	62	77	10-189	21	20	R1
4-Chlorotoluene	ug/L	ND	50	50	32.2	43.4	64	87	36-142	30	20	R1
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	224	234	89	94	42-142	5	20	
Acetone	ug/L	ND	250	250	233	234	93	94	32-141	1	20	
Acrolein	ug/L	ND	1000	1000	1010	1030	101	103	26-153	2	20	
Acrylonitrile	ug/L	ND	250	250	245	268	98	107	48-148	9	20	
Benzene	ug/L	ND	50	50	49.1	54.1	98	108	50-143	10	20	
Bromobenzene	ug/L	ND	50	50	31.7	45.3	63	91	46-136	35	20	R1
Bromochloromethane	ug/L	ND	50	50	50.9	53.9	102	108	48-139	6	20	
Bromodichloromethane	ug/L	ND	50	50	44.9	48.8	90	98	50-149	8	20	
Bromoform	ug/L	ND	50	50	42.0	47.7	84	95	44-150	13	20	
Bromomethane	ug/L	ND	50	50	44.4	48.6	89	97	10-177	9	20	
Carbon disulfide	ug/L	ND	50	50	39.7	43.3	79	87	47-142	9	20	
Carbon tetrachloride	ug/L	ND	50	50	45.0	50.0	90	100	46-155	11	20	
Chlorobenzene	ug/L	ND	50	50	38.2	46.4	76	93	52-136	19	20	
Chloroethane	ug/L	101	50	50	183	185	165	168	26-171	1	20	
Chloroform	ug/L	ND	50	50	47.9	51.6	96	103	53-143	7	20	
Chloromethane	ug/L	ND	50	50	40.8	41.5	82	83	30-162	2	20	
cis-1,2-Dichloroethene	ug/L	800	50	50	905	933	209	266	49-147	3	20	E,M1
cis-1,3-Dichloropropene	ug/L	ND	50	50	45.0	50.7	90	101	48-146	12	20	
Dibromochloromethane	ug/L	ND	50	50	44.3	49.3	89	99	52-149	11	20	
Dibromomethane	ug/L	ND	50	50	46.6	49.6	93	99	50-144	6	20	
Dichlorodifluoromethane	ug/L	ND	50	50	33.5	34.8	67	70	10-190	4	20	
Ethyl methacrylate	ug/L	ND	50	50	48.5J	51.5J	97	103	51-156		20	
Ethylbenzene	ug/L	ND	50	50	36.0	46.0	72	92	43-145	24	20	R1
Hexachloro-1,3-butadiene	ug/L	ND	50	50	21.9	38.7	44	77	11-156	55	20	R1
Iodomethane	ug/L	ND	50	50	44.8	49.0	90	98	10-144	9	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	33.5	44.0	67	88	39-128	27	20	R1
Methyl-tert-butyl ether	ug/L	ND	50	50	47.4	50.2	95	100	50-144	6	20	
Methylene Chloride	ug/L	ND	50	50	47.1	50.1	94	100	40-150	6	20	
n-Butylbenzene	ug/L	ND	50	50	25.0	40.1	50	80	21-150	47	20	R1
n-Hexane	ug/L	ND	50	50	38.8	42.7	78	85	39-132	10	20	
n-Propylbenzene	ug/L	ND	50	50	29.9	42.9	60	86	31-144	36	20	R1
Naphthalene	ug/L	ND	50	50	41.4	48.9	83	98	43-148	17	20	
p-Isopropyltoluene	ug/L	ND	50	50	27.1	41.0	54	82	27-147	41	20	R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3865288 3865289

Parameter	Units	50400936005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	28.6	42.8	57	86	32-148	40	20	R1
Styrene	ug/L	ND	50	50	35.6	44.0	71	88	45-145	21	20	R1
tert-Butylbenzene	ug/L	ND	50	50	40.1	55.8	80	112	36-144	33	20	R1
Tetrachloroethene	ug/L	ND	50	50	37.3	45.9	75	92	46-146	21	20	R1
Toluene	ug/L	ND	50	50	39.9	46.9	79	93	48-135	16	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	47.0	51.4	89	98	52-139	9	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	43.2	48.7	86	97	45-144	12	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	39.3J	41.9J	79	84	30-144		20	
Trichloroethene	ug/L	ND	50	50	44.6	50.7	86	98	46-148	13	20	
Trichlorofluoromethane	ug/L	ND	50	50	63.1	64.8	126	130	43-160	3	20	
Vinyl acetate	ug/L	ND	200	200	223	231	111	116	23-195	4	20	
Vinyl chloride	ug/L	1120	50	50	1460	1440	681	644	38-167	1	20	E,M1
Xylene (Total)	ug/L	ND	150	150	106	133	70	88	45-139	23	20	RS
4-Bromofluorobenzene (S)	%.						95	97	79-124			
Dibromofluoromethane (S)	%.						101	99	82-128			
Toluene-d8 (S)	%.						100	100	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 844198
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936006, 50400936013, 50400936014, 50400936015, 50400936016, 50400936017, 50400936018, 50400936019

METHOD BLANK: 3865621
Matrix: Water
Associated Lab Samples: 50400936006, 50400936013, 50400936014, 50400936015, 50400936016, 50400936017, 50400936018, 50400936019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	05/16/25 22:37	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	05/16/25 22:37	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	05/16/25 22:37	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	05/16/25 22:37	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	05/16/25 22:37	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	05/16/25 22:37	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	05/16/25 22:37	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	05/16/25 22:37	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	05/16/25 22:37	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	05/16/25 22:37	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	05/16/25 22:37	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	05/16/25 22:37	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	05/16/25 22:37	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	05/16/25 22:37	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	05/16/25 22:37	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	05/16/25 22:37	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	05/16/25 22:37	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	05/16/25 22:37	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	05/16/25 22:37	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	05/16/25 22:37	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	05/16/25 22:37	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	05/16/25 22:37	
2-Chlorotoluene	ug/L	ND	5.0	0.41	05/16/25 22:37	
2-Hexanone	ug/L	ND	25.0	3.2	05/16/25 22:37	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	05/16/25 22:37	
4-Chlorotoluene	ug/L	ND	5.0	0.54	05/16/25 22:37	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	05/16/25 22:37	
Acetone	ug/L	ND	100	12.6	05/16/25 22:37	
Acrolein	ug/L	ND	50.0	12.3	05/16/25 22:37	
Acrylonitrile	ug/L	ND	100	2.3	05/16/25 22:37	
Benzene	ug/L	ND	5.0	0.36	05/16/25 22:37	
Bromobenzene	ug/L	ND	5.0	0.55	05/16/25 22:37	
Bromochloromethane	ug/L	ND	5.0	0.43	05/16/25 22:37	
Bromodichloromethane	ug/L	ND	5.0	0.36	05/16/25 22:37	
Bromoform	ug/L	ND	5.0	0.52	05/16/25 22:37	
Bromomethane	ug/L	ND	5.0	0.45	05/16/25 22:37	
Carbon disulfide	ug/L	ND	10.0	0.80	05/16/25 22:37	
Carbon tetrachloride	ug/L	ND	5.0	0.42	05/16/25 22:37	
Chlorobenzene	ug/L	ND	5.0	0.38	05/16/25 22:37	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

METHOD BLANK: 3865621 Matrix: Water
Associated Lab Samples: 50400936006, 50400936013, 50400936014, 50400936015, 50400936016, 50400936017, 50400936018, 50400936019

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.41	05/16/25 22:37	
Chloroform	ug/L	ND	5.0	0.38	05/16/25 22:37	
Chloromethane	ug/L	ND	5.0	0.68	05/16/25 22:37	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	05/16/25 22:37	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	05/16/25 22:37	
Dibromochloromethane	ug/L	ND	5.0	0.28	05/16/25 22:37	
Dibromomethane	ug/L	ND	5.0	0.32	05/16/25 22:37	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	05/16/25 22:37	
Ethyl methacrylate	ug/L	ND	100	0.51	05/16/25 22:37	
Ethylbenzene	ug/L	ND	5.0	0.34	05/16/25 22:37	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	05/16/25 22:37	
Iodomethane	ug/L	ND	10.0	0.44	05/16/25 22:37	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	05/16/25 22:37	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	05/16/25 22:37	
Methylene Chloride	ug/L	ND	5.0	2.7	05/16/25 22:37	
n-Butylbenzene	ug/L	ND	5.0	0.60	05/16/25 22:37	
n-Hexane	ug/L	ND	5.0	0.70	05/16/25 22:37	
n-Propylbenzene	ug/L	ND	5.0	0.51	05/16/25 22:37	
Naphthalene	ug/L	ND	1.2	0.40	05/16/25 22:37	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	05/16/25 22:37	
sec-Butylbenzene	ug/L	ND	5.0	0.47	05/16/25 22:37	
Styrene	ug/L	ND	5.0	0.36	05/16/25 22:37	
tert-Butylbenzene	ug/L	ND	5.0	0.42	05/16/25 22:37	
Tetrachloroethene	ug/L	ND	5.0	0.42	05/16/25 22:37	
Toluene	ug/L	ND	5.0	3.9	05/16/25 22:37	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	05/16/25 22:37	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	05/16/25 22:37	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	05/16/25 22:37	
Trichloroethene	ug/L	ND	5.0	0.39	05/16/25 22:37	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	05/16/25 22:37	
Vinyl acetate	ug/L	ND	50.0	1.6	05/16/25 22:37	
Vinyl chloride	ug/L	ND	2.0	0.45	05/16/25 22:37	
Xylene (Total)	ug/L	ND	10.0	0.84	05/16/25 22:37	
4-Bromofluorobenzene (S)	%.	102	79-124		05/16/25 22:37	
Dibromofluoromethane (S)	%.	111	82-128		05/16/25 22:37	
Toluene-d8 (S)	%.	95	73-122		05/16/25 22:37	

LABORATORY CONTROL SAMPLE: 3865622

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.9	102	78-129	
1,1,1-Trichloroethane	ug/L	50	53.9	108	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	49.8	100	69-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

LABORATORY CONTROL SAMPLE: 3865622

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	51.0	102	77-125	
1,1-Dichloroethane	ug/L	50	53.6	107	75-120	
1,1-Dichloroethene	ug/L	50	56.5	113	59-128	
1,1-Dichloropropene	ug/L	50	63.3	127	79-135	
1,2,3-Trichlorobenzene	ug/L	50	51.0	102	69-144	
1,2,3-Trichloropropane	ug/L	50	51.8	104	75-128	
1,2,4-Trichlorobenzene	ug/L	50	49.9	100	67-139	
1,2,4-Trimethylbenzene	ug/L	50	49.7	99	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	51.0	102	78-125	
1,2-Dichlorobenzene	ug/L	50	49.6	99	79-120	
1,2-Dichloroethane	ug/L	50	52.6	105	61-127	
1,2-Dichloropropane	ug/L	50	52.4	105	75-124	
1,3,5-Trimethylbenzene	ug/L	50	51.5	103	71-122	
1,3-Dichlorobenzene	ug/L	50	49.6	99	78-120	
1,3-Dichloropropane	ug/L	50	52.3	105	76-123	
1,4-Dichlorobenzene	ug/L	50	51.5	103	80-119	
1-Methylnaphthalene	ug/L	50	46.5	93	28-200	
2,2-Dichloropropane	ug/L	50	55.0	110	50-147	
2-Butanone (MEK)	ug/L	250	287	115	64-136	
2-Chlorotoluene	ug/L	50	52.3	105	74-119	
2-Hexanone	ug/L	250	251	101	59-134	
2-Methylnaphthalene	ug/L	50	42.5	85	23-200	
4-Chlorotoluene	ug/L	50	50.9	102	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	258	103	62-133	
Acetone	ug/L	250	263	105	34-156	
Acrolein	ug/L	1000	1050	105	46-156	
Acrylonitrile	ug/L	250	295	118	67-146	
Benzene	ug/L	50	58.1	116	76-120	
Bromobenzene	ug/L	50	49.9	100	73-121	
Bromochloromethane	ug/L	50	53.4	107	69-120	
Bromodichloromethane	ug/L	50	49.9	100	79-127	
Bromoform	ug/L	50	49.4	99	76-135	
Bromomethane	ug/L	50	57.5	115	10-181	
Carbon disulfide	ug/L	50	50.9	102	63-133	
Carbon tetrachloride	ug/L	50	55.5	111	70-131	
Chlorobenzene	ug/L	50	51.4	103	77-118	
Chloroethane	ug/L	50	67.5	135	31-159	
Chloroform	ug/L	50	53.0	106	74-122	
Chloromethane	ug/L	50	50.6	101	38-151	
cis-1,2-Dichloroethene	ug/L	50	53.7	107	78-121	
cis-1,3-Dichloropropene	ug/L	50	54.4	109	75-136	
Dibromochloromethane	ug/L	50	51.1	102	80-132	
Dibromomethane	ug/L	50	50.5	101	78-122	
Dichlorodifluoromethane	ug/L	50	60.5	121	10-172	
Ethyl methacrylate	ug/L	50	53.4J	107	72-147	
Ethylbenzene	ug/L	50	53.5	107	76-124	
Hexachloro-1,3-butadiene	ug/L	50	54.5	109	70-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

LABORATORY CONTROL SAMPLE: 3865622

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	56.6	113	10-143	
Isopropylbenzene (Cumene)	ug/L	50	53.6	107	66-113	
Methyl-tert-butyl ether	ug/L	50	50.1	100	74-124	
Methylene Chloride	ug/L	50	53.6	107	64-134	
n-Butylbenzene	ug/L	50	53.3	107	69-130	
n-Hexane	ug/L	50	52.6	105	51-127	
n-Propylbenzene	ug/L	50	53.1	106	67-127	
Naphthalene	ug/L	50	53.5	107	66-143	
p-Isopropyltoluene	ug/L	50	53.0	106	75-125	
sec-Butylbenzene	ug/L	50	54.1	108	71-126	
Styrene	ug/L	50	50.0	100	79-125	
tert-Butylbenzene	ug/L	50	57.7	115	73-125	
Tetrachloroethene	ug/L	50	69.8	140	71-122	L1
Toluene	ug/L	50	52.5	105	72-117	
trans-1,2-Dichloroethene	ug/L	50	54.9	110	74-121	
trans-1,3-Dichloropropene	ug/L	50	52.0	104	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	45.9J	92	57-137	
Trichloroethene	ug/L	50	55.0	110	75-124	
Trichlorofluoromethane	ug/L	50	76.1	152	55-142	L1
Vinyl acetate	ug/L	200	235	117	66-193	
Vinyl chloride	ug/L	50	66.9	134	50-150	
Xylene (Total)	ug/L	150	156	104	73-119	
4-Bromofluorobenzene (S)	%.			95	79-124	
Dibromofluoromethane (S)	%.			97	82-128	
Toluene-d8 (S)	%.			101	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3865623 3865624

Parameter	Units	50400936006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	38.3	43.8	77	88	50-147	13	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	44.6	48.0	89	96	50-149	7	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	43.8	49.5	88	99	48-139	12	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	47.7	49.5	95	99	51-143	4	20	
1,1-Dichloroethane	ug/L	ND	50	50	46.5	52.0	93	104	49-144	11	20	
1,1-Dichloroethene	ug/L	ND	50	50	46.1	50.4	92	101	45-146	9	20	
1,1-Dichloropropene	ug/L	ND	50	50	49.5	52.8	99	106	55-157	6	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	23.6	32.6	47	65	30-155	32	20	R1
1,2,3-Trichloropropane	ug/L	ND	50	50	42.8	49.8	86	100	47-146	15	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	20.6	27.6	41	55	25-148	29	20	R1
1,2,4-Trimethylbenzene	ug/L	ND	50	50	22.2	27.6	44	55	37-139	22	20	R1
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	44.1	47.6	88	95	56-140	8	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	27.2	33.5	54	67	43-139	21	20	R1
1,2-Dichloroethane	ug/L	ND	50	50	46.3	51.1	93	102	45-143	10	20	
1,2-Dichloropropane	ug/L	ND	50	50	49.0	50.0	98	100	53-144	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3865623 3865624

Parameter	Units	50400936006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	22.3	28.2	45	56	35-141	24	20	R1
1,3-Dichlorobenzene	ug/L	ND	50	50	23.4	29.7	47	59	39-138	24	20	R1
1,3-Dichloropropane	ug/L	ND	50	50	47.2	49.2	94	98	52-140	4	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	22.9	30.1	46	60	38-140	27	20	R1
1-Methylnaphthalene	ug/L	ND	50	50	27.3	36.4	55	73	12-185	28	20	R1
2,2-Dichloropropane	ug/L	ND	50	50	44.5	47.3	89	95	27-149	6	20	
2-Butanone (MEK)	ug/L	ND	250	250	259	271	103	108	38-153	5	20	
2-Chlorotoluene	ug/L	ND	50	50	25.5	32.1	51	64	37-141	23	20	R1
2-Hexanone	ug/L	ND	250	250	249	245	99	98	39-143	2	20	
2-Methylnaphthalene	ug/L	ND	50	50	22.5	30.6	45	61	10-189	30	20	R1
4-Chlorotoluene	ug/L	ND	50	50	24.3	29.7	49	59	36-142	20	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	248	256	99	102	42-142	3	20	
Acetone	ug/L	ND	250	250	218	252	87	101	32-141	15	20	
Acrolein	ug/L	ND	1000	1000	914	1020	91	102	26-153	11	20	
Acrylonitrile	ug/L	ND	250	250	230	260	92	104	48-148	12	20	
Benzene	ug/L	ND	50	50	49.7	51.7	99	103	50-143	4	20	
Bromobenzene	ug/L	ND	50	50	32.3	37.5	65	75	46-136	15	20	
Bromochloromethane	ug/L	ND	50	50	49.7	52.6	99	105	48-139	6	20	
Bromodichloromethane	ug/L	ND	50	50	44.4	46.8	89	94	50-149	5	20	
Bromoform	ug/L	ND	50	50	42.0	46.7	84	93	44-150	11	20	
Bromomethane	ug/L	ND	50	50	46.1	53.1	92	106	10-177	14	20	
Carbon disulfide	ug/L	ND	50	50	38.7	42.4	77	85	47-142	9	20	
Carbon tetrachloride	ug/L	ND	50	50	43.9	47.2	88	94	46-155	7	20	
Chlorobenzene	ug/L	ND	50	50	33.4	38.3	67	77	52-136	14	20	
Chloroethane	ug/L	ND	50	50	57.4	63.2	115	126	26-171	10	20	
Chloroform	ug/L	ND	50	50	46.9	50.0	94	100	53-143	7	20	
Chloromethane	ug/L	ND	50	50	43.8	48.0	88	96	30-162	9	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	47.1	49.4	94	99	49-147	5	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	44.4	46.7	89	93	48-146	5	20	
Dibromochloromethane	ug/L	ND	50	50	44.5	47.5	89	95	52-149	6	20	
Dibromomethane	ug/L	ND	50	50	46.2	48.5	92	97	50-144	5	20	
Dichlorodifluoromethane	ug/L	ND	50	50	50.3	54.7	101	109	10-190	8	20	
Ethyl methacrylate	ug/L	ND	50	50	52.9J	52.5J	106	105	51-156		20	
Ethylbenzene	ug/L	ND	50	50	31.4	36.2	63	72	43-145	14	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	8.6	16.0	17	32	11-156	60	20	R1
Iodomethane	ug/L	ND	50	50	44.9	52.0	90	104	10-144	15	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	25.4	31.6	51	63	39-128	22	20	R1
Methyl-tert-butyl ether	ug/L	ND	50	50	45.4	52.1	91	104	50-144	14	20	
Methylene Chloride	ug/L	ND	50	50	44.0	49.4	88	99	40-150	12	20	
n-Butylbenzene	ug/L	ND	50	50	12.6	20.0	25	40	21-150	46	20	R1
n-Hexane	ug/L	ND	50	50	39.3	45.2	79	90	39-132	14	20	
n-Propylbenzene	ug/L	ND	50	50	20.7	27.7	41	55	31-144	29	20	R1
Naphthalene	ug/L	ND	50	50	33.8	42.8	68	86	43-148	23	20	R1
p-Isopropyltoluene	ug/L	ND	50	50	15.9	23.4	32	47	27-147	38	20	R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		3865623			3865624							
Parameter	Units	50400936006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	18.8	26.0	38	52	32-148	32	20	R1
Styrene	ug/L	ND	50	50	29.0	34.7	58	69	45-145	18	20	
tert-Butylbenzene	ug/L	ND	50	50	29.2	38.7	58	77	36-144	28	20	R1
Tetrachloroethene	ug/L	ND	50	50	32.9	38.1	66	76	46-146	14	20	
Toluene	ug/L	ND	50	50	39.7	41.4	79	83	48-135	4	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	41.1	46.7	82	93	52-139	13	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	40.2	44.8	80	90	45-144	11	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	35.1J	39.2J	70	78	30-144		20	
Trichloroethene	ug/L	ND	50	50	40.5	43.8	81	88	46-148	8	20	
Trichlorofluoromethane	ug/L	ND	50	50	62.6	69.0	125	138	43-160	10	20	
Vinyl acetate	ug/L	ND	200	200	185	215	92	108	23-195	15	20	
Vinyl chloride	ug/L	ND	50	50	56.6	61.8	113	123	38-167	9	20	
Xylene (Total)	ug/L	ND	150	150	84.1	102	56	68	45-139	20	20	RS
4-Bromofluorobenzene (S)	%.						102	95	79-124			
Dibromofluoromethane (S)	%.						95	96	82-128			
Toluene-d8 (S)	%.						106	100	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 844201 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936020, 50400936021, 50400936023, 50400936024, 50400936025

METHOD BLANK: 3865631 Matrix: Water
Associated Lab Samples: 50400936020, 50400936021, 50400936023, 50400936024, 50400936025

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.26	05/16/25 22:53	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.34	05/16/25 22:53	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	05/16/25 22:53	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.27	05/16/25 22:53	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	05/16/25 22:53	
1,1-Dichloroethene	ug/L	ND	5.0	0.29	05/16/25 22:53	
1,1-Dichloropropene	ug/L	ND	5.0	0.28	05/16/25 22:53	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.29	05/16/25 22:53	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.53	05/16/25 22:53	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.35	05/16/25 22:53	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.20	05/16/25 22:53	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.32	05/16/25 22:53	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.25	05/16/25 22:53	
1,2-Dichloroethane	ug/L	ND	5.0	0.21	05/16/25 22:53	
1,2-Dichloropropane	ug/L	ND	5.0	0.28	05/16/25 22:53	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.31	05/16/25 22:53	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.31	05/16/25 22:53	
1,3-Dichloropropane	ug/L	ND	5.0	0.24	05/16/25 22:53	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.12	05/16/25 22:53	
1-Methylnaphthalene	ug/L	ND	10.0	0.32	05/16/25 22:53	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	05/16/25 22:53	
2-Butanone (MEK)	ug/L	ND	25.0	2.3	05/16/25 22:53	
2-Chlorotoluene	ug/L	ND	5.0	0.19	05/16/25 22:53	
2-Hexanone	ug/L	ND	25.0	2.5	05/16/25 22:53	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	05/16/25 22:53	
4-Chlorotoluene	ug/L	ND	5.0	0.26	05/16/25 22:53	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.4	05/16/25 22:53	
Acetone	ug/L	ND	100	4.8	05/16/25 22:53	
Acrolein	ug/L	ND	50.0	18.3	05/16/25 22:53	
Acrylonitrile	ug/L	ND	100	1.5	05/16/25 22:53	
Benzene	ug/L	ND	5.0	0.28	05/16/25 22:53	
Bromobenzene	ug/L	ND	5.0	0.36	05/16/25 22:53	
Bromochloromethane	ug/L	ND	5.0	0.32	05/16/25 22:53	
Bromodichloromethane	ug/L	ND	5.0	0.22	05/16/25 22:53	
Bromoform	ug/L	ND	5.0	0.22	05/16/25 22:53	
Bromomethane	ug/L	ND	5.0	0.81	05/16/25 22:53	
Carbon disulfide	ug/L	ND	10.0	0.64	05/16/25 22:53	
Carbon tetrachloride	ug/L	ND	5.0	0.34	05/16/25 22:53	
Chlorobenzene	ug/L	ND	5.0	0.21	05/16/25 22:53	
Chloroethane	ug/L	ND	5.0	0.85	05/16/25 22:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

METHOD BLANK: 3865631 Matrix: Water
Associated Lab Samples: 50400936020, 50400936021, 50400936023, 50400936024, 50400936025

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.33	05/16/25 22:53	
Chloromethane	ug/L	ND	5.0	1.4	05/16/25 22:53	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.27	05/16/25 22:53	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.25	05/16/25 22:53	
Dibromochloromethane	ug/L	ND	5.0	0.30	05/16/25 22:53	
Dibromomethane	ug/L	ND	5.0	0.20	05/16/25 22:53	
Dichlorodifluoromethane	ug/L	ND	5.0	0.88	05/16/25 22:53	
Ethyl methacrylate	ug/L	ND	100	0.46	05/16/25 22:53	
Ethylbenzene	ug/L	ND	5.0	0.46	05/16/25 22:53	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.33	05/16/25 22:53	
Iodomethane	ug/L	ND	10.0	0.33	05/16/25 22:53	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.30	05/16/25 22:53	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.24	05/16/25 22:53	
Methylene Chloride	ug/L	ND	5.0	2.0	05/16/25 22:53	
n-Butylbenzene	ug/L	ND	5.0	0.30	05/16/25 22:53	
n-Hexane	ug/L	ND	5.0	0.22	05/16/25 22:53	
n-Propylbenzene	ug/L	ND	5.0	0.21	05/16/25 22:53	
Naphthalene	ug/L	ND	1.2	0.22	05/16/25 22:53	
p-Isopropyltoluene	ug/L	ND	5.0	0.31	05/16/25 22:53	
sec-Butylbenzene	ug/L	ND	5.0	0.24	05/16/25 22:53	
Styrene	ug/L	ND	5.0	0.24	05/16/25 22:53	
tert-Butylbenzene	ug/L	ND	5.0	0.31	05/16/25 22:53	
Tetrachloroethene	ug/L	ND	5.0	0.32	05/16/25 22:53	
Toluene	ug/L	ND	5.0	0.19	05/16/25 22:53	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	05/16/25 22:53	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	05/16/25 22:53	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.52	05/16/25 22:53	
Trichloroethene	ug/L	ND	5.0	0.23	05/16/25 22:53	
Trichlorofluoromethane	ug/L	ND	5.0	0.89	05/16/25 22:53	
Vinyl acetate	ug/L	ND	50.0	1.3	05/16/25 22:53	
Vinyl chloride	ug/L	ND	2.0	0.88	05/16/25 22:53	
Xylene (Total)	ug/L	ND	10.0	0.29	05/16/25 22:53	
4-Bromofluorobenzene (S)	%.	101	79-124		05/16/25 22:53	
Dibromofluoromethane (S)	%.	105	82-128		05/16/25 22:53	
Toluene-d8 (S)	%.	96	73-122		05/16/25 22:53	

LABORATORY CONTROL SAMPLE: 3865632

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.7	103	78-129	
1,1,1-Trichloroethane	ug/L	50	54.6	109	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	50.0	100	69-126	
1,1,2-Trichloroethane	ug/L	50	53.1	106	77-125	
1,1-Dichloroethane	ug/L	50	54.4	109	75-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

LABORATORY CONTROL SAMPLE: 3865632

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	55.0	110	59-128	
1,1-Dichloropropene	ug/L	50	56.1	112	79-135	
1,2,3-Trichlorobenzene	ug/L	50	51.0	102	69-144	
1,2,3-Trichloropropane	ug/L	50	51.9	104	75-128	
1,2,4-Trichlorobenzene	ug/L	50	50.6	101	67-139	
1,2,4-Trimethylbenzene	ug/L	50	52.2	104	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	53.6	107	78-125	
1,2-Dichlorobenzene	ug/L	50	51.1	102	79-120	
1,2-Dichloroethane	ug/L	50	52.7	105	61-127	
1,2-Dichloropropane	ug/L	50	53.3	107	75-124	
1,3,5-Trimethylbenzene	ug/L	50	53.3	107	71-122	
1,3-Dichlorobenzene	ug/L	50	51.3	103	78-120	
1,3-Dichloropropane	ug/L	50	53.2	106	76-123	
1,4-Dichlorobenzene	ug/L	50	50.6	101	80-119	
1-Methylnaphthalene	ug/L	50	49.0	98	28-200	
2,2-Dichloropropane	ug/L	50	52.2	104	50-147	
2-Butanone (MEK)	ug/L	250	291	117	64-136	
2-Chlorotoluene	ug/L	50	51.9	104	74-119	
2-Hexanone	ug/L	250	279	112	59-134	
2-Methylnaphthalene	ug/L	50	47.8	96	23-200	
4-Chlorotoluene	ug/L	50	52.2	104	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	271	108	62-133	
Acetone	ug/L	250	284	113	34-156	
Acrolein	ug/L	1000	1050	105	46-156	
Acrylonitrile	ug/L	250	286	114	67-146	
Benzene	ug/L	50	57.2	114	76-120	
Bromobenzene	ug/L	50	54.3	109	73-121	
Bromochloromethane	ug/L	50	54.5	109	69-120	
Bromodichloromethane	ug/L	50	51.3	103	79-127	
Bromoform	ug/L	50	49.3	99	76-135	
Bromomethane	ug/L	50	59.6	119	10-181	
Carbon disulfide	ug/L	50	53.2	106	63-133	
Carbon tetrachloride	ug/L	50	54.1	108	70-131	
Chlorobenzene	ug/L	50	53.0	106	77-118	
Chloroethane	ug/L	50	58.4	117	31-159	
Chloroform	ug/L	50	52.9	106	74-122	
Chloromethane	ug/L	50	56.2	112	38-151	
cis-1,2-Dichloroethene	ug/L	50	54.3	109	78-121	
cis-1,3-Dichloropropene	ug/L	50	54.2	108	75-136	
Dibromochloromethane	ug/L	50	52.0	104	80-132	
Dibromomethane	ug/L	50	51.7	103	78-122	
Dichlorodifluoromethane	ug/L	50	51.0	102	10-172	
Ethyl methacrylate	ug/L	50	51.9J	104	72-147	
Ethylbenzene	ug/L	50	54.7	109	76-124	
Hexachloro-1,3-butadiene	ug/L	50	56.4	113	70-135	
Iodomethane	ug/L	50	53.8	108	10-143	
Isopropylbenzene (Cumene)	ug/L	50	54.4	109	66-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

LABORATORY CONTROL SAMPLE: 3865632

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	52.5	105	74-124	
Methylene Chloride	ug/L	50	52.7	105	64-134	
n-Butylbenzene	ug/L	50	54.1	108	69-130	
n-Hexane	ug/L	50	51.7	103	51-127	
n-Propylbenzene	ug/L	50	52.6	105	67-127	
Naphthalene	ug/L	50	52.0	104	66-143	
p-Isopropyltoluene	ug/L	50	53.6	107	75-125	
sec-Butylbenzene	ug/L	50	54.4	109	71-126	
Styrene	ug/L	50	52.5	105	79-125	
tert-Butylbenzene	ug/L	50	53.7	107	73-125	
Tetrachloroethene	ug/L	50	54.4	109	71-122	
Toluene	ug/L	50	54.1	108	72-117	
trans-1,2-Dichloroethene	ug/L	50	54.7	109	74-121	
trans-1,3-Dichloropropene	ug/L	50	53.5	107	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	52.6J	105	57-137	
Trichloroethene	ug/L	50	54.2	108	75-124	
Trichlorofluoromethane	ug/L	50	64.5	129	55-142	
Vinyl acetate	ug/L	200	189	95	66-193	
Vinyl chloride	ug/L	50	66.0	132	50-150	
Xylene (Total)	ug/L	100	108	108	73-119	
4-Bromofluorobenzene (S)	%.			101	79-124	
Dibromofluoromethane (S)	%.			96	82-128	
Toluene-d8 (S)	%.			101	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3865633 3865634

Parameter	Units	50400936020 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	42.7	36.7	85	73	50-147	15	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	46.1	42.9	92	86	50-149	7	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	45.6	42.9	91	86	48-139	6	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	46.8	43.0	94	86	51-143	9	20	
1,1-Dichloroethane	ug/L	ND	50	50	51.9	47.0	104	94	49-144	10	20	
1,1-Dichloroethene	ug/L	ND	50	50	44.3	42.3	89	85	45-146	5	20	
1,1-Dichloropropene	ug/L	ND	50	50	49.6	42.2	99	84	55-157	16	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	25.8	24.6	52	49	30-155	5	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	47.7	43.5	95	87	47-146	9	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	21.8	20.6	44	41	25-148	5	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	26.1	18.9	52	38	37-139	32	20	R1
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	48.1	42.5	96	85	56-140	12	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	28.4	25.9	57	52	43-139	9	20	
1,2-Dichloroethane	ug/L	ND	50	50	48.6	45.8	97	92	45-143	6	20	
1,2-Dichloropropane	ug/L	ND	50	50	51.4	44.1	103	88	53-144	15	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	26.5	19.1	53	38	35-141	32	20	R1
1,3-Dichlorobenzene	ug/L	ND	50	50	27.7	21.9	55	44	39-138	23	20	R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3865633 3865634

Parameter	Units	50400936020 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	47.4	43.3	95	87	52-140	9	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	28.0	22.3	56	45	38-140	23	20	R1
1-Methylnaphthalene	ug/L	ND	50	50	30.2	29.4	60	59	12-185	3	20	
2,2-Dichloropropane	ug/L	ND	50	50	44.9	41.7	90	83	27-149	7	20	
2-Butanone (MEK)	ug/L	ND	250	250	261	239	105	96	38-153	9	20	
2-Chlorotoluene	ug/L	ND	50	50	30.3	22.4	61	45	37-141	30	20	R1
2-Hexanone	ug/L	ND	250	250	231	224	92	89	39-143	3	20	
2-Methylnaphthalene	ug/L	ND	50	50	24.5	24.5	49	49	10-189	0	20	
4-Chlorotoluene	ug/L	ND	50	50	27.7	21.1	55	42	36-142	27	20	R1
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	252	233	101	93	42-142	8	20	
Acetone	ug/L	ND	250	250	251	246	101	98	32-141	2	20	
Acrolein	ug/L	ND	1000	1000	891	858	89	86	26-153	4	20	
Acrylonitrile	ug/L	ND	250	250	253	245	101	98	48-148	3	20	
Benzene	ug/L	ND	50	50	52.0	44.2	104	88	50-143	16	20	
Bromobenzene	ug/L	ND	50	50	36.8	26.6	74	53	46-136	32	20	R1
Bromochloromethane	ug/L	ND	50	50	52.2	48.8	104	98	48-139	7	20	
Bromodichloromethane	ug/L	ND	50	50	47.5	41.9	95	84	50-149	12	20	
Bromoform	ug/L	ND	50	50	42.0	39.7	84	79	44-150	5	20	
Bromomethane	ug/L	ND	50	50	51.0	54.0	102	108	10-177	6	20	
Carbon disulfide	ug/L	ND	50	50	40.2	37.5	80	75	47-142	7	20	
Carbon tetrachloride	ug/L	ND	50	50	43.4	40.0	87	80	46-155	8	20	
Chlorobenzene	ug/L	ND	50	50	37.8	30.6	76	61	52-136	21	20	R1
Chloroethane	ug/L	ND	50	50	52.5	54.0	105	108	26-171	3	20	
Chloroform	ug/L	ND	50	50	48.6	44.5	97	89	53-143	9	20	
Chloromethane	ug/L	ND	50	50	46.5	46.8	93	94	30-162	1	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	50.9	45.0	101	89	49-147	12	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	46.5	39.9	93	80	48-146	15	20	
Dibromochloromethane	ug/L	ND	50	50	47.6	41.8	95	84	52-149	13	20	
Dibromomethane	ug/L	ND	50	50	48.4	43.9	97	88	50-144	10	20	
Dichlorodifluoromethane	ug/L	ND	50	50	39.3	40.3	79	81	10-190	2	20	
Ethyl methacrylate	ug/L	ND	50	50	51.6J	47.3J	103	95	51-156		20	
Ethylbenzene	ug/L	ND	50	50	35.1	27.2	70	54	43-145	25	20	R1
Hexachloro-1,3-butadiene	ug/L	ND	50	50	11.1	8.9	22	18	11-156	22	20	R1
Iodomethane	ug/L	ND	50	50	50.1	49.5	100	99	10-144	1	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	27.0	22.2	54	44	39-128	20	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	48.7	47.0	97	94	50-144	4	20	
Methylene Chloride	ug/L	ND	50	50	44.9	42.9	90	86	40-150	5	20	
n-Butylbenzene	ug/L	ND	50	50	14.8	11.8	30	24	21-150	22	20	R1
n-Hexane	ug/L	ND	50	50	39.4	35.4	79	71	39-132	11	20	
n-Propylbenzene	ug/L	ND	50	50	25.0	18.0	50	36	31-144	32	20	R1
Naphthalene	ug/L	ND	50	50	34.4	33.9	69	68	43-148	2	20	
p-Isopropyltoluene	ug/L	ND	50	50	20.4	14.4	41	29	27-147	35	20	R1
sec-Butylbenzene	ug/L	ND	50	50	22.8	15.8	46	32	32-148	37	20	R1
Styrene	ug/L	ND	50	50	33.2	26.7	66	53	45-145	22	20	R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		3865633			3865634							
Parameter	Units	50400936020 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	36.7	26.8	73	54	36-144	31	20	R1
Tetrachloroethene	ug/L	ND	50	50	33.6	28.1	67	56	46-146	18	20	
Toluene	ug/L	ND	50	50	39.5	33.5	79	67	48-135	16	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	43.8	40.8	88	82	52-139	7	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	42.1	38.7	84	77	45-144	8	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	40.4J	36J	81	72	30-144		20	
Trichloroethene	ug/L	ND	50	50	43.5	35.7	87	71	46-148	20	20	
Trichlorofluoromethane	ug/L	ND	50	50	58.5	62.8	117	126	43-160	7	20	
Vinyl acetate	ug/L	ND	200	200	183	172	92	86	23-195	6	20	
Vinyl chloride	ug/L	ND	50	50	57.4	58.0	113	114	38-167	1	20	
Xylene (Total)	ug/L	ND	150	150	100	77.6	67	52	45-139	25	20	RS
4-Bromofluorobenzene (S)	%.						93	100	79-124			
Dibromofluoromethane (S)	%.						95	98	82-128			
Toluene-d8 (S)	%.						99	101	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 844474 Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936022, 50400936026, 50400936027, 50400936028, 50400936029, 50400936030, 50400936031, 50400936032, 50400936033, 50400936034

METHOD BLANK: 3867048 Matrix: Water
Associated Lab Samples: 50400936022, 50400936026, 50400936027, 50400936028, 50400936029, 50400936030, 50400936031, 50400936032, 50400936033, 50400936034

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.26	05/19/25 23:17	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.34	05/19/25 23:17	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	05/19/25 23:17	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.27	05/19/25 23:17	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	05/19/25 23:17	
1,1-Dichloroethene	ug/L	ND	5.0	0.29	05/19/25 23:17	
1,1-Dichloropropene	ug/L	ND	5.0	0.28	05/19/25 23:17	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.29	05/19/25 23:17	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.53	05/19/25 23:17	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.35	05/19/25 23:17	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.20	05/19/25 23:17	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.32	05/19/25 23:17	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.25	05/19/25 23:17	
1,2-Dichloroethane	ug/L	ND	5.0	0.21	05/19/25 23:17	
1,2-Dichloropropane	ug/L	ND	5.0	0.28	05/19/25 23:17	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.31	05/19/25 23:17	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.31	05/19/25 23:17	
1,3-Dichloropropane	ug/L	ND	5.0	0.24	05/19/25 23:17	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.12	05/19/25 23:17	
1-Methylnaphthalene	ug/L	ND	10.0	0.32	05/19/25 23:17	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	05/19/25 23:17	
2-Butanone (MEK)	ug/L	ND	25.0	2.3	05/19/25 23:17	
2-Chlorotoluene	ug/L	ND	5.0	0.19	05/19/25 23:17	
2-Hexanone	ug/L	ND	25.0	2.5	05/19/25 23:17	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	05/19/25 23:17	
4-Chlorotoluene	ug/L	ND	5.0	0.26	05/19/25 23:17	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.4	05/19/25 23:17	
Acetone	ug/L	ND	100	4.8	05/19/25 23:17	
Acrolein	ug/L	ND	50.0	18.3	05/19/25 23:17	
Acrylonitrile	ug/L	ND	100	1.5	05/19/25 23:17	
Benzene	ug/L	ND	5.0	0.28	05/19/25 23:17	
Bromobenzene	ug/L	ND	5.0	0.36	05/19/25 23:17	
Bromochloromethane	ug/L	ND	5.0	0.32	05/19/25 23:17	
Bromodichloromethane	ug/L	ND	5.0	0.22	05/19/25 23:17	
Bromoform	ug/L	ND	5.0	0.22	05/19/25 23:17	
Bromomethane	ug/L	ND	5.0	0.81	05/19/25 23:17	
Carbon disulfide	ug/L	ND	10.0	0.64	05/19/25 23:17	
Carbon tetrachloride	ug/L	ND	5.0	0.34	05/19/25 23:17	
Chlorobenzene	ug/L	ND	5.0	0.21	05/19/25 23:17	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

METHOD BLANK: 3867048 Matrix: Water

Associated Lab Samples: 50400936022, 50400936026, 50400936027, 50400936028, 50400936029, 50400936030, 50400936031, 50400936032, 50400936033, 50400936034

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.85	05/19/25 23:17	
Chloroform	ug/L	ND	5.0	0.33	05/19/25 23:17	
Chloromethane	ug/L	ND	5.0	1.4	05/19/25 23:17	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.27	05/19/25 23:17	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.25	05/19/25 23:17	
Dibromochloromethane	ug/L	ND	5.0	0.30	05/19/25 23:17	
Dibromomethane	ug/L	ND	5.0	0.20	05/19/25 23:17	
Dichlorodifluoromethane	ug/L	ND	5.0	0.88	05/19/25 23:17	
Ethyl methacrylate	ug/L	ND	100	0.46	05/19/25 23:17	
Ethylbenzene	ug/L	ND	5.0	0.46	05/19/25 23:17	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.33	05/19/25 23:17	
Iodomethane	ug/L	ND	10.0	0.33	05/19/25 23:17	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.30	05/19/25 23:17	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.24	05/19/25 23:17	
Methylene Chloride	ug/L	ND	5.0	2.0	05/19/25 23:17	
n-Butylbenzene	ug/L	ND	5.0	0.30	05/19/25 23:17	
n-Hexane	ug/L	ND	5.0	0.22	05/19/25 23:17	
n-Propylbenzene	ug/L	ND	5.0	0.21	05/19/25 23:17	
Naphthalene	ug/L	ND	1.2	0.22	05/19/25 23:17	
p-Isopropyltoluene	ug/L	ND	5.0	0.31	05/19/25 23:17	
sec-Butylbenzene	ug/L	ND	5.0	0.24	05/19/25 23:17	
Styrene	ug/L	ND	5.0	0.24	05/19/25 23:17	
tert-Butylbenzene	ug/L	ND	5.0	0.31	05/19/25 23:17	
Tetrachloroethene	ug/L	ND	5.0	0.32	05/19/25 23:17	
Toluene	ug/L	ND	5.0	0.19	05/19/25 23:17	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	05/19/25 23:17	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	05/19/25 23:17	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.52	05/19/25 23:17	
Trichloroethene	ug/L	ND	5.0	0.23	05/19/25 23:17	
Trichlorofluoromethane	ug/L	ND	5.0	0.89	05/19/25 23:17	
Vinyl acetate	ug/L	ND	50.0	1.3	05/19/25 23:17	
Vinyl chloride	ug/L	ND	2.0	0.88	05/19/25 23:17	
Xylene (Total)	ug/L	ND	10.0	0.29	05/19/25 23:17	
4-Bromofluorobenzene (S)	%.	109	79-124		05/19/25 23:17	
Dibromofluoromethane (S)	%.	95	82-128		05/19/25 23:17	
Toluene-d8 (S)	%.	94	73-122		05/19/25 23:17	

LABORATORY CONTROL SAMPLE: 3867049

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	49.6	99	78-129	
1,1,1-Trichloroethane	ug/L	50	48.3	97	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	49.7	99	69-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

LABORATORY CONTROL SAMPLE: 3867049

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	47.7	95	77-125	
1,1-Dichloroethane	ug/L	50	51.5	103	75-120	
1,1-Dichloroethene	ug/L	50	53.0	106	59-128	
1,1-Dichloropropene	ug/L	50	57.5	115	79-135	
1,2,3-Trichlorobenzene	ug/L	50	50.2	100	69-144	
1,2,3-Trichloropropane	ug/L	50	49.7	99	75-128	
1,2,4-Trichlorobenzene	ug/L	50	47.7	95	67-139	
1,2,4-Trimethylbenzene	ug/L	50	50.4	101	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	49.5	99	78-125	
1,2-Dichlorobenzene	ug/L	50	48.2	96	79-120	
1,2-Dichloroethane	ug/L	50	40.6	81	61-127	
1,2-Dichloropropane	ug/L	50	54.1	108	75-124	
1,3,5-Trimethylbenzene	ug/L	50	52.4	105	71-122	
1,3-Dichlorobenzene	ug/L	50	48.5	97	78-120	
1,3-Dichloropropane	ug/L	50	50.1	100	76-123	
1,4-Dichlorobenzene	ug/L	50	50.1	100	80-119	
1-Methylnaphthalene	ug/L	50	52.8	106	28-200	
2,2-Dichloropropane	ug/L	50	46.7	93	50-147	
2-Butanone (MEK)	ug/L	250	217	87	64-136	
2-Chlorotoluene	ug/L	50	51.6	103	74-119	
2-Hexanone	ug/L	250	209	83	59-134	
2-Methylnaphthalene	ug/L	50	42.6	85	23-200	
4-Chlorotoluene	ug/L	50	49.1	98	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	206	82	62-133	
Acetone	ug/L	250	208	83	34-156	
Acrolein	ug/L	1000	1090	109	46-156	
Acrylonitrile	ug/L	250	257	103	67-146	
Benzene	ug/L	50	56.1	112	76-120	
Bromobenzene	ug/L	50	51.9	104	73-121	
Bromochloromethane	ug/L	50	42.7	85	69-120	
Bromodichloromethane	ug/L	50	47.9	96	79-127	
Bromoform	ug/L	50	46.8	94	76-135	
Bromomethane	ug/L	50	43.8	88	10-181	
Carbon disulfide	ug/L	50	50.9	102	63-133	
Carbon tetrachloride	ug/L	50	48.4	97	70-131	
Chlorobenzene	ug/L	50	51.0	102	77-118	
Chloroethane	ug/L	50	44.9	90	31-159	
Chloroform	ug/L	50	46.6	93	74-122	
Chloromethane	ug/L	50	35.5	71	38-151	
cis-1,2-Dichloroethene	ug/L	50	52.5	105	78-121	
cis-1,3-Dichloropropene	ug/L	50	49.7	99	75-136	
Dibromochloromethane	ug/L	50	47.9	96	80-132	
Dibromomethane	ug/L	50	48.5	97	78-122	
Dichlorodifluoromethane	ug/L	50	42.4	85	10-172	
Ethyl methacrylate	ug/L	50	52.8J	106	72-147	
Ethylbenzene	ug/L	50	54.4	109	76-124	
Hexachloro-1,3-butadiene	ug/L	50	55.3	111	70-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

LABORATORY CONTROL SAMPLE: 3867049

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	42.4	85	10-143	
Isopropylbenzene (Cumene)	ug/L	50	53.1	106	66-113	
Methyl-tert-butyl ether	ug/L	50	45.4	91	74-124	
Methylene Chloride	ug/L	50	48.1	96	64-134	
n-Butylbenzene	ug/L	50	49.2	98	69-130	
n-Hexane	ug/L	50	45.9	92	51-127	
n-Propylbenzene	ug/L	50	51.1	102	67-127	
Naphthalene	ug/L	50	52.4	105	66-143	
p-Isopropyltoluene	ug/L	50	51.7	103	75-125	
sec-Butylbenzene	ug/L	50	53.4	107	71-126	
Styrene	ug/L	50	49.9	100	79-125	
tert-Butylbenzene	ug/L	50	59.7	119	73-125	
Tetrachloroethene	ug/L	50	60.3	121	71-122	
Toluene	ug/L	50	50.0	100	72-117	
trans-1,2-Dichloroethene	ug/L	50	52.6	105	74-121	
trans-1,3-Dichloropropene	ug/L	50	46.5	93	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	40.9J	82	57-137	
Trichloroethene	ug/L	50	53.2	106	75-124	
Trichlorofluoromethane	ug/L	50	57.0	114	55-142	
Vinyl acetate	ug/L	200	183	91	66-193	
Vinyl chloride	ug/L	50	50.9	102	50-150	
Xylene (Total)	ug/L	150	157	104	73-119	
4-Bromofluorobenzene (S)	%.			102	79-124	
Dibromofluoromethane (S)	%.			88	82-128	
Toluene-d8 (S)	%.			96	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3867050 3867051

Parameter	Units	50400936032 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	37.8	41.2	76	82	50-147	9	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	40.7	48.2	81	96	50-149	17	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	41.6	47.4	83	95	48-139	13	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	41.5	44.9	83	90	51-143	8	20	
1,1-Dichloroethane	ug/L	ND	50	50	47.8	54.5	88	102	49-144	13	20	
1,1-Dichloroethene	ug/L	ND	50	50	44.1	52.8	88	106	45-146	18	20	
1,1-Dichloropropene	ug/L	ND	50	50	43.2	52.3	86	105	55-157	19	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	24.6	26.2	49	52	30-155	6	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	41.3	47.8	83	96	47-146	15	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	21.1	22.6	42	45	25-148	7	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	22.0	24.1	44	48	37-139	9	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	41.4	45.1	83	90	56-140	9	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	26.8	28.6	54	57	43-139	6	20	
1,2-Dichloroethane	ug/L	ND	50	50	39.1	43.0	78	86	45-143	9	20	
1,2-Dichloropropane	ug/L	ND	50	50	47.8	52.9	96	106	53-144	10	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3867050 3867051

Parameter	Units	50400936032 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	22.4	25.1	45	50	35-141	12	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	23.8	25.8	48	52	39-138	8	20	
1,3-Dichloropropane	ug/L	ND	50	50	43.3	47.1	87	94	52-140	8	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	24.0	25.3	48	51	38-140	5	20	
1-Methylnaphthalene	ug/L	ND	50	50	35.8	41.4	72	83	12-185	14	20	
2,2-Dichloropropane	ug/L	ND	50	50	38.5	44.8	77	90	27-149	15	20	
2-Butanone (MEK)	ug/L	ND	250	250	173	217	69	87	38-153	22	20	R1
2-Chlorotoluene	ug/L	ND	50	50	25.6	28.4	51	57	37-141	10	20	
2-Hexanone	ug/L	ND	250	250	174	208	69	83	39-143	18	20	
2-Methylnaphthalene	ug/L	ND	50	50	24.5	28.2	49	56	10-189	14	20	
4-Chlorotoluene	ug/L	ND	50	50	23.2	25.5	46	51	36-142	10	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	171	201	69	80	42-142	16	20	
Acetone	ug/L	ND	250	250	175	217	70	87	32-141	22	20	R1
Acrolein	ug/L	ND	1000	1000	865	1060	87	106	26-153	20	20	
Acrylonitrile	ug/L	ND	250	250	218	268	87	107	48-148	20	20	
Benzene	ug/L	ND	50	50	47.6	54.5	91	105	50-143	13	20	
Bromobenzene	ug/L	ND	50	50	34.8	31.9	70	64	46-136	9	20	
Bromochloromethane	ug/L	ND	50	50	38.5	41.7	77	83	48-139	8	20	
Bromodichloromethane	ug/L	ND	50	50	42.5	46.7	85	93	50-149	10	20	
Bromoform	ug/L	ND	50	50	38.1	42.2	76	84	44-150	10	20	
Bromomethane	ug/L	ND	50	50	33.0	38.3	66	77	10-177	15	20	
Carbon disulfide	ug/L	ND	50	50	39.8	47.9	80	96	47-142	18	20	
Carbon tetrachloride	ug/L	ND	50	50	39.5	47.8	79	96	46-155	19	20	
Chlorobenzene	ug/L	ND	50	50	33.4	36.7	67	73	52-136	9	20	
Chloroethane	ug/L	926	50	50	714	825	-424	-201	26-171	14	20	E,M1
Chloroform	ug/L	ND	50	50	40.7	45.9	81	92	53-143	12	20	
Chloromethane	ug/L	ND	50	50	35.6	42.7	71	85	30-162	18	20	
cis-1,2-Dichloroethene	ug/L	134	50	50	152	170	35	71	49-147	11	20	M1
cis-1,3-Dichloropropene	ug/L	ND	50	50	38.6	41.5	77	83	48-146	7	20	
Dibromochloromethane	ug/L	ND	50	50	40.2	43.8	80	88	52-149	9	20	
Dibromomethane	ug/L	ND	50	50	43.7	48.1	87	96	50-144	10	20	
Dichlorodifluoromethane	ug/L	ND	50	50	38.6	46.7	77	93	10-190	19	20	
Ethyl methacrylate	ug/L	ND	50	50	45.8J	49.5J	92	99	51-156		20	
Ethylbenzene	ug/L	ND	50	50	30.9	35.3	62	71	43-145	13	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	10.1	11.2	20	22	11-156	10	20	
Iodomethane	ug/L	ND	50	50	38.3	44.1	77	88	10-144	14	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	26.3	30.0	53	60	39-128	13	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	42.3	45.3	85	91	50-144	7	20	
Methylene Chloride	ug/L	ND	50	50	43.4	48.3	87	97	40-150	11	20	
n-Butylbenzene	ug/L	ND	50	50	13.2	14.5	26	29	21-150	10	20	
n-Hexane	ug/L	ND	50	50	36.6	44.3	73	89	39-132	19	20	
n-Propylbenzene	ug/L	ND	50	50	20.7	23.3	41	47	31-144	12	20	
Naphthalene	ug/L	ND	50	50	33.6	37.7	67	75	43-148	12	20	
p-Isopropyltoluene	ug/L	ND	50	50	17.0	18.7	34	37	27-147	10	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3867050 3867051

Parameter	Units	50400936032 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	18.9	21.5	38	43	32-148	13	20	
Styrene	ug/L	ND	50	50	30.1	32.8	60	66	45-145	9	20	
tert-Butylbenzene	ug/L	ND	50	50	30.9	35.0	62	70	36-144	12	20	
Tetrachloroethene	ug/L	ND	50	50	31.1	36.9	62	74	46-146	17	20	
Toluene	ug/L	ND	50	50	34.3	39.1	69	78	48-135	13	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	42.4	50.2	82	97	52-139	17	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	36.0	38.7	72	77	45-144	7	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	30.8J	35.9J	62	72	30-144		20	
Trichloroethene	ug/L	ND	50	50	39.7	46.5	79	93	46-148	16	20	
Trichlorofluoromethane	ug/L	ND	50	50	51.4	62.9	103	126	43-160	20	20	
Vinyl acetate	ug/L	ND	200	200	135	150	68	75	23-195	11	20	
Vinyl chloride	ug/L	169	50	50	182	214	25	90	38-167	16	20	M1
Xylene (Total)	ug/L	ND	150	150	89.8	101	60	67	45-139	11	20	
4-Bromofluorobenzene (S)	%.						103	102	79-124			
Dibromofluoromethane (S)	%.						90	91	82-128			
Toluene-d8 (S)	%.						95	93	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 842747
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007

METHOD BLANK: 3857980 Matrix: Water
Associated Lab Samples: 50400936001, 50400936002, 50400936003, 50400936004, 50400936005, 50400936007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	05/09/25 08:43	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	05/09/25 08:43	

LABORATORY CONTROL SAMPLE: 3857981

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	0.99	99	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3857982 3857983

Parameter	Units	50400931002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	0.82	0.82	81	82	90-110	0	20	M3
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	1.7	1.7	86	85	90-110	0	20	M3

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3857984 3857985

Parameter	Units	50400936005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	0.95	0.95	95	94	90-110	1	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	1.9	1.9	96	95	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 842749
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936009

METHOD BLANK: 3857991 Matrix: Water
Associated Lab Samples: 50400936009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	05/09/25 09:40	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	05/09/25 09:40	

LABORATORY CONTROL SAMPLE: 3857992

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	0.97	97	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3857993 3857994

Parameter	Units	50400926010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	<0.013	1	1	0.56	0.57	56	57	90-110	2	20	M3
Nitrogen, NO2 plus NO3	mg/L	<0.013	2	2	1.4	1.4	68	68	90-110	0	20	M3

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3857995 3857996

Parameter	Units	50400935002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	0.96	0.95	96	95	90-110	1	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.0	2.0	98	98	90-110	0	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3857997 3857998

Parameter	Units	50400911003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	13.8	5	5	18.0	17.9	83	82	90-110	0	20	
Nitrogen, NO2 plus NO3	mg/L	13.8	10	10	23.0	23.0	92	91	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 843472
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936001

METHOD BLANK: 3861964 Matrix: Water
Associated Lab Samples: 50400936001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	05/15/25 14:28	

LABORATORY CONTROL SAMPLE: 3861965

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9460	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3861966 3861967

Parameter	Units	50400894013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	1.0 mg/L	10000	10000	10900	11000	99	99	80-120	0	15	

MATRIX SPIKE SAMPLE: 3861968

Parameter	Units	50400894014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	1.9 mg/L	10000	12200	103	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

QC Batch: 843476 | Analysis Method: SM 5310C
QC Batch Method: SM 5310C | Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936009

METHOD BLANK: 3861997 Matrix: Water
Associated Lab Samples: 50400936002, 50400936003, 50400936004, 50400936005, 50400936007, 50400936009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	05/21/25 01:24	

LABORATORY CONTROL SAMPLE: 3861998

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9730	97	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3861999 3862000

Parameter	Units	50400936005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	9070	10000	10000	18900	18700	98	96	80-120	1	15	

MATRIX SPIKE SAMPLE: 3862001

Parameter	Units	50400936007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	3860	10000	13600	98	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
H7	Re-extraction or re-analysis could not be performed within method holding time.
L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
P6	Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
R1	RPD value was outside control limits.
RS	The RPD value in one of the constituent analytes was outside the control limits.
S5	Surrogate recovery outside control limits due to matrix interferences (not confirmed by re-analysis).

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 GCV Headspace	Water	RSK 175 Modified	N/A

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50400936001	**MW-411D-20250507**	EPA 300.0	842829		
50400936002	**AD-200-20250507**	EPA 300.0	842829		
50400936003	**MW-407S-20250507**	EPA 300.0	842829		
50400936004	**MW-411S-20250507**	EPA 300.0	842829		
50400936005	**MW-407D-20250507**	EPA 300.0	842829		
50400936007	**MW-418D-20250508**	EPA 300.0	842829		
50400936009	**MW-418S-20250508**	EPA 300.0	842829		
50400936006	**W-8-20250508**	RSK 175	1006298		
50400936001	**MW-411D-20250507**	EPA 3010	844496	EPA 6010	844508
50400936002	**AD-200-20250507**	EPA 3010	844496	EPA 6010	844508
50400936003	**MW-407S-20250507**	EPA 3010	844496	EPA 6010	844508
50400936004	**MW-411S-20250507**	EPA 3010	844496	EPA 6010	844508
50400936005	**MW-407D-20250507**	EPA 3010	844496	EPA 6010	844508
50400936007	**MW-418D-20250508**	EPA 3010	844496	EPA 6010	844508
50400936009	**MW-418S-20250508**	EPA 3010	844496	EPA 6010	844508
50400936001	**MW-411D-20250507**	EPA 5030/8260	844113		
50400936002	**AD-200-20250507**	EPA 5030/8260	844113		
50400936003	**MW-407S-20250507**	EPA 5030/8260	844113		
50400936004	**MW-411S-20250507**	EPA 5030/8260	844113		
50400936005	**MW-407D-20250507**	EPA 5030/8260	844113		
50400936006	**W-8-20250508**	EPA 5030/8260	844198		
50400936007	**MW-418D-20250508**	EPA 5030/8260	844113		
50400936008	**AD-300-20250508**	EPA 5030/8260	844113		
50400936009	**MW-418S-20250508**	EPA 5030/8260	844113		
50400936010	**MW-251-20250508**	EPA 5030/8260	844113		
50400936011	**W-10-20250508**	EPA 5030/8260	844113		
50400936012	**MW-41-20250508**	EPA 5030/8260	844113		
50400936013	**MW-131-20250508**	EPA 5030/8260	844198		
50400936014	**MW-401-20250508**	EPA 5030/8260	844198		
50400936015	**MW-423D-20250508**	EPA 5030/8260	844198		
50400936016	**MW-423S-20250508**	EPA 5030/8260	844198		
50400936017	**MW-422D-20250508**	EPA 5030/8260	844198		
50400936018	**MW-422S-20250508**	EPA 5030/8260	844198		
50400936019	**MW-419D-20250508**	EPA 5030/8260	844198		
50400936020	**MW-419S-20250508**	EPA 5030/8260	844201		
50400936021	**MW-408D-20250508**	EPA 5030/8260	844201		
50400936022	**MW-408S-20250508**	EPA 5030/8260	844474		
50400936023	**MW-403-20250508**	EPA 5030/8260	844201		
50400936024	**MW-404-20250508**	EPA 5030/8260	844201		
50400936025	**MW-406D-20250508**	EPA 5030/8260	844201		
50400936026	**MW-406S-20250508**	EPA 5030/8260	844474		
50400936027	**W-2-20250508**	EPA 5030/8260	844474		
50400936028	**MW-311-20250508**	EPA 5030/8260	844474		
50400936029	**MW-416D-20250508**	EPA 5030/8260	844474		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Q2 2025/1940103494
Pace Project No.: 50400936

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50400936030	**MW-416S-20250508**	EPA 5030/8260	844474		
50400936031	**W-4R-20250508**	EPA 5030/8260	844474		
50400936032	**MW-321-20250508**	EPA 5030/8260	844474		
50400936033	**MW-331-20250508**	EPA 5030/8260	844474		
50400936034	**TRIP BLANK-20250508**	EPA 5030/8260	844474		
50400936001	**MW-411D-20250507**	EPA 353.2	842747		
50400936002	**AD-200-20250507**	EPA 353.2	842747		
50400936003	**MW-407S-20250507**	EPA 353.2	842747		
50400936004	**MW-411S-20250507**	EPA 353.2	842747		
50400936005	**MW-407D-20250507**	EPA 353.2	842747		
50400936007	**MW-418D-20250508**	EPA 353.2	842747		
50400936009	**MW-418S-20250508**	EPA 353.2	842749		
50400936001	**MW-411D-20250507**	SM 5310C	843472		
50400936002	**AD-200-20250507**	SM 5310C	843476		
50400936003	**MW-407S-20250507**	SM 5310C	843476		
50400936004	**MW-411S-20250507**	SM 5310C	843476		
50400936005	**MW-407D-20250507**	SM 5310C	843476		
50400936007	**MW-418D-20250508**	SM 5310C	843476		
50400936009	**MW-418S-20250508**	SM 5310C	843476		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder# sample Label Here

WO# : 50400936

50400936

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	Q2 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET		County / State origin of sample(s):	Indiana
Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable:	Reportable [ ] Yes [ ] No	
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____	DW PWSID # or WW Permit # as applicable:	
	Date Results Requested:	Field Filtered (if applicable): [✓] Yes [ ] No	
		Analysis:	

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3256469**

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC Anions 28 Days; 353.2 Nitrate	5310C TOC	6010 MET ICP, Fe Dissolved	8260 MSV Indiana	DHG	Sample Comment
MW-411D-20250507	GW	G			5/7/25	1405	6			X	X	X	X		
AD-200-20250507	"	"			5/7/25	1200	6			X	X	X	X		
MW-407S-20250507	"	"			"	1402	6			X	X	X	X		
MW-411S-20250507	"	"			"	1610	6			X	X	X	X		
MW-407D-20250507	"	"			"	1610	12			X	X	X	X		MS/MSD
W-8-20250508	"	"			5/8/25	953	12						X	X	MS/MSD
MW-418D-20250508	"	"			"	1215	6			X	X	X	X		
AD-300-20250508	"	"			"	1200	3						X		
MW-418S 20250508	"	"			"	1405	6			X	X	X	X		
MW-251-20250508	"	"			"	821	3						X		

Additional Instructions from Pace®:
Please return samples to the lab on ice
Nitrate has a short hold; please return/ship samples on the day of collection

Collected By: (Printed Name) Patrick Verbrycke

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
2	C	-0.1	Scu	SCUR	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
PatrickVerbrycke/Ramboll	5/8/25 1600	~~Rebecca Borgmeier Ramboll~~ Ramboll	~~5/8/25~~ 5/8/25 1600	
CB/Ramboll	5/8/25 1645	(PACE)	5/8/25 1645	Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
				Page: 1 of 1

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	Q2 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET		County / State origin of sample(s):	Indiana
Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____ Date Results Requested:	DW PWSID # or WW Permit # as applicable: Field Filtered (if applicable): [✓] Yes [ ] No Analysis:	

Specify Container Size **

Identify Container Preservative Type***

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Analysis Requested

Lab Use Only:
- Proj. Mgr: Heather Patterson
- AcctNum / Client ID:
- Table #:
- Profile / Template: 2747-28
- Prelog / Bottle Ord. ID: EZ 3256469

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC Anions 28 Days; 353.2 Nitrate	5310C TOC	6010 MET ICP, Fe Dissolved	8260 MSV Indiana	DHG	Sample Comment	Preservation non-conformance identified for sample.
MW-10-20250508	GW	G			5/8/25	847	3						X			
MW-41-20250508	"	"			"	908	3						X			
MW-131-20250508	"	"			"	929	3						X			
MW-401-20250508	"	"			"	1006	3						X			
MW-423D-20250508	"	"			"	1028	3						X			
MW-423S-20250508	"	"			"	1040	3						X			
MW-422D-20250508	"	"			"	1125	3						X			
MW-422S-20250508	"	"			"	1108	3						X			
MW-419D-20250508	"	"			"	1144	3						X			
MW-419S-20250508	"	"			"	1154	3						X			

Additional Instructions from Pace®:
Please return samples to the lab on ice
Nitrate has a short hold; please return/ship samples on the day of collection

Collected By: (Printed Name)

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
2	C	-0.1	See	SCOR	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Rohan Ramboll	5/8/25 1600	Ramboll	5/8/25 1600	
Ramboll	5/8/25 1645	(PACE)	5/9/25 1645	Delivered by: [ ] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
				Page: 2 of 4 6

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	Q2 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [√] ET		County / State origin of sample(s):	Indiana
Data Deliverables: [√] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable:	Reportable [ ] Yes [ ] No	
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other	DW PWSID # or WW Permit # as applicable:	
	Date Results Requested:	Field Filtered (if applicable): [√] Yes [ ] No	
		Analysis:	

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**
AcctNum / Client ID:
Table #:
Profile / Template: **2747-28**
Prelog / Bottle Ord. ID: **EZ 3256469**

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC Anions 28 Days; 353.2 Nitrate	5310C TOC	6010 MET ICP, Fe Dissolved	8260 MSV Indiana	DHG	Sample Comment	Preservation non-conformance identified for sample.
MW-408D-20250508	GW	G			5/8/25	1216	3						X			
MW-404S-20250508						1225	3						X			
MW-403-20250508						1245	3						X			
MW-404-20250508						1302	3						X			
MW-406D-20250508						1328	3						X			
MW-406S-20250508						1337	3						X			
MW-2-20250508						1357	3						X			
MW-311-20250508						1417	3						X			
MW-416D-20250508						1433	3						X			
MW-416S-20250508						1442	3						X			

Additional Instructions from Pace®:
Please return samples to the lab on ice
Nitrate has a short hold; please return/ship samples on the day of collection

Collected By:
(Printed Name)
Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
2	C	-0.1	See	SCR	Y

Relinquished by/Company: (Signature) Patrick Verbyke Ramboll	Date/Time: 5/8/25 1600	Received by/Company: (Signature) Ramboll	Date/Time: 5/8/25 1600	Tracking Number:	
Relinquished by/Company: (Signature) Ramboll	Date/Time: 5/8/25 1645	Received by/Company: (Signature) (PACE)	Date/Time: 5/8/25 1645	Delivered by: [ ] In- Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:		
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 3 of 4	

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:	1940103494		
Project Name:	Q2 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET		County / State origin of sample(s):	Indiana
Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No		
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____	DW PWSID # or WW Permit # as applicable:	
	Date Results Requested:	Field Filtered (if applicable): [✓] Yes [ ] No Analysis:	

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC Anions 28 Days; 353.2 Nitrate	5310C TOC	6010 MET ICP, Fe Dissolved	8260 MSV Indiana	DHG	Sample Comment
W-4R-20250508	GW	G			5/8/25	1500	3						X		
MW-321-20250508	↓	↓			↓	1519	3						X		
MW-331-20250508	↓	↓			↓	1530	3						X		
Tripblank-20250508		↓			↓	1552	6						X		2sets / 1 per cooler

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3256469**

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
Please return samples to the lab on ice
Nitrate has a short hold; please return/ship samples on the day of collection

Collected By: (Printed Name) Patrick Verbryke

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
2	C	-0.1	See	SCR	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke Ramboll	5/8/25 1600	Ramboll	5/8/25 1600	
Ramboll	5/8/25 1645	(PACE)	5/8/25 1645	Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other
				Page: 4 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: LR 5/8/25 1700

1. Thermometer: 1 2 3 4 5 6 7 8 9 A B (C) D E F G H I	**3. Packing Material:** Bubble Wrap (Bubble Bags) None Other _____
2. Cooler Temperature(s): (Initial/Corrected) 1.8/1.7 | 1.3/1.2 | | RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)	**4. Ice Type:** (Wet) Blue None
3. Was the PM notified of out of temp cooler?: Yes No Cooler temp should be above freezing to 6°C If the PM was contacted in the comments below please write how they instructed the project to proceed	**5. Courier:** Fed Ex UPS (Client) Pace Now/Jetl Other **6. Custody Seal on Cooler/Box Present:** (Yes) No **(If yes)Seals Intact:** (Yes) No **(leave blank if no seals were present)**

All discrepancies will be written out in the comments section below.

	Yes	No		Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		X	All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** **Circle: HNO3 (≤2) H2SO4 (≤2) NaOH (>10) NaOH/ZnAc (>9)** Any non-conformance to pH recommendations will be noted on the container count form	X		
Short Hold Time Analysis (48 hours or less)? Analysis: NO2/NO3	X					
Time 5035A TC placed in Freezer or Short Holds To Lab	Time:		Residual Chlorine Check (SVOC 625 Pest/PCB 608)	Present	Absent	N/A X
Rush TAT Requested (4 days or less):		X	Residual Chlorine Check (Total/Amenable/Free Cyanide)			X
Custody Signatures Present?	X		Headspace in **VOA Vials** (>6mm): See Containter Count form for details	Present	Absent X	No VOA Vials Sent
Containers Intact?:	X		Trip Blank Present?	X		
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	X		Trip Blank Custody Seals?:	X		
Extra labels on Terracore Vials? (soils only)		X	Out Of Temp Instructions if applicable:			

COMMENTS:

COC PAGE 1 of 4

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

			MeOH (DRY)							AMBER GLASS							PLASTIC									OTHER								
			SBS																														
			DI																														
COC Line Item	WGFU	WGKU BG1U	R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1				3									1						1		1												
2																																	
3																																	
4																																	
5				9									1						1		1												
6				9/12																													
7				3									1						1		1												
8																																	
9													1						1		1												
10																																	
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 2 of 4

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

			MeOH (only)							AMBER GLASS							PLASTIC									OTHER					Matrix
			SBS																											
			DI																											
COC Line Item	WGFU	WGKU BG1U	R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			
1				3																									3
2																													
3																													
4																													
5																													
6																													
7																													
8																													
9																													
10																													
11																													
12																													

Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
Red	Yellow	Green	Black
HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 3 of 4

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (orig) / SBS / DI / R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AMBER GLASS: AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC: BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER: CG3H	CG3F	Syringe Kit			Matrix
1					3																									3
2																														
3																														
4																														
5																														
6																														
7																														
8																														
9																														
10																														
11																														
12																														

Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
Red	Yellow	Green	Black
HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl. Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 4 of 4

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

									AMBER GLASS							PLASTIC									OTHER						Matrix	Nitric Red	Sulfuric Yellow	Sodium Hydroxide Green	Sodium Hydroxide/ ZnAc Black
			MeOH (only)																														
			SBS																														
			DI																														
COC Line Item	WGFU	WGKU BG1U	R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit				HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9
1				3																									W				
2				3																													
3				3																													
4				6																									S				
5																																	
6																																	
7																																	
8																																	
9																																	
10																																	
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

APPENDIX B-3 JULY 2025 GROUNDWATER SAMPLING EVENT

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

July 28, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on July 15, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50407324001	**MW-323-20250714**	Water	07/14/25 09:09	07/15/25 13:45
50407324002	**W-11D-20250714**	Water	07/14/25 09:39	07/15/25 13:45
50407324003	**MW-183-20250714**	Water	07/14/25 09:56	07/15/25 13:45
50407324004	**MW-331-20250714**	Water	07/14/25 10:20	07/15/25 13:45
50407324005	**MW-321-20250714**	Water	07/14/25 10:45	07/15/25 13:45
50407324006	**MW-414S-20250714**	Water	07/14/25 11:50	07/15/25 13:45
50407324007	**MW-414D-20250714**	Water	07/14/25 12:00	07/15/25 13:45
50407324008	**MW-415S-20250714**	Water	07/14/25 12:24	07/15/25 13:45
50407324009	**MW-415D-20250714**	Water	07/14/25 12:36	07/15/25 13:45
50407324010	**MW-311-20250714**	Water	07/14/25 13:10	07/15/25 13:45
50407324011	**W-2-20250714**	Water	07/14/25 14:04	07/15/25 13:45
50407324012	**MW-33-20250714**	Water	07/14/25 14:56	07/15/25 13:45
50407324013	**MW-32-20250714**	Water	07/14/25 15:19	07/15/25 13:45
50407324014	**MW-82-20250714**	Water	07/14/25 15:54	07/15/25 13:45
50407324015	**MW-413S-20250714**	Water	07/14/25 10:45	07/15/25 13:45
50407324016	**MW-413D-20250714**	Water	07/14/25 12:39	07/15/25 13:45
50407324017	**AD-100-20250714**	Water	07/14/25 12:00	07/15/25 13:45
50407324018	**MW-425-20250714**	Water	07/14/25 15:12	07/15/25 13:45
50407324019	**MW-251-20250715**	Water	07/15/25 08:29	07/15/25 13:45
50407324020	**MW-253-20250715**	Water	07/15/25 08:41	07/15/25 13:45
50407324021	**W-10-20250715**	Water	07/15/25 08:59	07/15/25 13:45
50407324022	**MW-153-20250715**	Water	07/15/25 09:13	07/15/25 13:45
50407324023	**MW-163-20250715**	Water	07/15/25 09:40	07/15/25 13:45
50407324024	**MW-312-20250715**	Water	07/15/25 09:57	07/15/25 13:45
50407324025	**MW-132-20250715**	Water	07/15/25 10:18	07/15/25 13:45
50407324026	**MW-133-20250715**	Water	07/15/25 10:30	07/15/25 13:45
50407324027	**MW-131-20250715**	Water	07/15/25 10:41	07/15/25 13:45
50407324028	**MW-41-20250715**	Water	07/15/25 11:27	07/15/25 13:45
50407324029	**MW-122-20250715**	Water	07/15/25 11:49	07/15/25 13:45
50407324030	**MW-302-20250715**	Water	07/15/25 12:14	07/15/25 13:45
50407324031	**MW-303-20250715**	Water	07/15/25 12:25	07/15/25 13:45
50407324032	**EB-01-20250714**	Water	07/14/25 08:55	07/15/25 13:45
50407324033	**Trip Blank-20250715**	Water	07/15/25 08:00	07/15/25 13:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50407324001	**MW-323-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324002	**W-11D-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324003	**MW-183-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324004	**MW-331-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324005	**MW-321-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324006	**MW-414S-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324007	**MW-414D-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324008	**MW-415S-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324009	**MW-415D-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324010	**MW-311-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324011	**W-2-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324012	**MW-33-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324013	**MW-32-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324014	**MW-82-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324015	**MW-413S-20250714**	EPA 300.0	MTW	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407324016	**MW-413D-20250714**	EPA 300.0	MTW	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407324017	**AD-100-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324018	**MW-425-20250714**	EPA 300.0	MTW	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407324019	**MW-251-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324020	**MW-253-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324021	**W-10-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324022	**MW-153-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324023	**MW-163-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324024	**MW-312-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324025	**MW-132-20250715**	EPA 5030/8260	JRW	75	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50407324026	**MW-133-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324027	**MW-131-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324028	**MW-41-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324029	**MW-122-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324030	**MW-302-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324031	**MW-303-20250715**	EPA 5030/8260	JRW	75	PASI-I
50407324032	**EB-01-20250714**	EPA 5030/8260	JRW	75	PASI-I
50407324033	**Trip Blank-20250715**	EPA 5030/8260	JRW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407324001	**MW-323-20250714**					
EPA 5030/8260	cis-1,2-Dichloroethene	192	ug/L	5.0	07/16/25 13:40	
EPA 5030/8260	Vinyl chloride	5.1	ug/L	2.0	07/16/25 13:40	
50407324002	**W-11D-20250714**					
EPA 5030/8260	1,1-Dichloroethane	60.6	ug/L	5.0	07/16/25 14:12	
EPA 5030/8260	cis-1,2-Dichloroethene	18.9	ug/L	5.0	07/16/25 14:12	
EPA 5030/8260	Vinyl chloride	3.2	ug/L	2.0	07/16/25 14:12	
50407324003	**MW-183-20250714**					
EPA 5030/8260	Vinyl chloride	12.3	ug/L	2.0	07/16/25 14:45	
50407324004	**MW-331-20250714**					
EPA 5030/8260	cis-1,2-Dichloroethene	34.9	ug/L	5.0	07/16/25 15:17	
EPA 5030/8260	Vinyl chloride	30.1	ug/L	2.0	07/16/25 15:17	
50407324005	**MW-321-20250714**					
EPA 5030/8260	Chloroethane	580	ug/L	50.0	07/17/25 19:06	
EPA 5030/8260	cis-1,2-Dichloroethene	82.0	ug/L	5.0	07/16/25 15:49	
EPA 5030/8260	Vinyl chloride	310	ug/L	20.0	07/17/25 19:06	
50407324006	**MW-414S-20250714**					
EPA 5030/8260	Chloroethane	1530	ug/L	50.0	07/16/25 16:54	
EPA 5030/8260	1,1-Dichloroethane	26.9	ug/L	5.0	07/16/25 16:21	
EPA 5030/8260	Vinyl chloride	4.7	ug/L	2.0	07/16/25 16:21	
50407324007	**MW-414D-20250714**					
EPA 5030/8260	Chloroethane	403	ug/L	50.0	07/17/25 19:39	
EPA 5030/8260	1,1-Dichloroethane	6.7	ug/L	5.0	07/16/25 17:26	
EPA 5030/8260	cis-1,2-Dichloroethene	178	ug/L	5.0	07/16/25 17:26	
EPA 5030/8260	Vinyl chloride	598	ug/L	20.0	07/17/25 19:39	
50407324008	**MW-415S-20250714**					
EPA 5030/8260	Chloroethane	1310	ug/L	50.0	07/16/25 18:30	
EPA 5030/8260	1,1-Dichloroethane	35.3	ug/L	5.0	07/16/25 17:58	
EPA 5030/8260	cis-1,2-Dichloroethene	9.5	ug/L	5.0	07/16/25 17:58	
EPA 5030/8260	trans-1,2-Dichloroethene	5.0	ug/L	5.0	07/16/25 17:58	
EPA 5030/8260	Vinyl chloride	44.4	ug/L	2.0	07/16/25 17:58	
50407324009	**MW-415D-20250714**					
EPA 5030/8260	Chloroethane	12.1	ug/L	5.0	07/16/25 19:03	
EPA 5030/8260	cis-1,2-Dichloroethene	37.5	ug/L	5.0	07/16/25 19:03	
EPA 5030/8260	Tetrachloroethene	22.3	ug/L	5.0	07/16/25 19:03	
EPA 5030/8260	Vinyl chloride	17.0	ug/L	2.0	07/16/25 19:03	
50407324010	**MW-311-20250714**					
EPA 5030/8260	Benzene	16.2	ug/L	5.0	07/16/25 19:35	
EPA 5030/8260	Chloroethane	4300	ug/L	125	07/17/25 20:11	
EPA 5030/8260	1,1-Dichloroethane	1120	ug/L	125	07/17/25 20:11	
EPA 5030/8260	1,2-Dichloroethane	7.0	ug/L	5.0	07/16/25 19:35	
EPA 5030/8260	1,1-Dichloroethene	9.5	ug/L	5.0	07/16/25 19:35	
EPA 5030/8260	cis-1,2-Dichloroethene	1140	ug/L	125	07/17/25 20:11	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407324010	**MW-311-20250714**					
EPA 5030/8260	trans-1,2-Dichloroethene	36.4	ug/L	5.0	07/16/25 19:35	
EPA 5030/8260	1,1,1-Trichloroethane	247	ug/L	5.0	07/16/25 19:35	
EPA 5030/8260	Vinyl chloride	909	ug/L	50.0	07/17/25 20:11	
50407324011	**W-2-20250714**					
EPA 5030/8260	2-Butanone (MEK)	38.7	ug/L	25.0	07/17/25 13:12	
EPA 5030/8260	Chloroethane	931	ug/L	50.0	07/17/25 13:44	
EPA 5030/8260	1,1-Dichloroethane	10.6	ug/L	5.0	07/17/25 13:12	
EPA 5030/8260	trans-1,2-Dichloroethene	23.6	ug/L	5.0	07/17/25 13:12	
EPA 5030/8260	Vinyl chloride	30.5	ug/L	2.0	07/17/25 13:12	
50407324015	**MW-413S-20250714**					
EPA 300.0	Sulfate	48700	ug/L	2500	07/19/25 22:13	
EPA 6010	Iron, Dissolved	1910	ug/L	100	07/25/25 12:02	
EPA 5030/8260	Chloroethane	330	ug/L	50.0	07/17/25 20:43	M1
EPA 5030/8260	1,1-Dichloroethane	6.0	ug/L	5.0	07/16/25 20:39	
EPA 5030/8260	cis-1,2-Dichloroethene	102	ug/L	5.0	07/16/25 20:39	M1
EPA 5030/8260	Vinyl chloride	102	ug/L	2.0	07/16/25 20:39	M1
SM 5310C	Total Organic Carbon	3670	ug/L	1000	07/22/25 20:00	
50407324016	**MW-413D-20250714**					
EPA 300.0	Sulfate	62100	ug/L	2500	07/19/25 23:39	
EPA 6010	Iron, Dissolved	2560	ug/L	100	07/25/25 12:11	
EPA 5030/8260	Chloroethane	86.6	ug/L	5.0	07/17/25 15:21	
EPA 5030/8260	Vinyl chloride	371	ug/L	20.0	07/18/25 12:40	
SM 5310C	Total Organic Carbon	5060	ug/L	1000	07/22/25 20:32	
50407324017	**AD-100-20250714**					
EPA 5030/8260	Chloroethane	88.1	ug/L	5.0	07/17/25 15:53	
EPA 5030/8260	Vinyl chloride	377	ug/L	20.0	07/17/25 16:25	
50407324018	**MW-425-20250714**					
EPA 300.0	Sulfate	100000	ug/L	2500	07/20/25 00:30	
EPA 6010	Iron, Dissolved	8800	ug/L	100	07/25/25 12:17	
EPA 5030/8260	Chloroethane	2800	ug/L	50.0	07/17/25 17:30	
EPA 5030/8260	1,1-Dichloroethane	8.9	ug/L	5.0	07/17/25 16:58	
EPA 5030/8260	cis-1,2-Dichloroethene	9.1	ug/L	5.0	07/17/25 16:58	
EPA 5030/8260	Vinyl chloride	11.4	ug/L	2.0	07/17/25 16:58	
SM 5310C	Total Organic Carbon	3770	ug/L	1000	07/22/25 20:53	
50407324020	**MW-253-20250715**					
EPA 5030/8260	Chloroethane	741	ug/L	50.0	07/18/25 12:24	
EPA 5030/8260	cis-1,2-Dichloroethene	15700	ug/L	500	07/18/25 12:56	
EPA 5030/8260	trans-1,2-Dichloroethene	175	ug/L	50.0	07/18/25 12:24	
EPA 5030/8260	Vinyl chloride	2940	ug/L	200	07/18/25 12:56	
50407324023	**MW-163-20250715**					
EPA 5030/8260	cis-1,2-Dichloroethene	6310	ug/L	500	07/18/25 14:33	
EPA 5030/8260	trans-1,2-Dichloroethene	51.1	ug/L	50.0	07/18/25 14:01	
EPA 5030/8260	Vinyl chloride	2380	ug/L	20.0	07/18/25 14:01	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407324025	**MW-132-20250715**					
EPA 5030/8260	1,1-Dichloroethane	41.4	ug/L	5.0	07/18/25 15:37	
EPA 5030/8260	cis-1,2-Dichloroethene	444	ug/L	50.0	07/18/25 16:10	
EPA 5030/8260	trans-1,2-Dichloroethene	35.0	ug/L	5.0	07/18/25 15:37	
EPA 5030/8260	Trichloroethene	528	ug/L	50.0	07/18/25 16:10	
EPA 5030/8260	Vinyl chloride	214	ug/L	2.0	07/18/25 15:37	
50407324026	**MW-133-20250715**					
EPA 5030/8260	cis-1,2-Dichloroethene	694	ug/L	50.0	07/18/25 17:14	
EPA 5030/8260	trans-1,2-Dichloroethene	23.4	ug/L	5.0	07/18/25 16:42	
EPA 5030/8260	Trichloroethene	5.6	ug/L	5.0	07/18/25 16:42	
EPA 5030/8260	Vinyl chloride	400	ug/L	20.0	07/18/25 17:14	
50407324027	**MW-131-20250715**					
EPA 5030/8260	Chloroform	7.7	ug/L	5.0	07/18/25 17:46	
EPA 5030/8260	1,1-Dichloroethane	14.7	ug/L	5.0	07/18/25 17:46	
EPA 5030/8260	cis-1,2-Dichloroethene	9.6	ug/L	5.0	07/18/25 17:46	
EPA 5030/8260	1,1,1-Trichloroethane	123	ug/L	5.0	07/18/25 17:46	
EPA 5030/8260	Trichloroethene	31.7	ug/L	5.0	07/18/25 17:46	
50407324031	**MW-303-20250715**					
EPA 5030/8260	1,1-Dichloroethene	5.8	ug/L	5.0	07/18/25 19:55	
EPA 5030/8260	cis-1,2-Dichloroethene	1300	ug/L	50.0	07/18/25 20:27	
EPA 5030/8260	trans-1,2-Dichloroethene	13.6	ug/L	5.0	07/18/25 19:55	
EPA 5030/8260	Vinyl chloride	318	ug/L	20.0	07/18/25 20:27	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-323-20250714 **Lab ID: 50407324001** Collected: 07/14/25 09:09 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 13:40	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 13:40	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 13:40	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 13:40	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 13:40	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 13:40	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 13:40	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 13:40	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 13:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 13:40	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 13:40	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 13:40	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 13:40	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 13:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 13:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 13:40	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/16/25 13:40	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 13:40	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 13:40	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 13:40	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 13:40	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 13:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 13:40	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 13:40	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 13:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 13:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 13:40	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 13:40	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 13:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/16/25 13:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 13:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 13:40	75-35-4	
cis-1,2-Dichloroethene	**192**	ug/L	5.0	0.51	1		07/16/25 13:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 13:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 13:40	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 13:40	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 13:40	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 13:40	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 13:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 13:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 13:40	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 13:40	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 13:40	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 13:40	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 13:40	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-323-20250714 **Lab ID: 50407324001** Collected: 07/14/25 09:09 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 13:40	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 13:40	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 13:40	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 13:40	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 13:40	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 13:40	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 13:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 13:40	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 13:40	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 13:40	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 13:40	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 13:40	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 13:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 13:40	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 13:40	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 13:40	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 13:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 13:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 13:40	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 13:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 13:40	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 13:40	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 13:40	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 13:40	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 13:40	108-05-4	L1
Vinyl chloride	**5.1**	ug/L	2.0	0.45	1		07/16/25 13:40	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 13:40	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		07/16/25 13:40	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		07/16/25 13:40	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/16/25 13:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: W-11D-20250714 **Lab ID: 50407324002** Collected: 07/14/25 09:39 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 14:12	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 14:12	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 14:12	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 14:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 14:12	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 14:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 14:12	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 14:12	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 14:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 14:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 14:12	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 14:12	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 14:12	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 14:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 14:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 14:12	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/16/25 14:12	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 14:12	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 14:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 14:12	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 14:12	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 14:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 14:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 14:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 14:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 14:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 14:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 14:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 14:12	75-71-8	
1,1-Dichloroethane	**60.6**	ug/L	5.0	0.48	1		07/16/25 14:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 14:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 14:12	75-35-4	
cis-1,2-Dichloroethene	**18.9**	ug/L	5.0	0.51	1		07/16/25 14:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 14:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 14:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 14:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 14:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 14:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 14:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 14:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 14:12	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 14:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 14:12	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 14:12	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 14:12	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: W-11D-20250714 **Lab ID: 50407324002** Collected: 07/14/25 09:39 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 14:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 14:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 14:12	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 14:12	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 14:12	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 14:12	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 14:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 14:12	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 14:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 14:12	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 14:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 14:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 14:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 14:12	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 14:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 14:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 14:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 14:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 14:12	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 14:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 14:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 14:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 14:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 14:12	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 14:12	108-05-4	L1
Vinyl chloride	**3.2**	ug/L	2.0	0.45	1		07/16/25 14:12	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 14:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		07/16/25 14:12	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		07/16/25 14:12	460-00-4	
Toluene-d8 (S)	102	%.	73-122		1		07/16/25 14:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-183-20250714 **Lab ID: 50407324003** Collected: 07/14/25 09:56 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 14:45	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 14:45	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 14:45	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 14:45	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 14:45	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 14:45	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 14:45	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 14:45	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 14:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 14:45	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 14:45	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 14:45	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 14:45	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 14:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 14:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 14:45	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/16/25 14:45	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 14:45	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 14:45	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 14:45	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 14:45	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 14:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 14:45	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 14:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 14:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 14:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 14:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 14:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 14:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/16/25 14:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 14:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 14:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/16/25 14:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 14:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 14:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 14:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 14:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 14:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 14:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 14:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 14:45	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 14:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 14:45	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 14:45	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 14:45	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-183-20250714 **Lab ID: 50407324003** Collected: 07/14/25 09:56 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 14:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 14:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 14:45	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 14:45	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 14:45	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 14:45	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 14:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 14:45	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 14:45	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 14:45	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 14:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 14:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 14:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 14:45	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 14:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 14:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 14:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 14:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 14:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 14:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 14:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 14:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 14:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 14:45	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 14:45	108-05-4	L1
Vinyl chloride	**12.3**	ug/L	2.0	0.45	1		07/16/25 14:45	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 14:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		1		07/16/25 14:45	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		07/16/25 14:45	460-00-4	
Toluene-d8 (S)	103	%.	73-122		1		07/16/25 14:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-331-20250714 **Lab ID: 50407324004** Collected: 07/14/25 10:20 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 15:17	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 15:17	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 15:17	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 15:17	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 15:17	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 15:17	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 15:17	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 15:17	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 15:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 15:17	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 15:17	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 15:17	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 15:17	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 15:17	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 15:17	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 15:17	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/16/25 15:17	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 15:17	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 15:17	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 15:17	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 15:17	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 15:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 15:17	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 15:17	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 15:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 15:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 15:17	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 15:17	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 15:17	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/16/25 15:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 15:17	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 15:17	75-35-4	
cis-1,2-Dichloroethene	**34.9**	ug/L	5.0	0.51	1		07/16/25 15:17	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 15:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 15:17	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 15:17	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 15:17	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 15:17	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 15:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 15:17	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 15:17	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 15:17	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 15:17	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 15:17	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 15:17	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-331-20250714 **Lab ID: 50407324004** Collected: 07/14/25 10:20 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 15:17	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 15:17	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 15:17	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 15:17	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 15:17	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 15:17	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 15:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 15:17	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 15:17	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 15:17	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 15:17	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 15:17	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 15:17	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 15:17	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 15:17	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 15:17	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 15:17	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 15:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 15:17	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 15:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 15:17	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 15:17	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 15:17	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 15:17	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 15:17	108-05-4	L1
Vinyl chloride	**30.1**	ug/L	2.0	0.45	1		07/16/25 15:17	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 15:17	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		07/16/25 15:17	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		07/16/25 15:17	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/16/25 15:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-321-20250714 **Lab ID: 50407324005** Collected: 07/14/25 10:45 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 15:49	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 15:49	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 15:49	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 15:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 15:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 15:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 15:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 15:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 15:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 15:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 15:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 15:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 15:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 15:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 15:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 15:49	108-90-7	
Chloroethane	**580**	ug/L	50.0	4.1	10		07/17/25 19:06	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 15:49	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 15:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 15:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 15:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 15:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 15:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 15:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 15:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 15:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 15:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 15:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 15:49	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/16/25 15:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 15:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 15:49	75-35-4	
cis-1,2-Dichloroethene	**82.0**	ug/L	5.0	0.51	1		07/16/25 15:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 15:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 15:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 15:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 15:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 15:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 15:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 15:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 15:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 15:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 15:49	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 15:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 15:49	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-321-20250714 **Lab ID: 50407324005** Collected: 07/14/25 10:45 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 15:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 15:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 15:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 15:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 15:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 15:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 15:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 15:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 15:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 15:49	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 15:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 15:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 15:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 15:49	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 15:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 15:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 15:49	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 15:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 15:49	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 15:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 15:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 15:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 15:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 15:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 15:49	108-05-4	L1
Vinyl chloride	**310**	ug/L	20.0	4.5	10		07/17/25 19:06	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 15:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		1		07/16/25 15:49	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		07/16/25 15:49	460-00-4	
Toluene-d8 (S)	102	%.	73-122		1		07/16/25 15:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-414S-20250714 **Lab ID: 50407324006** Collected: 07/14/25 11:50 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 16:21	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 16:21	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 16:21	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 16:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 16:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 16:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 16:21	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 16:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 16:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 16:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 16:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 16:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 16:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 16:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 16:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 16:21	108-90-7	
Chloroethane	**1530**	ug/L	50.0	4.1	10		07/16/25 16:54	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 16:21	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 16:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 16:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 16:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 16:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 16:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 16:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 16:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 16:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 16:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 16:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 16:21	75-71-8	
1,1-Dichloroethane	**26.9**	ug/L	5.0	0.48	1		07/16/25 16:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 16:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 16:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/16/25 16:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 16:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 16:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 16:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 16:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 16:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 16:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 16:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 16:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 16:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 16:21	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 16:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 16:21	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-414S-20250714 **Lab ID: 50407324006** Collected: 07/14/25 11:50 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 16:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 16:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 16:21	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 16:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 16:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 16:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 16:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 16:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 16:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 16:21	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 16:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 16:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 16:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 16:21	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 16:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 16:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 16:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 16:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 16:21	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 16:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 16:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 16:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 16:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 16:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 16:21	108-05-4	L1
Vinyl chloride	**4.7**	ug/L	2.0	0.45	1		07/16/25 16:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 16:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	118	%.	82-128		1		07/16/25 16:21	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		07/16/25 16:21	460-00-4	
Toluene-d8 (S)	102	%.	73-122		1		07/16/25 16:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-414D-20250714 **Lab ID: 50407324007** Collected: 07/14/25 12:00 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 17:26	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 17:26	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 17:26	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 17:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 17:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 17:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 17:26	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 17:26	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 17:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 17:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 17:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 17:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 17:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 17:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 17:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 17:26	108-90-7	
Chloroethane	**403**	ug/L	50.0	4.1	10		07/17/25 19:39	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 17:26	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 17:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 17:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 17:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 17:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 17:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 17:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 17:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 17:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 17:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 17:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 17:26	75-71-8	
1,1-Dichloroethane	**6.7**	ug/L	5.0	0.48	1		07/16/25 17:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 17:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 17:26	75-35-4	
cis-1,2-Dichloroethene	**178**	ug/L	5.0	0.51	1		07/16/25 17:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 17:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 17:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 17:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 17:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 17:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 17:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 17:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 17:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 17:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 17:26	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 17:26	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 17:26	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-414D-20250714 **Lab ID: 50407324007** Collected: 07/14/25 12:00 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 17:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 17:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 17:26	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 17:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 17:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 17:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 17:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 17:26	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 17:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 17:26	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 17:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 17:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 17:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 17:26	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 17:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 17:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 17:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 17:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 17:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 17:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 17:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 17:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 17:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 17:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 17:26	108-05-4	L1
Vinyl chloride	**598**	ug/L	20.0	4.5	10		07/17/25 19:39	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 17:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	117	%.	82-128		1		07/16/25 17:26	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		07/16/25 17:26	460-00-4	
Toluene-d8 (S)	102	%.	73-122		1		07/16/25 17:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-415S-20250714 **Lab ID: 50407324008** Collected: 07/14/25 12:24 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 17:58	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 17:58	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 17:58	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 17:58	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 17:58	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 17:58	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 17:58	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 17:58	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 17:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 17:58	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 17:58	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 17:58	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 17:58	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 17:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 17:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 17:58	108-90-7	
Chloroethane	**1310**	ug/L	50.0	4.1	10		07/16/25 18:30	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 17:58	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 17:58	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 17:58	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 17:58	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 17:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 17:58	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 17:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 17:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 17:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 17:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 17:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 17:58	75-71-8	
1,1-Dichloroethane	**35.3**	ug/L	5.0	0.48	1		07/16/25 17:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 17:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 17:58	75-35-4	
cis-1,2-Dichloroethene	**9.5**	ug/L	5.0	0.51	1		07/16/25 17:58	156-59-2	
trans-1,2-Dichloroethene	**5.0**	ug/L	5.0	0.43	1		07/16/25 17:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 17:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 17:58	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 17:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 17:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 17:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 17:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 17:58	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 17:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 17:58	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 17:58	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 17:58	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-415S-20250714 **Lab ID: 50407324008** Collected: 07/14/25 12:24 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 17:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 17:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 17:58	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 17:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 17:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 17:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 17:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 17:58	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 17:58	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 17:58	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 17:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 17:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 17:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 17:58	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 17:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 17:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 17:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 17:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 17:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 17:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 17:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 17:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 17:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 17:58	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 17:58	108-05-4	L1
Vinyl chloride	**44.4**	ug/L	2.0	0.45	1		07/16/25 17:58	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 17:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	117	%.	82-128		1		07/16/25 17:58	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		07/16/25 17:58	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/16/25 17:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-415D-20250714 **Lab ID: 50407324009** Collected: 07/14/25 12:36 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 19:03	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 19:03	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 19:03	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 19:03	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 19:03	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 19:03	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 19:03	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 19:03	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 19:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 19:03	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 19:03	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 19:03	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 19:03	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 19:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 19:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 19:03	108-90-7	
Chloroethane	**12.1**	ug/L	5.0	0.41	1		07/16/25 19:03	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 19:03	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 19:03	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 19:03	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 19:03	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 19:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 19:03	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 19:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 19:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 19:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 19:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 19:03	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 19:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/16/25 19:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 19:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 19:03	75-35-4	
cis-1,2-Dichloroethene	**37.5**	ug/L	5.0	0.51	1		07/16/25 19:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 19:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 19:03	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 19:03	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 19:03	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 19:03	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 19:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 19:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 19:03	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 19:03	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 19:03	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 19:03	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 19:03	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-415D-20250714 **Lab ID: 50407324009** Collected: 07/14/25 12:36 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 19:03	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 19:03	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 19:03	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 19:03	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 19:03	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 19:03	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 19:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 19:03	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 19:03	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 19:03	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 19:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 19:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 19:03	79-34-5	
Tetrachloroethene	**22.3**	ug/L	5.0	0.42	1		07/16/25 19:03	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 19:03	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 19:03	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 19:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 19:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 19:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 19:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 19:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 19:03	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 19:03	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 19:03	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 19:03	108-05-4	L1
Vinyl chloride	**17.0**	ug/L	2.0	0.45	1		07/16/25 19:03	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 19:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		1		07/16/25 19:03	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/16/25 19:03	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/16/25 19:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-311-20250714 **Lab ID: 50407324010** Collected: 07/14/25 13:10 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 19:35	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 19:35	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 19:35	107-13-1	
Benzene	**16.2**	ug/L	5.0	0.36	1		07/16/25 19:35	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 19:35	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 19:35	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 19:35	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 19:35	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 19:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 19:35	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 19:35	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 19:35	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 19:35	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 19:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 19:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 19:35	108-90-7	
Chloroethane	**4300**	ug/L	125	10.2	25		07/17/25 20:11	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 19:35	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 19:35	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 19:35	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 19:35	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 19:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 19:35	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 19:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 19:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 19:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 19:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 19:35	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 19:35	75-71-8	
1,1-Dichloroethane	**1120**	ug/L	125	12.1	25		07/17/25 20:11	75-34-3	
1,2-Dichloroethane	**7.0**	ug/L	5.0	0.33	1		07/16/25 19:35	107-06-2	
1,1-Dichloroethene	**9.5**	ug/L	5.0	0.46	1		07/16/25 19:35	75-35-4	
cis-1,2-Dichloroethene	**1140**	ug/L	125	12.8	25		07/17/25 20:11	156-59-2	
trans-1,2-Dichloroethene	**36.4**	ug/L	5.0	0.43	1		07/16/25 19:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 19:35	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 19:35	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 19:35	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 19:35	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 19:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 19:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 19:35	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 19:35	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 19:35	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 19:35	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 19:35	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-311-20250714 **Lab ID: 50407324010** Collected: 07/14/25 13:10 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 19:35	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 19:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 19:35	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 19:35	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 19:35	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 19:35	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 19:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 19:35	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 19:35	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 19:35	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 19:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 19:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 19:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 19:35	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 19:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 19:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 19:35	120-82-1	
1,1,1-Trichloroethane	**247**	ug/L	5.0	0.42	1		07/16/25 19:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 19:35	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 19:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 19:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 19:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 19:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 19:35	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 19:35	108-05-4	L1
Vinyl chloride	**909**	ug/L	50.0	11.2	25		07/17/25 20:11	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 19:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		1		07/16/25 19:35	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		07/16/25 19:35	460-00-4	
Toluene-d8 (S)	102	%.	73-122		1		07/16/25 19:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: W-2-20250714 **Lab ID: 50407324011** Collected: 07/14/25 14:04 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 13:12	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 13:12	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 13:12	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 13:12	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 13:12	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 13:12	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 13:12	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 13:12	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 13:12	74-83-9	
2-Butanone (MEK)	**38.7**	ug/L	25.0	4.0	1		07/17/25 13:12	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 13:12	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 13:12	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 13:12	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 13:12	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 13:12	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 13:12	108-90-7	
Chloroethane	**931**	ug/L	50.0	4.1	10		07/17/25 13:44	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 13:12	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 13:12	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 13:12	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 13:12	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 13:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 13:12	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 13:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 13:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 13:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 13:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 13:12	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 13:12	75-71-8	
1,1-Dichloroethane	**10.6**	ug/L	5.0	0.48	1		07/17/25 13:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 13:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 13:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/17/25 13:12	156-59-2	
trans-1,2-Dichloroethene	**23.6**	ug/L	5.0	0.43	1		07/17/25 13:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 13:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 13:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 13:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 13:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 13:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 13:12	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 13:12	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 13:12	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 13:12	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 13:12	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 13:12	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: W-2-20250714 **Lab ID: 50407324011** Collected: 07/14/25 14:04 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 13:12	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 13:12	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 13:12	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 13:12	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 13:12	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 13:12	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 13:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 13:12	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 13:12	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 13:12	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 13:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 13:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 13:12	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 13:12	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 13:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 13:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 13:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 13:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 13:12	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 13:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 13:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 13:12	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 13:12	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 13:12	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 13:12	108-05-4	L1
Vinyl chloride	**30.5**	ug/L	2.0	0.45	1		07/17/25 13:12	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 13:12	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	123	%.	82-128		1		07/17/25 13:12	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/17/25 13:12	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/17/25 13:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-33-20250714 **Lab ID: 50407324012** Collected: 07/14/25 14:56 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 12:40	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 12:40	107-02-8	M1
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 12:40	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 12:40	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 12:40	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 12:40	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 12:40	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 12:40	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 12:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/17/25 12:40	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 12:40	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 12:40	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 12:40	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 12:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 12:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 12:40	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/17/25 12:40	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 12:40	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 12:40	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 12:40	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 12:40	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 12:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 12:40	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 12:40	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 12:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 12:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 12:40	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 12:40	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 12:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/17/25 12:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 12:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 12:40	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/17/25 12:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/17/25 12:40	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 12:40	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 12:40	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 12:40	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 12:40	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 12:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 12:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 12:40	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 12:40	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 12:40	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 12:40	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 12:40	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-33-20250714 **Lab ID: 50407324012** Collected: 07/14/25 14:56 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 12:40	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 12:40	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 12:40	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 12:40	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 12:40	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 12:40	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 12:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 12:40	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 12:40	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 12:40	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 12:40	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 12:40	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 12:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 12:40	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 12:40	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 12:40	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 12:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 12:40	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 12:40	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 12:40	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 12:40	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 12:40	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 12:40	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 12:40	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 12:40	108-05-4	L1,M0
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/17/25 12:40	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 12:40	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	120	%.	82-128		1		07/17/25 12:40	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/17/25 12:40	460-00-4	
Toluene-d8 (S)	102	%.	73-122		1		07/17/25 12:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-32-20250714 **Lab ID: 50407324013** Collected: 07/14/25 15:19 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 14:16	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 14:16	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 14:16	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 14:16	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 14:16	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 14:16	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 14:16	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 14:16	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 14:16	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/17/25 14:16	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 14:16	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 14:16	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 14:16	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 14:16	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 14:16	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 14:16	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/17/25 14:16	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 14:16	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 14:16	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 14:16	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 14:16	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 14:16	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 14:16	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 14:16	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 14:16	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 14:16	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 14:16	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 14:16	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 14:16	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/17/25 14:16	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 14:16	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 14:16	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/17/25 14:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/17/25 14:16	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 14:16	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 14:16	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 14:16	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 14:16	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 14:16	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 14:16	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 14:16	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 14:16	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 14:16	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 14:16	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 14:16	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-32-20250714 **Lab ID: 50407324013** Collected: 07/14/25 15:19 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 14:16	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 14:16	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 14:16	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 14:16	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 14:16	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 14:16	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 14:16	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 14:16	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 14:16	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 14:16	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 14:16	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 14:16	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 14:16	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 14:16	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 14:16	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 14:16	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 14:16	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 14:16	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 14:16	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 14:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 14:16	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 14:16	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 14:16	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 14:16	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 14:16	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/17/25 14:16	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 14:16	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	120	%.	82-128		1		07/17/25 14:16	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/17/25 14:16	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/17/25 14:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-82-20250714 **Lab ID: 50407324014** Collected: 07/14/25 15:54 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 14:49	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 14:49	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 14:49	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 14:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 14:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 14:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 14:49	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 14:49	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 14:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/17/25 14:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 14:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 14:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 14:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 14:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 14:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 14:49	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/17/25 14:49	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 14:49	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 14:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 14:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 14:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 14:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 14:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 14:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 14:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 14:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 14:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 14:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 14:49	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/17/25 14:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 14:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 14:49	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/17/25 14:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/17/25 14:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 14:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 14:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 14:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 14:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 14:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 14:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 14:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 14:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 14:49	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 14:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 14:49	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-82-20250714 **Lab ID: 50407324014** Collected: 07/14/25 15:54 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 14:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 14:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 14:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 14:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 14:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 14:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 14:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 14:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 14:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 14:49	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 14:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 14:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 14:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 14:49	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 14:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 14:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 14:49	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 14:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 14:49	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 14:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 14:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 14:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 14:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 14:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 14:49	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/17/25 14:49	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 14:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	121	%.	82-128		1		07/17/25 14:49	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		07/17/25 14:49	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/17/25 14:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-413S-20250714 **Lab ID: 50407324015** Collected: 07/14/25 10:45 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**48700**	ug/L	2500	1900	10		07/19/25 22:13	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**1910**	ug/L	100	41.0	1	07/25/25 11:19	07/25/25 12:02	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 20:39	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 20:39	107-02-8	M1
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 20:39	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 20:39	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 20:39	108-86-1	R1
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 20:39	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 20:39	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 20:39	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 20:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 20:39	78-93-3	R1
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 20:39	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 20:39	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 20:39	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 20:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 20:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 20:39	108-90-7	
Chloroethane	**330**	ug/L	50.0	4.1	10		07/17/25 20:43	75-00-3	M1
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 20:39	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 20:39	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 20:39	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 20:39	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 20:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 20:39	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 20:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 20:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 20:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 20:39	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 20:39	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 20:39	75-71-8	
1,1-Dichloroethane	**6.0**	ug/L	5.0	0.48	1		07/16/25 20:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 20:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 20:39	75-35-4	
cis-1,2-Dichloroethene	**102**	ug/L	5.0	0.51	1		07/16/25 20:39	156-59-2	M1
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 20:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 20:39	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 20:39	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 20:39	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-413S-20250714 **Lab ID: 50407324015** Collected: 07/14/25 10:45 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 20:39	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 20:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 20:39	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 20:39	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 20:39	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 20:39	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 20:39	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 20:39	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 20:39	74-88-4	R1
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 20:39	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 20:39	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 20:39	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 20:39	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 20:39	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 20:39	108-10-1	R1
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 20:39	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 20:39	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 20:39	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 20:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 20:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 20:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 20:39	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 20:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 20:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 20:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 20:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 20:39	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 20:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 20:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 20:39	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 20:39	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 20:39	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 20:39	108-05-4	L1,M0
Vinyl chloride	**102**	ug/L	2.0	0.45	1		07/16/25 20:39	75-01-4	M1
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 20:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	125	%.	82-128		1		07/16/25 20:39	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		07/16/25 20:39	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/16/25 20:39	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/16/25 08:41		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/16/25 08:41	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-413S-20250714 **Lab ID: 50407324015** Collected: 07/14/25 10:45 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3670**	ug/L	1000	300	1		07/22/25 20:00	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-413D-20250714 **Lab ID: 50407324016** Collected: 07/14/25 12:39 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**62100**	ug/L	2500	1900	10		07/19/25 23:39	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**2560**	ug/L	100	41.0	1	07/25/25 11:19	07/25/25 12:11	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 15:21	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 15:21	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 15:21	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 15:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 15:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 15:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 15:21	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 15:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 15:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/17/25 15:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 15:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 15:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 15:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 15:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 15:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 15:21	108-90-7	
Chloroethane	**86.6**	ug/L	5.0	0.41	1		07/17/25 15:21	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 15:21	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 15:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 15:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 15:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 15:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 15:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 15:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 15:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 15:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 15:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 15:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 15:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/17/25 15:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 15:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 15:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/17/25 15:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/17/25 15:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 15:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 15:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 15:21	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-413D-20250714 **Lab ID: 50407324016** Collected: 07/14/25 12:39 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 15:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 15:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 15:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 15:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 15:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 15:21	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 15:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 15:21	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 15:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 15:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 15:21	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 15:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 15:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 15:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 15:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 15:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 15:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 15:21	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 15:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 15:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 15:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 15:21	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 15:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 15:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 15:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 15:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 15:21	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 15:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 15:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 15:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 15:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 15:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 15:21	108-05-4	L1
Vinyl chloride	**371**	ug/L	20.0	8.8	10		07/18/25 12:40	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 15:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	126	%.	82-128		1		07/17/25 15:21	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/17/25 15:21	460-00-4	
Toluene-d8 (S)	98	%.	73-122		1		07/17/25 15:21	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/16/25 08:47		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/16/25 08:47	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-413D-20250714 **Lab ID: 50407324016** Collected: 07/14/25 12:39 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5060**	ug/L	1000	300	1		07/22/25 20:32	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: AD-100-20250714 **Lab ID: 50407324017** Collected: 07/14/25 12:00 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 15:53	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 15:53	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 15:53	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 15:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 15:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 15:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 15:53	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 15:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 15:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/17/25 15:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 15:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 15:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 15:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 15:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 15:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 15:53	108-90-7	
Chloroethane	**88.1**	ug/L	5.0	0.41	1		07/17/25 15:53	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 15:53	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 15:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 15:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 15:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 15:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 15:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 15:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 15:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 15:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 15:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 15:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 15:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/17/25 15:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 15:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 15:53	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/17/25 15:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/17/25 15:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 15:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 15:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 15:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 15:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 15:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 15:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 15:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 15:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 15:53	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 15:53	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 15:53	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: AD-100-20250714 **Lab ID: 50407324017** Collected: 07/14/25 12:00 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 15:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 15:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 15:53	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 15:53	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 15:53	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 15:53	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 15:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 15:53	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 15:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 15:53	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 15:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 15:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 15:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 15:53	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 15:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 15:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 15:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 15:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 15:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 15:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 15:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 15:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 15:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 15:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 15:53	108-05-4	L1
Vinyl chloride	**377**	ug/L	20.0	4.5	10		07/17/25 16:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 15:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	125	%.	82-128		1		07/17/25 15:53	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		07/17/25 15:53	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/17/25 15:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-425-20250714 **Lab ID: 50407324018** Collected: 07/14/25 15:12 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**100000**	ug/L	2500	1900	10		07/20/25 00:30	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**8800**	ug/L	100	41.0	1	07/25/25 11:19	07/25/25 12:17	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 16:58	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 16:58	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 16:58	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 16:58	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 16:58	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 16:58	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 16:58	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 16:58	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 16:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/17/25 16:58	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 16:58	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 16:58	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 16:58	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 16:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 16:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 16:58	108-90-7	
Chloroethane	**2800**	ug/L	50.0	4.1	10		07/17/25 17:30	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 16:58	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 16:58	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 16:58	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 16:58	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 16:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 16:58	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 16:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 16:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 16:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 16:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 16:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 16:58	75-71-8	
1,1-Dichloroethane	**8.9**	ug/L	5.0	0.48	1		07/17/25 16:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 16:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 16:58	75-35-4	
cis-1,2-Dichloroethene	**9.1**	ug/L	5.0	0.51	1		07/17/25 16:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/17/25 16:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 16:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 16:58	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 16:58	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-425-20250714 **Lab ID: 50407324018** Collected: 07/14/25 15:12 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 16:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 16:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 16:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 16:58	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 16:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 16:58	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 16:58	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 16:58	591-78-6	
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 16:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 16:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 16:58	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 16:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 16:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 16:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 16:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 16:58	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 16:58	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 16:58	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 16:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 16:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 16:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 16:58	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 16:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 16:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 16:58	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 16:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 16:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 16:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 16:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 16:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 16:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 16:58	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 16:58	108-05-4	L1
Vinyl chloride	**11.4**	ug/L	2.0	0.45	1		07/17/25 16:58	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 16:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	124	%.	82-128		1		07/17/25 16:58	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		07/17/25 16:58	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/17/25 16:58	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/16/25 08:49		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/16/25 08:49	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-425-20250714 **Lab ID: 50407324018** Collected: 07/14/25 15:12 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3770**	ug/L	1000	300	1		07/22/25 20:53	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-251-20250715 **Lab ID: 50407324019** Collected: 07/15/25 08:29 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 18:02	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 18:02	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 18:02	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 18:02	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 18:02	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 18:02	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 18:02	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 18:02	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 18:02	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/17/25 18:02	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 18:02	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 18:02	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 18:02	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 18:02	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 18:02	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 18:02	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/17/25 18:02	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 18:02	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 18:02	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 18:02	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 18:02	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 18:02	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 18:02	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 18:02	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 18:02	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 18:02	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 18:02	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 18:02	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 18:02	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/17/25 18:02	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 18:02	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 18:02	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/17/25 18:02	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/17/25 18:02	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 18:02	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 18:02	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 18:02	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 18:02	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 18:02	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 18:02	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 18:02	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 18:02	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 18:02	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 18:02	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 18:02	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-251-20250715 **Lab ID: 50407324019** Collected: 07/15/25 08:29 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 18:02	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 18:02	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 18:02	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 18:02	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 18:02	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 18:02	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 18:02	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 18:02	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 18:02	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 18:02	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 18:02	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 18:02	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 18:02	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 18:02	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 18:02	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 18:02	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 18:02	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 18:02	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 18:02	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 18:02	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 18:02	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 18:02	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 18:02	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 18:02	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 18:02	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/17/25 18:02	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 18:02	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	120	%.	82-128		1		07/17/25 18:02	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		07/17/25 18:02	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/17/25 18:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-253-20250715 **Lab ID: 50407324020** Collected: 07/15/25 08:41 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	126	10		07/18/25 12:24	67-64-1	
Acrolein	ND	ug/L	500	123	10		07/18/25 12:24	107-02-8	
Acrylonitrile	ND	ug/L	1000	22.6	10		07/18/25 12:24	107-13-1	
Benzene	ND	ug/L	50.0	3.6	10		07/18/25 12:24	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.5	10		07/18/25 12:24	108-86-1	
Bromochloromethane	ND	ug/L	50.0	4.3	10		07/18/25 12:24	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	3.6	10		07/18/25 12:24	75-27-4	
Bromoform	ND	ug/L	50.0	5.2	10		07/18/25 12:24	75-25-2	
Bromomethane	ND	ug/L	50.0	4.5	10		07/18/25 12:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	40.1	10		07/18/25 12:24	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	6.0	10		07/18/25 12:24	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	4.7	10		07/18/25 12:24	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		07/18/25 12:24	98-06-6	
Carbon disulfide	ND	ug/L	100	8.0	10		07/18/25 12:24	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	4.2	10		07/18/25 12:24	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.8	10		07/18/25 12:24	108-90-7	
Chloroethane	**741**	ug/L	50.0	4.1	10		07/18/25 12:24	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		07/18/25 12:24	67-66-3	
Chloromethane	ND	ug/L	50.0	6.8	10		07/18/25 12:24	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	4.1	10		07/18/25 12:24	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.4	10		07/18/25 12:24	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	2.8	10		07/18/25 12:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.0	10		07/18/25 12:24	106-93-4	
Dibromomethane	ND	ug/L	50.0	3.2	10		07/18/25 12:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.6	10		07/18/25 12:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	4.6	10		07/18/25 12:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	5.0	10		07/18/25 12:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.4	10		07/18/25 12:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.8	10		07/18/25 12:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	4.8	10		07/18/25 12:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	3.3	10		07/18/25 12:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.6	10		07/18/25 12:24	75-35-4	
cis-1,2-Dichloroethene	**15700**	ug/L	500	51.2	100		07/18/25 12:56	156-59-2	
trans-1,2-Dichloroethene	**175**	ug/L	50.0	4.3	10		07/18/25 12:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.8	10		07/18/25 12:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	3.0	10		07/18/25 12:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	5.0	10		07/18/25 12:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.8	10		07/18/25 12:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.3	10		07/18/25 12:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.4	10		07/18/25 12:24	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.4	10		07/18/25 12:24	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.1	10		07/18/25 12:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	7.3	10		07/18/25 12:24	87-68-3	
n-Hexane	ND	ug/L	50.0	7.0	10		07/18/25 12:24	110-54-3	
2-Hexanone	ND	ug/L	250	32.2	10		07/18/25 12:24	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-253-20250715 **Lab ID: 50407324020** Collected: 07/15/25 08:41 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	4.4	10		07/18/25 12:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.6	10		07/18/25 12:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	4.7	10		07/18/25 12:24	99-87-6	
Methylene Chloride	ND	ug/L	50.0	26.8	10		07/18/25 12:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	5.8	10		07/18/25 12:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	6.8	10		07/18/25 12:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	28.7	10		07/18/25 12:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.8	10		07/18/25 12:24	1634-04-4	
Naphthalene	ND	ug/L	12.0	4.0	10		07/18/25 12:24	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	5.1	10		07/18/25 12:24	103-65-1	
Styrene	ND	ug/L	50.0	3.6	10		07/18/25 12:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.2	10		07/18/25 12:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	5.9	10		07/18/25 12:24	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	4.2	10		07/18/25 12:24	127-18-4	
Toluene	ND	ug/L	50.0	38.6	10		07/18/25 12:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.5	10		07/18/25 12:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.5	10		07/18/25 12:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	4.2	10		07/18/25 12:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.9	10		07/18/25 12:24	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.9	10		07/18/25 12:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	3.5	10		07/18/25 12:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	7.1	10		07/18/25 12:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.0	10		07/18/25 12:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.2	10		07/18/25 12:24	108-67-8	
Vinyl acetate	ND	ug/L	500	16.5	10		07/18/25 12:24	108-05-4	L1
Vinyl chloride	**2940**	ug/L	200	44.7	100		07/18/25 12:56	75-01-4	
Xylene (Total)	ND	ug/L	100	8.4	10		07/18/25 12:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	123	%.	82-128		10		07/18/25 12:24	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		10		07/18/25 12:24	460-00-4	
Toluene-d8 (S)	99	%.	73-122		10		07/18/25 12:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: W-10-20250715 **Lab ID: 50407324021** Collected: 07/15/25 08:59 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/17/25 18:34	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/17/25 18:34	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/17/25 18:34	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/17/25 18:34	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/17/25 18:34	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/17/25 18:34	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/17/25 18:34	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/17/25 18:34	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/17/25 18:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/17/25 18:34	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/17/25 18:34	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/17/25 18:34	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 18:34	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/17/25 18:34	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/17/25 18:34	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/17/25 18:34	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/17/25 18:34	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/17/25 18:34	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/17/25 18:34	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/17/25 18:34	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/17/25 18:34	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/17/25 18:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/17/25 18:34	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/17/25 18:34	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 18:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/17/25 18:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/17/25 18:34	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/17/25 18:34	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/17/25 18:34	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/17/25 18:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/17/25 18:34	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/17/25 18:34	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/17/25 18:34	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/17/25 18:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/17/25 18:34	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/17/25 18:34	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/17/25 18:34	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/17/25 18:34	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/17/25 18:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/17/25 18:34	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/17/25 18:34	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/17/25 18:34	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/17/25 18:34	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/17/25 18:34	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/17/25 18:34	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: W-10-20250715 **Lab ID: 50407324021** Collected: 07/15/25 08:59 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/17/25 18:34	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/17/25 18:34	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/17/25 18:34	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/17/25 18:34	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/17/25 18:34	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/17/25 18:34	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/17/25 18:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/17/25 18:34	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/17/25 18:34	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/17/25 18:34	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/17/25 18:34	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/17/25 18:34	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/17/25 18:34	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/17/25 18:34	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/17/25 18:34	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/17/25 18:34	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/17/25 18:34	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/17/25 18:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/17/25 18:34	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/17/25 18:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/17/25 18:34	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/17/25 18:34	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/17/25 18:34	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/17/25 18:34	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/17/25 18:34	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/17/25 18:34	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/17/25 18:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	124	%.	82-128		1		07/17/25 18:34	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/17/25 18:34	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/17/25 18:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-153-20250715 **Lab ID: 50407324022** Collected: 07/15/25 09:13 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 13:29	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 13:29	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 13:29	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 13:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 13:29	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 13:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 13:29	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 13:29	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 13:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 13:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 13:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 13:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 13:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 13:29	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 13:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 13:29	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 13:29	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 13:29	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 13:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 13:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 13:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 13:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 13:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 13:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 13:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 13:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 13:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 13:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 13:29	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/18/25 13:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 13:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/18/25 13:29	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/18/25 13:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/18/25 13:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 13:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 13:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 13:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 13:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 13:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 13:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 13:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 13:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 13:29	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 13:29	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 13:29	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-153-20250715 **Lab ID: 50407324022** Collected: 07/15/25 09:13 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 13:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 13:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 13:29	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 13:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 13:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 13:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 13:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 13:29	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 13:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 13:29	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 13:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 13:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 13:29	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 13:29	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 13:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 13:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 13:29	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/18/25 13:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 13:29	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/18/25 13:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 13:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 13:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 13:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 13:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 13:29	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/18/25 13:29	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 13:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	121	%.	82-128		1		07/18/25 13:29	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		1		07/18/25 13:29	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/18/25 13:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-163-20250715 **Lab ID: 50407324023** Collected: 07/15/25 09:40 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	126	10		07/18/25 14:01	67-64-1	
Acrolein	ND	ug/L	500	123	10		07/18/25 14:01	107-02-8	
Acrylonitrile	ND	ug/L	1000	22.6	10		07/18/25 14:01	107-13-1	
Benzene	ND	ug/L	50.0	3.6	10		07/18/25 14:01	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.5	10		07/18/25 14:01	108-86-1	
Bromochloromethane	ND	ug/L	50.0	4.3	10		07/18/25 14:01	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	3.6	10		07/18/25 14:01	75-27-4	
Bromoform	ND	ug/L	50.0	5.2	10		07/18/25 14:01	75-25-2	
Bromomethane	ND	ug/L	50.0	4.5	10		07/18/25 14:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	40.1	10		07/18/25 14:01	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	6.0	10		07/18/25 14:01	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	4.7	10		07/18/25 14:01	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		07/18/25 14:01	98-06-6	
Carbon disulfide	ND	ug/L	100	8.0	10		07/18/25 14:01	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	4.2	10		07/18/25 14:01	56-23-5	
Chlorobenzene	ND	ug/L	50.0	3.8	10		07/18/25 14:01	108-90-7	
Chloroethane	ND	ug/L	50.0	4.1	10		07/18/25 14:01	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		07/18/25 14:01	67-66-3	
Chloromethane	ND	ug/L	50.0	6.8	10		07/18/25 14:01	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	4.1	10		07/18/25 14:01	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.4	10		07/18/25 14:01	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	2.8	10		07/18/25 14:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.0	10		07/18/25 14:01	106-93-4	
Dibromomethane	ND	ug/L	50.0	3.2	10		07/18/25 14:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.6	10		07/18/25 14:01	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	4.6	10		07/18/25 14:01	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	5.0	10		07/18/25 14:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.4	10		07/18/25 14:01	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.8	10		07/18/25 14:01	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	4.8	10		07/18/25 14:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	3.3	10		07/18/25 14:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.6	10		07/18/25 14:01	75-35-4	
cis-1,2-Dichloroethene	**6310**	ug/L	500	51.2	100		07/18/25 14:33	156-59-2	
trans-1,2-Dichloroethene	**51.1**	ug/L	50.0	4.3	10		07/18/25 14:01	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.8	10		07/18/25 14:01	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	3.0	10		07/18/25 14:01	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	5.0	10		07/18/25 14:01	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.8	10		07/18/25 14:01	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.3	10		07/18/25 14:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.4	10		07/18/25 14:01	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.4	10		07/18/25 14:01	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.1	10		07/18/25 14:01	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	7.3	10		07/18/25 14:01	87-68-3	
n-Hexane	ND	ug/L	50.0	7.0	10		07/18/25 14:01	110-54-3	
2-Hexanone	ND	ug/L	250	32.2	10		07/18/25 14:01	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-163-20250715 **Lab ID: 50407324023** Collected: 07/15/25 09:40 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	4.4	10		07/18/25 14:01	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.6	10		07/18/25 14:01	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	4.7	10		07/18/25 14:01	99-87-6	
Methylene Chloride	ND	ug/L	50.0	26.8	10		07/18/25 14:01	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	5.8	10		07/18/25 14:01	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	6.8	10		07/18/25 14:01	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	28.7	10		07/18/25 14:01	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.8	10		07/18/25 14:01	1634-04-4	
Naphthalene	ND	ug/L	12.0	4.0	10		07/18/25 14:01	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	5.1	10		07/18/25 14:01	103-65-1	
Styrene	ND	ug/L	50.0	3.6	10		07/18/25 14:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.2	10		07/18/25 14:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	5.9	10		07/18/25 14:01	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	4.2	10		07/18/25 14:01	127-18-4	
Toluene	ND	ug/L	50.0	38.6	10		07/18/25 14:01	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.5	10		07/18/25 14:01	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.5	10		07/18/25 14:01	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	4.2	10		07/18/25 14:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	2.9	10		07/18/25 14:01	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.9	10		07/18/25 14:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	3.5	10		07/18/25 14:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	7.1	10		07/18/25 14:01	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.0	10		07/18/25 14:01	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.2	10		07/18/25 14:01	108-67-8	
Vinyl acetate	ND	ug/L	500	16.5	10		07/18/25 14:01	108-05-4	L1
Vinyl chloride	**2380**	ug/L	20.0	4.5	10		07/18/25 14:01	75-01-4	
Xylene (Total)	ND	ug/L	100	8.4	10		07/18/25 14:01	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	125	%.	82-128		10		07/18/25 14:01	1868-53-7	
4-Bromofluorobenzene (S)	106	%.	79-124		10		07/18/25 14:01	460-00-4	
Toluene-d8 (S)	100	%.	73-122		10		07/18/25 14:01	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-312-20250715 **Lab ID: 50407324024** Collected: 07/15/25 09:57 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 15:05	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 15:05	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 15:05	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 15:05	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 15:05	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 15:05	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 15:05	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 15:05	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 15:05	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 15:05	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 15:05	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 15:05	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 15:05	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 15:05	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 15:05	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 15:05	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 15:05	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 15:05	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 15:05	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 15:05	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 15:05	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 15:05	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 15:05	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 15:05	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 15:05	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 15:05	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 15:05	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 15:05	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 15:05	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/18/25 15:05	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 15:05	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/18/25 15:05	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/18/25 15:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/18/25 15:05	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 15:05	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 15:05	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 15:05	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 15:05	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 15:05	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 15:05	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 15:05	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 15:05	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 15:05	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 15:05	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 15:05	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-312-20250715 **Lab ID: 50407324024** Collected: 07/15/25 09:57 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 15:05	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 15:05	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 15:05	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 15:05	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 15:05	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 15:05	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 15:05	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 15:05	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 15:05	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 15:05	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 15:05	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 15:05	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 15:05	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 15:05	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 15:05	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 15:05	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 15:05	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/18/25 15:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 15:05	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/18/25 15:05	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 15:05	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 15:05	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 15:05	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 15:05	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 15:05	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/18/25 15:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 15:05	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	119	%.	82-128		1		07/18/25 15:05	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		07/18/25 15:05	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/18/25 15:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-132-20250715 **Lab ID: 50407324025** Collected: 07/15/25 10:18 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 15:37	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 15:37	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 15:37	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 15:37	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 15:37	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 15:37	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 15:37	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 15:37	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 15:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 15:37	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 15:37	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 15:37	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 15:37	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 15:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 15:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 15:37	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 15:37	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 15:37	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 15:37	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 15:37	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 15:37	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 15:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 15:37	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 15:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 15:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 15:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 15:37	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 15:37	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 15:37	75-71-8	
1,1-Dichloroethane	**41.4**	ug/L	5.0	0.48	1		07/18/25 15:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 15:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/18/25 15:37	75-35-4	
cis-1,2-Dichloroethene	**444**	ug/L	50.0	5.1	10		07/18/25 16:10	156-59-2	
trans-1,2-Dichloroethene	**35.0**	ug/L	5.0	0.43	1		07/18/25 15:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 15:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 15:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 15:37	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 15:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 15:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 15:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 15:37	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 15:37	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 15:37	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 15:37	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 15:37	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-132-20250715 **Lab ID: 50407324025** Collected: 07/15/25 10:18 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 15:37	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 15:37	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 15:37	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 15:37	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 15:37	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 15:37	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 15:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 15:37	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 15:37	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 15:37	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 15:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 15:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 15:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 15:37	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 15:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 15:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 15:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/18/25 15:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 15:37	79-00-5	
Trichloroethene	**528**	ug/L	50.0	3.9	10		07/18/25 16:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 15:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 15:37	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 15:37	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 15:37	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 15:37	108-05-4	L1
Vinyl chloride	**214**	ug/L	2.0	0.45	1		07/18/25 15:37	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 15:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	120	%.	82-128		1		07/18/25 15:37	1868-53-7	
4-Bromofluorobenzene (S)	103	%.	79-124		1		07/18/25 15:37	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/18/25 15:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-133-20250715 **Lab ID: 50407324026** Collected: 07/15/25 10:30 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 16:42	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 16:42	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 16:42	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 16:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 16:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 16:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 16:42	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 16:42	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 16:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 16:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 16:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 16:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 16:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 16:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 16:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 16:42	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 16:42	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 16:42	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 16:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 16:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 16:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 16:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 16:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 16:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 16:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 16:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 16:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 16:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 16:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/18/25 16:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 16:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/18/25 16:42	75-35-4	
cis-1,2-Dichloroethene	**694**	ug/L	50.0	5.1	10		07/18/25 17:14	156-59-2	
trans-1,2-Dichloroethene	**23.4**	ug/L	5.0	0.43	1		07/18/25 16:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 16:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 16:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 16:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 16:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 16:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 16:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 16:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 16:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 16:42	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 16:42	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 16:42	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-133-20250715 **Lab ID: 50407324026** Collected: 07/15/25 10:30 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 16:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 16:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 16:42	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 16:42	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 16:42	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 16:42	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 16:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 16:42	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 16:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 16:42	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 16:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 16:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 16:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 16:42	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 16:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 16:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 16:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/18/25 16:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 16:42	79-00-5	
Trichloroethene	**5.6**	ug/L	5.0	0.39	1		07/18/25 16:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 16:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 16:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 16:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 16:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 16:42	108-05-4	L1
Vinyl chloride	**400**	ug/L	20.0	4.5	10		07/18/25 17:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 16:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	122	%.	82-128		1		07/18/25 16:42	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		07/18/25 16:42	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/18/25 16:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-131-20250715 **Lab ID: 50407324027** Collected: 07/15/25 10:41 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 17:46	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 17:46	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 17:46	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 17:46	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 17:46	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 17:46	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 17:46	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 17:46	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 17:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 17:46	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 17:46	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 17:46	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 17:46	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 17:46	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 17:46	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 17:46	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 17:46	75-00-3	
Chloroform	**7.7**	ug/L	5.0	0.38	1		07/18/25 17:46	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 17:46	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 17:46	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 17:46	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 17:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 17:46	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 17:46	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 17:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 17:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 17:46	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 17:46	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 17:46	75-71-8	
1,1-Dichloroethane	**14.7**	ug/L	5.0	0.48	1		07/18/25 17:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 17:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/18/25 17:46	75-35-4	
cis-1,2-Dichloroethene	**9.6**	ug/L	5.0	0.51	1		07/18/25 17:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/18/25 17:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 17:46	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 17:46	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 17:46	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 17:46	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 17:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 17:46	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 17:46	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 17:46	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 17:46	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 17:46	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 17:46	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-131-20250715 **Lab ID: 50407324027** Collected: 07/15/25 10:41 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 17:46	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 17:46	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 17:46	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 17:46	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 17:46	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 17:46	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 17:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 17:46	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 17:46	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 17:46	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 17:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 17:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 17:46	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 17:46	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 17:46	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 17:46	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 17:46	120-82-1	
1,1,1-Trichloroethane	**123**	ug/L	5.0	0.42	1		07/18/25 17:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 17:46	79-00-5	
Trichloroethene	**31.7**	ug/L	5.0	0.39	1		07/18/25 17:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 17:46	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 17:46	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 17:46	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 17:46	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 17:46	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/18/25 17:46	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 17:46	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	127	%.	82-128		1		07/18/25 17:46	1868-53-7	
4-Bromofluorobenzene (S)	105	%.	79-124		1		07/18/25 17:46	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		07/18/25 17:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-41-20250715 **Lab ID: 50407324028** Collected: 07/15/25 11:27 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 18:18	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 18:18	107-02-8	M1
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 18:18	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 18:18	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 18:18	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 18:18	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 18:18	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 18:18	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 18:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 18:18	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 18:18	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 18:18	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 18:18	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 18:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 18:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 18:18	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 18:18	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 18:18	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 18:18	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 18:18	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 18:18	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 18:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 18:18	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 18:18	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 18:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 18:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 18:18	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 18:18	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 18:18	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/18/25 18:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 18:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/18/25 18:18	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/18/25 18:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/18/25 18:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 18:18	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 18:18	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 18:18	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 18:18	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 18:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 18:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 18:18	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 18:18	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 18:18	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 18:18	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 18:18	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-41-20250715 **Lab ID: 50407324028** Collected: 07/15/25 11:27 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 18:18	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 18:18	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 18:18	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 18:18	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 18:18	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 18:18	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 18:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 18:18	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 18:18	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 18:18	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 18:18	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 18:18	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 18:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 18:18	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 18:18	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 18:18	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 18:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/18/25 18:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 18:18	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/18/25 18:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 18:18	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 18:18	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 18:18	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 18:18	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 18:18	108-05-4	L1,M0
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/18/25 18:18	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 18:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	123	%.	82-128		1		07/18/25 18:18	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/18/25 18:18	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/18/25 18:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-122-20250715 **Lab ID: 50407324029** Collected: 07/15/25 11:49 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 18:50	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 18:50	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 18:50	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 18:50	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 18:50	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 18:50	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 18:50	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 18:50	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 18:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 18:50	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 18:50	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 18:50	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 18:50	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 18:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 18:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 18:50	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 18:50	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 18:50	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 18:50	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 18:50	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 18:50	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 18:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 18:50	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 18:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 18:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 18:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 18:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 18:50	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 18:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/18/25 18:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 18:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/18/25 18:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/18/25 18:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/18/25 18:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 18:50	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 18:50	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 18:50	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 18:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 18:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 18:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 18:50	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 18:50	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 18:50	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 18:50	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 18:50	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-122-20250715 **Lab ID: 50407324029** Collected: 07/15/25 11:49 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 18:50	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 18:50	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 18:50	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 18:50	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 18:50	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 18:50	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 18:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 18:50	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 18:50	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 18:50	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 18:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 18:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 18:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 18:50	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 18:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 18:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 18:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/18/25 18:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 18:50	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/18/25 18:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 18:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 18:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 18:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 18:50	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 18:50	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/18/25 18:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 18:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	123	%.	82-128		1		07/18/25 18:50	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/18/25 18:50	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/18/25 18:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-302-20250715 **Lab ID: 50407324030** Collected: 07/15/25 12:14 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 19:23	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 19:23	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 19:23	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 19:23	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 19:23	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 19:23	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 19:23	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 19:23	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 19:23	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 19:23	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 19:23	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 19:23	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 19:23	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 19:23	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 19:23	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 19:23	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 19:23	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 19:23	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 19:23	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 19:23	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 19:23	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 19:23	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 19:23	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 19:23	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 19:23	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 19:23	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 19:23	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 19:23	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 19:23	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/18/25 19:23	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 19:23	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/18/25 19:23	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/18/25 19:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/18/25 19:23	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 19:23	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 19:23	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 19:23	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 19:23	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 19:23	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 19:23	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 19:23	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 19:23	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 19:23	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 19:23	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 19:23	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-302-20250715 **Lab ID: 50407324030** Collected: 07/15/25 12:14 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 19:23	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 19:23	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 19:23	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 19:23	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 19:23	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 19:23	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 19:23	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 19:23	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 19:23	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 19:23	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 19:23	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 19:23	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 19:23	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 19:23	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 19:23	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 19:23	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 19:23	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/18/25 19:23	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 19:23	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/18/25 19:23	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 19:23	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 19:23	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 19:23	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 19:23	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 19:23	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/18/25 19:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 19:23	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	125	%.	82-128		1		07/18/25 19:23	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		07/18/25 19:23	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/18/25 19:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-303-20250715 **Lab ID: 50407324031** Collected: 07/15/25 12:25 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/18/25 19:55	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/18/25 19:55	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/18/25 19:55	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/18/25 19:55	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/18/25 19:55	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/18/25 19:55	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/18/25 19:55	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/18/25 19:55	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/18/25 19:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/18/25 19:55	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/18/25 19:55	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/18/25 19:55	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 19:55	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/18/25 19:55	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/18/25 19:55	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/18/25 19:55	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/18/25 19:55	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 19:55	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/18/25 19:55	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/18/25 19:55	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/18/25 19:55	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/18/25 19:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/18/25 19:55	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/18/25 19:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 19:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/18/25 19:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 19:55	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/18/25 19:55	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/18/25 19:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/18/25 19:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 19:55	107-06-2	
1,1-Dichloroethene	**5.8**	ug/L	5.0	0.46	1		07/18/25 19:55	75-35-4	
cis-1,2-Dichloroethene	**1300**	ug/L	50.0	5.1	10		07/18/25 20:27	156-59-2	
trans-1,2-Dichloroethene	**13.6**	ug/L	5.0	0.43	1		07/18/25 19:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/18/25 19:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 19:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/18/25 19:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 19:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/18/25 19:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/18/25 19:55	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 19:55	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/18/25 19:55	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/18/25 19:55	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/18/25 19:55	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/18/25 19:55	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: MW-303-20250715 **Lab ID: 50407324031** Collected: 07/15/25 12:25 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/18/25 19:55	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/18/25 19:55	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/18/25 19:55	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/18/25 19:55	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/18/25 19:55	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/18/25 19:55	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/18/25 19:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/18/25 19:55	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/18/25 19:55	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/18/25 19:55	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/18/25 19:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/18/25 19:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/18/25 19:55	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/18/25 19:55	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/18/25 19:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 19:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/18/25 19:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/18/25 19:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/18/25 19:55	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/18/25 19:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/18/25 19:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/18/25 19:55	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/18/25 19:55	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 19:55	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/18/25 19:55	108-05-4	L1
Vinyl chloride	**318**	ug/L	20.0	4.5	10		07/18/25 20:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/18/25 19:55	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	126	%.	82-128		1		07/18/25 19:55	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/18/25 19:55	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/18/25 19:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: EB-01-20250714 **Lab ID: 50407324032** Collected: 07/14/25 08:55 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	4.8	1		07/18/25 17:30	67-64-1	
Acrolein	ND	ug/L	50.0	18.3	1		07/18/25 17:30	107-02-8	
Acrylonitrile	ND	ug/L	100	1.5	1		07/18/25 17:30	107-13-1	
Benzene	ND	ug/L	5.0	0.28	1		07/18/25 17:30	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.36	1		07/18/25 17:30	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.32	1		07/18/25 17:30	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.22	1		07/18/25 17:30	75-27-4	
Bromoform	ND	ug/L	5.0	0.22	1		07/18/25 17:30	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		07/18/25 17:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.3	1		07/18/25 17:30	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.30	1		07/18/25 17:30	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.24	1		07/18/25 17:30	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.31	1		07/18/25 17:30	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.64	1		07/18/25 17:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.34	1		07/18/25 17:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.21	1		07/18/25 17:30	108-90-7	
Chloroethane	ND	ug/L	5.0	0.85	1		07/18/25 17:30	75-00-3	
Chloroform	ND	ug/L	5.0	0.33	1		07/18/25 17:30	67-66-3	
Chloromethane	ND	ug/L	5.0	1.4	1		07/18/25 17:30	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.19	1		07/18/25 17:30	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		07/18/25 17:30	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.30	1		07/18/25 17:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.32	1		07/18/25 17:30	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.20	1		07/18/25 17:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.25	1		07/18/25 17:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.31	1		07/18/25 17:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.12	1		07/18/25 17:30	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.52	1		07/18/25 17:30	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.88	1		07/18/25 17:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		07/18/25 17:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.21	1		07/18/25 17:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.29	1		07/18/25 17:30	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.27	1		07/18/25 17:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.36	1		07/18/25 17:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.28	1		07/18/25 17:30	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.24	1		07/18/25 17:30	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 17:30	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.28	1		07/18/25 17:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.25	1		07/18/25 17:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		07/18/25 17:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		07/18/25 17:30	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.46	1		07/18/25 17:30	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.33	1		07/18/25 17:30	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		07/18/25 17:30	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.5	1		07/18/25 17:30	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: EB-01-20250714 **Lab ID: 50407324032** Collected: 07/14/25 08:55 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.33	1		07/18/25 17:30	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.30	1		07/18/25 17:30	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.31	1		07/18/25 17:30	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.0	1		07/18/25 17:30	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.32	1		07/18/25 17:30	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.44	1		07/18/25 17:30	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.4	1		07/18/25 17:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.24	1		07/18/25 17:30	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.22	1		07/18/25 17:30	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.21	1		07/18/25 17:30	103-65-1	
Styrene	ND	ug/L	5.0	0.24	1		07/18/25 17:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.26	1		07/18/25 17:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.41	1		07/18/25 17:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.32	1		07/18/25 17:30	127-18-4	
Toluene	ND	ug/L	5.0	0.19	1		07/18/25 17:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.29	1		07/18/25 17:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/18/25 17:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.34	1		07/18/25 17:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.27	1		07/18/25 17:30	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.23	1		07/18/25 17:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.89	1		07/18/25 17:30	75-69-4	L1
1,2,3-Trichloropropane	ND	ug/L	5.0	0.53	1		07/18/25 17:30	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.20	1		07/18/25 17:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.31	1		07/18/25 17:30	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.3	1		07/18/25 17:30	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.88	1		07/18/25 17:30	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.29	1		07/18/25 17:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	117	%.	82-128		1		07/18/25 17:30	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/18/25 17:30	460-00-4	
Toluene-d8 (S)	100	%.	73-122		1		07/18/25 17:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: Trip Blank-20250715 **Lab ID: 50407324033** Collected: 07/15/25 08:00 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	12.6	1		07/16/25 12:35	67-64-1	
Acrolein	ND	ug/L	50.0	12.3	1		07/16/25 12:35	107-02-8	
Acrylonitrile	ND	ug/L	100	2.3	1		07/16/25 12:35	107-13-1	
Benzene	ND	ug/L	5.0	0.36	1		07/16/25 12:35	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.55	1		07/16/25 12:35	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.43	1		07/16/25 12:35	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.36	1		07/16/25 12:35	75-27-4	
Bromoform	ND	ug/L	5.0	0.52	1		07/16/25 12:35	75-25-2	
Bromomethane	ND	ug/L	5.0	0.45	1		07/16/25 12:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	4.0	1		07/16/25 12:35	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.60	1		07/16/25 12:35	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.47	1		07/16/25 12:35	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 12:35	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.80	1		07/16/25 12:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.42	1		07/16/25 12:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.38	1		07/16/25 12:35	108-90-7	
Chloroethane	ND	ug/L	5.0	0.41	1		07/16/25 12:35	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/16/25 12:35	67-66-3	
Chloromethane	ND	ug/L	5.0	0.68	1		07/16/25 12:35	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.41	1		07/16/25 12:35	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.54	1		07/16/25 12:35	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.28	1		07/16/25 12:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.40	1		07/16/25 12:35	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.32	1		07/16/25 12:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 12:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.46	1		07/16/25 12:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/16/25 12:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.54	1		07/16/25 12:35	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.38	1		07/16/25 12:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.48	1		07/16/25 12:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.33	1		07/16/25 12:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.46	1		07/16/25 12:35	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.51	1		07/16/25 12:35	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.43	1		07/16/25 12:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.48	1		07/16/25 12:35	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.30	1		07/16/25 12:35	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.50	1		07/16/25 12:35	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.38	1		07/16/25 12:35	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.33	1		07/16/25 12:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.24	1		07/16/25 12:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.34	1		07/16/25 12:35	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.51	1		07/16/25 12:35	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.73	1		07/16/25 12:35	87-68-3	
n-Hexane	ND	ug/L	5.0	0.70	1		07/16/25 12:35	110-54-3	
2-Hexanone	ND	ug/L	25.0	3.2	1		07/16/25 12:35	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Sample: Trip Blank-20250715 **Lab ID: 50407324033** Collected: 07/15/25 08:00 Received: 07/15/25 13:45 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.44	1		07/16/25 12:35	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.36	1		07/16/25 12:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.47	1		07/16/25 12:35	99-87-6	
Methylene Chloride	ND	ug/L	5.0	2.7	1		07/16/25 12:35	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.58	1		07/16/25 12:35	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.68	1		07/16/25 12:35	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	2.9	1		07/16/25 12:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.28	1		07/16/25 12:35	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.40	1		07/16/25 12:35	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.51	1		07/16/25 12:35	103-65-1	
Styrene	ND	ug/L	5.0	0.36	1		07/16/25 12:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.32	1		07/16/25 12:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.59	1		07/16/25 12:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.42	1		07/16/25 12:35	127-18-4	
Toluene	ND	ug/L	5.0	3.9	1		07/16/25 12:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.35	1		07/16/25 12:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.45	1		07/16/25 12:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.42	1		07/16/25 12:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.29	1		07/16/25 12:35	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.39	1		07/16/25 12:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.35	1		07/16/25 12:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.71	1		07/16/25 12:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.50	1		07/16/25 12:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.42	1		07/16/25 12:35	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.6	1		07/16/25 12:35	108-05-4	L1
Vinyl chloride	ND	ug/L	2.0	0.45	1		07/16/25 12:35	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.84	1		07/16/25 12:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		07/16/25 12:35	1868-53-7	
4-Bromofluorobenzene (S)	104	%.	79-124		1		07/16/25 12:35	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		07/16/25 12:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

QC Batch: 854139
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407324015, 50407324016, 50407324018

METHOD BLANK: 3912523 Matrix: Water
Associated Lab Samples: 50407324015, 50407324016, 50407324018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	07/19/25 16:46	

LABORATORY CONTROL SAMPLE: 3912524

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4660	93	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912525 3912526

Parameter	Units	50407206002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	658 mg/L	500000	500000	1120000	1120000	92	92	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912527 3912528

Parameter	Units	50407324015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	48700	50000	50000	136000	136000	175	175	80-120	0	15	M3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

QC Batch: 855044
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407324015, 50407324016, 50407324018

METHOD BLANK: 3916826 Matrix: Water
Associated Lab Samples: 50407324015, 50407324016, 50407324018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	07/25/25 11:54	

LABORATORY CONTROL SAMPLE: 3916827

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9720	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3916828 3916829

Parameter	Units	50407324015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	1910	10000	10000	12000	11600	101	97	75-125	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

QC Batch: 853754 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407324001, 50407324002, 50407324003, 50407324004, 50407324005, 50407324006, 50407324007, 50407324008, 50407324009, 50407324010, 50407324015, 50407324033

METHOD BLANK: 3910190 Matrix: Water
Associated Lab Samples: 50407324001, 50407324002, 50407324003, 50407324004, 50407324005, 50407324006, 50407324007, 50407324008, 50407324009, 50407324010, 50407324015, 50407324033

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	07/16/25 12:03	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	07/16/25 12:03	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	07/16/25 12:03	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	07/16/25 12:03	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	07/16/25 12:03	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	07/16/25 12:03	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	07/16/25 12:03	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	07/16/25 12:03	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	07/16/25 12:03	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	07/16/25 12:03	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	07/16/25 12:03	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	07/16/25 12:03	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	07/16/25 12:03	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	07/16/25 12:03	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	07/16/25 12:03	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	07/16/25 12:03	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	07/16/25 12:03	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	07/16/25 12:03	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	07/16/25 12:03	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	07/16/25 12:03	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	07/16/25 12:03	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	07/16/25 12:03	
2-Chlorotoluene	ug/L	ND	5.0	0.41	07/16/25 12:03	
2-Hexanone	ug/L	ND	25.0	3.2	07/16/25 12:03	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	07/16/25 12:03	
4-Chlorotoluene	ug/L	ND	5.0	0.54	07/16/25 12:03	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	07/16/25 12:03	
Acetone	ug/L	ND	100	12.6	07/16/25 12:03	
Acrolein	ug/L	ND	50.0	12.3	07/16/25 12:03	
Acrylonitrile	ug/L	ND	100	2.3	07/16/25 12:03	
Benzene	ug/L	ND	5.0	0.36	07/16/25 12:03	
Bromobenzene	ug/L	ND	5.0	0.55	07/16/25 12:03	
Bromochloromethane	ug/L	ND	5.0	0.43	07/16/25 12:03	
Bromodichloromethane	ug/L	ND	5.0	0.36	07/16/25 12:03	
Bromoform	ug/L	ND	5.0	0.52	07/16/25 12:03	
Bromomethane	ug/L	ND	5.0	0.45	07/16/25 12:03	
Carbon disulfide	ug/L	ND	10.0	0.80	07/16/25 12:03	
Carbon tetrachloride	ug/L	ND	5.0	0.42	07/16/25 12:03	
Chlorobenzene	ug/L	ND	5.0	0.38	07/16/25 12:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

METHOD BLANK: 3910190 Matrix: Water

Associated Lab Samples: 50407324001, 50407324002, 50407324003, 50407324004, 50407324005, 50407324006, 50407324007, 50407324008, 50407324009, 50407324010, 50407324015, 50407324033

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.41	07/16/25 12:03	
Chloroform	ug/L	ND	5.0	0.38	07/16/25 12:03	
Chloromethane	ug/L	ND	5.0	0.68	07/16/25 12:03	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	07/16/25 12:03	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	07/16/25 12:03	
Dibromochloromethane	ug/L	ND	5.0	0.28	07/16/25 12:03	
Dibromomethane	ug/L	ND	5.0	0.32	07/16/25 12:03	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	07/16/25 12:03	
Ethyl methacrylate	ug/L	ND	100	0.51	07/16/25 12:03	
Ethylbenzene	ug/L	ND	5.0	0.34	07/16/25 12:03	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	07/16/25 12:03	
Iodomethane	ug/L	ND	10.0	0.44	07/16/25 12:03	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	07/16/25 12:03	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	07/16/25 12:03	
Methylene Chloride	ug/L	ND	5.0	2.7	07/16/25 12:03	
n-Butylbenzene	ug/L	ND	5.0	0.60	07/16/25 12:03	
n-Hexane	ug/L	ND	5.0	0.70	07/16/25 12:03	
n-Propylbenzene	ug/L	ND	5.0	0.51	07/16/25 12:03	
Naphthalene	ug/L	ND	1.2	0.40	07/16/25 12:03	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	07/16/25 12:03	
sec-Butylbenzene	ug/L	ND	5.0	0.47	07/16/25 12:03	
Styrene	ug/L	ND	5.0	0.36	07/16/25 12:03	
tert-Butylbenzene	ug/L	ND	5.0	0.42	07/16/25 12:03	
Tetrachloroethene	ug/L	ND	5.0	0.42	07/16/25 12:03	
Toluene	ug/L	ND	5.0	3.9	07/16/25 12:03	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	07/16/25 12:03	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	07/16/25 12:03	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	07/16/25 12:03	
Trichloroethene	ug/L	ND	5.0	0.39	07/16/25 12:03	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	07/16/25 12:03	
Vinyl acetate	ug/L	ND	50.0	1.6	07/16/25 12:03	
Vinyl chloride	ug/L	ND	2.0	0.45	07/16/25 12:03	
Xylene (Total)	ug/L	ND	10.0	0.84	07/16/25 12:03	
4-Bromofluorobenzene (S)	%.	104	79-124		07/16/25 12:03	
Dibromofluoromethane (S)	%.	119	82-128		07/16/25 12:03	
Toluene-d8 (S)	%.	100	73-122		07/16/25 12:03	

LABORATORY CONTROL SAMPLE: 3910191

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	45.8	92	78-129	
1,1,1-Trichloroethane	ug/L	50	43.9	88	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	45.0	90	69-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

LABORATORY CONTROL SAMPLE: 3910191

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	45.6	91	77-125	
1,1-Dichloroethane	ug/L	50	42.0	84	75-120	
1,1-Dichloroethene	ug/L	50	42.2	84	59-128	
1,1-Dichloropropene	ug/L	50	52.2	104	79-135	
1,2,3-Trichlorobenzene	ug/L	50	45.8	92	69-144	
1,2,3-Trichloropropane	ug/L	50	46.6	93	75-128	
1,2,4-Trichlorobenzene	ug/L	50	45.3	91	67-139	
1,2,4-Trimethylbenzene	ug/L	50	43.8	88	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	52.0	104	78-125	
1,2-Dichlorobenzene	ug/L	50	42.8	86	79-120	
1,2-Dichloroethane	ug/L	50	45.5	91	61-127	
1,2-Dichloropropane	ug/L	50	44.2	88	75-124	
1,3,5-Trimethylbenzene	ug/L	50	44.1	88	71-122	
1,3-Dichlorobenzene	ug/L	50	43.4	87	78-120	
1,3-Dichloropropane	ug/L	50	47.0	94	76-123	
1,4-Dichlorobenzene	ug/L	50	45.5	91	80-119	
1-Methylnaphthalene	ug/L	50	45.5	91	28-200	
2,2-Dichloropropane	ug/L	50	46.5	93	50-147	
2-Butanone (MEK)	ug/L	250	225	90	64-136	
2-Chlorotoluene	ug/L	50	43.4	87	74-119	
2-Hexanone	ug/L	250	222	89	59-134	
2-Methylnaphthalene	ug/L	50	43.2	86	23-200	
4-Chlorotoluene	ug/L	50	43.9	88	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	234	94	62-133	
Acetone	ug/L	250	210	84	34-156	
Acrolein	ug/L	1000	1420	142	46-156	
Acrylonitrile	ug/L	250	236	95	67-146	
Benzene	ug/L	50	45.3	91	76-120	
Bromobenzene	ug/L	50	49.7	99	73-121	
Bromochloromethane	ug/L	50	43.9	88	69-120	
Bromodichloromethane	ug/L	50	43.3	87	79-127	
Bromoform	ug/L	50	45.5	91	76-135	
Bromomethane	ug/L	50	60.5	121	10-181	
Carbon disulfide	ug/L	50	52.6	105	63-133	
Carbon tetrachloride	ug/L	50	46.3	93	70-131	
Chlorobenzene	ug/L	50	44.0	88	77-118	
Chloroethane	ug/L	50	50.7	101	31-159	
Chloroform	ug/L	50	41.9	84	74-122	
Chloromethane	ug/L	50	41.9	84	38-151	
cis-1,2-Dichloroethene	ug/L	50	43.5	87	78-121	
cis-1,3-Dichloropropene	ug/L	50	48.7	97	75-136	
Dibromochloromethane	ug/L	50	47.0	94	80-132	
Dibromomethane	ug/L	50	44.1	88	78-122	
Dichlorodifluoromethane	ug/L	50	50.6	101	10-172	
Ethyl methacrylate	ug/L	50	49.9J	100	72-147	
Ethylbenzene	ug/L	50	43.8	88	76-124	
Hexachloro-1,3-butadiene	ug/L	50	43.7	87	70-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

LABORATORY CONTROL SAMPLE: 3910191

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	50.3	101	10-143	
Isopropylbenzene (Cumene)	ug/L	50	44.5	89	66-113	
Methyl-tert-butyl ether	ug/L	50	46.4	93	74-124	
Methylene Chloride	ug/L	50	35.9	72	64-134	
n-Butylbenzene	ug/L	50	46.0	92	69-130	
n-Hexane	ug/L	50	42.8	86	51-127	
n-Propylbenzene	ug/L	50	45.1	90	67-127	
Naphthalene	ug/L	50	44.9	90	66-143	
p-Isopropyltoluene	ug/L	50	44.9	90	75-125	
sec-Butylbenzene	ug/L	50	44.7	89	71-126	
Styrene	ug/L	50	43.8	88	79-125	
tert-Butylbenzene	ug/L	50	54.7	109	73-125	
Tetrachloroethene	ug/L	50	49.3	99	71-122	
Toluene	ug/L	50	43.8	88	72-117	
trans-1,2-Dichloroethene	ug/L	50	41.8	84	74-121	
trans-1,3-Dichloropropene	ug/L	50	48.6	97	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	45J	90	57-137	
Trichloroethene	ug/L	50	45.8	92	75-124	
Trichlorofluoromethane	ug/L	50	63.1	126	55-142	
Vinyl acetate	ug/L	200	426	213	66-193	L1
Vinyl chloride	ug/L	50	50.0	100	50-150	
Xylene (Total)	ug/L	150	124	83	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			98	82-128	
Toluene-d8 (S)	%.			101	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3910192 3910193

Parameter	Units	50407324015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	42.9	50.5	86	101	50-147	16	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	45.9	53.4	92	107	50-149	15	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	41.2	49.0	82	98	48-139	17	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	43.8	51.2	88	102	51-143	16	20	
1,1-Dichloroethane	ug/L	6.0	50	50	47.7	54.4	83	97	49-144	13	20	
1,1-Dichloroethene	ug/L	ND	50	50	44.0	51.5	87	102	45-146	16	20	
1,1-Dichloropropene	ug/L	ND	50	50	52.5	61.4	105	123	55-157	16	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	39.7	46.1	79	92	30-155	15	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	42.4	51.6	85	103	47-146	20	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	37.6	42.4	75	85	25-148	12	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	39.6	45.5	79	91	37-139	14	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	48.7	57.6	97	115	56-140	17	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	39.9	46.2	80	92	43-139	15	20	
1,2-Dichloroethane	ug/L	ND	50	50	45.9	53.5	92	107	45-143	15	20	
1,2-Dichloropropane	ug/L	ND	50	50	43.4	50.4	87	101	53-144	15	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3910192 3910193

Parameter	Units	50407324015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	40.5	47.1	81	94	35-141	15	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	38.8	44.9	78	90	39-138	14	20	
1,3-Dichloropropane	ug/L	ND	50	50	44.6	52.3	89	105	52-140	16	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	41.0	47.2	82	94	38-140	14	20	
1-Methylnaphthalene	ug/L	ND	50	50	41.0	48.0	82	96	12-185	16	20	
2,2-Dichloropropane	ug/L	ND	50	50	46.0	53.1	92	106	27-149	14	20	
2-Butanone (MEK)	ug/L	ND	250	250	211	264	84	106	38-153	22	20	R1
2-Chlorotoluene	ug/L	ND	50	50	40.2	46.5	80	93	37-141	14	20	
2-Hexanone	ug/L	ND	250	250	199	243	80	97	39-143	20	20	
2-Methylnaphthalene	ug/L	ND	50	50	37.7	43.2	75	86	10-189	13	20	
4-Chlorotoluene	ug/L	ND	50	50	40.6	46.2	81	92	36-142	13	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	209	260	84	104	42-142	21	20	R1
Acetone	ug/L	ND	250	250	198	240	79	96	32-141	19	20	
Acrolein	ug/L	ND	1000	1000	1420	1690	142	169	26-153	18	20	M1
Acrylonitrile	ug/L	ND	250	250	238	276	95	110	48-148	15	20	
Benzene	ug/L	ND	50	50	45.1	52.9	90	106	50-143	16	20	
Bromobenzene	ug/L	ND	50	50	40.7	55.7	81	111	46-136	31	20	R1
Bromochloromethane	ug/L	ND	50	50	45.3	51.3	91	103	48-139	12	20	
Bromodichloromethane	ug/L	ND	50	50	43.5	50.1	87	100	50-149	14	20	
Bromoform	ug/L	ND	50	50	39.9	47.6	80	95	44-150	18	20	
Bromomethane	ug/L	ND	50	50	54.7	66.2	109	132	10-177	19	20	
Carbon disulfide	ug/L	ND	50	50	52.5	61.6	105	123	47-142	16	20	
Carbon tetrachloride	ug/L	ND	50	50	47.0	55.4	94	111	46-155	16	20	
Chlorobenzene	ug/L	ND	50	50	42.3	48.9	85	98	52-136	14	20	
Chloroethane	ug/L	330	50	50	260	265	-140	-129	26-171	2	20	M1
Chloroform	ug/L	ND	50	50	42.8	49.8	86	100	53-143	15	20	
Chloromethane	ug/L	ND	50	50	50.2	55.2	100	110	30-162	10	20	
cis-1,2-Dichloroethene	ug/L	102	50	50	122	127	40	50	49-147	4	20	M1
cis-1,3-Dichloropropene	ug/L	ND	50	50	45.2	52.8	90	106	48-146	16	20	
Dibromochloromethane	ug/L	ND	50	50	44.3	51.9	89	104	52-149	16	20	
Dibromomethane	ug/L	ND	50	50	44.1	51.0	88	102	50-144	14	20	
Dichlorodifluoromethane	ug/L	ND	50	50	52.9	61.9	106	124	10-190	16	20	
Ethyl methacrylate	ug/L	ND	50	50	46.2J	54.5J	92	109	51-156		20	
Ethylbenzene	ug/L	ND	50	50	41.8	49.4	84	99	43-145	17	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	38.9	45.2	78	90	11-156	15	20	
Iodomethane	ug/L	ND	50	50	39.0	53.4	78	107	10-144	31	20	R1
Isopropylbenzene (Cumene)	ug/L	ND	50	50	43.1	49.9	86	100	39-128	15	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	44.0	51.5	88	103	50-144	16	20	
Methylene Chloride	ug/L	ND	50	50	37.1	42.7	67	79	40-150	14	20	
n-Butylbenzene	ug/L	ND	50	50	40.6	47.0	81	94	21-150	15	20	
n-Hexane	ug/L	ND	50	50	43.7	50.0	87	100	39-132	13	20	
n-Propylbenzene	ug/L	ND	50	50	41.5	47.9	83	96	31-144	14	20	
Naphthalene	ug/L	ND	50	50	41.7	48.5	83	97	43-148	15	20	
p-Isopropyltoluene	ug/L	ND	50	50	40.9	47.7	82	95	27-147	15	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3910192 3910193

Parameter	Units	50407324015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	42.4	48.9	85	98	32-148	14	20	
Styrene	ug/L	ND	50	50	41.5	48.3	83	97	45-145	15	20	
tert-Butylbenzene	ug/L	ND	50	50	52.0	60.4	104	121	36-144	15	20	
Tetrachloroethene	ug/L	ND	50	50	43.6	50.9	87	102	46-146	15	20	
Toluene	ug/L	ND	50	50	42.6	49.9	85	100	48-135	16	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	44.1	51.2	85	99	52-139	15	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	44.4	52.6	89	105	45-144	17	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	39.5J	47.6J	79	95	30-144		20	
Trichloroethene	ug/L	ND	50	50	44.7	52.5	89	105	46-148	16	20	
Trichlorofluoromethane	ug/L	ND	50	50	67.1	78.4	134	157	43-160	16	20	
Vinyl acetate	ug/L	ND	200	200	469	552	235	276	23-195	16	20	M0
Vinyl chloride	ug/L	102	50	50	119	126	34	48	38-167	6	20	M1
Xylene (Total)	ug/L	ND	150	150	119	138	79	92	45-139	15	20	
4-Bromofluorobenzene (S)	%.						101	101	79-124			
Dibromofluoromethane (S)	%.						104	103	82-128			
Toluene-d8 (S)	%.						102	102	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

QC Batch: 853948 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407324011, 50407324012, 50407324013, 50407324014, 50407324016, 50407324017, 50407324018, 50407324019, 50407324021

METHOD BLANK: 3911429 Matrix: Water
Associated Lab Samples: 50407324011, 50407324012, 50407324013, 50407324014, 50407324016, 50407324017, 50407324018, 50407324019, 50407324021

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	07/17/25 12:07	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	07/17/25 12:07	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	07/17/25 12:07	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	07/17/25 12:07	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	07/17/25 12:07	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	07/17/25 12:07	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	07/17/25 12:07	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	07/17/25 12:07	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	07/17/25 12:07	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	07/17/25 12:07	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	07/17/25 12:07	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	07/17/25 12:07	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	07/17/25 12:07	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	07/17/25 12:07	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	07/17/25 12:07	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	07/17/25 12:07	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	07/17/25 12:07	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	07/17/25 12:07	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	07/17/25 12:07	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	07/17/25 12:07	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	07/17/25 12:07	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	07/17/25 12:07	
2-Chlorotoluene	ug/L	ND	5.0	0.41	07/17/25 12:07	
2-Hexanone	ug/L	ND	25.0	3.2	07/17/25 12:07	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	07/17/25 12:07	
4-Chlorotoluene	ug/L	ND	5.0	0.54	07/17/25 12:07	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	07/17/25 12:07	
Acetone	ug/L	ND	100	12.6	07/17/25 12:07	
Acrolein	ug/L	ND	50.0	12.3	07/17/25 12:07	
Acrylonitrile	ug/L	ND	100	2.3	07/17/25 12:07	
Benzene	ug/L	ND	5.0	0.36	07/17/25 12:07	
Bromobenzene	ug/L	ND	5.0	0.55	07/17/25 12:07	
Bromochloromethane	ug/L	ND	5.0	0.43	07/17/25 12:07	
Bromodichloromethane	ug/L	ND	5.0	0.36	07/17/25 12:07	
Bromoform	ug/L	ND	5.0	0.52	07/17/25 12:07	
Bromomethane	ug/L	ND	5.0	0.45	07/17/25 12:07	
Carbon disulfide	ug/L	ND	10.0	0.80	07/17/25 12:07	
Carbon tetrachloride	ug/L	ND	5.0	0.42	07/17/25 12:07	
Chlorobenzene	ug/L	ND	5.0	0.38	07/17/25 12:07	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

METHOD BLANK: 3911429 Matrix: Water

Associated Lab Samples: 50407324011, 50407324012, 50407324013, 50407324014, 50407324016, 50407324017, 50407324018, 50407324019, 50407324021

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.41	07/17/25 12:07	
Chloroform	ug/L	ND	5.0	0.38	07/17/25 12:07	
Chloromethane	ug/L	ND	5.0	0.68	07/17/25 12:07	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	07/17/25 12:07	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	07/17/25 12:07	
Dibromochloromethane	ug/L	ND	5.0	0.28	07/17/25 12:07	
Dibromomethane	ug/L	ND	5.0	0.32	07/17/25 12:07	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	07/17/25 12:07	
Ethyl methacrylate	ug/L	ND	100	0.51	07/17/25 12:07	
Ethylbenzene	ug/L	ND	5.0	0.34	07/17/25 12:07	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	07/17/25 12:07	
Iodomethane	ug/L	ND	10.0	0.44	07/17/25 12:07	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	07/17/25 12:07	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	07/17/25 12:07	
Methylene Chloride	ug/L	ND	5.0	2.7	07/17/25 12:07	
n-Butylbenzene	ug/L	ND	5.0	0.60	07/17/25 12:07	
n-Hexane	ug/L	ND	5.0	0.70	07/17/25 12:07	
n-Propylbenzene	ug/L	ND	5.0	0.51	07/17/25 12:07	
Naphthalene	ug/L	ND	1.2	0.40	07/17/25 12:07	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	07/17/25 12:07	
sec-Butylbenzene	ug/L	ND	5.0	0.47	07/17/25 12:07	
Styrene	ug/L	ND	5.0	0.36	07/17/25 12:07	
tert-Butylbenzene	ug/L	ND	5.0	0.42	07/17/25 12:07	
Tetrachloroethene	ug/L	ND	5.0	0.42	07/17/25 12:07	
Toluene	ug/L	ND	5.0	3.9	07/17/25 12:07	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	07/17/25 12:07	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	07/17/25 12:07	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	07/17/25 12:07	
Trichloroethene	ug/L	ND	5.0	0.39	07/17/25 12:07	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	07/17/25 12:07	
Vinyl acetate	ug/L	ND	50.0	1.6	07/17/25 12:07	
Vinyl chloride	ug/L	ND	2.0	0.45	07/17/25 12:07	
Xylene (Total)	ug/L	ND	10.0	0.84	07/17/25 12:07	
4-Bromofluorobenzene (S)	%.	104	79-124		07/17/25 12:07	
Dibromofluoromethane (S)	%.	122	82-128		07/17/25 12:07	
Toluene-d8 (S)	%.	100	73-122		07/17/25 12:07	

LABORATORY CONTROL SAMPLE: 3911430

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	42.9	86	78-129	
1,1,1-Trichloroethane	ug/L	50	40.6	81	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	42.4	85	69-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

LABORATORY CONTROL SAMPLE: 3911430

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	43.5	87	77-125	
1,1-Dichloroethane	ug/L	50	39.1	78	75-120	
1,1-Dichloroethene	ug/L	50	39.0	78	59-128	
1,1-Dichloropropene	ug/L	50	48.5	97	79-135	
1,2,3-Trichlorobenzene	ug/L	50	41.6	83	69-144	
1,2,3-Trichloropropane	ug/L	50	43.4	87	75-128	
1,2,4-Trichlorobenzene	ug/L	50	40.9	82	67-139	
1,2,4-Trimethylbenzene	ug/L	50	39.8	80	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	48.9	98	78-125	
1,2-Dichlorobenzene	ug/L	50	39.9	80	79-120	
1,2-Dichloroethane	ug/L	50	42.6	85	61-127	
1,2-Dichloropropane	ug/L	50	40.9	82	75-124	
1,3,5-Trimethylbenzene	ug/L	50	40.6	81	71-122	
1,3-Dichlorobenzene	ug/L	50	39.5	79	78-120	
1,3-Dichloropropane	ug/L	50	44.4	89	76-123	
1,4-Dichlorobenzene	ug/L	50	41.9	84	80-119	
1-Methylnaphthalene	ug/L	50	42.9	86	28-200	
2,2-Dichloropropane	ug/L	50	43.4	87	50-147	
2-Butanone (MEK)	ug/L	250	215	86	64-136	
2-Chlorotoluene	ug/L	50	40.0	80	74-119	
2-Hexanone	ug/L	250	209	84	59-134	
2-Methylnaphthalene	ug/L	50	39.6	79	23-200	
4-Chlorotoluene	ug/L	50	40.4	81	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	222	89	62-133	
Acetone	ug/L	250	198	79	34-156	
Acrolein	ug/L	1000	1360	136	46-156	
Acrylonitrile	ug/L	250	217	87	67-146	
Benzene	ug/L	50	42.1	84	76-120	
Bromobenzene	ug/L	50	46.7	93	73-121	
Bromochloromethane	ug/L	50	41.2	82	69-120	
Bromodichloromethane	ug/L	50	40.1	80	79-127	
Bromoform	ug/L	50	41.7	83	76-135	
Bromomethane	ug/L	50	54.5	109	10-181	
Carbon disulfide	ug/L	50	48.5	97	63-133	
Carbon tetrachloride	ug/L	50	42.2	84	70-131	
Chlorobenzene	ug/L	50	40.8	82	77-118	
Chloroethane	ug/L	50	50.3	101	31-159	
Chloroform	ug/L	50	38.9	78	74-122	
Chloromethane	ug/L	50	41.4	83	38-151	
cis-1,2-Dichloroethene	ug/L	50	40.4	81	78-121	
cis-1,3-Dichloropropene	ug/L	50	46.2	92	75-136	
Dibromochloromethane	ug/L	50	43.9	88	80-132	
Dibromomethane	ug/L	50	40.9	82	78-122	
Dichlorodifluoromethane	ug/L	50	47.7	95	10-172	
Ethyl methacrylate	ug/L	50	46.9J	94	72-147	
Ethylbenzene	ug/L	50	40.4	81	76-124	
Hexachloro-1,3-butadiene	ug/L	50	38.8	78	70-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

LABORATORY CONTROL SAMPLE: 3911430

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	45.4	91	10-143	
Isopropylbenzene (Cumene)	ug/L	50	40.9	82	66-113	
Methyl-tert-butyl ether	ug/L	50	43.7	87	74-124	
Methylene Chloride	ug/L	50	33.5	67	64-134	
n-Butylbenzene	ug/L	50	41.6	83	69-130	
n-Hexane	ug/L	50	41.2	82	51-127	
n-Propylbenzene	ug/L	50	40.8	82	67-127	
Naphthalene	ug/L	50	41.9	84	66-143	
p-Isopropyltoluene	ug/L	50	40.9	82	75-125	
sec-Butylbenzene	ug/L	50	40.8	82	71-126	
Styrene	ug/L	50	40.6	81	79-125	
tert-Butylbenzene	ug/L	50	50.3	101	73-125	
Tetrachloroethene	ug/L	50	43.5	87	71-122	
Toluene	ug/L	50	41.6	83	72-117	
trans-1,2-Dichloroethene	ug/L	50	39.0	78	74-121	
trans-1,3-Dichloropropene	ug/L	50	45.9	92	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	42J	84	57-137	
Trichloroethene	ug/L	50	42.0	84	75-124	
Trichlorofluoromethane	ug/L	50	59.1	118	55-142	
Vinyl acetate	ug/L	200	473	237	66-193	L1
Vinyl chloride	ug/L	50	48.0	96	50-150	
Xylene (Total)	ug/L	150	114	76	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			99	82-128	
Toluene-d8 (S)	%.			103	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3911569 3911570

Parameter	Units	50407324012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	51.0	50.4	102	101	50-147	1	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	49.6	51.2	99	102	50-149	3	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	50.3	48.3	101	97	48-139	4	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	51.9	50.5	104	101	51-143	3	20	
1,1-Dichloroethane	ug/L	ND	50	50	47.3	48.5	95	97	49-144	2	20	
1,1-Dichloroethene	ug/L	ND	50	50	47.8	48.3	96	97	45-146	1	20	
1,1-Dichloropropene	ug/L	ND	50	50	58.1	59.8	116	120	55-157	3	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	46.8	45.2	94	90	30-155	3	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	52.3	50.0	105	100	47-146	5	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	42.9	41.7	86	83	25-148	3	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	45.2	44.2	90	88	37-139	2	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	57.9	56.3	116	113	56-140	3	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	46.4	45.8	93	92	43-139	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	51.7	52.3	103	105	45-143	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	49.5	49.7	99	99	53-144	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3911569 3911570

Parameter	Units	50407324012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	46.0	44.9	92	90	35-141	2	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	45.0	44.6	90	89	39-138	1	20	
1,3-Dichloropropane	ug/L	ND	50	50	52.8	51.7	106	103	52-140	2	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	47.4	46.5	95	93	38-140	2	20	
1-Methylnaphthalene	ug/L	ND	50	50	49.4	45.9	99	92	12-185	7	20	
2,2-Dichloropropane	ug/L	ND	50	50	49.5	51.2	99	102	27-149	3	20	
2-Butanone (MEK)	ug/L	ND	250	250	250	250	100	100	38-153	0	20	
2-Chlorotoluene	ug/L	ND	50	50	46.8	46.5	94	93	37-141	1	20	
2-Hexanone	ug/L	ND	250	250	242	233	97	93	39-143	4	20	
2-Methylnaphthalene	ug/L	ND	50	50	45.5	41.9	91	84	10-189	8	20	
4-Chlorotoluene	ug/L	ND	50	50	46.1	45.9	92	92	36-142	0	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	262	253	105	101	42-142	4	20	
Acetone	ug/L	ND	250	250	230	230	92	92	32-141	0	20	
Acrolein	ug/L	ND	1000	1000	1580	1520	158	152	26-153	4	20	M1
Acrylonitrile	ug/L	ND	250	250	261	272	104	109	48-148	4	20	
Benzene	ug/L	ND	50	50	50.9	51.2	102	102	50-143	1	20	
Bromobenzene	ug/L	ND	50	50	54.4	54.2	109	108	46-136	0	20	
Bromochloromethane	ug/L	ND	50	50	49.5	50.0	99	100	48-139	1	20	
Bromodichloromethane	ug/L	ND	50	50	48.1	48.8	96	98	50-149	1	20	
Bromoform	ug/L	ND	50	50	47.2	46.8	94	94	44-150	1	20	
Bromomethane	ug/L	ND	50	50	65.5	69.0	131	138	10-177	5	20	
Carbon disulfide	ug/L	ND	50	50	57.2	58.5	114	117	47-142	2	20	
Carbon tetrachloride	ug/L	ND	50	50	50.8	53.0	102	106	46-155	4	20	
Chlorobenzene	ug/L	ND	50	50	48.4	48.1	97	96	52-136	1	20	
Chloroethane	ug/L	ND	50	50	62.1	64.0	124	128	26-171	3	20	
Chloroform	ug/L	ND	50	50	47.3	48.7	95	97	53-143	3	20	
Chloromethane	ug/L	ND	50	50	50.4	52.0	101	104	30-162	3	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	48.7	49.2	97	98	49-147	1	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	52.6	52.6	105	105	48-146	0	20	
Dibromochloromethane	ug/L	ND	50	50	51.0	51.3	102	103	52-149	1	20	
Dibromomethane	ug/L	ND	50	50	48.8	49.5	98	99	50-144	1	20	
Dichlorodifluoromethane	ug/L	ND	50	50	57.1	58.9	114	118	10-190	3	20	
Ethyl methacrylate	ug/L	ND	50	50	54.7J	53.5J	109	107	51-156		20	
Ethylbenzene	ug/L	ND	50	50	48.1	48.0	96	96	43-145	0	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	43.8	43.9	88	88	11-156	0	20	
Iodomethane	ug/L	ND	50	50	51.6	55.5	103	111	10-144	7	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	48.3	48.8	97	98	39-128	1	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	51.0	51.0	102	102	50-144	0	20	
Methylene Chloride	ug/L	ND	50	50	39.6	39.7	77	77	40-150	0	20	
n-Butylbenzene	ug/L	ND	50	50	46.3	46.1	93	92	21-150	1	20	
n-Hexane	ug/L	ND	50	50	49.9	50.6	100	101	39-132	1	20	
n-Propylbenzene	ug/L	ND	50	50	47.7	47.6	95	95	31-144	0	20	
Naphthalene	ug/L	ND	50	50	50.5	47.6	101	95	43-148	6	20	
p-Isopropyltoluene	ug/L	ND	50	50	46.8	47.0	94	94	27-147	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3911569 3911570

Parameter	Units	50407324012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	48.3	48.7	97	97	32-148	1	20	
Styrene	ug/L	ND	50	50	46.5	45.3	93	91	45-145	3	20	
tert-Butylbenzene	ug/L	ND	50	50	60.3	59.8	121	120	36-144	1	20	
Tetrachloroethene	ug/L	ND	50	50	49.8	50.0	100	100	46-146	0	20	
Toluene	ug/L	ND	50	50	48.7	48.8	97	97	48-135	0	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	46.7	47.2	93	94	52-139	1	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	52.0	51.7	104	103	45-144	1	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	47.2J	45.8J	94	92	30-144		20	
Trichloroethene	ug/L	ND	50	50	49.9	50.8	100	102	46-148	2	20	
Trichlorofluoromethane	ug/L	ND	50	50	72.9	75.5	146	151	43-160	4	20	
Vinyl acetate	ug/L	ND	200	200	481	475	240	237	23-195	1	20	M0
Vinyl chloride	ug/L	ND	50	50	58.1	60.2	116	120	38-167	4	20	
Xylene (Total)	ug/L	ND	150	150	134	134	89	89	45-139	0	20	
4-Bromofluorobenzene (S)	%.						100	101	79-124			
Dibromofluoromethane (S)	%.						99	101	82-128			
Toluene-d8 (S)	%.						102	102	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

QC Batch: 854135
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407324020, 50407324022, 50407324023, 50407324024, 50407324025, 50407324026, 50407324027, 50407324028, 50407324029, 50407324030, 50407324031

METHOD BLANK: 3912503
Matrix: Water
Associated Lab Samples: 50407324020, 50407324022, 50407324023, 50407324024, 50407324025, 50407324026, 50407324027, 50407324028, 50407324029, 50407324030, 50407324031

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.32	07/18/25 11:52	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.42	07/18/25 11:52	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.59	07/18/25 11:52	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.29	07/18/25 11:52	
1,1-Dichloroethane	ug/L	ND	5.0	0.48	07/18/25 11:52	
1,1-Dichloroethene	ug/L	ND	5.0	0.46	07/18/25 11:52	
1,1-Dichloropropene	ug/L	ND	5.0	0.38	07/18/25 11:52	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.35	07/18/25 11:52	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.71	07/18/25 11:52	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.45	07/18/25 11:52	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.50	07/18/25 11:52	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.40	07/18/25 11:52	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.46	07/18/25 11:52	
1,2-Dichloroethane	ug/L	ND	5.0	0.33	07/18/25 11:52	
1,2-Dichloropropane	ug/L	ND	5.0	0.48	07/18/25 11:52	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.42	07/18/25 11:52	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.46	07/18/25 11:52	
1,3-Dichloropropane	ug/L	ND	5.0	0.30	07/18/25 11:52	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.50	07/18/25 11:52	
1-Methylnaphthalene	ug/L	ND	10.0	0.58	07/18/25 11:52	
2,2-Dichloropropane	ug/L	ND	5.0	0.50	07/18/25 11:52	
2-Butanone (MEK)	ug/L	ND	25.0	4.0	07/18/25 11:52	
2-Chlorotoluene	ug/L	ND	5.0	0.41	07/18/25 11:52	
2-Hexanone	ug/L	ND	25.0	3.2	07/18/25 11:52	
2-Methylnaphthalene	ug/L	ND	10.0	0.68	07/18/25 11:52	
4-Chlorotoluene	ug/L	ND	5.0	0.54	07/18/25 11:52	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	2.9	07/18/25 11:52	
Acetone	ug/L	ND	100	12.6	07/18/25 11:52	
Acrolein	ug/L	ND	50.0	12.3	07/18/25 11:52	
Acrylonitrile	ug/L	ND	100	2.3	07/18/25 11:52	
Benzene	ug/L	ND	5.0	0.36	07/18/25 11:52	
Bromobenzene	ug/L	ND	5.0	0.55	07/18/25 11:52	
Bromochloromethane	ug/L	ND	5.0	0.43	07/18/25 11:52	
Bromodichloromethane	ug/L	ND	5.0	0.36	07/18/25 11:52	
Bromoform	ug/L	ND	5.0	0.52	07/18/25 11:52	
Bromomethane	ug/L	ND	5.0	0.45	07/18/25 11:52	
Carbon disulfide	ug/L	ND	10.0	0.80	07/18/25 11:52	
Carbon tetrachloride	ug/L	ND	5.0	0.42	07/18/25 11:52	
Chlorobenzene	ug/L	ND	5.0	0.38	07/18/25 11:52	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

METHOD BLANK: 3912503 Matrix: Water

Associated Lab Samples: 50407324020, 50407324022, 50407324023, 50407324024, 50407324025, 50407324026, 50407324027, 50407324028, 50407324029, 50407324030, 50407324031

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.41	07/18/25 11:52	
Chloroform	ug/L	ND	5.0	0.38	07/18/25 11:52	
Chloromethane	ug/L	ND	5.0	0.68	07/18/25 11:52	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.51	07/18/25 11:52	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.33	07/18/25 11:52	
Dibromochloromethane	ug/L	ND	5.0	0.28	07/18/25 11:52	
Dibromomethane	ug/L	ND	5.0	0.32	07/18/25 11:52	
Dichlorodifluoromethane	ug/L	ND	5.0	0.38	07/18/25 11:52	
Ethyl methacrylate	ug/L	ND	100	0.51	07/18/25 11:52	
Ethylbenzene	ug/L	ND	5.0	0.34	07/18/25 11:52	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.73	07/18/25 11:52	
Iodomethane	ug/L	ND	10.0	0.44	07/18/25 11:52	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.36	07/18/25 11:52	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.28	07/18/25 11:52	
Methylene Chloride	ug/L	ND	5.0	2.7	07/18/25 11:52	
n-Butylbenzene	ug/L	ND	5.0	0.60	07/18/25 11:52	
n-Hexane	ug/L	ND	5.0	0.70	07/18/25 11:52	
n-Propylbenzene	ug/L	ND	5.0	0.51	07/18/25 11:52	
Naphthalene	ug/L	ND	1.2	0.40	07/18/25 11:52	
p-Isopropyltoluene	ug/L	ND	5.0	0.47	07/18/25 11:52	
sec-Butylbenzene	ug/L	ND	5.0	0.47	07/18/25 11:52	
Styrene	ug/L	ND	5.0	0.36	07/18/25 11:52	
tert-Butylbenzene	ug/L	ND	5.0	0.42	07/18/25 11:52	
Tetrachloroethene	ug/L	ND	5.0	0.42	07/18/25 11:52	
Toluene	ug/L	ND	5.0	3.9	07/18/25 11:52	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.43	07/18/25 11:52	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.24	07/18/25 11:52	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.54	07/18/25 11:52	
Trichloroethene	ug/L	ND	5.0	0.39	07/18/25 11:52	
Trichlorofluoromethane	ug/L	ND	5.0	0.35	07/18/25 11:52	
Vinyl acetate	ug/L	ND	50.0	1.6	07/18/25 11:52	
Vinyl chloride	ug/L	ND	2.0	0.45	07/18/25 11:52	
Xylene (Total)	ug/L	ND	10.0	0.84	07/18/25 11:52	
4-Bromofluorobenzene (S)	%.	107	79-124		07/18/25 11:52	
Dibromofluoromethane (S)	%.	125	82-128		07/18/25 11:52	
Toluene-d8 (S)	%.	100	73-122		07/18/25 11:52	

LABORATORY CONTROL SAMPLE: 3912504

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	45.2	90	78-129	
1,1,1-Trichloroethane	ug/L	50	45.9	92	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	44.0	88	69-126	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

LABORATORY CONTROL SAMPLE: 3912504

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,2-Trichloroethane	ug/L	50	45.7	91	77-125	
1,1-Dichloroethane	ug/L	50	43.1	86	75-120	
1,1-Dichloroethene	ug/L	50	43.5	87	59-128	
1,1-Dichloropropene	ug/L	50	54.1	108	79-135	
1,2,3-Trichlorobenzene	ug/L	50	45.1	90	69-144	
1,2,3-Trichloropropane	ug/L	50	45.1	90	75-128	
1,2,4-Trichlorobenzene	ug/L	50	44.8	90	67-139	
1,2,4-Trimethylbenzene	ug/L	50	43.0	86	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	50.3	101	78-125	
1,2-Dichlorobenzene	ug/L	50	42.8	86	79-120	
1,2-Dichloroethane	ug/L	50	46.9	94	61-127	
1,2-Dichloropropane	ug/L	50	44.0	88	75-124	
1,3,5-Trimethylbenzene	ug/L	50	44.2	88	71-122	
1,3-Dichlorobenzene	ug/L	50	43.0	86	78-120	
1,3-Dichloropropane	ug/L	50	46.4	93	76-123	
1,4-Dichlorobenzene	ug/L	50	45.1	90	80-119	
1-Methylnaphthalene	ug/L	50	44.7	89	28-200	
2,2-Dichloropropane	ug/L	50	48.8	98	50-147	
2-Butanone (MEK)	ug/L	250	223	89	64-136	
2-Chlorotoluene	ug/L	50	43.7	87	74-119	
2-Hexanone	ug/L	250	209	84	59-134	
2-Methylnaphthalene	ug/L	50	41.8	84	23-200	
4-Chlorotoluene	ug/L	50	44.2	88	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	226	90	62-133	
Acetone	ug/L	250	205	82	34-156	
Acrolein	ug/L	1000	1440	144	46-156	
Acrylonitrile	ug/L	250	246	98	67-146	
Benzene	ug/L	50	46.1	92	76-120	
Bromobenzene	ug/L	50	49.7	99	73-121	
Bromochloromethane	ug/L	50	45.0	90	69-120	
Bromodichloromethane	ug/L	50	43.7	87	79-127	
Bromoform	ug/L	50	42.7	85	76-135	
Bromomethane	ug/L	50	62.3	125	10-181	
Carbon disulfide	ug/L	50	54.0	108	63-133	
Carbon tetrachloride	ug/L	50	47.7	95	70-131	
Chlorobenzene	ug/L	50	44.1	88	77-118	
Chloroethane	ug/L	50	57.3	115	31-159	
Chloroform	ug/L	50	43.2	86	74-122	
Chloromethane	ug/L	50	46.2	92	38-151	
cis-1,2-Dichloroethene	ug/L	50	44.3	89	78-121	
cis-1,3-Dichloropropene	ug/L	50	49.4	99	75-136	
Dibromochloromethane	ug/L	50	46.1	92	80-132	
Dibromomethane	ug/L	50	43.5	87	78-122	
Dichlorodifluoromethane	ug/L	50	52.8	106	10-172	
Ethyl methacrylate	ug/L	50	47.3J	95	72-147	
Ethylbenzene	ug/L	50	44.4	89	76-124	
Hexachloro-1,3-butadiene	ug/L	50	44.2	88	70-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

LABORATORY CONTROL SAMPLE: 3912504

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iodomethane	ug/L	50	50.5	101	10-143	
Isopropylbenzene (Cumene)	ug/L	50	45.1	90	66-113	
Methyl-tert-butyl ether	ug/L	50	45.7	91	74-124	
Methylene Chloride	ug/L	50	36.3	73	64-134	
n-Butylbenzene	ug/L	50	47.0	94	69-130	
n-Hexane	ug/L	50	44.0	88	51-127	
n-Propylbenzene	ug/L	50	45.1	90	67-127	
Naphthalene	ug/L	50	44.2	88	66-143	
p-Isopropyltoluene	ug/L	50	45.4	91	75-125	
sec-Butylbenzene	ug/L	50	45.6	91	71-126	
Styrene	ug/L	50	44.1	88	79-125	
tert-Butylbenzene	ug/L	50	55.4	111	73-125	
Tetrachloroethene	ug/L	50	48.0	96	71-122	
Toluene	ug/L	50	44.7	89	72-117	
trans-1,2-Dichloroethene	ug/L	50	43.5	87	74-121	
trans-1,3-Dichloropropene	ug/L	50	48.4	97	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	44J	88	57-137	
Trichloroethene	ug/L	50	45.8	92	75-124	
Trichlorofluoromethane	ug/L	50	68.2	136	55-142	
Vinyl acetate	ug/L	200	502	251	66-193	L1
Vinyl chloride	ug/L	50	54.6	109	50-150	
Xylene (Total)	ug/L	150	125	83	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			100	82-128	
Toluene-d8 (S)	%.			104	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912679 3912680

Parameter	Units	50407324028 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	43.4	49.9	87	100	50-147	14	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	46.9	51.6	94	103	50-149	10	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	43.2	49.4	86	99	48-139	13	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	43.7	50.9	87	102	51-143	15	20	
1,1-Dichloroethane	ug/L	ND	50	50	45.6	50.2	87	97	49-144	10	20	
1,1-Dichloroethene	ug/L	ND	50	50	43.6	47.7	87	95	45-146	9	20	
1,1-Dichloropropene	ug/L	ND	50	50	53.1	59.6	106	119	55-157	12	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	39.6	44.6	79	89	30-155	12	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	43.1	51.2	86	102	47-146	17	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	37.3	41.2	75	82	25-148	10	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	39.4	42.7	79	85	37-139	8	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	49.0	57.3	98	115	56-140	16	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	40.2	44.9	80	90	43-139	11	20	
1,2-Dichloroethane	ug/L	ND	50	50	48.0	54.2	96	108	45-143	12	20	
1,2-Dichloropropane	ug/L	ND	50	50	43.3	49.5	87	99	53-144	13	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912679 3912680

Parameter	Units	50407324028 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3,5-Trimethylbenzene	ug/L	ND	50	50	40.6	44.2	81	88	35-141	8	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	39.1	43.5	78	87	39-138	11	20	
1,3-Dichloropropane	ug/L	ND	50	50	45.7	52.9	91	106	52-140	15	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	41.1	45.7	82	91	38-140	11	20	
1-Methylnaphthalene	ug/L	ND	50	50	40.3	46.9	81	94	12-185	15	20	
2,2-Dichloropropane	ug/L	ND	50	50	47.5	52.7	95	105	27-149	10	20	
2-Butanone (MEK)	ug/L	ND	250	250	220	265	88	106	38-153	19	20	
2-Chlorotoluene	ug/L	ND	50	50	40.7	45.3	81	91	37-141	11	20	
2-Hexanone	ug/L	ND	250	250	202	238	81	95	39-143	17	20	
2-Methylnaphthalene	ug/L	ND	50	50	36.4	42.1	73	84	10-189	14	20	
4-Chlorotoluene	ug/L	ND	50	50	40.6	44.5	81	89	36-142	9	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	219	262	88	105	42-142	18	20	
Acetone	ug/L	ND	250	250	208	243	83	97	32-141	16	20	
Acrolein	ug/L	ND	1000	1000	1370	1610	137	161	26-153	16	20	M1
Acrylonitrile	ug/L	ND	250	250	246	274	98	110	48-148	11	20	
Benzene	ug/L	ND	50	50	45.2	50.9	90	102	50-143	12	20	
Bromobenzene	ug/L	ND	50	50	48.1	53.9	96	108	46-136	11	20	
Bromochloromethane	ug/L	ND	50	50	45.5	50.6	91	101	48-139	11	20	
Bromodichloromethane	ug/L	ND	50	50	43.5	49.3	87	99	50-149	12	20	
Bromoform	ug/L	ND	50	50	40.4	46.6	81	93	44-150	14	20	
Bromomethane	ug/L	ND	50	50	63.7	72.1	127	144	10-177	12	20	
Carbon disulfide	ug/L	ND	50	50	52.7	57.6	105	115	47-142	9	20	
Carbon tetrachloride	ug/L	ND	50	50	48.4	53.4	97	107	46-155	10	20	
Chlorobenzene	ug/L	ND	50	50	42.4	47.0	85	94	52-136	10	20	
Chloroethane	ug/L	ND	50	50	59.2	65.0	118	130	26-171	9	20	
Chloroform	ug/L	ND	50	50	44.3	49.2	89	98	53-143	10	20	
Chloromethane	ug/L	ND	50	50	48.1	52.1	96	104	30-162	8	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	47.2	52.5	87	98	49-147	11	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	46.1	53.0	92	106	48-146	14	20	
Dibromochloromethane	ug/L	ND	50	50	44.7	51.2	89	102	52-149	14	20	
Dibromomethane	ug/L	ND	50	50	43.7	50.6	87	101	50-144	15	20	
Dichlorodifluoromethane	ug/L	ND	50	50	55.8	60.7	112	121	10-190	8	20	
Ethyl methacrylate	ug/L	ND	50	50	46J	53.6J	92	107	51-156		20	
Ethylbenzene	ug/L	ND	50	50	42.6	46.9	85	94	43-145	10	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	38.6	42.4	77	85	11-156	10	20	
Iodomethane	ug/L	ND	50	50	49.4	57.2	99	114	10-144	15	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	43.3	47.5	87	95	39-128	9	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	44.5	52.1	89	104	50-144	16	20	
Methylene Chloride	ug/L	ND	50	50	36.0	39.8	68	76	40-150	10	20	
n-Butylbenzene	ug/L	ND	50	50	41.2	44.9	82	90	21-150	9	20	
n-Hexane	ug/L	ND	50	50	41.9	47.4	84	95	39-132	12	20	
n-Propylbenzene	ug/L	ND	50	50	42.1	46.2	84	92	31-144	9	20	
Naphthalene	ug/L	ND	50	50	41.7	48.2	83	96	43-148	14	20	
p-Isopropyltoluene	ug/L	ND	50	50	41.3	45.3	83	91	27-147	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912679 3912680

Parameter	Units	50407324028 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
sec-Butylbenzene	ug/L	ND	50	50	42.8	47.3	86	95	32-148	10	20	
Styrene	ug/L	ND	50	50	41.1	44.8	82	90	45-145	9	20	
tert-Butylbenzene	ug/L	ND	50	50	52.5	58.0	105	116	36-144	10	20	
Tetrachloroethene	ug/L	ND	50	50	42.9	48.7	86	97	46-146	13	20	
Toluene	ug/L	ND	50	50	43.4	48.8	87	98	48-135	12	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	42.8	47.2	84	93	52-139	10	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	45.7	52.0	91	104	45-144	13	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	38.7J	45.6J	77	91	30-144		20	
Trichloroethene	ug/L	ND	50	50	47.9	53.1	90	100	46-148	10	20	
Trichlorofluoromethane	ug/L	ND	50	50	71.9	78.0	144	156	43-160	8	20	
Vinyl acetate	ug/L	ND	200	200	433	515	217	257	23-195	17	20	M0
Vinyl chloride	ug/L	ND	50	50	56.6	62.1	112	123	38-167	9	20	
Xylene (Total)	ug/L	ND	150	150	118	131	79	87	45-139	10	20	
4-Bromofluorobenzene (S)	%.						100	99	79-124			
Dibromofluoromethane (S)	%.						104	103	82-128			
Toluene-d8 (S)	%.						104	104	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

QC Batch: 854179
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50407324032

METHOD BLANK: 3912735 Matrix: Water
Associated Lab Samples: 50407324032

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.26	07/18/25 12:08	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.34	07/18/25 12:08	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.41	07/18/25 12:08	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.27	07/18/25 12:08	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	07/18/25 12:08	
1,1-Dichloroethene	ug/L	ND	5.0	0.29	07/18/25 12:08	
1,1-Dichloropropene	ug/L	ND	5.0	0.28	07/18/25 12:08	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.29	07/18/25 12:08	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.53	07/18/25 12:08	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.35	07/18/25 12:08	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.20	07/18/25 12:08	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.32	07/18/25 12:08	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.25	07/18/25 12:08	
1,2-Dichloroethane	ug/L	ND	5.0	0.21	07/18/25 12:08	
1,2-Dichloropropane	ug/L	ND	5.0	0.28	07/18/25 12:08	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.31	07/18/25 12:08	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.31	07/18/25 12:08	
1,3-Dichloropropane	ug/L	ND	5.0	0.24	07/18/25 12:08	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.12	07/18/25 12:08	
1-Methylnaphthalene	ug/L	ND	10.0	0.32	07/18/25 12:08	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	07/18/25 12:08	
2-Butanone (MEK)	ug/L	ND	25.0	2.3	07/18/25 12:08	
2-Chlorotoluene	ug/L	ND	5.0	0.19	07/18/25 12:08	
2-Hexanone	ug/L	ND	25.0	2.5	07/18/25 12:08	
2-Methylnaphthalene	ug/L	ND	10.0	0.44	07/18/25 12:08	
4-Chlorotoluene	ug/L	ND	5.0	0.26	07/18/25 12:08	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.4	07/18/25 12:08	
Acetone	ug/L	ND	100	4.8	07/18/25 12:08	
Acrolein	ug/L	ND	50.0	18.3	07/18/25 12:08	
Acrylonitrile	ug/L	ND	100	1.5	07/18/25 12:08	
Benzene	ug/L	ND	5.0	0.28	07/18/25 12:08	
Bromobenzene	ug/L	ND	5.0	0.36	07/18/25 12:08	
Bromochloromethane	ug/L	ND	5.0	0.32	07/18/25 12:08	
Bromodichloromethane	ug/L	ND	5.0	0.22	07/18/25 12:08	
Bromoform	ug/L	ND	5.0	0.22	07/18/25 12:08	
Bromomethane	ug/L	ND	5.0	0.81	07/18/25 12:08	
Carbon disulfide	ug/L	ND	10.0	0.64	07/18/25 12:08	
Carbon tetrachloride	ug/L	ND	5.0	0.34	07/18/25 12:08	
Chlorobenzene	ug/L	ND	5.0	0.21	07/18/25 12:08	
Chloroethane	ug/L	ND	5.0	0.85	07/18/25 12:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

METHOD BLANK: 3912735 Matrix: Water
Associated Lab Samples: 50407324032

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.33	07/18/25 12:08	
Chloromethane	ug/L	ND	5.0	1.4	07/18/25 12:08	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.27	07/18/25 12:08	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.25	07/18/25 12:08	
Dibromochloromethane	ug/L	ND	5.0	0.30	07/18/25 12:08	
Dibromomethane	ug/L	ND	5.0	0.20	07/18/25 12:08	
Dichlorodifluoromethane	ug/L	ND	5.0	0.88	07/18/25 12:08	
Ethyl methacrylate	ug/L	ND	100	0.46	07/18/25 12:08	
Ethylbenzene	ug/L	ND	5.0	0.46	07/18/25 12:08	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.33	07/18/25 12:08	
Iodomethane	ug/L	ND	10.0	0.33	07/18/25 12:08	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.30	07/18/25 12:08	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.24	07/18/25 12:08	
Methylene Chloride	ug/L	ND	5.0	2.0	07/18/25 12:08	
n-Butylbenzene	ug/L	ND	5.0	0.30	07/18/25 12:08	
n-Hexane	ug/L	ND	5.0	0.22	07/18/25 12:08	
n-Propylbenzene	ug/L	ND	5.0	0.21	07/18/25 12:08	
Naphthalene	ug/L	ND	1.2	0.22	07/18/25 12:08	
p-Isopropyltoluene	ug/L	ND	5.0	0.31	07/18/25 12:08	
sec-Butylbenzene	ug/L	ND	5.0	0.24	07/18/25 12:08	
Styrene	ug/L	ND	5.0	0.24	07/18/25 12:08	
tert-Butylbenzene	ug/L	ND	5.0	0.31	07/18/25 12:08	
Tetrachloroethene	ug/L	ND	5.0	0.32	07/18/25 12:08	
Toluene	ug/L	ND	5.0	0.19	07/18/25 12:08	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.36	07/18/25 12:08	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	07/18/25 12:08	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.52	07/18/25 12:08	
Trichloroethene	ug/L	ND	5.0	0.23	07/18/25 12:08	
Trichlorofluoromethane	ug/L	ND	5.0	0.89	07/18/25 12:08	
Vinyl acetate	ug/L	ND	50.0	1.3	07/18/25 12:08	
Vinyl chloride	ug/L	ND	2.0	0.88	07/18/25 12:08	
Xylene (Total)	ug/L	ND	10.0	0.29	07/18/25 12:08	
4-Bromofluorobenzene (S)	%.	103	79-124		07/18/25 12:08	
Dibromofluoromethane (S)	%.	116	82-128		07/18/25 12:08	
Toluene-d8 (S)	%.	100	73-122		07/18/25 12:08	

LABORATORY CONTROL SAMPLE: 3912736

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.3	103	78-129	
1,1,1-Trichloroethane	ug/L	50	54.3	109	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	50.3	101	69-126	
1,1,2-Trichloroethane	ug/L	50	51.5	103	77-125	
1,1-Dichloroethane	ug/L	50	53.0	106	75-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

LABORATORY CONTROL SAMPLE: 3912736

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	52.3	105	59-128	
1,1-Dichloropropene	ug/L	50	60.5	121	79-135	
1,2,3-Trichlorobenzene	ug/L	50	51.4	103	69-144	
1,2,3-Trichloropropane	ug/L	50	53.0	106	75-128	
1,2,4-Trichlorobenzene	ug/L	50	50.7	101	67-139	
1,2,4-Trimethylbenzene	ug/L	50	49.2	98	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	54.2	108	78-125	
1,2-Dichlorobenzene	ug/L	50	48.9	98	79-120	
1,2-Dichloroethane	ug/L	50	53.3	107	61-127	
1,2-Dichloropropane	ug/L	50	51.8	104	75-124	
1,3,5-Trimethylbenzene	ug/L	50	50.3	101	71-122	
1,3-Dichlorobenzene	ug/L	50	49.2	98	78-120	
1,3-Dichloropropane	ug/L	50	53.1	106	76-123	
1,4-Dichlorobenzene	ug/L	50	51.5	103	80-119	
1-Methylnaphthalene	ug/L	50	55.4	111	28-200	
2,2-Dichloropropane	ug/L	50	56.3	113	50-147	
2-Butanone (MEK)	ug/L	250	266	106	64-136	
2-Chlorotoluene	ug/L	50	49.5	99	74-119	
2-Hexanone	ug/L	250	264	106	59-134	
2-Methylnaphthalene	ug/L	50	54.8	110	23-200	
4-Chlorotoluene	ug/L	50	50.3	101	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	280	112	62-133	
Acetone	ug/L	250	283	113	34-156	
Acrolein	ug/L	1000	1520	152	46-156	
Acrylonitrile	ug/L	250	270	108	67-146	
Benzene	ug/L	50	52.2	104	76-120	
Bromobenzene	ug/L	50	60.0	120	73-121	
Bromochloromethane	ug/L	50	48.2	96	69-120	
Bromodichloromethane	ug/L	50	49.5	99	79-127	
Bromoform	ug/L	50	48.7	97	76-135	
Bromomethane	ug/L	50	12.8	26	10-181	
Carbon disulfide	ug/L	50	62.9	126	63-133	
Carbon tetrachloride	ug/L	50	55.3	111	70-131	
Chlorobenzene	ug/L	50	49.8	100	77-118	
Chloroethane	ug/L	50	76.4	153	31-159	
Chloroform	ug/L	50	51.2	102	74-122	
Chloromethane	ug/L	50	28.3	57	38-151	
cis-1,2-Dichloroethene	ug/L	50	51.3	103	78-121	
cis-1,3-Dichloropropene	ug/L	50	52.6	105	75-136	
Dibromochloromethane	ug/L	50	52.7	105	80-132	
Dibromomethane	ug/L	50	50.9	102	78-122	
Dichlorodifluoromethane	ug/L	50	50.2	100	10-172	
Ethyl methacrylate	ug/L	50	58J	116	72-147	
Ethylbenzene	ug/L	50	50.8	102	76-124	
Hexachloro-1,3-butadiene	ug/L	50	52.0	104	70-135	
Iodomethane	ug/L	50	15.4	31	10-143	
Isopropylbenzene (Cumene)	ug/L	50	52.2	104	66-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

LABORATORY CONTROL SAMPLE: 3912736

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	52.3	105	74-124	
Methylene Chloride	ug/L	50	51.2	102	64-134	
n-Butylbenzene	ug/L	50	53.8	108	69-130	
n-Hexane	ug/L	50	52.0	104	51-127	
n-Propylbenzene	ug/L	50	52.6	105	67-127	
Naphthalene	ug/L	50	51.9	104	66-143	
p-Isopropyltoluene	ug/L	50	52.4	105	75-125	
sec-Butylbenzene	ug/L	50	52.9	106	71-126	
Styrene	ug/L	50	51.2	102	79-125	
tert-Butylbenzene	ug/L	50	57.2	114	73-125	
Tetrachloroethene	ug/L	50	55.4	111	71-122	
Toluene	ug/L	50	50.7	101	72-117	
trans-1,2-Dichloroethene	ug/L	50	54.1	108	74-121	
trans-1,3-Dichloropropene	ug/L	50	52.3	105	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	50.2J	100	57-137	
Trichloroethene	ug/L	50	53.6	107	75-124	
Trichlorofluoromethane	ug/L	50	73.2	146	55-142	L1
Vinyl acetate	ug/L	200	561	281	66-193	L1
Vinyl chloride	ug/L	50	55.6	111	50-150	
Xylene (Total)	ug/L	150	159	106	73-119	
4-Bromofluorobenzene (S)	%.			100	79-124	
Dibromofluoromethane (S)	%.			104	82-128	
Toluene-d8 (S)	%.			104	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912737 3912738

Parameter	Units	50407586002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	45.1	50.0	90	100	50-147	10	20	
1,1,1-Trichloroethane	ug/L	ND	50	50	48.0	51.9	96	104	50-149	8	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	43.9	48.8	88	98	48-139	11	20	
1,1,2-Trichloroethane	ug/L	ND	50	50	45.5	50.4	91	101	51-143	10	20	
1,1-Dichloroethane	ug/L	ND	50	50	45.8	51.9	92	104	49-144	13	20	
1,1-Dichloroethene	ug/L	ND	50	50	46.2	49.0	92	98	45-146	6	20	
1,1-Dichloropropene	ug/L	ND	50	50	53.2	57.9	106	116	55-157	8	20	
1,2,3-Trichlorobenzene	ug/L	ND	50	50	40.6	45.5	81	91	30-155	11	20	
1,2,3-Trichloropropane	ug/L	ND	50	50	46.3	50.6	93	101	47-146	9	20	
1,2,4-Trichlorobenzene	ug/L	ND	50	50	39.2	43.0	78	86	25-148	9	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	38.1	42.8	76	86	37-139	12	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	45.9	51.2	92	102	56-140	11	20	
1,2-Dichlorobenzene	ug/L	ND	50	50	41.5	46.6	83	93	43-139	12	20	
1,2-Dichloroethane	ug/L	ND	50	50	48.3	52.7	97	105	45-143	9	20	
1,2-Dichloropropane	ug/L	ND	50	50	45.4	50.1	91	100	53-144	10	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	39.9	44.6	80	89	35-141	11	20	
1,3-Dichlorobenzene	ug/L	ND	50	50	40.7	45.2	81	90	39-138	10	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912737 3912738

Parameter	Units	50407586002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	50	50	46.4	51.2	93	102	52-140	10	20	
1,4-Dichlorobenzene	ug/L	ND	50	50	42.9	47.4	86	95	38-140	10	20	
1-Methylnaphthalene	ug/L	ND	50	50	40.8	46.2	82	92	12-185	12	20	
2,2-Dichloropropane	ug/L	ND	50	50	49.9	53.7	100	107	27-149	7	20	
2-Butanone (MEK)	ug/L	ND	250	250	223	248	89	99	38-153	11	20	
2-Chlorotoluene	ug/L	ND	50	50	42.7	47.1	85	94	37-141	10	20	
2-Hexanone	ug/L	ND	250	250	217	247	87	99	39-143	13	20	
2-Methylnaphthalene	ug/L	ND	50	50	42.8	47.3	86	95	10-189	10	20	
4-Chlorotoluene	ug/L	ND	50	50	42.9	47.6	86	95	36-142	10	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	250	250	234	263	94	105	42-142	12	20	
Acetone	ug/L	ND	250	250	228	258	91	103	32-141	12	20	
Acrolein	ug/L	ND	1000	1000	1230	1370	123	137	26-153	11	20	
Acrylonitrile	ug/L	ND	250	250	226	252	90	101	48-148	11	20	
Benzene	ug/L	ND	50	50	46.0	49.9	92	100	50-143	8	20	
Bromobenzene	ug/L	ND	50	50	51.7	57.4	103	115	46-136	10	20	
Bromochloromethane	ug/L	ND	50	50	43.2	47.2	86	94	48-139	9	20	
Bromodichloromethane	ug/L	ND	50	50	43.9	48.4	88	97	50-149	10	20	
Bromoform	ug/L	ND	50	50	41.7	46.9	83	94	44-150	12	20	
Bromomethane	ug/L	ND	50	50	14.8	21.2	28	41	10-177	35	20	R1
Carbon disulfide	ug/L	ND	50	50	54.2	57.5	108	115	47-142	6	20	
Carbon tetrachloride	ug/L	ND	50	50	48.7	53.6	97	107	46-155	10	20	
Chlorobenzene	ug/L	ND	50	50	43.2	47.2	86	94	52-136	9	20	
Chloroethane	ug/L	ND	50	50	62.8	65.9	126	132	26-171	5	20	
Chloroform	ug/L	ND	50	50	46.5	50.3	93	101	53-143	8	20	
Chloromethane	ug/L	ND	50	50	30.1	33.7	60	67	30-162	11	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	46.2	49.3	92	99	49-147	6	20	
cis-1,3-Dichloropropene	ug/L	ND	50	50	45.2	49.6	90	99	48-146	9	20	
Dibromochloromethane	ug/L	ND	50	50	45.3	51.2	91	102	52-149	12	20	
Dibromomethane	ug/L	ND	50	50	44.3	49.0	89	98	50-144	10	20	
Dichlorodifluoromethane	ug/L	ND	50	50	46.8	48.4	94	97	10-190	4	20	
Ethyl methacrylate	ug/L	ND	50	50	47.2J	53.3J	94	107	51-156		20	
Ethylbenzene	ug/L	ND	50	50	43.3	47.7	87	95	43-145	10	20	
Hexachloro-1,3-butadiene	ug/L	ND	50	50	41.4	45.1	83	90	11-156	9	20	
Iodomethane	ug/L	ND	50	50	11.9	15.2	22	28	10-144	24	20	R1
Isopropylbenzene (Cumene)	ug/L	ND	50	50	44.9	49.2	90	98	39-128	9	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	44.6	50.2	89	100	50-144	12	20	
Methylene Chloride	ug/L	ND	50	50	45.4	50.2	91	100	40-150	10	20	
n-Butylbenzene	ug/L	ND	50	50	43.4	47.4	87	95	21-150	9	20	
n-Hexane	ug/L	ND	50	50	46.2	48.4	92	97	39-132	5	20	
n-Propylbenzene	ug/L	ND	50	50	44.6	48.9	89	98	31-144	9	20	
Naphthalene	ug/L	ND	50	50	41.6	46.8	83	94	43-148	12	20	
p-Isopropyltoluene	ug/L	ND	50	50	43.4	47.5	87	95	27-147	9	20	
sec-Butylbenzene	ug/L	ND	50	50	45.4	49.7	91	99	32-148	9	20	
Styrene	ug/L	ND	50	50	37.9	42.8	76	86	45-145	12	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912737 3912738

Parameter	Units	50407586002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	50	50	54.6	60.2	109	120	36-144	10	20	
Tetrachloroethene	ug/L	ND	50	50	48.2	51.8	93	100	46-146	7	20	
Toluene	ug/L	ND	50	50	44.3	48.6	89	97	48-135	9	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	46.2	50.2	92	100	52-139	8	20	
trans-1,3-Dichloropropene	ug/L	ND	50	50	44.8	49.7	90	99	45-144	10	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	42.1J	46.8J	84	94	30-144		20	
Trichloroethene	ug/L	ND	50	50	47.1	50.5	93	100	46-148	7	20	
Trichlorofluoromethane	ug/L	ND	50	50	68.2	71.8	136	144	43-160	5	20	
Vinyl acetate	ug/L	ND	200	200	469	515	234	257	23-195	9	20	M0
Vinyl chloride	ug/L	ND	50	50	49.8	53.9	100	108	38-167	8	20	
Xylene (Total)	ug/L	ND	150	150	133	147	89	98	45-139	10	20	
4-Bromofluorobenzene (S)	%.						100	100	79-124			
Dibromofluoromethane (S)	%.						105	103	82-128			
Toluene-d8 (S)	%.						104	104	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

QC Batch: 853677
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407324015, 50407324016, 50407324018

METHOD BLANK: 3909918 Matrix: Water
Associated Lab Samples: 50407324015, 50407324016, 50407324018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	07/16/25 08:37	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	07/16/25 08:37	

LABORATORY CONTROL SAMPLE: 3909919

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	104	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.1	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3909920 3909921

Parameter	Units	50407324015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	1.0	1.0	104	104	90-110	0	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.1	2.1	102	102	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

QC Batch: 854163
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407324015, 50407324016, 50407324018

METHOD BLANK: 3912686 Matrix: Water
Associated Lab Samples: 50407324015, 50407324016, 50407324018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	07/22/25 17:45	

LABORATORY CONTROL SAMPLE: 3912687

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	10200	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912688 3912689

Parameter	Units	50407324015 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	3670	40000	40000	43700	45700	100	105	80-120	4	15	

MATRIX SPIKE SAMPLE: 3912690

Parameter	Units	50407324016 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	5060	40000	46800	104	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L1	Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
R1	RPD value was outside control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50407324015	**MW-413S-20250714**	EPA 300.0	854139		
50407324016	**MW-413D-20250714**	EPA 300.0	854139		
50407324018	**MW-425-20250714**	EPA 300.0	854139		
50407324015	**MW-413S-20250714**	EPA 3010	855044	EPA 6010	855046
50407324016	**MW-413D-20250714**	EPA 3010	855044	EPA 6010	855046
50407324018	**MW-425-20250714**	EPA 3010	855044	EPA 6010	855046
50407324001	**MW-323-20250714**	EPA 5030/8260	853754		
50407324002	**W-11D-20250714**	EPA 5030/8260	853754		
50407324003	**MW-183-20250714**	EPA 5030/8260	853754		
50407324004	**MW-331-20250714**	EPA 5030/8260	853754		
50407324005	**MW-321-20250714**	EPA 5030/8260	853754		
50407324006	**MW-414S-20250714**	EPA 5030/8260	853754		
50407324007	**MW-414D-20250714**	EPA 5030/8260	853754		
50407324008	**MW-415S-20250714**	EPA 5030/8260	853754		
50407324009	**MW-415D-20250714**	EPA 5030/8260	853754		
50407324010	**MW-311-20250714**	EPA 5030/8260	853754		
50407324011	**W-2-20250714**	EPA 5030/8260	853948		
50407324012	**MW-33-20250714**	EPA 5030/8260	853948		
50407324013	**MW-32-20250714**	EPA 5030/8260	853948		
50407324014	**MW-82-20250714**	EPA 5030/8260	853948		
50407324015	**MW-413S-20250714**	EPA 5030/8260	853754		
50407324016	**MW-413D-20250714**	EPA 5030/8260	853948		
50407324017	**AD-100-20250714**	EPA 5030/8260	853948		
50407324018	**MW-425-20250714**	EPA 5030/8260	853948		
50407324019	**MW-251-20250715**	EPA 5030/8260	853948		
50407324020	**MW-253-20250715**	EPA 5030/8260	854135		
50407324021	**W-10-20250715**	EPA 5030/8260	853948		
50407324022	**MW-153-20250715**	EPA 5030/8260	854135		
50407324023	**MW-163-20250715**	EPA 5030/8260	854135		
50407324024	**MW-312-20250715**	EPA 5030/8260	854135		
50407324025	**MW-132-20250715**	EPA 5030/8260	854135		
50407324026	**MW-133-20250715**	EPA 5030/8260	854135		
50407324027	**MW-131-20250715**	EPA 5030/8260	854135		
50407324028	**MW-41-20250715**	EPA 5030/8260	854135		
50407324029	**MW-122-20250715**	EPA 5030/8260	854135		
50407324030	**MW-302-20250715**	EPA 5030/8260	854135		
50407324031	**MW-303-20250715**	EPA 5030/8260	854135		
50407324032	**EB-01-20250714**	EPA 5030/8260	854179		
50407324033	**Trip Blank-20250715**	EPA 5030/8260	853754		
50407324015	**MW-413S-20250714**	EPA 353.2	853677		
50407324016	**MW-413D-20250714**	EPA 353.2	853677		
50407324018	**MW-425-20250714**	EPA 353.2	853677		
50407324015	**MW-413S-20250714**	SM 5310C	854163		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407324

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50407324016	**MW-413D-20250714**	SM 5310C	854163		
50407324018	**MW-425-20250714**	SM 5310C	854163		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 50407324

50407324

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): Indiana

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3275429**

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 M/E/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment	Preservation non-conformance identified for sample.
MW-323-20250714	GW	grab			7/14/25	0909	3			X							
W-11D-20250714	"	"			"	0939	3			X							
MW-183-20250714	"	"			"	0956	3			X							
MW-331-20250714	"	"			"	1020	3			X							
MW-321-20250714	"	"			"	1045	3			X							
MW-414S-20250714	"	"			"	1150	3			X							
~~MW-111~~ MW-414D-20250714	"	"			"	1200	3			X							
MW-415S-20250714	"	"			"	1224	3			X							
MW-415D-20250714	"	"			"	1236	3			X							
MW-311-20250714	"	"			"	1310	3			X							

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
	See COC				

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke	7/15/25 1249	Pace	7/15/25 1249	
Pace	7/15/25 1345	Pace	7/15/25 1345	Delivered by: [ ] In- Person [X] Courier [ ] FedEX [ ] UPS [ ] Other
				Page: 1 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [√] ET		County / State origin of sample(s):	Indiana
Data Deliverables: [√] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other	Regulatory Program (DW, RCRA, etc.) as applicable:	Reportable [ ] Yes [ ] No	
	Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other ____	DW PWSID # or WW Permit # as applicable:	
	Date Results Requested: 10 Day TAT	Field Filtered (if applicable): [ ] Yes [ ] No	
		Analysis:	

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3275429**

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 ME/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment	Preservation non-conformance identified for sample.
MW-2-20250714	GW	G			7/14/25	1404	3			X							
MW-33-20250714						1456	3			X							
MW-32-20250714						1519	3			X							
MW-82-20250714						1554	3			X							
MW-413S-20250714						1045	9			X	X	X	X	X	X	no dissolved MS/MSD	
MW-413D-20250714						1239	6			X		X	X	X	X		
~~DUP~~ AD-100-20250714						1200	3			X							
MW-425-20250714						1512	6			X		X	X	X	X		
MW-251-20250715					7/15/25	0824	3			X							
MW-253-20250715	↓	↓			↓	0841	3			X							

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
		See scan			

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke	7/15/25 1245		7/15/25 1245	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In- Person [X] Courier
	7/15/25 1345	Pace	7/15/25 1345	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 2 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): Indiana

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: **10 Day TAT**

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 M/E/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment
MW-20250715	GW	G			7/15/25	0859	3			X						
MW-153-20250715	GW	G				0913	3			X						
MW-163-20250715						0940	3			X						
MW-312-20250715						0957	3			X						
MW-132-20250715						1018	3			X						
MW-133-20250715						1030	3			X						
MW-131-20250715						1041	3			X						
MW41-20250715						1127	3			X						
MW-122-20250715						1149	3			X						
~~MW-3~~ MW-302-20250715	↓	↓			↓	1214	3			X						

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3275429**

Preservation non-conformance identified for sample.

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
			see SCnr		

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke	7/15/25 1245	Pace	7/15/25 1245	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In- Person [X] Courier
Pace	7/15/25 1345	Pace	7/15/25 1345	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 3 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN
Street Address:	One Indiana Square, Indianapolis, IN 46204
Customer Project #:	
Project Name:	3Q25 Indy CE Annual Sampling
Site Collection Info/Facility ID (as applicable):	
Contact/Report To:	Patrick Rohan
Phone #:	317-803-4601
E-Mail:	prohan@ramboll.com
Cc E-Mail:	
Invoice To:	Accounts Payable
Invoice E-Mail:	ramboll.us@pdf.basware.com
Purchase Order # (if applicable):	
Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): Indiana

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 M/E/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment
MW-303-20250715	GW	G			7/15/25	1225	3			X						

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: Heather Patterson

AcctNum / Client ID:

Table #:

Profile / Template: 2747-28

Prelog / Bottle Ord. ID: EZ 3275429

Preservation non-conformance identified for sample:

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
	See Cust				

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:
Patrick Verbryke	7/15/25 1245	Pace	7/15/25 1248
Pace	7/15/25 1345	Pace	7/15/25 1345

Tracking Number:

Delivered by: [ ] In- Person [✓] Courier [ ] FedEX [ ] UPS [ ] Other

Page: 4 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents:

7/15/25 1726 cc

1. Thermometer: 1 2 3 4 5 6 7 8 9 A B C (D) E F G H I

Cooler temp should be above freezing to 6°C

2A. Cooler Temperature(s): 1.0/1.0 | | | |

(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

2B. Was the PM notified of out of temp cooler?: (leave blank if samples are in temp) Yes No

3. Packing Material: (Bubble Bags) (Bubble Wrap) None Other:

4. Ice Type: (Wet) Blue None

5. Courier: FedEx UPS Client (Pace) NOW Jett Other

6. Custody Seal on Cooler/Box Present: Yes (No)

(If yes)Seals Intact: Yes No *Leave blank if no seals were present*

All discrepancies will be written out in the comments section below.

	Yes	No	N/A
7. USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)			X
8. Short Hold Time Analysis (48 hours or less)?: Nitrate	X		
9. Time 5035A TC placed in Freezer or Short Holds To Lab:	Time:		
10. Rush TAT Requested (4 days or less):		X	
11. Custody Signatures Present?	X		
12. Containers intact?	X		
13. Sample Labels (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	X		
14. All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl. Circle: (HNO3 (<2)) (H2SO4 (<2)) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	X		
15. Residual Chlorine Check (SVOC 625 Pest/PCB 608)			X
16. Residual Chlorine Check (Total/Amenable/Free Cyanide)			X
17. Headspace in VOA Vials (>6mm): See Containter Count form for details	X		
18. Trip Blank Present?	X		
19. Trip Blank Custody Seals?:	X		
20. Extra labels on Terracore Vials? (soils only)			X

Comments:

OK to analyze equipment blank and trip blank per PVerbryke. 071725hmp

COC PAGE 1 OF 4

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU	BG1U	MeOH (only)	SBS	DI	R	DG9H	(VG9H)	VOA VIAL HS - (>8min)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit		Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
														AMBER GLASS							PLASTIC									OTHER									
1								3																										WT				
2																																						
3																																						
4																																						
5																																						
6																																						
7																																						
8																																						
9																																						
10																																						
11																																						
12																																						

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
GFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass-field filtered
G1H	1L HCl clear glass	AG3U	250mL unpres amber glass
G1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass

Plastic

BP1B	1L NaOH plastic
BP1N	1L HNO3 plastic
BP1S	1L H2SO4 plastic
BP1U	1L unpreserved plastic
BP1Z	1L NaOH, Zn; Ac
BP2N	500mL HNO3 plastic
BP2C	500mL NaOH plastic
BP2S	500ml SO4 plastic
BP2U	500ml reserved plastic
BP2Z	500mL H, Zn:Ac
BP3B	250mL NaOH plastic
BP3N	250mL 3 plastic
BP3F	250mL HN stic-field filtered
BP3U	250mL erved plastic
BP3S	250mL H2SO4 plastic
BP3Z	250mL NaOH, ZnAc plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	1L Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 2 OF 4

** Place a PINK dot on containers that are out of conformance **

										AMBER GLASS									PLASTIC									OTHER						
COC Line Item	WGFU	WGKU	BG1U	NaOH (only) SBS DI R	BG9H	CG9H	VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG5SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix
1					3																											W
2					↓																											↓
3																																
4					↓		1/3																									
5					9										1					1			1								✓	✓
6					3										(					(			(								✓	✓
7					↓																											
8															1					1			1								✓	✓
9																																
10					↓																											↓
11																																
12																																

Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
Red	Yellow	Green	Black
HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9

Container Codes

Glass

BG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
BG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
BG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
BG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500ml SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500ml reserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500ml H, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
GFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass-field filtered	BP3U	250mL unpreserved plastic
G1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
G1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	1L Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 3 OF 4

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU	BG1U	MeOH (only) SDS DI R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG2U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit		Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ Zn Ac Black NaOH/Zn Ac>9
					AMBER GLASS													PLASTIC									OTHER									
1					3																										WT				
2																																			
3																																			
4																																			
5																																			
6																																			
7																																			
8																																			
9																																			
10																																			
11																																			
12																																			

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered
AG1H	1L HCl clear glass	AG3U	250mL unpres amber glass
AG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass

Plastic

BP1B	1L NaOH plastic	NT3U	Non Teflon 250mL unpreserved plastic
BP1N	1L HNO3 plastic	BP4U	125mL unpreserved plastic
BP1S	1L H2SO4 plastic	BP4N	125mL HNO3 plastic
BP1U	1L unpreserved plastic	BP4S	125mL H2SO4 plastic
BP1Z	1L NaOH, Zn; Ac		
BP2N	500mL HNO3 plastic		
BP2C	500mL NaOH plastic		
BP2S	500ml SO4 plastic		
BP2U	500ml reserved plastic		
BP2Z	500ml H, Zn Ac		
BP3B	250mL NaOH plastic		
BP3N	250mL HNO3 plastic		
BP3F	250mL HNO3 plastic-field filtered		
BP3U	250mL unpreserved plastic		
BP3S	250mL H2SO4 plastic		
BP3Z	250mL NaOH, ZnAc plastic		

Miscellaneous

Syringe Kit	1L Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 4 OF 4

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU	BG1U	NaOH (only)	SAS	DI	R	DG9H	(DG9H)	VOA VIAL HS (>8mm)	VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit		Matrix
				AMBER GLASS																	PLASTIC									OTHER				
1								3																									W
2										ID: EB-01-20250714 Date: 7/14/25 Time: 0855																								
3								1/3		ID: Trip Blank Date: 7/14/25																								
4																																		
5																																		
6																																		
7																																		
8																																		
9																																		
10																																		
11																																		
12																																		

Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
Red	Yellow	Green	Black
HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass-field filtered
JG1H	1L HCl clear glass	AG3U	250mL unpres amber glass
JG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass

Plastic

BP1B	1L NaOH plastic
BP1N	1L HNO3 plastic
BP1S	1L H2SO4 plastic
BP1U	1L unpreserved plastic
BP1Z	1L NaOH, Zn, Ac
BP2N	500mL HNO3 plastic
BP2C	500mL NaOH plastic
BP2S	500mL H2SO4 plastic
BP2U	500mL unpreserved plastic
BP2Z	500mL NaOH, Zn Ac
BP3B	250mL NaOH plastic
BP3N	250mL HNO3 plastic
BP3F	250mL HNO3 plastic-field filtered
BP3U	250mL unpreserved plastic
BP3S	250mL H2SO4 plastic
BP3Z	250mL NaOH, ZnAc plastic
NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WI	Wipe

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

July 30, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on July 16, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Pace Analytical Services Indianapolis
7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50407426001	**MW-333-20250715**	Water	07/15/25 13:08	07/16/25 15:50
50407426002	**MW-92-20250715**	Water	07/15/25 13:31	07/16/25 15:50
50407426003	**MW-173-20250715**	Water	07/15/25 14:05	07/16/25 15:50
50407426004	**MW-112-20250715**	Water	07/15/25 14:41	07/16/25 15:50
50407426005	**MW-313-20250715**	Water	07/15/25 14:54	07/16/25 15:50
50407426006	**MW-426-20250715**	Water	07/15/25 13:25	07/16/25 15:50
50407426007	**W-9-20250715**	Water	07/15/25 14:53	07/16/25 15:50
50407426008	**W-8-20250715**	Water	07/15/25 09:50	07/16/25 15:50
50407426009	**AD-200-20250715**	Water	07/15/25 12:00	07/16/25 15:50
50407426010	**MW-22-20250716**	Water	07/16/25 08:46	07/16/25 15:50
50407426011	**W-4D-20250716**	Water	07/16/25 09:11	07/16/25 15:50
50407426012	**W-4R-20250716**	Water	07/16/25 09:26	07/16/25 15:50
50407426013	**MW-401-20250716**	Water	07/16/25 09:45	07/16/25 15:50
50407426014	**MW-417S-20250716**	Water	07/16/25 10:00	07/16/25 15:50
50407426015	**MW-417D-20250716**	Water	07/16/25 10:09	07/16/25 15:50
50407426016	**MW-423D-20250716**	Water	07/16/25 10:36	07/16/25 15:50
50407426017	**MW-423S-20250716**	Water	07/16/25 10:46	07/16/25 15:50
50407426018	**MW-422D-20250716**	Water	07/16/25 11:16	07/16/25 15:50
50407426019	**AD-300-20250716**	Water	07/16/25 12:00	07/16/25 15:50
50407426020	**MW-422S-20250716**	Water	07/16/25 11:28	07/16/25 15:50
50407426021	**MW-419S-20250716**	Water	07/16/25 11:43	07/16/25 15:50
50407426022	**MW-419D-20250716**	Water	07/16/25 11:52	07/16/25 15:50
50407426023	**MW-408D-20250716**	Water	07/16/25 12:11	07/16/25 15:50
50407426024	**MW-408S-20250716**	Water	07/16/25 12:22	07/16/25 15:50
50407426025	**MW-403-20250716**	Water	07/16/25 12:45	07/16/25 15:50
50407426026	**MW-406S-20250716**	Water	07/16/25 12:59	07/16/25 15:50
50407426027	**MW-406D-20250716**	Water	07/16/25 13:08	07/16/25 15:50
50407426028	**MW-424D-20250716**	Water	07/16/25 13:26	07/16/25 15:50
50407426029	**MW-424S-20250716**	Water	07/16/25 13:36	07/16/25 15:50
50407426030	**MW-404-20250716**	Water	07/16/25 13:45	07/16/25 15:50
50407426031	**MW-405S-20250716**	Water	07/16/25 14:00	07/16/25 15:50
50407426032	**MW-405D-20250716**	Water	07/16/25 14:12	07/16/25 15:50
50407426033	**MW-428-20250716**	Water	07/16/25 09:31	07/16/25 15:50
50407426034	**MW-407S-20250716**	Water	07/16/25 11:42	07/16/25 15:50
50407426035	**AD-400-20250716**	Water	07/16/25 12:00	07/16/25 15:50
50407426036	**MW-407D-20250716**	Water	07/16/25 13:11	07/16/25 15:50
50407426037	**Trip Blank-20250715**	Water	07/15/25 08:00	07/16/25 15:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50407426001	**MW-333-20250715**	EPA 5030/8260	TMW	75	PASI-I
50407426002	**MW-92-20250715**	EPA 5030/8260	TMW	75	PASI-I
50407426003	**MW-173-20250715**	EPA 5030/8260	TMW	75	PASI-I
50407426004	**MW-112-20250715**	EPA 5030/8260	TMW	75	PASI-I
50407426005	**MW-313-20250715**	EPA 5030/8260	TMW	75	PASI-I
50407426006	**MW-426-20250715**	RSK 175 Modified	MBS	3	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
50407426007	**W-9-20250715**	RSK 175 Modified	MBS	3	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
50407426008	**W-8-20250715**	RSK 175 Modified	MBS	3	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
50407426009	**AD-200-20250715**	EPA 5030/8260	TMW	75	PASI-I
50407426010	**MW-22-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426011	**W-4D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426012	**W-4R-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426013	**MW-401-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426014	**MW-417S-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426015	**MW-417D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426016	**MW-423D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426017	**MW-423S-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426018	**MW-422D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426019	**AD-300-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426020	**MW-422S-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426021	**MW-419S-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426022	**MW-419D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426023	**MW-408D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426024	**MW-408S-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426025	**MW-403-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426026	**MW-406S-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426027	**MW-406D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426028	**MW-424D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426029	**MW-424S-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426030	**MW-404-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426031	**MW-405S-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426032	**MW-405D-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426033	**MW-428-20250716**	EPA 300.0	MTW	1	PASI-I
		EPA 6010	JPK	1	PASI-I

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407426034	**MW-407S-20250716**	EPA 300.0	MTW	1	PASI-I
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407426035	**AD-400-20250716**	EPA 5030/8260	TMW	75	PASI-I
50407426036	**MW-407D-20250716**	EPA 300.0	MTW	1	PASI-I
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407426037	**Trip Blank-20250715**	EPA 5030/8260	TMW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407426001	**MW-333-20250715**					
EPA 5030/8260	Chloroethane	73.7	ug/L	50.0	07/18/25 20:30	
EPA 5030/8260	cis-1,2-Dichloroethene	10100	ug/L	500	07/18/25 21:00	
EPA 5030/8260	trans-1,2-Dichloroethene	69.7	ug/L	50.0	07/18/25 20:30	
EPA 5030/8260	1-Methylnaphthalene	168	ug/L	100	07/18/25 20:30	
EPA 5030/8260	2-Methylnaphthalene	206	ug/L	100	07/18/25 20:30	
EPA 5030/8260	Naphthalene	127	ug/L	12.0	07/18/25 20:30	
EPA 5030/8260	1,2,4-Trimethylbenzene	190	ug/L	50.0	07/18/25 20:30	
EPA 5030/8260	Vinyl chloride	1910	ug/L	20.0	07/18/25 20:30	
50407426002	**MW-92-20250715**					
EPA 5030/8260	cis-1,2-Dichloroethene	87.0	ug/L	5.0	07/18/25 21:30	
EPA 5030/8260	Naphthalene	2.5	ug/L	1.2	07/18/25 21:30	
EPA 5030/8260	1,2,4-Trimethylbenzene	5.8	ug/L	5.0	07/18/25 21:30	
EPA 5030/8260	Vinyl chloride	41.3	ug/L	2.0	07/18/25 21:30	
50407426003	**MW-173-20250715**					
EPA 5030/8260	1,2-Dichloroethane	6.0	ug/L	5.0	07/18/25 18:13	
EPA 5030/8260	cis-1,2-Dichloroethene	847	ug/L	50.0	07/18/25 18:43	
EPA 5030/8260	trans-1,2-Dichloroethene	12.0	ug/L	5.0	07/18/25 18:13	
EPA 5030/8260	Vinyl chloride	73.6	ug/L	2.0	07/18/25 18:13	
50407426004	**MW-112-20250715**					
EPA 5030/8260	cis-1,2-Dichloroethene	375	ug/L	50.0	07/18/25 19:44	
EPA 5030/8260	Vinyl chloride	368	ug/L	20.0	07/18/25 19:44	
50407426005	**MW-313-20250715**					
EPA 5030/8260	cis-1,2-Dichloroethene	434	ug/L	50.0	07/18/25 13:55	
EPA 5030/8260	Vinyl chloride	45.0	ug/L	2.0	07/18/25 13:24	
50407426006	**MW-426-20250715**					
RSK 175 Modified	Ethane	37.6	ug/L	10.0	07/18/25 11:53	
RSK 175 Modified	Ethene	109	ug/L	10.0	07/18/25 11:53	
RSK 175 Modified	Methane	9940	ug/L	10.0	07/18/25 11:53	
EPA 5030/8260	Chloroethane	2920	ug/L	50.0	07/18/25 15:56	
EPA 5030/8260	cis-1,2-Dichloroethene	232	ug/L	50.0	07/18/25 15:56	
EPA 5030/8260	Vinyl chloride	312	ug/L	20.0	07/18/25 15:56	
50407426007	**W-9-20250715**					
RSK 175 Modified	Ethane	57.8	ug/L	10.0	07/18/25 12:09	
RSK 175 Modified	Methane	3100	ug/L	10.0	07/18/25 12:09	
50407426008	**W-8-20250715**					
RSK 175 Modified	Methane	265	ug/L	10.0	07/18/25 12:24	
50407426009	**AD-200-20250715**					
EPA 5030/8260	Chloroethane	3050	ug/L	125	07/18/25 15:26	
EPA 5030/8260	cis-1,2-Dichloroethene	233	ug/L	125	07/18/25 15:26	
EPA 5030/8260	Vinyl chloride	323	ug/L	50.0	07/18/25 15:26	
50407426010	**MW-22-20250716**					
EPA 5030/8260	cis-1,2-Dichloroethene	6.4	ug/L	5.0	07/18/25 16:27	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407426012	**W-4R-20250716**					
EPA 5030/8260	Benzene	7.8	ug/L	5.0	07/18/25 17:27	
EPA 5030/8260	Chloroethane	53.0	ug/L	5.0	07/18/25 17:27	
EPA 5030/8260	cis-1,2-Dichloroethene	215	ug/L	5.0	07/18/25 17:27	
EPA 5030/8260	Vinyl chloride	115	ug/L	2.0	07/18/25 17:27	
50407426013	**MW-401-20250716**					
EPA 5030/8260	Chloroethane	58.8	ug/L	5.0	07/19/25 01:18	
EPA 5030/8260	1,1-Dichloroethane	21.3	ug/L	5.0	07/19/25 01:18	
EPA 5030/8260	cis-1,2-Dichloroethene	434	ug/L	125	07/19/25 01:49	
EPA 5030/8260	1,1,1-Trichloroethane	13.1	ug/L	5.0	07/19/25 01:18	
EPA 5030/8260	Trichloroethene	9.0	ug/L	5.0	07/19/25 01:18	
EPA 5030/8260	Vinyl chloride	228	ug/L	2.0	07/19/25 01:18	
50407426014	**MW-417S-20250716**					
EPA 5030/8260	Chloroethane	12.4	ug/L	5.0	07/18/25 18:28	
EPA 5030/8260	cis-1,2-Dichloroethene	36.9	ug/L	5.0	07/18/25 18:28	
EPA 5030/8260	Vinyl chloride	19.7	ug/L	2.0	07/18/25 18:28	
50407426015	**MW-417D-20250716**					
EPA 5030/8260	Chloroethane	290	ug/L	5.0	07/19/25 02:19	
EPA 5030/8260	Vinyl chloride	18.8	ug/L	2.0	07/19/25 02:19	
50407426016	**MW-423D-20250716**					
EPA 5030/8260	cis-1,2-Dichloroethene	877	ug/L	50.0	07/19/25 03:50	
EPA 5030/8260	Vinyl chloride	2810	ug/L	20.0	07/19/25 03:50	
50407426017	**MW-423S-20250716**					
EPA 5030/8260	Chloroethane	203	ug/L	5.0	07/19/25 04:21	
EPA 5030/8260	1,1-Dichloroethane	122	ug/L	5.0	07/19/25 04:21	
EPA 5030/8260	1,2-Dichloroethane	9.6	ug/L	5.0	07/19/25 04:21	
EPA 5030/8260	1,1-Dichloroethene	80.6	ug/L	5.0	07/19/25 04:21	
EPA 5030/8260	cis-1,2-Dichloroethene	1570	ug/L	50.0	07/19/25 04:51	
EPA 5030/8260	trans-1,2-Dichloroethene	11.4	ug/L	5.0	07/19/25 04:21	
EPA 5030/8260	1,1,1-Trichloroethane	604	ug/L	50.0	07/19/25 04:51	
EPA 5030/8260	Trichloroethene	32.4	ug/L	5.0	07/19/25 04:21	
EPA 5030/8260	Vinyl chloride	528	ug/L	20.0	07/19/25 04:51	
50407426018	**MW-422D-20250716**					
EPA 5030/8260	Chloroethane	140	ug/L	5.0	07/19/25 05:21	
EPA 5030/8260	1,1-Dichloroethane	157	ug/L	5.0	07/19/25 05:21	
EPA 5030/8260	1,2-Dichloroethane	7.4	ug/L	5.0	07/19/25 05:21	
EPA 5030/8260	1,1-Dichloroethene	42.9	ug/L	5.0	07/19/25 05:21	
EPA 5030/8260	cis-1,2-Dichloroethene	740	ug/L	50.0	07/19/25 05:52	
EPA 5030/8260	trans-1,2-Dichloroethene	6.7	ug/L	5.0	07/19/25 05:21	
EPA 5030/8260	1,1,1-Trichloroethane	208	ug/L	5.0	07/19/25 05:21	
EPA 5030/8260	Trichloroethene	7.2	ug/L	5.0	07/19/25 05:21	
EPA 5030/8260	Vinyl chloride	376	ug/L	20.0	07/19/25 05:52	
50407426019	**AD-300-20250716**					
EPA 5030/8260	cis-1,2-Dichloroethene	905	ug/L	250	07/21/25 23:07	HS

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407426019	**AD-300-20250716**					
EPA 5030/8260	Vinyl chloride	2930	ug/L	100	07/21/25 23:07	HS
50407426020	**MW-422S-20250716**					
EPA 5030/8260	cis-1,2-Dichloroethene	539	ug/L	100	07/19/25 07:23	
EPA 5030/8260	trans-1,2-Dichloroethene	6.7	ug/L	5.0	07/19/25 06:53	
EPA 5030/8260	Vinyl chloride	1010	ug/L	40.0	07/19/25 07:23	
50407426023	**MW-408D-20250716**					
EPA 5030/8260	Chloroethane	944	ug/L	50.0	07/19/25 08:54	
EPA 5030/8260	1,1-Dichloroethane	95.0	ug/L	5.0	07/19/25 08:24	
EPA 5030/8260	cis-1,2-Dichloroethene	19.6	ug/L	5.0	07/19/25 08:24	
EPA 5030/8260	trans-1,2-Dichloroethene	5.1	ug/L	5.0	07/19/25 08:24	
EPA 5030/8260	Vinyl chloride	21.8	ug/L	2.0	07/19/25 08:24	
50407426025	**MW-403-20250716**					
EPA 5030/8260	Chloroethane	80.4	ug/L	5.0	07/19/25 02:04	
EPA 5030/8260	1,1-Dichloroethane	59.8	ug/L	5.0	07/19/25 02:04	
EPA 5030/8260	1,1-Dichloroethene	9.1	ug/L	5.0	07/19/25 02:04	
EPA 5030/8260	cis-1,2-Dichloroethene	523	ug/L	50.0	07/22/25 02:10	
EPA 5030/8260	1,1,1-Trichloroethane	36.3	ug/L	5.0	07/19/25 02:04	
EPA 5030/8260	Trichloroethene	15.4	ug/L	5.0	07/19/25 02:04	
EPA 5030/8260	Vinyl chloride	214	ug/L	2.0	07/19/25 02:04	
50407426026	**MW-406S-20250716**					
EPA 5030/8260	Chloroethane	913	ug/L	50.0	07/19/25 02:34	
EPA 5030/8260	1,1-Dichloroethane	1310	ug/L	50.0	07/19/25 02:34	
EPA 5030/8260	1,1-Dichloroethene	71.2	ug/L	50.0	07/19/25 02:34	
EPA 5030/8260	cis-1,2-Dichloroethene	12700	ug/L	500	07/19/25 03:05	
EPA 5030/8260	trans-1,2-Dichloroethene	130	ug/L	50.0	07/19/25 02:34	
EPA 5030/8260	1,1,1-Trichloroethane	182	ug/L	50.0	07/19/25 02:34	
EPA 5030/8260	Trichloroethene	107	ug/L	50.0	07/19/25 02:34	
EPA 5030/8260	Vinyl chloride	867	ug/L	20.0	07/19/25 02:34	
50407426027	**MW-406D-20250716**					
EPA 5030/8260	1,1-Dichloroethane	1460	ug/L	250	07/19/25 03:35	
EPA 5030/8260	1,1-Dichloroethene	410	ug/L	250	07/19/25 03:35	
EPA 5030/8260	cis-1,2-Dichloroethene	13700	ug/L	2500	07/19/25 04:05	
EPA 5030/8260	Vinyl chloride	1200	ug/L	100	07/19/25 03:35	
50407426028	**MW-424D-20250716**					
EPA 5030/8260	Chloroethane	423	ug/L	50.0	07/19/25 05:06	
EPA 5030/8260	Toluene	6.4	ug/L	5.0	07/19/25 04:36	
50407426029	**MW-424S-20250716**					
EPA 5030/8260	Chloroethane	7270	ug/L	500	07/19/25 06:07	
50407426030	**MW-404-20250716**					
EPA 5030/8260	Chloroethane	12400	ug/L	250	07/19/25 06:37	
EPA 5030/8260	1,1-Dichloroethane	30500	ug/L	2500	07/19/25 07:08	
EPA 5030/8260	1,2-Dichloroethane	371	ug/L	250	07/19/25 06:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407426030	**MW-404-20250716**					
EPA 5030/8260	1,1-Dichloroethene	441	ug/L	250	07/19/25 06:37	
EPA 5030/8260	cis-1,2-Dichloroethene	25700	ug/L	2500	07/19/25 07:08	
EPA 5030/8260	trans-1,2-Dichloroethene	1490	ug/L	250	07/19/25 06:37	
EPA 5030/8260	1,1,1-Trichloroethane	10300	ug/L	250	07/19/25 06:37	
EPA 5030/8260	Vinyl chloride	6990	ug/L	100	07/19/25 06:37	
50407426031	**MW-405S-20250716**					
EPA 5030/8260	Chloroethane	12.2	ug/L	5.0	07/22/25 01:54	
50407426032	**MW-405D-20250716**					
EPA 5030/8260	Chloroethane	2610	ug/L	50.0	07/19/25 07:38	
EPA 5030/8260	1,1-Dichloroethane	83.3	ug/L	50.0	07/19/25 07:38	
EPA 5030/8260	cis-1,2-Dichloroethene	409	ug/L	50.0	07/19/25 07:38	
EPA 5030/8260	Vinyl chloride	841	ug/L	20.0	07/19/25 07:38	
50407426033	**MW-428-20250716**					
EPA 6010	Iron, Dissolved	67700	ug/L	200	07/30/25 04:05	
EPA 5030/8260	Chloroethane	101	ug/L	5.0	07/19/25 08:08	
EPA 5030/8260	trans-1,2-Dichloroethene	5.6	ug/L	5.0	07/19/25 08:08	
SM 5310C	Total Organic Carbon	51800	ug/L	8000	07/29/25 13:14	
50407426034	**MW-407S-20250716**					
EPA 300.0	Sulfate	47100	ug/L	2500	07/24/25 06:04	
EPA 6010	Iron, Dissolved	8520	ug/L	100	07/30/25 03:49	
EPA 5030/8260	Chloroethane	8.2	ug/L	5.0	07/19/25 08:39	
EPA 5030/8260	cis-1,2-Dichloroethene	45.5	ug/L	5.0	07/19/25 08:39	
EPA 5030/8260	Vinyl chloride	56.4	ug/L	2.0	07/19/25 08:39	
SM 5310C	Total Organic Carbon	9980	ug/L	1000	07/28/25 20:33	
50407426035	**AD-400-20250716**					
EPA 5030/8260	Chloroethane	6.6	ug/L	5.0	07/22/25 02:25	
EPA 5030/8260	cis-1,2-Dichloroethene	41.2	ug/L	5.0	07/22/25 02:25	
EPA 5030/8260	Vinyl chloride	58.9	ug/L	2.0	07/22/25 02:25	
50407426036	**MW-407D-20250716**					
EPA 300.0	Sulfate	50000	ug/L	250	07/24/25 07:12	
EPA 6010	Iron, Dissolved	4120	ug/L	100	07/30/25 03:51	
EPA 5030/8260	Chloroethane	80.9	ug/L	5.0	07/19/25 09:39	
EPA 5030/8260	1,1-Dichloroethane	9.8	ug/L	5.0	07/19/25 09:39	
EPA 5030/8260	cis-1,2-Dichloroethene	609	ug/L	50.0	07/22/25 02:40	M1
EPA 5030/8260	Vinyl chloride	561	ug/L	20.0	07/22/25 02:40	M1
SM 5310C	Total Organic Carbon	9430	ug/L	1000	07/28/25 20:54	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-333-20250715 **Lab ID: 50407426001** Collected: 07/15/25 13:08 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	37.8	10		07/18/25 20:30	67-64-1	
Acrolein	ND	ug/L	500	59.0	10		07/18/25 20:30	107-02-8	
Acrylonitrile	ND	ug/L	1000	19.7	10		07/18/25 20:30	107-13-1	
Benzene	ND	ug/L	50.0	3.0	10		07/18/25 20:30	71-43-2	
Bromobenzene	ND	ug/L	50.0	7.0	10		07/18/25 20:30	108-86-1	
Bromochloromethane	ND	ug/L	50.0	5.1	10		07/18/25 20:30	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.4	10		07/18/25 20:30	75-27-4	
Bromoform	ND	ug/L	50.0	5.4	10		07/18/25 20:30	75-25-2	
Bromomethane	ND	ug/L	50.0	5.9	10		07/18/25 20:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	20.2	10		07/18/25 20:30	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.6	10		07/18/25 20:30	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.5	10		07/18/25 20:30	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		07/18/25 20:30	98-06-6	
Carbon disulfide	ND	ug/L	100	3.6	10		07/18/25 20:30	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.3	10		07/18/25 20:30	56-23-5	
Chlorobenzene	ND	ug/L	50.0	5.2	10		07/18/25 20:30	108-90-7	
Chloroethane	**73.7**	ug/L	50.0	6.1	10		07/18/25 20:30	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		07/18/25 20:30	67-66-3	
Chloromethane	ND	ug/L	50.0	3.1	10		07/18/25 20:30	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	5.0	10		07/18/25 20:30	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.3	10		07/18/25 20:30	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	5.8	10		07/18/25 20:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.8	10		07/18/25 20:30	106-93-4	
Dibromomethane	ND	ug/L	50.0	6.4	10		07/18/25 20:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	6.1	10		07/18/25 20:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	6.5	10		07/18/25 20:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	6.6	10		07/18/25 20:30	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.3	10		07/18/25 20:30	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	4.4	10		07/18/25 20:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	3.3	10		07/18/25 20:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	5.0	10		07/18/25 20:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.4	10		07/18/25 20:30	75-35-4	
cis-1,2-Dichloroethene	**10100**	ug/L	500	40.9	100		07/18/25 21:00	156-59-2	
trans-1,2-Dichloroethene	**69.7**	ug/L	50.0	2.8	10		07/18/25 20:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.2	10		07/18/25 20:30	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	5.8	10		07/18/25 20:30	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		07/18/25 20:30	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.2	10		07/18/25 20:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	5.2	10		07/18/25 20:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	6.7	10		07/18/25 20:30	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.4	10		07/18/25 20:30	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.6	10		07/18/25 20:30	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.1	10		07/18/25 20:30	87-68-3	
n-Hexane	ND	ug/L	50.0	5.6	10		07/18/25 20:30	110-54-3	
2-Hexanone	ND	ug/L	250	20.1	10		07/18/25 20:30	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-333-20250715 **Lab ID: 50407426001** Collected: 07/15/25 13:08 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	9.4	10		07/18/25 20:30	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.9	10		07/18/25 20:30	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.8	10		07/18/25 20:30	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		07/18/25 20:30	75-09-2	
1-Methylnaphthalene	**168**	ug/L	100	17.1	10		07/18/25 20:30	90-12-0	
2-Methylnaphthalene	**206**	ug/L	100	26.6	10		07/18/25 20:30	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	19.4	10		07/18/25 20:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.0	10		07/18/25 20:30	1634-04-4	
Naphthalene	**127**	ug/L	12.0	11.8	10		07/18/25 20:30	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	4.3	10		07/18/25 20:30	103-65-1	
Styrene	ND	ug/L	50.0	5.2	10		07/18/25 20:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	5.7	10		07/18/25 20:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.6	10		07/18/25 20:30	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.4	10		07/18/25 20:30	127-18-4	
Toluene	ND	ug/L	50.0	7.9	10		07/18/25 20:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	5.7	10		07/18/25 20:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	5.8	10		07/18/25 20:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.2	10		07/18/25 20:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	5.7	10		07/18/25 20:30	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.4	10		07/18/25 20:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	2.9	10		07/18/25 20:30	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	4.6	10		07/18/25 20:30	96-18-4	
1,2,4-Trimethylbenzene	**190**	ug/L	50.0	5.4	10		07/18/25 20:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.5	10		07/18/25 20:30	108-67-8	
Vinyl acetate	ND	ug/L	500	10.9	10		07/18/25 20:30	108-05-4	
Vinyl chloride	**1910**	ug/L	20.0	3.7	10		07/18/25 20:30	75-01-4	
Xylene (Total)	ND	ug/L	100	9.6	10		07/18/25 20:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128		10		07/18/25 20:30	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		10		07/18/25 20:30	460-00-4	
Toluene-d8 (S)	97	%.	73-122		10		07/18/25 20:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-92-20250715 **Lab ID: 50407426002** Collected: 07/15/25 13:31 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/18/25 21:30	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/18/25 21:30	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/18/25 21:30	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/18/25 21:30	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/18/25 21:30	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/18/25 21:30	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/18/25 21:30	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/18/25 21:30	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/18/25 21:30	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/18/25 21:30	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 21:30	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 21:30	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 21:30	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/18/25 21:30	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/18/25 21:30	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/18/25 21:30	108-90-7	
Chloroethane	ND	ug/L	5.0	0.61	1		07/18/25 21:30	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 21:30	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/18/25 21:30	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/18/25 21:30	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/18/25 21:30	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/18/25 21:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/18/25 21:30	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/18/25 21:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/18/25 21:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/18/25 21:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/18/25 21:30	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/18/25 21:30	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/18/25 21:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 21:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/18/25 21:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/18/25 21:30	75-35-4	
cis-1,2-Dichloroethene	**87.0**	ug/L	5.0	0.41	1		07/18/25 21:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/18/25 21:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/18/25 21:30	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/18/25 21:30	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 21:30	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 21:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/18/25 21:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/18/25 21:30	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/18/25 21:30	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/18/25 21:30	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/18/25 21:30	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/18/25 21:30	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/18/25 21:30	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-92-20250715 **Lab ID: 50407426002** Collected: 07/15/25 13:31 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/18/25 21:30	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/18/25 21:30	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/18/25 21:30	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 21:30	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/18/25 21:30	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/18/25 21:30	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/18/25 21:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/18/25 21:30	1634-04-4	
Naphthalene	**2.5**	ug/L	1.2	1.2	1		07/18/25 21:30	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/18/25 21:30	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/18/25 21:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/18/25 21:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/18/25 21:30	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/18/25 21:30	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/18/25 21:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/18/25 21:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/18/25 21:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/18/25 21:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/18/25 21:30	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/18/25 21:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/18/25 21:30	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/18/25 21:30	96-18-4	
1,2,4-Trimethylbenzene	**5.8**	ug/L	5.0	0.54	1		07/18/25 21:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/18/25 21:30	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/18/25 21:30	108-05-4	
Vinyl chloride	**41.3**	ug/L	2.0	0.37	1		07/18/25 21:30	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/18/25 21:30	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128		1		07/18/25 21:30	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		07/18/25 21:30	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/18/25 21:30	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-173-20250715 **Lab ID: 50407426003** Collected: 07/15/25 14:05 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/18/25 18:13	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/18/25 18:13	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/18/25 18:13	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/18/25 18:13	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/18/25 18:13	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/18/25 18:13	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/18/25 18:13	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/18/25 18:13	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/18/25 18:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/18/25 18:13	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 18:13	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/18/25 18:13	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 18:13	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/18/25 18:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/18/25 18:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/18/25 18:13	108-90-7	
Chloroethane	ND	ug/L	5.0	0.66	1		07/18/25 18:13	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/18/25 18:13	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/18/25 18:13	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/18/25 18:13	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/18/25 18:13	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/18/25 18:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/18/25 18:13	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/18/25 18:13	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/18/25 18:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 18:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/18/25 18:13	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/18/25 18:13	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/18/25 18:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/18/25 18:13	75-34-3	
1,2-Dichloroethane	**6.0**	ug/L	5.0	0.37	1		07/18/25 18:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/18/25 18:13	75-35-4	
cis-1,2-Dichloroethene	**847**	ug/L	50.0	3.7	10		07/18/25 18:43	156-59-2	
trans-1,2-Dichloroethene	**12.0**	ug/L	5.0	0.38	1		07/18/25 18:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/18/25 18:13	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/18/25 18:13	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/18/25 18:13	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 18:13	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 18:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/18/25 18:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/18/25 18:13	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/18/25 18:13	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/18/25 18:13	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/18/25 18:13	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/18/25 18:13	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-173-20250715 **Lab ID: 50407426003** Collected: 07/15/25 14:05 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/18/25 18:13	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/18/25 18:13	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/18/25 18:13	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 18:13	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/18/25 18:13	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/18/25 18:13	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/18/25 18:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/18/25 18:13	1634-04-4	L2
Naphthalene	ND	ug/L	1.2	0.75	1		07/18/25 18:13	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 18:13	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/18/25 18:13	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/18/25 18:13	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/18/25 18:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/18/25 18:13	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/18/25 18:13	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/18/25 18:13	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/18/25 18:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/18/25 18:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/18/25 18:13	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/18/25 18:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/18/25 18:13	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/18/25 18:13	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/18/25 18:13	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/18/25 18:13	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/18/25 18:13	108-05-4	
Vinyl chloride	**73.6**	ug/L	2.0	0.44	1		07/18/25 18:13	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/18/25 18:13	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128		1		07/18/25 18:13	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/18/25 18:13	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/18/25 18:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-112-20250715 **Lab ID: 50407426004** Collected: 07/15/25 14:41 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/18/25 19:14	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/18/25 19:14	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/18/25 19:14	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/18/25 19:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/18/25 19:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/18/25 19:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/18/25 19:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/18/25 19:14	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/18/25 19:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/18/25 19:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 19:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/18/25 19:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 19:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/18/25 19:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/18/25 19:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/18/25 19:14	108-90-7	
Chloroethane	ND	ug/L	5.0	0.66	1		07/18/25 19:14	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/18/25 19:14	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/18/25 19:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/18/25 19:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/18/25 19:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/18/25 19:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/18/25 19:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/18/25 19:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/18/25 19:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 19:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/18/25 19:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/18/25 19:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/18/25 19:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/18/25 19:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/18/25 19:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/18/25 19:14	75-35-4	
cis-1,2-Dichloroethene	**375**	ug/L	50.0	3.7	10		07/18/25 19:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/18/25 19:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/18/25 19:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/18/25 19:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/18/25 19:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 19:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 19:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/18/25 19:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/18/25 19:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/18/25 19:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/18/25 19:14	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/18/25 19:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/18/25 19:14	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-112-20250715 **Lab ID: 50407426004** Collected: 07/15/25 14:41 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/18/25 19:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/18/25 19:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/18/25 19:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 19:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/18/25 19:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/18/25 19:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/18/25 19:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/18/25 19:14	1634-04-4	L2
Naphthalene	ND	ug/L	1.2	0.75	1		07/18/25 19:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 19:14	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/18/25 19:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/18/25 19:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/18/25 19:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/18/25 19:14	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/18/25 19:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/18/25 19:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/18/25 19:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/18/25 19:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/18/25 19:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/18/25 19:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/18/25 19:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/18/25 19:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/18/25 19:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/18/25 19:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/18/25 19:14	108-05-4	
Vinyl chloride	**368**	ug/L	20.0	4.4	10		07/18/25 19:44	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/18/25 19:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/18/25 19:14	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		07/18/25 19:14	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/18/25 19:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-313-20250715 **Lab ID: 50407426005** Collected: 07/15/25 14:54 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/18/25 13:24	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/18/25 13:24	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/18/25 13:24	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/18/25 13:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/18/25 13:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/18/25 13:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/18/25 13:24	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/18/25 13:24	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/18/25 13:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/18/25 13:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 13:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 13:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 13:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/18/25 13:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/18/25 13:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/18/25 13:24	108-90-7	
Chloroethane	ND	ug/L	5.0	0.61	1		07/18/25 13:24	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 13:24	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/18/25 13:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/18/25 13:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/18/25 13:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/18/25 13:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/18/25 13:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/18/25 13:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/18/25 13:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/18/25 13:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/18/25 13:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/18/25 13:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/18/25 13:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 13:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/18/25 13:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/18/25 13:24	75-35-4	
cis-1,2-Dichloroethene	**434**	ug/L	50.0	4.1	10		07/18/25 13:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/18/25 13:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/18/25 13:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/18/25 13:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 13:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 13:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/18/25 13:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/18/25 13:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/18/25 13:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/18/25 13:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/18/25 13:24	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/18/25 13:24	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/18/25 13:24	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-313-20250715 **Lab ID: 50407426005** Collected: 07/15/25 14:54 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/18/25 13:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/18/25 13:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/18/25 13:24	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 13:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/18/25 13:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/18/25 13:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/18/25 13:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/18/25 13:24	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/18/25 13:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/18/25 13:24	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/18/25 13:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/18/25 13:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/18/25 13:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/18/25 13:24	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/18/25 13:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/18/25 13:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/18/25 13:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/18/25 13:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/18/25 13:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/18/25 13:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/18/25 13:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/18/25 13:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/18/25 13:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/18/25 13:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/18/25 13:24	108-05-4	
Vinyl chloride	**45.0**	ug/L	2.0	0.37	1		07/18/25 13:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/18/25 13:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/18/25 13:24	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/18/25 13:24	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/18/25 13:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-426-20250715 **Lab ID: 50407426006** Collected: 07/15/25 13:25 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**37.6**	ug/L	10.0	1.2	1		07/18/25 11:53	74-84-0	
Ethene	**109**	ug/L	10.0	2.3	1		07/18/25 11:53	74-85-1	
Methane	**9940**	ug/L	10.0	2.4	1		07/18/25 11:53	74-82-8	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	37.8	10		07/18/25 15:56	67-64-1	
Acrolein	ND	ug/L	500	59.0	10		07/18/25 15:56	107-02-8	
Acrylonitrile	ND	ug/L	1000	19.7	10		07/18/25 15:56	107-13-1	
Benzene	ND	ug/L	50.0	3.0	10		07/18/25 15:56	71-43-2	
Bromobenzene	ND	ug/L	50.0	7.0	10		07/18/25 15:56	108-86-1	
Bromochloromethane	ND	ug/L	50.0	5.1	10		07/18/25 15:56	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.4	10		07/18/25 15:56	75-27-4	
Bromoform	ND	ug/L	50.0	5.4	10		07/18/25 15:56	75-25-2	
Bromomethane	ND	ug/L	50.0	5.9	10		07/18/25 15:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	20.2	10		07/18/25 15:56	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.6	10		07/18/25 15:56	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.5	10		07/18/25 15:56	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		07/18/25 15:56	98-06-6	
Carbon disulfide	ND	ug/L	100	3.6	10		07/18/25 15:56	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.3	10		07/18/25 15:56	56-23-5	
Chlorobenzene	ND	ug/L	50.0	5.2	10		07/18/25 15:56	108-90-7	
Chloroethane	**2920**	ug/L	50.0	6.1	10		07/18/25 15:56	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		07/18/25 15:56	67-66-3	
Chloromethane	ND	ug/L	50.0	3.1	10		07/18/25 15:56	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	5.0	10		07/18/25 15:56	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.3	10		07/18/25 15:56	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	5.8	10		07/18/25 15:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.8	10		07/18/25 15:56	106-93-4	
Dibromomethane	ND	ug/L	50.0	6.4	10		07/18/25 15:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	6.1	10		07/18/25 15:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	6.5	10		07/18/25 15:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	6.6	10		07/18/25 15:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.3	10		07/18/25 15:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	4.4	10		07/18/25 15:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	3.3	10		07/18/25 15:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	5.0	10		07/18/25 15:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.4	10		07/18/25 15:56	75-35-4	
cis-1,2-Dichloroethene	**232**	ug/L	50.0	4.1	10		07/18/25 15:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	2.8	10		07/18/25 15:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.2	10		07/18/25 15:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	5.8	10		07/18/25 15:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		07/18/25 15:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.2	10		07/18/25 15:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	5.2	10		07/18/25 15:56	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-426-20250715 **Lab ID: 50407426006** Collected: 07/15/25 13:25 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
trans-1,3-Dichloropropene	ND	ug/L	50.0	6.7	10		07/18/25 15:56	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.4	10		07/18/25 15:56	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.6	10		07/18/25 15:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.1	10		07/18/25 15:56	87-68-3	
n-Hexane	ND	ug/L	50.0	5.6	10		07/18/25 15:56	110-54-3	
2-Hexanone	ND	ug/L	250	20.1	10		07/18/25 15:56	591-78-6	
Iodomethane	ND	ug/L	100	9.4	10		07/18/25 15:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.9	10		07/18/25 15:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.8	10		07/18/25 15:56	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		07/18/25 15:56	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	17.1	10		07/18/25 15:56	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	26.6	10		07/18/25 15:56	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	19.4	10		07/18/25 15:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.0	10		07/18/25 15:56	1634-04-4	
Naphthalene	ND	ug/L	12.0	11.8	10		07/18/25 15:56	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	4.3	10		07/18/25 15:56	103-65-1	
Styrene	ND	ug/L	50.0	5.2	10		07/18/25 15:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	5.7	10		07/18/25 15:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.6	10		07/18/25 15:56	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.4	10		07/18/25 15:56	127-18-4	
Toluene	ND	ug/L	50.0	7.9	10		07/18/25 15:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	5.7	10		07/18/25 15:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	5.8	10		07/18/25 15:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.2	10		07/18/25 15:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	5.7	10		07/18/25 15:56	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.4	10		07/18/25 15:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	2.9	10		07/18/25 15:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	4.6	10		07/18/25 15:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.4	10		07/18/25 15:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.5	10		07/18/25 15:56	108-67-8	
Vinyl acetate	ND	ug/L	500	10.9	10		07/18/25 15:56	108-05-4	
Vinyl chloride	**312**	ug/L	20.0	3.7	10		07/18/25 15:56	75-01-4	
Xylene (Total)	ND	ug/L	100	9.6	10		07/18/25 15:56	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		10		07/18/25 15:56	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		10		07/18/25 15:56	460-00-4	
Toluene-d8 (S)	96	%.	73-122		10		07/18/25 15:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: W-9-20250715 **Lab ID: 50407426007** Collected: 07/15/25 14:53 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**57.8**	ug/L	10.0	1.2	1		07/18/25 12:09	74-84-0	
Ethene	ND	ug/L	10.0	2.3	1		07/18/25 12:09	74-85-1	
Methane	**3100**	ug/L	10.0	2.4	1		07/18/25 12:09	74-82-8	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/18/25 14:56	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/18/25 14:56	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/18/25 14:56	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/18/25 14:56	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/18/25 14:56	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/18/25 14:56	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/18/25 14:56	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/18/25 14:56	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/18/25 14:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/18/25 14:56	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 14:56	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 14:56	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 14:56	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/18/25 14:56	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/18/25 14:56	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/18/25 14:56	108-90-7	
Chloroethane	ND	ug/L	5.0	0.61	1		07/18/25 14:56	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 14:56	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/18/25 14:56	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/18/25 14:56	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/18/25 14:56	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/18/25 14:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/18/25 14:56	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/18/25 14:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/18/25 14:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/18/25 14:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/18/25 14:56	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/18/25 14:56	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/18/25 14:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 14:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/18/25 14:56	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/18/25 14:56	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/18/25 14:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/18/25 14:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/18/25 14:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/18/25 14:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 14:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 14:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/18/25 14:56	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: W-9-20250715 **Lab ID: 50407426007** Collected: 07/15/25 14:53 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/18/25 14:56	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/18/25 14:56	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/18/25 14:56	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/18/25 14:56	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/18/25 14:56	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/18/25 14:56	591-78-6	
Iodomethane	ND	ug/L	10.0	0.94	1		07/18/25 14:56	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/18/25 14:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/18/25 14:56	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 14:56	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/18/25 14:56	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/18/25 14:56	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/18/25 14:56	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/18/25 14:56	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/18/25 14:56	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/18/25 14:56	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/18/25 14:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/18/25 14:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/18/25 14:56	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/18/25 14:56	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/18/25 14:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/18/25 14:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/18/25 14:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/18/25 14:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/18/25 14:56	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/18/25 14:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/18/25 14:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/18/25 14:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/18/25 14:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/18/25 14:56	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/18/25 14:56	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.37	1		07/18/25 14:56	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/18/25 14:56	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/18/25 14:56	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/18/25 14:56	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/18/25 14:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: W-8-20250715 **Lab ID: 50407426008** Collected: 07/15/25 09:50 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	ND	ug/L	10.0	1.2	1		07/18/25 12:24	74-84-0	
Ethene	ND	ug/L	10.0	2.3	1		07/18/25 12:24	74-85-1	
Methane	**265**	ug/L	10.0	2.4	1		07/18/25 12:24	74-82-8	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 09:24	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 09:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 09:24	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 09:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 09:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 09:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 09:24	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 09:24	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 09:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 09:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 09:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 09:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 09:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 09:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 09:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 09:24	108-90-7	
Chloroethane	ND	ug/L	5.0	0.66	1		07/19/25 09:24	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 09:24	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 09:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 09:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 09:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 09:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 09:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 09:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 09:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 09:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 09:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 09:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 09:24	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/19/25 09:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 09:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/19/25 09:24	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		07/19/25 09:24	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/19/25 09:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 09:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 09:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 09:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 09:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 09:24	10061-01-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: W-8-20250715 **Lab ID: 50407426008** Collected: 07/15/25 09:50 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 09:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 09:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 09:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 09:24	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 09:24	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 09:24	591-78-6	
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 09:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 09:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 09:24	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 09:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 09:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 09:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 09:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 09:24	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 09:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 09:24	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 09:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 09:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 09:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 09:24	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 09:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 09:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 09:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 09:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 09:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/19/25 09:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 09:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 09:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 09:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 09:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 09:24	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.44	1		07/19/25 09:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 09:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		07/19/25 09:24	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/19/25 09:24	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 09:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: AD-200-20250715 **Lab ID: 50407426009** Collected: 07/15/25 12:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	2500	94.5	25		07/18/25 15:26	67-64-1	
Acrolein	ND	ug/L	1250	148	25		07/18/25 15:26	107-02-8	
Acrylonitrile	ND	ug/L	2500	49.2	25		07/18/25 15:26	107-13-1	
Benzene	ND	ug/L	125	7.4	25		07/18/25 15:26	71-43-2	
Bromobenzene	ND	ug/L	125	17.6	25		07/18/25 15:26	108-86-1	
Bromochloromethane	ND	ug/L	125	12.8	25		07/18/25 15:26	74-97-5	
Bromodichloromethane	ND	ug/L	125	13.4	25		07/18/25 15:26	75-27-4	
Bromoform	ND	ug/L	125	13.4	25		07/18/25 15:26	75-25-2	
Bromomethane	ND	ug/L	125	14.8	25		07/18/25 15:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	625	50.5	25		07/18/25 15:26	78-93-3	
n-Butylbenzene	ND	ug/L	125	9.0	25		07/18/25 15:26	104-51-8	
sec-Butylbenzene	ND	ug/L	125	8.8	25		07/18/25 15:26	135-98-8	
tert-Butylbenzene	ND	ug/L	125	10.4	25		07/18/25 15:26	98-06-6	
Carbon disulfide	ND	ug/L	250	8.9	25		07/18/25 15:26	75-15-0	
Carbon tetrachloride	ND	ug/L	125	8.3	25		07/18/25 15:26	56-23-5	
Chlorobenzene	ND	ug/L	125	13.0	25		07/18/25 15:26	108-90-7	
Chloroethane	**3050**	ug/L	125	15.4	25		07/18/25 15:26	75-00-3	
Chloroform	ND	ug/L	125	9.5	25		07/18/25 15:26	67-66-3	
Chloromethane	ND	ug/L	125	7.7	25		07/18/25 15:26	74-87-3	
2-Chlorotoluene	ND	ug/L	125	12.6	25		07/18/25 15:26	95-49-8	
4-Chlorotoluene	ND	ug/L	125	13.3	25		07/18/25 15:26	106-43-4	
Dibromochloromethane	ND	ug/L	125	14.4	25		07/18/25 15:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	125	12.0	25		07/18/25 15:26	106-93-4	
Dibromomethane	ND	ug/L	125	16.0	25		07/18/25 15:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	125	15.3	25		07/18/25 15:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	125	16.2	25		07/18/25 15:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	125	16.5	25		07/18/25 15:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	2500	13.3	25		07/18/25 15:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	125	10.9	25		07/18/25 15:26	75-71-8	
1,1-Dichloroethane	ND	ug/L	125	8.2	25		07/18/25 15:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	125	12.6	25		07/18/25 15:26	107-06-2	
1,1-Dichloroethene	ND	ug/L	125	10.9	25		07/18/25 15:26	75-35-4	
cis-1,2-Dichloroethene	**233**	ug/L	125	10.2	25		07/18/25 15:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	125	7.1	25		07/18/25 15:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	125	10.5	25		07/18/25 15:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	125	14.5	25		07/18/25 15:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	125	7.6	25		07/18/25 15:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	125	8.1	25		07/18/25 15:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	125	13.1	25		07/18/25 15:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	125	16.7	25		07/18/25 15:26	10061-02-6	
Ethylbenzene	ND	ug/L	125	11.1	25		07/18/25 15:26	100-41-4	
Ethyl methacrylate	ND	ug/L	2500	14.0	25		07/18/25 15:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	125	7.8	25		07/18/25 15:26	87-68-3	
n-Hexane	ND	ug/L	125	14.1	25		07/18/25 15:26	110-54-3	
2-Hexanone	ND	ug/L	625	50.2	25		07/18/25 15:26	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: AD-200-20250715 **Lab ID: 50407426009** Collected: 07/15/25 12:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	250	23.4	25		07/18/25 15:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	125	9.8	25		07/18/25 15:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	125	9.5	25		07/18/25 15:26	99-87-6	
Methylene Chloride	ND	ug/L	125	125	25		07/18/25 15:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	250	42.8	25		07/18/25 15:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	250	66.5	25		07/18/25 15:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	625	48.5	25		07/18/25 15:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	100	10.0	25		07/18/25 15:26	1634-04-4	
Naphthalene	ND	ug/L	30.0	29.5	25		07/18/25 15:26	91-20-3	
n-Propylbenzene	ND	ug/L	125	10.7	25		07/18/25 15:26	103-65-1	
Styrene	ND	ug/L	125	13.1	25		07/18/25 15:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	125	14.2	25		07/18/25 15:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	125	11.4	25		07/18/25 15:26	79-34-5	
Tetrachloroethene	ND	ug/L	125	8.4	25		07/18/25 15:26	127-18-4	
Toluene	ND	ug/L	125	19.8	25		07/18/25 15:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	125	14.2	25		07/18/25 15:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	125	14.6	25		07/18/25 15:26	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	125	8.1	25		07/18/25 15:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	125	14.2	25		07/18/25 15:26	79-00-5	
Trichloroethene	ND	ug/L	125	8.4	25		07/18/25 15:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	125	7.3	25		07/18/25 15:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	125	11.6	25		07/18/25 15:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	125	13.6	25		07/18/25 15:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	125	11.3	25		07/18/25 15:26	108-67-8	
Vinyl acetate	ND	ug/L	1250	27.2	25		07/18/25 15:26	108-05-4	
Vinyl chloride	**323**	ug/L	50.0	9.2	25		07/18/25 15:26	75-01-4	
Xylene (Total)	ND	ug/L	250	24.0	25		07/18/25 15:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128		25		07/18/25 15:26	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		25		07/18/25 15:26	460-00-4	
Toluene-d8 (S)	96	%.	73-122		25		07/18/25 15:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-22-20250716 **Lab ID: 50407426010** Collected: 07/16/25 08:46 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/18/25 16:27	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/18/25 16:27	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/18/25 16:27	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/18/25 16:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/18/25 16:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/18/25 16:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/18/25 16:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/18/25 16:27	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/18/25 16:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/18/25 16:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 16:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 16:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 16:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/18/25 16:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/18/25 16:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/18/25 16:27	108-90-7	
Chloroethane	ND	ug/L	5.0	0.61	1		07/18/25 16:27	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 16:27	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/18/25 16:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/18/25 16:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/18/25 16:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/18/25 16:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/18/25 16:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/18/25 16:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/18/25 16:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/18/25 16:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/18/25 16:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/18/25 16:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/18/25 16:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 16:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/18/25 16:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/18/25 16:27	75-35-4	
cis-1,2-Dichloroethene	**6.4**	ug/L	5.0	0.41	1		07/18/25 16:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/18/25 16:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/18/25 16:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/18/25 16:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 16:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 16:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/18/25 16:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/18/25 16:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/18/25 16:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/18/25 16:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/18/25 16:27	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/18/25 16:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/18/25 16:27	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-22-20250716 **Lab ID: 50407426010** Collected: 07/16/25 08:46 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/18/25 16:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/18/25 16:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/18/25 16:27	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 16:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/18/25 16:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/18/25 16:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/18/25 16:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/18/25 16:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/18/25 16:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/18/25 16:27	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/18/25 16:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/18/25 16:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/18/25 16:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/18/25 16:27	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/18/25 16:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/18/25 16:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/18/25 16:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/18/25 16:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/18/25 16:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/18/25 16:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/18/25 16:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/18/25 16:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/18/25 16:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/18/25 16:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/18/25 16:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.37	1		07/18/25 16:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/18/25 16:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128		1		07/18/25 16:27	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/18/25 16:27	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		07/18/25 16:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: W-4D-20250716 **Lab ID: 50407426011** Collected: 07/16/25 09:11 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/18/25 16:57	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/18/25 16:57	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/18/25 16:57	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/18/25 16:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/18/25 16:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/18/25 16:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/18/25 16:57	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/18/25 16:57	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/18/25 16:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/18/25 16:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 16:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 16:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 16:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/18/25 16:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/18/25 16:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/18/25 16:57	108-90-7	
Chloroethane	ND	ug/L	5.0	0.61	1		07/18/25 16:57	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 16:57	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/18/25 16:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/18/25 16:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/18/25 16:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/18/25 16:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/18/25 16:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/18/25 16:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/18/25 16:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/18/25 16:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/18/25 16:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/18/25 16:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/18/25 16:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 16:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/18/25 16:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/18/25 16:57	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/18/25 16:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/18/25 16:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/18/25 16:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/18/25 16:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 16:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 16:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/18/25 16:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/18/25 16:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/18/25 16:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/18/25 16:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/18/25 16:57	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/18/25 16:57	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/18/25 16:57	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: W-4D-20250716 **Lab ID: 50407426011** Collected: 07/16/25 09:11 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/18/25 16:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/18/25 16:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/18/25 16:57	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 16:57	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/18/25 16:57	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/18/25 16:57	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/18/25 16:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/18/25 16:57	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/18/25 16:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/18/25 16:57	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/18/25 16:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/18/25 16:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/18/25 16:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/18/25 16:57	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/18/25 16:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/18/25 16:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/18/25 16:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/18/25 16:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/18/25 16:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/18/25 16:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/18/25 16:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/18/25 16:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/18/25 16:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/18/25 16:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/18/25 16:57	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.37	1		07/18/25 16:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/18/25 16:57	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	99	%.	82-128		1		07/18/25 16:57	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/18/25 16:57	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		07/18/25 16:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: W-4R-20250716 **Lab ID: 50407426012** Collected: 07/16/25 09:26 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/18/25 17:27	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/18/25 17:27	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/18/25 17:27	107-13-1	
Benzene	**7.8**	ug/L	5.0	0.30	1		07/18/25 17:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/18/25 17:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/18/25 17:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/18/25 17:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/18/25 17:27	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/18/25 17:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/18/25 17:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 17:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 17:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 17:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/18/25 17:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/18/25 17:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/18/25 17:27	108-90-7	
Chloroethane	**53.0**	ug/L	5.0	0.61	1		07/18/25 17:27	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 17:27	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/18/25 17:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/18/25 17:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/18/25 17:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/18/25 17:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/18/25 17:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/18/25 17:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/18/25 17:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/18/25 17:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/18/25 17:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/18/25 17:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/18/25 17:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 17:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/18/25 17:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/18/25 17:27	75-35-4	
cis-1,2-Dichloroethene	**215**	ug/L	5.0	0.41	1		07/18/25 17:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/18/25 17:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/18/25 17:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/18/25 17:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 17:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 17:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/18/25 17:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/18/25 17:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/18/25 17:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/18/25 17:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/18/25 17:27	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/18/25 17:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/18/25 17:27	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: W-4R-20250716 **Lab ID: 50407426012** Collected: 07/16/25 09:26 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/18/25 17:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/18/25 17:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/18/25 17:27	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 17:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/18/25 17:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/18/25 17:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/18/25 17:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/18/25 17:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/18/25 17:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/18/25 17:27	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/18/25 17:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/18/25 17:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/18/25 17:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/18/25 17:27	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/18/25 17:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/18/25 17:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/18/25 17:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/18/25 17:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/18/25 17:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/18/25 17:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/18/25 17:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/18/25 17:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/18/25 17:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/18/25 17:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/18/25 17:27	108-05-4	
Vinyl chloride	**115**	ug/L	2.0	0.37	1		07/18/25 17:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/18/25 17:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	101	%.	82-128		1		07/18/25 17:27	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/18/25 17:27	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/18/25 17:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-401-20250716 **Lab ID: 50407426013** Collected: 07/16/25 09:45 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 01:18	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 01:18	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 01:18	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 01:18	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 01:18	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 01:18	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 01:18	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 01:18	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 01:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 01:18	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 01:18	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 01:18	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 01:18	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 01:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 01:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 01:18	108-90-7	
Chloroethane	**58.8**	ug/L	5.0	0.66	1		07/19/25 01:18	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 01:18	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 01:18	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 01:18	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 01:18	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 01:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 01:18	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 01:18	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 01:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 01:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 01:18	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 01:18	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 01:18	75-71-8	
1,1-Dichloroethane	**21.3**	ug/L	5.0	0.31	1		07/19/25 01:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 01:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/19/25 01:18	75-35-4	
cis-1,2-Dichloroethene	**434**	ug/L	125	9.2	25		07/19/25 01:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/19/25 01:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 01:18	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 01:18	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 01:18	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 01:18	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 01:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 01:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 01:18	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 01:18	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 01:18	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 01:18	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 01:18	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-401-20250716 **Lab ID: 50407426013** Collected: 07/16/25 09:45 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 01:18	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 01:18	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 01:18	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 01:18	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 01:18	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 01:18	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 01:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 01:18	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 01:18	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 01:18	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 01:18	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 01:18	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 01:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 01:18	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 01:18	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 01:18	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 01:18	120-82-1	
1,1,1-Trichloroethane	**13.1**	ug/L	5.0	0.37	1		07/19/25 01:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 01:18	79-00-5	
Trichloroethene	**9.0**	ug/L	5.0	0.33	1		07/19/25 01:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 01:18	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 01:18	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 01:18	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 01:18	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 01:18	108-05-4	
Vinyl chloride	**228**	ug/L	2.0	0.44	1		07/19/25 01:18	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 01:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/19/25 01:18	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/19/25 01:18	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/19/25 01:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-417S-20250716 **Lab ID: 50407426014** Collected: 07/16/25 10:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/18/25 18:28	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/18/25 18:28	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/18/25 18:28	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/18/25 18:28	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/18/25 18:28	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/18/25 18:28	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/18/25 18:28	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/18/25 18:28	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/18/25 18:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/18/25 18:28	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 18:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 18:28	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/18/25 18:28	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/18/25 18:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/18/25 18:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/18/25 18:28	108-90-7	
Chloroethane	**12.4**	ug/L	5.0	0.61	1		07/18/25 18:28	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/18/25 18:28	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/18/25 18:28	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/18/25 18:28	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/18/25 18:28	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/18/25 18:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/18/25 18:28	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/18/25 18:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/18/25 18:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/18/25 18:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/18/25 18:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/18/25 18:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/18/25 18:28	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/18/25 18:28	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/18/25 18:28	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/18/25 18:28	75-35-4	
cis-1,2-Dichloroethene	**36.9**	ug/L	5.0	0.41	1		07/18/25 18:28	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/18/25 18:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/18/25 18:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/18/25 18:28	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/18/25 18:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 18:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/18/25 18:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/18/25 18:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/18/25 18:28	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/18/25 18:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/18/25 18:28	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/18/25 18:28	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/18/25 18:28	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-417S-20250716 **Lab ID: 50407426014** Collected: 07/16/25 10:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/18/25 18:28	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/18/25 18:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/18/25 18:28	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 18:28	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/18/25 18:28	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/18/25 18:28	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/18/25 18:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/18/25 18:28	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/18/25 18:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/18/25 18:28	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/18/25 18:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/18/25 18:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/18/25 18:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/18/25 18:28	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/18/25 18:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/18/25 18:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/18/25 18:28	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/18/25 18:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/18/25 18:28	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/18/25 18:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/18/25 18:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/18/25 18:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/18/25 18:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/18/25 18:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/18/25 18:28	108-05-4	
Vinyl chloride	**19.7**	ug/L	2.0	0.37	1		07/18/25 18:28	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/18/25 18:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/18/25 18:28	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/18/25 18:28	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/18/25 18:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-417D-20250716 **Lab ID: 50407426015** Collected: 07/16/25 10:09 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 02:19	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 02:19	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 02:19	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 02:19	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 02:19	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 02:19	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 02:19	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 02:19	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 02:19	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 02:19	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 02:19	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 02:19	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 02:19	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 02:19	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 02:19	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 02:19	108-90-7	
Chloroethane	**290**	ug/L	5.0	0.66	1		07/19/25 02:19	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 02:19	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 02:19	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 02:19	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 02:19	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 02:19	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 02:19	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 02:19	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 02:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 02:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 02:19	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 02:19	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 02:19	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/19/25 02:19	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 02:19	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/19/25 02:19	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		07/19/25 02:19	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/19/25 02:19	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 02:19	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 02:19	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 02:19	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 02:19	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 02:19	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 02:19	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 02:19	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 02:19	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 02:19	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 02:19	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 02:19	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-417D-20250716 **Lab ID: 50407426015** Collected: 07/16/25 10:09 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 02:19	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 02:19	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 02:19	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 02:19	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 02:19	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 02:19	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 02:19	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 02:19	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 02:19	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 02:19	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 02:19	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 02:19	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 02:19	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 02:19	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 02:19	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 02:19	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 02:19	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 02:19	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 02:19	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/19/25 02:19	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 02:19	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 02:19	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 02:19	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 02:19	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 02:19	108-05-4	
Vinyl chloride	**18.8**	ug/L	2.0	0.44	1		07/19/25 02:19	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 02:19	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/19/25 02:19	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/19/25 02:19	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		07/19/25 02:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-423D-20250716 **Lab ID: 50407426016** Collected: 07/16/25 10:36 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 03:20	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 03:20	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 03:20	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 03:20	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 03:20	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 03:20	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 03:20	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 03:20	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 03:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 03:20	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 03:20	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 03:20	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 03:20	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 03:20	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 03:20	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 03:20	108-90-7	
Chloroethane	ND	ug/L	5.0	0.66	1		07/19/25 03:20	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 03:20	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 03:20	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 03:20	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 03:20	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 03:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 03:20	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 03:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 03:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 03:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 03:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 03:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 03:20	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/19/25 03:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 03:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/19/25 03:20	75-35-4	
cis-1,2-Dichloroethene	**877**	ug/L	50.0	3.7	10		07/19/25 03:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/19/25 03:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 03:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 03:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 03:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 03:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 03:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 03:20	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 03:20	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 03:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 03:20	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 03:20	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 03:20	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-423D-20250716 **Lab ID: 50407426016** Collected: 07/16/25 10:36 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 03:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 03:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 03:20	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 03:20	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 03:20	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 03:20	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 03:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 03:20	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 03:20	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 03:20	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 03:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 03:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 03:20	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 03:20	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 03:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 03:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 03:20	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 03:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 03:20	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/19/25 03:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 03:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 03:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 03:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 03:20	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 03:20	108-05-4	
Vinyl chloride	**2810**	ug/L	20.0	4.4	10		07/19/25 03:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 03:20	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128		1		07/19/25 03:20	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/19/25 03:20	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/19/25 03:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-423S-20250716 **Lab ID: 50407426017** Collected: 07/16/25 10:46 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 04:21	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 04:21	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 04:21	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 04:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 04:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 04:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 04:21	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 04:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 04:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 04:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 04:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 04:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 04:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 04:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 04:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 04:21	108-90-7	
Chloroethane	**203**	ug/L	5.0	0.66	1		07/19/25 04:21	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 04:21	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 04:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 04:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 04:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 04:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 04:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 04:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 04:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 04:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 04:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 04:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 04:21	75-71-8	
1,1-Dichloroethane	**122**	ug/L	5.0	0.31	1		07/19/25 04:21	75-34-3	
1,2-Dichloroethane	**9.6**	ug/L	5.0	0.37	1		07/19/25 04:21	107-06-2	
1,1-Dichloroethene	**80.6**	ug/L	5.0	0.47	1		07/19/25 04:21	75-35-4	
cis-1,2-Dichloroethene	**1570**	ug/L	50.0	3.7	10		07/19/25 04:51	156-59-2	
trans-1,2-Dichloroethene	**11.4**	ug/L	5.0	0.38	1		07/19/25 04:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 04:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 04:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 04:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 04:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 04:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 04:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 04:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 04:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 04:21	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 04:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 04:21	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-423S-20250716 **Lab ID: 50407426017** Collected: 07/16/25 10:46 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 04:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 04:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 04:21	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 04:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 04:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 04:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 04:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 04:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 04:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 04:21	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 04:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 04:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 04:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 04:21	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 04:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 04:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 04:21	120-82-1	
1,1,1-Trichloroethane	**604**	ug/L	50.0	3.7	10		07/19/25 04:51	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 04:21	79-00-5	
Trichloroethene	**32.4**	ug/L	5.0	0.33	1		07/19/25 04:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 04:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 04:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 04:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 04:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 04:21	108-05-4	
Vinyl chloride	**528**	ug/L	20.0	4.4	10		07/19/25 04:51	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 04:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		1		07/19/25 04:21	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/19/25 04:21	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 04:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-422D-20250716 **Lab ID: 50407426018** Collected: 07/16/25 11:16 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 05:21	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 05:21	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 05:21	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 05:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 05:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 05:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 05:21	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 05:21	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 05:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 05:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 05:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 05:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 05:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 05:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 05:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 05:21	108-90-7	
Chloroethane	**140**	ug/L	5.0	0.66	1		07/19/25 05:21	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 05:21	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 05:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 05:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 05:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 05:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 05:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 05:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 05:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 05:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 05:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 05:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 05:21	75-71-8	
1,1-Dichloroethane	**157**	ug/L	5.0	0.31	1		07/19/25 05:21	75-34-3	
1,2-Dichloroethane	**7.4**	ug/L	5.0	0.37	1		07/19/25 05:21	107-06-2	
1,1-Dichloroethene	**42.9**	ug/L	5.0	0.47	1		07/19/25 05:21	75-35-4	
cis-1,2-Dichloroethene	**740**	ug/L	50.0	3.7	10		07/19/25 05:52	156-59-2	
trans-1,2-Dichloroethene	**6.7**	ug/L	5.0	0.38	1		07/19/25 05:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 05:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 05:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 05:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 05:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 05:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 05:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 05:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 05:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 05:21	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 05:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 05:21	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-422D-20250716 **Lab ID: 50407426018** Collected: 07/16/25 11:16 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 05:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 05:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 05:21	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 05:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 05:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 05:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 05:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 05:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 05:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 05:21	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 05:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 05:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 05:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 05:21	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 05:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 05:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 05:21	120-82-1	
1,1,1-Trichloroethane	**208**	ug/L	5.0	0.37	1		07/19/25 05:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 05:21	79-00-5	
Trichloroethene	**7.2**	ug/L	5.0	0.33	1		07/19/25 05:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 05:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 05:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 05:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 05:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 05:21	108-05-4	
Vinyl chloride	**376**	ug/L	20.0	4.4	10		07/19/25 05:52	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 05:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		07/19/25 05:21	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/19/25 05:21	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 05:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: AD-300-20250716 **Lab ID: 50407426019** Collected: 07/16/25 12:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 06:22	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 06:22	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 06:22	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 06:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 06:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 06:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 06:22	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 06:22	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 06:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 06:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 06:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 06:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 06:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 06:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 06:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 06:22	108-90-7	
Chloroethane	ND	ug/L	5.0	0.66	1		07/19/25 06:22	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 06:22	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 06:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 06:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 06:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 06:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 06:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 06:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 06:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 06:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 06:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 06:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 06:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/19/25 06:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 06:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/19/25 06:22	75-35-4	
cis-1,2-Dichloroethene	**905**	ug/L	250	20.4	50		07/21/25 23:07	156-59-2	HS
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/19/25 06:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 06:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 06:22	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 06:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 06:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 06:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 06:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 06:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 06:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 06:22	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 06:22	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 06:22	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: AD-300-20250716 **Lab ID: 50407426019** Collected: 07/16/25 12:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 06:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 06:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 06:22	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 06:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 06:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 06:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 06:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 06:22	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 06:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 06:22	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 06:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 06:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 06:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 06:22	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 06:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 06:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 06:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 06:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 06:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/19/25 06:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 06:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 06:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 06:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 06:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 06:22	108-05-4	
Vinyl chloride	**2930**	ug/L	100	18.3	50		07/21/25 23:07	75-01-4	HS
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 06:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/19/25 06:22	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/19/25 06:22	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 06:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-422S-20250716 **Lab ID: 50407426020** Collected: 07/16/25 11:28 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 06:53	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 06:53	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 06:53	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 06:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 06:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 06:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 06:53	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 06:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 06:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 06:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 06:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 06:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 06:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 06:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 06:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 06:53	108-90-7	
Chloroethane	ND	ug/L	5.0	0.66	1		07/19/25 06:53	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 06:53	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 06:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 06:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 06:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 06:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 06:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 06:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 06:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 06:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 06:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 06:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 06:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/19/25 06:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 06:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/19/25 06:53	75-35-4	
cis-1,2-Dichloroethene	**539**	ug/L	100	7.4	20		07/19/25 07:23	156-59-2	
trans-1,2-Dichloroethene	**6.7**	ug/L	5.0	0.38	1		07/19/25 06:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 06:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 06:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 06:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 06:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 06:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 06:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 06:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 06:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 06:53	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 06:53	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 06:53	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-422S-20250716 **Lab ID: 50407426020** Collected: 07/16/25 11:28 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 06:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 06:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 06:53	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 06:53	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 06:53	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 06:53	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 06:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 06:53	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 06:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 06:53	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 06:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 06:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 06:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 06:53	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 06:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 06:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 06:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 06:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 06:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/19/25 06:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 06:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 06:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 06:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 06:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 06:53	108-05-4	
Vinyl chloride	**1010**	ug/L	40.0	8.8	20		07/19/25 07:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 06:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/19/25 06:53	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/19/25 06:53	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 06:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-419S-20250716 **Lab ID: 50407426021** Collected: 07/16/25 11:43 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/18/25 20:45	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/18/25 20:45	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/18/25 20:45	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/18/25 20:45	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/18/25 20:45	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/18/25 20:45	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/18/25 20:45	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/18/25 20:45	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/18/25 20:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/18/25 20:45	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/18/25 20:45	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/18/25 20:45	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/18/25 20:45	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/18/25 20:45	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/18/25 20:45	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/18/25 20:45	108-90-7	
Chloroethane	ND	ug/L	5.0	0.66	1		07/18/25 20:45	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/18/25 20:45	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/18/25 20:45	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/18/25 20:45	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/18/25 20:45	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/18/25 20:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/18/25 20:45	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/18/25 20:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/18/25 20:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/18/25 20:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/18/25 20:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/18/25 20:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/18/25 20:45	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/18/25 20:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/18/25 20:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/18/25 20:45	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		07/18/25 20:45	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/18/25 20:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/18/25 20:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/18/25 20:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/18/25 20:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/18/25 20:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/18/25 20:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/18/25 20:45	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/18/25 20:45	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/18/25 20:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/18/25 20:45	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/18/25 20:45	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/18/25 20:45	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-419S-20250716 **Lab ID: 50407426021** Collected: 07/16/25 11:43 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/18/25 20:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/18/25 20:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/18/25 20:45	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/18/25 20:45	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/18/25 20:45	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/18/25 20:45	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/18/25 20:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/18/25 20:45	1634-04-4	L2
Naphthalene	ND	ug/L	1.2	0.75	1		07/18/25 20:45	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/18/25 20:45	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/18/25 20:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/18/25 20:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/18/25 20:45	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/18/25 20:45	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/18/25 20:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/18/25 20:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/18/25 20:45	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/18/25 20:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/18/25 20:45	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/18/25 20:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/18/25 20:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/18/25 20:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/18/25 20:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/18/25 20:45	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/18/25 20:45	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.44	1		07/18/25 20:45	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/18/25 20:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128		1		07/18/25 20:45	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		07/18/25 20:45	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/18/25 20:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-419D-20250716 **Lab ID: 50407426022** Collected: 07/16/25 11:52 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 07:53	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 07:53	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 07:53	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 07:53	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 07:53	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 07:53	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 07:53	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 07:53	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 07:53	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 07:53	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 07:53	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 07:53	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 07:53	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 07:53	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 07:53	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 07:53	108-90-7	
Chloroethane	ND	ug/L	5.0	0.66	1		07/19/25 07:53	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 07:53	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 07:53	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 07:53	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 07:53	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 07:53	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 07:53	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 07:53	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 07:53	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 07:53	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 07:53	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 07:53	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 07:53	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/19/25 07:53	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 07:53	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/19/25 07:53	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		07/19/25 07:53	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/19/25 07:53	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 07:53	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 07:53	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 07:53	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 07:53	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 07:53	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 07:53	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 07:53	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 07:53	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 07:53	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 07:53	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 07:53	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-419D-20250716 **Lab ID: 50407426022** Collected: 07/16/25 11:52 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 07:53	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 07:53	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 07:53	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 07:53	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 07:53	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 07:53	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 07:53	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 07:53	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 07:53	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 07:53	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 07:53	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 07:53	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 07:53	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 07:53	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 07:53	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 07:53	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 07:53	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 07:53	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 07:53	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/19/25 07:53	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 07:53	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 07:53	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 07:53	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 07:53	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 07:53	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.44	1		07/19/25 07:53	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 07:53	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		07/19/25 07:53	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/19/25 07:53	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 07:53	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-408D-20250716 **Lab ID: 50407426023** Collected: 07/16/25 12:11 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/19/25 08:24	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/19/25 08:24	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/19/25 08:24	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/19/25 08:24	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/19/25 08:24	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/19/25 08:24	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/19/25 08:24	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/19/25 08:24	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/19/25 08:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/19/25 08:24	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/19/25 08:24	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/19/25 08:24	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 08:24	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/19/25 08:24	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/19/25 08:24	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/19/25 08:24	108-90-7	
Chloroethane	**944**	ug/L	50.0	6.6	10		07/19/25 08:54	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/19/25 08:24	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/19/25 08:24	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/19/25 08:24	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/19/25 08:24	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/19/25 08:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/19/25 08:24	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/19/25 08:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/19/25 08:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/19/25 08:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/19/25 08:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/19/25 08:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/19/25 08:24	75-71-8	
1,1-Dichloroethane	**95.0**	ug/L	5.0	0.31	1		07/19/25 08:24	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 08:24	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/19/25 08:24	75-35-4	
cis-1,2-Dichloroethene	**19.6**	ug/L	5.0	0.37	1		07/19/25 08:24	156-59-2	
trans-1,2-Dichloroethene	**5.1**	ug/L	5.0	0.38	1		07/19/25 08:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/19/25 08:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 08:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/19/25 08:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 08:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/19/25 08:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/19/25 08:24	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/19/25 08:24	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/19/25 08:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/19/25 08:24	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/19/25 08:24	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/19/25 08:24	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-408D-20250716 **Lab ID: 50407426023** Collected: 07/16/25 12:11 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/19/25 08:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/19/25 08:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/19/25 08:24	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 08:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/19/25 08:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/19/25 08:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/19/25 08:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/19/25 08:24	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/19/25 08:24	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 08:24	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/19/25 08:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/19/25 08:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/19/25 08:24	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/19/25 08:24	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/19/25 08:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/19/25 08:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/19/25 08:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/19/25 08:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/19/25 08:24	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/19/25 08:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/19/25 08:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/19/25 08:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/19/25 08:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/19/25 08:24	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/19/25 08:24	108-05-4	
Vinyl chloride	**21.8**	ug/L	2.0	0.44	1		07/19/25 08:24	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/19/25 08:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		07/19/25 08:24	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		07/19/25 08:24	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/19/25 08:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-408S-20250716 **Lab ID: 50407426024** Collected: 07/16/25 12:22 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/19/25 01:33	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/19/25 01:33	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/19/25 01:33	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/19/25 01:33	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/19/25 01:33	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/19/25 01:33	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/19/25 01:33	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/19/25 01:33	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/19/25 01:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/19/25 01:33	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 01:33	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 01:33	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/19/25 01:33	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/19/25 01:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/19/25 01:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/19/25 01:33	108-90-7	
Chloroethane	ND	ug/L	5.0	0.61	1		07/19/25 01:33	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/19/25 01:33	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/19/25 01:33	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/19/25 01:33	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/19/25 01:33	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/19/25 01:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/19/25 01:33	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/19/25 01:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/19/25 01:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/19/25 01:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/19/25 01:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/19/25 01:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/19/25 01:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/19/25 01:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/19/25 01:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/19/25 01:33	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/19/25 01:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/19/25 01:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/19/25 01:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/19/25 01:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/19/25 01:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 01:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/19/25 01:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/19/25 01:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/19/25 01:33	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/19/25 01:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/19/25 01:33	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/19/25 01:33	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/19/25 01:33	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-408S-20250716 **Lab ID: 50407426024** Collected: 07/16/25 12:22 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/19/25 01:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/19/25 01:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/19/25 01:33	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 01:33	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/19/25 01:33	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/19/25 01:33	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/19/25 01:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/19/25 01:33	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/19/25 01:33	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/19/25 01:33	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/19/25 01:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/19/25 01:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/19/25 01:33	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/19/25 01:33	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/19/25 01:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/19/25 01:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/19/25 01:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/19/25 01:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/19/25 01:33	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/19/25 01:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/19/25 01:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/19/25 01:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/19/25 01:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/19/25 01:33	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/19/25 01:33	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.37	1		07/19/25 01:33	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/19/25 01:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/19/25 01:33	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/19/25 01:33	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/19/25 01:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-403-20250716 **Lab ID: 50407426025** Collected: 07/16/25 12:45 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/19/25 02:04	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/19/25 02:04	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/19/25 02:04	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/19/25 02:04	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/19/25 02:04	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/19/25 02:04	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/19/25 02:04	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/19/25 02:04	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/19/25 02:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/19/25 02:04	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 02:04	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 02:04	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/19/25 02:04	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/19/25 02:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/19/25 02:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/19/25 02:04	108-90-7	
Chloroethane	**80.4**	ug/L	5.0	0.61	1		07/19/25 02:04	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/19/25 02:04	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/19/25 02:04	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/19/25 02:04	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/19/25 02:04	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/19/25 02:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/19/25 02:04	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/19/25 02:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/19/25 02:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/19/25 02:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/19/25 02:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/19/25 02:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/19/25 02:04	75-71-8	
1,1-Dichloroethane	**59.8**	ug/L	5.0	0.33	1		07/19/25 02:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/19/25 02:04	107-06-2	
1,1-Dichloroethene	**9.1**	ug/L	5.0	0.44	1		07/19/25 02:04	75-35-4	
cis-1,2-Dichloroethene	**523**	ug/L	50.0	4.1	10		07/22/25 02:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/19/25 02:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/19/25 02:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/19/25 02:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/19/25 02:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 02:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/19/25 02:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/19/25 02:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/19/25 02:04	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/19/25 02:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/19/25 02:04	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/19/25 02:04	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/19/25 02:04	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-403-20250716 **Lab ID: 50407426025** Collected: 07/16/25 12:45 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/19/25 02:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/19/25 02:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/19/25 02:04	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 02:04	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/19/25 02:04	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/19/25 02:04	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/19/25 02:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/19/25 02:04	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/19/25 02:04	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/19/25 02:04	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/19/25 02:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/19/25 02:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/19/25 02:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/19/25 02:04	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/19/25 02:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/19/25 02:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/19/25 02:04	120-82-1	
1,1,1-Trichloroethane	**36.3**	ug/L	5.0	0.32	1		07/19/25 02:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/19/25 02:04	79-00-5	
Trichloroethene	**15.4**	ug/L	5.0	0.34	1		07/19/25 02:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/19/25 02:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/19/25 02:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/19/25 02:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/19/25 02:04	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/19/25 02:04	108-05-4	
Vinyl chloride	**214**	ug/L	2.0	0.37	1		07/19/25 02:04	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/19/25 02:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/19/25 02:04	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/19/25 02:04	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/19/25 02:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-406S-20250716 **Lab ID: 50407426026** Collected: 07/16/25 12:59 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	37.8	10		07/19/25 02:34	67-64-1	
Acrolein	ND	ug/L	500	59.0	10		07/19/25 02:34	107-02-8	
Acrylonitrile	ND	ug/L	1000	19.7	10		07/19/25 02:34	107-13-1	
Benzene	ND	ug/L	50.0	3.0	10		07/19/25 02:34	71-43-2	
Bromobenzene	ND	ug/L	50.0	7.0	10		07/19/25 02:34	108-86-1	
Bromochloromethane	ND	ug/L	50.0	5.1	10		07/19/25 02:34	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.4	10		07/19/25 02:34	75-27-4	
Bromoform	ND	ug/L	50.0	5.4	10		07/19/25 02:34	75-25-2	
Bromomethane	ND	ug/L	50.0	5.9	10		07/19/25 02:34	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	20.2	10		07/19/25 02:34	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.6	10		07/19/25 02:34	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.5	10		07/19/25 02:34	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		07/19/25 02:34	98-06-6	
Carbon disulfide	ND	ug/L	100	3.6	10		07/19/25 02:34	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.3	10		07/19/25 02:34	56-23-5	
Chlorobenzene	ND	ug/L	50.0	5.2	10		07/19/25 02:34	108-90-7	
Chloroethane	**913**	ug/L	50.0	6.1	10		07/19/25 02:34	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		07/19/25 02:34	67-66-3	
Chloromethane	ND	ug/L	50.0	3.1	10		07/19/25 02:34	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	5.0	10		07/19/25 02:34	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.3	10		07/19/25 02:34	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	5.8	10		07/19/25 02:34	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.8	10		07/19/25 02:34	106-93-4	
Dibromomethane	ND	ug/L	50.0	6.4	10		07/19/25 02:34	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	6.1	10		07/19/25 02:34	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	6.5	10		07/19/25 02:34	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	6.6	10		07/19/25 02:34	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.3	10		07/19/25 02:34	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	4.4	10		07/19/25 02:34	75-71-8	
1,1-Dichloroethane	**1310**	ug/L	50.0	3.3	10		07/19/25 02:34	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	5.0	10		07/19/25 02:34	107-06-2	
1,1-Dichloroethene	**71.2**	ug/L	50.0	4.4	10		07/19/25 02:34	75-35-4	
cis-1,2-Dichloroethene	**12700**	ug/L	500	40.9	100		07/19/25 03:05	156-59-2	
trans-1,2-Dichloroethene	**130**	ug/L	50.0	2.8	10		07/19/25 02:34	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.2	10		07/19/25 02:34	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	5.8	10		07/19/25 02:34	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		07/19/25 02:34	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.2	10		07/19/25 02:34	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	5.2	10		07/19/25 02:34	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	6.7	10		07/19/25 02:34	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.4	10		07/19/25 02:34	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.6	10		07/19/25 02:34	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.1	10		07/19/25 02:34	87-68-3	
n-Hexane	ND	ug/L	50.0	5.6	10		07/19/25 02:34	110-54-3	
2-Hexanone	ND	ug/L	250	20.1	10		07/19/25 02:34	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-406S-20250716 **Lab ID: 50407426026** Collected: 07/16/25 12:59 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	9.4	10		07/19/25 02:34	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.9	10		07/19/25 02:34	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.8	10		07/19/25 02:34	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		07/19/25 02:34	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	17.1	10		07/19/25 02:34	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	26.6	10		07/19/25 02:34	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	19.4	10		07/19/25 02:34	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.0	10		07/19/25 02:34	1634-04-4	
Naphthalene	ND	ug/L	12.0	11.8	10		07/19/25 02:34	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	4.3	10		07/19/25 02:34	103-65-1	
Styrene	ND	ug/L	50.0	5.2	10		07/19/25 02:34	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	5.7	10		07/19/25 02:34	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.6	10		07/19/25 02:34	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.4	10		07/19/25 02:34	127-18-4	
Toluene	ND	ug/L	50.0	7.9	10		07/19/25 02:34	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	5.7	10		07/19/25 02:34	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	5.8	10		07/19/25 02:34	120-82-1	
1,1,1-Trichloroethane	**182**	ug/L	50.0	3.2	10		07/19/25 02:34	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	5.7	10		07/19/25 02:34	79-00-5	
Trichloroethene	**107**	ug/L	50.0	3.4	10		07/19/25 02:34	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	2.9	10		07/19/25 02:34	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	4.6	10		07/19/25 02:34	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.4	10		07/19/25 02:34	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.5	10		07/19/25 02:34	108-67-8	
Vinyl acetate	ND	ug/L	500	10.9	10		07/19/25 02:34	108-05-4	
Vinyl chloride	**867**	ug/L	20.0	3.7	10		07/19/25 02:34	75-01-4	
Xylene (Total)	ND	ug/L	100	9.6	10		07/19/25 02:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		10		07/19/25 02:34	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		10		07/19/25 02:34	460-00-4	
Toluene-d8 (S)	95	%.	73-122		10		07/19/25 02:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-406D-20250716 **Lab ID: 50407426027** Collected: 07/16/25 13:08 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	189	50		07/19/25 03:35	67-64-1	
Acrolein	ND	ug/L	2500	295	50		07/19/25 03:35	107-02-8	
Acrylonitrile	ND	ug/L	5000	98.5	50		07/19/25 03:35	107-13-1	
Benzene	ND	ug/L	250	14.8	50		07/19/25 03:35	71-43-2	
Bromobenzene	ND	ug/L	250	35.1	50		07/19/25 03:35	108-86-1	
Bromochloromethane	ND	ug/L	250	25.7	50		07/19/25 03:35	74-97-5	
Bromodichloromethane	ND	ug/L	250	26.8	50		07/19/25 03:35	75-27-4	
Bromoform	ND	ug/L	250	26.8	50		07/19/25 03:35	75-25-2	
Bromomethane	ND	ug/L	250	29.6	50		07/19/25 03:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	101	50		07/19/25 03:35	78-93-3	
n-Butylbenzene	ND	ug/L	250	18.0	50		07/19/25 03:35	104-51-8	
sec-Butylbenzene	ND	ug/L	250	17.6	50		07/19/25 03:35	135-98-8	
tert-Butylbenzene	ND	ug/L	250	20.9	50		07/19/25 03:35	98-06-6	
Carbon disulfide	ND	ug/L	500	17.8	50		07/19/25 03:35	75-15-0	
Carbon tetrachloride	ND	ug/L	250	16.6	50		07/19/25 03:35	56-23-5	
Chlorobenzene	ND	ug/L	250	26.1	50		07/19/25 03:35	108-90-7	
Chloroethane	ND	ug/L	250	30.7	50		07/19/25 03:35	75-00-3	
Chloroform	ND	ug/L	250	19.0	50		07/19/25 03:35	67-66-3	
Chloromethane	ND	ug/L	250	15.4	50		07/19/25 03:35	74-87-3	
2-Chlorotoluene	ND	ug/L	250	25.2	50		07/19/25 03:35	95-49-8	
4-Chlorotoluene	ND	ug/L	250	26.6	50		07/19/25 03:35	106-43-4	
Dibromochloromethane	ND	ug/L	250	28.9	50		07/19/25 03:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	23.9	50		07/19/25 03:35	106-93-4	
Dibromomethane	ND	ug/L	250	32.0	50		07/19/25 03:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	30.6	50		07/19/25 03:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	32.5	50		07/19/25 03:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	33.0	50		07/19/25 03:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	26.6	50		07/19/25 03:35	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	21.8	50		07/19/25 03:35	75-71-8	
1,1-Dichloroethane	**1460**	ug/L	250	16.3	50		07/19/25 03:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	25.2	50		07/19/25 03:35	107-06-2	
1,1-Dichloroethene	**410**	ug/L	250	21.8	50		07/19/25 03:35	75-35-4	
cis-1,2-Dichloroethene	**13700**	ug/L	2500	204	500		07/19/25 04:05	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	250	14.2	50		07/19/25 03:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	21.0	50		07/19/25 03:35	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	29.0	50		07/19/25 03:35	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	15.2	50		07/19/25 03:35	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	16.2	50		07/19/25 03:35	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	26.2	50		07/19/25 03:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	33.4	50		07/19/25 03:35	10061-02-6	
Ethylbenzene	ND	ug/L	250	22.2	50		07/19/25 03:35	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	28.0	50		07/19/25 03:35	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	15.6	50		07/19/25 03:35	87-68-3	
n-Hexane	ND	ug/L	250	28.2	50		07/19/25 03:35	110-54-3	
2-Hexanone	ND	ug/L	1250	100	50		07/19/25 03:35	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-406D-20250716 **Lab ID: 50407426027** Collected: 07/16/25 13:08 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	500	46.8	50		07/19/25 03:35	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	19.6	50		07/19/25 03:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	19.0	50		07/19/25 03:35	99-87-6	
Methylene Chloride	ND	ug/L	250	250	50		07/19/25 03:35	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	85.5	50		07/19/25 03:35	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	133	50		07/19/25 03:35	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	97.0	50		07/19/25 03:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	20.1	50		07/19/25 03:35	1634-04-4	
Naphthalene	ND	ug/L	60.0	59.0	50		07/19/25 03:35	91-20-3	
n-Propylbenzene	ND	ug/L	250	21.4	50		07/19/25 03:35	103-65-1	
Styrene	ND	ug/L	250	26.2	50		07/19/25 03:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	28.4	50		07/19/25 03:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	22.9	50		07/19/25 03:35	79-34-5	
Tetrachloroethene	ND	ug/L	250	16.8	50		07/19/25 03:35	127-18-4	
Toluene	ND	ug/L	250	39.5	50		07/19/25 03:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	28.4	50		07/19/25 03:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	29.2	50		07/19/25 03:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	250	16.2	50		07/19/25 03:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	28.3	50		07/19/25 03:35	79-00-5	
Trichloroethene	ND	ug/L	250	16.8	50		07/19/25 03:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	14.6	50		07/19/25 03:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	23.2	50		07/19/25 03:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	27.2	50		07/19/25 03:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	22.6	50		07/19/25 03:35	108-67-8	
Vinyl acetate	ND	ug/L	2500	54.5	50		07/19/25 03:35	108-05-4	
Vinyl chloride	**1200**	ug/L	100	18.3	50		07/19/25 03:35	75-01-4	
Xylene (Total)	ND	ug/L	500	48.1	50		07/19/25 03:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		50		07/19/25 03:35	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		50		07/19/25 03:35	460-00-4	
Toluene-d8 (S)	95	%.	73-122		50		07/19/25 03:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-424D-20250716 **Lab ID: 50407426028** Collected: 07/16/25 13:26 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/19/25 04:36	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/19/25 04:36	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/19/25 04:36	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/19/25 04:36	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/19/25 04:36	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/19/25 04:36	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/19/25 04:36	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/19/25 04:36	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/19/25 04:36	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/19/25 04:36	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 04:36	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 04:36	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/19/25 04:36	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/19/25 04:36	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/19/25 04:36	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/19/25 04:36	108-90-7	
Chloroethane	**423**	ug/L	50.0	6.1	10		07/19/25 05:06	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/19/25 04:36	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/19/25 04:36	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/19/25 04:36	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/19/25 04:36	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/19/25 04:36	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/19/25 04:36	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/19/25 04:36	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/19/25 04:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/19/25 04:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/19/25 04:36	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/19/25 04:36	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/19/25 04:36	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/19/25 04:36	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/19/25 04:36	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/19/25 04:36	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/19/25 04:36	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/19/25 04:36	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/19/25 04:36	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/19/25 04:36	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/19/25 04:36	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 04:36	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/19/25 04:36	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/19/25 04:36	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/19/25 04:36	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/19/25 04:36	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/19/25 04:36	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/19/25 04:36	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/19/25 04:36	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-424D-20250716 **Lab ID: 50407426028** Collected: 07/16/25 13:26 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/19/25 04:36	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/19/25 04:36	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/19/25 04:36	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 04:36	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/19/25 04:36	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/19/25 04:36	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/19/25 04:36	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/19/25 04:36	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/19/25 04:36	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/19/25 04:36	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/19/25 04:36	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/19/25 04:36	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/19/25 04:36	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/19/25 04:36	127-18-4	
Toluene	**6.4**	ug/L	5.0	0.79	1		07/19/25 04:36	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/19/25 04:36	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/19/25 04:36	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/19/25 04:36	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/19/25 04:36	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/19/25 04:36	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/19/25 04:36	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/19/25 04:36	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/19/25 04:36	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/19/25 04:36	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/19/25 04:36	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.37	1		07/19/25 04:36	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/19/25 04:36	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		07/19/25 04:36	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/19/25 04:36	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/19/25 04:36	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-424S-20250716 **Lab ID: 50407426029** Collected: 07/16/25 13:36 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	37.8	10		07/19/25 05:37	67-64-1	
Acrolein	ND	ug/L	500	59.0	10		07/19/25 05:37	107-02-8	
Acrylonitrile	ND	ug/L	1000	19.7	10		07/19/25 05:37	107-13-1	
Benzene	ND	ug/L	50.0	3.0	10		07/19/25 05:37	71-43-2	
Bromobenzene	ND	ug/L	50.0	7.0	10		07/19/25 05:37	108-86-1	
Bromochloromethane	ND	ug/L	50.0	5.1	10		07/19/25 05:37	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.4	10		07/19/25 05:37	75-27-4	
Bromoform	ND	ug/L	50.0	5.4	10		07/19/25 05:37	75-25-2	
Bromomethane	ND	ug/L	50.0	5.9	10		07/19/25 05:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	20.2	10		07/19/25 05:37	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.6	10		07/19/25 05:37	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.5	10		07/19/25 05:37	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		07/19/25 05:37	98-06-6	
Carbon disulfide	ND	ug/L	100	3.6	10		07/19/25 05:37	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.3	10		07/19/25 05:37	56-23-5	
Chlorobenzene	ND	ug/L	50.0	5.2	10		07/19/25 05:37	108-90-7	
Chloroethane	**7270**	ug/L	500	61.4	100		07/19/25 06:07	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		07/19/25 05:37	67-66-3	
Chloromethane	ND	ug/L	50.0	3.1	10		07/19/25 05:37	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	5.0	10		07/19/25 05:37	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.3	10		07/19/25 05:37	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	5.8	10		07/19/25 05:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.8	10		07/19/25 05:37	106-93-4	
Dibromomethane	ND	ug/L	50.0	6.4	10		07/19/25 05:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	6.1	10		07/19/25 05:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	6.5	10		07/19/25 05:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	6.6	10		07/19/25 05:37	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.3	10		07/19/25 05:37	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	4.4	10		07/19/25 05:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	50.0	3.3	10		07/19/25 05:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	5.0	10		07/19/25 05:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.4	10		07/19/25 05:37	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	50.0	4.1	10		07/19/25 05:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	2.8	10		07/19/25 05:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.2	10		07/19/25 05:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	5.8	10		07/19/25 05:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		07/19/25 05:37	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.2	10		07/19/25 05:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	5.2	10		07/19/25 05:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	6.7	10		07/19/25 05:37	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.4	10		07/19/25 05:37	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.6	10		07/19/25 05:37	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.1	10		07/19/25 05:37	87-68-3	
n-Hexane	ND	ug/L	50.0	5.6	10		07/19/25 05:37	110-54-3	
2-Hexanone	ND	ug/L	250	20.1	10		07/19/25 05:37	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-424S-20250716 **Lab ID: 50407426029** Collected: 07/16/25 13:36 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	9.4	10		07/19/25 05:37	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.9	10		07/19/25 05:37	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.8	10		07/19/25 05:37	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		07/19/25 05:37	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	17.1	10		07/19/25 05:37	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	26.6	10		07/19/25 05:37	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	19.4	10		07/19/25 05:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.0	10		07/19/25 05:37	1634-04-4	
Naphthalene	ND	ug/L	12.0	11.8	10		07/19/25 05:37	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	4.3	10		07/19/25 05:37	103-65-1	
Styrene	ND	ug/L	50.0	5.2	10		07/19/25 05:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	5.7	10		07/19/25 05:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.6	10		07/19/25 05:37	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.4	10		07/19/25 05:37	127-18-4	
Toluene	ND	ug/L	50.0	7.9	10		07/19/25 05:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	5.7	10		07/19/25 05:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	5.8	10		07/19/25 05:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.2	10		07/19/25 05:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	5.7	10		07/19/25 05:37	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.4	10		07/19/25 05:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	2.9	10		07/19/25 05:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	4.6	10		07/19/25 05:37	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.4	10		07/19/25 05:37	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.5	10		07/19/25 05:37	108-67-8	
Vinyl acetate	ND	ug/L	500	10.9	10		07/19/25 05:37	108-05-4	
Vinyl chloride	ND	ug/L	20.0	3.7	10		07/19/25 05:37	75-01-4	
Xylene (Total)	ND	ug/L	100	9.6	10		07/19/25 05:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		10		07/19/25 05:37	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		10		07/19/25 05:37	460-00-4	
Toluene-d8 (S)	95	%.	73-122		10		07/19/25 05:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-404-20250716 **Lab ID: 50407426030** Collected: 07/16/25 13:45 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	189	50		07/19/25 06:37	67-64-1	
Acrolein	ND	ug/L	2500	295	50		07/19/25 06:37	107-02-8	
Acrylonitrile	ND	ug/L	5000	98.5	50		07/19/25 06:37	107-13-1	
Benzene	ND	ug/L	250	14.8	50		07/19/25 06:37	71-43-2	
Bromobenzene	ND	ug/L	250	35.1	50		07/19/25 06:37	108-86-1	
Bromochloromethane	ND	ug/L	250	25.7	50		07/19/25 06:37	74-97-5	
Bromodichloromethane	ND	ug/L	250	26.8	50		07/19/25 06:37	75-27-4	
Bromoform	ND	ug/L	250	26.8	50		07/19/25 06:37	75-25-2	
Bromomethane	ND	ug/L	250	29.6	50		07/19/25 06:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	101	50		07/19/25 06:37	78-93-3	
n-Butylbenzene	ND	ug/L	250	18.0	50		07/19/25 06:37	104-51-8	
sec-Butylbenzene	ND	ug/L	250	17.6	50		07/19/25 06:37	135-98-8	
tert-Butylbenzene	ND	ug/L	250	20.9	50		07/19/25 06:37	98-06-6	
Carbon disulfide	ND	ug/L	500	17.8	50		07/19/25 06:37	75-15-0	
Carbon tetrachloride	ND	ug/L	250	16.6	50		07/19/25 06:37	56-23-5	
Chlorobenzene	ND	ug/L	250	26.1	50		07/19/25 06:37	108-90-7	
Chloroethane	**12400**	ug/L	250	30.7	50		07/19/25 06:37	75-00-3	
Chloroform	ND	ug/L	250	19.0	50		07/19/25 06:37	67-66-3	
Chloromethane	ND	ug/L	250	15.4	50		07/19/25 06:37	74-87-3	
2-Chlorotoluene	ND	ug/L	250	25.2	50		07/19/25 06:37	95-49-8	
4-Chlorotoluene	ND	ug/L	250	26.6	50		07/19/25 06:37	106-43-4	
Dibromochloromethane	ND	ug/L	250	28.9	50		07/19/25 06:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	23.9	50		07/19/25 06:37	106-93-4	
Dibromomethane	ND	ug/L	250	32.0	50		07/19/25 06:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	30.6	50		07/19/25 06:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	32.5	50		07/19/25 06:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	33.0	50		07/19/25 06:37	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	26.6	50		07/19/25 06:37	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	21.8	50		07/19/25 06:37	75-71-8	
1,1-Dichloroethane	**30500**	ug/L	2500	163	500		07/19/25 07:08	75-34-3	
1,2-Dichloroethane	**371**	ug/L	250	25.2	50		07/19/25 06:37	107-06-2	
1,1-Dichloroethene	**441**	ug/L	250	21.8	50		07/19/25 06:37	75-35-4	
cis-1,2-Dichloroethene	**25700**	ug/L	2500	204	500		07/19/25 07:08	156-59-2	
trans-1,2-Dichloroethene	**1490**	ug/L	250	14.2	50		07/19/25 06:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	21.0	50		07/19/25 06:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	29.0	50		07/19/25 06:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	15.2	50		07/19/25 06:37	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	16.2	50		07/19/25 06:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	26.2	50		07/19/25 06:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	33.4	50		07/19/25 06:37	10061-02-6	
Ethylbenzene	ND	ug/L	250	22.2	50		07/19/25 06:37	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	28.0	50		07/19/25 06:37	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	15.6	50		07/19/25 06:37	87-68-3	
n-Hexane	ND	ug/L	250	28.2	50		07/19/25 06:37	110-54-3	
2-Hexanone	ND	ug/L	1250	100	50		07/19/25 06:37	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-404-20250716 **Lab ID: 50407426030** Collected: 07/16/25 13:45 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	500	46.8	50		07/19/25 06:37	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	19.6	50		07/19/25 06:37	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	19.0	50		07/19/25 06:37	99-87-6	
Methylene Chloride	ND	ug/L	250	250	50		07/19/25 06:37	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	85.5	50		07/19/25 06:37	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	133	50		07/19/25 06:37	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	97.0	50		07/19/25 06:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	20.1	50		07/19/25 06:37	1634-04-4	
Naphthalene	ND	ug/L	60.0	59.0	50		07/19/25 06:37	91-20-3	
n-Propylbenzene	ND	ug/L	250	21.4	50		07/19/25 06:37	103-65-1	
Styrene	ND	ug/L	250	26.2	50		07/19/25 06:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	28.4	50		07/19/25 06:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	22.9	50		07/19/25 06:37	79-34-5	
Tetrachloroethene	ND	ug/L	250	16.8	50		07/19/25 06:37	127-18-4	
Toluene	ND	ug/L	250	39.5	50		07/19/25 06:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	28.4	50		07/19/25 06:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	29.2	50		07/19/25 06:37	120-82-1	
1,1,1-Trichloroethane	**10300**	ug/L	250	16.2	50		07/19/25 06:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	28.3	50		07/19/25 06:37	79-00-5	
Trichloroethene	ND	ug/L	250	16.8	50		07/19/25 06:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	14.6	50		07/19/25 06:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	23.2	50		07/19/25 06:37	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	27.2	50		07/19/25 06:37	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	22.6	50		07/19/25 06:37	108-67-8	
Vinyl acetate	ND	ug/L	2500	54.5	50		07/19/25 06:37	108-05-4	
Vinyl chloride	**6990**	ug/L	100	18.3	50		07/19/25 06:37	75-01-4	
Xylene (Total)	ND	ug/L	500	48.1	50		07/19/25 06:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		50		07/19/25 06:37	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		50		07/19/25 06:37	460-00-4	
Toluene-d8 (S)	95	%.	73-122		50		07/19/25 06:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-405S-20250716 **Lab ID: 50407426031** Collected: 07/16/25 14:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/22/25 01:54	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/22/25 01:54	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/22/25 01:54	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/22/25 01:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/22/25 01:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/22/25 01:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/22/25 01:54	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/22/25 01:54	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/22/25 01:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/22/25 01:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/22/25 01:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/22/25 01:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/22/25 01:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/22/25 01:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/22/25 01:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/22/25 01:54	108-90-7	
Chloroethane	**12.2**	ug/L	5.0	0.66	1		07/22/25 01:54	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/22/25 01:54	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/22/25 01:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/22/25 01:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/22/25 01:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/22/25 01:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/22/25 01:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/22/25 01:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/22/25 01:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/22/25 01:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/22/25 01:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/22/25 01:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/22/25 01:54	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/22/25 01:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/22/25 01:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/22/25 01:54	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.37	1		07/22/25 01:54	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/22/25 01:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/22/25 01:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/22/25 01:54	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/22/25 01:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/22/25 01:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/22/25 01:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/22/25 01:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/22/25 01:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/22/25 01:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/22/25 01:54	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/22/25 01:54	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/22/25 01:54	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-405S-20250716 **Lab ID: 50407426031** Collected: 07/16/25 14:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/22/25 01:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/22/25 01:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/22/25 01:54	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/22/25 01:54	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/22/25 01:54	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/22/25 01:54	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/22/25 01:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/22/25 01:54	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/22/25 01:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/22/25 01:54	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/22/25 01:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/22/25 01:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/22/25 01:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/22/25 01:54	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/22/25 01:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/22/25 01:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/22/25 01:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/22/25 01:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/22/25 01:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/22/25 01:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/22/25 01:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/22/25 01:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/22/25 01:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/22/25 01:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/22/25 01:54	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.44	1		07/22/25 01:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/22/25 01:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		07/22/25 01:54	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/22/25 01:54	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/22/25 01:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-405D-20250716 **Lab ID: 50407426032** Collected: 07/16/25 14:12 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	37.8	10		07/19/25 07:38	67-64-1	
Acrolein	ND	ug/L	500	59.0	10		07/19/25 07:38	107-02-8	
Acrylonitrile	ND	ug/L	1000	19.7	10		07/19/25 07:38	107-13-1	
Benzene	ND	ug/L	50.0	3.0	10		07/19/25 07:38	71-43-2	
Bromobenzene	ND	ug/L	50.0	7.0	10		07/19/25 07:38	108-86-1	
Bromochloromethane	ND	ug/L	50.0	5.1	10		07/19/25 07:38	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	5.4	10		07/19/25 07:38	75-27-4	
Bromoform	ND	ug/L	50.0	5.4	10		07/19/25 07:38	75-25-2	
Bromomethane	ND	ug/L	50.0	5.9	10		07/19/25 07:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	20.2	10		07/19/25 07:38	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.6	10		07/19/25 07:38	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.5	10		07/19/25 07:38	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	4.2	10		07/19/25 07:38	98-06-6	
Carbon disulfide	ND	ug/L	100	3.6	10		07/19/25 07:38	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.3	10		07/19/25 07:38	56-23-5	
Chlorobenzene	ND	ug/L	50.0	5.2	10		07/19/25 07:38	108-90-7	
Chloroethane	**2610**	ug/L	50.0	6.1	10		07/19/25 07:38	75-00-3	
Chloroform	ND	ug/L	50.0	3.8	10		07/19/25 07:38	67-66-3	
Chloromethane	ND	ug/L	50.0	3.1	10		07/19/25 07:38	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	5.0	10		07/19/25 07:38	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	5.3	10		07/19/25 07:38	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	5.8	10		07/19/25 07:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	4.8	10		07/19/25 07:38	106-93-4	
Dibromomethane	ND	ug/L	50.0	6.4	10		07/19/25 07:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	6.1	10		07/19/25 07:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	6.5	10		07/19/25 07:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	6.6	10		07/19/25 07:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	5.3	10		07/19/25 07:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	4.4	10		07/19/25 07:38	75-71-8	
1,1-Dichloroethane	**83.3**	ug/L	50.0	3.3	10		07/19/25 07:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	5.0	10		07/19/25 07:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.4	10		07/19/25 07:38	75-35-4	
cis-1,2-Dichloroethene	**409**	ug/L	50.0	4.1	10		07/19/25 07:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	2.8	10		07/19/25 07:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	4.2	10		07/19/25 07:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	5.8	10		07/19/25 07:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	3.0	10		07/19/25 07:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.2	10		07/19/25 07:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	5.2	10		07/19/25 07:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	6.7	10		07/19/25 07:38	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.4	10		07/19/25 07:38	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	5.6	10		07/19/25 07:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.1	10		07/19/25 07:38	87-68-3	
n-Hexane	ND	ug/L	50.0	5.6	10		07/19/25 07:38	110-54-3	
2-Hexanone	ND	ug/L	250	20.1	10		07/19/25 07:38	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-405D-20250716 **Lab ID: 50407426032** Collected: 07/16/25 14:12 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	100	9.4	10		07/19/25 07:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.9	10		07/19/25 07:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.8	10		07/19/25 07:38	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		07/19/25 07:38	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	17.1	10		07/19/25 07:38	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	26.6	10		07/19/25 07:38	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	19.4	10		07/19/25 07:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	4.0	10		07/19/25 07:38	1634-04-4	
Naphthalene	ND	ug/L	12.0	11.8	10		07/19/25 07:38	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	4.3	10		07/19/25 07:38	103-65-1	
Styrene	ND	ug/L	50.0	5.2	10		07/19/25 07:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	5.7	10		07/19/25 07:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	4.6	10		07/19/25 07:38	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.4	10		07/19/25 07:38	127-18-4	
Toluene	ND	ug/L	50.0	7.9	10		07/19/25 07:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	5.7	10		07/19/25 07:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	5.8	10		07/19/25 07:38	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.2	10		07/19/25 07:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	5.7	10		07/19/25 07:38	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.4	10		07/19/25 07:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	2.9	10		07/19/25 07:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	4.6	10		07/19/25 07:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	5.4	10		07/19/25 07:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.5	10		07/19/25 07:38	108-67-8	
Vinyl acetate	ND	ug/L	500	10.9	10		07/19/25 07:38	108-05-4	
Vinyl chloride	**841**	ug/L	20.0	3.7	10		07/19/25 07:38	75-01-4	
Xylene (Total)	ND	ug/L	100	9.6	10		07/19/25 07:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		10		07/19/25 07:38	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		10		07/19/25 07:38	460-00-4	
Toluene-d8 (S)	96	%.	73-122		10		07/19/25 07:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-428-20250716 **Lab ID: 50407426033** Collected: 07/16/25 09:31 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	ND	ug/L	250	190	1		07/24/25 04:57	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**67700**	ug/L	200	82.0	2	07/30/25 03:39	07/30/25 04:05	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/19/25 08:08	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/19/25 08:08	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/19/25 08:08	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/19/25 08:08	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/19/25 08:08	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/19/25 08:08	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/19/25 08:08	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/19/25 08:08	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/19/25 08:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/19/25 08:08	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 08:08	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 08:08	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/19/25 08:08	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/19/25 08:08	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/19/25 08:08	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/19/25 08:08	108-90-7	
Chloroethane	**101**	ug/L	5.0	0.61	1		07/19/25 08:08	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/19/25 08:08	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/19/25 08:08	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/19/25 08:08	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/19/25 08:08	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/19/25 08:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/19/25 08:08	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/19/25 08:08	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/19/25 08:08	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/19/25 08:08	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/19/25 08:08	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/19/25 08:08	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/19/25 08:08	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/19/25 08:08	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/19/25 08:08	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/19/25 08:08	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/19/25 08:08	156-59-2	
trans-1,2-Dichloroethene	**5.6**	ug/L	5.0	0.28	1		07/19/25 08:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/19/25 08:08	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/19/25 08:08	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/19/25 08:08	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-428-20250716 **Lab ID: 50407426033** Collected: 07/16/25 09:31 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 08:08	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/19/25 08:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/19/25 08:08	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/19/25 08:08	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/19/25 08:08	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/19/25 08:08	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/19/25 08:08	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/19/25 08:08	591-78-6	
Iodomethane	ND	ug/L	10.0	0.94	1		07/19/25 08:08	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/19/25 08:08	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/19/25 08:08	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 08:08	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/19/25 08:08	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/19/25 08:08	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/19/25 08:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/19/25 08:08	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/19/25 08:08	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/19/25 08:08	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/19/25 08:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/19/25 08:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/19/25 08:08	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/19/25 08:08	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/19/25 08:08	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/19/25 08:08	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/19/25 08:08	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/19/25 08:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/19/25 08:08	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/19/25 08:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/19/25 08:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/19/25 08:08	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/19/25 08:08	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/19/25 08:08	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/19/25 08:08	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.37	1		07/19/25 08:08	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/19/25 08:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		07/19/25 08:08	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		07/19/25 08:08	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/19/25 08:08	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/17/25 09:29		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/17/25 09:29	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-428-20250716 **Lab ID: 50407426033** Collected: 07/16/25 09:31 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**51800**	ug/L	8000	2400	8		07/29/25 13:14	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-407S-20250716 **Lab ID: 50407426034** Collected: 07/16/25 11:42 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**47100**	ug/L	2500	1900	10		07/24/25 06:04	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**8520**	ug/L	100	41.0	1	07/30/25 03:39	07/30/25 03:49	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/19/25 08:39	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/19/25 08:39	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/19/25 08:39	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/19/25 08:39	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/19/25 08:39	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/19/25 08:39	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/19/25 08:39	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/19/25 08:39	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/19/25 08:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/19/25 08:39	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 08:39	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 08:39	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/19/25 08:39	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/19/25 08:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/19/25 08:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/19/25 08:39	108-90-7	
Chloroethane	**8.2**	ug/L	5.0	0.61	1		07/19/25 08:39	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/19/25 08:39	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/19/25 08:39	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/19/25 08:39	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/19/25 08:39	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/19/25 08:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/19/25 08:39	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/19/25 08:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/19/25 08:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/19/25 08:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/19/25 08:39	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/19/25 08:39	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/19/25 08:39	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/19/25 08:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/19/25 08:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/19/25 08:39	75-35-4	
cis-1,2-Dichloroethene	**45.5**	ug/L	5.0	0.41	1		07/19/25 08:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/19/25 08:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/19/25 08:39	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/19/25 08:39	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/19/25 08:39	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-407S-20250716 **Lab ID: 50407426034** Collected: 07/16/25 11:42 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 08:39	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/19/25 08:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/19/25 08:39	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/19/25 08:39	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/19/25 08:39	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/19/25 08:39	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/19/25 08:39	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/19/25 08:39	591-78-6	
Iodomethane	ND	ug/L	10.0	0.94	1		07/19/25 08:39	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/19/25 08:39	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/19/25 08:39	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 08:39	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/19/25 08:39	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/19/25 08:39	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/19/25 08:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/19/25 08:39	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/19/25 08:39	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/19/25 08:39	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/19/25 08:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/19/25 08:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/19/25 08:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/19/25 08:39	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/19/25 08:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/19/25 08:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/19/25 08:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/19/25 08:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/19/25 08:39	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/19/25 08:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/19/25 08:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/19/25 08:39	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/19/25 08:39	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/19/25 08:39	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/19/25 08:39	108-05-4	
Vinyl chloride	**56.4**	ug/L	2.0	0.37	1		07/19/25 08:39	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/19/25 08:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		07/19/25 08:39	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		07/19/25 08:39	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 08:39	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/17/25 10:12		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/17/25 10:12	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-407S-20250716 **Lab ID: 50407426034** Collected: 07/16/25 11:42 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**9980**	ug/L	1000	300	1		07/28/25 20:33	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: AD-400-20250716 **Lab ID: 50407426035** Collected: 07/16/25 12:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		07/22/25 02:25	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		07/22/25 02:25	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		07/22/25 02:25	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		07/22/25 02:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		07/22/25 02:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		07/22/25 02:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		07/22/25 02:25	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		07/22/25 02:25	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		07/22/25 02:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		07/22/25 02:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		07/22/25 02:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		07/22/25 02:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		07/22/25 02:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		07/22/25 02:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		07/22/25 02:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		07/22/25 02:25	108-90-7	
Chloroethane	**6.6**	ug/L	5.0	0.66	1		07/22/25 02:25	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		07/22/25 02:25	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		07/22/25 02:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		07/22/25 02:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		07/22/25 02:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		07/22/25 02:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		07/22/25 02:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		07/22/25 02:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		07/22/25 02:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		07/22/25 02:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		07/22/25 02:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		07/22/25 02:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		07/22/25 02:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.31	1		07/22/25 02:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		07/22/25 02:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		07/22/25 02:25	75-35-4	
cis-1,2-Dichloroethene	**41.2**	ug/L	5.0	0.37	1		07/22/25 02:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		07/22/25 02:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		07/22/25 02:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		07/22/25 02:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/22/25 02:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/22/25 02:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		07/22/25 02:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		07/22/25 02:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		07/22/25 02:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		07/22/25 02:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		07/22/25 02:25	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		07/22/25 02:25	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		07/22/25 02:25	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: AD-400-20250716 **Lab ID: 50407426035** Collected: 07/16/25 12:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.99	1		07/22/25 02:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		07/22/25 02:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		07/22/25 02:25	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/22/25 02:25	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		07/22/25 02:25	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		07/22/25 02:25	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		07/22/25 02:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		07/22/25 02:25	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		07/22/25 02:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		07/22/25 02:25	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		07/22/25 02:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		07/22/25 02:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		07/22/25 02:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		07/22/25 02:25	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		07/22/25 02:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		07/22/25 02:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		07/22/25 02:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.37	1		07/22/25 02:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		07/22/25 02:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		07/22/25 02:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		07/22/25 02:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		07/22/25 02:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		07/22/25 02:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		07/22/25 02:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		07/22/25 02:25	108-05-4	
Vinyl chloride	**58.9**	ug/L	2.0	0.44	1		07/22/25 02:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/22/25 02:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		1		07/22/25 02:25	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		07/22/25 02:25	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/22/25 02:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-407D-20250716 **Lab ID: 50407426036** Collected: 07/16/25 13:11 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**50000**	ug/L	250	190	1		07/24/25 07:12	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**4120**	ug/L	100	41.0	1	07/30/25 03:39	07/30/25 03:51	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/19/25 09:39	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/19/25 09:39	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/19/25 09:39	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/19/25 09:39	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/19/25 09:39	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/19/25 09:39	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/19/25 09:39	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/19/25 09:39	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/19/25 09:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/19/25 09:39	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 09:39	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 09:39	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/19/25 09:39	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/19/25 09:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/19/25 09:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/19/25 09:39	108-90-7	
Chloroethane	**80.9**	ug/L	5.0	0.61	1		07/19/25 09:39	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/19/25 09:39	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/19/25 09:39	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/19/25 09:39	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/19/25 09:39	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/19/25 09:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/19/25 09:39	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/19/25 09:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/19/25 09:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/19/25 09:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/19/25 09:39	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/19/25 09:39	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/19/25 09:39	75-71-8	
1,1-Dichloroethane	**9.8**	ug/L	5.0	0.33	1		07/19/25 09:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/19/25 09:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/19/25 09:39	75-35-4	
cis-1,2-Dichloroethene	**609**	ug/L	50.0	4.1	10		07/22/25 02:40	156-59-2	M1
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/19/25 09:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/19/25 09:39	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/19/25 09:39	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/19/25 09:39	594-20-7	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-407D-20250716 **Lab ID: 50407426036** Collected: 07/16/25 13:11 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260								
	Pace Analytical Services - Indianapolis								
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 09:39	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/19/25 09:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/19/25 09:39	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/19/25 09:39	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/19/25 09:39	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/19/25 09:39	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/19/25 09:39	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/19/25 09:39	591-78-6	
Iodomethane	ND	ug/L	10.0	0.94	1		07/19/25 09:39	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/19/25 09:39	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/19/25 09:39	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 09:39	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/19/25 09:39	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/19/25 09:39	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/19/25 09:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/19/25 09:39	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/19/25 09:39	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/19/25 09:39	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/19/25 09:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/19/25 09:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/19/25 09:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/19/25 09:39	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/19/25 09:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/19/25 09:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/19/25 09:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/19/25 09:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/19/25 09:39	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/19/25 09:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/19/25 09:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/19/25 09:39	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/19/25 09:39	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/19/25 09:39	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/19/25 09:39	108-05-4	
Vinyl chloride	**561**	ug/L	20.0	3.7	10		07/22/25 02:40	75-01-4	M1
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/19/25 09:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/19/25 09:39	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/19/25 09:39	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 09:39	2037-26-5	
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2								
	Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/17/25 10:14		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/17/25 10:14	14797-55-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: MW-407D-20250716 **Lab ID: 50407426036** Collected: 07/16/25 13:11 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**9430**	ug/L	1000	300	1		07/28/25 20:54	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: Trip Blank-20250715 **Lab ID: 50407426037** Collected: 07/15/25 08:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.8	1		07/19/25 09:09	67-64-1	
Acrolein	ND	ug/L	50.0	5.9	1		07/19/25 09:09	107-02-8	
Acrylonitrile	ND	ug/L	100	2.0	1		07/19/25 09:09	107-13-1	
Benzene	ND	ug/L	5.0	0.30	1		07/19/25 09:09	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.70	1		07/19/25 09:09	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.51	1		07/19/25 09:09	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.54	1		07/19/25 09:09	75-27-4	
Bromoform	ND	ug/L	5.0	0.54	1		07/19/25 09:09	75-25-2	
Bromomethane	ND	ug/L	5.0	0.59	1		07/19/25 09:09	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.0	1		07/19/25 09:09	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.36	1		07/19/25 09:09	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.35	1		07/19/25 09:09	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.42	1		07/19/25 09:09	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.36	1		07/19/25 09:09	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.33	1		07/19/25 09:09	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.52	1		07/19/25 09:09	108-90-7	
Chloroethane	ND	ug/L	5.0	0.61	1		07/19/25 09:09	75-00-3	
Chloroform	ND	ug/L	5.0	0.38	1		07/19/25 09:09	67-66-3	
Chloromethane	ND	ug/L	5.0	0.31	1		07/19/25 09:09	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.50	1		07/19/25 09:09	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.53	1		07/19/25 09:09	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.58	1		07/19/25 09:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.48	1		07/19/25 09:09	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.64	1		07/19/25 09:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.61	1		07/19/25 09:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.65	1		07/19/25 09:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.66	1		07/19/25 09:09	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.53	1		07/19/25 09:09	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.44	1		07/19/25 09:09	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.33	1		07/19/25 09:09	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.50	1		07/19/25 09:09	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.44	1		07/19/25 09:09	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.41	1		07/19/25 09:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/19/25 09:09	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.42	1		07/19/25 09:09	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.58	1		07/19/25 09:09	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.30	1		07/19/25 09:09	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		07/19/25 09:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.52	1		07/19/25 09:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.67	1		07/19/25 09:09	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.44	1		07/19/25 09:09	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.56	1		07/19/25 09:09	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.31	1		07/19/25 09:09	87-68-3	
n-Hexane	ND	ug/L	5.0	0.56	1		07/19/25 09:09	110-54-3	
2-Hexanone	ND	ug/L	25.0	2.0	1		07/19/25 09:09	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Sample: Trip Blank-20250715 **Lab ID: 50407426037** Collected: 07/15/25 08:00 Received: 07/16/25 15:50 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.94	1		07/19/25 09:09	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.39	1		07/19/25 09:09	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.38	1		07/19/25 09:09	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/19/25 09:09	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.7	1		07/19/25 09:09	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	2.7	1		07/19/25 09:09	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.9	1		07/19/25 09:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.40	1		07/19/25 09:09	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.2	1		07/19/25 09:09	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.43	1		07/19/25 09:09	103-65-1	
Styrene	ND	ug/L	5.0	0.52	1		07/19/25 09:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.57	1		07/19/25 09:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.46	1		07/19/25 09:09	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.34	1		07/19/25 09:09	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		07/19/25 09:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.57	1		07/19/25 09:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.58	1		07/19/25 09:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.32	1		07/19/25 09:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.57	1		07/19/25 09:09	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.34	1		07/19/25 09:09	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.29	1		07/19/25 09:09	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.46	1		07/19/25 09:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.54	1		07/19/25 09:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.45	1		07/19/25 09:09	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.1	1		07/19/25 09:09	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.37	1		07/19/25 09:09	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.96	1		07/19/25 09:09	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/19/25 09:09	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		07/19/25 09:09	460-00-4	
Toluene-d8 (S)	95	%.	73-122		1		07/19/25 09:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 854329
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426033, 50407426034, 50407426036

METHOD BLANK: 3913539 Matrix: Water
Associated Lab Samples: 50407426033, 50407426034, 50407426036

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	07/23/25 17:10	

LABORATORY CONTROL SAMPLE: 3913540

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4860	97	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3913541 3913542

Parameter	Units	50407426036 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	50000	50000	50000	90000	81500	80	63	80-120	10	15	M0

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3913543 3913544

Parameter	Units	50407465001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	15.6 mg/L	5000	5000	20800	20800	104	103	80-120	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 854103
QC Batch Method: RSK 175 Modified
Analysis Method: RSK 175 Modified
Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426006, 50407426007, 50407426008

METHOD BLANK: 3912328 Matrix: Water
Associated Lab Samples: 50407426006, 50407426007, 50407426008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.2	07/18/25 10:47	
Ethene	ug/L	ND	10.0	2.3	07/18/25 10:47	
Methane	ug/L	ND	10.0	2.4	07/18/25 10:47	

LABORATORY CONTROL SAMPLE: 3912329

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	2120	107	75-137	
Ethene	ug/L	2250	2370	105	82-133	
Methane	ug/L	1980	1960	99	57-141	

SAMPLE DUPLICATE: 3912330

Parameter	Units	50407426008 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	ND	ND		20	
Ethene	ug/L	ND	ND		20	
Methane	ug/L	265	248	6	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 855571
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426033, 50407426034, 50407426036

METHOD BLANK: 3919404 Matrix: Water
Associated Lab Samples: 50407426033, 50407426034, 50407426036

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	07/30/25 03:42	

LABORATORY CONTROL SAMPLE: 3919405

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9660	97	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3919406 3919407

Parameter	Units	50407426036 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	4120	10000	10000	14500	13800	104	96	75-125	5	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3919408 3919409

Parameter	Units	50407463005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	27300	10000	10000	36300	36300	90	91	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 854204
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426003, 50407426004, 50407426021

METHOD BLANK: 3912858
Matrix: Water
Associated Lab Samples: 50407426003, 50407426004, 50407426021

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.47	07/18/25 12:39	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.37	07/18/25 12:39	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.39	07/18/25 12:39	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.49	07/18/25 12:39	
1,1-Dichloroethane	ug/L	ND	5.0	0.31	07/18/25 12:39	
1,1-Dichloroethene	ug/L	ND	5.0	0.47	07/18/25 12:39	
1,1-Dichloropropene	ug/L	ND	5.0	0.32	07/18/25 12:39	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.40	07/18/25 12:39	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.43	07/18/25 12:39	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.44	07/18/25 12:39	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.68	07/18/25 12:39	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.37	07/18/25 12:39	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.56	07/18/25 12:39	
1,2-Dichloroethane	ug/L	ND	5.0	0.37	07/18/25 12:39	
1,2-Dichloropropane	ug/L	ND	5.0	0.38	07/18/25 12:39	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.40	07/18/25 12:39	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.50	07/18/25 12:39	
1,3-Dichloropropane	ug/L	ND	5.0	0.43	07/18/25 12:39	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.51	07/18/25 12:39	
1-Methylnaphthalene	ug/L	ND	10.0	5.1	07/18/25 12:39	
2,2-Dichloropropane	ug/L	ND	5.0	0.29	07/18/25 12:39	
2-Butanone (MEK)	ug/L	ND	25.0	2.5	07/18/25 12:39	
2-Chlorotoluene	ug/L	ND	5.0	0.43	07/18/25 12:39	
2-Hexanone	ug/L	ND	25.0	1.9	07/18/25 12:39	
2-Methylnaphthalene	ug/L	ND	10.0	5.6	07/18/25 12:39	
4-Chlorotoluene	ug/L	ND	5.0	0.47	07/18/25 12:39	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.7	07/18/25 12:39	
Acetone	ug/L	ND	100	15.4	07/18/25 12:39	
Acrolein	ug/L	ND	50.0	7.1	07/18/25 12:39	
Acrylonitrile	ug/L	ND	100	1.8	07/18/25 12:39	
Benzene	ug/L	ND	5.0	0.34	07/18/25 12:39	
Bromobenzene	ug/L	ND	5.0	0.54	07/18/25 12:39	
Bromochloromethane	ug/L	ND	5.0	0.46	07/18/25 12:39	
Bromodichloromethane	ug/L	ND	5.0	0.44	07/18/25 12:39	
Bromoform	ug/L	ND	5.0	0.69	07/18/25 12:39	
Bromomethane	ug/L	ND	5.0	0.72	07/18/25 12:39	
Carbon disulfide	ug/L	ND	10.0	0.43	07/18/25 12:39	
Carbon tetrachloride	ug/L	ND	5.0	0.32	07/18/25 12:39	
Chlorobenzene	ug/L	ND	5.0	0.43	07/18/25 12:39	
Chloroethane	ug/L	ND	5.0	0.66	07/18/25 12:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

METHOD BLANK: 3912858 Matrix: Water
Associated Lab Samples: 50407426003, 50407426004, 50407426021

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	1.6	07/18/25 12:39	
Chloromethane	ug/L	ND	5.0	0.38	07/18/25 12:39	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.37	07/18/25 12:39	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.38	07/18/25 12:39	
Dibromochloromethane	ug/L	ND	5.0	0.45	07/18/25 12:39	
Dibromomethane	ug/L	ND	5.0	0.48	07/18/25 12:39	
Dichlorodifluoromethane	ug/L	ND	5.0	0.51	07/18/25 12:39	
Ethyl methacrylate	ug/L	ND	100	0.43	07/18/25 12:39	
Ethylbenzene	ug/L	ND	5.0	0.38	07/18/25 12:39	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.35	07/18/25 12:39	
Iodomethane	ug/L	ND	10.0	0.99	07/18/25 12:39	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	07/18/25 12:39	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.33	07/18/25 12:39	
Methylene Chloride	ug/L	ND	5.0	5.0	07/18/25 12:39	
n-Butylbenzene	ug/L	ND	5.0	0.34	07/18/25 12:39	
n-Hexane	ug/L	ND	5.0	1.7	07/18/25 12:39	
n-Propylbenzene	ug/L	ND	5.0	0.35	07/18/25 12:39	
Naphthalene	ug/L	ND	1.2	0.75	07/18/25 12:39	
p-Isopropyltoluene	ug/L	ND	5.0	0.36	07/18/25 12:39	
sec-Butylbenzene	ug/L	ND	5.0	0.33	07/18/25 12:39	
Styrene	ug/L	ND	5.0	0.45	07/18/25 12:39	
tert-Butylbenzene	ug/L	ND	5.0	0.36	07/18/25 12:39	
Tetrachloroethene	ug/L	ND	5.0	0.31	07/18/25 12:39	
Toluene	ug/L	ND	5.0	1.4	07/18/25 12:39	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.38	07/18/25 12:39	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.40	07/18/25 12:39	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.46	07/18/25 12:39	
Trichloroethene	ug/L	ND	5.0	0.33	07/18/25 12:39	
Trichlorofluoromethane	ug/L	ND	5.0	0.32	07/18/25 12:39	
Vinyl acetate	ug/L	ND	50.0	1.2	07/18/25 12:39	
Vinyl chloride	ug/L	ND	2.0	0.44	07/18/25 12:39	
Xylene (Total)	ug/L	ND	10.0	1.6	07/18/25 12:39	
4-Bromofluorobenzene (S)	%.	99	79-124		07/18/25 12:39	
Dibromofluoromethane (S)	%.	105	82-128		07/18/25 12:39	1d
Toluene-d8 (S)	%.	97	73-122		07/18/25 12:39	

LABORATORY CONTROL SAMPLE: 3912859

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	39.3	79	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	41.6	83	69-126	
1,1-Dichloroethene	ug/L	50	42.5	85	59-128	
1,2,4-Trimethylbenzene	ug/L	50	38.8	78	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	43.4	87	78-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

LABORATORY CONTROL SAMPLE: 3912859

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	40.9	82	61-127	
1,2-Dichloropropane	ug/L	50	40.7	81	75-124	
1,3,5-Trimethylbenzene	ug/L	50	39.5	79	71-122	
Benzene	ug/L	50	40.5	81	76-120	
Chlorobenzene	ug/L	50	41.4	83	77-118	
Chloroform	ug/L	50	40.7	81	74-122	
cis-1,2-Dichloroethene	ug/L	50	41.7	83	78-121	
Ethylbenzene	ug/L	50	41.0	82	76-124	
Isopropylbenzene (Cumene)	ug/L	50	41.1	82	66-113	
Methyl-tert-butyl ether	ug/L	50	35.3	71	74-124	L2
n-Hexane	ug/L	50	33.8	68	51-127	
Naphthalene	ug/L	50	40.6	81	66-143	
Tetrachloroethene	ug/L	50	43.4	87	71-122	
Toluene	ug/L	50	40.0	80	72-117	
trans-1,2-Dichloroethene	ug/L	50	41.5	83	74-121	
Trichloroethene	ug/L	50	41.0	82	75-124	
Vinyl chloride	ug/L	50	45.8	92	50-150	
Xylene (Total)	ug/L	150	120	80	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			103	82-128	
Toluene-d8 (S)	%.			99	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 854205
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426008, 50407426013, 50407426015, 50407426016, 50407426017, 50407426018, 50407426019, 50407426020, 50407426022, 50407426023

METHOD BLANK: 3912860
Matrix: Water
Associated Lab Samples: 50407426008, 50407426013, 50407426015, 50407426016, 50407426017, 50407426018, 50407426019, 50407426020, 50407426022, 50407426023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.47	07/19/25 00:48	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.37	07/19/25 00:48	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.39	07/19/25 00:48	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.49	07/19/25 00:48	
1,1-Dichloroethane	ug/L	ND	5.0	0.31	07/19/25 00:48	
1,1-Dichloroethene	ug/L	ND	5.0	0.47	07/19/25 00:48	
1,1-Dichloropropene	ug/L	ND	5.0	0.32	07/19/25 00:48	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.40	07/19/25 00:48	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.43	07/19/25 00:48	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.44	07/19/25 00:48	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.68	07/19/25 00:48	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.37	07/19/25 00:48	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.56	07/19/25 00:48	
1,2-Dichloroethane	ug/L	ND	5.0	0.37	07/19/25 00:48	
1,2-Dichloropropane	ug/L	ND	5.0	0.38	07/19/25 00:48	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.40	07/19/25 00:48	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.50	07/19/25 00:48	
1,3-Dichloropropane	ug/L	ND	5.0	0.43	07/19/25 00:48	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.51	07/19/25 00:48	
1-Methylnaphthalene	ug/L	ND	10.0	5.1	07/19/25 00:48	
2,2-Dichloropropane	ug/L	ND	5.0	0.29	07/19/25 00:48	
2-Butanone (MEK)	ug/L	ND	25.0	2.5	07/19/25 00:48	
2-Chlorotoluene	ug/L	ND	5.0	0.43	07/19/25 00:48	
2-Hexanone	ug/L	ND	25.0	1.9	07/19/25 00:48	
2-Methylnaphthalene	ug/L	ND	10.0	5.6	07/19/25 00:48	
4-Chlorotoluene	ug/L	ND	5.0	0.47	07/19/25 00:48	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.7	07/19/25 00:48	
Acetone	ug/L	ND	100	15.4	07/19/25 00:48	
Acrolein	ug/L	ND	50.0	7.1	07/19/25 00:48	
Acrylonitrile	ug/L	ND	100	1.8	07/19/25 00:48	
Benzene	ug/L	ND	5.0	0.34	07/19/25 00:48	
Bromobenzene	ug/L	ND	5.0	0.54	07/19/25 00:48	
Bromochloromethane	ug/L	ND	5.0	0.46	07/19/25 00:48	
Bromodichloromethane	ug/L	ND	5.0	0.44	07/19/25 00:48	
Bromoform	ug/L	ND	5.0	0.69	07/19/25 00:48	
Bromomethane	ug/L	ND	5.0	0.72	07/19/25 00:48	
Carbon disulfide	ug/L	ND	10.0	0.43	07/19/25 00:48	
Carbon tetrachloride	ug/L	ND	5.0	0.32	07/19/25 00:48	
Chlorobenzene	ug/L	ND	5.0	0.43	07/19/25 00:48	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

METHOD BLANK: 3912860 Matrix: Water

Associated Lab Samples: 50407426008, 50407426013, 50407426015, 50407426016, 50407426017, 50407426018, 50407426019, 50407426020, 50407426022, 50407426023

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.66	07/19/25 00:48	
Chloroform	ug/L	ND	5.0	1.6	07/19/25 00:48	
Chloromethane	ug/L	ND	5.0	0.38	07/19/25 00:48	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.37	07/19/25 00:48	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.38	07/19/25 00:48	
Dibromochloromethane	ug/L	ND	5.0	0.45	07/19/25 00:48	
Dibromomethane	ug/L	ND	5.0	0.48	07/19/25 00:48	
Dichlorodifluoromethane	ug/L	ND	5.0	0.51	07/19/25 00:48	
Ethyl methacrylate	ug/L	ND	100	0.43	07/19/25 00:48	
Ethylbenzene	ug/L	ND	5.0	0.38	07/19/25 00:48	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.35	07/19/25 00:48	
Iodomethane	ug/L	ND	10.0	0.99	07/19/25 00:48	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	07/19/25 00:48	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.33	07/19/25 00:48	
Methylene Chloride	ug/L	ND	5.0	5.0	07/19/25 00:48	
n-Butylbenzene	ug/L	ND	5.0	0.34	07/19/25 00:48	
n-Hexane	ug/L	ND	5.0	1.7	07/19/25 00:48	
n-Propylbenzene	ug/L	ND	5.0	0.35	07/19/25 00:48	
Naphthalene	ug/L	ND	1.2	0.75	07/19/25 00:48	
p-Isopropyltoluene	ug/L	ND	5.0	0.36	07/19/25 00:48	
sec-Butylbenzene	ug/L	ND	5.0	0.33	07/19/25 00:48	
Styrene	ug/L	ND	5.0	0.45	07/19/25 00:48	
tert-Butylbenzene	ug/L	ND	5.0	0.36	07/19/25 00:48	
Tetrachloroethene	ug/L	ND	5.0	0.31	07/19/25 00:48	
Toluene	ug/L	ND	5.0	1.4	07/19/25 00:48	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.38	07/19/25 00:48	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.40	07/19/25 00:48	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.46	07/19/25 00:48	
Trichloroethene	ug/L	ND	5.0	0.33	07/19/25 00:48	
Trichlorofluoromethane	ug/L	ND	5.0	0.32	07/19/25 00:48	
Vinyl acetate	ug/L	ND	50.0	1.2	07/19/25 00:48	
Vinyl chloride	ug/L	ND	2.0	0.44	07/19/25 00:48	
Xylene (Total)	ug/L	ND	10.0	1.6	07/19/25 00:48	
4-Bromofluorobenzene (S)	%.	100	79-124		07/19/25 00:48	
Dibromofluoromethane (S)	%.	103	82-128		07/19/25 00:48	
Toluene-d8 (S)	%.	96	73-122		07/19/25 00:48	

LABORATORY CONTROL SAMPLE: 3912861

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	41.6	83	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	42.4	85	69-126	
1,1-Dichloroethene	ug/L	50	43.4	87	59-128	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

LABORATORY CONTROL SAMPLE: 3912861

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trimethylbenzene	ug/L	50	38.8	78	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	44.0	88	78-125	
1,2-Dichloroethane	ug/L	50	41.4	83	61-127	
1,2-Dichloropropane	ug/L	50	41.9	84	75-124	
1,3,5-Trimethylbenzene	ug/L	50	39.8	80	71-122	
Benzene	ug/L	50	41.8	84	76-120	
Chlorobenzene	ug/L	50	42.1	84	77-118	
Chloroform	ug/L	50	42.6	85	74-122	
cis-1,2-Dichloroethene	ug/L	50	43.5	87	78-121	
Ethylbenzene	ug/L	50	41.8	84	76-124	
Isopropylbenzene (Cumene)	ug/L	50	41.8	84	66-113	
Methyl-tert-butyl ether	ug/L	50	38.2	76	74-124	
n-Hexane	ug/L	50	36.7	73	51-127	
Naphthalene	ug/L	50	41.1	82	66-143	
Tetrachloroethene	ug/L	50	46.6	93	71-122	
Toluene	ug/L	50	41.3	83	72-117	
trans-1,2-Dichloroethene	ug/L	50	42.6	85	74-121	
Trichloroethene	ug/L	50	42.6	85	75-124	
Vinyl chloride	ug/L	50	45.8	92	50-150	
Xylene (Total)	ug/L	150	122	81	73-119	
4-Bromofluorobenzene (S)	%.			98	79-124	
Dibromofluoromethane (S)	%.			103	82-128	
Toluene-d8 (S)	%.			99	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912862 3912863

Parameter	Units	50407426008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	44.6	44.0	89	88	50-149	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	48.3	48.2	97	96	48-139	0	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.0	45.5	96	91	45-146	5	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	41.0	39.7	82	79	37-139	3	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	48.2	47.6	96	95	56-140	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	47.8	45.8	96	92	45-143	4	20	
1,2-Dichloropropane	ug/L	ND	50	50	46.9	45.4	94	91	53-144	3	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	42.4	41.1	85	82	35-141	3	20	
Benzene	ug/L	ND	50	50	46.5	44.9	93	90	50-143	4	20	
Chlorobenzene	ug/L	ND	50	50	46.0	44.6	92	89	52-136	3	20	
Chloroform	ug/L	ND	50	50	47.5	46.1	95	92	53-143	3	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	48.0	46.8	96	94	49-147	3	20	
Ethylbenzene	ug/L	ND	50	50	44.8	43.8	90	88	43-145	2	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	45.1	43.8	90	88	39-128	3	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	39.6	39.5	79	79	50-144	0	20	
n-Hexane	ug/L	ND	50	50	39.3	37.9	79	76	39-132	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912862 3912863

Parameter	Units	50407426008 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Naphthalene	ug/L	ND	50	50	44.8	44.7	90	89	43-148	0	20	
Tetrachloroethene	ug/L	ND	50	50	44.2	42.9	88	86	46-146	3	20	
Toluene	ug/L	ND	50	50	45.4	43.4	91	87	48-135	4	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	44.5	42.3	89	85	52-139	5	20	
Trichloroethene	ug/L	ND	50	50	45.7	44.1	91	88	46-148	4	20	
Vinyl chloride	ug/L	ND	50	50	51.6	50.4	103	101	38-167	2	20	
Xylene (Total)	ug/L	ND	150	150	132	128	88	85	45-139	3	20	
4-Bromofluorobenzene (S)	%.						98	97	79-124			
Dibromofluoromethane (S)	%.						104	104	82-128			
Toluene-d8 (S)	%.						98	98	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 854207
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426001, 50407426002, 50407426005, 50407426006, 50407426007, 50407426009, 50407426010, 50407426011, 50407426012, 50407426014

METHOD BLANK: 3912866
Matrix: Water
Associated Lab Samples: 50407426001, 50407426002, 50407426005, 50407426006, 50407426007, 50407426009, 50407426010, 50407426011, 50407426012, 50407426014

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.57	07/18/25 12:54	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.32	07/18/25 12:54	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.46	07/18/25 12:54	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.57	07/18/25 12:54	
1,1-Dichloroethane	ug/L	ND	5.0	0.33	07/18/25 12:54	
1,1-Dichloroethene	ug/L	ND	5.0	0.44	07/18/25 12:54	
1,1-Dichloropropene	ug/L	ND	5.0	0.32	07/18/25 12:54	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.57	07/18/25 12:54	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.46	07/18/25 12:54	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.58	07/18/25 12:54	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.54	07/18/25 12:54	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.48	07/18/25 12:54	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.61	07/18/25 12:54	
1,2-Dichloroethane	ug/L	ND	5.0	0.50	07/18/25 12:54	
1,2-Dichloropropane	ug/L	ND	5.0	0.42	07/18/25 12:54	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.45	07/18/25 12:54	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.65	07/18/25 12:54	
1,3-Dichloropropane	ug/L	ND	5.0	0.58	07/18/25 12:54	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.66	07/18/25 12:54	
1-Methylnaphthalene	ug/L	ND	10.0	1.7	07/18/25 12:54	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	07/18/25 12:54	
2-Butanone (MEK)	ug/L	ND	25.0	2.0	07/18/25 12:54	
2-Chlorotoluene	ug/L	ND	5.0	0.50	07/18/25 12:54	
2-Hexanone	ug/L	ND	25.0	2.0	07/18/25 12:54	
2-Methylnaphthalene	ug/L	ND	10.0	2.7	07/18/25 12:54	
4-Chlorotoluene	ug/L	ND	5.0	0.53	07/18/25 12:54	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.9	07/18/25 12:54	
Acetone	ug/L	ND	100	3.8	07/18/25 12:54	
Acrolein	ug/L	ND	50.0	5.9	07/18/25 12:54	
Acrylonitrile	ug/L	ND	100	2.0	07/18/25 12:54	
Benzene	ug/L	ND	5.0	0.30	07/18/25 12:54	
Bromobenzene	ug/L	ND	5.0	0.70	07/18/25 12:54	
Bromochloromethane	ug/L	ND	5.0	0.51	07/18/25 12:54	
Bromodichloromethane	ug/L	ND	5.0	0.54	07/18/25 12:54	
Bromoform	ug/L	ND	5.0	0.54	07/18/25 12:54	
Bromomethane	ug/L	ND	5.0	0.59	07/18/25 12:54	
Carbon disulfide	ug/L	ND	10.0	0.36	07/18/25 12:54	
Carbon tetrachloride	ug/L	ND	5.0	0.33	07/18/25 12:54	
Chlorobenzene	ug/L	ND	5.0	0.52	07/18/25 12:54	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

METHOD BLANK: 3912866 Matrix: Water

Associated Lab Samples: 50407426001, 50407426002, 50407426005, 50407426006, 50407426007, 50407426009, 50407426010, 50407426011, 50407426012, 50407426014

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.61	07/18/25 12:54	
Chloroform	ug/L	ND	5.0	0.38	07/18/25 12:54	
Chloromethane	ug/L	ND	5.0	0.31	07/18/25 12:54	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.41	07/18/25 12:54	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.52	07/18/25 12:54	
Dibromochloromethane	ug/L	ND	5.0	0.58	07/18/25 12:54	
Dibromomethane	ug/L	ND	5.0	0.64	07/18/25 12:54	
Dichlorodifluoromethane	ug/L	ND	5.0	0.44	07/18/25 12:54	
Ethyl methacrylate	ug/L	ND	100	0.56	07/18/25 12:54	
Ethylbenzene	ug/L	ND	5.0	0.44	07/18/25 12:54	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.31	07/18/25 12:54	
Iodomethane	ug/L	ND	10.0	0.94	07/18/25 12:54	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.39	07/18/25 12:54	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.40	07/18/25 12:54	
Methylene Chloride	ug/L	ND	5.0	5.0	07/18/25 12:54	
n-Butylbenzene	ug/L	ND	5.0	0.36	07/18/25 12:54	
n-Hexane	ug/L	ND	5.0	0.56	07/18/25 12:54	
n-Propylbenzene	ug/L	ND	5.0	0.43	07/18/25 12:54	
Naphthalene	ug/L	ND	1.2	1.2	07/18/25 12:54	
p-Isopropyltoluene	ug/L	ND	5.0	0.38	07/18/25 12:54	
sec-Butylbenzene	ug/L	ND	5.0	0.35	07/18/25 12:54	
Styrene	ug/L	ND	5.0	0.52	07/18/25 12:54	
tert-Butylbenzene	ug/L	ND	5.0	0.42	07/18/25 12:54	
Tetrachloroethene	ug/L	ND	5.0	0.34	07/18/25 12:54	
Toluene	ug/L	ND	5.0	0.79	07/18/25 12:54	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.28	07/18/25 12:54	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.67	07/18/25 12:54	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.53	07/18/25 12:54	
Trichloroethene	ug/L	ND	5.0	0.34	07/18/25 12:54	
Trichlorofluoromethane	ug/L	ND	5.0	0.29	07/18/25 12:54	
Vinyl acetate	ug/L	ND	50.0	1.1	07/18/25 12:54	
Vinyl chloride	ug/L	ND	2.0	0.37	07/18/25 12:54	
Xylene (Total)	ug/L	ND	10.0	0.96	07/18/25 12:54	
4-Bromofluorobenzene (S)	%.	98	79-124		07/18/25 12:54	
Dibromofluoromethane (S)	%.	103	82-128		07/18/25 12:54	
Toluene-d8 (S)	%.	97	73-122		07/18/25 12:54	

LABORATORY CONTROL SAMPLE: 3912867

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	44.9	90	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	45.1	90	69-126	
1,1-Dichloroethene	ug/L	50	48.5	97	59-128	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

LABORATORY CONTROL SAMPLE: 3912867

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trimethylbenzene	ug/L	50	43.3	87	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	47.5	95	78-125	
1,2-Dichloroethane	ug/L	50	46.0	92	61-127	
1,2-Dichloropropane	ug/L	50	46.1	92	75-124	
1,3,5-Trimethylbenzene	ug/L	50	44.8	90	71-122	
Benzene	ug/L	50	46.1	92	76-120	
Chlorobenzene	ug/L	50	45.4	91	77-118	
Chloroform	ug/L	50	46.2	92	74-122	
cis-1,2-Dichloroethene	ug/L	50	47.0	94	78-121	
Ethylbenzene	ug/L	50	45.2	90	76-124	
Isopropylbenzene (Cumene)	ug/L	50	45.7	91	66-113	
Methyl-tert-butyl ether	ug/L	50	39.3	79	74-124	
n-Hexane	ug/L	50	39.5	79	51-127	
Naphthalene	ug/L	50	45.0	90	66-143	
Tetrachloroethene	ug/L	50	47.7	95	71-122	
Toluene	ug/L	50	44.4	89	72-117	
trans-1,2-Dichloroethene	ug/L	50	47.3	95	74-121	
Trichloroethene	ug/L	50	46.7	93	75-124	
Vinyl chloride	ug/L	50	51.0	102	50-150	
Xylene (Total)	ug/L	150	133	88	73-119	
4-Bromofluorobenzene (S)	%.			97	79-124	
Dibromofluoromethane (S)	%.			104	82-128	
Toluene-d8 (S)	%.			98	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912868 3912869

Parameter	Units	50407426002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	46.5	47.0	93	94	50-149	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	47.9	48.6	96	97	48-139	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	49.5	49.6	98	98	45-146	0	20	
1,2,4-Trimethylbenzene	ug/L	5.8	50	50	45.1	45.3	79	79	37-139	0	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	49.1	49.8	98	100	56-140	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	48.8	49.3	95	96	45-143	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	47.6	48.5	95	97	53-144	2	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	46.0	45.9	89	89	35-141	0	20	
Benzene	ug/L	ND	50	50	47.8	48.1	96	96	50-143	1	20	
Chlorobenzene	ug/L	ND	50	50	47.3	47.4	95	95	52-136	0	20	
Chloroform	ug/L	ND	50	50	47.7	47.9	95	96	53-143	0	20	
cis-1,2-Dichloroethene	ug/L	87.0	50	50	129	128	83	82	49-147	0	20	
Ethylbenzene	ug/L	ND	50	50	46.9	47.2	93	93	43-145	1	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	47.4	47.5	94	94	39-128	0	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	43.0	43.6	86	87	50-144	2	20	
n-Hexane	ug/L	ND	50	50	41.8	42.3	84	85	39-132	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912868 3912869

Parameter	Units	50407426002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Naphthalene	ug/L	2.5	50	50	49.3	50.4	94	96	43-148	2	20	
Tetrachloroethene	ug/L	ND	50	50	47.3	47.3	95	95	46-146	0	20	
Toluene	ug/L	ND	50	50	46.1	46.4	91	92	48-135	1	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	49.3	49.2	97	97	52-139	0	20	
Trichloroethene	ug/L	ND	50	50	48.3	48.6	97	97	46-148	1	20	
Vinyl chloride	ug/L	41.3	50	50	86.7	86.9	91	91	38-167	0	20	
Xylene (Total)	ug/L	ND	150	150	137	137	91	91	45-139	0	20	
4-Bromofluorobenzene (S)	%.						97	98	79-124			
Dibromofluoromethane (S)	%.						104	104	82-128			
Toluene-d8 (S)	%.						97	97	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 854208 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50407426024, 50407426025, 50407426026, 50407426027, 50407426028, 50407426029, 50407426030, 50407426032, 50407426033, 50407426034, 50407426036, 50407426037

METHOD BLANK: 3912870 Matrix: Water

Associated Lab Samples: 50407426024, 50407426025, 50407426026, 50407426027, 50407426028, 50407426029, 50407426030, 50407426032, 50407426033, 50407426034, 50407426036, 50407426037

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.57	07/19/25 01:03	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.32	07/19/25 01:03	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.46	07/19/25 01:03	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.57	07/19/25 01:03	
1,1-Dichloroethane	ug/L	ND	5.0	0.33	07/19/25 01:03	
1,1-Dichloroethene	ug/L	ND	5.0	0.44	07/19/25 01:03	
1,1-Dichloropropene	ug/L	ND	5.0	0.32	07/19/25 01:03	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.57	07/19/25 01:03	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.46	07/19/25 01:03	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.58	07/19/25 01:03	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.54	07/19/25 01:03	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.48	07/19/25 01:03	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.61	07/19/25 01:03	
1,2-Dichloroethane	ug/L	ND	5.0	0.50	07/19/25 01:03	
1,2-Dichloropropane	ug/L	ND	5.0	0.42	07/19/25 01:03	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.45	07/19/25 01:03	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.65	07/19/25 01:03	
1,3-Dichloropropane	ug/L	ND	5.0	0.58	07/19/25 01:03	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.66	07/19/25 01:03	
1-Methylnaphthalene	ug/L	ND	10.0	1.7	07/19/25 01:03	
2,2-Dichloropropane	ug/L	ND	5.0	0.30	07/19/25 01:03	
2-Butanone (MEK)	ug/L	ND	25.0	2.0	07/19/25 01:03	
2-Chlorotoluene	ug/L	ND	5.0	0.50	07/19/25 01:03	
2-Hexanone	ug/L	ND	25.0	2.0	07/19/25 01:03	
2-Methylnaphthalene	ug/L	ND	10.0	2.7	07/19/25 01:03	
4-Chlorotoluene	ug/L	ND	5.0	0.53	07/19/25 01:03	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.9	07/19/25 01:03	
Acetone	ug/L	ND	100	3.8	07/19/25 01:03	
Acrolein	ug/L	ND	50.0	5.9	07/19/25 01:03	
Acrylonitrile	ug/L	ND	100	2.0	07/19/25 01:03	
Benzene	ug/L	ND	5.0	0.30	07/19/25 01:03	
Bromobenzene	ug/L	ND	5.0	0.70	07/19/25 01:03	
Bromochloromethane	ug/L	ND	5.0	0.51	07/19/25 01:03	
Bromodichloromethane	ug/L	ND	5.0	0.54	07/19/25 01:03	
Bromoform	ug/L	ND	5.0	0.54	07/19/25 01:03	
Bromomethane	ug/L	ND	5.0	0.59	07/19/25 01:03	
Carbon disulfide	ug/L	ND	10.0	0.36	07/19/25 01:03	
Carbon tetrachloride	ug/L	ND	5.0	0.33	07/19/25 01:03	
Chlorobenzene	ug/L	ND	5.0	0.52	07/19/25 01:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

METHOD BLANK: 3912870 Matrix: Water

Associated Lab Samples: 50407426024, 50407426025, 50407426026, 50407426027, 50407426028, 50407426029, 50407426030, 50407426032, 50407426033, 50407426034, 50407426036, 50407426037

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroethane	ug/L	ND	5.0	0.61	07/19/25 01:03	
Chloroform	ug/L	ND	5.0	0.38	07/19/25 01:03	
Chloromethane	ug/L	ND	5.0	0.31	07/19/25 01:03	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.41	07/19/25 01:03	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.52	07/19/25 01:03	
Dibromochloromethane	ug/L	ND	5.0	0.58	07/19/25 01:03	
Dibromomethane	ug/L	ND	5.0	0.64	07/19/25 01:03	
Dichlorodifluoromethane	ug/L	ND	5.0	0.44	07/19/25 01:03	
Ethyl methacrylate	ug/L	ND	100	0.56	07/19/25 01:03	
Ethylbenzene	ug/L	ND	5.0	0.44	07/19/25 01:03	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.31	07/19/25 01:03	
Iodomethane	ug/L	ND	10.0	0.94	07/19/25 01:03	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.39	07/19/25 01:03	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.40	07/19/25 01:03	
Methylene Chloride	ug/L	ND	5.0	5.0	07/19/25 01:03	
n-Butylbenzene	ug/L	ND	5.0	0.36	07/19/25 01:03	
n-Hexane	ug/L	ND	5.0	0.56	07/19/25 01:03	
n-Propylbenzene	ug/L	ND	5.0	0.43	07/19/25 01:03	
Naphthalene	ug/L	ND	1.2	1.2	07/19/25 01:03	
p-Isopropyltoluene	ug/L	ND	5.0	0.38	07/19/25 01:03	
sec-Butylbenzene	ug/L	ND	5.0	0.35	07/19/25 01:03	
Styrene	ug/L	ND	5.0	0.52	07/19/25 01:03	
tert-Butylbenzene	ug/L	ND	5.0	0.42	07/19/25 01:03	
Tetrachloroethene	ug/L	ND	5.0	0.34	07/19/25 01:03	
Toluene	ug/L	ND	5.0	0.79	07/19/25 01:03	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.28	07/19/25 01:03	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.67	07/19/25 01:03	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.53	07/19/25 01:03	
Trichloroethene	ug/L	ND	5.0	0.34	07/19/25 01:03	
Trichlorofluoromethane	ug/L	ND	5.0	0.29	07/19/25 01:03	
Vinyl acetate	ug/L	ND	50.0	1.1	07/19/25 01:03	
Vinyl chloride	ug/L	ND	2.0	0.37	07/19/25 01:03	
Xylene (Total)	ug/L	ND	10.0	0.96	07/19/25 01:03	
4-Bromofluorobenzene (S)	%.	98	79-124		07/19/25 01:03	
Dibromofluoromethane (S)	%.	103	82-128		07/19/25 01:03	
Toluene-d8 (S)	%.	96	73-122		07/19/25 01:03	

LABORATORY CONTROL SAMPLE: 3912871

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	46.0	92	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	44.3	89	69-126	
1,1-Dichloroethene	ug/L	50	47.7	95	59-128	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

LABORATORY CONTROL SAMPLE: 3912871

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trimethylbenzene	ug/L	50	41.3	83	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	47.2	94	78-125	
1,2-Dichloroethane	ug/L	50	45.6	91	61-127	
1,2-Dichloropropane	ug/L	50	46.3	93	75-124	
1,3,5-Trimethylbenzene	ug/L	50	42.8	86	71-122	
Benzene	ug/L	50	46.1	92	76-120	
Chlorobenzene	ug/L	50	45.6	91	77-118	
Chloroform	ug/L	50	46.6	93	74-122	
cis-1,2-Dichloroethene	ug/L	50	47.8	96	78-121	
Ethylbenzene	ug/L	50	44.7	89	76-124	
Isopropylbenzene (Cumene)	ug/L	50	44.7	89	66-113	
Methyl-tert-butyl ether	ug/L	50	40.9	82	74-124	
n-Hexane	ug/L	50	39.9	80	51-127	
Naphthalene	ug/L	50	45.0	90	66-143	
Tetrachloroethene	ug/L	50	46.9	94	71-122	
Toluene	ug/L	50	44.6	89	72-117	
trans-1,2-Dichloroethene	ug/L	50	47.1	94	74-121	
Trichloroethene	ug/L	50	46.1	92	75-124	
Vinyl chloride	ug/L	50	49.3	99	50-150	
Xylene (Total)	ug/L	150	130	87	73-119	
4-Bromofluorobenzene (S)	%.			97	79-124	
Dibromofluoromethane (S)	%.			103	82-128	
Toluene-d8 (S)	%.			98	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912872 3912873

Parameter	Units	50407426036 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	ND	50	50	46.1	46.7	92	93	50-149	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	49.0	49.1	98	98	48-139	0	20	
1,1-Dichloroethene	ug/L	ND	50	50	51.0	50.8	99	99	45-146	0	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	42.0	42.4	84	85	37-139	1	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	50.5	50.3	101	101	56-140	0	20	
1,2-Dichloroethane	ug/L	ND	50	50	48.6	47.9	97	96	45-143	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	48.7	48.8	97	98	53-144	0	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	43.6	44.7	87	89	35-141	2	20	
Benzene	ug/L	ND	50	50	48.3	48.0	97	96	50-143	1	20	
Chlorobenzene	ug/L	ND	50	50	47.1	47.6	94	95	52-136	1	20	
Chloroform	ug/L	ND	50	50	48.2	48.2	96	96	53-143	0	20	
cis-1,2-Dichloroethene	ug/L	609	50	50	578	559	-62	-102	49-147	3	20	E,M1
Ethylbenzene	ug/L	ND	50	50	46.8	47.0	94	94	43-145	0	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	46.9	47.1	94	94	39-128	0	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	41.2	41.4	82	83	50-144	1	20	
n-Hexane	ug/L	ND	50	50	41.4	41.4	83	83	39-132	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912872 3912873

Parameter	Units	50407426036 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Naphthalene	ug/L	ND	50	50	46.2	47.7	92	95	43-148	3	20	
Tetrachloroethene	ug/L	ND	50	50	45.2	45.9	90	92	46-146	2	20	
Toluene	ug/L	ND	50	50	46.3	46.4	92	92	48-135	0	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	47.4	47.3	93	93	52-139	0	20	
Trichloroethene	ug/L	ND	50	50	48.2	48.4	94	95	46-148	0	20	
Vinyl chloride	ug/L	561	50	50	525	495	-71	-131	38-167	6	20	E,M1
Xylene (Total)	ug/L	ND	150	150	134	136	90	90	45-139	1	20	
4-Bromofluorobenzene (S)	%.						98	98	79-124			
Dibromofluoromethane (S)	%.						103	103	82-128			
Toluene-d8 (S)	%.						98	98	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 854392
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426031, 50407426035

METHOD BLANK: 3913726
Matrix: Water
Associated Lab Samples: 50407426031, 50407426035

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.47	07/22/25 01:24	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.37	07/22/25 01:24	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.39	07/22/25 01:24	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.49	07/22/25 01:24	
1,1-Dichloroethane	ug/L	ND	5.0	0.31	07/22/25 01:24	
1,1-Dichloroethene	ug/L	ND	5.0	0.47	07/22/25 01:24	
1,1-Dichloropropene	ug/L	ND	5.0	0.32	07/22/25 01:24	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.40	07/22/25 01:24	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.43	07/22/25 01:24	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.44	07/22/25 01:24	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.68	07/22/25 01:24	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.37	07/22/25 01:24	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.56	07/22/25 01:24	
1,2-Dichloroethane	ug/L	ND	5.0	0.37	07/22/25 01:24	
1,2-Dichloropropane	ug/L	ND	5.0	0.38	07/22/25 01:24	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.40	07/22/25 01:24	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.50	07/22/25 01:24	
1,3-Dichloropropane	ug/L	ND	5.0	0.43	07/22/25 01:24	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.51	07/22/25 01:24	
1-Methylnaphthalene	ug/L	ND	10.0	5.1	07/22/25 01:24	
2,2-Dichloropropane	ug/L	ND	5.0	0.29	07/22/25 01:24	
2-Butanone (MEK)	ug/L	ND	25.0	2.5	07/22/25 01:24	
2-Chlorotoluene	ug/L	ND	5.0	0.43	07/22/25 01:24	
2-Hexanone	ug/L	ND	25.0	1.9	07/22/25 01:24	
2-Methylnaphthalene	ug/L	ND	10.0	5.6	07/22/25 01:24	
4-Chlorotoluene	ug/L	ND	5.0	0.47	07/22/25 01:24	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.7	07/22/25 01:24	
Acetone	ug/L	ND	100	15.4	07/22/25 01:24	
Acrolein	ug/L	ND	50.0	7.1	07/22/25 01:24	
Acrylonitrile	ug/L	ND	100	1.8	07/22/25 01:24	
Benzene	ug/L	ND	5.0	0.34	07/22/25 01:24	
Bromobenzene	ug/L	ND	5.0	0.54	07/22/25 01:24	
Bromochloromethane	ug/L	ND	5.0	0.46	07/22/25 01:24	
Bromodichloromethane	ug/L	ND	5.0	0.44	07/22/25 01:24	
Bromoform	ug/L	ND	5.0	0.69	07/22/25 01:24	
Bromomethane	ug/L	ND	5.0	0.72	07/22/25 01:24	
Carbon disulfide	ug/L	ND	10.0	0.43	07/22/25 01:24	
Carbon tetrachloride	ug/L	ND	5.0	0.32	07/22/25 01:24	
Chlorobenzene	ug/L	ND	5.0	0.43	07/22/25 01:24	
Chloroethane	ug/L	ND	5.0	0.66	07/22/25 01:24	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

METHOD BLANK: 3913726 Matrix: Water
Associated Lab Samples: 50407426031, 50407426035

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	1.6	07/22/25 01:24	
Chloromethane	ug/L	ND	5.0	0.38	07/22/25 01:24	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.37	07/22/25 01:24	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.38	07/22/25 01:24	
Dibromochloromethane	ug/L	ND	5.0	0.45	07/22/25 01:24	
Dibromomethane	ug/L	ND	5.0	0.48	07/22/25 01:24	
Dichlorodifluoromethane	ug/L	ND	5.0	0.51	07/22/25 01:24	
Ethyl methacrylate	ug/L	ND	100	0.43	07/22/25 01:24	
Ethylbenzene	ug/L	ND	5.0	0.38	07/22/25 01:24	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.35	07/22/25 01:24	
Iodomethane	ug/L	ND	10.0	0.99	07/22/25 01:24	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	07/22/25 01:24	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.33	07/22/25 01:24	
Methylene Chloride	ug/L	ND	5.0	5.0	07/22/25 01:24	
n-Butylbenzene	ug/L	ND	5.0	0.34	07/22/25 01:24	
n-Hexane	ug/L	ND	5.0	1.7	07/22/25 01:24	
n-Propylbenzene	ug/L	ND	5.0	0.35	07/22/25 01:24	
Naphthalene	ug/L	ND	1.2	0.75	07/22/25 01:24	
p-Isopropyltoluene	ug/L	ND	5.0	0.36	07/22/25 01:24	
sec-Butylbenzene	ug/L	ND	5.0	0.33	07/22/25 01:24	
Styrene	ug/L	ND	5.0	0.45	07/22/25 01:24	
tert-Butylbenzene	ug/L	ND	5.0	0.36	07/22/25 01:24	
Tetrachloroethene	ug/L	ND	5.0	0.31	07/22/25 01:24	
Toluene	ug/L	ND	5.0	1.4	07/22/25 01:24	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.38	07/22/25 01:24	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.40	07/22/25 01:24	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.46	07/22/25 01:24	
Trichloroethene	ug/L	ND	5.0	0.33	07/22/25 01:24	
Trichlorofluoromethane	ug/L	ND	5.0	0.32	07/22/25 01:24	
Vinyl acetate	ug/L	ND	50.0	1.2	07/22/25 01:24	
Vinyl chloride	ug/L	ND	2.0	0.44	07/22/25 01:24	
Xylene (Total)	ug/L	ND	10.0	1.6	07/22/25 01:24	
4-Bromofluorobenzene (S)	%.	99	79-124		07/22/25 01:24	
Dibromofluoromethane (S)	%.	104	82-128		07/22/25 01:24	1d
Toluene-d8 (S)	%.	97	73-122		07/22/25 01:24	

LABORATORY CONTROL SAMPLE: 3913727

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	42.5	85	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	41.7	83	69-126	
1,1-Dichloroethene	ug/L	50	44.3	89	59-128	
1,2,4-Trimethylbenzene	ug/L	50	39.7	79	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	43.3	87	78-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

LABORATORY CONTROL SAMPLE: 3913727

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	41.2	82	61-127	
1,2-Dichloropropane	ug/L	50	42.7	85	75-124	
1,3,5-Trimethylbenzene	ug/L	50	40.9	82	71-122	
Benzene	ug/L	50	42.6	85	76-120	
Chlorobenzene	ug/L	50	42.9	86	77-118	
Chloroform	ug/L	50	43.2	86	74-122	
cis-1,2-Dichloroethene	ug/L	50	44.7	89	78-121	
Ethylbenzene	ug/L	50	42.9	86	76-124	
Isopropylbenzene (Cumene)	ug/L	50	43.0	86	66-113	
Methyl-tert-butyl ether	ug/L	50	38.6	77	74-124	
n-Hexane	ug/L	50	37.1	74	51-127	
Naphthalene	ug/L	50	41.3	83	66-143	
Tetrachloroethene	ug/L	50	46.2	92	71-122	
Toluene	ug/L	50	41.8	84	72-117	
trans-1,2-Dichloroethene	ug/L	50	43.5	87	74-121	
Trichloroethene	ug/L	50	43.5	87	75-124	
Vinyl chloride	ug/L	50	47.4	95	50-150	
Xylene (Total)	ug/L	150	125	83	73-119	
4-Bromofluorobenzene (S)	%.			97	79-124	
Dibromofluoromethane (S)	%.			103	82-128	
Toluene-d8 (S)	%.			98	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 853885
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426033

METHOD BLANK: 3911189 Matrix: Water
Associated Lab Samples: 50407426033

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	07/17/25 08:34	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	07/17/25 08:34	

LABORATORY CONTROL SAMPLE: 3911190

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	104	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	102	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3911191 3911192

Parameter	Units	50407471001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	1.0	1.0	104	101	90-110	3	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.1	2.0	103	99	90-110	4	20	

MATRIX SPIKE SAMPLE: 3911193

Parameter	Units	50407408007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	0.42	1	1.5	108	90-110	
Nitrogen, NO2 plus NO3	mg/L	0.43	2	2.5	106	90-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 853886
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426034, 50407426036

METHOD BLANK: 3911194 Matrix: Water
Associated Lab Samples: 50407426034, 50407426036

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	07/17/25 09:50	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	07/17/25 09:50	

LABORATORY CONTROL SAMPLE: 3911195

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	101	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3911196 3911197

Parameter	Units	50407408006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	29.9	10	10	37.4	37.5	75	76	90-110	0	20	M3
Nitrogen, NO2 plus NO3	mg/L	29.9	20	20	47.6	47.6	89	89	90-110	0	20	M3

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3911198 3911199

Parameter	Units	50407426036 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	1.1	1.0	105	102	90-110	3	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.1	2.0	104	101	90-110	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

QC Batch: 855093
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407426033, 50407426034, 50407426036

METHOD BLANK: 3917146 Matrix: Water
Associated Lab Samples: 50407426033, 50407426034, 50407426036

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	07/28/25 14:33	

LABORATORY CONTROL SAMPLE: 3917147

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	10100	101	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3917148 3917149

Parameter	Units	50407426036 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	9430	10000	10000	18700	18900	93	95	80-120	1	15	

MATRIX SPIKE SAMPLE: 3917150

Parameter	Units	50407463001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	<1000	10000	11500	106	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Neither matrix spike nor matrix precision data could be provided for this analytical batch due to insufficient sample volume.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
HS	Results are from sample aliquot taken from VOA vial with headspace (air bubble greater than 6 mm diameter).
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 Headspace	Water	RSK 175 Modified	N/A

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50407426033	**MW-428-20250716**	EPA 300.0	854329		
50407426034	**MW-407S-20250716**	EPA 300.0	854329		
50407426036	**MW-407D-20250716**	EPA 300.0	854329		
50407426006	**MW-426-20250715**	RSK 175 Modified	854103		
50407426007	**W-9-20250715**	RSK 175 Modified	854103		
50407426008	**W-8-20250715**	RSK 175 Modified	854103		
50407426033	**MW-428-20250716**	EPA 3010	855571	EPA 6010	855572
50407426034	**MW-407S-20250716**	EPA 3010	855571	EPA 6010	855572
50407426036	**MW-407D-20250716**	EPA 3010	855571	EPA 6010	855572
50407426001	**MW-333-20250715**	EPA 5030/8260	854207		
50407426002	**MW-92-20250715**	EPA 5030/8260	854207		
50407426003	**MW-173-20250715**	EPA 5030/8260	854204		
50407426004	**MW-112-20250715**	EPA 5030/8260	854204		
50407426005	**MW-313-20250715**	EPA 5030/8260	854207		
50407426006	**MW-426-20250715**	EPA 5030/8260	854207		
50407426007	**W-9-20250715**	EPA 5030/8260	854207		
50407426008	**W-8-20250715**	EPA 5030/8260	854205		
50407426009	**AD-200-20250715**	EPA 5030/8260	854207		
50407426010	**MW-22-20250716**	EPA 5030/8260	854207		
50407426011	**W-4D-20250716**	EPA 5030/8260	854207		
50407426012	**W-4R-20250716**	EPA 5030/8260	854207		
50407426013	**MW-401-20250716**	EPA 5030/8260	854205		
50407426014	**MW-417S-20250716**	EPA 5030/8260	854207		
50407426015	**MW-417D-20250716**	EPA 5030/8260	854205		
50407426016	**MW-423D-20250716**	EPA 5030/8260	854205		
50407426017	**MW-423S-20250716**	EPA 5030/8260	854205		
50407426018	**MW-422D-20250716**	EPA 5030/8260	854205		
50407426019	**AD-300-20250716**	EPA 5030/8260	854205		
50407426020	**MW-422S-20250716**	EPA 5030/8260	854205		
50407426021	**MW-419S-20250716**	EPA 5030/8260	854204		
50407426022	**MW-419D-20250716**	EPA 5030/8260	854205		
50407426023	**MW-408D-20250716**	EPA 5030/8260	854205		
50407426024	**MW-408S-20250716**	EPA 5030/8260	854208		
50407426025	**MW-403-20250716**	EPA 5030/8260	854208		
50407426026	**MW-406S-20250716**	EPA 5030/8260	854208		
50407426027	**MW-406D-20250716**	EPA 5030/8260	854208		
50407426028	**MW-424D-20250716**	EPA 5030/8260	854208		
50407426029	**MW-424S-20250716**	EPA 5030/8260	854208		
50407426030	**MW-404-20250716**	EPA 5030/8260	854208		
50407426031	**MW-405S-20250716**	EPA 5030/8260	854392		
50407426032	**MW-405D-20250716**	EPA 5030/8260	854208		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407426

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50407426033	**MW-428-20250716**	EPA 5030/8260	854208		
50407426034	**MW-407S-20250716**	EPA 5030/8260	854208		
50407426035	**AD-400-20250716**	EPA 5030/8260	854392		
50407426036	**MW-407D-20250716**	EPA 5030/8260	854208		
50407426037	**Trip Blank-20250715**	EPA 5030/8260	854208		
50407426033	**MW-428-20250716**	EPA 353.2	853885		
50407426034	**MW-407S-20250716**	EPA 353.2	853886		
50407426036	**MW-407D-20250716**	EPA 353.2	853886		
50407426033	**MW-428-20250716**	SM 5310C	855093		
50407426034	**MW-407S-20250716**	SM 5310C	855093		
50407426036	**MW-407D-20250716**	SM 5310C	855093		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 50407426

50407426

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [√] ET

County / State origin of sample(s): Indiana

Data Deliverables: [√] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: **10 Day TAT**

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 M/E/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment
MW-333-20250715	GW	G			7/15/25	1308	3			X						001
MW-92-20250715						1331	3			X						002
MW-173-20250715						1405	3			X						003
MW-112-20250715						1441	3			X						004
MW-313-20250715						1454	3			X						005
MW-426-20250715						1325	6			X	X					006
W-9-20250715						1453	6			X	X					007
W-8-20250715						0950	12			X	X					MS/MSD 008
AP-200-20250715	↓	↓			↓	1200	3			X						009
MW-22-20250715	GW	G			7/16/25	0946	3			X						010

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3275429**

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	T	-0.1	2.6	2.5	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Ramboll / Patrick Verbryke	7/16/2025 1550	PACE Makeahan T.	7-16 15:50	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [✓] In- Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [V] ET

County / State origin of sample(s): Indiana

Data Deliverables: [V] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3275429**

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 M/E/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment	Preservation non-conformance identified for sample.
W-4D-20250716	GW	G			7/16/25	0911	3			X						011	
W-4R-20250716	"	"			"	0926	3			X						012	
MW-401-20250716	"	"			"	0945	3			X						013	
MW-417S-20250716	"	"			"	1000	3			X						014	
MW-417D-20250716	"	"			"	1009	3			X						015	
MW-423D-20250716	"	"			"	1036	3			X						016	
MW-423S-20250716	"	"			"	1046	3			X						017	
MW-422D-20250716	"	"			"	1116	3			X						018	
AD-300	"	"			"	1200	3			X						019	
MW-422S-20250716	"	"			"	1128	3			X						020	

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	T	-0.1	2.6	2.5	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Ramboll / Patrick Verbryke	7/16/2025 1950	PACE Makaha F.	7-16 15:50	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [V] In-Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 2 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:		Invoice To:	Accounts Payable
Project Name:	3Q25 Indy CE Annual Sampling	Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): Indiana

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 ME/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment
MW-419S-20250716	GW	G			7/16/25	1143	3			X						021
MW-419D-20250716	GW	G				1152	3			X						022
MW-408D-20250716						1211	3			X						023
MW-408S-20250716						1222	3			X						024
MW-403-20250716						1245	3			X						025
MW-406S-20250716						1259	3			X						026
MW-406D-20250716						1308	3			X						027
MW-424D-20250716						1326	3			X						028
MW-424S-20250716						1336	3			X						029
MW-404-20250716						1345	3			X						030

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

Lab Use Only
Proj. Mgr: Heather Patterson
AcctNum / Client ID:
Table #:
Profile / Template: 2747-28
Prelog / Bottle Ord. ID: EZ 3275429

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Patrick Verbryke
Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	1	-0.1	2.6	2.5	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Ramboll / Patrick Verbryke	7/16/25 1550	PACE Makaela L.	7-16 15:50	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [✓] In- Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 3 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [√] ET

County / State origin of sample(s): Indiana

Data Deliverables: [√] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3275429**

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 ME/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment	Preservation non-conformance identified for sample:
MW-4055-20250716	GW	G			7/16/25	1400	3			X						031	
MW-405D-20250716	"	"			7	1412	3			X						032	
MW-420-20250716	"	"				0931	6			X		X	X	X	X	033	
MW-4075-20250716	"	"				1142	6			X		X	X	X	X	034	
AD-400-20250715	"	"				1200	3			X						035	
MW-407D-20250715	"	"				1311	12			X		X	X	X	X	MS/MSD 036	

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	I	-0.1	2.6	2.5	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Ramboll/Patrick Verbryke	7/16/25 1550	PACE Makaha F.	7-16 15:50	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 4 of 4

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents:

2-16-25 17:05 MHF

1. **Thermometer:** 1 2 3 4 5 6 7 8 9 A B C D E F G H (I)

Cooler temp should be above freezing to 6°C

2A. **Cooler Temperature(s):** 2.6/2.5 | | | |

RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

2B. **Was the PM notified of out of temp cooler?: (leave blank if samples are in temp)** Yes No

3. **Packing Material:** (Bubble Bags) Bubble Wrap None Other: _____

4. **Ice Type:** (Wet) Blue None

5. **Courier:** FedEx UPS (Client) Pace NOW Jett Other

6. **Custody Seal on Cooler/Box Present:** Yes (No)

Leave blank if no seals were present

All discrepancies will be written out in the comments section below.

	Yes	No	N/A
USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)			✓
Short Hold Time Analysis (48 hours or less)?: Nitrates	✓		
Time 5035A TC placed in Freezer or Short Holds To Lab:	Time: 1800		
Rush TAT Requested (4 days or less):			✓
Custody Signatures Present?	✓		
Containers intact?	✓		
Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	✓		
All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** **Circle: (HNO3 (<2)) (H2SO4 (<2)) NaOH (>10) NaOH/ZnAc (>9)** Any non-conformance to pH recommendations will be noted on the container count form	✓		
Residual Chlorine Check (SVOC 625 Pest/PCB 608)			✓
Residual Chlorine Check (Total/Amenable/Free Cyanide)			✓
Headspace in **VOA Vials** (>6mm): See Containter Count form for details	✓		
Trip Blank Present?	✓		
Trip Blank Custody Seals?:	✓		
Extra labels on Terracore Vials? (soils only)			✓

Comments: Received trip blanks, but no spot on COC. -MHF

OK to analyze trip blank per PVerbryke. 071725hmp

Per ADragos:
- MW-22 sample ID should be MW-22-20250716
- AD-300 sample ID should be AD-300-20250716
- MW-407D sample ID should be MW-407D-20250716 with a sample date of 7/16/25
- AD-400 sample ID should be AD-400-20250716
- Confirming the sample for the following wells is 7/16/25
  - MW-405D
  - MW-428
  - MW-407S

COC PAGE 1 of 4

Sample Container Chart

** Place a PINK dot on containers that are out of conformance **

| | | |

COC PAGE 2 of 4

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI ZR	DG9H	VG9H VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AMBER GLASS AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1																																
2																																
3																																
4																																
5																																
6																																
7																																
8																																
9																																
10					1/3																											
11																																
12																																

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L [illegible] plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L [illegible] preserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L [illegible] OH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	[illegible] HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	50[illegible] NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	50[illegible] H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500[illegible] unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 3 of 4

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

			MeOH (only)						AMBER GLASS							PLASTIC									OTHER					Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
			SBS																											Red	Yellow	Green	Black
			DI																													
COC Line Item	WGFU	WGKU BG1U	R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit		Matrix	HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9
1					3	2/3																						WT				
2																																
3																																
4																																
5																																
6																																
7																																
8																																
9																																
10																																
11																																
12																																

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L [illegible] plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

COC PAGE 4 of 4

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	DG9H	VG9H VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AMBER GLASS AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1				3																								WT				
2				3																												
3				3								1					1			1									✓	✓		
4				3								1					1			1									✓	✓		
5				3																												
6				9								1					1			1									✓	✓		
7				3 Trip Blank																												
8																																
9																																
10																																
11																																
12																																

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

August 01, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on July 17, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50407552001	**MW-402S-20250716**	Water	07/16/25 14:55	07/17/25 16:00
50407552002	**MW-402D-20250716**	Water	07/16/25 16:37	07/17/25 16:00
50407552003	**MW-418D-20250717**	Water	07/17/25 09:40	07/17/25 16:00
50407552004	**AD-500-20250717**	Water	07/17/25 12:00	07/17/25 16:00
50407552005	**MW-418S-20250717**	Water	07/17/25 11:16	07/17/25 16:00
50407552006	**TRIP BLANK-20250717**	Water	07/17/25 12:00	07/17/25 16:00

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50407552001	**MW-402S-20250716**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	BES	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407552002	**MW-402D-20250716**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	BES	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407552003	**MW-418D-20250717**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	BES	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407552004	**AD-500-20250717**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	BES	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407552005	**MW-418S-20250717**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	BES	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407552006	**TRIP BLANK-20250717**	EPA 5030/8260	BES	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407552001	**MW-402S-20250716**					
EPA 300.0	Sulfate	157000	ug/L	2500	07/24/25 21:49	
RSK 175 Modified	Ethane	25.4	ug/L	10.0	07/21/25 13:27	
RSK 175 Modified	Ethene	52.7	ug/L	10.0	07/21/25 13:27	
RSK 175 Modified	Methane	3060	ug/L	10.0	07/25/25 11:45	
EPA 6010	Iron, Dissolved	22400	ug/L	100	07/31/25 21:39	
EPA 5030/8260	Chloroethane	263	ug/L	50.0	07/23/25 10:58	
EPA 5030/8260	1,1-Dichloroethane	513	ug/L	50.0	07/22/25 17:31	
EPA 5030/8260	cis-1,2-Dichloroethene	7560	ug/L	500	07/22/25 17:53	
EPA 5030/8260	trans-1,2-Dichloroethene	79.4	ug/L	50.0	07/22/25 17:31	
EPA 5030/8260	Vinyl chloride	981	ug/L	20.0	07/22/25 17:31	
SM 5310C	Total Organic Carbon	8040	ug/L	7000	07/29/25 17:09	
50407552002	**MW-402D-20250716**					
EPA 300.0	Sulfate	58100	ug/L	2500	07/24/25 22:39	
RSK 175 Modified	Ethane	29.2	ug/L	10.0	07/21/25 13:42	
RSK 175 Modified	Ethene	43.4	ug/L	10.0	07/21/25 13:42	
RSK 175 Modified	Methane	3790	ug/L	10.0	07/25/25 12:00	
EPA 6010	Iron, Dissolved	4560	ug/L	100	07/31/25 21:41	
EPA 5030/8260	Chloroethane	7.6	ug/L	5.0	07/23/25 11:20	
EPA 5030/8260	cis-1,2-Dichloroethene	12.4	ug/L	5.0	07/22/25 15:43	
EPA 5030/8260	Vinyl chloride	221	ug/L	2.0	07/22/25 15:43	
SM 5310C	Total Organic Carbon	4070	ug/L	1000	07/29/25 08:26	
50407552003	**MW-418D-20250717**					
RSK 175 Modified	Ethane	108	ug/L	10.0	07/21/25 13:57	
RSK 175 Modified	Ethene	196	ug/L	10.0	07/21/25 13:57	
RSK 175 Modified	Methane	20400	ug/L	10.0	07/25/25 12:16	E,H7
EPA 6010	Iron, Dissolved	6030	ug/L	100	07/31/25 21:43	
EPA 5030/8260	cis-1,2-Dichloroethene	15.7	ug/L	5.0	07/22/25 16:04	
EPA 5030/8260	Vinyl chloride	358	ug/L	20.0	07/22/25 16:26	
SM 5310C	Total Organic Carbon	3320	ug/L	1000	07/29/25 08:46	
50407552004	**AD-500-20250717**					
EPA 300.0	Sulfate	297	ug/L	250	07/25/25 00:35	
RSK 175 Modified	Ethane	109	ug/L	10.0	07/21/25 14:13	
RSK 175 Modified	Ethene	191	ug/L	10.0	07/21/25 14:13	
RSK 175 Modified	Methane	18500	ug/L	10.0	07/25/25 12:31	
EPA 6010	Iron, Dissolved	6160	ug/L	100	07/31/25 21:45	
EPA 5030/8260	cis-1,2-Dichloroethene	14.2	ug/L	5.0	07/22/25 16:48	
EPA 5030/8260	Vinyl chloride	356	ug/L	20.0	07/22/25 17:10	
SM 5310C	Total Organic Carbon	3450	ug/L	1000	07/29/25 09:06	
50407552005	**MW-418S-20250717**					
EPA 300.0	Sulfate	1010	ug/L	250	07/25/25 01:25	
RSK 175 Modified	Ethane	450	ug/L	10.0	07/21/25 14:28	
RSK 175 Modified	Ethene	5950	ug/L	10.0	07/21/25 14:28	
RSK 175 Modified	Methane	12600	ug/L	10.0	07/25/25 12:46	
EPA 6010	Iron, Dissolved	8220	ug/L	100	07/31/25 21:47	
EPA 5030/8260	1,1-Dichloroethane	71.0	ug/L	50.0	07/22/25 18:15	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407552005	**MW-418S-20250717**					
EPA 5030/8260	cis-1,2-Dichloroethene	5090	ug/L	500	07/22/25 18:37	M1
EPA 5030/8260	Vinyl chloride	5430	ug/L	200	07/22/25 18:37	M1
SM 5310C	Total Organic Carbon	8590	ug/L	1000	07/31/25 00:18	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-402S-20250716 **Lab ID: 50407552001** Collected: 07/16/25 14:55 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**157000**	ug/L	2500	1900	10		07/24/25 21:49	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**25.4**	ug/L	10.0	1.2	1		07/21/25 13:27	74-84-0	
Ethene	**52.7**	ug/L	10.0	2.3	1		07/21/25 13:27	74-85-1	
Methane	**3060**	ug/L	10.0	2.4	1		07/25/25 11:45	74-82-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**22400**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 21:39	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	36.1	10		07/22/25 17:31	67-64-1	
Acrolein	ND	ug/L	500	73.2	10		07/22/25 17:31	107-02-8	
Acrylonitrile	ND	ug/L	1000	13.7	10		07/22/25 17:31	107-13-1	
Benzene	ND	ug/L	50.0	2.2	10		07/22/25 17:31	71-43-2	
Bromobenzene	ND	ug/L	50.0	2.6	10		07/22/25 17:31	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.3	10		07/22/25 17:31	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	3.3	10		07/22/25 17:31	75-27-4	
Bromoform	ND	ug/L	50.0	3.9	10		07/22/25 17:31	75-25-2	
Bromomethane	ND	ug/L	50.0	24.2	10		07/22/25 17:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	13.9	10		07/22/25 17:31	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.8	10		07/22/25 17:31	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.2	10		07/22/25 17:31	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	1.9	10		07/22/25 17:31	98-06-6	
Carbon disulfide	ND	ug/L	100	7.0	10		07/22/25 17:31	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	27.0	10		07/22/25 17:31	56-23-5	
Chlorobenzene	ND	ug/L	50.0	1.8	10		07/22/25 17:31	108-90-7	
Chloroethane	**263**	ug/L	50.0	13.3	10		07/23/25 10:58	75-00-3	
Chloroform	ND	ug/L	50.0	6.3	10		07/22/25 17:31	67-66-3	
Chloromethane	ND	ug/L	50.0	12.1	10		07/22/25 17:31	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	2.7	10		07/22/25 17:31	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	1.9	10		07/22/25 17:31	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	2.3	10		07/22/25 17:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.0	10		07/22/25 17:31	106-93-4	
Dibromomethane	ND	ug/L	50.0	3.1	10		07/22/25 17:31	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.3	10		07/22/25 17:31	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	1.6	10		07/22/25 17:31	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	2.5	10		07/22/25 17:31	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	14.0	10		07/22/25 17:31	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	6.2	10		07/22/25 17:31	75-71-8	
1,1-Dichloroethane	**513**	ug/L	50.0	2.7	10		07/22/25 17:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	20.0	10		07/22/25 17:31	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-402S-20250716 **Lab ID: 50407552001** Collected: 07/16/25 14:55 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	50.0	3.4	10		07/22/25 17:31	75-35-4	
cis-1,2-Dichloroethene	**7560**	ug/L	500	20.0	100		07/22/25 17:53	156-59-2	
trans-1,2-Dichloroethene	**79.4**	ug/L	50.0	2.6	10		07/22/25 17:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.5	10		07/22/25 17:31	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.3	10		07/22/25 17:31	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	2.9	10		07/22/25 17:31	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.7	10		07/22/25 17:31	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.7	10		07/22/25 17:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		07/22/25 17:31	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		07/22/25 17:31	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	3.3	10		07/22/25 17:31	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	6.1	10		07/22/25 17:31	87-68-3	
n-Hexane	ND	ug/L	50.0	18.5	10		07/22/25 17:31	110-54-3	
2-Hexanone	ND	ug/L	250	16.7	10		07/22/25 17:31	591-78-6	
Iodomethane	ND	ug/L	100	31.5	10		07/22/25 17:31	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	1.9	10		07/22/25 17:31	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	2.2	10		07/22/25 17:31	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		07/22/25 17:31	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	20.0	10		07/22/25 17:31	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	19.4	10		07/22/25 17:31	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	12.6	10		07/22/25 17:31	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	1.5	10		07/22/25 17:31	1634-04-4	
Naphthalene	ND	ug/L	12.0	10.3	10		07/22/25 17:31	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	1.9	10		07/22/25 17:31	103-65-1	
Styrene	ND	ug/L	50.0	2.2	10		07/22/25 17:31	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.7	10		07/22/25 17:31	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	2.0	10		07/22/25 17:31	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	2.1	10		07/22/25 17:31	127-18-4	
Toluene	ND	ug/L	50.0	5.0	10		07/22/25 17:31	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	7.4	10		07/22/25 17:31	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	11.0	10		07/22/25 17:31	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	2.5	10		07/22/25 17:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	3.4	10		07/22/25 17:31	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.0	10		07/22/25 17:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	4.4	10		07/22/25 17:31	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.8	10		07/22/25 17:31	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	4.3	10		07/22/25 17:31	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	2.3	10		07/22/25 17:31	108-67-8	
Vinyl acetate	ND	ug/L	500	9.7	10		07/22/25 17:31	108-05-4	
Vinyl chloride	**981**	ug/L	20.0	8.0	10		07/22/25 17:31	75-01-4	
Xylene (Total)	ND	ug/L	100	15.5	10		07/22/25 17:31	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		10		07/22/25 17:31	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		10		07/22/25 17:31	460-00-4	
Toluene-d8 (S)	97	%.	73-122		10		07/22/25 17:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-402S-20250716 **Lab ID: 50407552001** Collected: 07/16/25 14:55 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/18/25 11:47		1d
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/18/25 11:47	14797-55-8	1d
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**8040**	ug/L	7000	2100	7		07/29/25 17:09	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-402D-20250716 **Lab ID: 50407552002** Collected: 07/16/25 16:37 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**58100**	ug/L	2500	1900	10		07/24/25 22:39	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**29.2**	ug/L	10.0	1.2	1		07/21/25 13:42	74-84-0	
Ethene	**43.4**	ug/L	10.0	2.3	1		07/21/25 13:42	74-85-1	
Methane	**3790**	ug/L	10.0	2.4	1		07/25/25 12:00	74-82-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**4560**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 21:41	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.6	1		07/22/25 15:43	67-64-1	
Acrolein	ND	ug/L	50.0	7.3	1		07/22/25 15:43	107-02-8	
Acrylonitrile	ND	ug/L	100	1.4	1		07/22/25 15:43	107-13-1	
Benzene	ND	ug/L	5.0	0.22	1		07/22/25 15:43	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.26	1		07/22/25 15:43	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		07/22/25 15:43	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.33	1		07/22/25 15:43	75-27-4	
Bromoform	ND	ug/L	5.0	0.39	1		07/22/25 15:43	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		07/22/25 15:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		07/22/25 15:43	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/22/25 15:43	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		07/22/25 15:43	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.19	1		07/22/25 15:43	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		07/22/25 15:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	2.7	1		07/22/25 15:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.18	1		07/22/25 15:43	108-90-7	
Chloroethane	**7.6**	ug/L	5.0	1.3	1		07/23/25 11:20	75-00-3	
Chloroform	ND	ug/L	5.0	0.63	1		07/22/25 15:43	67-66-3	
Chloromethane	ND	ug/L	5.0	1.2	1		07/22/25 15:43	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.27	1		07/22/25 15:43	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.19	1		07/22/25 15:43	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.23	1		07/22/25 15:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.30	1		07/22/25 15:43	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.31	1		07/22/25 15:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/22/25 15:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.16	1		07/22/25 15:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.25	1		07/22/25 15:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.4	1		07/22/25 15:43	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.62	1		07/22/25 15:43	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.27	1		07/22/25 15:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	2.0	1		07/22/25 15:43	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-402D-20250716 **Lab ID: 50407552002** Collected: 07/16/25 16:37 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.34	1		07/22/25 15:43	75-35-4	
cis-1,2-Dichloroethene	**12.4**	ug/L	5.0	0.20	1		07/22/25 15:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.26	1		07/22/25 15:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.25	1		07/22/25 15:43	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.23	1		07/22/25 15:43	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/22/25 15:43	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.27	1		07/22/25 15:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.27	1		07/22/25 15:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		07/22/25 15:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		07/22/25 15:43	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.33	1		07/22/25 15:43	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.61	1		07/22/25 15:43	87-68-3	
n-Hexane	ND	ug/L	5.0	1.8	1		07/22/25 15:43	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.7	1		07/22/25 15:43	591-78-6	
Iodomethane	ND	ug/L	10.0	3.2	1		07/22/25 15:43	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.19	1		07/22/25 15:43	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.22	1		07/22/25 15:43	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/22/25 15:43	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.0	1		07/22/25 15:43	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.9	1		07/22/25 15:43	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		07/22/25 15:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		07/22/25 15:43	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.0	1		07/22/25 15:43	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.19	1		07/22/25 15:43	103-65-1	
Styrene	ND	ug/L	5.0	0.22	1		07/22/25 15:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.27	1		07/22/25 15:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		07/22/25 15:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.21	1		07/22/25 15:43	127-18-4	
Toluene	ND	ug/L	5.0	0.50	1		07/22/25 15:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.74	1		07/22/25 15:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/22/25 15:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.25	1		07/22/25 15:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.34	1		07/22/25 15:43	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.30	1		07/22/25 15:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.44	1		07/22/25 15:43	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.58	1		07/22/25 15:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.43	1		07/22/25 15:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.23	1		07/22/25 15:43	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.97	1		07/22/25 15:43	108-05-4	
Vinyl chloride	**221**	ug/L	2.0	0.80	1		07/22/25 15:43	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/22/25 15:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		07/22/25 15:43	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		07/22/25 15:43	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		07/22/25 15:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-402D-20250716 **Lab ID: 50407552002** Collected: 07/16/25 16:37 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/18/25 11:49		1d
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/18/25 11:49	14797-55-8	1d
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4070**	ug/L	1000	300	1		07/29/25 08:26	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-418D-20250717 **Lab ID: 50407552003** Collected: 07/17/25 09:40 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	ND	ug/L	250	190	1		07/24/25 23:12	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**108**	ug/L	10.0	1.2	1		07/21/25 13:57	74-84-0	
Ethene	**196**	ug/L	10.0	2.3	1		07/21/25 13:57	74-85-1	
Methane	**20400**	ug/L	10.0	2.4	1		07/25/25 12:16	74-82-8	E,H7
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**6030**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 21:43	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.6	1		07/22/25 16:04	67-64-1	
Acrolein	ND	ug/L	50.0	7.3	1		07/22/25 16:04	107-02-8	
Acrylonitrile	ND	ug/L	100	1.4	1		07/22/25 16:04	107-13-1	
Benzene	ND	ug/L	5.0	0.22	1		07/22/25 16:04	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.26	1		07/22/25 16:04	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		07/22/25 16:04	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.33	1		07/22/25 16:04	75-27-4	
Bromoform	ND	ug/L	5.0	0.39	1		07/22/25 16:04	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		07/22/25 16:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		07/22/25 16:04	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/22/25 16:04	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		07/22/25 16:04	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.19	1		07/22/25 16:04	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		07/22/25 16:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	2.7	1		07/22/25 16:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.18	1		07/22/25 16:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1.3	1		07/22/25 16:04	75-00-3	
Chloroform	ND	ug/L	5.0	0.63	1		07/22/25 16:04	67-66-3	
Chloromethane	ND	ug/L	5.0	1.2	1		07/22/25 16:04	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.27	1		07/22/25 16:04	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.19	1		07/22/25 16:04	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.23	1		07/22/25 16:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.30	1		07/22/25 16:04	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.31	1		07/22/25 16:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/22/25 16:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.16	1		07/22/25 16:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.25	1		07/22/25 16:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.4	1		07/22/25 16:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.62	1		07/22/25 16:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.27	1		07/22/25 16:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	2.0	1		07/22/25 16:04	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-418D-20250717 **Lab ID: 50407552003** Collected: 07/17/25 09:40 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.34	1		07/22/25 16:04	75-35-4	
cis-1,2-Dichloroethene	**15.7**	ug/L	5.0	0.20	1		07/22/25 16:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.26	1		07/22/25 16:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.25	1		07/22/25 16:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.23	1		07/22/25 16:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/22/25 16:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.27	1		07/22/25 16:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.27	1		07/22/25 16:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		07/22/25 16:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		07/22/25 16:04	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.33	1		07/22/25 16:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.61	1		07/22/25 16:04	87-68-3	
n-Hexane	ND	ug/L	5.0	1.8	1		07/22/25 16:04	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.7	1		07/22/25 16:04	591-78-6	
Iodomethane	ND	ug/L	10.0	3.2	1		07/22/25 16:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.19	1		07/22/25 16:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.22	1		07/22/25 16:04	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/22/25 16:04	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.0	1		07/22/25 16:04	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.9	1		07/22/25 16:04	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		07/22/25 16:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		07/22/25 16:04	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.0	1		07/22/25 16:04	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.19	1		07/22/25 16:04	103-65-1	
Styrene	ND	ug/L	5.0	0.22	1		07/22/25 16:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.27	1		07/22/25 16:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		07/22/25 16:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.21	1		07/22/25 16:04	127-18-4	
Toluene	ND	ug/L	5.0	0.50	1		07/22/25 16:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.74	1		07/22/25 16:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/22/25 16:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.25	1		07/22/25 16:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.34	1		07/22/25 16:04	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.30	1		07/22/25 16:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.44	1		07/22/25 16:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.58	1		07/22/25 16:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.43	1		07/22/25 16:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.23	1		07/22/25 16:04	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.97	1		07/22/25 16:04	108-05-4	
Vinyl chloride	**358**	ug/L	20.0	8.0	10		07/22/25 16:26	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/22/25 16:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		07/22/25 16:04	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		07/22/25 16:04	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		07/22/25 16:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-418D-20250717 **Lab ID: 50407552003** Collected: 07/17/25 09:40 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/18/25 11:51		1d
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/18/25 11:51	14797-55-8	1d
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3320**	ug/L	1000	300	1		07/29/25 08:46	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: AD-500-20250717 **Lab ID: 50407552004** Collected: 07/17/25 12:00 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**297**	ug/L	250	190	1		07/25/25 00:35	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**109**	ug/L	10.0	1.2	1		07/21/25 14:13	74-84-0	
Ethene	**191**	ug/L	10.0	2.3	1		07/21/25 14:13	74-85-1	
Methane	**18500**	ug/L	10.0	2.4	1		07/25/25 12:31	74-82-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**6160**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 21:45	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.6	1		07/22/25 16:48	67-64-1	
Acrolein	ND	ug/L	50.0	7.3	1		07/22/25 16:48	107-02-8	
Acrylonitrile	ND	ug/L	100	1.4	1		07/22/25 16:48	107-13-1	
Benzene	ND	ug/L	5.0	0.22	1		07/22/25 16:48	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.26	1		07/22/25 16:48	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		07/22/25 16:48	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.33	1		07/22/25 16:48	75-27-4	
Bromoform	ND	ug/L	5.0	0.39	1		07/22/25 16:48	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		07/22/25 16:48	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		07/22/25 16:48	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/22/25 16:48	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		07/22/25 16:48	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.19	1		07/22/25 16:48	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		07/22/25 16:48	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	2.7	1		07/22/25 16:48	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.18	1		07/22/25 16:48	108-90-7	
Chloroethane	ND	ug/L	5.0	1.3	1		07/22/25 16:48	75-00-3	
Chloroform	ND	ug/L	5.0	0.63	1		07/22/25 16:48	67-66-3	
Chloromethane	ND	ug/L	5.0	1.2	1		07/22/25 16:48	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.27	1		07/22/25 16:48	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.19	1		07/22/25 16:48	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.23	1		07/22/25 16:48	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.30	1		07/22/25 16:48	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.31	1		07/22/25 16:48	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/22/25 16:48	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.16	1		07/22/25 16:48	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.25	1		07/22/25 16:48	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.4	1		07/22/25 16:48	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.62	1		07/22/25 16:48	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.27	1		07/22/25 16:48	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	2.0	1		07/22/25 16:48	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: AD-500-20250717 **Lab ID: 50407552004** Collected: 07/17/25 12:00 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.34	1		07/22/25 16:48	75-35-4	
cis-1,2-Dichloroethene	**14.2**	ug/L	5.0	0.20	1		07/22/25 16:48	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.26	1		07/22/25 16:48	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.25	1		07/22/25 16:48	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.23	1		07/22/25 16:48	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/22/25 16:48	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.27	1		07/22/25 16:48	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.27	1		07/22/25 16:48	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		07/22/25 16:48	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		07/22/25 16:48	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.33	1		07/22/25 16:48	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.61	1		07/22/25 16:48	87-68-3	
n-Hexane	ND	ug/L	5.0	1.8	1		07/22/25 16:48	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.7	1		07/22/25 16:48	591-78-6	
Iodomethane	ND	ug/L	10.0	3.2	1		07/22/25 16:48	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.19	1		07/22/25 16:48	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.22	1		07/22/25 16:48	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/22/25 16:48	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.0	1		07/22/25 16:48	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.9	1		07/22/25 16:48	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		07/22/25 16:48	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		07/22/25 16:48	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.0	1		07/22/25 16:48	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.19	1		07/22/25 16:48	103-65-1	
Styrene	ND	ug/L	5.0	0.22	1		07/22/25 16:48	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.27	1		07/22/25 16:48	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		07/22/25 16:48	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.21	1		07/22/25 16:48	127-18-4	
Toluene	ND	ug/L	5.0	0.50	1		07/22/25 16:48	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.74	1		07/22/25 16:48	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/22/25 16:48	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.25	1		07/22/25 16:48	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.34	1		07/22/25 16:48	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.30	1		07/22/25 16:48	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.44	1		07/22/25 16:48	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.58	1		07/22/25 16:48	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.43	1		07/22/25 16:48	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.23	1		07/22/25 16:48	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.97	1		07/22/25 16:48	108-05-4	
Vinyl chloride	**356**	ug/L	20.0	8.0	10		07/22/25 17:10	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/22/25 16:48	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		1		07/22/25 16:48	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		07/22/25 16:48	460-00-4	
Toluene-d8 (S)	98	%.	73-122		1		07/22/25 16:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: AD-500-20250717 **Lab ID: 50407552004** Collected: 07/17/25 12:00 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/18/25 12:02		1d
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/18/25 12:02	14797-55-8	1d
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3450**	ug/L	1000	300	1		07/29/25 09:06	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-418S-20250717 **Lab ID: 50407552005** Collected: 07/17/25 11:16 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**1010**	ug/L	250	190	1		07/25/25 01:25	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**450**	ug/L	10.0	1.2	1		07/21/25 14:28	74-84-0	
Ethene	**5950**	ug/L	10.0	2.3	1		07/21/25 14:28	74-85-1	
Methane	**12600**	ug/L	10.0	2.4	1		07/25/25 12:46	74-82-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**8220**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 21:47	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	36.1	10		07/22/25 18:15	67-64-1	
Acrolein	ND	ug/L	500	73.2	10		07/22/25 18:15	107-02-8	
Acrylonitrile	ND	ug/L	1000	13.7	10		07/22/25 18:15	107-13-1	
Benzene	ND	ug/L	50.0	2.2	10		07/22/25 18:15	71-43-2	
Bromobenzene	ND	ug/L	50.0	2.6	10		07/22/25 18:15	108-86-1	
Bromochloromethane	ND	ug/L	50.0	3.3	10		07/22/25 18:15	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	3.3	10		07/22/25 18:15	75-27-4	
Bromoform	ND	ug/L	50.0	3.9	10		07/22/25 18:15	75-25-2	
Bromomethane	ND	ug/L	50.0	24.2	10		07/22/25 18:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	13.9	10		07/22/25 18:15	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.8	10		07/22/25 18:15	104-51-8	R1
sec-Butylbenzene	ND	ug/L	50.0	2.2	10		07/22/25 18:15	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	1.9	10		07/22/25 18:15	98-06-6	
Carbon disulfide	ND	ug/L	100	7.0	10		07/22/25 18:15	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	27.0	10		07/22/25 18:15	56-23-5	
Chlorobenzene	ND	ug/L	50.0	1.8	10		07/22/25 18:15	108-90-7	
Chloroethane	ND	ug/L	50.0	13.3	10		07/22/25 18:15	75-00-3	
Chloroform	ND	ug/L	50.0	6.3	10		07/22/25 18:15	67-66-3	
Chloromethane	ND	ug/L	50.0	12.1	10		07/22/25 18:15	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	2.7	10		07/22/25 18:15	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	1.9	10		07/22/25 18:15	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	2.3	10		07/22/25 18:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.0	10		07/22/25 18:15	106-93-4	
Dibromomethane	ND	ug/L	50.0	3.1	10		07/22/25 18:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	4.3	10		07/22/25 18:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	1.6	10		07/22/25 18:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	2.5	10		07/22/25 18:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	14.0	10		07/22/25 18:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	6.2	10		07/22/25 18:15	75-71-8	
1,1-Dichloroethane	**71.0**	ug/L	50.0	2.7	10		07/22/25 18:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	20.0	10		07/22/25 18:15	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-418S-20250717 **Lab ID: 50407552005** Collected: 07/17/25 11:16 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	50.0	3.4	10		07/22/25 18:15	75-35-4	
cis-1,2-Dichloroethene	**5090**	ug/L	500	20.0	100		07/22/25 18:37	156-59-2	M1
trans-1,2-Dichloroethene	ND	ug/L	50.0	2.6	10		07/22/25 18:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.5	10		07/22/25 18:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.3	10		07/22/25 18:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	2.9	10		07/22/25 18:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.7	10		07/22/25 18:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.7	10		07/22/25 18:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	2.9	10		07/22/25 18:15	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	4.6	10		07/22/25 18:15	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	3.3	10		07/22/25 18:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	6.1	10		07/22/25 18:15	87-68-3	R1
n-Hexane	ND	ug/L	50.0	18.5	10		07/22/25 18:15	110-54-3	
2-Hexanone	ND	ug/L	250	16.7	10		07/22/25 18:15	591-78-6	
Iodomethane	ND	ug/L	100	31.5	10		07/22/25 18:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	1.9	10		07/22/25 18:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	2.2	10		07/22/25 18:15	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		07/22/25 18:15	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	20.0	10		07/22/25 18:15	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	19.4	10		07/22/25 18:15	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	12.6	10		07/22/25 18:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	1.5	10		07/22/25 18:15	1634-04-4	
Naphthalene	ND	ug/L	12.0	10.3	10		07/22/25 18:15	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	1.9	10		07/22/25 18:15	103-65-1	
Styrene	ND	ug/L	50.0	2.2	10		07/22/25 18:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	2.7	10		07/22/25 18:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	2.0	10		07/22/25 18:15	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	2.1	10		07/22/25 18:15	127-18-4	
Toluene	ND	ug/L	50.0	5.0	10		07/22/25 18:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	7.4	10		07/22/25 18:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	11.0	10		07/22/25 18:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	2.5	10		07/22/25 18:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	3.4	10		07/22/25 18:15	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.0	10		07/22/25 18:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	4.4	10		07/22/25 18:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	5.8	10		07/22/25 18:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	4.3	10		07/22/25 18:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	2.3	10		07/22/25 18:15	108-67-8	
Vinyl acetate	ND	ug/L	500	9.7	10		07/22/25 18:15	108-05-4	
Vinyl chloride	**5430**	ug/L	200	79.7	100		07/22/25 18:37	75-01-4	M1
Xylene (Total)	ND	ug/L	100	15.5	10		07/22/25 18:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	117	%.	82-128		10		07/22/25 18:15	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		10		07/22/25 18:15	460-00-4	
Toluene-d8 (S)	99	%.	73-122		10		07/22/25 18:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: MW-418S-20250717 **Lab ID: 50407552005** Collected: 07/17/25 11:16 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/18/25 11:53		1d
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/18/25 11:53	14797-55-8	1d
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**8590**	ug/L	1000	300	1		07/31/25 00:18	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: TRIP BLANK-20250717 **Lab ID: 50407552006** Collected: 07/17/25 12:00 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	3.6	1		07/22/25 15:21	67-64-1	
Acrolein	ND	ug/L	50.0	7.3	1		07/22/25 15:21	107-02-8	
Acrylonitrile	ND	ug/L	100	1.4	1		07/22/25 15:21	107-13-1	
Benzene	ND	ug/L	5.0	0.22	1		07/22/25 15:21	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.26	1		07/22/25 15:21	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.33	1		07/22/25 15:21	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.33	1		07/22/25 15:21	75-27-4	
Bromoform	ND	ug/L	5.0	0.39	1		07/22/25 15:21	75-25-2	
Bromomethane	ND	ug/L	5.0	2.4	1		07/22/25 15:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.4	1		07/22/25 15:21	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.38	1		07/22/25 15:21	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		07/22/25 15:21	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.19	1		07/22/25 15:21	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.70	1		07/22/25 15:21	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	2.7	1		07/22/25 15:21	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.18	1		07/22/25 15:21	108-90-7	
Chloroethane	ND	ug/L	5.0	1.3	1		07/22/25 15:21	75-00-3	
Chloroform	ND	ug/L	5.0	0.63	1		07/22/25 15:21	67-66-3	
Chloromethane	ND	ug/L	5.0	1.2	1		07/22/25 15:21	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.27	1		07/22/25 15:21	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.19	1		07/22/25 15:21	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.23	1		07/22/25 15:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.30	1		07/22/25 15:21	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.31	1		07/22/25 15:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.43	1		07/22/25 15:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.16	1		07/22/25 15:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.25	1		07/22/25 15:21	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.4	1		07/22/25 15:21	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.62	1		07/22/25 15:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.27	1		07/22/25 15:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	2.0	1		07/22/25 15:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.34	1		07/22/25 15:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.20	1		07/22/25 15:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.26	1		07/22/25 15:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.25	1		07/22/25 15:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.23	1		07/22/25 15:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		07/22/25 15:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.27	1		07/22/25 15:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.27	1		07/22/25 15:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.29	1		07/22/25 15:21	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.46	1		07/22/25 15:21	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.33	1		07/22/25 15:21	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.61	1		07/22/25 15:21	87-68-3	
n-Hexane	ND	ug/L	5.0	1.8	1		07/22/25 15:21	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.7	1		07/22/25 15:21	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Sample: TRIP BLANK-20250717 **Lab ID: 50407552006** Collected: 07/17/25 12:00 Received: 07/17/25 16:00 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	3.2	1		07/22/25 15:21	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.19	1		07/22/25 15:21	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.22	1		07/22/25 15:21	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		07/22/25 15:21	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	2.0	1		07/22/25 15:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.9	1		07/22/25 15:21	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		07/22/25 15:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.15	1		07/22/25 15:21	1634-04-4	
Naphthalene	ND	ug/L	1.2	1.0	1		07/22/25 15:21	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.19	1		07/22/25 15:21	103-65-1	
Styrene	ND	ug/L	5.0	0.22	1		07/22/25 15:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.27	1		07/22/25 15:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.20	1		07/22/25 15:21	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.21	1		07/22/25 15:21	127-18-4	
Toluene	ND	ug/L	5.0	0.50	1		07/22/25 15:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.74	1		07/22/25 15:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	1.1	1		07/22/25 15:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.25	1		07/22/25 15:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.34	1		07/22/25 15:21	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.30	1		07/22/25 15:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.44	1		07/22/25 15:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.58	1		07/22/25 15:21	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.43	1		07/22/25 15:21	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.23	1		07/22/25 15:21	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.97	1		07/22/25 15:21	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.80	1		07/22/25 15:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		07/22/25 15:21	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		07/22/25 15:21	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		07/22/25 15:21	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		07/22/25 15:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

QC Batch: 854643 | Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0 | Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005

METHOD BLANK: 3914749 Matrix: Water
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	07/24/25 14:19	

LABORATORY CONTROL SAMPLE: 3914750

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4770	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3914751 3914752

Parameter	Units	50407470001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	11.8 mg/L	5000	5000	16400	16700	92	98	80-120	2	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3914753 3914754

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	1010	5000	5000	5940	5830	99	96	80-120	2	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

QC Batch: 855096
QC Batch Method: RSK 175 Modified
Analysis Method: RSK 175 Modified
Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005

METHOD BLANK: 3917183 Matrix: Water
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.2	07/21/25 09:21	
Ethene	ug/L	ND	10.0	2.3	07/21/25 09:21	
Methane	ug/L	ND	10.0	2.4	07/25/25 09:21	

LABORATORY CONTROL SAMPLE: 3917184

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	2060	104	75-137	
Ethene	ug/L	2250	2280	101	82-133	
Methane	ug/L	1980	2150	109	57-141	

SAMPLE DUPLICATE: 3920538

Parameter	Units	50407559038 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	10.3	420	190	20	D6
Ethene	ug/L	23.0	5640	198	20	D6
Methane	ug/L	17400	10400	51	20	D6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

QC Batch: 855990
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005

METHOD BLANK: 3921148 Matrix: Water
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	07/31/25 21:34	

LABORATORY CONTROL SAMPLE: 3921149

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9950	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3921150 3921151

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	8220	10000	10000	18000	17700	98	94	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

QC Batch: 854516 | Analysis Method: EPA 5030/8260
QC Batch Method: EPA 5030/8260 | Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005, 50407552006

METHOD BLANK: 3914236 Matrix: Water
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005, 50407552006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.27	07/22/25 09:12	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.25	07/22/25 09:12	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.20	07/22/25 09:12	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.34	07/22/25 09:12	
1,1-Dichloroethane	ug/L	ND	5.0	0.27	07/22/25 09:12	
1,1-Dichloroethene	ug/L	ND	5.0	0.34	07/22/25 09:12	
1,1-Dichloropropene	ug/L	ND	5.0	0.27	07/22/25 09:12	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.74	07/22/25 09:12	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.58	07/22/25 09:12	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	1.1	07/22/25 09:12	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.43	07/22/25 09:12	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.30	07/22/25 09:12	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.43	07/22/25 09:12	
1,2-Dichloroethane	ug/L	ND	5.0	2.0	07/22/25 09:12	
1,2-Dichloropropane	ug/L	ND	5.0	0.25	07/22/25 09:12	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.23	07/22/25 09:12	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.16	07/22/25 09:12	
1,3-Dichloropropane	ug/L	ND	5.0	0.23	07/22/25 09:12	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.25	07/22/25 09:12	
1-Methylnaphthalene	ug/L	ND	10.0	2.0	07/22/25 09:12	
2,2-Dichloropropane	ug/L	ND	5.0	0.29	07/22/25 09:12	
2-Butanone (MEK)	ug/L	ND	25.0	1.4	07/22/25 09:12	
2-Chlorotoluene	ug/L	ND	5.0	0.27	07/22/25 09:12	
2-Hexanone	ug/L	ND	25.0	1.7	07/22/25 09:12	
2-Methylnaphthalene	ug/L	ND	10.0	1.9	07/22/25 09:12	
4-Chlorotoluene	ug/L	ND	5.0	0.19	07/22/25 09:12	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.3	07/22/25 09:12	
Acetone	ug/L	ND	100	3.6	07/22/25 09:12	
Acrolein	ug/L	ND	50.0	7.3	07/22/25 09:12	
Acrylonitrile	ug/L	ND	100	1.4	07/22/25 09:12	
Benzene	ug/L	ND	5.0	0.22	07/22/25 09:12	
Bromobenzene	ug/L	ND	5.0	0.26	07/22/25 09:12	
Bromochloromethane	ug/L	ND	5.0	0.33	07/22/25 09:12	
Bromodichloromethane	ug/L	ND	5.0	0.33	07/22/25 09:12	
Bromoform	ug/L	ND	5.0	0.39	07/22/25 09:12	
Bromomethane	ug/L	ND	5.0	2.4	07/22/25 09:12	
Carbon disulfide	ug/L	ND	10.0	0.70	07/22/25 09:12	
Carbon tetrachloride	ug/L	ND	5.0	2.7	07/22/25 09:12	
Chlorobenzene	ug/L	ND	5.0	0.18	07/22/25 09:12	
Chloroethane	ug/L	ND	5.0	1.3	07/22/25 09:12	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

METHOD BLANK: 3914236 Matrix: Water
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005, 50407552006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.63	07/22/25 09:12	
Chloromethane	ug/L	ND	5.0	1.2	07/22/25 09:12	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.20	07/22/25 09:12	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.27	07/22/25 09:12	
Dibromochloromethane	ug/L	ND	5.0	0.23	07/22/25 09:12	
Dibromomethane	ug/L	ND	5.0	0.31	07/22/25 09:12	
Dichlorodifluoromethane	ug/L	ND	5.0	0.62	07/22/25 09:12	
Ethyl methacrylate	ug/L	ND	100	0.33	07/22/25 09:12	
Ethylbenzene	ug/L	ND	5.0	0.46	07/22/25 09:12	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.61	07/22/25 09:12	
Iodomethane	ug/L	ND	10.0	3.2	07/22/25 09:12	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.19	07/22/25 09:12	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.15	07/22/25 09:12	
Methylene Chloride	ug/L	ND	5.0	5.0	07/22/25 09:12	
n-Butylbenzene	ug/L	ND	5.0	0.38	07/22/25 09:12	
n-Hexane	ug/L	ND	5.0	1.8	07/22/25 09:12	
n-Propylbenzene	ug/L	ND	5.0	0.19	07/22/25 09:12	
Naphthalene	ug/L	ND	1.2	1.0	07/22/25 09:12	
p-Isopropyltoluene	ug/L	ND	5.0	0.22	07/22/25 09:12	
sec-Butylbenzene	ug/L	ND	5.0	0.22	07/22/25 09:12	
Styrene	ug/L	ND	5.0	0.22	07/22/25 09:12	
tert-Butylbenzene	ug/L	ND	5.0	0.19	07/22/25 09:12	
Tetrachloroethene	ug/L	ND	5.0	0.21	07/22/25 09:12	
Toluene	ug/L	ND	5.0	0.50	07/22/25 09:12	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.26	07/22/25 09:12	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.29	07/22/25 09:12	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.4	07/22/25 09:12	
Trichloroethene	ug/L	ND	5.0	0.30	07/22/25 09:12	
Trichlorofluoromethane	ug/L	ND	5.0	0.44	07/22/25 09:12	
Vinyl acetate	ug/L	ND	50.0	0.97	07/22/25 09:12	
Vinyl chloride	ug/L	ND	2.0	0.80	07/22/25 09:12	
Xylene (Total)	ug/L	ND	10.0	1.6	07/22/25 09:12	
4-Bromofluorobenzene (S)	%.	99	79-124		07/22/25 09:12	
Dibromofluoromethane (S)	%.	109	82-128		07/22/25 09:12	
Toluene-d8 (S)	%.	99	73-122		07/22/25 09:12	

LABORATORY CONTROL SAMPLE: 3914237

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	49.3	99	78-129	
1,1,1-Trichloroethane	ug/L	50	48.1	96	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	42.5	85	69-126	
1,1,2-Trichloroethane	ug/L	50	44.5	89	77-125	
1,1-Dichloroethane	ug/L	50	40.4	81	75-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

LABORATORY CONTROL SAMPLE: 3914237

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	42.9	86	59-128	
1,1-Dichloropropene	ug/L	50	43.6	87	79-135	
1,2,3-Trichlorobenzene	ug/L	50	51.8	104	69-144	
1,2,3-Trichloropropane	ug/L	50	44.1	88	75-128	
1,2,4-Trichlorobenzene	ug/L	50	50.5	101	67-139	
1,2,4-Trimethylbenzene	ug/L	50	48.0	96	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	49.0	98	78-125	
1,2-Dichlorobenzene	ug/L	50	48.0	96	79-120	
1,2-Dichloroethane	ug/L	50	43.7	87	61-127	
1,2-Dichloropropane	ug/L	50	40.9	82	75-124	
1,3,5-Trimethylbenzene	ug/L	50	47.9	96	71-122	
1,3-Dichlorobenzene	ug/L	50	47.8	96	78-120	
1,3-Dichloropropane	ug/L	50	44.2	88	76-123	
1,4-Dichlorobenzene	ug/L	50	48.5	97	80-119	
1-Methylnaphthalene	ug/L	50	50.9	102	28-200	
2,2-Dichloropropane	ug/L	50	48.1	96	50-147	
2-Butanone (MEK)	ug/L	250	199	79	64-136	
2-Chlorotoluene	ug/L	50	46.0	92	74-119	
2-Hexanone	ug/L	250	222	89	59-134	
2-Methylnaphthalene	ug/L	50	47.7	95	23-200	
4-Chlorotoluene	ug/L	50	46.3	93	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	213	85	62-133	
Acetone	ug/L	250	178	71	34-156	
Acrolein	ug/L	1000	1120	112	46-156	
Acrylonitrile	ug/L	250	208	83	67-146	
Benzene	ug/L	50	40.9	82	76-120	
Bromobenzene	ug/L	50	43.9	88	73-121	
Bromochloromethane	ug/L	50	39.1	78	69-120	
Bromodichloromethane	ug/L	50	45.0	90	79-127	
Bromoform	ug/L	50	48.6	97	76-135	
Bromomethane	ug/L	50	59.8	120	10-181	
Carbon disulfide	ug/L	50	45.1	90	63-133	
Carbon tetrachloride	ug/L	50	49.4	99	70-131	
Chlorobenzene	ug/L	50	44.5	89	77-118	
Chloroethane	ug/L	50	64.3	129	31-159	
Chloroform	ug/L	50	43.7	87	74-122	
Chloromethane	ug/L	50	48.0	96	38-151	
cis-1,2-Dichloroethene	ug/L	50	41.7	83	78-121	
cis-1,3-Dichloropropene	ug/L	50	46.2	92	75-136	
Dibromochloromethane	ug/L	50	48.9	98	80-132	
Dibromomethane	ug/L	50	44.2	88	78-122	
Dichlorodifluoromethane	ug/L	50	57.7	115	10-172	
Ethyl methacrylate	ug/L	50	43.4J	87	72-147	
Ethylbenzene	ug/L	50	46.5	93	76-124	
Hexachloro-1,3-butadiene	ug/L	50	54.4	109	70-135	
Iodomethane	ug/L	50	31.1	62	10-143	
Isopropylbenzene (Cumene)	ug/L	50	47.7	95	66-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

LABORATORY CONTROL SAMPLE: 3914237

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	42.8	86	74-124	
Methylene Chloride	ug/L	50	36.7	73	64-134	
n-Butylbenzene	ug/L	50	49.3	99	69-130	
n-Hexane	ug/L	50	44.2	88	51-127	
n-Propylbenzene	ug/L	50	46.3	93	67-127	
Naphthalene	ug/L	50	50.2	100	66-143	
p-Isopropyltoluene	ug/L	50	49.3	99	75-125	
sec-Butylbenzene	ug/L	50	48.0	96	71-126	
Styrene	ug/L	50	46.2	92	79-125	
tert-Butylbenzene	ug/L	50	47.9	96	73-125	
Tetrachloroethene	ug/L	50	51.2	102	71-122	
Toluene	ug/L	50	43.6	87	72-117	
trans-1,2-Dichloroethene	ug/L	50	42.8	86	74-121	
trans-1,3-Dichloropropene	ug/L	50	47.0	94	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	45.4J	91	57-137	
Trichloroethene	ug/L	50	43.6	87	75-124	
Trichlorofluoromethane	ug/L	50	60.8	122	55-142	
Vinyl acetate	ug/L	200	341	170	66-193	
Vinyl chloride	ug/L	50	55.9	112	50-150	
Xylene (Total)	ug/L	100	92.7	93	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			102	82-128	
Toluene-d8 (S)	%.			105	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3914238 3914239

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	500	500	468	482	94	96	50-147	3	20	
1,1,1-Trichloroethane	ug/L	ND	500	500	461	483	92	97	50-149	5	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	500	500	399	401	80	80	48-139	0	20	
1,1,2-Trichloroethane	ug/L	ND	500	500	421	432	84	86	51-143	3	20	
1,1-Dichloroethane	ug/L	71.0	500	500	467	476	79	81	49-144	2	20	
1,1-Dichloroethene	ug/L	ND	500	500	437	453	83	86	45-146	4	20	
1,1-Dichloropropene	ug/L	ND	500	500	456	483	91	97	55-157	6	20	
1,2,3-Trichlorobenzene	ug/L	ND	500	500	409	434	82	87	30-155	6	20	
1,2,3-Trichloropropane	ug/L	ND	500	500	421	418	84	84	47-146	1	20	
1,2,4-Trichlorobenzene	ug/L	ND	500	500	359	399	72	80	25-148	11	20	
1,2,4-Trimethylbenzene	ug/L	ND	500	500	359	423	72	85	37-139	16	20	
1,2-Dibromoethane (EDB)	ug/L	ND	500	500	462	481	92	96	56-140	4	20	
1,2-Dichlorobenzene	ug/L	ND	500	500	384	430	77	86	43-139	11	20	
1,2-Dichloroethane	ug/L	ND	500	500	441	449	88	90	45-143	2	20	
1,2-Dichloropropane	ug/L	ND	500	500	387	413	77	83	53-144	7	20	
1,3,5-Trimethylbenzene	ug/L	ND	500	500	363	424	73	85	35-141	16	20	
1,3-Dichlorobenzene	ug/L	ND	500	500	368	404	74	81	39-138	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3914238 3914239

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,3-Dichloropropane	ug/L	ND	500	500	396	440	79	88	52-140	11	20	
1,4-Dichlorobenzene	ug/L	ND	500	500	386	433	77	87	38-140	11	20	
1-Methylnaphthalene	ug/L	ND	500	500	428	463	86	93	12-185	8	20	
2,2-Dichloropropane	ug/L	ND	500	500	466	494	93	99	27-149	6	20	
2-Butanone (MEK)	ug/L	ND	2500	2500	1770	1890	71	76	38-153	7	20	
2-Chlorotoluene	ug/L	ND	500	500	362	417	72	83	37-141	14	20	
2-Hexanone	ug/L	ND	2500	2500	1890	1960	76	78	39-143	3	20	
2-Methylnaphthalene	ug/L	ND	500	500	357	389	71	78	10-189	9	20	
4-Chlorotoluene	ug/L	ND	500	500	367	421	73	84	36-142	13	20	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	2500	2500	2010	1970	80	79	42-142	2	20	
Acetone	ug/L	ND	2500	2500	1740	1830	69	73	32-141	5	20	
Acrolein	ug/L	ND	10000	10000	8620	8980	86	90	26-153	4	20	
Acrylonitrile	ug/L	ND	2500	2500	2000	2030	80	81	48-148	2	20	
Benzene	ug/L	ND	500	500	402	417	80	83	50-143	4	20	
Bromobenzene	ug/L	ND	500	500	392	423	78	85	46-136	8	20	
Bromochloromethane	ug/L	ND	500	500	372	384	74	77	48-139	3	20	
Bromodichloromethane	ug/L	ND	500	500	430	439	86	88	50-149	2	20	
Bromoform	ug/L	ND	500	500	447	469	89	94	44-150	5	20	
Bromomethane	ug/L	ND	500	500	515	544	103	109	10-177	6	20	
Carbon disulfide	ug/L	ND	500	500	390	418	78	84	47-142	7	20	
Carbon tetrachloride	ug/L	ND	500	500	464	498	93	100	46-155	7	20	
Chlorobenzene	ug/L	ND	500	500	400	437	80	87	52-136	9	20	
Chloroethane	ug/L	ND	500	500	602	620	111	115	26-171	3	20	
Chloroform	ug/L	ND	500	500	442	458	88	92	53-143	4	20	
Chloromethane	ug/L	ND	500	500	374	423	75	85	30-162	12	20	
cis-1,2-Dichloroethene	ug/L	5090	500	500	5120	5220	5	27	49-147	2	20	E,M1
cis-1,3-Dichloropropene	ug/L	ND	500	500	422	428	84	86	48-146	1	20	
Dibromochloromethane	ug/L	ND	500	500	466	476	93	95	52-149	2	20	
Dibromomethane	ug/L	ND	500	500	439	451	88	90	50-144	3	20	
Dichlorodifluoromethane	ug/L	ND	500	500	236	263	47	53	10-190	11	20	
Ethyl methacrylate	ug/L	ND	500	500	442J	440J	88	88	51-156		20	
Ethylbenzene	ug/L	ND	500	500	430	466	86	93	43-145	8	20	
Hexachloro-1,3-butadiene	ug/L	ND	500	500	315	402	63	80	11-156	24	20	R1
Iodomethane	ug/L	ND	500	500	377	388	75	78	10-144	3	20	
Isopropylbenzene (Cumene)	ug/L	ND	500	500	406	456	81	91	39-128	12	20	
Methyl-tert-butyl ether	ug/L	ND	500	500	404	418	81	84	50-144	3	20	
Methylene Chloride	ug/L	ND	500	500	354	363	69	71	40-150	2	20	
n-Butylbenzene	ug/L	ND	500	500	314	401	63	80	21-150	24	20	R1
n-Hexane	ug/L	ND	500	500	342	363	68	73	39-132	6	20	
n-Propylbenzene	ug/L	ND	500	500	345	407	69	81	31-144	16	20	
Naphthalene	ug/L	ND	500	500	425	456	85	91	43-148	7	20	
p-Isopropyltoluene	ug/L	ND	500	500	342	405	68	81	27-147	17	20	
sec-Butylbenzene	ug/L	ND	500	500	352	426	70	85	32-148	19	20	
Styrene	ug/L	ND	500	500	406	441	81	88	45-145	8	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3914238 3914239

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
tert-Butylbenzene	ug/L	ND	500	500	415	487	83	97	36-144	16	20	
Tetrachloroethene	ug/L	ND	500	500	425	498	85	100	46-146	16	20	
Toluene	ug/L	ND	500	500	395	404	79	81	48-135	2	20	
trans-1,2-Dichloroethene	ug/L	ND	500	500	400	429	78	83	52-139	7	20	
trans-1,3-Dichloropropene	ug/L	ND	500	500	418	446	84	89	45-144	7	20	
trans-1,4-Dichloro-2-butene	ug/L	ND	500	500	409J	413J	82	83	30-144		20	
Trichloroethene	ug/L	ND	500	500	419	451	84	90	46-148	7	20	
Trichlorofluoromethane	ug/L	ND	500	500	604	640	121	128	43-160	6	20	
Vinyl acetate	ug/L	ND	2000	2000	3240	3310	162	165	23-195	2	20	
Vinyl chloride	ug/L	5430	500	500	5080	5620	-71	37	38-167	10	20	E,M1
Xylene (Total)	ug/L	ND	1500	1500	1220	1330	81	89	45-139	9	20	
4-Bromofluorobenzene (S)	%.						100	100	79-124			
Dibromofluoromethane (S)	%.						106	104	82-128			
Toluene-d8 (S)	%.						104	99	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

QC Batch: 854130
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005

METHOD BLANK: 3912455 Matrix: Water
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004, 50407552005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	07/18/25 11:38	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	07/18/25 11:38	

LABORATORY CONTROL SAMPLE: 3912456

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	101	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912457 3912458

Parameter	Units	50407596001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	1.0	1.0	100	100	90-110	0	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.0	2.0	99	98	90-110	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912459 3912460

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	1.0	1.0	101	101	90-110	1	20	1d
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.0	2.0	100	100	90-110	0	20	1d

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

QC Batch: 855094 | Analysis Method: SM 5310C
QC Batch Method: SM 5310C | Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004

METHOD BLANK: 3917173 Matrix: Water
Associated Lab Samples: 50407552001, 50407552002, 50407552003, 50407552004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	07/29/25 01:19	

LABORATORY CONTROL SAMPLE: 3917174

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9930	99	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3917175 3917176

Parameter	Units	50407463005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	4400	10000	10000	14600	14600	102	102	80-120	0	15	

MATRIX SPIKE SAMPLE: 3917177

Parameter	Units	50407505002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	ND	10000	9790	98	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

QC Batch: 855677
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407552005

METHOD BLANK: 3919836 Matrix: Water
Associated Lab Samples: 50407552005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	07/30/25 19:49	

LABORATORY CONTROL SAMPLE: 3919837

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9760	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3919838 3919839

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	8590	10000	10000	18700	18900	101	103	80-120	1	15	

MATRIX SPIKE SAMPLE: 3919840

Parameter	Units	50407624001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	1.8 mg/L	10000	11800	101	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Sample was stored overnight 7/17/2025 outside of required temperature range due to lab error. Analysis was completed upon client approval.
D6	The precision between the sample and sample duplicate exceeded laboratory control limits.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
H7	Re-extraction or re-analysis could not be performed within method holding time.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 Headspace	Water	RSK 175 Modified	N/A

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407552

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50407552001	**MW-402S-20250716**	EPA 300.0	854643		
50407552002	**MW-402D-20250716**	EPA 300.0	854643		
50407552003	**MW-418D-20250717**	EPA 300.0	854643		
50407552004	**AD-500-20250717**	EPA 300.0	854643		
50407552005	**MW-418S-20250717**	EPA 300.0	854643		
50407552001	**MW-402S-20250716**	RSK 175 Modified	855096		
50407552002	**MW-402D-20250716**	RSK 175 Modified	855096		
50407552003	**MW-418D-20250717**	RSK 175 Modified	855096		
50407552004	**AD-500-20250717**	RSK 175 Modified	855096		
50407552005	**MW-418S-20250717**	RSK 175 Modified	855096		
50407552001	**MW-402S-20250716**	EPA 3010	855990	EPA 6010	855991
50407552002	**MW-402D-20250716**	EPA 3010	855990	EPA 6010	855991
50407552003	**MW-418D-20250717**	EPA 3010	855990	EPA 6010	855991
50407552004	**AD-500-20250717**	EPA 3010	855990	EPA 6010	855991
50407552005	**MW-418S-20250717**	EPA 3010	855990	EPA 6010	855991
50407552001	**MW-402S-20250716**	EPA 5030/8260	854516		
50407552002	**MW-402D-20250716**	EPA 5030/8260	854516		
50407552003	**MW-418D-20250717**	EPA 5030/8260	854516		
50407552004	**AD-500-20250717**	EPA 5030/8260	854516		
50407552005	**MW-418S-20250717**	EPA 5030/8260	854516		
50407552006	**TRIP BLANK-20250717**	EPA 5030/8260	854516		
50407552001	**MW-402S-20250716**	EPA 353.2	854130		
50407552002	**MW-402D-20250716**	EPA 353.2	854130		
50407552003	**MW-418D-20250717**	EPA 353.2	854130		
50407552004	**AD-500-20250717**	EPA 353.2	854130		
50407552005	**MW-418S-20250717**	EPA 353.2	854130		
50407552001	**MW-402S-20250716**	SM 5310C	855094		
50407552002	**MW-402D-20250716**	SM 5310C	855094		
50407552003	**MW-418D-20250717**	SM 5310C	855094		
50407552004	**AD-500-20250717**	SM 5310C	855094		
50407552005	**MW-418S-20250717**	SM 5310C	855677		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 50407552

50407552

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): Indiana

Data Deliverables: [X] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 M/E/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment
MW-402S-20250716	GW	C			7/16/25	1455	9			X	X	X	X	X	X	
MW-402D-20250716	GW	G			7/16/25	1637	9									
MW-418D-20250717	GW	C			7/17/25	0940	9									
MW-AD-500-20250717	GW	C			7/17/25	1200	9									
MW-418S-20250717	GW	C			7/17/25	1116	15			X	X	X	X	X	X	Includes MS/MSD
~~TRIP BLANK~~	~~GW~~						2									
TRIP BLANK-20250717	GW	C			7/17/25	1200	2			X						

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3275429**

Preservation non-conformance identified for sample:

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By:
(Printed Name) Gabriel Borgmeyer
Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
		See SCWR			

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
[signature] / Ramboll	7/17/25 1346	[signature] Pace	7/17/25 1346	
[signature] Pace	7/17/25 16:00	[signature] Pace	7/17/25 1600	Delivered by: [ ] In-Person [X] Courier [ ] FedEx [ ] UPS [ ] Other
				Page: 1 of 1

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: 7/17/25 1642 cl

1. Thermometer: 1 2 3 4 5 6 7 8 9 A B C D E F G H I

Cooler temp should be above freezing to 6°C

2A. Cooler Temperature(s): 2.4/2.0 | | | |

(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

2B. Was the PM notified of out of temp cooler?: (leave blank if samples are in temp) Yes No

3. Packing Material: Bubble Bags Bubble Wrap None Other:

4. Ice Type: Wet Blue None

5. Courier: FedEx UPS Client Pace NOW Jett Other

6. Custody Seal on Cooler/Box Present: Yes No

(If yes)Seals Intact: Yes No *Leave blank if no seals were present*

All discrepancies will be written out in the comments section below.

	Yes	No	N/A
7. USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)			X
8. Short Hold Time Analysis (48 hours or less)?: Nitrate	X		
9. Time 5035A TC placed in Freezer or Short Holds To Lab:	Time:		
10. Rush TAT Requested (4 days or less):		X	
11. Custody Signatures Present?	X		
12. Containers intact?	X		
13. Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	X		
14. All containers needing acid/base preservation have been pH CHECKED?: Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl. Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	X		
15. Residual Chlorine Check (SVOC 625 Pest/PCB 608)			X
16. Residual Chlorine Check (Total/Amenable/Free Cyanide)			X
17. Headspace in VOA Vials (>6mm): See Containter Count form for details		X	
18. Trip Blank Present?	X		
19. Trip Blank Custody Seals?:	X		
20. Extra labels on Terracore Vials? (soils only)			X

Comments: Containers for NO2/NO3/SO4 were left out of the refrigerator overnight. Per ADragos, samples will be analyzed and qualified. 071825hmp

COC PAGE 1 of 1

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	AMBER GLASS: DG9H VG9H	VOA VIAL HS (>8mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC: BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER: CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1				6								1					1			1									WT	✓	✓		
2				↓								↓					↓			↓									↓	↓	↓		
3																																	
4																																	
5				12								↓					↓			↓									↓	↓	↓		
6																																	
7				2																									WT				
8																																	
9																																	
10																																	
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass

Plastic

BP1B	1L [illegible] plastic
BP1N	1L HNO3 plastic
BP1S	1L H2SO4 plastic
BP1U	1L unpreserved plastic
BP1Z	1L NaOH, Zn, Ac
BP2N	500mL HNO3 plastic
BP2C	500[illegible] NaOH plastic
BP2S	500[illegible] H2SO4 plastic
BP2U	500[illegible] unpreserved plastic
BP2Z	500mL NaOH, Zn Ac
BP3B	250mL NaOH plastic
BP3N	250mL HNO3 plastic
BP3F	250mL HNO3 plastic-field filtered
BP3U	250mL unpreserved plastic
BP3S	250mL H2SO4 plastic
BP3Z	250mL NaOH, ZnAc plastic
NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

August 01, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on July 18, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50407649001	**MW-410D-20250717**	Water	07/17/25 13:41	07/18/25 13:32
50407649002	**MW-410S-20250717**	Water	07/17/25 15:05	07/18/25 13:32
50407649003	**MW-411S-20250717**	Water	07/17/25 16:45	07/18/25 13:32
50407649004	**MW-411D-20250718**	Water	07/18/25 09:15	07/18/25 13:32
50407649005	**MW-428-20250718**	Water	07/18/25 10:00	07/18/25 13:32
50407649006	**MW-407S-20250718**	Water	07/18/25 10:40	07/18/25 13:32
50407649007	**MW-407D-20250718**	Water	07/18/25 11:00	07/18/25 13:32
50407649008	**MW-413S-20250718**	Water	07/18/25 11:30	07/18/25 13:32
50407649009	**MW-413D-20250718**	Water	07/18/25 11:46	07/18/25 13:32
50407649010	**MW-425-20250718**	Water	07/18/25 12:15	07/18/25 13:32
50407649011	**TRIP BLANK-20250718**	Water	07/18/25 12:00	07/18/25 13:32

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50407649001	**MW-410D-20250717**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407649002	**MW-410S-20250717**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407649003	**MW-411S-20250717**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407649004	**MW-411D-20250718**	EPA 300.0	MTW	1	PASI-I
		RSK 175 Modified	MBS	3	PASI-I
		EPA 6010	GC	1	PASI-I
		EPA 5030/8260	ALA	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50407649005	**MW-428-20250718**	RSK 175 Modified	MBS	3	PASI-I
50407649006	**MW-407S-20250718**	RSK 175 Modified	MBS	3	PASI-I
50407649007	**MW-407D-20250718**	RSK 175 Modified	MBS	3	PASI-I
50407649008	**MW-413S-20250718**	RSK 175 Modified	MBS	3	PASI-I
50407649009	**MW-413D-20250718**	RSK 175 Modified	MBS	3	PASI-I
50407649010	**MW-425-20250718**	RSK 175 Modified	MBS	3	PASI-I
50407649011	**TRIP BLANK-20250718**	EPA 5030/8260	ALA	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407649001	**MW-410D-20250717**					
EPA 300.0	Sulfate	35800	ug/L	250	07/25/25 02:15	
RSK 175 Modified	Ethane	121	ug/L	10.0	07/30/25 18:20	M5
RSK 175 Modified	Ethene	170	ug/L	10.0	07/30/25 18:20	M5
RSK 175 Modified	Methane	19000	ug/L	10.0	07/30/25 18:20	M5
EPA 6010	Iron, Dissolved	6090	ug/L	100	07/31/25 22:38	
EPA 5030/8260	Chloroethane	2670	ug/L	50.0	07/23/25 19:44	
EPA 5030/8260	1,1-Dichloroethane	490	ug/L	50.0	07/23/25 19:44	
EPA 5030/8260	cis-1,2-Dichloroethene	552	ug/L	50.0	07/23/25 19:44	
EPA 5030/8260	Vinyl chloride	182	ug/L	20.0	07/23/25 19:44	
EPA 353.2	Nitrogen, NO2 plus NO3	0.16	mg/L	0.10	07/18/25 15:59	
EPA 353.2	Nitrogen, Nitrate	0.15	mg/L	0.10	07/18/25 15:59	
SM 5310C	Total Organic Carbon	5230	ug/L	1000	07/31/25 16:23	
50407649002	**MW-410S-20250717**					
EPA 300.0	Sulfate	13200	ug/L	250	07/28/25 22:04	
RSK 175 Modified	Ethane	33.7	ug/L	10.0	07/30/25 18:35	M5
RSK 175 Modified	Ethene	27.5	ug/L	10.0	07/30/25 18:35	M5
RSK 175 Modified	Methane	14300	ug/L	10.0	07/30/25 18:35	M5
EPA 6010	Iron, Dissolved	6220	ug/L	100	07/31/25 22:41	
EPA 5030/8260	Chloroethane	555	ug/L	50.0	07/23/25 21:12	
EPA 5030/8260	1,1-Dichloroethane	126	ug/L	5.0	07/23/25 20:43	
EPA 5030/8260	cis-1,2-Dichloroethene	39.1	ug/L	5.0	07/23/25 20:43	
EPA 5030/8260	1,1,1-Trichloroethane	138	ug/L	5.0	07/23/25 20:43	
EPA 5030/8260	Trichloroethene	20.9	ug/L	5.0	07/23/25 20:43	
EPA 5030/8260	Vinyl chloride	9.7	ug/L	2.0	07/23/25 20:43	
SM 5310C	Total Organic Carbon	5510	ug/L	1000	07/31/25 16:34	
50407649003	**MW-411S-20250717**					
EPA 300.0	Sulfate	72600	ug/L	25000	07/29/25 11:40	
RSK 175 Modified	Ethane	322	ug/L	10.0	07/30/25 18:50	M5
RSK 175 Modified	Ethene	1360	ug/L	10.0	07/30/25 18:50	M5
RSK 175 Modified	Methane	13500	ug/L	10.0	07/30/25 18:50	M5
EPA 6010	Iron, Dissolved	11400	ug/L	100	07/31/25 22:43	
EPA 5030/8260	Chloroethane	14100	ug/L	250	07/23/25 21:42	
EPA 5030/8260	1,1-Dichloroethane	38000	ug/L	2500	07/23/25 22:11	
EPA 5030/8260	1,1-Dichloroethene	824	ug/L	250	07/23/25 21:42	
EPA 5030/8260	cis-1,2-Dichloroethene	22700	ug/L	2500	07/23/25 22:11	
EPA 5030/8260	trans-1,2-Dichloroethene	649	ug/L	250	07/23/25 21:42	
EPA 5030/8260	1,1,1-Trichloroethane	21200	ug/L	2500	07/23/25 22:11	
EPA 5030/8260	Vinyl chloride	2290	ug/L	100	07/23/25 21:42	
SM 5310C	Total Organic Carbon	12700	ug/L	1000	07/31/25 16:46	
50407649004	**MW-411D-20250718**					
EPA 300.0	Sulfate	26300	ug/L	250	07/25/25 15:35	
RSK 175 Modified	Ethane	440	ug/L	10.0	07/30/25 21:23	
RSK 175 Modified	Ethene	5860	ug/L	10.0	07/30/25 21:23	
RSK 175 Modified	Methane	32300	ug/L	10.0	07/30/25 21:23	E,H7
EPA 6010	Iron, Dissolved	1350	ug/L	100	07/31/25 22:45	
EPA 5030/8260	Chloroethane	22000	ug/L	2500	07/24/25 15:41	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50407649004	**MW-411D-20250718**					
EPA 5030/8260	1,1-Dichloroethane	39200	ug/L	2500	07/24/25 15:41	
EPA 5030/8260	1,1-Dichloroethene	487	ug/L	250	07/24/25 15:04	
EPA 5030/8260	cis-1,2-Dichloroethene	13300	ug/L	250	07/24/25 15:04	
EPA 5030/8260	trans-1,2-Dichloroethene	351	ug/L	250	07/24/25 15:04	
EPA 5030/8260	Vinyl chloride	3820	ug/L	100	07/24/25 15:04	
SM 5310C	Total Organic Carbon	16200	ug/L	1000	07/31/25 17:02	
50407649005	**MW-428-20250718**					
RSK 175 Modified	Ethane	52.1	ug/L	10.0	07/30/25 21:38	
RSK 175 Modified	Ethene	69.8	ug/L	10.0	07/30/25 21:38	
RSK 175 Modified	Methane	21800	ug/L	10.0	07/30/25 21:38	E,H7
50407649006	**MW-407S-20250718**					
RSK 175 Modified	Ethane	48.9	ug/L	10.0	07/30/25 21:54	
RSK 175 Modified	Ethene	51.6	ug/L	10.0	07/30/25 21:54	
RSK 175 Modified	Methane	18700	ug/L	10.0	07/30/25 21:54	
50407649007	**MW-407D-20250718**					
RSK 175 Modified	Ethane	394	ug/L	10.0	07/30/25 22:09	
RSK 175 Modified	Ethene	809	ug/L	10.0	07/30/25 22:09	
RSK 175 Modified	Methane	26200	ug/L	10.0	07/30/25 22:09	E,H7
50407649008	**MW-413S-20250718**					
RSK 175 Modified	Ethane	93.4	ug/L	10.0	07/30/25 22:24	
RSK 175 Modified	Ethene	75.4	ug/L	10.0	07/30/25 22:24	
RSK 175 Modified	Methane	16400	ug/L	10.0	07/30/25 22:24	
50407649009	**MW-413D-20250718**					
RSK 175 Modified	Ethane	20.7	ug/L	10.0	07/30/25 22:40	
RSK 175 Modified	Ethene	22.9	ug/L	10.0	07/30/25 22:40	
RSK 175 Modified	Methane	3860	ug/L	10.0	07/30/25 22:40	
50407649010	**MW-425-20250718**					
RSK 175 Modified	Ethane	58.5	ug/L	10.0	07/30/25 22:55	
RSK 175 Modified	Ethene	20.6	ug/L	10.0	07/30/25 22:55	
RSK 175 Modified	Methane	12200	ug/L	10.0	07/30/25 22:55	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-410D-20250717 **Lab ID: 50407649001** Collected: 07/17/25 13:41 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**35800**	ug/L	250	190	1		07/25/25 02:15	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**121**	ug/L	10.0	1.2	1		07/30/25 18:20	74-84-0	M5
Ethene	**170**	ug/L	10.0	2.3	1		07/30/25 18:20	74-85-1	M5
Methane	**19000**	ug/L	10.0	2.4	1		07/30/25 18:20	74-82-8	M5
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**6090**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 22:38	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	16.5	10		07/23/25 19:44	67-64-1	
Acrolein	ND	ug/L	500	54.1	10		07/23/25 19:44	107-02-8	
Acrylonitrile	ND	ug/L	1000	12.1	10		07/23/25 19:44	107-13-1	
Benzene	ND	ug/L	50.0	2.4	10		07/23/25 19:44	71-43-2	
Bromobenzene	ND	ug/L	50.0	3.0	10		07/23/25 19:44	108-86-1	
Bromochloromethane	ND	ug/L	50.0	2.6	10		07/23/25 19:44	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	3.2	10		07/23/25 19:44	75-27-4	
Bromoform	ND	ug/L	50.0	3.4	10		07/23/25 19:44	75-25-2	
Bromomethane	ND	ug/L	50.0	8.1	10		07/23/25 19:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	13.3	10		07/23/25 19:44	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	2.7	10		07/23/25 19:44	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	2.2	10		07/23/25 19:44	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	2.3	10		07/23/25 19:44	98-06-6	
Carbon disulfide	ND	ug/L	100	2.5	10		07/23/25 19:44	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	2.5	10		07/23/25 19:44	56-23-5	
Chlorobenzene	ND	ug/L	50.0	2.5	10		07/23/25 19:44	108-90-7	
Chloroethane	**2670**	ug/L	50.0	4.6	10		07/23/25 19:44	75-00-3	
Chloroform	ND	ug/L	50.0	3.2	10		07/23/25 19:44	67-66-3	
Chloromethane	ND	ug/L	50.0	2.4	10		07/23/25 19:44	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	2.5	10		07/23/25 19:44	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	2.6	10		07/23/25 19:44	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	3.1	10		07/23/25 19:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	2.8	10		07/23/25 19:44	106-93-4	
Dibromomethane	ND	ug/L	50.0	2.7	10		07/23/25 19:44	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	2.2	10		07/23/25 19:44	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	2.6	10		07/23/25 19:44	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	2.4	10		07/23/25 19:44	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	3.8	10		07/23/25 19:44	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	3.1	10		07/23/25 19:44	75-71-8	
1,1-Dichloroethane	**490**	ug/L	50.0	2.6	10		07/23/25 19:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	2.2	10		07/23/25 19:44	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-410D-20250717 **Lab ID: 50407649001** Collected: 07/17/25 13:41 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	50.0	2.1	10		07/23/25 19:44	75-35-4	
cis-1,2-Dichloroethene	**552**	ug/L	50.0	2.8	10		07/23/25 19:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	2.5	10		07/23/25 19:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	2.7	10		07/23/25 19:44	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	2.7	10		07/23/25 19:44	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	2.7	10		07/23/25 19:44	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	2.6	10		07/23/25 19:44	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	2.6	10		07/23/25 19:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	5.1	10		07/23/25 19:44	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	2.4	10		07/23/25 19:44	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	2.9	10		07/23/25 19:44	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	8.5	10		07/23/25 19:44	87-68-3	
n-Hexane	ND	ug/L	50.0	2.2	10		07/23/25 19:44	110-54-3	
2-Hexanone	ND	ug/L	250	12.4	10		07/23/25 19:44	591-78-6	
Iodomethane	ND	ug/L	100	3.4	10		07/23/25 19:44	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	2.3	10		07/23/25 19:44	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	2.3	10		07/23/25 19:44	99-87-6	
Methylene Chloride	ND	ug/L	50.0	10.0	10		07/23/25 19:44	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	14.1	10		07/23/25 19:44	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	14.0	10		07/23/25 19:44	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	12.7	10		07/23/25 19:44	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	2.5	10		07/23/25 19:44	1634-04-4	
Naphthalene	ND	ug/L	12.0	2.6	10		07/23/25 19:44	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	2.5	10		07/23/25 19:44	103-65-1	
Styrene	ND	ug/L	50.0	2.7	10		07/23/25 19:44	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	3.0	10		07/23/25 19:44	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	3.1	10		07/23/25 19:44	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	2.5	10		07/23/25 19:44	127-18-4	
Toluene	ND	ug/L	50.0	3.8	10		07/23/25 19:44	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	3.2	10		07/23/25 19:44	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	2.7	10		07/23/25 19:44	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	2.4	10		07/23/25 19:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	3.6	10		07/23/25 19:44	79-00-5	
Trichloroethene	ND	ug/L	50.0	2.2	10		07/23/25 19:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	3.0	10		07/23/25 19:44	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	3.3	10		07/23/25 19:44	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	2.6	10		07/23/25 19:44	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	2.5	10		07/23/25 19:44	108-67-8	
Vinyl acetate	ND	ug/L	500	8.6	10		07/23/25 19:44	108-05-4	
Vinyl chloride	**182**	ug/L	20.0	4.1	10		07/23/25 19:44	75-01-4	
Xylene (Total)	ND	ug/L	100	3.8	10		07/23/25 19:44	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	102	%.	82-128		10		07/23/25 19:44	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	79-124		10		07/23/25 19:44	460-00-4	
Toluene-d8 (S)	98	%.	73-122		10		07/23/25 19:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-410D-20250717 **Lab ID: 50407649001** Collected: 07/17/25 13:41 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	**0.16**	mg/L	0.10	0.013	1		07/18/25 15:59		
Nitrogen, Nitrate	**0.15**	mg/L	0.10	0.013	1		07/18/25 15:59	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5230**	ug/L	1000	300	1		07/31/25 16:23	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-410S-20250717 **Lab ID: 50407649002** Collected: 07/17/25 15:05 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**13200**	ug/L	250	190	1		07/28/25 22:04	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**33.7**	ug/L	10.0	1.2	1		07/30/25 18:35	74-84-0	M5
Ethene	**27.5**	ug/L	10.0	2.3	1		07/30/25 18:35	74-85-1	M5
Methane	**14300**	ug/L	10.0	2.4	1		07/30/25 18:35	74-82-8	M5
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**6220**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 22:41	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		07/23/25 20:43	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		07/23/25 20:43	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		07/23/25 20:43	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		07/23/25 20:43	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		07/23/25 20:43	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		07/23/25 20:43	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		07/23/25 20:43	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		07/23/25 20:43	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		07/23/25 20:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		07/23/25 20:43	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		07/23/25 20:43	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		07/23/25 20:43	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		07/23/25 20:43	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		07/23/25 20:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		07/23/25 20:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		07/23/25 20:43	108-90-7	
Chloroethane	**555**	ug/L	50.0	4.6	10		07/23/25 21:12	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		07/23/25 20:43	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		07/23/25 20:43	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		07/23/25 20:43	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		07/23/25 20:43	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		07/23/25 20:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		07/23/25 20:43	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		07/23/25 20:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		07/23/25 20:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		07/23/25 20:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		07/23/25 20:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		07/23/25 20:43	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		07/23/25 20:43	75-71-8	
1,1-Dichloroethane	**126**	ug/L	5.0	0.26	1		07/23/25 20:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		07/23/25 20:43	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-410S-20250717 **Lab ID: 50407649002** Collected: 07/17/25 15:05 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		07/23/25 20:43	75-35-4	
cis-1,2-Dichloroethene	**39.1**	ug/L	5.0	0.28	1		07/23/25 20:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		07/23/25 20:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		07/23/25 20:43	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		07/23/25 20:43	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		07/23/25 20:43	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		07/23/25 20:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		07/23/25 20:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/23/25 20:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		07/23/25 20:43	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		07/23/25 20:43	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		07/23/25 20:43	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		07/23/25 20:43	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		07/23/25 20:43	591-78-6	
Iodomethane	ND	ug/L	10.0	0.34	1		07/23/25 20:43	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		07/23/25 20:43	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		07/23/25 20:43	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		07/23/25 20:43	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		07/23/25 20:43	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		07/23/25 20:43	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		07/23/25 20:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		07/23/25 20:43	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		07/23/25 20:43	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		07/23/25 20:43	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		07/23/25 20:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		07/23/25 20:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		07/23/25 20:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		07/23/25 20:43	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		07/23/25 20:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		07/23/25 20:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		07/23/25 20:43	120-82-1	
1,1,1-Trichloroethane	**138**	ug/L	5.0	0.24	1		07/23/25 20:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		07/23/25 20:43	79-00-5	
Trichloroethene	**20.9**	ug/L	5.0	0.22	1		07/23/25 20:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		07/23/25 20:43	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		07/23/25 20:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		07/23/25 20:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		07/23/25 20:43	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		07/23/25 20:43	108-05-4	
Vinyl chloride	**9.7**	ug/L	2.0	0.41	1		07/23/25 20:43	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		07/23/25 20:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		07/23/25 20:43	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		07/23/25 20:43	460-00-4	
Toluene-d8 (S)	98	%.	73-122		1		07/23/25 20:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-410S-20250717 **Lab ID: 50407649002** Collected: 07/17/25 15:05 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/18/25 16:01		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/18/25 16:01	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**5510**	ug/L	1000	300	1		07/31/25 16:34	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-411S-20250717 **Lab ID: 50407649003** Collected: 07/17/25 16:45 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**72600**	ug/L	25000	19000	100		07/29/25 11:40	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**322**	ug/L	10.0	1.2	1		07/30/25 18:50	74-84-0	M5
Ethene	**1360**	ug/L	10.0	2.3	1		07/30/25 18:50	74-85-1	M5
Methane	**13500**	ug/L	10.0	2.4	1		07/30/25 18:50	74-82-8	M5
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**11400**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 22:43	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	82.5	50		07/23/25 21:42	67-64-1	
Acrolein	ND	ug/L	2500	270	50		07/23/25 21:42	107-02-8	
Acrylonitrile	ND	ug/L	5000	60.5	50		07/23/25 21:42	107-13-1	
Benzene	ND	ug/L	250	12.1	50		07/23/25 21:42	71-43-2	
Bromobenzene	ND	ug/L	250	15.1	50		07/23/25 21:42	108-86-1	
Bromochloromethane	ND	ug/L	250	13.0	50		07/23/25 21:42	74-97-5	
Bromodichloromethane	ND	ug/L	250	15.8	50		07/23/25 21:42	75-27-4	
Bromoform	ND	ug/L	250	16.8	50		07/23/25 21:42	75-25-2	
Bromomethane	ND	ug/L	250	40.4	50		07/23/25 21:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	66.5	50		07/23/25 21:42	78-93-3	
n-Butylbenzene	ND	ug/L	250	13.4	50		07/23/25 21:42	104-51-8	
sec-Butylbenzene	ND	ug/L	250	11.1	50		07/23/25 21:42	135-98-8	
tert-Butylbenzene	ND	ug/L	250	11.6	50		07/23/25 21:42	98-06-6	
Carbon disulfide	ND	ug/L	500	12.4	50		07/23/25 21:42	75-15-0	
Carbon tetrachloride	ND	ug/L	250	12.6	50		07/23/25 21:42	56-23-5	
Chlorobenzene	ND	ug/L	250	12.6	50		07/23/25 21:42	108-90-7	
Chloroethane	**14100**	ug/L	250	23.1	50		07/23/25 21:42	75-00-3	
Chloroform	ND	ug/L	250	16.0	50		07/23/25 21:42	67-66-3	
Chloromethane	ND	ug/L	250	12.0	50		07/23/25 21:42	74-87-3	
2-Chlorotoluene	ND	ug/L	250	12.7	50		07/23/25 21:42	95-49-8	
4-Chlorotoluene	ND	ug/L	250	12.9	50		07/23/25 21:42	106-43-4	
Dibromochloromethane	ND	ug/L	250	15.6	50		07/23/25 21:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	14.2	50		07/23/25 21:42	106-93-4	
Dibromomethane	ND	ug/L	250	13.6	50		07/23/25 21:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	11.0	50		07/23/25 21:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	13.1	50		07/23/25 21:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	12.1	50		07/23/25 21:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	18.8	50		07/23/25 21:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	15.6	50		07/23/25 21:42	75-71-8	
1,1-Dichloroethane	**38000**	ug/L	2500	129	500		07/23/25 22:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	11.2	50		07/23/25 21:42	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-411S-20250717 **Lab ID: 50407649003** Collected: 07/17/25 16:45 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	**824**	ug/L	250	10.7	50		07/23/25 21:42	75-35-4	
cis-1,2-Dichloroethene	**22700**	ug/L	2500	138	500		07/23/25 22:11	156-59-2	
trans-1,2-Dichloroethene	**649**	ug/L	250	12.6	50		07/23/25 21:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	13.4	50		07/23/25 21:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	13.6	50		07/23/25 21:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	13.4	50		07/23/25 21:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	12.8	50		07/23/25 21:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	13.0	50		07/23/25 21:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	25.4	50		07/23/25 21:42	10061-02-6	
Ethylbenzene	ND	ug/L	250	12.0	50		07/23/25 21:42	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	14.3	50		07/23/25 21:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	42.5	50		07/23/25 21:42	87-68-3	
n-Hexane	ND	ug/L	250	11.2	50		07/23/25 21:42	110-54-3	
2-Hexanone	ND	ug/L	1250	62.0	50		07/23/25 21:42	591-78-6	
Iodomethane	ND	ug/L	500	16.9	50		07/23/25 21:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	11.6	50		07/23/25 21:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	11.6	50		07/23/25 21:42	99-87-6	
Methylene Chloride	ND	ug/L	250	50.0	50		07/23/25 21:42	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	70.5	50		07/23/25 21:42	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	70.0	50		07/23/25 21:42	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	63.5	50		07/23/25 21:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	12.6	50		07/23/25 21:42	1634-04-4	
Naphthalene	ND	ug/L	60.0	12.8	50		07/23/25 21:42	91-20-3	
n-Propylbenzene	ND	ug/L	250	12.4	50		07/23/25 21:42	103-65-1	
Styrene	ND	ug/L	250	13.4	50		07/23/25 21:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	15.0	50		07/23/25 21:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	15.5	50		07/23/25 21:42	79-34-5	
Tetrachloroethene	ND	ug/L	250	12.5	50		07/23/25 21:42	127-18-4	
Toluene	ND	ug/L	250	19.0	50		07/23/25 21:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	15.8	50		07/23/25 21:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	13.6	50		07/23/25 21:42	120-82-1	
1,1,1-Trichloroethane	**21200**	ug/L	2500	120	500		07/23/25 22:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	18.2	50		07/23/25 21:42	79-00-5	
Trichloroethene	ND	ug/L	250	10.8	50		07/23/25 21:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	15.0	50		07/23/25 21:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	16.4	50		07/23/25 21:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	12.8	50		07/23/25 21:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	12.6	50		07/23/25 21:42	108-67-8	
Vinyl acetate	ND	ug/L	2500	42.8	50		07/23/25 21:42	108-05-4	
Vinyl chloride	**2290**	ug/L	100	20.7	50		07/23/25 21:42	75-01-4	
Xylene (Total)	ND	ug/L	500	19.0	50		07/23/25 21:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	105	%.	82-128		50		07/23/25 21:42	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	79-124		50		07/23/25 21:42	460-00-4	
Toluene-d8 (S)	99	%.	73-122		50		07/23/25 21:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-411S-20250717 **Lab ID: 50407649003** Collected: 07/17/25 16:45 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/18/25 16:06		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/18/25 16:06	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**12700**	ug/L	1000	300	1		07/31/25 16:46	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-411D-20250718 **Lab ID: 50407649004** Collected: 07/18/25 09:15 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**26300**	ug/L	250	190	1		07/25/25 15:35	14808-79-8	
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**440**	ug/L	10.0	1.2	1		07/30/25 21:23	74-84-0	
Ethene	**5860**	ug/L	10.0	2.3	1		07/30/25 21:23	74-85-1	
Methane	**32300**	ug/L	10.0	2.4	1		07/30/25 21:23	74-82-8	E,H7
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**1350**	ug/L	100	41.0	1	07/31/25 21:11	07/31/25 22:45	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	82.5	50		07/24/25 15:04	67-64-1	
Acrolein	ND	ug/L	2500	270	50		07/24/25 15:04	107-02-8	
Acrylonitrile	ND	ug/L	5000	60.5	50		07/24/25 15:04	107-13-1	
Benzene	ND	ug/L	250	12.1	50		07/24/25 15:04	71-43-2	
Bromobenzene	ND	ug/L	250	15.1	50		07/24/25 15:04	108-86-1	
Bromochloromethane	ND	ug/L	250	13.0	50		07/24/25 15:04	74-97-5	
Bromodichloromethane	ND	ug/L	250	15.8	50		07/24/25 15:04	75-27-4	
Bromoform	ND	ug/L	250	16.8	50		07/24/25 15:04	75-25-2	
Bromomethane	ND	ug/L	250	40.4	50		07/24/25 15:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	66.5	50		07/24/25 15:04	78-93-3	
n-Butylbenzene	ND	ug/L	250	13.4	50		07/24/25 15:04	104-51-8	
sec-Butylbenzene	ND	ug/L	250	11.1	50		07/24/25 15:04	135-98-8	
tert-Butylbenzene	ND	ug/L	250	11.6	50		07/24/25 15:04	98-06-6	
Carbon disulfide	ND	ug/L	500	12.4	50		07/24/25 15:04	75-15-0	
Carbon tetrachloride	ND	ug/L	250	12.6	50		07/24/25 15:04	56-23-5	
Chlorobenzene	ND	ug/L	250	12.6	50		07/24/25 15:04	108-90-7	
Chloroethane	**22000**	ug/L	2500	231	500		07/24/25 15:41	75-00-3	
Chloroform	ND	ug/L	250	16.0	50		07/24/25 15:04	67-66-3	
Chloromethane	ND	ug/L	250	12.0	50		07/24/25 15:04	74-87-3	
2-Chlorotoluene	ND	ug/L	250	12.7	50		07/24/25 15:04	95-49-8	
4-Chlorotoluene	ND	ug/L	250	12.9	50		07/24/25 15:04	106-43-4	
Dibromochloromethane	ND	ug/L	250	15.6	50		07/24/25 15:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	14.2	50		07/24/25 15:04	106-93-4	
Dibromomethane	ND	ug/L	250	13.6	50		07/24/25 15:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	11.0	50		07/24/25 15:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	13.1	50		07/24/25 15:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	12.1	50		07/24/25 15:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	18.8	50		07/24/25 15:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	15.6	50		07/24/25 15:04	75-71-8	
1,1-Dichloroethane	**39200**	ug/L	2500	129	500		07/24/25 15:41	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	11.2	50		07/24/25 15:04	107-06-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-411D-20250718 **Lab ID: 50407649004** Collected: 07/18/25 09:15 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
1,1-Dichloroethene	**487**	ug/L	250	10.7	50		07/24/25 15:04	75-35-4	
cis-1,2-Dichloroethene	**13300**	ug/L	250	13.8	50		07/24/25 15:04	156-59-2	
trans-1,2-Dichloroethene	**351**	ug/L	250	12.6	50		07/24/25 15:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	13.4	50		07/24/25 15:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	13.6	50		07/24/25 15:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	13.4	50		07/24/25 15:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	12.8	50		07/24/25 15:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	13.0	50		07/24/25 15:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	25.4	50		07/24/25 15:04	10061-02-6	
Ethylbenzene	ND	ug/L	250	12.0	50		07/24/25 15:04	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	14.3	50		07/24/25 15:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	42.5	50		07/24/25 15:04	87-68-3	
n-Hexane	ND	ug/L	250	11.2	50		07/24/25 15:04	110-54-3	
2-Hexanone	ND	ug/L	1250	62.0	50		07/24/25 15:04	591-78-6	
Iodomethane	ND	ug/L	500	16.9	50		07/24/25 15:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	11.6	50		07/24/25 15:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	11.6	50		07/24/25 15:04	99-87-6	
Methylene Chloride	ND	ug/L	250	50.0	50		07/24/25 15:04	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	70.5	50		07/24/25 15:04	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	70.0	50		07/24/25 15:04	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	63.5	50		07/24/25 15:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	12.6	50		07/24/25 15:04	1634-04-4	
Naphthalene	ND	ug/L	60.0	12.8	50		07/24/25 15:04	91-20-3	
n-Propylbenzene	ND	ug/L	250	12.4	50		07/24/25 15:04	103-65-1	
Styrene	ND	ug/L	250	13.4	50		07/24/25 15:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	15.0	50		07/24/25 15:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	15.5	50		07/24/25 15:04	79-34-5	
Tetrachloroethene	ND	ug/L	250	12.5	50		07/24/25 15:04	127-18-4	
Toluene	ND	ug/L	250	19.0	50		07/24/25 15:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	15.8	50		07/24/25 15:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	13.6	50		07/24/25 15:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	250	12.0	50		07/24/25 15:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	18.2	50		07/24/25 15:04	79-00-5	
Trichloroethene	ND	ug/L	250	10.8	50		07/24/25 15:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	15.0	50		07/24/25 15:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	16.4	50		07/24/25 15:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	12.8	50		07/24/25 15:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	12.6	50		07/24/25 15:04	108-67-8	
Vinyl acetate	ND	ug/L	2500	42.8	50		07/24/25 15:04	108-05-4	
Vinyl chloride	**3820**	ug/L	100	20.7	50		07/24/25 15:04	75-01-4	
Xylene (Total)	ND	ug/L	500	19.0	50		07/24/25 15:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		50		07/24/25 15:04	1868-53-7	
4-Bromofluorobenzene (S)	93	%.	79-124		50		07/24/25 15:04	460-00-4	
Toluene-d8 (S)	97	%.	73-122		50		07/24/25 15:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-411D-20250718 **Lab ID: 50407649004** Collected: 07/18/25 09:15 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		07/18/25 16:08		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		07/18/25 16:08	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**16200**	ug/L	1000	300	1		07/31/25 17:02	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-428-20250718 **Lab ID: 50407649005** Collected: 07/18/25 10:00 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**52.1**	ug/L	10.0	1.2	1		07/30/25 21:38	74-84-0	
Ethene	**69.8**	ug/L	10.0	2.3	1		07/30/25 21:38	74-85-1	
Methane	**21800**	ug/L	10.0	2.4	1		07/30/25 21:38	74-82-8	E,H7

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-407S-20250718 **Lab ID: 50407649006** Collected: 07/18/25 10:40 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**48.9**	ug/L	10.0	1.2	1		07/30/25 21:54	74-84-0	
Ethene	**51.6**	ug/L	10.0	2.3	1		07/30/25 21:54	74-85-1	
Methane	**18700**	ug/L	10.0	2.4	1		07/30/25 21:54	74-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-407D-20250718 **Lab ID: 50407649007** Collected: 07/18/25 11:00 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**394**	ug/L	10.0	1.2	1		07/30/25 22:09	74-84-0	
Ethene	**809**	ug/L	10.0	2.3	1		07/30/25 22:09	74-85-1	
Methane	**26200**	ug/L	10.0	2.4	1		07/30/25 22:09	74-82-8	E,H7

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-413S-20250718 **Lab ID: 50407649008** Collected: 07/18/25 11:30 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**93.4**	ug/L	10.0	1.2	1		07/30/25 22:24	74-84-0	
Ethene	**75.4**	ug/L	10.0	2.3	1		07/30/25 22:24	74-85-1	
Methane	**16400**	ug/L	10.0	2.4	1		07/30/25 22:24	74-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-413D-20250718 **Lab ID: 50407649009** Collected: 07/18/25 11:46 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**20.7**	ug/L	10.0	1.2	1		07/30/25 22:40	74-84-0	
Ethene	**22.9**	ug/L	10.0	2.3	1		07/30/25 22:40	74-85-1	
Methane	**3860**	ug/L	10.0	2.4	1		07/30/25 22:40	74-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: MW-425-20250718 **Lab ID: 50407649010** Collected: 07/18/25 12:15 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**58.5**	ug/L	10.0	1.2	1		07/30/25 22:55	74-84-0	
Ethene	**20.6**	ug/L	10.0	2.3	1		07/30/25 22:55	74-85-1	
Methane	**12200**	ug/L	10.0	2.4	1		07/30/25 22:55	74-82-8	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: TRIP BLANK-20250718 **Lab ID: 50407649011** Collected: 07/18/25 12:00 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	1.6	1		07/24/25 16:10	67-64-1	
Acrolein	ND	ug/L	50.0	5.4	1		07/24/25 16:10	107-02-8	
Acrylonitrile	ND	ug/L	100	1.2	1		07/24/25 16:10	107-13-1	
Benzene	ND	ug/L	5.0	0.24	1		07/24/25 16:10	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.30	1		07/24/25 16:10	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.26	1		07/24/25 16:10	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.32	1		07/24/25 16:10	75-27-4	
Bromoform	ND	ug/L	5.0	0.34	1		07/24/25 16:10	75-25-2	
Bromomethane	ND	ug/L	5.0	0.81	1		07/24/25 16:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	1.3	1		07/24/25 16:10	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.27	1		07/24/25 16:10	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.22	1		07/24/25 16:10	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.23	1		07/24/25 16:10	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.25	1		07/24/25 16:10	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.25	1		07/24/25 16:10	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.25	1		07/24/25 16:10	108-90-7	
Chloroethane	ND	ug/L	5.0	0.46	1		07/24/25 16:10	75-00-3	
Chloroform	ND	ug/L	5.0	0.32	1		07/24/25 16:10	67-66-3	
Chloromethane	ND	ug/L	5.0	0.24	1		07/24/25 16:10	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.25	1		07/24/25 16:10	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.26	1		07/24/25 16:10	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.31	1		07/24/25 16:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.28	1		07/24/25 16:10	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.27	1		07/24/25 16:10	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.22	1		07/24/25 16:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.26	1		07/24/25 16:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.24	1		07/24/25 16:10	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.38	1		07/24/25 16:10	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.31	1		07/24/25 16:10	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.26	1		07/24/25 16:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.22	1		07/24/25 16:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.21	1		07/24/25 16:10	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.28	1		07/24/25 16:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.25	1		07/24/25 16:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.27	1		07/24/25 16:10	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.27	1		07/24/25 16:10	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.27	1		07/24/25 16:10	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.26	1		07/24/25 16:10	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.26	1		07/24/25 16:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.51	1		07/24/25 16:10	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.24	1		07/24/25 16:10	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.29	1		07/24/25 16:10	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.85	1		07/24/25 16:10	87-68-3	
n-Hexane	ND	ug/L	5.0	0.22	1		07/24/25 16:10	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.2	1		07/24/25 16:10	591-78-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Sample: TRIP BLANK-20250718 **Lab ID: 50407649011** Collected: 07/18/25 12:00 Received: 07/18/25 13:32 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Iodomethane	ND	ug/L	10.0	0.34	1		07/24/25 16:10	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.23	1		07/24/25 16:10	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.23	1		07/24/25 16:10	99-87-6	
Methylene Chloride	ND	ug/L	5.0	1.0	1		07/24/25 16:10	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.4	1		07/24/25 16:10	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.4	1		07/24/25 16:10	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.3	1		07/24/25 16:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.25	1		07/24/25 16:10	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.26	1		07/24/25 16:10	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.25	1		07/24/25 16:10	103-65-1	
Styrene	ND	ug/L	5.0	0.27	1		07/24/25 16:10	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.30	1		07/24/25 16:10	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.31	1		07/24/25 16:10	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.25	1		07/24/25 16:10	127-18-4	
Toluene	ND	ug/L	5.0	0.38	1		07/24/25 16:10	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.32	1		07/24/25 16:10	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.27	1		07/24/25 16:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.24	1		07/24/25 16:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.36	1		07/24/25 16:10	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.22	1		07/24/25 16:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.30	1		07/24/25 16:10	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.33	1		07/24/25 16:10	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.26	1		07/24/25 16:10	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.25	1		07/24/25 16:10	108-67-8	
Vinyl acetate	ND	ug/L	50.0	0.86	1		07/24/25 16:10	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.41	1		07/24/25 16:10	75-01-4	
Xylene (Total)	ND	ug/L	10.0	0.38	1		07/24/25 16:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		07/24/25 16:10	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	79-124		1		07/24/25 16:10	460-00-4	
Toluene-d8 (S)	98	%.	73-122		1		07/24/25 16:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

QC Batch: 854643
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407649001, 50407649002, 50407649003, 50407649004

METHOD BLANK: 3914749 Matrix: Water
Associated Lab Samples: 50407649001, 50407649002, 50407649003, 50407649004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	190	07/24/25 14:19	

LABORATORY CONTROL SAMPLE: 3914750

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4770	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3914751 3914752

Parameter	Units	50407470001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	11.8 mg/L	5000	5000	16400	16700	92	98	80-120	2	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3914753 3914754

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Sulfate	ug/L	1010	5000	5000	5940	5830	99	96	80-120	2	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

QC Batch: 855810
QC Batch Method: RSK 175 Modified
Analysis Method: RSK 175 Modified
Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407649001, 50407649002, 50407649003

METHOD BLANK: 3920292 Matrix: Water
Associated Lab Samples: 50407649001, 50407649002, 50407649003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.2	07/30/25 13:56	M5
Ethene	ug/L	ND	10.0	2.3	07/30/25 13:56	M5
Methane	ug/L	ND	10.0	2.4	07/30/25 13:56	M5

LABORATORY CONTROL SAMPLE: 3920293

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	2040	103	75-137	M5
Ethene	ug/L	2250	2560	114	82-133	M5
Methane	ug/L	1980	2050	104	57-141	M5

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

QC Batch: 855816
QC Batch Method: RSK 175 Modified
Analysis Method: RSK 175 Modified
Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407649004, 50407649005, 50407649006, 50407649007, 50407649008, 50407649009, 50407649010

METHOD BLANK: 3920300 Matrix: Water
Associated Lab Samples: 50407649004, 50407649005, 50407649006, 50407649007, 50407649008, 50407649009, 50407649010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.2	07/30/25 20:07	
Ethene	ug/L	ND	10.0	2.3	07/30/25 20:07	
Methane	ug/L	ND	10.0	2.4	07/30/25 20:07	

LABORATORY CONTROL SAMPLE: 3920301

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	2030	103	75-137	
Ethene	ug/L	2250	2550	114	82-133	
Methane	ug/L	1980	2140	108	57-141	

SAMPLE DUPLICATE: 3920834

Parameter	Units	50408047011 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	7.4J	4.8J		20	
Ethene	ug/L	22.8	23.4	3	20	
Methane	ug/L	11600	11700	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

QC Batch: 855990
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407649001, 50407649002, 50407649003, 50407649004

METHOD BLANK: 3921148 Matrix: Water
Associated Lab Samples: 50407649001, 50407649002, 50407649003, 50407649004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	41.0	07/31/25 21:34	

LABORATORY CONTROL SAMPLE: 3921149

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	9950	99	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3921150 3921151

Parameter	Units	50407552005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Iron, Dissolved	ug/L	8220	10000	10000	18000	17700	98	94	75-125	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

QC Batch: 854751
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407649001, 50407649002, 50407649003

METHOD BLANK: 3915230
Matrix: Water
Associated Lab Samples: 50407649001, 50407649002, 50407649003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.30	07/23/25 12:52	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.24	07/23/25 12:52	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.31	07/23/25 12:52	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	07/23/25 12:52	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	07/23/25 12:52	
1,1-Dichloroethene	ug/L	ND	5.0	0.21	07/23/25 12:52	
1,1-Dichloropropene	ug/L	ND	5.0	0.26	07/23/25 12:52	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.32	07/23/25 12:52	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	07/23/25 12:52	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.27	07/23/25 12:52	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.26	07/23/25 12:52	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.28	07/23/25 12:52	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.22	07/23/25 12:52	
1,2-Dichloroethane	ug/L	ND	5.0	0.22	07/23/25 12:52	
1,2-Dichloropropane	ug/L	ND	5.0	0.27	07/23/25 12:52	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.25	07/23/25 12:52	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.26	07/23/25 12:52	
1,3-Dichloropropane	ug/L	ND	5.0	0.27	07/23/25 12:52	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.24	07/23/25 12:52	
1-Methylnaphthalene	ug/L	ND	10.0	1.4	07/23/25 12:52	
2,2-Dichloropropane	ug/L	ND	5.0	0.27	07/23/25 12:52	
2-Butanone (MEK)	ug/L	ND	25.0	1.3	07/23/25 12:52	
2-Chlorotoluene	ug/L	ND	5.0	0.25	07/23/25 12:52	
2-Hexanone	ug/L	ND	25.0	1.2	07/23/25 12:52	
2-Methylnaphthalene	ug/L	ND	10.0	1.4	07/23/25 12:52	
4-Chlorotoluene	ug/L	ND	5.0	0.26	07/23/25 12:52	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.3	07/23/25 12:52	
Acetone	ug/L	ND	100	1.6	07/23/25 12:52	
Acrolein	ug/L	ND	50.0	5.4	07/23/25 12:52	
Acrylonitrile	ug/L	ND	100	1.2	07/23/25 12:52	
Benzene	ug/L	ND	5.0	0.24	07/23/25 12:52	
Bromobenzene	ug/L	ND	5.0	0.30	07/23/25 12:52	
Bromochloromethane	ug/L	ND	5.0	0.26	07/23/25 12:52	
Bromodichloromethane	ug/L	ND	5.0	0.32	07/23/25 12:52	
Bromoform	ug/L	ND	5.0	0.34	07/23/25 12:52	
Bromomethane	ug/L	ND	5.0	0.81	07/23/25 12:52	
Carbon disulfide	ug/L	ND	10.0	0.25	07/23/25 12:52	
Carbon tetrachloride	ug/L	ND	5.0	0.25	07/23/25 12:52	
Chlorobenzene	ug/L	ND	5.0	0.25	07/23/25 12:52	
Chloroethane	ug/L	ND	5.0	0.46	07/23/25 12:52	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

METHOD BLANK: 3915230 Matrix: Water
Associated Lab Samples: 50407649001, 50407649002, 50407649003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.32	07/23/25 12:52	
Chloromethane	ug/L	ND	5.0	0.24	07/23/25 12:52	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.28	07/23/25 12:52	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.26	07/23/25 12:52	
Dibromochloromethane	ug/L	ND	5.0	0.31	07/23/25 12:52	
Dibromomethane	ug/L	ND	5.0	0.27	07/23/25 12:52	
Dichlorodifluoromethane	ug/L	ND	5.0	0.31	07/23/25 12:52	
Ethyl methacrylate	ug/L	ND	100	0.29	07/23/25 12:52	
Ethylbenzene	ug/L	ND	5.0	0.24	07/23/25 12:52	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.85	07/23/25 12:52	
Iodomethane	ug/L	ND	10.0	0.34	07/23/25 12:52	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.23	07/23/25 12:52	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.25	07/23/25 12:52	
Methylene Chloride	ug/L	ND	5.0	1.0	07/23/25 12:52	
n-Butylbenzene	ug/L	ND	5.0	0.27	07/23/25 12:52	
n-Hexane	ug/L	ND	5.0	0.22	07/23/25 12:52	
n-Propylbenzene	ug/L	ND	5.0	0.25	07/23/25 12:52	
Naphthalene	ug/L	ND	1.2	0.26	07/23/25 12:52	
p-Isopropyltoluene	ug/L	ND	5.0	0.23	07/23/25 12:52	
sec-Butylbenzene	ug/L	ND	5.0	0.22	07/23/25 12:52	
Styrene	ug/L	ND	5.0	0.27	07/23/25 12:52	
tert-Butylbenzene	ug/L	ND	5.0	0.23	07/23/25 12:52	
Tetrachloroethene	ug/L	ND	5.0	0.25	07/23/25 12:52	
Toluene	ug/L	ND	5.0	0.38	07/23/25 12:52	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.25	07/23/25 12:52	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.51	07/23/25 12:52	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.38	07/23/25 12:52	
Trichloroethene	ug/L	ND	5.0	0.22	07/23/25 12:52	
Trichlorofluoromethane	ug/L	ND	5.0	0.30	07/23/25 12:52	
Vinyl acetate	ug/L	ND	50.0	0.86	07/23/25 12:52	
Vinyl chloride	ug/L	ND	2.0	0.41	07/23/25 12:52	
Xylene (Total)	ug/L	ND	10.0	0.38	07/23/25 12:52	
4-Bromofluorobenzene (S)	%.	96	79-124		07/23/25 12:52	
Dibromofluoromethane (S)	%.	102	82-128		07/23/25 12:52	1d
Toluene-d8 (S)	%.	98	73-122		07/23/25 12:52	

LABORATORY CONTROL SAMPLE: 3915231

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.6	95	78-129	
1,1,1-Trichloroethane	ug/L	50	47.3	95	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	46.8	94	69-126	
1,1,2-Trichloroethane	ug/L	50	48.9	98	77-125	
1,1-Dichloroethane	ug/L	50	50.9	102	75-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

LABORATORY CONTROL SAMPLE: 3915231

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	48.4	97	59-128	
1,1-Dichloropropene	ug/L	50	54.1	108	79-135	
1,2,3-Trichlorobenzene	ug/L	50	53.0	106	69-144	
1,2,3-Trichloropropane	ug/L	50	46.1	92	75-128	
1,2,4-Trichlorobenzene	ug/L	50	54.1	108	67-139	
1,2,4-Trimethylbenzene	ug/L	50	48.0	96	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	48.6	97	78-125	
1,2-Dichlorobenzene	ug/L	50	48.1	96	79-120	
1,2-Dichloroethane	ug/L	50	49.0	98	61-127	
1,2-Dichloropropane	ug/L	50	50.8	102	75-124	
1,3,5-Trimethylbenzene	ug/L	50	49.1	98	71-122	
1,3-Dichlorobenzene	ug/L	50	47.9	96	78-120	
1,3-Dichloropropane	ug/L	50	48.3	97	76-123	
1,4-Dichlorobenzene	ug/L	50	49.2	98	80-119	
1-Methylnaphthalene	ug/L	50	56.5	113	28-200	
2,2-Dichloropropane	ug/L	50	55.1	110	50-147	
2-Butanone (MEK)	ug/L	250	209	84	64-136	
2-Chlorotoluene	ug/L	50	47.7	95	74-119	
2-Hexanone	ug/L	250	214	86	59-134	
2-Methylnaphthalene	ug/L	50	55.0	110	23-200	
4-Chlorotoluene	ug/L	50	49.5	99	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	223	89	62-133	
Acetone	ug/L	250	185	74	34-156	
Acrolein	ug/L	1000	759	76	46-156	
Acrylonitrile	ug/L	250	220	88	67-146	
Benzene	ug/L	50	47.7	95	76-120	
Bromobenzene	ug/L	50	46.0	92	73-121	
Bromochloromethane	ug/L	50	51.3	103	69-120	
Bromodichloromethane	ug/L	50	48.7	97	79-127	
Bromoform	ug/L	50	47.2	94	76-135	
Bromomethane	ug/L	50	34.5	69	10-181	
Carbon disulfide	ug/L	50	45.5	91	63-133	
Carbon tetrachloride	ug/L	50	49.1	98	70-131	
Chlorobenzene	ug/L	50	47.8	96	77-118	
Chloroethane	ug/L	50	54.6	109	31-159	
Chloroform	ug/L	50	48.9	98	74-122	
Chloromethane	ug/L	50	39.5	79	38-151	
cis-1,2-Dichloroethene	ug/L	50	51.1	102	78-121	
cis-1,3-Dichloropropene	ug/L	50	49.8	100	75-136	
Dibromochloromethane	ug/L	50	48.5	97	80-132	
Dibromomethane	ug/L	50	51.7	103	78-122	
Dichlorodifluoromethane	ug/L	50	37.1	74	10-172	
Ethyl methacrylate	ug/L	50	47.3J	95	72-147	
Ethylbenzene	ug/L	50	48.1	96	76-124	
Hexachloro-1,3-butadiene	ug/L	50	51.0	102	70-135	
Iodomethane	ug/L	50	18.4	37	10-143	
Isopropylbenzene (Cumene)	ug/L	50	48.7	97	66-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

LABORATORY CONTROL SAMPLE: 3915231

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	46.1	92	74-124	
Methylene Chloride	ug/L	50	41.6	83	64-134	
n-Butylbenzene	ug/L	50	50.8	102	69-130	
n-Hexane	ug/L	50	46.0	92	51-127	
n-Propylbenzene	ug/L	50	50.2	100	67-127	
Naphthalene	ug/L	50	51.3	103	66-143	
p-Isopropyltoluene	ug/L	50	49.4	99	75-125	
sec-Butylbenzene	ug/L	50	50.0	100	71-126	
Styrene	ug/L	50	48.8	98	79-125	
tert-Butylbenzene	ug/L	50	56.3	113	73-125	
Tetrachloroethene	ug/L	50	48.5	97	71-122	
Toluene	ug/L	50	47.4	95	72-117	
trans-1,2-Dichloroethene	ug/L	50	50.1	100	74-121	
trans-1,3-Dichloropropene	ug/L	50	50.4	101	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	47.5J	95	57-137	
Trichloroethene	ug/L	50	48.7	97	75-124	
Trichlorofluoromethane	ug/L	50	56.8	114	55-142	
Vinyl acetate	ug/L	200	253	127	66-193	
Vinyl chloride	ug/L	50	48.7	97	50-150	
Xylene (Total)	ug/L	150	144	96	73-119	
4-Bromofluorobenzene (S)	%.			98	79-124	
Dibromofluoromethane (S)	%.			101	82-128	
Toluene-d8 (S)	%.			101	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

QC Batch: 854915
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407649004, 50407649011

METHOD BLANK: 3916037
Matrix: Water
Associated Lab Samples: 50407649004, 50407649011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.30	07/24/25 14:33	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.24	07/24/25 14:33	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.31	07/24/25 14:33	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.36	07/24/25 14:33	
1,1-Dichloroethane	ug/L	ND	5.0	0.26	07/24/25 14:33	
1,1-Dichloroethene	ug/L	ND	5.0	0.21	07/24/25 14:33	
1,1-Dichloropropene	ug/L	ND	5.0	0.26	07/24/25 14:33	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.32	07/24/25 14:33	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.33	07/24/25 14:33	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.27	07/24/25 14:33	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.26	07/24/25 14:33	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.28	07/24/25 14:33	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.22	07/24/25 14:33	
1,2-Dichloroethane	ug/L	ND	5.0	0.22	07/24/25 14:33	
1,2-Dichloropropane	ug/L	ND	5.0	0.27	07/24/25 14:33	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.25	07/24/25 14:33	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.26	07/24/25 14:33	
1,3-Dichloropropane	ug/L	ND	5.0	0.27	07/24/25 14:33	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.24	07/24/25 14:33	
1-Methylnaphthalene	ug/L	ND	10.0	1.4	07/24/25 14:33	
2,2-Dichloropropane	ug/L	ND	5.0	0.27	07/24/25 14:33	
2-Butanone (MEK)	ug/L	ND	25.0	1.3	07/24/25 14:33	
2-Chlorotoluene	ug/L	ND	5.0	0.25	07/24/25 14:33	
2-Hexanone	ug/L	ND	25.0	1.2	07/24/25 14:33	
2-Methylnaphthalene	ug/L	ND	10.0	1.4	07/24/25 14:33	
4-Chlorotoluene	ug/L	ND	5.0	0.26	07/24/25 14:33	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.3	07/24/25 14:33	
Acetone	ug/L	ND	100	1.6	07/24/25 14:33	
Acrolein	ug/L	ND	50.0	5.4	07/24/25 14:33	
Acrylonitrile	ug/L	ND	100	1.2	07/24/25 14:33	
Benzene	ug/L	ND	5.0	0.24	07/24/25 14:33	
Bromobenzene	ug/L	ND	5.0	0.30	07/24/25 14:33	
Bromochloromethane	ug/L	ND	5.0	0.26	07/24/25 14:33	
Bromodichloromethane	ug/L	ND	5.0	0.32	07/24/25 14:33	
Bromoform	ug/L	ND	5.0	0.34	07/24/25 14:33	
Bromomethane	ug/L	ND	5.0	0.81	07/24/25 14:33	
Carbon disulfide	ug/L	ND	10.0	0.25	07/24/25 14:33	
Carbon tetrachloride	ug/L	ND	5.0	0.25	07/24/25 14:33	
Chlorobenzene	ug/L	ND	5.0	0.25	07/24/25 14:33	
Chloroethane	ug/L	ND	5.0	0.46	07/24/25 14:33	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

METHOD BLANK: 3916037 Matrix: Water
Associated Lab Samples: 50407649004, 50407649011

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chloroform	ug/L	ND	5.0	0.32	07/24/25 14:33	
Chloromethane	ug/L	ND	5.0	0.24	07/24/25 14:33	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.28	07/24/25 14:33	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.26	07/24/25 14:33	
Dibromochloromethane	ug/L	ND	5.0	0.31	07/24/25 14:33	
Dibromomethane	ug/L	ND	5.0	0.27	07/24/25 14:33	
Dichlorodifluoromethane	ug/L	ND	5.0	0.31	07/24/25 14:33	
Ethyl methacrylate	ug/L	ND	100	0.29	07/24/25 14:33	
Ethylbenzene	ug/L	ND	5.0	0.24	07/24/25 14:33	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.85	07/24/25 14:33	
Iodomethane	ug/L	ND	10.0	0.34	07/24/25 14:33	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.23	07/24/25 14:33	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.25	07/24/25 14:33	
Methylene Chloride	ug/L	ND	5.0	1.0	07/24/25 14:33	
n-Butylbenzene	ug/L	ND	5.0	0.27	07/24/25 14:33	
n-Hexane	ug/L	ND	5.0	0.22	07/24/25 14:33	
n-Propylbenzene	ug/L	ND	5.0	0.25	07/24/25 14:33	
Naphthalene	ug/L	ND	1.2	0.26	07/24/25 14:33	
p-Isopropyltoluene	ug/L	ND	5.0	0.23	07/24/25 14:33	
sec-Butylbenzene	ug/L	ND	5.0	0.22	07/24/25 14:33	
Styrene	ug/L	ND	5.0	0.27	07/24/25 14:33	
tert-Butylbenzene	ug/L	ND	5.0	0.23	07/24/25 14:33	
Tetrachloroethene	ug/L	ND	5.0	0.25	07/24/25 14:33	
Toluene	ug/L	ND	5.0	0.38	07/24/25 14:33	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.25	07/24/25 14:33	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.51	07/24/25 14:33	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.38	07/24/25 14:33	
Trichloroethene	ug/L	ND	5.0	0.22	07/24/25 14:33	
Trichlorofluoromethane	ug/L	ND	5.0	0.30	07/24/25 14:33	
Vinyl acetate	ug/L	ND	50.0	0.86	07/24/25 14:33	
Vinyl chloride	ug/L	ND	2.0	0.41	07/24/25 14:33	
Xylene (Total)	ug/L	ND	10.0	0.38	07/24/25 14:33	
4-Bromofluorobenzene (S)	%.	95	79-124		07/24/25 14:33	
Dibromofluoromethane (S)	%.	104	82-128		07/24/25 14:33	1d
Toluene-d8 (S)	%.	99	73-122		07/24/25 14:33	

LABORATORY CONTROL SAMPLE: 3916038

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	48.1	96	78-129	
1,1,1-Trichloroethane	ug/L	50	48.7	97	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	46.7	93	69-126	
1,1,2-Trichloroethane	ug/L	50	48.6	97	77-125	
1,1-Dichloroethane	ug/L	50	49.8	100	75-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

LABORATORY CONTROL SAMPLE: 3916038

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	ug/L	50	49.1	98	59-128	
1,1-Dichloropropene	ug/L	50	53.4	107	79-135	
1,2,3-Trichlorobenzene	ug/L	50	51.6	103	69-144	
1,2,3-Trichloropropane	ug/L	50	45.7	91	75-128	
1,2,4-Trichlorobenzene	ug/L	50	51.7	103	67-139	
1,2,4-Trimethylbenzene	ug/L	50	48.0	96	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	48.9	98	78-125	
1,2-Dichlorobenzene	ug/L	50	47.9	96	79-120	
1,2-Dichloroethane	ug/L	50	49.1	98	61-127	
1,2-Dichloropropane	ug/L	50	50.2	100	75-124	
1,3,5-Trimethylbenzene	ug/L	50	48.9	98	71-122	
1,3-Dichlorobenzene	ug/L	50	48.7	97	78-120	
1,3-Dichloropropane	ug/L	50	48.2	96	76-123	
1,4-Dichlorobenzene	ug/L	50	49.3	99	80-119	
1-Methylnaphthalene	ug/L	50	48.0	96	28-200	
2,2-Dichloropropane	ug/L	50	55.2	110	50-147	
2-Butanone (MEK)	ug/L	250	201	81	64-136	
2-Chlorotoluene	ug/L	50	47.1	94	74-119	
2-Hexanone	ug/L	250	209	83	59-134	
2-Methylnaphthalene	ug/L	50	48.1	96	23-200	
4-Chlorotoluene	ug/L	50	49.5	99	75-124	
4-Methyl-2-pentanone (MIBK)	ug/L	250	219	88	62-133	
Acetone	ug/L	250	190	76	34-156	
Acrolein	ug/L	1000	769	77	46-156	
Acrylonitrile	ug/L	250	220	88	67-146	
Benzene	ug/L	50	48.5	97	76-120	
Bromobenzene	ug/L	50	44.9	90	73-121	
Bromochloromethane	ug/L	50	50.3	101	69-120	
Bromodichloromethane	ug/L	50	50.2	100	79-127	
Bromoform	ug/L	50	47.2	94	76-135	
Bromomethane	ug/L	50	18.5	37	10-181	
Carbon disulfide	ug/L	50	44.8	90	63-133	
Carbon tetrachloride	ug/L	50	50.5	101	70-131	
Chlorobenzene	ug/L	50	47.6	95	77-118	
Chloroethane	ug/L	50	56.0	112	31-159	
Chloroform	ug/L	50	49.6	99	74-122	
Chloromethane	ug/L	50	39.2	78	38-151	
cis-1,2-Dichloroethene	ug/L	50	52.7	105	78-121	
cis-1,3-Dichloropropene	ug/L	50	50.6	101	75-136	
Dibromochloromethane	ug/L	50	48.2	96	80-132	
Dibromomethane	ug/L	50	52.6	105	78-122	
Dichlorodifluoromethane	ug/L	50	36.0	72	10-172	
Ethyl methacrylate	ug/L	50	47.4J	95	72-147	
Ethylbenzene	ug/L	50	48.6	97	76-124	
Hexachloro-1,3-butadiene	ug/L	50	49.2	98	70-135	
Iodomethane	ug/L	50	16.1	32	10-143	
Isopropylbenzene (Cumene)	ug/L	50	48.6	97	66-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

LABORATORY CONTROL SAMPLE: 3916038

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Methyl-tert-butyl ether	ug/L	50	46.5	93	74-124	
Methylene Chloride	ug/L	50	41.8	84	64-134	
n-Butylbenzene	ug/L	50	50.5	101	69-130	
n-Hexane	ug/L	50	45.4	91	51-127	
n-Propylbenzene	ug/L	50	49.8	100	67-127	
Naphthalene	ug/L	50	49.6	99	66-143	
p-Isopropyltoluene	ug/L	50	49.6	99	75-125	
sec-Butylbenzene	ug/L	50	49.2	98	71-126	
Styrene	ug/L	50	49.1	98	79-125	
tert-Butylbenzene	ug/L	50	55.5	111	73-125	
Tetrachloroethene	ug/L	50	48.4	97	71-122	
Toluene	ug/L	50	47.4	95	72-117	
trans-1,2-Dichloroethene	ug/L	50	50.7	101	74-121	
trans-1,3-Dichloropropene	ug/L	50	50.4	101	73-132	
trans-1,4-Dichloro-2-butene	ug/L	50	45.6J	91	57-137	
Trichloroethene	ug/L	50	49.8	100	75-124	
Trichlorofluoromethane	ug/L	50	56.8	114	55-142	
Vinyl acetate	ug/L	200	260	130	66-193	
Vinyl chloride	ug/L	50	47.4	95	50-150	
Xylene (Total)	ug/L	150	144	96	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			103	82-128	
Toluene-d8 (S)	%.			101	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

QC Batch: 854190
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407649001, 50407649002, 50407649003, 50407649004

METHOD BLANK: 3912794 Matrix: Water
Associated Lab Samples: 50407649001, 50407649002, 50407649003, 50407649004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	07/18/25 15:55	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	07/18/25 15:55	

LABORATORY CONTROL SAMPLE: 3912795

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.0	100	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.0	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3912796 3912797

Parameter	Units	50407649002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Nitrate	mg/L	ND	1	1	0.90	0.89	90	89	90-110	1	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	1.8	1.8	92	91	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

QC Batch: 855680
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis
Associated Lab Samples: 50407649001, 50407649002, 50407649003, 50407649004

METHOD BLANK: 3919846 Matrix: Water
Associated Lab Samples: 50407649001, 50407649002, 50407649003, 50407649004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	07/31/25 12:31	

LABORATORY CONTROL SAMPLE: 3919847

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	10300	103	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3919848 3919849

Parameter	Units	50407640001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Total Organic Carbon	ug/L	3.7 mg/L	20000	20000	26000	26000	112	112	80-120	0	15	

MATRIX SPIKE SAMPLE: 3919850

Parameter	Units	50407640002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	19.4 mg/L	20000	41000	108	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

BATCH QUALIFIERS

Batch: 855810

[M5]	A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

1d	Neither matrix spike nor matrix precision data could be provided for this analytical batch due to insufficient sample volume.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
H7	Re-extraction or re-analysis could not be performed within method holding time.
M5	A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 Headspace	Water	RSK 175 Modified	N/A

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 3Q25 Indy CE Annual Sampling
Pace Project No.: 50407649

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50407649001	**MW-410D-20250717**	EPA 300.0	854643		
50407649002	**MW-410S-20250717**	EPA 300.0	854643		
50407649003	**MW-411S-20250717**	EPA 300.0	854643		
50407649004	**MW-411D-20250718**	EPA 300.0	854643		
50407649001	**MW-410D-20250717**	RSK 175 Modified	855810		
50407649002	**MW-410S-20250717**	RSK 175 Modified	855810		
50407649003	**MW-411S-20250717**	RSK 175 Modified	855810		
50407649004	**MW-411D-20250718**	RSK 175 Modified	855816		
50407649005	**MW-428-20250718**	RSK 175 Modified	855816		
50407649006	**MW-407S-20250718**	RSK 175 Modified	855816		
50407649007	**MW-407D-20250718**	RSK 175 Modified	855816		
50407649008	**MW-413S-20250718**	RSK 175 Modified	855816		
50407649009	**MW-413D-20250718**	RSK 175 Modified	855816		
50407649010	**MW-425-20250718**	RSK 175 Modified	855816		
50407649001	**MW-410D-20250717**	EPA 3010	855990	EPA 6010	855991
50407649002	**MW-410S-20250717**	EPA 3010	855990	EPA 6010	855991
50407649003	**MW-411S-20250717**	EPA 3010	855990	EPA 6010	855991
50407649004	**MW-411D-20250718**	EPA 3010	855990	EPA 6010	855991
50407649001	**MW-410D-20250717**	EPA 5030/8260	854751		
50407649002	**MW-410S-20250717**	EPA 5030/8260	854751		
50407649003	**MW-411S-20250717**	EPA 5030/8260	854751		
50407649004	**MW-411D-20250718**	EPA 5030/8260	854915		
50407649011	**TRIP BLANK-20250718**	EPA 5030/8260	854915		
50407649001	**MW-410D-20250717**	EPA 353.2	854190		
50407649002	**MW-410S-20250717**	EPA 353.2	854190		
50407649003	**MW-411S-20250717**	EPA 353.2	854190		
50407649004	**MW-411D-20250718**	EPA 353.2	854190		
50407649001	**MW-410D-20250717**	SM 5310C	855680		
50407649002	**MW-410S-20250717**	SM 5310C	855680		
50407649003	**MW-411S-20250717**	SM 5310C	855680		
50407649004	**MW-411D-20250718**	SM 5310C	855680		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

WO# : 50407649

50407649

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [X] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

** Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: Heather Patterson

AcctNum / Client ID:

Table #:

Profile / Template: 2747-28

Prelog / Bottle Ord. ID: EZ 3275429

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 ME/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment
MW-410D-20250717	GW	G			7/17/25	1341	9			X	X	X	X	X	X	001
MW-410S-20250717	GW	G			7/17/25	1505	9			↓	↓	↓	↓	↓	↓	002
MW-411S-20250717	GW	G			7/17/25	1645	9			↓	↓	↓	↓	↓	↓	003
MW-411D-20250718	GW	G			7/18/25	0915	9			X	X	X	X	X	X	004
MW-428-20250718	GW	G			7/18/25	1000	3				X					005
MW-407S-20250718	GW	G			7/18/25	1040	3				X					006
MW-407D-20250718	GW	G			7/18/25	1100	3				X					007
[illegible]																
MW-413S-20250718	GW	G			7/18/25	1130	3				X					008
MW-413D-20250718	GW	G			7/18/25	1146	3				X					009

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By:
(Printed Name) Gabriel Borgmeyer
Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	#4	0.0	2.2	2.2	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Ramboll	7/18/25 1332	(PACE)	7/18/25 1332	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [X] In- Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square, Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	3Q25 Indy CE Annual Sampling	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [X] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: 10 Day TAT

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	VOC by 8260	RSK 175 M/E/E Pace MN	Dissolved Fe by 6010	Sulfate by 300.0	Nitrate by 353.2 (unpreserved)	TOC by 5310	Sample Comment	Preservation non-conformance identified for sample.
MW-425-20250718	GW	G			7/18/25	1215	3				X					010	
TRIP BLANK-20250718	←	←			7/18/25	1200	3			X						011	

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3275429**

Additional Instructions from Pace®:
Nitrate has a short 48 hour hold time.

Collected By: (Printed Name) Gabriel Borgmeyer

Signature:

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	#4	0.0	2.2	2.2	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
/Ramboll	7/18/25 - 1532	PL (PACE)	7/18/25	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [X] In-Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 2 of 2

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents:

LR 7/18/25 1428

1. Thermometer: 1 2 3 (4) 5 6 7 8 9 A B C D E F G H I

Cooler temp should be above freezing to 6°C

2A. Cooler Temperature(s): 2.2/2.2 | | | |

(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

2B. Was the PM notified of out of temp cooler?: (leave blank if samples are in temp) Yes No

3. Packing Material: (Bubble Bags) Bubble Wrap (None) Other:

4. Ice Type: (Wet) Blue None

5. Courier: FedEx UPS (Client) Pace NOW Jett Other

6. Custody Seal on Cooler/Box Present: (Yes) No

(If yes)Seals Intact: (Yes) No *Leave blank if no seals were present*

All discrepancies will be written out in the comments section below.

	Yes	No	N/A
7. **USDA Regulated Soils?** (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)			X
8. **Short Hold Time Analysis (48 hours or less)?:** NO_2/NO_3	X		
9. **Time 5035A TC placed in Freezer or Short Holds To Lab:**	Time: 1440		
10. **Rush TAT Requested (4 days or less):**		X	
11. Custody Signatures Present?	X		
12. Containers intact?	X		
13. Sample Label (IDs/Dates/Times) Match COC?: Except TCs, which only require sample ID	X		
14. All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** **Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9)** Any non-conformance to pH recommendations will be noted on the container count form	X		
15. Residual Chlorine Check (SVOC 625 Pest/PCB 608)			X
16. Residual Chlorine Check (Total/Amenable/Free Cyanide)			X
17. Headspace in **VOA Vials** (>6mm): See Containter Count form for details			X
18. Trip Blank Present?	X		
19. Trip Blank Custody Seals?:	X		
20. Extra labels on Terracore Vials? (soils only)			X

Comments:

Only Plastic bottles were bubble wrapped -LR 7/18

COC PAGE 1 of 2

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

| | | |

COC PAGE 2 of 2

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (orev) SBS DI R	DG9H (/G9H)	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
				AMBER GLASS											PLASTIC									OTHER										
1				3																									WT				
2				3																									WT				
3																																	
4																																	
5																																	
6																																	
7																																	
8																																	
9																																	
10																																	
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass
!	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass

Plastic

BP1B	1L NaOH plastic
BP1N	1L HNO3 plastic
BP1S	1L H2SO4 plastic
BP1U	1L unpreserved plastic
BP1Z	1L NaOH, Zn, Ac
BP2N	500mL HNO3 plastic
BP2C	500mL NaOH plastic
BP2S	500mL H2SO4 plastic
BP2U	500mL unpreserved plastic
BP2Z	500mL NaOH, Zn Ac
BP3B	25[illegible] NaOH plastic
BP3N	2[illegible] HNO3 plastic
BP3F	25[illegible] O3 plastic-field filtered
BP3U	250mL unpreserved plastic
BP3S	250mL H2SO4 plastic
BP3Z	250mL NaOH, ZnAc plastic

NT3U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

APPENDIX B-4
OCTOBER 2025 GROUNDWATER SAMPLING EVENT

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

October 29, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: GE Indy Q4 2025
Pace Project No.: 50415196

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on October 14, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Table of Contents

Sections: 1 2 3 4 5 6 7 8 9 10

Section 1: Cert Page 3
Section 2: Sample Summary 4
Section 3: Sample Analyte 5
Section 4: Summary of Hits 6
Section 5: Results 8
Section 6: Quality Control 33
Section 7: Qualifiers 43
Section 8: Method Cross Reference 44
Section 9: QC Cross Reference 45
Section 10: Chain of Custody 46
10.1: Chain of Custody 46

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50415196001	**EB-01-20251013**	Water	10/13/25 08:05	10/14/25 12:05
50415196002	**MW-413S-20251013**	Water	10/13/25 09:10	10/14/25 12:05
50415196003	**MW-413D-20251013**	Water	10/13/25 10:29	10/14/25 12:05
50415196004	**AD-100-20251013**	Water	10/13/25 12:00	10/14/25 12:05
50415196005	**MW-425-20251013**	Water	10/13/25 12:10	10/14/25 12:05
50415196006	**MW-426-20251013**	Water	10/13/25 13:35	10/14/25 12:05
50415196007	**W-9-20251013**	Water	10/13/25 15:30	10/14/25 12:05
50415196008	**MW-428-20251013**	Water	10/13/25 17:00	10/14/25 12:05
50415196009	**MW-407D-20251014**	Water	10/14/25 09:55	10/14/25 12:05
50415196010	**TRIP BLANK-20251014**	Water	10/13/25 08:00	10/14/25 12:05

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50415196001	**EB-01-20251013**	EPA 5030/8260	JRW	75	PASI-I
50415196002	**MW-413S-20251013**	EPA 300.0	FIP	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	CAS	3	PASI-I
		SM 5310C	ATS	1	PASI-I
50415196003	**MW-413D-20251013**	EPA 300.0	FIP	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415196004	**AD-100-20251013**	EPA 5030/8260	JRW	75	PASI-I
50415196005	**MW-425-20251013**	EPA 300.0	FIP	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415196006	**MW-426-20251013**	RSK 175 Modified	MBS	3	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
50415196007	**W-9-20251013**	RSK 175 Modified	MBS	3	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
50415196008	**MW-428-20251013**	EPA 300.0	FIP	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415196009	**MW-407D-20251014**	EPA 300.0	FIP	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	CAS	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415196010	**TRIP BLANK-20251014**	EPA 5030/8260	JRW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50415196002	**MW-413S-20251013**					
EPA 300.0	Sulfate	18000	ug/L	250	10/15/25 22:26	
EPA 6010	Iron, Dissolved	1160	ug/L	100	10/16/25 16:07	
EPA 5030/8260	Chloroethane	433	ug/L	50.0	10/24/25 12:43	
EPA 5030/8260	cis-1,2-Dichloroethene	168	ug/L	5.0	10/23/25 16:11	M1
EPA 5030/8260	Vinyl chloride	210	ug/L	2.0	10/23/25 16:11	M1
SM 5310C	Total Organic Carbon	2360	ug/L	1000	10/25/25 18:03	
50415196003	**MW-413D-20251013**					
EPA 300.0	Sulfate	78300	ug/L	2500	10/16/25 11:19	
EPA 6010	Iron, Dissolved	2690	ug/L	100	10/16/25 16:08	
EPA 5030/8260	Chloroethane	64.2	ug/L	5.0	10/23/25 16:43	
EPA 5030/8260	cis-1,2-Dichloroethene	5.7	ug/L	5.0	10/23/25 16:43	
EPA 5030/8260	Vinyl chloride	569	ug/L	20.0	10/24/25 13:14	
SM 5310C	Total Organic Carbon	2100	ug/L	1000	10/25/25 19:01	
50415196004	**AD-100-20251013**					
EPA 5030/8260	Chloroethane	70.7	ug/L	5.0	10/23/25 17:15	
EPA 5030/8260	cis-1,2-Dichloroethene	5.4	ug/L	5.0	10/23/25 17:15	
EPA 5030/8260	Vinyl chloride	574	ug/L	20.0	10/24/25 13:46	
50415196005	**MW-425-20251013**					
EPA 300.0	Sulfate	114000	ug/L	2500	10/16/25 12:09	
EPA 6010	Iron, Dissolved	8600	ug/L	100	10/16/25 16:10	
EPA 5030/8260	Chloroethane	2520	ug/L	125	10/24/25 14:18	
EPA 5030/8260	1,1-Dichloroethane	8.3	ug/L	5.0	10/23/25 17:47	
EPA 5030/8260	cis-1,2-Dichloroethene	11.1	ug/L	5.0	10/23/25 17:47	
EPA 5030/8260	Vinyl chloride	61.0	ug/L	2.0	10/23/25 17:47	
SM 5310C	Total Organic Carbon	2330	ug/L	1000	10/25/25 19:41	
50415196006	**MW-426-20251013**					
RSK 175 Modified	Ethane	11.5	ug/L	10.0	10/22/25 13:43	
RSK 175 Modified	Ethene	70.0	ug/L	10.0	10/22/25 13:43	
RSK 175 Modified	Methane	4070	ug/L	10.0	10/22/25 13:43	
EPA 5030/8260	Chloroethane	5920	ug/L	250	10/24/25 14:50	
EPA 5030/8260	1,1-Dichloroethane	66.0	ug/L	5.0	10/23/25 18:18	
EPA 5030/8260	cis-1,2-Dichloroethene	401	ug/L	250	10/24/25 14:50	
EPA 5030/8260	trans-1,2-Dichloroethene	5.0	ug/L	5.0	10/23/25 18:18	
EPA 5030/8260	Vinyl chloride	897	ug/L	100	10/24/25 14:50	
50415196007	**W-9-20251013**					
RSK 175 Modified	Ethane	61.5	ug/L	10.0	10/22/25 13:59	
RSK 175 Modified	Methane	4300	ug/L	10.0	10/22/25 13:59	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
EPA 5030/8260	Chloroethane	11.0	ug/L	5.0	10/23/25 18:50	
50415196008	**MW-428-20251013**					
EPA 6010	Iron, Dissolved	61500	ug/L	100	10/16/25 16:12	
EPA 5030/8260	Chloroethane	104	ug/L	5.0	10/23/25 19:22	
SM 5310C	Total Organic Carbon	35800	ug/L	10000	10/27/25 16:50	
50415196009	**MW-407D-20251014**					
EPA 300.0	Sulfate	29900	ug/L	250	10/15/25 19:55	
EPA 6010	Iron, Dissolved	3290	ug/L	100	10/16/25 16:14	
EPA 5030/8260	Chloroethane	112	ug/L	5.0	10/23/25 19:54	
EPA 5030/8260	1,1-Dichloroethane	28.0	ug/L	5.0	10/23/25 19:54	
EPA 5030/8260	cis-1,2-Dichloroethene	2200	ug/L	125	10/24/25 15:21	
EPA 5030/8260	Vinyl chloride	2170	ug/L	50.0	10/24/25 15:21	
SM 5310C	Total Organic Carbon	8510	ug/L	1000	10/25/25 20:23	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: EB-01-20251013 **Lab ID: 50415196001** Collected: 10/13/25 08:05 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 15:39	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 15:39	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 15:39	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 15:39	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 15:39	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 15:39	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 15:39	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 15:39	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 15:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 15:39	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 15:39	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 15:39	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 15:39	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 15:39	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 15:39	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 15:39	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/23/25 15:39	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 15:39	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 15:39	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 15:39	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 15:39	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 15:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 15:39	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 15:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 15:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 15:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 15:39	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 15:39	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 15:39	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/23/25 15:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 15:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 15:39	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.82	1		10/23/25 15:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 15:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 15:39	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 15:39	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 15:39	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 15:39	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 15:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 15:39	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 15:39	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 15:39	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 15:39	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: EB-01-20251013 **Lab ID: 50415196001** Collected: 10/13/25 08:05 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 15:39	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 15:39	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 15:39	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 15:39	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 15:39	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 15:39	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 15:39	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 15:39	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 15:39	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 15:39	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 15:39	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 15:39	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 15:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 15:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 15:39	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 15:39	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 15:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 15:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 15:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 15:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 15:39	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 15:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 15:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 15:39	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 15:39	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 15:39	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 15:39	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.66	1		10/23/25 15:39	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 15:39	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		10/23/25 15:39	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/23/25 15:39	460-00-4	
Toluene-d8 (S)	107	%.	73-122		1		10/23/25 15:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-413S-20251013 **Lab ID: 50415196002** Collected: 10/13/25 09:10 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**18000**	ug/L	250	140	1		10/15/25 22:26	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**1160**	ug/L	100	53.2	1	10/16/25 11:55	10/16/25 16:07	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 16:11	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 16:11	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 16:11	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 16:11	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 16:11	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 16:11	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 16:11	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 16:11	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 16:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 16:11	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 16:11	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 16:11	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 16:11	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 16:11	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 16:11	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 16:11	108-90-7	
Chloroethane	**433**	ug/L	50.0	15.9	10		10/24/25 12:43	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 16:11	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 16:11	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 16:11	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 16:11	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 16:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 16:11	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 16:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 16:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 16:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 16:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 16:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 16:11	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/23/25 16:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 16:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 16:11	75-35-4	
cis-1,2-Dichloroethene	**168**	ug/L	5.0	0.82	1		10/23/25 16:11	156-59-2	M1
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 16:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 16:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 16:11	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-413S-20251013 **Lab ID: 50415196002** Collected: 10/13/25 09:10 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 16:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 16:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 16:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 16:11	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 16:11	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 16:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 16:11	87-68-3	
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 16:11	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 16:11	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 16:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 16:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 16:11	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 16:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 16:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 16:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 16:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 16:11	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 16:11	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 16:11	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 16:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 16:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 16:11	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 16:11	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 16:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 16:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 16:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 16:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 16:11	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 16:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 16:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 16:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 16:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 16:11	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 16:11	108-05-4	
Vinyl chloride	**210**	ug/L	2.0	0.66	1		10/23/25 16:11	75-01-4	M1
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 16:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	118	%.	82-128		1		10/23/25 16:11	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/23/25 16:11	460-00-4	
Toluene-d8 (S)	109	%.	73-122		1		10/23/25 16:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-413S-20251013 **Lab ID: 50415196002** Collected: 10/13/25 09:10 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/14/25 15:33		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/14/25 15:33	14797-55-8	
Nitrogen, Nitrite	ND	mg/L	0.10	0.0040	1		10/14/25 15:33	14797-65-0	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**2360**	ug/L	1000	300	1		10/25/25 18:03	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-413D-20251013 **Lab ID: 50415196003** Collected: 10/13/25 10:29 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**78300**	ug/L	2500	1400	10		10/16/25 11:19	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**2690**	ug/L	100	53.2	1	10/16/25 11:55	10/16/25 16:08	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 16:43	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 16:43	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 16:43	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 16:43	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 16:43	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 16:43	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 16:43	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 16:43	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 16:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 16:43	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 16:43	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 16:43	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 16:43	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 16:43	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 16:43	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 16:43	108-90-7	
Chloroethane	**64.2**	ug/L	5.0	1.6	1		10/23/25 16:43	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 16:43	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 16:43	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 16:43	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 16:43	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 16:43	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 16:43	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 16:43	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 16:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 16:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 16:43	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 16:43	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 16:43	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/23/25 16:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 16:43	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 16:43	75-35-4	
cis-1,2-Dichloroethene	**5.7**	ug/L	5.0	0.82	1		10/23/25 16:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 16:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 16:43	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 16:43	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-413D-20251013 **Lab ID: 50415196003** Collected: 10/13/25 10:29 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 16:43	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 16:43	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 16:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 16:43	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 16:43	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 16:43	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 16:43	87-68-3	
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 16:43	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 16:43	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 16:43	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 16:43	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 16:43	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 16:43	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 16:43	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 16:43	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 16:43	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 16:43	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 16:43	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 16:43	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 16:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 16:43	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 16:43	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 16:43	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 16:43	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 16:43	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 16:43	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 16:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 16:43	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 16:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 16:43	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 16:43	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 16:43	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 16:43	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 16:43	108-05-4	
Vinyl chloride	**569**	ug/L	20.0	6.8	10		10/24/25 13:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 16:43	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	117	%.	82-128		1		10/23/25 16:43	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/23/25 16:43	460-00-4	
Toluene-d8 (S)	109	%.	73-122		1		10/23/25 16:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-413D-20251013 **Lab ID: 50415196003** Collected: 10/13/25 10:29 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/14/25 15:42		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/14/25 15:42	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**2100**	ug/L	1000	300	1		10/25/25 19:01	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: AD-100-20251013 **Lab ID: 50415196004** Collected: 10/13/25 12:00 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 17:15	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 17:15	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 17:15	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 17:15	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 17:15	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 17:15	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 17:15	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 17:15	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 17:15	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 17:15	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 17:15	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 17:15	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 17:15	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 17:15	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 17:15	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 17:15	108-90-7	
Chloroethane	**70.7**	ug/L	5.0	1.6	1		10/23/25 17:15	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 17:15	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 17:15	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 17:15	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 17:15	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 17:15	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 17:15	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 17:15	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 17:15	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 17:15	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 17:15	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 17:15	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 17:15	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/23/25 17:15	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 17:15	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 17:15	75-35-4	
cis-1,2-Dichloroethene	**5.4**	ug/L	5.0	0.82	1		10/23/25 17:15	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 17:15	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 17:15	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 17:15	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 17:15	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 17:15	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 17:15	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 17:15	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 17:15	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 17:15	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 17:15	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: AD-100-20251013 **Lab ID: 50415196004** Collected: 10/13/25 12:00 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 17:15	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 17:15	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 17:15	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 17:15	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 17:15	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 17:15	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 17:15	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 17:15	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 17:15	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 17:15	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 17:15	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 17:15	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 17:15	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 17:15	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 17:15	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 17:15	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 17:15	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 17:15	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 17:15	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 17:15	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 17:15	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 17:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 17:15	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 17:15	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 17:15	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 17:15	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 17:15	108-05-4	
Vinyl chloride	**574**	ug/L	20.0	6.8	10		10/24/25 13:46	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 17:15	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		10/23/25 17:15	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/23/25 17:15	460-00-4	
Toluene-d8 (S)	107	%.	73-122		1		10/23/25 17:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-425-20251013 **Lab ID: 50415196005** Collected: 10/13/25 12:10 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**114000**	ug/L	2500	1400	10		10/16/25 12:09	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**8600**	ug/L	100	53.2	1	10/16/25 11:55	10/16/25 16:10	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 17:47	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 17:47	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 17:47	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 17:47	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 17:47	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 17:47	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 17:47	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 17:47	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 17:47	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 17:47	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 17:47	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 17:47	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 17:47	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 17:47	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 17:47	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 17:47	108-90-7	
Chloroethane	**2520**	ug/L	125	39.8	25		10/24/25 14:18	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 17:47	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 17:47	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 17:47	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 17:47	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 17:47	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 17:47	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 17:47	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 17:47	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 17:47	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 17:47	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 17:47	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 17:47	75-71-8	
1,1-Dichloroethane	**8.3**	ug/L	5.0	0.89	1		10/23/25 17:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 17:47	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 17:47	75-35-4	
cis-1,2-Dichloroethene	**11.1**	ug/L	5.0	0.82	1		10/23/25 17:47	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 17:47	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 17:47	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 17:47	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-425-20251013 **Lab ID: 50415196005** Collected: 10/13/25 12:10 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 17:47	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 17:47	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 17:47	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 17:47	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 17:47	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 17:47	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 17:47	87-68-3	
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 17:47	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 17:47	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 17:47	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 17:47	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 17:47	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 17:47	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 17:47	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 17:47	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 17:47	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 17:47	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 17:47	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 17:47	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 17:47	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 17:47	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 17:47	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 17:47	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 17:47	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 17:47	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 17:47	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 17:47	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 17:47	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 17:47	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 17:47	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 17:47	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 17:47	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 17:47	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 17:47	108-05-4	
Vinyl chloride	**61.0**	ug/L	2.0	0.66	1		10/23/25 17:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 17:47	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		10/23/25 17:47	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		10/23/25 17:47	460-00-4	
Toluene-d8 (S)	109	%.	73-122		1		10/23/25 17:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-425-20251013 **Lab ID: 50415196005** Collected: 10/13/25 12:10 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/14/25 15:44		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/14/25 15:44	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**2330**	ug/L	1000	300	1		10/25/25 19:41	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-426-20251013 **Lab ID: 50415196006** Collected: 10/13/25 13:35 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**11.5**	ug/L	10.0	1.2	1		10/22/25 13:43	74-84-0	
Ethene	**70.0**	ug/L	10.0	2.3	1		10/22/25 13:43	74-85-1	
Methane	**4070**	ug/L	10.0	2.4	1		10/22/25 13:43	74-82-8	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 18:18	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 18:18	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 18:18	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 18:18	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 18:18	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 18:18	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 18:18	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 18:18	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 18:18	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 18:18	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 18:18	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 18:18	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 18:18	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 18:18	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 18:18	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 18:18	108-90-7	
Chloroethane	**5920**	ug/L	250	79.5	50		10/24/25 14:50	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 18:18	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 18:18	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 18:18	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 18:18	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 18:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 18:18	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 18:18	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 18:18	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 18:18	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 18:18	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 18:18	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 18:18	75-71-8	
1,1-Dichloroethane	**66.0**	ug/L	5.0	0.89	1		10/23/25 18:18	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 18:18	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 18:18	75-35-4	
cis-1,2-Dichloroethene	**401**	ug/L	250	35.2	50		10/24/25 14:50	156-59-2	
trans-1,2-Dichloroethene	**5.0**	ug/L	5.0	0.92	1		10/23/25 18:18	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 18:18	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 18:18	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 18:18	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 18:18	563-58-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-426-20251013 **Lab ID: 50415196006** Collected: 10/13/25 13:35 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 18:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 18:18	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 18:18	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 18:18	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 18:18	87-68-3	
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 18:18	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 18:18	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 18:18	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 18:18	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 18:18	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 18:18	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 18:18	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 18:18	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 18:18	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 18:18	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 18:18	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 18:18	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 18:18	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 18:18	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 18:18	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 18:18	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 18:18	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 18:18	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 18:18	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 18:18	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 18:18	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 18:18	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 18:18	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 18:18	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 18:18	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 18:18	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 18:18	108-05-4	
Vinyl chloride	**897**	ug/L	100	33.8	50		10/24/25 14:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 18:18	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		1		10/23/25 18:18	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		10/23/25 18:18	460-00-4	
Toluene-d8 (S)	107	%.	73-122		1		10/23/25 18:18	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: W-9-20251013 **Lab ID: 50415196007** Collected: 10/13/25 15:30 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	**61.5**	ug/L	10.0	1.2	1		10/22/25 13:59	74-84-0	
Ethene	ND	ug/L	10.0	2.3	1		10/22/25 13:59	74-85-1	
Methane	**4300**	ug/L	10.0	2.4	1		10/22/25 13:59	74-82-8	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 18:50	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 18:50	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 18:50	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 18:50	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 18:50	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 18:50	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 18:50	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 18:50	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 18:50	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 18:50	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 18:50	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 18:50	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 18:50	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 18:50	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 18:50	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 18:50	108-90-7	
Chloroethane	**11.0**	ug/L	5.0	1.6	1		10/23/25 18:50	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 18:50	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 18:50	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 18:50	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 18:50	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 18:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 18:50	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 18:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 18:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 18:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 18:50	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 18:50	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 18:50	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/23/25 18:50	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 18:50	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 18:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.82	1		10/23/25 18:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 18:50	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 18:50	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 18:50	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 18:50	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 18:50	563-58-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: W-9-20251013 **Lab ID: 50415196007** Collected: 10/13/25 15:30 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 18:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 18:50	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 18:50	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 18:50	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 18:50	87-68-3	
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 18:50	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 18:50	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 18:50	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 18:50	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 18:50	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 18:50	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 18:50	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 18:50	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 18:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 18:50	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 18:50	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 18:50	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 18:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 18:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 18:50	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 18:50	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 18:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 18:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 18:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 18:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 18:50	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 18:50	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 18:50	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 18:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 18:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 18:50	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 18:50	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.66	1		10/23/25 18:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 18:50	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		10/23/25 18:50	1868-53-7	
4-Bromofluorobenzene (S)	111	%.	79-124		1		10/23/25 18:50	460-00-4	
Toluene-d8 (S)	109	%.	73-122		1		10/23/25 18:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-428-20251013 **Lab ID: 50415196008** Collected: 10/13/25 17:00 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	ND	ug/L	250	140	1		10/15/25 19:05	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**61500**	ug/L	100	53.2	1	10/16/25 11:55	10/16/25 16:12	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 19:22	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 19:22	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 19:22	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 19:22	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 19:22	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 19:22	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 19:22	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 19:22	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 19:22	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 19:22	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 19:22	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 19:22	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 19:22	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 19:22	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 19:22	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 19:22	108-90-7	
Chloroethane	**104**	ug/L	5.0	1.6	1		10/23/25 19:22	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 19:22	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 19:22	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 19:22	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 19:22	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 19:22	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 19:22	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 19:22	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 19:22	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 19:22	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 19:22	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 19:22	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 19:22	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/23/25 19:22	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 19:22	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 19:22	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.82	1		10/23/25 19:22	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 19:22	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 19:22	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 19:22	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-428-20251013 **Lab ID: 50415196008** Collected: 10/13/25 17:00 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 19:22	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 19:22	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 19:22	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 19:22	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 19:22	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 19:22	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 19:22	87-68-3	
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 19:22	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 19:22	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 19:22	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 19:22	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 19:22	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 19:22	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 19:22	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 19:22	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 19:22	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 19:22	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 19:22	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 19:22	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 19:22	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 19:22	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 19:22	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 19:22	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 19:22	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 19:22	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 19:22	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 19:22	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 19:22	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 19:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 19:22	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 19:22	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 19:22	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 19:22	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 19:22	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.66	1		10/23/25 19:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 19:22	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		10/23/25 19:22	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/23/25 19:22	460-00-4	
Toluene-d8 (S)	107	%.	73-122		1		10/23/25 19:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-428-20251013 **Lab ID: 50415196008** Collected: 10/13/25 17:00 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/14/25 15:50		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/14/25 15:50	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**35800**	ug/L	10000	3000	10		10/27/25 16:50	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-407D-20251014 **Lab ID: 50415196009** Collected: 10/14/25 09:55 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**29900**	ug/L	250	140	1		10/15/25 19:55	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**3290**	ug/L	100	53.2	1	10/16/25 11:55	10/16/25 16:14	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 19:54	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 19:54	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 19:54	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 19:54	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 19:54	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 19:54	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 19:54	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 19:54	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 19:54	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 19:54	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 19:54	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 19:54	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 19:54	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 19:54	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 19:54	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 19:54	108-90-7	
Chloroethane	**112**	ug/L	5.0	1.6	1		10/23/25 19:54	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 19:54	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 19:54	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 19:54	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 19:54	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 19:54	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 19:54	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 19:54	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 19:54	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 19:54	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 19:54	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 19:54	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 19:54	75-71-8	
1,1-Dichloroethane	**28.0**	ug/L	5.0	0.89	1		10/23/25 19:54	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 19:54	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 19:54	75-35-4	
cis-1,2-Dichloroethene	**2200**	ug/L	125	17.6	25		10/24/25 15:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 19:54	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 19:54	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 19:54	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-407D-20251014 **Lab ID: 50415196009** Collected: 10/14/25 09:55 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 19:54	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 19:54	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 19:54	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 19:54	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 19:54	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 19:54	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 19:54	87-68-3	
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 19:54	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 19:54	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 19:54	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 19:54	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 19:54	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 19:54	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 19:54	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 19:54	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 19:54	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 19:54	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 19:54	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 19:54	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 19:54	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 19:54	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 19:54	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 19:54	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 19:54	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 19:54	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 19:54	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 19:54	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 19:54	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 19:54	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 19:54	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 19:54	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 19:54	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 19:54	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 19:54	108-05-4	
Vinyl chloride	**2170**	ug/L	50.0	16.9	25		10/24/25 15:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 19:54	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		10/23/25 19:54	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		10/23/25 19:54	460-00-4	
Toluene-d8 (S)	107	%.	73-122		1		10/23/25 19:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: MW-407D-20251014 **Lab ID: 50415196009** Collected: 10/14/25 09:55 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/14/25 15:48		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/14/25 15:48	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**8510**	ug/L	1000	300	1		10/25/25 20:23	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: TRIP BLANK-20251014 **Lab ID: 50415196010** Collected: 10/13/25 08:00 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/23/25 20:25	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/23/25 20:25	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/23/25 20:25	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/23/25 20:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/23/25 20:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/23/25 20:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/23/25 20:25	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/23/25 20:25	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/23/25 20:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/23/25 20:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/23/25 20:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/23/25 20:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/23/25 20:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/23/25 20:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/23/25 20:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 20:25	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/23/25 20:25	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/23/25 20:25	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/23/25 20:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/23/25 20:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/23/25 20:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/23/25 20:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/23/25 20:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/23/25 20:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/23/25 20:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/23/25 20:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/23/25 20:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/23/25 20:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/23/25 20:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/23/25 20:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/23/25 20:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/23/25 20:25	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.82	1		10/23/25 20:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/23/25 20:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/23/25 20:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/23/25 20:25	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/23/25 20:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/23/25 20:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/23/25 20:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/23/25 20:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/23/25 20:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/23/25 20:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/23/25 20:25	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Sample: TRIP BLANK-20251014 **Lab ID: 50415196010** Collected: 10/13/25 08:00 Received: 10/14/25 12:05 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/23/25 20:25	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/23/25 20:25	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/23/25 20:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/23/25 20:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/23/25 20:25	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/23/25 20:25	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/23/25 20:25	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/23/25 20:25	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/23/25 20:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/23/25 20:25	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/23/25 20:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/23/25 20:25	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/23/25 20:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/23/25 20:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/23/25 20:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/23/25 20:25	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/23/25 20:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/23/25 20:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/23/25 20:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/23/25 20:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/23/25 20:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/23/25 20:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/23/25 20:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/23/25 20:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/23/25 20:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/23/25 20:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/23/25 20:25	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.66	1		10/23/25 20:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/23/25 20:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		10/23/25 20:25	1868-53-7	
4-Bromofluorobenzene (S)	95	%.	79-124		1		10/23/25 20:25	460-00-4	
Toluene-d8 (S)	111	%.	73-122		1		10/23/25 20:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

QC Batch: 867828
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415196002, 50415196003, 50415196005, 50415196008, 50415196009

METHOD BLANK: 3976659 Matrix: Water

Associated Lab Samples: 50415196002, 50415196003, 50415196005, 50415196008, 50415196009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	140	10/15/25 15:26	

LABORATORY CONTROL SAMPLE: 3976660

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4890	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3976663 3976664

Parameter	Units	50415196002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Sulfate	ug/L	18000	5000	5000	23100	23100	101	102	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3976661 3976662

Parameter	Units	50415120004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Sulfate	ug/L	15.7 mg/L	5000	5000	20700	20700	100	99	80-120	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

QC Batch: 869039
QC Batch Method: RSK 175 Modified
Analysis Method: RSK 175 Modified
Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415196006, 50415196007

METHOD BLANK: 3981987 Matrix: Water

Associated Lab Samples: 50415196006, 50415196007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.2	10/22/25 11:14	
Ethene	ug/L	ND	10.0	2.3	10/22/25 11:14	
Methane	ug/L	ND	10.0	2.4	10/22/25 11:14	

LABORATORY CONTROL SAMPLE: 3981988

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	1860	94	75-137	
Ethene	ug/L	2250	2530	112	82-133	
Methane	ug/L	1980	1970	100	57-141	

SAMPLE DUPLICATE: 3981989

Parameter	Units	50415283008 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	ND	ND		20	
Ethene	ug/L	ND	2.4J		20	
Methane	ug/L	5780	1800	105	20	D6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

QC Batch: 868117
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415196002, 50415196003, 50415196005, 50415196008, 50415196009

METHOD BLANK: 3977868 Matrix: Water

Associated Lab Samples: 50415196002, 50415196003, 50415196005, 50415196008, 50415196009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	53.2	10/16/25 15:43	

LABORATORY CONTROL SAMPLE: 3977869

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	10100	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3977870 3977871

Parameter	Units	50414791003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Iron, Dissolved	ug/L	10700	10000	10000	20500	20700	98	100	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

QC Batch: 869072
QC Batch Method: EPA 5030/8260
Analysis Method: EPA 5030/8260
Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415196001, 50415196002, 50415196003, 50415196004, 50415196005, 50415196006, 50415196007, 50415196008, 50415196009, 50415196010

METHOD BLANK: 3982097
Matrix: Water

Associated Lab Samples: 50415196001, 50415196002, 50415196003, 50415196004, 50415196005, 50415196006, 50415196007, 50415196008, 50415196009, 50415196010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.88	10/23/25 15:08	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.93	10/23/25 15:08	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.82	10/23/25 15:08	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.79	10/23/25 15:08	
1,1-Dichloroethane	ug/L	ND	5.0	0.89	10/23/25 15:08	
1,1-Dichloroethene	ug/L	ND	5.0	0.95	10/23/25 15:08	
1,1-Dichloropropene	ug/L	ND	5.0	0.78	10/23/25 15:08	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.64	10/23/25 15:08	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.93	10/23/25 15:08	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.68	10/23/25 15:08	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.92	10/23/25 15:08	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.86	10/23/25 15:08	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.74	10/23/25 15:08	
1,2-Dichloroethane	ug/L	ND	5.0	0.80	10/23/25 15:08	
1,2-Dichloropropane	ug/L	ND	5.0	0.80	10/23/25 15:08	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.94	10/23/25 15:08	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.82	10/23/25 15:08	
1,3-Dichloropropane	ug/L	ND	5.0	0.65	10/23/25 15:08	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.72	10/23/25 15:08	
1-Methylnaphthalene	ug/L	ND	10.0	1.5	10/23/25 15:08	
2,2-Dichloropropane	ug/L	ND	5.0	0.98	10/23/25 15:08	
2-Butanone (MEK)	ug/L	ND	25.0	5.5	10/23/25 15:08	
2-Chlorotoluene	ug/L	ND	5.0	0.77	10/23/25 15:08	
2-Hexanone	ug/L	ND	25.0	5.8	10/23/25 15:08	
2-Methylnaphthalene	ug/L	ND	10.0	1.0	10/23/25 15:08	
4-Chlorotoluene	ug/L	ND	5.0	0.84	10/23/25 15:08	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	5.8	10/23/25 15:08	
Acetone	ug/L	ND	100	14.4	10/23/25 15:08	
Acrolein	ug/L	ND	50.0	18.1	10/23/25 15:08	
Acrylonitrile	ug/L	ND	100	4.9	10/23/25 15:08	
Benzene	ug/L	ND	5.0	0.83	10/23/25 15:08	
Bromobenzene	ug/L	ND	5.0	1.0	10/23/25 15:08	
Bromochloromethane	ug/L	ND	5.0	0.95	10/23/25 15:08	
Bromodichloromethane	ug/L	ND	5.0	0.81	10/23/25 15:08	
Bromoform	ug/L	ND	5.0	0.77	10/23/25 15:08	
Bromomethane	ug/L	ND	5.0	2.2	10/23/25 15:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

METHOD BLANK: 3982097 Matrix: Water

Associated Lab Samples: 50415196001, 50415196002, 50415196003, 50415196004, 50415196005, 50415196006, 50415196007, 50415196008, 50415196009, 50415196010

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon disulfide	ug/L	ND	10.0	1.0	10/23/25 15:08	
Carbon tetrachloride	ug/L	ND	5.0	0.91	10/23/25 15:08	
Chlorobenzene	ug/L	ND	5.0	0.82	10/23/25 15:08	
Chloroethane	ug/L	ND	5.0	1.6	10/23/25 15:08	
Chloroform	ug/L	ND	5.0	0.80	10/23/25 15:08	
Chloromethane	ug/L	ND	5.0	4.9	10/23/25 15:08	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.82	10/23/25 15:08	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.80	10/23/25 15:08	
Dibromochloromethane	ug/L	ND	5.0	0.73	10/23/25 15:08	
Dibromomethane	ug/L	ND	5.0	0.84	10/23/25 15:08	
Dichlorodifluoromethane	ug/L	ND	5.0	2.4	10/23/25 15:08	
Ethyl methacrylate	ug/L	ND	100	1.0	10/23/25 15:08	
Ethylbenzene	ug/L	ND	5.0	0.90	10/23/25 15:08	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.71	10/23/25 15:08	
Iodomethane	ug/L	ND	10.0	1.8	10/23/25 15:08	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	1.0	10/23/25 15:08	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.68	10/23/25 15:08	
Methylene Chloride	ug/L	ND	5.0	3.2	10/23/25 15:08	
n-Butylbenzene	ug/L	ND	5.0	0.98	10/23/25 15:08	
n-Hexane	ug/L	ND	5.0	3.2	10/23/25 15:08	
n-Propylbenzene	ug/L	ND	5.0	0.82	10/23/25 15:08	
Naphthalene	ug/L	ND	1.2	0.69	10/23/25 15:08	
p-Isopropyltoluene	ug/L	ND	5.0	0.93	10/23/25 15:08	
sec-Butylbenzene	ug/L	ND	5.0	0.87	10/23/25 15:08	
Styrene	ug/L	ND	5.0	2.7	10/23/25 15:08	
tert-Butylbenzene	ug/L	ND	5.0	0.78	10/23/25 15:08	
Tetrachloroethene	ug/L	ND	5.0	0.90	10/23/25 15:08	
Toluene	ug/L	ND	5.0	0.92	10/23/25 15:08	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.92	10/23/25 15:08	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.83	10/23/25 15:08	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.7	10/23/25 15:08	
Trichloroethene	ug/L	ND	5.0	0.86	10/23/25 15:08	
Trichlorofluoromethane	ug/L	ND	5.0	1.0	10/23/25 15:08	
Vinyl acetate	ug/L	ND	50.0	3.8	10/23/25 15:08	
Vinyl chloride	ug/L	ND	2.0	0.66	10/23/25 15:08	
Xylene (Total)	ug/L	ND	10.0	1.6	10/23/25 15:08	
4-Bromofluorobenzene (S)	%.	100	79-124		10/23/25 15:08	
Dibromofluoromethane (S)	%.	110	82-128		10/23/25 15:08	
Toluene-d8 (S)	%.	107	73-122		10/23/25 15:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

LABORATORY CONTROL SAMPLE: 3982098

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.0	100	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	51.4	103	69-126	
1,1-Dichloroethene	ug/L	50	49.0	98	59-128	
1,2,4-Trimethylbenzene	ug/L	50	49.4	99	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	54.8	110	78-125	
1,2-Dichloroethane	ug/L	50	52.0	104	61-127	
1,2-Dichloropropane	ug/L	50	50.7	101	75-124	
1,3,5-Trimethylbenzene	ug/L	50	50.6	101	71-122	
Benzene	ug/L	50	53.2	106	76-120	
Chlorobenzene	ug/L	50	51.3	103	77-118	
Chloroform	ug/L	50	51.0	102	74-122	
cis-1,2-Dichloroethene	ug/L	50	50.4	101	78-121	
Ethylbenzene	ug/L	50	51.2	102	76-124	
Isopropylbenzene (Cumene)	ug/L	50	50.6	101	66-113	
Methyl-tert-butyl ether	ug/L	50	52.5	105	74-124	
n-Hexane	ug/L	50	47.6	95	51-127	
Naphthalene	ug/L	50	49.0	98	66-143	
Tetrachloroethene	ug/L	50	54.2	108	71-122	
Toluene	ug/L	50	51.0	102	72-117	
trans-1,2-Dichloroethene	ug/L	50	50.5	101	74-121	
Trichloroethene	ug/L	50	50.8	102	75-124	
Vinyl chloride	ug/L	50	56.8	114	50-150	
Xylene (Total)	ug/L	150	153	102	73-119	
4-Bromofluorobenzene (S)	%.			101	79-124	
Dibromofluoromethane (S)	%.			100	82-128	
Toluene-d8 (S)	%.			108	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3982090 3982091

Parameter	Units	50415196002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	50	50.9	51.6	102	103	50-149	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	56.2	54.9	112	110	48-139	2	20	
1,1-Dichloroethene	ug/L	ND	50	50	48.8	49.3	96	97	45-146	1	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	49.4	49.6	99	99	37-139	1	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	58.0	58.2	116	116	56-140	0	20	
1,2-Dichloroethane	ug/L	ND	50	50	56.9	56.2	114	112	45-143	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	54.7	54.9	109	110	53-144	1	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	50.1	51.1	100	102	35-141	2	20	
Benzene	ug/L	ND	50	50	54.8	55.6	110	111	50-143	1	20	
Chlorobenzene	ug/L	ND	50	50	51.9	53.4	104	107	52-136	3	20	
Chloroform	ug/L	ND	50	50	53.5	53.9	107	108	53-143	1	20	
cis-1,2-Dichloroethene	ug/L	168	50	50	174	185	12	34	49-147	6	20	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3982090 3982091

Parameter	Units	50415196002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethylbenzene	ug/L	ND	50	50	51.5	53.2	103	106	43-145	3	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	50.2	52.3	100	105	39-128	4	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	56.3	54.3	113	109	50-144	4	20	
n-Hexane	ug/L	ND	50	50	40.4	41.1	81	82	39-132	2	20	
Naphthalene	ug/L	ND	50	50	52.2	51.7	104	103	43-148	1	20	
Tetrachloroethene	ug/L	ND	50	50	51.3	53.3	103	107	46-146	4	20	
Toluene	ug/L	ND	50	50	51.1	52.5	102	105	48-135	3	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	51.2	52.4	98	100	52-139	2	20	
Trichloroethene	ug/L	ND	50	50	52.1	53.7	104	107	46-148	3	20	
Vinyl chloride	ug/L	210	50	50	157	170	-106	-79	38-167	8	20	M1
Xylene (Total)	ug/L	ND	150	150	152	158	102	105	45-139	4	20	
4-Bromofluorobenzene (S)	%.						100	100	79-124			
Dibromofluoromethane (S)	%.						102	100	82-128			
Toluene-d8 (S)	%.						106	107	73-122			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3982099 3982100

Parameter	Units	50415196009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	50	50.0	50.4	100	101	50-149	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	52.4	54.6	105	109	48-139	4	20	
1,1-Dichloroethene	ug/L	ND	50	50	50.1	49.8	92	92	45-146	1	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	47.9	49.2	96	98	37-139	3	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	54.4	56.4	109	113	56-140	4	20	
1,2-Dichloroethane	ug/L	ND	50	50	53.4	54.3	107	109	45-143	2	20	
1,2-Dichloropropane	ug/L	ND	50	50	53.5	54.4	107	109	53-144	2	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	49.5	50.3	99	101	35-141	2	20	
Benzene	ug/L	ND	50	50	53.3	54.2	107	108	50-143	2	20	
Chlorobenzene	ug/L	ND	50	50	51.0	51.8	102	104	52-136	2	20	
Chloroform	ug/L	ND	50	50	52.1	52.0	104	104	53-143	0	20	
Ethylbenzene	ug/L	ND	50	50	50.9	51.6	102	103	43-145	1	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	49.8	50.7	100	101	39-128	2	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	51.6	53.4	103	107	50-144	4	20	
n-Hexane	ug/L	ND	50	50	40.0	41.2	80	82	39-132	3	20	
Naphthalene	ug/L	ND	50	50	50.0	52.5	100	105	43-148	5	20	
Tetrachloroethene	ug/L	ND	50	50	50.4	51.1	101	102	46-146	2	20	
Toluene	ug/L	ND	50	50	50.3	50.6	100	101	48-135	1	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	50.4	52.1	95	99	52-139	3	20	
Trichloroethene	ug/L	ND	50	50	52.6	53.7	102	104	46-148	2	20	
Xylene (Total)	ug/L	ND	150	150	151	153	101	102	45-139	1	20	
4-Bromofluorobenzene (S)	%.						100	100	79-124			
Dibromofluoromethane (S)	%.						101	100	82-128			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3982099 3982100

Parameter	Units	50415196009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Toluene-d8 (S)	%.						105	105	73-122			

6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

QC Batch: 867675
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415196002, 50415196003, 50415196005, 50415196008, 50415196009

METHOD BLANK: 3975960 Matrix: Water

Associated Lab Samples: 50415196002, 50415196003, 50415196005, 50415196008, 50415196009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	10/14/25 15:24	
Nitrogen, Nitrite	mg/L	ND	0.10	0.0040	10/14/25 15:24	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	10/14/25 15:24	

LABORATORY CONTROL SAMPLE: 3975961

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.1	108	90-110	
Nitrogen, Nitrite	mg/L	1	1.0	102	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.1	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3975962 3975963

Parameter	Units	50415196002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Nitrogen, Nitrate	mg/L	ND	1	1	1.0	1.0	99	100	90-110	1	20	
Nitrogen, Nitrite	mg/L	ND	1	1	0.99	0.99	98	99	90-110	0	20	
Nitrogen, NO2 plus NO3	mg/L	ND	2	2	2.0	2.0	99	99	90-110	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415196

QC Batch	869379	Analysis Method:	SM 5310C
QC Batch Method:	SM 5310C	Analysis Description:	5310C Total Organic Carbon
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415196002, 50415196003, 50415196005, 50415196008, 50415196009

METHOD BLANK: 3983599 Matrix: Water

Associated Lab Samples: 50415196002, 50415196003, 50415196005, 50415196008, 50415196009

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	10/25/25 11:02	

LABORATORY CONTROL SAMPLE: 3983600

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9830	98	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3983601 3983602

Parameter	Units	50415196002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Total Organic Carbon	ug/L	2360	10000	10000	21700	21900	193	195	80-120	1	15	M0

MATRIX SPIKE SAMPLE: 3983603

Parameter	Units	50415196003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	2100	10000	12000	99	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: GE Indy Q4 2025
Pace Project No.: 50415196

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D6	The precision between the sample and sample duplicate exceeded laboratory control limits.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 Headspace	Water	RSK 175 Modified	N/A

8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 03:08 PM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy Q4 2025
Pace Project No.: 50415196

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50415196002	**MW-413S-20251013**	EPA 300.0	867828		
50415196003	**MW-413D-20251013**	EPA 300.0	867828		
50415196005	**MW-425-20251013**	EPA 300.0	867828		
50415196008	**MW-428-20251013**	EPA 300.0	867828		
50415196009	**MW-407D-20251014**	EPA 300.0	867828		
50415196006	**MW-426-20251013**	RSK 175 Modified	869039		
50415196007	**W-9-20251013**	RSK 175 Modified	869039		
50415196002	**MW-413S-20251013**	EPA 3010	868117	EPA 6010	868154
50415196003	**MW-413D-20251013**	EPA 3010	868117	EPA 6010	868154
50415196005	**MW-425-20251013**	EPA 3010	868117	EPA 6010	868154
50415196008	**MW-428-20251013**	EPA 3010	868117	EPA 6010	868154
50415196009	**MW-407D-20251014**	EPA 3010	868117	EPA 6010	868154
50415196001	**EB-01-20251013**	EPA 5030/8260	869072		
50415196002	**MW-413S-20251013**	EPA 5030/8260	869072		
50415196003	**MW-413D-20251013**	EPA 5030/8260	869072		
50415196004	**AD-100-20251013**	EPA 5030/8260	869072		
50415196005	**MW-425-20251013**	EPA 5030/8260	869072		
50415196006	**MW-426-20251013**	EPA 5030/8260	869072		
50415196007	**W-9-20251013**	EPA 5030/8260	869072		
50415196008	**MW-428-20251013**	EPA 5030/8260	869072		
50415196009	**MW-407D-20251014**	EPA 5030/8260	869072		
50415196010	**TRIP BLANK-20251014**	EPA 5030/8260	869072		
50415196002	**MW-413S-20251013**	EPA 353.2	867675		
50415196003	**MW-413D-20251013**	EPA 353.2	867675		
50415196005	**MW-425-20251013**	EPA 353.2	867675		
50415196008	**MW-428-20251013**	EPA 353.2	867675		
50415196009	**MW-407D-20251014**	EPA 353.2	867675		
50415196002	**MW-413S-20251013**	SM 5310C	869379		
50415196003	**MW-413D-20251013**	SM 5310C	869379		
50415196005	**MW-425-20251013**	SM 5310C	869379		
50415196008	**MW-428-20251013**	SM 5310C	869379		
50415196009	**MW-407D-20251014**	SM 5310C	869379		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 50415196

50415196

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	GE Indy Q4 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): **Indiana**

Data Deliverables: [X] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: STANDARD TAT

Field Filtered (if applicable): [X] Yes [ ] No

Analysis: Dissolved Fe

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC S04	353.2 Nitrogen, NO2/NO3	5310C TOC	6010 Dissolved Fe	8260 MSV Indiana	RSK 175 Headspace (DHG)	MS/MSD	Sample Comment
EB-01-20251013	—	G			10/13/25	0805	3							X			001
MW-413S-20251013	GW	G			10/13/25	0910	12			X	X	X	X	X		X	002
MW-413D-20251013	GW	G			10/13/25	1029	6			X	X	X	X	X			003
AD-100-20251013	GW	G			10/13/25	1200	3							X			004
MW-425-20251013	GW	G			10/13/25	1210	6			X	X	X	X	X			005
MW-426-20251013	GW	G			10/13/25	1335	6							X	X		006
W-7-2025 1013	GW	G			10/13/25	1530	6							X	X		007
MW-428-20251013	GW	G			10/13/25	1700	6			X	X	X	X	X			008
MW-407D-20251014	GW	G			10/14/25	0955	12			X	X	X	X	X		X	009
TRIP BLANK-20251014	—	G					3							X			010

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3310396**

Preservation non-conformance identified for sample:

Additional Instructions from Pace®:
N02/N03 has a short 48 hour hold; please return/ship samples on the day of collection
Please return samples to the lab on ice

Collected By:
(Printed Name) Gabriel Borgmeyer
Signature:

Customer Remarks / Special Conditions / Possible Hazards:
NO_2/NO_3 has a 48-hr hold (noted)

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	D	0.0	0.3	0.3	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Ramboll	10/14/25 1115	Pace	10/14/25 1115	
Pace	10/14/25 1205	PACE	10.14 / 1205	Delivered by: [ ] In-Person [X] Courier [ ] FedEX [ ] UPS [ ] Other
				Page: 1 of

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents: CW 10.14 1258

1. Thermometer: 1 2 3 4 5 6 7 8 9 A B C D E F G H I

Cooler temp should be above freezing to 6°C

2A. Cooler Temperature(s): 03/03 | | | |

(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

2B. Was the PM notified of out of temp cooler?: (leave blank if samples are in temp) Yes No

3. Packing Material: (Bubble Bags) Bubble Wrap None Other: _____

4. Ice Type: (Wet) Blue None

5. Courier: CW 10.14 (FedEx) UPS Client (Pace) NOW Jett Other

6. Custody Seal on Cooler/Box Present: Yes (No)

(If yes)Seals Intact: Yes No *Leave blank if no seals were present*

All discrepancies will be written out in the comments section below.	Yes	No	N/A
7. USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		X	
8. Short Hold Time Analysis (48 hours or less)?: NO2/NO3	X		
9. Time 5035A TC placed in Freezer or Short Holds To Lab:	**Time:** 1400		
10. Rush TAT Requested (4 days or less):		X	
11. Custody Signatures Present?	X		
12. Containers intact?	X		
13. Sample Label (IDs/Dates/Times) Match COC?: **Except TCs, which only require sample ID**	X		
14. All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** Circle: (HNO3 (<2)) (H2SO4 (<2)) NaOH (>10) NaOH/ZnAc (>9) Any non-conformance to pH recommendations will be noted on the container count form	X		
15. Residual Chlorine **Present** (SVOC 625 Pest/PCB 608)			X
16. Residual Chlorine **Present** (Total/Amenable/Free Cyanide)			X
17. Headspace in **VOA Vials** (>6mm): See Containter Count form for details		X	
18. Trip Blank Present?	X		
19. Trip Blank Custody Seals?:	X		
20. Extra labels on Terracore Vials? (**soils only**)			X

Comments:

10.1

10

COC PAGE 1 of 1

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

			MeOH (only)						AMBER GLASS							PLASTIC									OTHER					Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
			SBS																														
			DI		VOA VIAL HS (>6mm)																														
COC Line Item	WGFU	WGKU BG1U	R	DG9H VG9H		VG9U	DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit							
1				3																w									WT				
2				9									1						1	x	1												
3				3									1						1	x	1									✓	✓		
4				3									1						1	T	1									✓	✓		
5				3																													
6				3									1						1	T	1									✓	✓		
7				3		3																											
8				3		3																											
9				3									1						1	x	1									✓	✓		
10				3									1						1	y	1									✓	✓		
11				3																													
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT2U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL	Oil
NAL	Non-aqueous liquid
WP	Wipe

10.1

10

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

October 31, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: GE Indy Q4 2025
Pace Project No.: 50415358

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on October 15, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Table of Contents

Sections: 1 2 3 4 5 6 7 8 9 10

Section 1: Cert Page 3
Section 2: Sample Summary 4
Section 3: Sample Analyte 5
Section 4: Summary of Hits 6
Section 5: Results 8
Section 6: Quality Control 29
Section 7: Qualifiers 38
Section 8: Method Cross Reference 39
Section 9: QC Cross Reference 40
Section 10: Chain of Custody 41
10.1: Chain of Custody 41

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50415358001	**MW-407S-20251014**	Water	10/14/25 11:18	10/15/25 11:58
50415358002	**AD-200-20251014**	Water	10/14/25 12:00	10/15/25 11:58
50415358003	**MW-402-20251014**	Water	10/14/25 13:17	10/15/25 11:58
50415358004	**MW-402D-20251014**	Water	10/14/25 14:30	10/15/25 11:58
50415358005	**MW-418D-20251014**	Water	10/14/25 16:14	10/15/25 11:58
50415358006	**W-8-20251015**	Water	10/15/25 09:36	10/15/25 11:58
50415358007	**TRIP BLANK-20251015**	Water	10/15/25 08:00	10/15/25 11:58
50415358008	**MW-481S-20251015**	Water	10/15/25 10:55	10/15/25 11:58

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50415358001	**MW-407S-20251014**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415358002	**AD-200-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415358003	**MW-402-20251014**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415358004	**MW-402D-20251014**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415358005	**MW-418D-20251014**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415358006	**W-8-20251015**	RSK 175 Modified	MBS	3	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
50415358007	**TRIP BLANK-20251015**	EPA 5030/8260	JRW	75	PASI-I
50415358008	**MW-481S-20251015**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	ELK	1	PASI-I
		EPA 5030/8260	JRW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50415358001	**MW-407S-20251014**					
EPA 300.0	Sulfate	38500	ug/L	250	10/23/25 14:03	
EPA 6010	Iron, Dissolved	2830	ug/L	100	10/28/25 17:08	
EPA 5030/8260	Chloroethane	9.3	ug/L	5.0	10/24/25 16:25	
EPA 5030/8260	cis-1,2-Dichloroethene	75.0	ug/L	5.0	10/24/25 16:25	
EPA 5030/8260	Vinyl chloride	210	ug/L	2.0	10/24/25 16:25	
SM 5310C	Total Organic Carbon	8800	ug/L	1000	10/30/25 02:13	
50415358002	**AD-200-20251014**					
EPA 5030/8260	Chloroethane	8.7	ug/L	5.0	10/24/25 16:57	
EPA 5030/8260	cis-1,2-Dichloroethene	74.4	ug/L	5.0	10/24/25 16:57	
EPA 5030/8260	Vinyl chloride	215	ug/L	2.0	10/24/25 16:57	
50415358003	**MW-402-20251014**					
EPA 300.0	Sulfate	62700	ug/L	2500	10/23/25 15:41	
EPA 6010	Iron, Dissolved	32100	ug/L	100	10/28/25 17:10	
EPA 5030/8260	Chloroethane	795	ug/L	500	10/27/25 14:47	
EPA 5030/8260	1,1-Dichloroethane	1360	ug/L	500	10/27/25 14:47	
EPA 5030/8260	1,1-Dichloroethene	41.2	ug/L	5.0	10/24/25 17:28	
EPA 5030/8260	cis-1,2-Dichloroethene	16900	ug/L	500	10/27/25 14:47	
EPA 5030/8260	trans-1,2-Dichloroethene	265	ug/L	5.0	10/24/25 17:28	
EPA 5030/8260	Methylene Chloride	8.1	ug/L	5.0	10/24/25 17:28	C9
EPA 5030/8260	1,1,1-Trichloroethane	59.5	ug/L	5.0	10/24/25 17:28	
EPA 5030/8260	Vinyl chloride	5230	ug/L	200	10/27/25 14:47	
SM 5310C	Total Organic Carbon	7460	ug/L	6000	10/30/25 12:53	
50415358004	**MW-402D-20251014**					
EPA 300.0	Sulfate	61100	ug/L	2500	10/23/25 16:31	
EPA 6010	Iron, Dissolved	6150	ug/L	100	10/28/25 17:15	
EPA 5030/8260	cis-1,2-Dichloroethene	5.9	ug/L	5.0	10/27/25 15:18	
EPA 5030/8260	Vinyl chloride	889	ug/L	20.0	10/27/25 15:50	
SM 5310C	Total Organic Carbon	4000	ug/L	1000	10/30/25 03:03	
50415358005	**MW-418D-20251014**					
EPA 6010	Iron, Dissolved	10300	ug/L	100	10/28/25 17:17	
EPA 5030/8260	Chloroethane	5.1	ug/L	5.0	10/24/25 18:32	
EPA 5030/8260	cis-1,2-Dichloroethene	39.4	ug/L	5.0	10/24/25 18:32	
EPA 5030/8260	Vinyl chloride	791	ug/L	20.0	10/27/25 16:22	
SM 5310C	Total Organic Carbon	3590	ug/L	1000	10/30/25 03:29	
50415358006	**W-8-20251015**					
RSK 175 Modified	Methane	240	ug/L	10.0	10/22/25 15:14	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50415358008	**MW-481S-20251015**					
EPA 300.0	Sulfate	530	ug/L	250	10/29/25 01:09	
EPA 6010	Iron, Dissolved	11900	ug/L	100	10/28/25 17:19	
EPA 5030/8260	Acetone	138	ug/L	100	10/24/25 19:35	1d,CH
EPA 5030/8260	Chloroethane	54.6	ug/L	5.0	10/24/25 19:35	
EPA 5030/8260	1,1-Dichloroethane	127	ug/L	5.0	10/24/25 19:35	
EPA 5030/8260	1,1-Dichloroethene	18.0	ug/L	5.0	10/24/25 19:35	
EPA 5030/8260	cis-1,2-Dichloroethene	3360	ug/L	500	10/27/25 16:54	
EPA 5030/8260	trans-1,2-Dichloroethene	7.5	ug/L	5.0	10/24/25 19:35	
EPA 5030/8260	Vinyl chloride	7470	ug/L	200	10/27/25 16:54	
SM 5310C	Total Organic Carbon	9030	ug/L	1000	10/30/25 03:49	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-407S-20251014 **Lab ID: 50415358001** Collected: 10/14/25 11:18 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**38500**	ug/L	250	140	1		10/23/25 14:03	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**2830**	ug/L	100	53.2	1	10/28/25 14:07	10/28/25 17:08	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/24/25 16:25	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/24/25 16:25	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/24/25 16:25	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/24/25 16:25	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/24/25 16:25	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/24/25 16:25	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/24/25 16:25	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/24/25 16:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/24/25 16:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/24/25 16:25	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 16:25	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/24/25 16:25	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 16:25	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/24/25 16:25	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/24/25 16:25	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/24/25 16:25	108-90-7	
Chloroethane	**9.3**	ug/L	5.0	1.6	1		10/24/25 16:25	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/24/25 16:25	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/24/25 16:25	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/24/25 16:25	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/24/25 16:25	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/24/25 16:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/24/25 16:25	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/24/25 16:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/24/25 16:25	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 16:25	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/24/25 16:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/24/25 16:25	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/24/25 16:25	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/24/25 16:25	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/24/25 16:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 16:25	75-35-4	
cis-1,2-Dichloroethene	**75.0**	ug/L	5.0	0.70	1		10/24/25 16:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 16:25	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/24/25 16:25	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/24/25 16:25	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-407S-20251014 **Lab ID: 50415358001** Collected: 10/14/25 11:18 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/24/25 16:25	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/24/25 16:25	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/24/25 16:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/24/25 16:25	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 16:25	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/24/25 16:25	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/24/25 16:25	87-68-3	
n-Hexane	ND	ug/L	5.0	3.4	1		10/24/25 16:25	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/24/25 16:25	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/24/25 16:25	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/24/25 16:25	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/24/25 16:25	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/24/25 16:25	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 16:25	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 16:25	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/24/25 16:25	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/24/25 16:25	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/24/25 16:25	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 16:25	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/24/25 16:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/24/25 16:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/24/25 16:25	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/24/25 16:25	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/24/25 16:25	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/24/25 16:25	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 16:25	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/24/25 16:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/24/25 16:25	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/24/25 16:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/24/25 16:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/24/25 16:25	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/24/25 16:25	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/24/25 16:25	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/24/25 16:25	108-05-4	
Vinyl chloride	**210**	ug/L	2.0	0.68	1		10/24/25 16:25	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/24/25 16:25	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	117	%.	82-128		1		10/24/25 16:25	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		10/24/25 16:25	460-00-4	
Toluene-d8 (S)	106	%.	73-122		1		10/24/25 16:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-407S-20251014 **Lab ID: 50415358001** Collected: 10/14/25 11:18 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 00:50		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 00:50	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**8800**	ug/L	1000	300	1		10/30/25 02:13	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: AD-200-20251014 **Lab ID: 50415358002** Collected: 10/14/25 12:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/24/25 16:57	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/24/25 16:57	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/24/25 16:57	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/24/25 16:57	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/24/25 16:57	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/24/25 16:57	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/24/25 16:57	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/24/25 16:57	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/24/25 16:57	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/24/25 16:57	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 16:57	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/24/25 16:57	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 16:57	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/24/25 16:57	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/24/25 16:57	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/24/25 16:57	108-90-7	
Chloroethane	**8.7**	ug/L	5.0	1.6	1		10/24/25 16:57	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/24/25 16:57	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/24/25 16:57	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/24/25 16:57	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/24/25 16:57	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/24/25 16:57	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/24/25 16:57	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/24/25 16:57	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/24/25 16:57	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 16:57	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/24/25 16:57	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/24/25 16:57	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/24/25 16:57	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/24/25 16:57	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/24/25 16:57	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 16:57	75-35-4	
cis-1,2-Dichloroethene	**74.4**	ug/L	5.0	0.70	1		10/24/25 16:57	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 16:57	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/24/25 16:57	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/24/25 16:57	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/24/25 16:57	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/24/25 16:57	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/24/25 16:57	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/24/25 16:57	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 16:57	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/24/25 16:57	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/24/25 16:57	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: AD-200-20251014 **Lab ID: 50415358002** Collected: 10/14/25 12:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/24/25 16:57	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/24/25 16:57	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/24/25 16:57	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/24/25 16:57	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/24/25 16:57	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/24/25 16:57	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 16:57	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 16:57	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/24/25 16:57	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/24/25 16:57	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/24/25 16:57	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 16:57	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/24/25 16:57	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/24/25 16:57	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/24/25 16:57	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/24/25 16:57	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/24/25 16:57	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/24/25 16:57	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 16:57	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/24/25 16:57	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/24/25 16:57	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/24/25 16:57	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/24/25 16:57	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/24/25 16:57	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/24/25 16:57	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/24/25 16:57	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/24/25 16:57	108-05-4	
Vinyl chloride	**215**	ug/L	2.0	0.68	1		10/24/25 16:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/24/25 16:57	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	119	%.	82-128		1		10/24/25 16:57	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		10/24/25 16:57	460-00-4	
Toluene-d8 (S)	107	%.	73-122		1		10/24/25 16:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-402-20251014 **Lab ID: 50415358003** Collected: 10/14/25 13:17 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**62700**	ug/L	2500	1400	10		10/23/25 15:41	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**32100**	ug/L	100	53.2	1	10/28/25 14:07	10/28/25 17:10	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/24/25 17:28	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/24/25 17:28	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/24/25 17:28	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/24/25 17:28	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/24/25 17:28	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/24/25 17:28	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/24/25 17:28	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/24/25 17:28	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/24/25 17:28	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/24/25 17:28	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 17:28	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/24/25 17:28	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 17:28	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/24/25 17:28	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/24/25 17:28	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/24/25 17:28	108-90-7	
Chloroethane	**795**	ug/L	500	159	100		10/27/25 14:47	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/24/25 17:28	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/24/25 17:28	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/24/25 17:28	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/24/25 17:28	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/24/25 17:28	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/24/25 17:28	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/24/25 17:28	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/24/25 17:28	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 17:28	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/24/25 17:28	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/24/25 17:28	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/24/25 17:28	75-71-8	
1,1-Dichloroethane	**1360**	ug/L	500	73.2	100		10/27/25 14:47	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/24/25 17:28	107-06-2	
1,1-Dichloroethene	**41.2**	ug/L	5.0	0.76	1		10/24/25 17:28	75-35-4	
cis-1,2-Dichloroethene	**16900**	ug/L	500	70.5	100		10/27/25 14:47	156-59-2	
trans-1,2-Dichloroethene	**265**	ug/L	5.0	0.76	1		10/24/25 17:28	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/24/25 17:28	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/24/25 17:28	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-402-20251014 **Lab ID: 50415358003** Collected: 10/14/25 13:17 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/24/25 17:28	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/24/25 17:28	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/24/25 17:28	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/24/25 17:28	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 17:28	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/24/25 17:28	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/24/25 17:28	87-68-3	
n-Hexane	ND	ug/L	5.0	3.4	1		10/24/25 17:28	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/24/25 17:28	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/24/25 17:28	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/24/25 17:28	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/24/25 17:28	99-87-6	
Methylene Chloride	**8.1**	ug/L	5.0	3.4	1		10/24/25 17:28	75-09-2	C9
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 17:28	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 17:28	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/24/25 17:28	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/24/25 17:28	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/24/25 17:28	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 17:28	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/24/25 17:28	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/24/25 17:28	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/24/25 17:28	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/24/25 17:28	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/24/25 17:28	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/24/25 17:28	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 17:28	120-82-1	
1,1,1-Trichloroethane	**59.5**	ug/L	5.0	0.84	1		10/24/25 17:28	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/24/25 17:28	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/24/25 17:28	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/24/25 17:28	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/24/25 17:28	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/24/25 17:28	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/24/25 17:28	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/24/25 17:28	108-05-4	
Vinyl chloride	**5230**	ug/L	200	67.5	100		10/27/25 14:47	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/24/25 17:28	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	115	%.	82-128		1		10/24/25 17:28	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		10/24/25 17:28	460-00-4	
Toluene-d8 (S)	106	%.	73-122		1		10/24/25 17:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-402-20251014 **Lab ID: 50415358003** Collected: 10/14/25 13:17 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 00:51		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 00:51	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**7460**	ug/L	6000	1800	6		10/30/25 12:53	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-402D-20251014 **Lab ID: 50415358004** Collected: 10/14/25 14:30 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**61100**	ug/L	2500	1400	10		10/23/25 16:31	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**6150**	ug/L	100	53.2	1	10/28/25 14:07	10/28/25 17:15	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/24/25 18:00	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/24/25 18:00	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/24/25 18:00	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/24/25 18:00	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/24/25 18:00	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/24/25 18:00	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/24/25 18:00	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/24/25 18:00	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/24/25 18:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/24/25 18:00	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 18:00	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/24/25 18:00	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 18:00	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/24/25 18:00	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/24/25 18:00	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/24/25 18:00	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/24/25 18:00	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/24/25 18:00	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/24/25 18:00	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/24/25 18:00	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/24/25 18:00	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/24/25 18:00	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/24/25 18:00	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/24/25 18:00	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/24/25 18:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 18:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/24/25 18:00	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/24/25 18:00	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/24/25 18:00	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/24/25 18:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/24/25 18:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 18:00	75-35-4	
cis-1,2-Dichloroethene	**5.9**	ug/L	5.0	0.70	1		10/27/25 15:18	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 18:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/24/25 18:00	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/24/25 18:00	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-402D-20251014 **Lab ID: 50415358004** Collected: 10/14/25 14:30 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/24/25 18:00	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/24/25 18:00	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/24/25 18:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/24/25 18:00	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 18:00	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/24/25 18:00	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/24/25 18:00	87-68-3	
n-Hexane	ND	ug/L	5.0	3.4	1		10/24/25 18:00	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/24/25 18:00	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/24/25 18:00	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/24/25 18:00	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/24/25 18:00	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/24/25 18:00	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 18:00	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 18:00	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/24/25 18:00	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/24/25 18:00	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/24/25 18:00	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 18:00	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/24/25 18:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/24/25 18:00	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/24/25 18:00	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/24/25 18:00	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/24/25 18:00	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/24/25 18:00	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 18:00	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/24/25 18:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/24/25 18:00	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/24/25 18:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/24/25 18:00	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/24/25 18:00	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/24/25 18:00	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/24/25 18:00	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/24/25 18:00	108-05-4	
Vinyl chloride	**889**	ug/L	20.0	6.8	10		10/27/25 15:50	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/24/25 18:00	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	117	%.	82-128		1		10/24/25 18:00	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		10/24/25 18:00	460-00-4	
Toluene-d8 (S)	107	%.	73-122		1		10/24/25 18:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-402D-20251014 **Lab ID: 50415358004** Collected: 10/14/25 14:30 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 00:53		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 00:53	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4000**	ug/L	1000	300	1		10/30/25 03:03	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-418D-20251014 **Lab ID: 50415358005** Collected: 10/14/25 16:14 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	ND	ug/L	250	140	1		10/23/25 17:04	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**10300**	ug/L	100	53.2	1	10/28/25 14:07	10/28/25 17:17	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/24/25 18:32	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/24/25 18:32	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/24/25 18:32	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/24/25 18:32	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/24/25 18:32	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/24/25 18:32	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/24/25 18:32	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/24/25 18:32	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/24/25 18:32	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/24/25 18:32	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 18:32	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/24/25 18:32	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 18:32	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/24/25 18:32	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/24/25 18:32	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/24/25 18:32	108-90-7	
Chloroethane	**5.1**	ug/L	5.0	1.6	1		10/24/25 18:32	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/24/25 18:32	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/24/25 18:32	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/24/25 18:32	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/24/25 18:32	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/24/25 18:32	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/24/25 18:32	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/24/25 18:32	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/24/25 18:32	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 18:32	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/24/25 18:32	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/24/25 18:32	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/24/25 18:32	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/24/25 18:32	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/24/25 18:32	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 18:32	75-35-4	
cis-1,2-Dichloroethene	**39.4**	ug/L	5.0	0.70	1		10/24/25 18:32	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 18:32	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/24/25 18:32	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/24/25 18:32	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-418D-20251014 **Lab ID: 50415358005** Collected: 10/14/25 16:14 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/24/25 18:32	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/24/25 18:32	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/24/25 18:32	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/24/25 18:32	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 18:32	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/24/25 18:32	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/24/25 18:32	87-68-3	
n-Hexane	ND	ug/L	5.0	3.4	1		10/24/25 18:32	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/24/25 18:32	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/24/25 18:32	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/24/25 18:32	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/24/25 18:32	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/24/25 18:32	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 18:32	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 18:32	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/24/25 18:32	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/24/25 18:32	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/24/25 18:32	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 18:32	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/24/25 18:32	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/24/25 18:32	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/24/25 18:32	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/24/25 18:32	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/24/25 18:32	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/24/25 18:32	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 18:32	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/24/25 18:32	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/24/25 18:32	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/24/25 18:32	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/24/25 18:32	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/24/25 18:32	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/24/25 18:32	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/24/25 18:32	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/24/25 18:32	108-05-4	
Vinyl chloride	**791**	ug/L	20.0	6.8	10		10/27/25 16:22	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/24/25 18:32	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	116	%.	82-128		1		10/24/25 18:32	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/24/25 18:32	460-00-4	
Toluene-d8 (S)	106	%.	73-122		1		10/24/25 18:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-418D-20251014 **Lab ID: 50415358005** Collected: 10/14/25 16:14 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 00:55		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 00:55	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3590**	ug/L	1000	300	1		10/30/25 03:29	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: W-8-20251015 **Lab ID: 50415358006** Collected: 10/15/25 09:36 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
RSK 175 Headspace	Analytical Method: RSK 175 Modified Pace Analytical Services - Indianapolis								
Ethane	ND	ug/L	10.0	1.2	1		10/22/25 15:14	74-84-0	
Ethene	ND	ug/L	10.0	2.3	1		10/22/25 15:14	74-85-1	
Methane	**240**	ug/L	10.0	2.4	1		10/22/25 15:14	74-82-8	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/24/25 19:04	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/24/25 19:04	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/24/25 19:04	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/24/25 19:04	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/24/25 19:04	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/24/25 19:04	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/24/25 19:04	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/24/25 19:04	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/24/25 19:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/24/25 19:04	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 19:04	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/24/25 19:04	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 19:04	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/24/25 19:04	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/24/25 19:04	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/24/25 19:04	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/24/25 19:04	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/24/25 19:04	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/24/25 19:04	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/24/25 19:04	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/24/25 19:04	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/24/25 19:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/24/25 19:04	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/24/25 19:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/24/25 19:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 19:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/24/25 19:04	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/24/25 19:04	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/24/25 19:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/24/25 19:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/24/25 19:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 19:04	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.70	1		10/24/25 19:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 19:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/24/25 19:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/24/25 19:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/24/25 19:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/24/25 19:04	563-58-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: W-8-20251015 **Lab ID: 50415358006** Collected: 10/15/25 09:36 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/24/25 19:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/24/25 19:04	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 19:04	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/24/25 19:04	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/24/25 19:04	87-68-3	
n-Hexane	ND	ug/L	5.0	3.4	1		10/24/25 19:04	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/24/25 19:04	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/24/25 19:04	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/24/25 19:04	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/24/25 19:04	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/24/25 19:04	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 19:04	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 19:04	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/24/25 19:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/24/25 19:04	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/24/25 19:04	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 19:04	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/24/25 19:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/24/25 19:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/24/25 19:04	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/24/25 19:04	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/24/25 19:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/24/25 19:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 19:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/24/25 19:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/24/25 19:04	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/24/25 19:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/24/25 19:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/24/25 19:04	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/24/25 19:04	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/24/25 19:04	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/24/25 19:04	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.68	1		10/24/25 19:04	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/24/25 19:04	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	117	%.	82-128		1		10/24/25 19:04	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		10/24/25 19:04	460-00-4	
Toluene-d8 (S)	106	%.	73-122		1		10/24/25 19:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: TRIP BLANK-20251015 **Lab ID: 50415358007** Collected: 10/15/25 08:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/24/25 20:07	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/24/25 20:07	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/24/25 20:07	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/24/25 20:07	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/24/25 20:07	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/24/25 20:07	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/24/25 20:07	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/24/25 20:07	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/24/25 20:07	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/24/25 20:07	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 20:07	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/24/25 20:07	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 20:07	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/24/25 20:07	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/24/25 20:07	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/24/25 20:07	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/24/25 20:07	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/24/25 20:07	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/24/25 20:07	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/24/25 20:07	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/24/25 20:07	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/24/25 20:07	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/24/25 20:07	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/24/25 20:07	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/24/25 20:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 20:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/24/25 20:07	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/24/25 20:07	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/24/25 20:07	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/24/25 20:07	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/24/25 20:07	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 20:07	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.70	1		10/24/25 20:07	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/24/25 20:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/24/25 20:07	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/24/25 20:07	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/24/25 20:07	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/24/25 20:07	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/24/25 20:07	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/24/25 20:07	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 20:07	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/24/25 20:07	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/24/25 20:07	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: TRIP BLANK-20251015 **Lab ID: 50415358007** Collected: 10/15/25 08:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/24/25 20:07	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/24/25 20:07	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/24/25 20:07	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/24/25 20:07	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/24/25 20:07	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/24/25 20:07	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 20:07	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 20:07	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/24/25 20:07	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/24/25 20:07	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/24/25 20:07	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 20:07	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/24/25 20:07	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/24/25 20:07	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/24/25 20:07	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/24/25 20:07	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/24/25 20:07	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/24/25 20:07	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 20:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/24/25 20:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/24/25 20:07	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/24/25 20:07	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/24/25 20:07	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/24/25 20:07	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/24/25 20:07	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/24/25 20:07	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/24/25 20:07	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.68	1		10/24/25 20:07	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/24/25 20:07	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		10/24/25 20:07	1868-53-7	
4-Bromofluorobenzene (S)	96	%.	79-124		1		10/24/25 20:07	460-00-4	
Toluene-d8 (S)	106	%.	73-122		1		10/24/25 20:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-481S-20251015 **Lab ID: 50415358008** Collected: 10/15/25 10:55 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**530**	ug/L	250	140	1		10/29/25 01:09	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**11900**	ug/L	100	53.2	1	10/28/25 14:07	10/28/25 17:19	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	**138**	ug/L	100	39.1	1		10/24/25 19:35	67-64-1	1d,CH
Acrolein	ND	ug/L	50.0	15.3	1		10/24/25 19:35	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/24/25 19:35	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/24/25 19:35	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/24/25 19:35	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/24/25 19:35	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/24/25 19:35	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/24/25 19:35	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/24/25 19:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/24/25 19:35	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 19:35	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/24/25 19:35	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 19:35	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/24/25 19:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/24/25 19:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/24/25 19:35	108-90-7	
Chloroethane	**54.6**	ug/L	5.0	1.6	1		10/24/25 19:35	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/24/25 19:35	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/24/25 19:35	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/24/25 19:35	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/24/25 19:35	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/24/25 19:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/24/25 19:35	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/24/25 19:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/24/25 19:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 19:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/24/25 19:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/24/25 19:35	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/24/25 19:35	75-71-8	
1,1-Dichloroethane	**127**	ug/L	5.0	0.73	1		10/24/25 19:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/24/25 19:35	107-06-2	
1,1-Dichloroethene	**18.0**	ug/L	5.0	0.76	1		10/24/25 19:35	75-35-4	
cis-1,2-Dichloroethene	**3360**	ug/L	500	70.5	100		10/27/25 16:54	156-59-2	
trans-1,2-Dichloroethene	**7.5**	ug/L	5.0	0.76	1		10/24/25 19:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/24/25 19:35	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/24/25 19:35	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-481S-20251015 **Lab ID: 50415358008** Collected: 10/15/25 10:55 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/24/25 19:35	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/24/25 19:35	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/24/25 19:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/24/25 19:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/24/25 19:35	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/24/25 19:35	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/24/25 19:35	87-68-3	
n-Hexane	ND	ug/L	5.0	3.4	1		10/24/25 19:35	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/24/25 19:35	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/24/25 19:35	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/24/25 19:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/24/25 19:35	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/24/25 19:35	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 19:35	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/24/25 19:35	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/24/25 19:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/24/25 19:35	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/24/25 19:35	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/24/25 19:35	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/24/25 19:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/24/25 19:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/24/25 19:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/24/25 19:35	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/24/25 19:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/24/25 19:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/24/25 19:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/24/25 19:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/24/25 19:35	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/24/25 19:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/24/25 19:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/24/25 19:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/24/25 19:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/24/25 19:35	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/24/25 19:35	108-05-4	
Vinyl chloride	**7470**	ug/L	200	67.5	100		10/27/25 16:54	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/24/25 19:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	121	%.	82-128		1		10/24/25 19:35	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		10/24/25 19:35	460-00-4	
Toluene-d8 (S)	104	%.	73-122		1		10/24/25 19:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Sample: MW-481S-20251015 **Lab ID: 50415358008** Collected: 10/15/25 10:55 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 00:57		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 00:57	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**9030**	ug/L	1000	300	1		10/30/25 03:49	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

QC Batch: 868427
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415358001, 50415358003, 50415358004, 50415358005, 50415358008

METHOD BLANK: 3979275 Matrix: Water

Associated Lab Samples: 50415358001, 50415358003, 50415358004, 50415358005, 50415358008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	140	10/29/25 02:51	

LABORATORY CONTROL SAMPLE: 3979276

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4720	94	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3979277 3979278

Parameter	Units	50415357001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Sulfate	ug/L	3.1 mg/L	5000	5000	8040	8020	99	99	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3979302 3979303

Parameter	Units	50415393005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Sulfate	ug/L	38200	5000	5000	45000	44200	135	120	80-120	2	15	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

QC Batch: 869039
QC Batch Method: RSK 175 Modified
Analysis Method: RSK 175 Modified
Analysis Description: RSK 175 HEADSPACE
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415358006

METHOD BLANK: 3981987 Matrix: Water

Associated Lab Samples: 50415358006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Ethane	ug/L	ND	10.0	1.2	10/22/25 11:14	
Ethene	ug/L	ND	10.0	2.3	10/22/25 11:14	
Methane	ug/L	ND	10.0	2.4	10/22/25 11:14	

LABORATORY CONTROL SAMPLE: 3981988

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Ethane	ug/L	1980	1860	94	75-137	
Ethene	ug/L	2250	2530	112	82-133	
Methane	ug/L	1980	1970	100	57-141	

SAMPLE DUPLICATE: 3981989

Parameter	Units	50415283008 Result	Dup Result	RPD	Max RPD	Qualifiers
Ethane	ug/L	ND	ND		20	
Ethene	ug/L	ND	2.4J		20	
Methane	ug/L	5780	1800	105	20	D6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

QC Batch: 870013
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415358001, 50415358003, 50415358004, 50415358005, 50415358008

METHOD BLANK: 3986638 Matrix: Water

Associated Lab Samples: 50415358001, 50415358003, 50415358004, 50415358005, 50415358008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	53.2	10/28/25 16:54	

LABORATORY CONTROL SAMPLE: 3986639

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	10200	102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3986640 3986641

Parameter	Units	50415287001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Iron, Dissolved	ug/L	0.30 mg/L	10000	10000	10500	10500	102	102	75-125	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

QC Batch	869541	Analysis Method:	EPA 5030/8260
QC Batch Method:	EPA 5030/8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415358001, 50415358002, 50415358003, 50415358004, 50415358005, 50415358006, 50415358007, 50415358008

METHOD BLANK: 3984446 Matrix: Water

Associated Lab Samples: 50415358001, 50415358002, 50415358003, 50415358004, 50415358005, 50415358006, 50415358007, 50415358008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	1.4	10/24/25 12:11	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.84	10/24/25 12:11	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.72	10/24/25 12:11	
1,1,2-Trichloroethane	ug/L	ND	5.0	1.3	10/24/25 12:11	
1,1-Dichloroethane	ug/L	ND	5.0	0.73	10/24/25 12:11	
1,1-Dichloroethene	ug/L	ND	5.0	0.76	10/24/25 12:11	
1,1-Dichloropropene	ug/L	ND	5.0	0.66	10/24/25 12:11	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.52	10/24/25 12:11	
1,2,3-Trichloropropane	ug/L	ND	5.0	1.2	10/24/25 12:11	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.66	10/24/25 12:11	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.83	10/24/25 12:11	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.86	10/24/25 12:11	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.70	10/24/25 12:11	
1,2-Dichloroethane	ug/L	ND	5.0	0.66	10/24/25 12:11	
1,2-Dichloropropane	ug/L	ND	5.0	0.77	10/24/25 12:11	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.75	10/24/25 12:11	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.66	10/24/25 12:11	
1,3-Dichloropropane	ug/L	ND	5.0	1.3	10/24/25 12:11	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.60	10/24/25 12:11	
1-Methylnaphthalene	ug/L	ND	10.0	0.66	10/24/25 12:11	
2,2-Dichloropropane	ug/L	ND	5.0	0.88	10/24/25 12:11	
2-Butanone (MEK)	ug/L	ND	25.0	5.2	10/24/25 12:11	
2-Chlorotoluene	ug/L	ND	5.0	0.64	10/24/25 12:11	
2-Hexanone	ug/L	ND	25.0	5.3	10/24/25 12:11	
2-Methylnaphthalene	ug/L	ND	10.0	0.66	10/24/25 12:11	
4-Chlorotoluene	ug/L	ND	5.0	0.74	10/24/25 12:11	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	8.9	10/24/25 12:11	
Acetone	ug/L	ND	100	39.1	10/24/25 12:11	
Acrolein	ug/L	ND	50.0	15.3	10/24/25 12:11	
Acrylonitrile	ug/L	ND	100	4.1	10/24/25 12:11	
Benzene	ug/L	ND	5.0	0.72	10/24/25 12:11	
Bromobenzene	ug/L	ND	5.0	0.85	10/24/25 12:11	
Bromochloromethane	ug/L	ND	5.0	0.67	10/24/25 12:11	
Bromodichloromethane	ug/L	ND	5.0	0.74	10/24/25 12:11	
Bromoform	ug/L	ND	5.0	1.4	10/24/25 12:11	
Bromomethane	ug/L	ND	5.0	1.5	10/24/25 12:11	
Carbon disulfide	ug/L	ND	10.0	0.86	10/24/25 12:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

METHOD BLANK: 3984446 Matrix: Water

Associated Lab Samples: 50415358001, 50415358002, 50415358003, 50415358004, 50415358005, 50415358006, 50415358007, 50415358008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon tetrachloride	ug/L	ND	5.0	0.82	10/24/25 12:11	
Chlorobenzene	ug/L	ND	5.0	0.79	10/24/25 12:11	
Chloroethane	ug/L	ND	5.0	1.6	10/24/25 12:11	
Chloroform	ug/L	ND	5.0	0.62	10/24/25 12:11	
Chloromethane	ug/L	ND	5.0	0.65	10/24/25 12:11	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.70	10/24/25 12:11	
cis-1,3-Dichloropropene	ug/L	ND	5.0	1.2	10/24/25 12:11	
Dibromochloromethane	ug/L	ND	5.0	0.70	10/24/25 12:11	
Dibromomethane	ug/L	ND	5.0	0.76	10/24/25 12:11	
Dichlorodifluoromethane	ug/L	ND	5.0	1.5	10/24/25 12:11	
Ethyl methacrylate	ug/L	ND	100	0.80	10/24/25 12:11	
Ethylbenzene	ug/L	ND	5.0	0.76	10/24/25 12:11	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.71	10/24/25 12:11	
Iodomethane	ug/L	ND	10.0	0.82	10/24/25 12:11	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.82	10/24/25 12:11	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.84	10/24/25 12:11	
Methylene Chloride	ug/L	ND	5.0	3.4	10/24/25 12:11	
n-Butylbenzene	ug/L	ND	5.0	0.76	10/24/25 12:11	
n-Hexane	ug/L	ND	5.0	3.4	10/24/25 12:11	
n-Propylbenzene	ug/L	ND	5.0	0.65	10/24/25 12:11	
Naphthalene	ug/L	ND	1.2	0.57	10/24/25 12:11	
p-Isopropyltoluene	ug/L	ND	5.0	0.75	10/24/25 12:11	
sec-Butylbenzene	ug/L	ND	5.0	0.69	10/24/25 12:11	
Styrene	ug/L	ND	5.0	0.94	10/24/25 12:11	
tert-Butylbenzene	ug/L	ND	5.0	0.65	10/24/25 12:11	
Tetrachloroethene	ug/L	ND	5.0	0.70	10/24/25 12:11	
Toluene	ug/L	ND	5.0	0.79	10/24/25 12:11	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.76	10/24/25 12:11	
trans-1,3-Dichloropropene	ug/L	ND	5.0	1.4	10/24/25 12:11	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.2	10/24/25 12:11	
Trichloroethene	ug/L	ND	5.0	0.68	10/24/25 12:11	
Trichlorofluoromethane	ug/L	ND	5.0	1.2	10/24/25 12:11	
Vinyl acetate	ug/L	ND	50.0	7.7	10/24/25 12:11	
Vinyl chloride	ug/L	ND	2.0	0.68	10/24/25 12:11	
Xylene (Total)	ug/L	ND	10.0	1.3	10/24/25 12:11	
4-Bromofluorobenzene (S)	%.	93	79-124		10/24/25 12:11	
Dibromofluoromethane (S)	%.	113	82-128		10/24/25 12:11	
Toluene-d8 (S)	%.	108	73-122		10/24/25 12:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

LABORATORY CONTROL SAMPLE: 3984447

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	50.0	100	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	52.1	104	69-126	
1,1-Dichloroethene	ug/L	50	47.0	94	59-128	
1,2,4-Trimethylbenzene	ug/L	50	49.1	98	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	49.0	98	78-125	
1,2-Dichloroethane	ug/L	50	53.3	107	61-127	
1,2-Dichloropropane	ug/L	50	52.8	106	75-124	
1,3,5-Trimethylbenzene	ug/L	50	50.0	100	71-122	
Benzene	ug/L	50	53.7	107	76-120	
Chlorobenzene	ug/L	50	51.6	103	77-118	
Chloroform	ug/L	50	50.7	101	74-122	
cis-1,2-Dichloroethene	ug/L	50	49.5	99	78-121	
Ethylbenzene	ug/L	50	51.8	104	76-124	
Isopropylbenzene (Cumene)	ug/L	50	51.1	102	66-113	
Methyl-tert-butyl ether	ug/L	50	55.4	111	74-124	
n-Hexane	ug/L	50	37.9	76	51-127	
Naphthalene	ug/L	50	48.4	97	66-143	
Tetrachloroethene	ug/L	50	51.4	103	71-122	
Toluene	ug/L	50	52.3	105	72-117	
trans-1,2-Dichloroethene	ug/L	50	48.8	98	74-121	
Trichloroethene	ug/L	50	53.1	106	75-124	
Vinyl chloride	ug/L	50	45.4	91	50-150	
Xylene (Total)	ug/L	150	150	100	73-119	
4-Bromofluorobenzene (S)	%.			97	79-124	
Dibromofluoromethane (S)	%.			96	82-128	
Toluene-d8 (S)	%.			107	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3984448 3984449

Parameter	Units	50415358006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	50	44.0	48.4	88	97	50-149	10	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	45.9	54.4	92	109	48-139	17	20	
1,1-Dichloroethene	ug/L	ND	50	50	42.7	46.8	85	94	45-146	9	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	39.7	44.8	79	90	37-139	12	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	43.2	49.5	86	99	56-140	14	20	
1,2-Dichloroethane	ug/L	ND	50	50	47.6	51.4	95	103	45-143	8	20	
1,2-Dichloropropane	ug/L	ND	50	50	46.8	53.2	94	106	53-144	13	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	40.1	45.6	80	91	35-141	13	20	
Benzene	ug/L	ND	50	50	47.2	52.7	94	105	50-143	11	20	
Chlorobenzene	ug/L	ND	50	50	44.3	49.2	89	98	52-136	10	20	
Chloroform	ug/L	ND	50	50	45.6	50.0	91	100	53-143	9	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	45.0	49.3	89	97	49-147	9	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3984448 3984449

Parameter	Units	50415358006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethylbenzene	ug/L	ND	50	50	43.7	48.4	87	97	43-145	10	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	43.0	47.8	86	96	39-128	11	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	46.7	54.6	93	109	50-144	16	20	
n-Hexane	ug/L	ND	50	50	33.8	38.3	68	77	39-132	12	20	
Naphthalene	ug/L	ND	50	50	41.5	49.6	83	99	43-148	18	20	
Tetrachloroethene	ug/L	ND	50	50	42.9	47.8	86	96	46-146	11	20	
Toluene	ug/L	ND	50	50	44.8	49.3	90	99	48-135	10	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	42.8	47.2	86	94	52-139	10	20	
Trichloroethene	ug/L	ND	50	50	45.6	51.4	91	103	46-148	12	20	
Vinyl chloride	ug/L	ND	50	50	40.9	44.0	82	88	38-167	7	20	
Xylene (Total)	ug/L	ND	150	150	128	141	85	94	45-139	10	20	
4-Bromofluorobenzene (S)	%.						98	97	79-124			
Dibromofluoromethane (S)	%.						98	97	82-128			
Toluene-d8 (S)	%.						106	104	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

QC Batch: 868029
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415358001, 50415358003, 50415358004, 50415358005, 50415358008

METHOD BLANK: 3977566 Matrix: Water

Associated Lab Samples: 50415358001, 50415358003, 50415358004, 50415358005, 50415358008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	10/16/25 00:37	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	10/16/25 00:37	

LABORATORY CONTROL SAMPLE: 3977567

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.1	108	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.1	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3977568 3977569

Parameter	Units	50415390005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Nitrogen, Nitrate	mg/L	63.2	25	25	90.2	90.1	108	108	90-110	0	20	
Nitrogen, NO2 plus NO3	mg/L	63.2	50	50	116	116	106	106	90-110	0	20	

MATRIX SPIKE SAMPLE: 3977570

Parameter	Units	50415390007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	71.1	25	96.2	100	90-110	
Nitrogen, NO2 plus NO3	mg/L	71.1	50	123	103	90-110	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415358

QC Batch: 870294
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415358001, 50415358003, 50415358004, 50415358005, 50415358008

METHOD BLANK: 3987718 Matrix: Water

Associated Lab Samples: 50415358001, 50415358003, 50415358004, 50415358005, 50415358008

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	10/29/25 20:31	

LABORATORY CONTROL SAMPLE: 3987719

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9980	100	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3987720 3987721

Parameter	Units	50415346001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Total Organic Carbon	ug/L	ND	10000	10000	9550	9780	92	94	80-120	2	15	

MATRIX SPIKE SAMPLE: 3987722

Parameter	Units	50415346002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	1.9 mg/L	10000	11500	96	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: GE Indy Q4 2025
Pace Project No.: 50415358

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Sample was not reanalyzed at lowest dilution to confirm due to high analyte concentration and the potential for carryover.
C9	Common Laboratory Contaminant.
CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
D6	The precision between the sample and sample duplicate exceeded laboratory control limits.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B
RSK 175 Headspace	Water	RSK 175 Modified	N/A

8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/31/2025 11:07 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy Q4 2025
Pace Project No.: 50415358

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50415358001	**MW-407S-20251014**	EPA 300.0	868427		
50415358003	**MW-402-20251014**	EPA 300.0	868427		
50415358004	**MW-402D-20251014**	EPA 300.0	868427		
50415358005	**MW-418D-20251014**	EPA 300.0	868427		
50415358008	**MW-481S-20251015**	EPA 300.0	868427		
50415358006	**W-8-20251015**	RSK 175 Modified	869039		
50415358001	**MW-407S-20251014**	EPA 3010	870013	EPA 6010	870034
50415358003	**MW-402-20251014**	EPA 3010	870013	EPA 6010	870034
50415358004	**MW-402D-20251014**	EPA 3010	870013	EPA 6010	870034
50415358005	**MW-418D-20251014**	EPA 3010	870013	EPA 6010	870034
50415358008	**MW-481S-20251015**	EPA 3010	870013	EPA 6010	870034
50415358001	**MW-407S-20251014**	EPA 5030/8260	869541		
50415358002	**AD-200-20251014**	EPA 5030/8260	869541		
50415358003	**MW-402-20251014**	EPA 5030/8260	869541		
50415358004	**MW-402D-20251014**	EPA 5030/8260	869541		
50415358005	**MW-418D-20251014**	EPA 5030/8260	869541		
50415358006	**W-8-20251015**	EPA 5030/8260	869541		
50415358007	**TRIP BLANK-20251015**	EPA 5030/8260	869541		
50415358008	**MW-481S-20251015**	EPA 5030/8260	869541		
50415358001	**MW-407S-20251014**	EPA 353.2	868029		
50415358003	**MW-402-20251014**	EPA 353.2	868029		
50415358004	**MW-402D-20251014**	EPA 353.2	868029		
50415358005	**MW-418D-20251014**	EPA 353.2	868029		
50415358008	**MW-481S-20251015**	EPA 353.2	868029		
50415358001	**MW-407S-20251014**	SM 5310C	870294		
50415358003	**MW-402-20251014**	SM 5310C	870294		
50415358004	**MW-402D-20251014**	SM 5310C	870294		
50415358005	**MW-418D-20251014**	SM 5310C	870294		
50415358008	**MW-481S-20251015**	SM 5310C	870294		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here

WO# 50415358

Scan QR Code for instructions

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	GE Indy Q4 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET

County / State origin of sample(s): Indiana

Data Deliverables: [X] Level II [ ] Level III [ ] Level IV [X] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: STANDARD TAT

Field Filtered (if applicable): [X] Yes [ ] No

Analysis: DISSOLVED Fe 6010

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC SO4	353.2 Nitrogen, NO2/NO3	5310C TOC	6010 Dissolved Fe	8260 MSV Indiana	RSK 175 Headspace (DHG)	MS/MSD				Sample Comment
Specify Container Size **																				
Identify Container Preservative Type***																				
Analysis Requested																				
MW-407S-20251014	GW	G			10/14/25	1118	6			X	X	X	X	X						001
AD-200-20251014	GW	G			10/14/25	1200	3							X						002
MW-402[illegible]-20251014	GW	G			10/14/25	1317	6			X	X	X	X	X						003
MW-4020-20251014	GW	G			10/14/25	1430	6			X	X	X	X	X						004
MW-418D-20251014	GW	G			10/14/25	1614	6			X	X	X	X	X						005
W-8-20251015	GW	G			10/15/25	0936	12							X	X	X				006
TRIP BLANK-20251015	←	G			10/15/25	—	3							X						007
MW-418S-20251015	GW	G			10/15/25	1055	6			X	X	X	X	X						008

Lab Use Only

Proj. Mgr: Heather Patterson

AcctNum / Client ID:

Table #:

Profile / Template: 2747-28

Prelog / Bottle Ord. ID: EZ 3310396

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
N02/N03 has a short 48 hour hold; please return/ship samples on the day of collection
Please return samples to the lab on ice
NOTE: Bottles reading MW-402S are for MW-402

Collected By: (Printed Name) Gabriel Borgmeyer

Signature:

Customer Remarks / Special Conditions / Possible Hazards: NO_2/NO_3 has a 48-hr hold (noted)

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	4	-.1	1.8	1.7	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Ramboll	10/15/25 - 1115	Patrick Verbryke / Ramboll	10/15/25; 11:15	
Relinquished by/Company: (Signature) Patrick Verbryke / Ramboll	10/15/25 - 11:58	Received by/Company: (Signature) PACE	10/15/25 1158	Delivered by: [✓] In- Person [ ] Courier [ ] FedEx [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 1

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

10.1

10

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents:

TW 10/15/25 1345

1. **Thermometer:** 1 2 3 4 5 6 7 8 9 A B C D E F G H I

Cooler temp should be above freezing to 6°C

2A. **Cooler Temperature(s):** 1.8 / 1.7 | | | |

(Initial/Corrected) *RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)*

2B. **Was the PM notified of out of temp cooler?: (leave blank if samples are in temp)** Yes No

3. **Packing Material:** Bubble Bags Bubble Wrap None Other: _____

4. **Ice Type:** Wet Blue None

5. **Courier:** FedEx UPS Client Pace NOW Jett Other

6. **Custody Seal on Cooler/Box Present:** Yes No

(If yes)Seals Intact: Yes No *Leave blank if no seals were present*

All discrepancies will be written out in the comments section below.

	Yes	No	N/A
7. **USDA Regulated Soils?** (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)			✓
8. **Short Hold Time Analysis (48 hours or less)?:** Nitrate	✓		
9. **Time 5035A TC placed in Freezer or Short Holds To Lab:**	**Time:**		
10. **Rush TAT Requested (4 days or less):**		✓	
11. Custody Signatures Present?	✓		
12. Containers intact?	✓		
13. Sample Label (IDs/Dates/Times) Match COC?: **Except TCs, which only require sample ID**	✓		
14. All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** **Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9)** Any non-conformance to pH recommendations will be noted on the container count form	✓		
15. Residual Chlorine **Present** (SVOC 625 Pest/PCB 608)		TW 10/15	✓
16. Residual Chlorine **Present** (Total/Amenable/Free Cyanide)		✗	✓
17. Headspace in **VOA Vials** (>6mm): See Containter Count form for details		✓	
18. Trip Blank Present?	✓		
19. Trip Blank Custody Seals?:	✓		
20. Extra labels on Terracore Vials? (**soils only**)			✓

Comments:

50415358

COC PAGE ____ of ____

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

				AMBER GLASS								PLASTIC									OTHER									
COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	DG9H (VG9H)	VOA VIAL HS (>6mm)	(VG9U) DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix	Nitric Red HNO3 <2	Sulfuric Yellow H2SO4 <2	Sodium Hydroxide Green NaOH >10	Sodium Hydroxide/ ZnAc Black NaOH/Zn Ac >9
1				3								1						1		1									WT	✓	✓		
2																																	
3												1						1		1										✓	✓		
4																																	
5																																	
6				9		3																											
7				3																													
8				3								1						1		1										✓	✓		
9																																	
10																																	
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT2U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

10.1

10

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

November 04, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: GE Indy Q4 2025
Pace Project No.: 50415393

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on October 15, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Table of Contents

Sections: 1 2 3 4 5 6 7 8 9 10

Section 1: Cert Page 3
Section 2: Sample Summary 4
Section 3: Sample Analyte 5
Section 4: Summary of Hits 6
Section 5: Results 8
Section 6: Quality Control 23
Section 7: Qualifiers 30
Section 8: Method Cross Reference 31
Section 9: QC Cross Reference 32
Section 10: Chain of Custody 33
10.1: Chain of Custody 33

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50415393001	**MW-410D-20251015**	Water	10/15/25 12:20	10/15/25 17:44
50415393002	**AD-400-20251015**	Water	10/15/25 12:00	10/15/25 17:44
50415393003	**MW-410S-20251015**	Water	10/15/25 13:30	10/15/25 17:44
50415393004	**MW-411S-20251015**	Water	10/15/25 14:41	10/15/25 17:44
50415393005	**MW-411D-20251015**	Water	10/15/25 16:15	10/15/25 17:44

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50415393001	**MW-410D-20251015**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415393002	**AD-400-20251015**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415393003	**MW-410S-20251015**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415393004	**MW-411S-20251015**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I
50415393005	**MW-411D-20251015**	EPA 300.0	GLT	1	PASI-I
		EPA 6010	JPK	1	PASI-I
		EPA 5030/8260	TMW	75	PASI-I
		EPA 353.2	DAW	2	PASI-I
		SM 5310C	ATS	1	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50415393001	**MW-410D-20251015**					
EPA 300.0	Sulfate	47500	ug/L	2500	10/22/25 22:56	
EPA 6010	Iron, Dissolved	666	ug/L	100	10/29/25 00:09	
EPA 5030/8260	Chloroethane	4330	ug/L	500	10/29/25 16:43	
EPA 5030/8260	1,1-Dichloroethane	769	ug/L	50.0	10/28/25 12:27	
EPA 5030/8260	cis-1,2-Dichloroethene	733	ug/L	50.0	10/28/25 12:27	
EPA 5030/8260	Vinyl chloride	184	ug/L	20.0	10/28/25 12:27	
SM 5310C	Total Organic Carbon	8340	ug/L	4000	11/03/25 17:25	
50415393002	**AD-400-20251015**					
EPA 300.0	Sulfate	37600	ug/L	250	10/22/25 23:29	
EPA 6010	Iron, Dissolved	5510	ug/L	100	10/29/25 00:12	
EPA 5030/8260	Chloroethane	4230	ug/L	250	10/29/25 17:13	
EPA 5030/8260	1,1-Dichloroethane	964	ug/L	250	10/29/25 17:13	
EPA 5030/8260	1,1-Dichloroethene	7.1	ug/L	5.0	10/28/25 12:58	
EPA 5030/8260	cis-1,2-Dichloroethene	887	ug/L	250	10/29/25 17:13	
EPA 5030/8260	trans-1,2-Dichloroethene	28.6	ug/L	5.0	10/28/25 12:58	
EPA 5030/8260	1,1,1-Trichloroethane	37.5	ug/L	5.0	10/28/25 12:58	
EPA 5030/8260	Vinyl chloride	208	ug/L	2.0	10/28/25 12:58	
SM 5310C	Total Organic Carbon	3230	ug/L	1000	10/31/25 03:00	
50415393003	**MW-410S-20251015**					
EPA 300.0	Sulfate	39900	ug/L	250	10/23/25 00:51	
EPA 6010	Iron, Dissolved	4250	ug/L	100	10/29/25 00:14	
EPA 5030/8260	Chloroethane	937	ug/L	50.0	10/28/25 16:30	
EPA 5030/8260	1,1-Dichloroethane	81.1	ug/L	5.0	10/28/25 13:58	
EPA 5030/8260	cis-1,2-Dichloroethene	7.5	ug/L	5.0	10/28/25 13:58	
EPA 5030/8260	1,1,1-Trichloroethane	9.5	ug/L	5.0	10/28/25 13:58	
EPA 5030/8260	Vinyl chloride	7.8	ug/L	2.0	10/28/25 13:58	
EPA 353.2	Nitrogen, NO2 plus NO3	1.6	mg/L	0.10	10/16/25 01:49	
EPA 353.2	Nitrogen, Nitrate	1.6	mg/L	0.10	10/16/25 01:49	
SM 5310C	Total Organic Carbon	4250	ug/L	1000	10/31/25 03:11	
50415393004	**MW-411S-20251015**					
EPA 300.0	Sulfate	175000	ug/L	2500	10/23/25 01:56	
EPA 6010	Iron, Dissolved	11500	ug/L	100	10/29/25 00:16	
EPA 5030/8260	Chloroethane	12300	ug/L	250	10/28/25 14:29	
EPA 5030/8260	1,1-Dichloroethane	63500	ug/L	2500	10/28/25 14:59	
EPA 5030/8260	1,1-Dichloroethene	742	ug/L	250	10/28/25 14:29	
EPA 5030/8260	cis-1,2-Dichloroethene	24800	ug/L	2500	10/28/25 14:59	
EPA 5030/8260	trans-1,2-Dichloroethene	329	ug/L	250	10/28/25 14:29	
EPA 5030/8260	1,1,1-Trichloroethane	7520	ug/L	250	10/28/25 14:29	
EPA 5030/8260	Vinyl chloride	3310	ug/L	100	10/28/25 14:29	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
SM 5310C	Total Organic Carbon	6970	ug/L	1000	10/31/25 03:23	
50415393005	**MW-411D-20251015**					
EPA 300.0	Sulfate	38200	ug/L	250	10/23/25 02:29	
EPA 6010	Iron, Dissolved	5520	ug/L	100	10/29/25 00:18	
EPA 5030/8260	Chloroethane	22400	ug/L	2500	10/28/25 16:00	
EPA 5030/8260	1,1-Dichloroethane	31000	ug/L	2500	10/28/25 16:00	
EPA 5030/8260	cis-1,2-Dichloroethene	9550	ug/L	250	10/28/25 15:29	
EPA 5030/8260	Vinyl chloride	3310	ug/L	100	10/28/25 15:29	
SM 5310C	Total Organic Carbon	3290	ug/L	1000	10/31/25 03:36	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-410D-20251015 **Lab ID: 50415393001** Collected: 10/15/25 12:20 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**47500**	ug/L	2500	1400	10		10/22/25 22:56	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**666**	ug/L	100	53.2	1	10/29/25 00:01	10/29/25 00:09	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	154	10		10/28/25 12:27	67-64-1	
Acrolein	ND	ug/L	500	71.1	10		10/28/25 12:27	107-02-8	
Acrylonitrile	ND	ug/L	1000	17.5	10		10/28/25 12:27	107-13-1	
Benzene	ND	ug/L	50.0	3.4	10		10/28/25 12:27	71-43-2	
Bromobenzene	ND	ug/L	50.0	5.4	10		10/28/25 12:27	108-86-1	
Bromochloromethane	ND	ug/L	50.0	4.6	10		10/28/25 12:27	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	4.4	10		10/28/25 12:27	75-27-4	
Bromoform	ND	ug/L	50.0	6.9	10		10/28/25 12:27	75-25-2	
Bromomethane	ND	ug/L	50.0	7.2	10		10/28/25 12:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	25.0	10		10/28/25 12:27	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	3.4	10		10/28/25 12:27	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	3.3	10		10/28/25 12:27	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	3.6	10		10/28/25 12:27	98-06-6	
Carbon disulfide	ND	ug/L	100	4.3	10		10/28/25 12:27	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	3.2	10		10/28/25 12:27	56-23-5	
Chlorobenzene	ND	ug/L	50.0	4.3	10		10/28/25 12:27	108-90-7	
Chloroethane	**4330**	ug/L	500	61.4	100		10/29/25 16:43	75-00-3	
Chloroform	ND	ug/L	50.0	16.5	10		10/28/25 12:27	67-66-3	
Chloromethane	ND	ug/L	50.0	3.8	10		10/28/25 12:27	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	4.3	10		10/28/25 12:27	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	4.7	10		10/28/25 12:27	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	4.5	10		10/28/25 12:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	3.7	10		10/28/25 12:27	106-93-4	
Dibromomethane	ND	ug/L	50.0	4.8	10		10/28/25 12:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	5.6	10		10/28/25 12:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	5.0	10		10/28/25 12:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	5.1	10		10/28/25 12:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	4.6	10		10/28/25 12:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	5.1	10		10/28/25 12:27	75-71-8	
1,1-Dichloroethane	**769**	ug/L	50.0	3.1	10		10/28/25 12:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	3.7	10		10/28/25 12:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	4.7	10		10/28/25 12:27	75-35-4	
cis-1,2-Dichloroethene	**733**	ug/L	50.0	3.7	10		10/28/25 12:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	3.8	10		10/28/25 12:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	3.8	10		10/28/25 12:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	4.3	10		10/28/25 12:27	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-410D-20251015 **Lab ID: 50415393001** Collected: 10/15/25 12:20 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	50.0	2.9	10		10/28/25 12:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	3.2	10		10/28/25 12:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	3.8	10		10/28/25 12:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	4.0	10		10/28/25 12:27	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	3.8	10		10/28/25 12:27	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	4.3	10		10/28/25 12:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	3.5	10		10/28/25 12:27	87-68-3	
n-Hexane	ND	ug/L	50.0	17.3	10		10/28/25 12:27	110-54-3	
2-Hexanone	ND	ug/L	250	19.1	10		10/28/25 12:27	591-78-6	
Iodomethane	ND	ug/L	100	9.9	10		10/28/25 12:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	3.4	10		10/28/25 12:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	3.6	10		10/28/25 12:27	99-87-6	
Methylene Chloride	ND	ug/L	50.0	50.0	10		10/28/25 12:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	50.6	10		10/28/25 12:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	56.0	10		10/28/25 12:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	17.0	10		10/28/25 12:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	3.3	10		10/28/25 12:27	1634-04-4	
Naphthalene	ND	ug/L	12.0	7.5	10		10/28/25 12:27	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	3.5	10		10/28/25 12:27	103-65-1	
Styrene	ND	ug/L	50.0	4.5	10		10/28/25 12:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	4.7	10		10/28/25 12:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	3.9	10		10/28/25 12:27	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	3.1	10		10/28/25 12:27	127-18-4	
Toluene	ND	ug/L	50.0	14.4	10		10/28/25 12:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	4.0	10		10/28/25 12:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	4.4	10		10/28/25 12:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	50.0	3.7	10		10/28/25 12:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	4.9	10		10/28/25 12:27	79-00-5	
Trichloroethene	ND	ug/L	50.0	3.3	10		10/28/25 12:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	3.2	10		10/28/25 12:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	4.3	10		10/28/25 12:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	6.8	10		10/28/25 12:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	4.0	10		10/28/25 12:27	108-67-8	
Vinyl acetate	ND	ug/L	500	12.1	10		10/28/25 12:27	108-05-4	
Vinyl chloride	**184**	ug/L	20.0	4.4	10		10/28/25 12:27	75-01-4	
Xylene (Total)	ND	ug/L	100	15.5	10		10/28/25 12:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	106	%.	82-128		10		10/28/25 12:27	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		10		10/28/25 12:27	460-00-4	
Toluene-d8 (S)	97	%.	73-122		10		10/28/25 12:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-410D-20251015 **Lab ID: 50415393001** Collected: 10/15/25 12:20 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 01:45		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 01:45	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**8340**	ug/L	4000	1200	4		11/03/25 17:25	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: AD-400-20251015 **Lab ID: 50415393002** Collected: 10/15/25 12:00 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**37600**	ug/L	250	140	1		10/22/25 23:29	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**5510**	ug/L	100	53.2	1	10/29/25 00:01	10/29/25 00:12	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		10/28/25 12:58	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		10/28/25 12:58	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		10/28/25 12:58	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		10/28/25 12:58	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		10/28/25 12:58	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		10/28/25 12:58	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		10/28/25 12:58	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		10/28/25 12:58	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		10/28/25 12:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		10/28/25 12:58	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		10/28/25 12:58	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		10/28/25 12:58	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		10/28/25 12:58	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		10/28/25 12:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		10/28/25 12:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		10/28/25 12:58	108-90-7	
Chloroethane	**4230**	ug/L	250	30.7	50		10/29/25 17:13	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		10/28/25 12:58	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		10/28/25 12:58	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		10/28/25 12:58	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		10/28/25 12:58	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		10/28/25 12:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		10/28/25 12:58	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		10/28/25 12:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		10/28/25 12:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		10/28/25 12:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		10/28/25 12:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		10/28/25 12:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		10/28/25 12:58	75-71-8	
1,1-Dichloroethane	**964**	ug/L	250	16.3	50		10/29/25 17:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		10/28/25 12:58	107-06-2	
1,1-Dichloroethene	**7.1**	ug/L	5.0	0.47	1		10/28/25 12:58	75-35-4	
cis-1,2-Dichloroethene	**887**	ug/L	250	20.4	50		10/29/25 17:13	156-59-2	
trans-1,2-Dichloroethene	**28.6**	ug/L	5.0	0.38	1		10/28/25 12:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		10/28/25 12:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		10/28/25 12:58	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: AD-400-20251015 **Lab ID: 50415393002** Collected: 10/15/25 12:00 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		10/28/25 12:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		10/28/25 12:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		10/28/25 12:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		10/28/25 12:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		10/28/25 12:58	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		10/28/25 12:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		10/28/25 12:58	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		10/28/25 12:58	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		10/28/25 12:58	591-78-6	
Iodomethane	ND	ug/L	10.0	0.99	1		10/28/25 12:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		10/28/25 12:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		10/28/25 12:58	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		10/28/25 12:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		10/28/25 12:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		10/28/25 12:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		10/28/25 12:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		10/28/25 12:58	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		10/28/25 12:58	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		10/28/25 12:58	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		10/28/25 12:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		10/28/25 12:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		10/28/25 12:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		10/28/25 12:58	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		10/28/25 12:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		10/28/25 12:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		10/28/25 12:58	120-82-1	
1,1,1-Trichloroethane	**37.5**	ug/L	5.0	0.37	1		10/28/25 12:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		10/28/25 12:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		10/28/25 12:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		10/28/25 12:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		10/28/25 12:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		10/28/25 12:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		10/28/25 12:58	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		10/28/25 12:58	108-05-4	
Vinyl chloride	**208**	ug/L	2.0	0.44	1		10/28/25 12:58	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/28/25 12:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		1		10/28/25 12:58	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		10/28/25 12:58	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		10/28/25 12:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: AD-400-20251015 **Lab ID: 50415393002** Collected: 10/15/25 12:00 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 01:47		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 01:47	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3230**	ug/L	1000	300	1		10/31/25 03:00	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-410S-20251015 **Lab ID: 50415393003** Collected: 10/15/25 13:30 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**39900**	ug/L	250	140	1		10/23/25 00:51	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**4250**	ug/L	100	53.2	1	10/29/25 00:01	10/29/25 00:14	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	15.4	1		10/28/25 13:58	67-64-1	
Acrolein	ND	ug/L	50.0	7.1	1		10/28/25 13:58	107-02-8	
Acrylonitrile	ND	ug/L	100	1.8	1		10/28/25 13:58	107-13-1	
Benzene	ND	ug/L	5.0	0.34	1		10/28/25 13:58	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.54	1		10/28/25 13:58	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.46	1		10/28/25 13:58	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.44	1		10/28/25 13:58	75-27-4	
Bromoform	ND	ug/L	5.0	0.69	1		10/28/25 13:58	75-25-2	
Bromomethane	ND	ug/L	5.0	0.72	1		10/28/25 13:58	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	2.5	1		10/28/25 13:58	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.34	1		10/28/25 13:58	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.33	1		10/28/25 13:58	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.36	1		10/28/25 13:58	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.43	1		10/28/25 13:58	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.32	1		10/28/25 13:58	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.43	1		10/28/25 13:58	108-90-7	
Chloroethane	**937**	ug/L	50.0	6.6	10		10/28/25 16:30	75-00-3	
Chloroform	ND	ug/L	5.0	1.6	1		10/28/25 13:58	67-66-3	
Chloromethane	ND	ug/L	5.0	0.38	1		10/28/25 13:58	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.43	1		10/28/25 13:58	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.47	1		10/28/25 13:58	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.45	1		10/28/25 13:58	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.37	1		10/28/25 13:58	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.48	1		10/28/25 13:58	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.56	1		10/28/25 13:58	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.50	1		10/28/25 13:58	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.51	1		10/28/25 13:58	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	0.46	1		10/28/25 13:58	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	0.51	1		10/28/25 13:58	75-71-8	
1,1-Dichloroethane	**81.1**	ug/L	5.0	0.31	1		10/28/25 13:58	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.37	1		10/28/25 13:58	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.47	1		10/28/25 13:58	75-35-4	
cis-1,2-Dichloroethene	**7.5**	ug/L	5.0	0.37	1		10/28/25 13:58	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.38	1		10/28/25 13:58	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.38	1		10/28/25 13:58	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.43	1		10/28/25 13:58	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-410S-20251015 **Lab ID: 50415393003** Collected: 10/15/25 13:30 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	5.0	0.29	1		10/28/25 13:58	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.32	1		10/28/25 13:58	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.38	1		10/28/25 13:58	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.40	1		10/28/25 13:58	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.38	1		10/28/25 13:58	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.43	1		10/28/25 13:58	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.35	1		10/28/25 13:58	87-68-3	
n-Hexane	ND	ug/L	5.0	1.7	1		10/28/25 13:58	110-54-3	
2-Hexanone	ND	ug/L	25.0	1.9	1		10/28/25 13:58	591-78-6	
Iodomethane	ND	ug/L	10.0	0.99	1		10/28/25 13:58	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.34	1		10/28/25 13:58	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.36	1		10/28/25 13:58	99-87-6	
Methylene Chloride	ND	ug/L	5.0	5.0	1		10/28/25 13:58	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	5.1	1		10/28/25 13:58	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	5.6	1		10/28/25 13:58	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	1.7	1		10/28/25 13:58	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.33	1		10/28/25 13:58	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.75	1		10/28/25 13:58	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.35	1		10/28/25 13:58	103-65-1	
Styrene	ND	ug/L	5.0	0.45	1		10/28/25 13:58	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.47	1		10/28/25 13:58	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.39	1		10/28/25 13:58	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.31	1		10/28/25 13:58	127-18-4	
Toluene	ND	ug/L	5.0	1.4	1		10/28/25 13:58	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.40	1		10/28/25 13:58	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.44	1		10/28/25 13:58	120-82-1	
1,1,1-Trichloroethane	**9.5**	ug/L	5.0	0.37	1		10/28/25 13:58	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.49	1		10/28/25 13:58	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.33	1		10/28/25 13:58	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	0.32	1		10/28/25 13:58	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.43	1		10/28/25 13:58	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.68	1		10/28/25 13:58	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.40	1		10/28/25 13:58	108-67-8	
Vinyl acetate	ND	ug/L	50.0	1.2	1		10/28/25 13:58	108-05-4	
Vinyl chloride	**7.8**	ug/L	2.0	0.44	1		10/28/25 13:58	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/28/25 13:58	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		1		10/28/25 13:58	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		10/28/25 13:58	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		10/28/25 13:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-410S-20251015 **Lab ID: 50415393003** Collected: 10/15/25 13:30 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	**1.6**	mg/L	0.10	0.013	1		10/16/25 01:49		
Nitrogen, Nitrate	**1.6**	mg/L	0.10	0.013	1		10/16/25 01:49	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**4250**	ug/L	1000	300	1		10/31/25 03:11	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-411S-20251015 **Lab ID: 50415393004** Collected: 10/15/25 14:41 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**175000**	ug/L	2500	1400	10		10/23/25 01:56	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**11500**	ug/L	100	53.2	1	10/29/25 00:01	10/29/25 00:16	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	770	50		10/28/25 14:29	67-64-1	
Acrolein	ND	ug/L	2500	356	50		10/28/25 14:29	107-02-8	
Acrylonitrile	ND	ug/L	5000	87.5	50		10/28/25 14:29	107-13-1	
Benzene	ND	ug/L	250	17.0	50		10/28/25 14:29	71-43-2	
Bromobenzene	ND	ug/L	250	26.8	50		10/28/25 14:29	108-86-1	
Bromochloromethane	ND	ug/L	250	22.9	50		10/28/25 14:29	74-97-5	
Bromodichloromethane	ND	ug/L	250	21.8	50		10/28/25 14:29	75-27-4	
Bromoform	ND	ug/L	250	34.4	50		10/28/25 14:29	75-25-2	
Bromomethane	ND	ug/L	250	36.0	50		10/28/25 14:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	125	50		10/28/25 14:29	78-93-3	
n-Butylbenzene	ND	ug/L	250	17.0	50		10/28/25 14:29	104-51-8	
sec-Butylbenzene	ND	ug/L	250	16.4	50		10/28/25 14:29	135-98-8	
tert-Butylbenzene	ND	ug/L	250	18.1	50		10/28/25 14:29	98-06-6	
Carbon disulfide	ND	ug/L	500	21.6	50		10/28/25 14:29	75-15-0	
Carbon tetrachloride	ND	ug/L	250	15.8	50		10/28/25 14:29	56-23-5	
Chlorobenzene	ND	ug/L	250	21.4	50		10/28/25 14:29	108-90-7	
Chloroethane	**12300**	ug/L	250	33.0	50		10/28/25 14:29	75-00-3	
Chloroform	ND	ug/L	250	82.5	50		10/28/25 14:29	67-66-3	
Chloromethane	ND	ug/L	250	18.8	50		10/28/25 14:29	74-87-3	
2-Chlorotoluene	ND	ug/L	250	21.6	50		10/28/25 14:29	95-49-8	
4-Chlorotoluene	ND	ug/L	250	23.4	50		10/28/25 14:29	106-43-4	
Dibromochloromethane	ND	ug/L	250	22.4	50		10/28/25 14:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	18.6	50		10/28/25 14:29	106-93-4	
Dibromomethane	ND	ug/L	250	24.2	50		10/28/25 14:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	28.2	50		10/28/25 14:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	25.0	50		10/28/25 14:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	25.4	50		10/28/25 14:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	23.2	50		10/28/25 14:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	25.4	50		10/28/25 14:29	75-71-8	
1,1-Dichloroethane	**63500**	ug/L	2500	154	500		10/28/25 14:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	18.4	50		10/28/25 14:29	107-06-2	
1,1-Dichloroethene	**742**	ug/L	250	23.5	50		10/28/25 14:29	75-35-4	
cis-1,2-Dichloroethene	**24800**	ug/L	2500	184	500		10/28/25 14:59	156-59-2	
trans-1,2-Dichloroethene	**329**	ug/L	250	18.8	50		10/28/25 14:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	18.8	50		10/28/25 14:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	21.6	50		10/28/25 14:29	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-411S-20251015 **Lab ID: 50415393004** Collected: 10/15/25 14:41 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	250	14.6	50		10/28/25 14:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	16.0	50		10/28/25 14:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	18.8	50		10/28/25 14:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	19.8	50		10/28/25 14:29	10061-02-6	
Ethylbenzene	ND	ug/L	250	19.1	50		10/28/25 14:29	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	21.4	50		10/28/25 14:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	17.5	50		10/28/25 14:29	87-68-3	
n-Hexane	ND	ug/L	250	86.5	50		10/28/25 14:29	110-54-3	
2-Hexanone	ND	ug/L	1250	95.5	50		10/28/25 14:29	591-78-6	
Iodomethane	ND	ug/L	500	49.6	50		10/28/25 14:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	17.2	50		10/28/25 14:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	18.2	50		10/28/25 14:29	99-87-6	
Methylene Chloride	ND	ug/L	250	250	50		10/28/25 14:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	253	50		10/28/25 14:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	280	50		10/28/25 14:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	85.0	50		10/28/25 14:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	16.5	50		10/28/25 14:29	1634-04-4	
Naphthalene	ND	ug/L	60.0	37.4	50		10/28/25 14:29	91-20-3	
n-Propylbenzene	ND	ug/L	250	17.4	50		10/28/25 14:29	103-65-1	
Styrene	ND	ug/L	250	22.6	50		10/28/25 14:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	23.5	50		10/28/25 14:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	19.3	50		10/28/25 14:29	79-34-5	
Tetrachloroethene	ND	ug/L	250	15.6	50		10/28/25 14:29	127-18-4	
Toluene	ND	ug/L	250	72.0	50		10/28/25 14:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	20.0	50		10/28/25 14:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	22.2	50		10/28/25 14:29	120-82-1	
1,1,1-Trichloroethane	**7520**	ug/L	250	18.4	50		10/28/25 14:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	24.4	50		10/28/25 14:29	79-00-5	
Trichloroethene	ND	ug/L	250	16.6	50		10/28/25 14:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	16.0	50		10/28/25 14:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	21.4	50		10/28/25 14:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	33.8	50		10/28/25 14:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	20.0	50		10/28/25 14:29	108-67-8	
Vinyl acetate	ND	ug/L	2500	60.5	50		10/28/25 14:29	108-05-4	
Vinyl chloride	**3310**	ug/L	100	22.0	50		10/28/25 14:29	75-01-4	
Xylene (Total)	ND	ug/L	500	77.5	50		10/28/25 14:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	104	%.	82-128		50		10/28/25 14:29	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		50		10/28/25 14:29	460-00-4	
Toluene-d8 (S)	98	%.	73-122		50		10/28/25 14:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-411S-20251015 **Lab ID: 50415393004** Collected: 10/15/25 14:41 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 01:51		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 01:51	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**6970**	ug/L	1000	300	1		10/31/25 03:23	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-411D-20251015 **Lab ID: 50415393005** Collected: 10/15/25 16:15 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0 Pace Analytical Services - Indianapolis								
Sulfate	**38200**	ug/L	250	140	1		10/23/25 02:29	14808-79-8	
6010 MET ICP, Dissolved	Analytical Method: EPA 6010 Preparation Method: EPA 3010 Pace Analytical Services - Indianapolis								
Iron, Dissolved	**5520**	ug/L	100	53.2	1	10/29/25 00:01	10/29/25 00:18	7439-89-6	
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	770	50		10/28/25 15:29	67-64-1	
Acrolein	ND	ug/L	2500	356	50		10/28/25 15:29	107-02-8	
Acrylonitrile	ND	ug/L	5000	87.5	50		10/28/25 15:29	107-13-1	
Benzene	ND	ug/L	250	17.0	50		10/28/25 15:29	71-43-2	
Bromobenzene	ND	ug/L	250	26.8	50		10/28/25 15:29	108-86-1	
Bromochloromethane	ND	ug/L	250	22.9	50		10/28/25 15:29	74-97-5	
Bromodichloromethane	ND	ug/L	250	21.8	50		10/28/25 15:29	75-27-4	
Bromoform	ND	ug/L	250	34.4	50		10/28/25 15:29	75-25-2	
Bromomethane	ND	ug/L	250	36.0	50		10/28/25 15:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	125	50		10/28/25 15:29	78-93-3	
n-Butylbenzene	ND	ug/L	250	17.0	50		10/28/25 15:29	104-51-8	
sec-Butylbenzene	ND	ug/L	250	16.4	50		10/28/25 15:29	135-98-8	
tert-Butylbenzene	ND	ug/L	250	18.1	50		10/28/25 15:29	98-06-6	
Carbon disulfide	ND	ug/L	500	21.6	50		10/28/25 15:29	75-15-0	
Carbon tetrachloride	ND	ug/L	250	15.8	50		10/28/25 15:29	56-23-5	
Chlorobenzene	ND	ug/L	250	21.4	50		10/28/25 15:29	108-90-7	
Chloroethane	**22400**	ug/L	2500	330	500		10/28/25 16:00	75-00-3	
Chloroform	ND	ug/L	250	82.5	50		10/28/25 15:29	67-66-3	
Chloromethane	ND	ug/L	250	18.8	50		10/28/25 15:29	74-87-3	
2-Chlorotoluene	ND	ug/L	250	21.6	50		10/28/25 15:29	95-49-8	
4-Chlorotoluene	ND	ug/L	250	23.4	50		10/28/25 15:29	106-43-4	
Dibromochloromethane	ND	ug/L	250	22.4	50		10/28/25 15:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	18.6	50		10/28/25 15:29	106-93-4	
Dibromomethane	ND	ug/L	250	24.2	50		10/28/25 15:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	28.2	50		10/28/25 15:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	25.0	50		10/28/25 15:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	25.4	50		10/28/25 15:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	23.2	50		10/28/25 15:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	25.4	50		10/28/25 15:29	75-71-8	
1,1-Dichloroethane	**31000**	ug/L	2500	154	500		10/28/25 16:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	250	18.4	50		10/28/25 15:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	250	23.5	50		10/28/25 15:29	75-35-4	
cis-1,2-Dichloroethene	**9550**	ug/L	250	18.4	50		10/28/25 15:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	250	18.8	50		10/28/25 15:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	18.8	50		10/28/25 15:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	21.6	50		10/28/25 15:29	142-28-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-411D-20251015 **Lab ID: 50415393005** Collected: 10/15/25 16:15 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
2,2-Dichloropropane	ND	ug/L	250	14.6	50		10/28/25 15:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	16.0	50		10/28/25 15:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	18.8	50		10/28/25 15:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	19.8	50		10/28/25 15:29	10061-02-6	
Ethylbenzene	ND	ug/L	250	19.1	50		10/28/25 15:29	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	21.4	50		10/28/25 15:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	17.5	50		10/28/25 15:29	87-68-3	
n-Hexane	ND	ug/L	250	86.5	50		10/28/25 15:29	110-54-3	
2-Hexanone	ND	ug/L	1250	95.5	50		10/28/25 15:29	591-78-6	
Iodomethane	ND	ug/L	500	49.6	50		10/28/25 15:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	17.2	50		10/28/25 15:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	18.2	50		10/28/25 15:29	99-87-6	
Methylene Chloride	ND	ug/L	250	250	50		10/28/25 15:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	253	50		10/28/25 15:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	280	50		10/28/25 15:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	85.0	50		10/28/25 15:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	16.5	50		10/28/25 15:29	1634-04-4	
Naphthalene	ND	ug/L	60.0	37.4	50		10/28/25 15:29	91-20-3	
n-Propylbenzene	ND	ug/L	250	17.4	50		10/28/25 15:29	103-65-1	
Styrene	ND	ug/L	250	22.6	50		10/28/25 15:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	23.5	50		10/28/25 15:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	19.3	50		10/28/25 15:29	79-34-5	
Tetrachloroethene	ND	ug/L	250	15.6	50		10/28/25 15:29	127-18-4	
Toluene	ND	ug/L	250	72.0	50		10/28/25 15:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	20.0	50		10/28/25 15:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	22.2	50		10/28/25 15:29	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	250	18.4	50		10/28/25 15:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	24.4	50		10/28/25 15:29	79-00-5	
Trichloroethene	ND	ug/L	250	16.6	50		10/28/25 15:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	16.0	50		10/28/25 15:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	21.4	50		10/28/25 15:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	33.8	50		10/28/25 15:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	20.0	50		10/28/25 15:29	108-67-8	
Vinyl acetate	ND	ug/L	2500	60.5	50		10/28/25 15:29	108-05-4	
Vinyl chloride	**3310**	ug/L	100	22.0	50		10/28/25 15:29	75-01-4	
Xylene (Total)	ND	ug/L	500	77.5	50		10/28/25 15:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	103	%.	82-128		50		10/28/25 15:29	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		50		10/28/25 15:29	460-00-4	
Toluene-d8 (S)	98	%.	73-122		50		10/28/25 15:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Sample: MW-411D-20251015 **Lab ID: 50415393005** Collected: 10/15/25 16:15 Received: 10/15/25 17:44 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 unpres	Analytical Method: EPA 353.2 Pace Analytical Services - Indianapolis								
Nitrogen, NO2 plus NO3	ND	mg/L	0.10	0.013	1		10/16/25 01:57		
Nitrogen, Nitrate	ND	mg/L	0.10	0.013	1		10/16/25 01:57	14797-55-8	
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Indianapolis								
Total Organic Carbon	**3290**	ug/L	1000	300	1		10/31/25 03:36	7440-44-0	

5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415393

QC Batch: 868427
QC Batch Method: EPA 300.0
Analysis Method: EPA 300.0
Analysis Description: 300.0 IC Anions
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

METHOD BLANK: 3979275 Matrix: Water

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Sulfate	ug/L	ND	250	140	10/29/25 02:51	

LABORATORY CONTROL SAMPLE: 3979276

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	ug/L	5000	4720	94	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3979277 3979278

Parameter	Units	50415357001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Sulfate	ug/L	3.1 mg/L	5000	5000	8040	8020	99	99	80-120	0	15	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3979302 3979303

Parameter	Units	50415393005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Sulfate	ug/L	38200	5000	5000	45000	44200	135	120	80-120	2	15	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415393

QC Batch: 870111
QC Batch Method: EPA 3010
Analysis Method: EPA 6010
Analysis Description: 6010 MET Dissolved
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

METHOD BLANK: 3987034 Matrix: Water

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Iron, Dissolved	ug/L	ND	100	53.2	10/29/25 00:07	

LABORATORY CONTROL SAMPLE: 3987035

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Dissolved	ug/L	10000	10200	102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3987036 3987037

Parameter	Units	50415480001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Iron, Dissolved	ug/L	2460	10000	10000	12500	12700	101	102	75-125	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415393

QC Batch	870058	Analysis Method:	EPA 5030/8260
QC Batch Method:	EPA 5030/8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

METHOD BLANK: 3986870 Matrix: Water

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.47	10/28/25 11:57	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.37	10/28/25 11:57	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.39	10/28/25 11:57	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.49	10/28/25 11:57	
1,1-Dichloroethane	ug/L	ND	5.0	0.31	10/28/25 11:57	
1,1-Dichloroethene	ug/L	ND	5.0	0.47	10/28/25 11:57	
1,1-Dichloropropene	ug/L	ND	5.0	0.32	10/28/25 11:57	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.40	10/28/25 11:57	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.43	10/28/25 11:57	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.44	10/28/25 11:57	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.68	10/28/25 11:57	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.37	10/28/25 11:57	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.56	10/28/25 11:57	
1,2-Dichloroethane	ug/L	ND	5.0	0.37	10/28/25 11:57	
1,2-Dichloropropane	ug/L	ND	5.0	0.38	10/28/25 11:57	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.40	10/28/25 11:57	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.50	10/28/25 11:57	
1,3-Dichloropropane	ug/L	ND	5.0	0.43	10/28/25 11:57	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.51	10/28/25 11:57	
1-Methylnaphthalene	ug/L	ND	10.0	5.1	10/28/25 11:57	
2,2-Dichloropropane	ug/L	ND	5.0	0.29	10/28/25 11:57	
2-Butanone (MEK)	ug/L	ND	25.0	2.5	10/28/25 11:57	
2-Chlorotoluene	ug/L	ND	5.0	0.43	10/28/25 11:57	
2-Hexanone	ug/L	ND	25.0	1.9	10/28/25 11:57	
2-Methylnaphthalene	ug/L	ND	10.0	5.6	10/28/25 11:57	
4-Chlorotoluene	ug/L	ND	5.0	0.47	10/28/25 11:57	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	1.7	10/28/25 11:57	
Acetone	ug/L	ND	100	15.4	10/28/25 11:57	
Acrolein	ug/L	ND	50.0	7.1	10/28/25 11:57	
Acrylonitrile	ug/L	ND	100	1.8	10/28/25 11:57	
Benzene	ug/L	ND	5.0	0.34	10/28/25 11:57	
Bromobenzene	ug/L	ND	5.0	0.54	10/28/25 11:57	
Bromochloromethane	ug/L	ND	5.0	0.46	10/28/25 11:57	
Bromodichloromethane	ug/L	ND	5.0	0.44	10/28/25 11:57	
Bromoform	ug/L	ND	5.0	0.69	10/28/25 11:57	
Bromomethane	ug/L	ND	5.0	0.72	10/28/25 11:57	
Carbon disulfide	ug/L	ND	10.0	0.43	10/28/25 11:57	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415393

METHOD BLANK: 3986870 Matrix: Water

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon tetrachloride	ug/L	ND	5.0	0.32	10/28/25 11:57	
Chlorobenzene	ug/L	ND	5.0	0.43	10/28/25 11:57	
Chloroethane	ug/L	ND	5.0	0.61	10/28/25 11:57	
Chloroform	ug/L	ND	5.0	1.6	10/28/25 11:57	
Chloromethane	ug/L	ND	5.0	0.38	10/28/25 11:57	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.37	10/28/25 11:57	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.38	10/28/25 11:57	
Dibromochloromethane	ug/L	ND	5.0	0.45	10/28/25 11:57	
Dibromomethane	ug/L	ND	5.0	0.48	10/28/25 11:57	
Dichlorodifluoromethane	ug/L	ND	5.0	0.51	10/28/25 11:57	
Ethyl methacrylate	ug/L	ND	100	0.43	10/28/25 11:57	
Ethylbenzene	ug/L	ND	5.0	0.38	10/28/25 11:57	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.35	10/28/25 11:57	
Iodomethane	ug/L	ND	10.0	0.99	10/28/25 11:57	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.34	10/28/25 11:57	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.33	10/28/25 11:57	
Methylene Chloride	ug/L	ND	5.0	5.0	10/28/25 11:57	
n-Butylbenzene	ug/L	ND	5.0	0.34	10/28/25 11:57	
n-Hexane	ug/L	ND	5.0	1.7	10/28/25 11:57	
n-Propylbenzene	ug/L	ND	5.0	0.35	10/28/25 11:57	
Naphthalene	ug/L	ND	1.2	0.75	10/28/25 11:57	
p-Isopropyltoluene	ug/L	ND	5.0	0.36	10/28/25 11:57	
sec-Butylbenzene	ug/L	ND	5.0	0.33	10/28/25 11:57	
Styrene	ug/L	ND	5.0	0.45	10/28/25 11:57	
tert-Butylbenzene	ug/L	ND	5.0	0.36	10/28/25 11:57	
Tetrachloroethene	ug/L	ND	5.0	0.31	10/28/25 11:57	
Toluene	ug/L	ND	5.0	1.4	10/28/25 11:57	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.38	10/28/25 11:57	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.40	10/28/25 11:57	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	0.46	10/28/25 11:57	
Trichloroethene	ug/L	ND	5.0	0.33	10/28/25 11:57	
Trichlorofluoromethane	ug/L	ND	5.0	0.32	10/28/25 11:57	
Vinyl acetate	ug/L	ND	50.0	1.2	10/28/25 11:57	
Vinyl chloride	ug/L	ND	2.0	0.44	10/28/25 11:57	
Xylene (Total)	ug/L	ND	10.0	1.6	10/28/25 11:57	
4-Bromofluorobenzene (S)	%.	100	79-124		10/28/25 11:57	
Dibromofluoromethane (S)	%.	105	82-128		10/28/25 11:57	1d
Toluene-d8 (S)	%.	98	73-122		10/28/25 11:57	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415393

LABORATORY CONTROL SAMPLE: 3986871

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	44.8	90	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	43.1	86	69-126	
1,1-Dichloroethene	ug/L	50	39.1	78	59-128	
1,2,4-Trimethylbenzene	ug/L	50	43.5	87	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	48.7	97	78-125	
1,2-Dichloroethane	ug/L	50	40.1	80	61-127	
1,2-Dichloropropane	ug/L	50	46.2	92	75-124	
1,3,5-Trimethylbenzene	ug/L	50	43.9	88	71-122	
Benzene	ug/L	50	47.0	94	76-120	
Chlorobenzene	ug/L	50	44.2	88	77-118	
Chloroform	ug/L	50	44.5	89	74-122	
cis-1,2-Dichloroethene	ug/L	50	47.0	94	78-121	
Ethylbenzene	ug/L	50	45.4	91	76-124	
Isopropylbenzene (Cumene)	ug/L	50	44.6	89	66-113	
Methyl-tert-butyl ether	ug/L	50	53.8	108	74-124	
n-Hexane	ug/L	50	41.4	83	51-127	
Naphthalene	ug/L	50	52.2	104	66-143	
Tetrachloroethene	ug/L	50	52.1	104	71-122	
Toluene	ug/L	50	43.8	88	72-117	
trans-1,2-Dichloroethene	ug/L	50	50.4	101	74-121	
Trichloroethene	ug/L	50	46.3	93	75-124	
Vinyl chloride	ug/L	50	44.5	89	50-150	
Xylene (Total)	ug/L	150	130	87	73-119	
4-Bromofluorobenzene (S)	%.			98	79-124	
Dibromofluoromethane (S)	%.			102	82-128	
Toluene-d8 (S)	%.			100	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415393

QC Batch: 868030
QC Batch Method: EPA 353.2
Analysis Method: EPA 353.2
Analysis Description: 353.2 Nitrate + Nitrite, Unpres.
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

METHOD BLANK: 3977572 Matrix: Water

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Nitrate	mg/L	ND	0.10	0.013	10/16/25 02:28	
Nitrogen, NO2 plus NO3	mg/L	ND	0.10	0.013	10/16/25 02:28	

LABORATORY CONTROL SAMPLE: 3977573

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Nitrate	mg/L	1	1.1	107	90-110	
Nitrogen, NO2 plus NO3	mg/L	2	2.1	105	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3977574 3977575

Parameter	Units	50415366002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Nitrogen, Nitrate	mg/L	2.0	1	1	3.2	3.2	110	110	90-110	0	20	
Nitrogen, NO2 plus NO3	mg/L	2.0	2	2	4.2	4.2	105	105	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415393

QC Batch: 870457
QC Batch Method: SM 5310C
Analysis Method: SM 5310C
Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

METHOD BLANK: 3988686 Matrix: Water

Associated Lab Samples: 50415393001, 50415393002, 50415393003, 50415393004, 50415393005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Organic Carbon	ug/L	ND	1000	300	10/31/25 00:16	

LABORATORY CONTROL SAMPLE: 3988687

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	10000	9210	92	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3988688 3988689

Parameter	Units	50415396002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Total Organic Carbon	ug/L	1.8J mg/L	10000	10000	10600	10700	88	89	80-120	1	15	

MATRIX SPIKE SAMPLE: 3988690

Parameter	Units	50415396003 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	ug/L	1.6J mg/L	10000	10100	85	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: GE Indy Q4 2025
Pace Project No.: 50415393

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Neither matrix spike nor matrix precision data could be provided for this analytical batch due to insufficient sample volume.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 11/04/2025 09:40 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Parameter	Matrix	Analytical Method	Preparation Method
300.0 IC Anions 28 Days	Water	EPA 300.0	N/A
353.2 Nitrogen, NO2/NO3 unpres	Water	EPA 353.2	N/A
5310C TOC	Water	SM 5310C-2014	N/A
6010 MET ICP, Dissolved	Water	SW-846 6010B	SW-846 3010A
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B

8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy Q4 2025
Pace Project No.: 50415393

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50415393001	**MW-410D-20251015**	EPA 300.0	868427		
50415393002	**AD-400-20251015**	EPA 300.0	868427		
50415393003	**MW-410S-20251015**	EPA 300.0	868427		
50415393004	**MW-411S-20251015**	EPA 300.0	868427		
50415393005	**MW-411D-20251015**	EPA 300.0	868427		
50415393001	**MW-410D-20251015**	EPA 3010	870111	EPA 6010	870112
50415393002	**AD-400-20251015**	EPA 3010	870111	EPA 6010	870112
50415393003	**MW-410S-20251015**	EPA 3010	870111	EPA 6010	870112
50415393004	**MW-411S-20251015**	EPA 3010	870111	EPA 6010	870112
50415393005	**MW-411D-20251015**	EPA 3010	870111	EPA 6010	870112
50415393001	**MW-410D-20251015**	EPA 5030/8260	870058		
50415393002	**AD-400-20251015**	EPA 5030/8260	870058		
50415393003	**MW-410S-20251015**	EPA 5030/8260	870058		
50415393004	**MW-411S-20251015**	EPA 5030/8260	870058		
50415393005	**MW-411D-20251015**	EPA 5030/8260	870058		
50415393001	**MW-410D-20251015**	EPA 353.2	868030		
50415393002	**AD-400-20251015**	EPA 353.2	868030		
50415393003	**MW-410S-20251015**	EPA 353.2	868030		
50415393004	**MW-411S-20251015**	EPA 353.2	868030		
50415393005	**MW-411D-20251015**	EPA 353.2	868030		
50415393001	**MW-410D-20251015**	SM 5310C	870457		
50415393002	**AD-400-20251015**	SM 5310C	870457		
50415393003	**MW-410S-20251015**	SM 5310C	870457		
50415393004	**MW-411S-20251015**	SM 5310C	870457		
50415393005	**MW-411D-20251015**	SM 5310C	870457		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 50415393

50415393

Here

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	GE Indy Q4 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	
Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [X] ET		County / State origin of sample(s):	Indiana

Data Deliverables: [X] Level II [ ] Level III [ ] Level IV [ ] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: STANDARD TAT

Field Filtered (if applicable): [X] Yes [ ] No
Analysis: 6010 DISSOLVED Fe

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC S04	353.2 Nitrogen, NO2/NO3	5310C TOC	6010 Dissolved Fe	8260 MSV Indiana	RSK 175 Headspace (DHG)	Sample Comment
MW-410D-20251015	GW	G			10/15/25	1220	6			X	X	X	X	X		
AD-400-20251015	GW	G			10/15/25	1200	6			X	X	X	X	X		
MW-410S-20251015	GW	G			10/15/25	1330	6			X	X	X	X	X		
MW-411S-20251015	GW	G			10/15/25	1441	6			X	X	X	X	X		
MW-411D-20251015	GW	G			10/15/25	1615	6			X	X	X	X	X		

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**
AcctNum / Client ID:
Table #:
Profile / Template: **2747-28**
Prelog / Bottle Ord. ID: **EZ 3310396**

Preservation non-conformance identified for sample:

Additional Instructions from Pace®:
N02/N03 has a short 48 hour hold; please return/ship samples on the day of collection
Please return samples to the lab on ice

Collected By:
(Printed Name) Gabriel Borgmeyer
Signature:

Customer Remarks / Special Conditions / Possible Hazards:
NO_2/NO_3 48-hr short hold (noted)

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	D	-0.1	0.7	0.6	X

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
/ Ramboll	10/15/25-1744	Pace	10/15/25 1744	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [X] In-Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 1

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

10.1

10

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents:

10/15/25 1825 MM

1. **Thermometer:** 1 2 3 4 5 6 7 8 9 A B C D E F G H I

Cooler temp should be above freezing to 6°C

2A. **Cooler Temperature(s):** 0.7 | 0.6 | | | |

(Initial/Corrected) RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)

2B. Was the PM notified of out of temp cooler?: (leave blank if samples are in temp) Yes No

3. **Packing Material:** Bubble Bags Bubble Wrap None Other: _____

4. **Ice Type:** Wet Blue None

5. **Courier:** FedEx UPS Client Pace NOW Jett Other

6. **Custody Seal on Cooler/Box Present:** Yes No

(If yes)Seals Intact: Yes No *Leave blank if no seals were present*

All discrepancies will be written out in the comments section below.

	Yes	No	N/A
7. **USDA Regulated Soils?** (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)			—
8. **Short Hold Time Analysis (48 hours or less)?:**		—	
9. **Time 5035A TC placed in Freezer or Short Holds To Lab:**	Time: 1837 353.2 NO2/3		
10. **Rush TAT Requested (4 days or less):**	—		
11. Custody Signatures Present?	—		
12. Containers intact?	—		
13. Sample Label (IDs/Dates/Times) Match COC?: **Except TCs, which only require sample ID**	—		
14. All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** **Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9)** Any non-conformance to pH recommendations will be noted on the container count form	—		
15. Residual Chlorine **Present** (SVOC 625 Pest/PCB 608)			—
16. Residual Chlorine **Present** (Total/Amenable/Free Cyanide)			—
17. Headspace in **VOA Vials** (>6mm): See Containter Count form for details		—	
18. Trip Blank Present?		—	
19. Trip Blank Custody Seals?:		—	
20. Extra labels on Terracore Vials? (**soils only**)			—

Comments:

10.1

10

COC PAGE 1 of 1

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

			MeOH (only)						AMBER GLASS							PLASTIC									OTHER						Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
			SBS																												Red	Yellow	Green	Black
			DI																															
COC Line Item	WGFU	WGKU BG1U	R	DG9H	VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix	HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9
1				3									1						1		1								NT	✓	✓		
2																																		
3																																		
4																																		
5																																		
6																																		
7																																		
8																																		
9																																		
10																																		
11																																		
12																																		

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT2U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

10.1

10

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

October 29, 2025

Patrick Rohan
Ramboll US Consulting, Inc.
One Indiana Square
Suite 2335
Indianapolis, IN 46204

RE: Project: GE Indy Q4 2025
Pace Project No.: 50415413

Dear Patrick Rohan:

Enclosed are the analytical results for sample(s) received by the laboratory on October 15, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Heather Patterson
heather.patterson@pacelabs.com
(317)228-3146
Project Manager

Enclosures

cc: Ms. Amanda Dragos, Ramboll US Consulting, Inc.
Vic Maietta, Ramboll
Matt Starrett, Ramboll
Patrick Verbryke, Ramboll

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Table of Contents

Sections: 1 2 3 4 5 6 7 8 9 10

Section 1: Cert Page 3
Section 2: Sample Summary 4
Section 3: Sample Analyte 5
Section 4: Summary of Hits 6
Section 5: Results 9
Section 6: Quality Control 57
Section 7: Qualifiers 76
Section 8: Method Cross Reference 77
Section 9: QC Cross Reference 78
Section 10: Chain of Custody 79
10.1: Chain of Custody 79

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

CERTIFICATIONS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Illinois Accreditation #: 200074
Indiana Drinking Water Laboratory #: C-49-06
Kansas/TNI Certification #: E-10177
Kentucky UST Agency Interest #: 80226
Kentucky WW Laboratory ID #: 98019
Louisiana Certification #: 04076
Michigan Drinking Water Laboratory #9050
Oklahoma Laboratory #: 9204
Texas Certification #: T104704355
Washington Dept of Ecology #: C1081
Wisconsin Laboratory #: 999788130
USDA Foreign Soil Permit #: 525-23-13-23119
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE SUMMARY

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50415413001	**MW-331-20251014**	Water	10/14/25 08:48	10/15/25 11:58
50415413002	**MW-321-20251014**	Water	10/14/25 09:12	10/15/25 11:58
50415413003	**W-4R-20251014**	Water	10/14/25 09:27	10/15/25 11:58
50415413004	**MW-311-20251014**	Water	10/14/25 10:22	10/15/25 11:58
50415413005	**W-2-20251014**	Water	10/14/25 10:39	10/15/25 11:58
50415413006	**MW-401-20251014**	Water	10/14/25 11:06	10/15/25 11:58
50415413007	**MW-423S-20251014**	Water	10/14/25 11:23	10/15/25 11:58
50415413008	**MW-423D-20251014**	Water	10/14/25 11:35	10/15/25 11:58
50415413009	**MW-422S-20251014**	Water	10/14/25 11:50	10/15/25 11:58
50415413010	**AD-300-20251014**	Water	10/14/25 12:00	10/15/25 11:58
50415413011	**MW-422D-20251014**	Water	10/14/25 12:00	10/15/25 11:58
50415413012	**MW-419S-20251014**	Water	10/14/25 12:18	10/15/25 11:58
50415413013	**MW-419D-20251014**	Water	10/14/25 12:28	10/15/25 11:58
50415413014	**MW-408S-20251014**	Water	10/14/25 12:44	10/15/25 11:58
50415413015	**MW-408D-20251014**	Water	10/14/25 12:55	10/15/25 11:58
50415413016	**MW-404-20251014**	Water	10/14/25 13:12	10/15/25 11:58
50415413017	**MW-406S-20251014**	Water	10/14/25 13:26	10/15/25 11:58
50415413018	**MW-406D-20251014**	Water	10/14/25 13:36	10/15/25 11:58
50415413019	**MW-403-20251014**	Water	10/14/25 13:54	10/15/25 11:58
50415413020	**MW-251-20251015**	Water	10/15/25 08:33	10/15/25 11:58
50415413021	**MW-41-20251015**	Water	10/15/25 09:08	10/15/25 11:58
50415413022	**MW-241-20251015**	Water	10/15/25 09:42	10/15/25 11:58
50415413023	**W-10-20251015**	Water	10/15/25 08:50	10/15/25 11:58
50415413024	**Trip Blank-20251014**	Water	10/14/25 08:00	10/15/25 11:58

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SAMPLE ANALYTE COUNT

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50415413001	**MW-331-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413002	**MW-321-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413003	**W-4R-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413004	**MW-311-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413005	**W-2-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413006	**MW-401-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413007	**MW-423S-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413008	**MW-423D-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413009	**MW-422S-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413010	**AD-300-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413011	**MW-422D-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413012	**MW-419S-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413013	**MW-419D-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413014	**MW-408S-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413015	**MW-408D-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413016	**MW-404-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413017	**MW-406S-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413018	**MW-406D-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413019	**MW-403-20251014**	EPA 5030/8260	JRW	75	PASI-I
50415413020	**MW-251-20251015**	EPA 5030/8260	JRW	75	PASI-I
50415413021	**MW-41-20251015**	EPA 5030/8260	JRW	75	PASI-I
50415413022	**MW-241-20251015**	EPA 5030/8260	JRW	75	PASI-I
50415413023	**W-10-20251015**	EPA 5030/8260	JRW	75	PASI-I
50415413024	**Trip Blank-20251014**	EPA 5030/8260	JRW	75	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50415413001	**MW-331-20251014**					
EPA 5030/8260	cis-1,2-Dichloroethene	43.6	ug/L	5.0	10/25/25 04:03	
EPA 5030/8260	Vinyl chloride	29.0	ug/L	2.0	10/25/25 04:03	
50415413002	**MW-321-20251014**					
EPA 5030/8260	Chloroethane	8.6	ug/L	5.0	10/25/25 04:35	
EPA 5030/8260	cis-1,2-Dichloroethene	386	ug/L	50.0	10/27/25 16:38	
EPA 5030/8260	trans-1,2-Dichloroethene	6.4	ug/L	5.0	10/25/25 04:35	
EPA 5030/8260	Vinyl chloride	327	ug/L	20.0	10/27/25 16:38	M1
50415413003	**W-4R-20251014**					
EPA 5030/8260	cis-1,2-Dichloroethene	454	ug/L	50.0	10/27/25 16:06	
EPA 5030/8260	trans-1,2-Dichloroethene	6.7	ug/L	5.0	10/25/25 05:07	
EPA 5030/8260	Vinyl chloride	184	ug/L	2.0	10/25/25 05:07	
50415413004	**MW-311-20251014**					
EPA 5030/8260	Chloroethane	2600	ug/L	50.0	10/25/25 05:38	
EPA 5030/8260	1,1-Dichloroethane	1480	ug/L	50.0	10/25/25 05:38	
EPA 5030/8260	cis-1,2-Dichloroethene	1530	ug/L	50.0	10/25/25 05:38	
EPA 5030/8260	1,1,1-Trichloroethane	365	ug/L	50.0	10/25/25 05:38	
EPA 5030/8260	Vinyl chloride	498	ug/L	20.0	10/25/25 05:38	
50415413005	**W-2-20251014**					
EPA 5030/8260	Benzene	7.5	ug/L	5.0	10/25/25 06:42	
EPA 5030/8260	Chloroethane	645	ug/L	50.0	10/25/25 07:14	
EPA 5030/8260	1,1-Dichloroethane	8.1	ug/L	5.0	10/25/25 06:42	
EPA 5030/8260	trans-1,2-Dichloroethene	18.1	ug/L	5.0	10/25/25 06:42	
EPA 5030/8260	Vinyl chloride	7.9	ug/L	2.0	10/25/25 06:42	
50415413006	**MW-401-20251014**					
EPA 5030/8260	Chloroethane	262	ug/L	25.0	10/25/25 07:45	
EPA 5030/8260	1,1-Dichloroethane	133	ug/L	25.0	10/25/25 07:45	
EPA 5030/8260	cis-1,2-Dichloroethene	1840	ug/L	250	10/25/25 08:17	
EPA 5030/8260	1,1,1-Trichloroethane	46.3	ug/L	25.0	10/25/25 07:45	
EPA 5030/8260	Vinyl chloride	786	ug/L	10.0	10/25/25 07:45	
50415413007	**MW-423S-20251014**					
EPA 5030/8260	Chloroethane	297	ug/L	50.0	10/25/25 09:21	
EPA 5030/8260	1,1-Dichloroethane	411	ug/L	50.0	10/25/25 09:21	
EPA 5030/8260	1,2-Dichloroethane	13.6	ug/L	5.0	10/25/25 08:49	
EPA 5030/8260	1,1-Dichloroethene	74.8	ug/L	5.0	10/25/25 08:49	
EPA 5030/8260	cis-1,2-Dichloroethene	1820	ug/L	50.0	10/25/25 09:21	
EPA 5030/8260	trans-1,2-Dichloroethene	22.6	ug/L	5.0	10/25/25 08:49	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
EPA 5030/8260	1,1,1-Trichloroethane	289	ug/L	5.0	10/25/25 08:49	
EPA 5030/8260	Vinyl chloride	671	ug/L	20.0	10/25/25 09:21	
50415413008	**MW-423D-20251014**					
EPA 5030/8260	Chloroethane	190	ug/L	25.0	10/25/25 06:26	
EPA 5030/8260	1,1-Dichloroethane	180	ug/L	25.0	10/25/25 06:26	
EPA 5030/8260	1,1-Dichloroethene	36.0	ug/L	25.0	10/25/25 06:26	
EPA 5030/8260	cis-1,2-Dichloroethene	992	ug/L	25.0	10/25/25 06:26	
EPA 5030/8260	1,1,1-Trichloroethane	175	ug/L	25.0	10/25/25 06:26	
EPA 5030/8260	Vinyl chloride	603	ug/L	10.0	10/25/25 06:26	
50415413009	**MW-422S-20251014**					
EPA 5030/8260	cis-1,2-Dichloroethene	651	ug/L	50.0	10/25/25 08:01	
EPA 5030/8260	trans-1,2-Dichloroethene	13.6	ug/L	5.0	10/25/25 07:29	
EPA 5030/8260	Vinyl chloride	1060	ug/L	20.0	10/25/25 08:01	
50415413010	**AD-300-20251014**					
EPA 5030/8260	Benzene	18.7	ug/L	5.0	10/25/25 08:33	
EPA 5030/8260	Chloroethane	2180	ug/L	50.0	10/25/25 09:05	
EPA 5030/8260	1,1-Dichloroethane	1410	ug/L	50.0	10/25/25 09:05	
EPA 5030/8260	1,2-Dichloroethane	6.6	ug/L	5.0	10/25/25 08:33	
EPA 5030/8260	1,1-Dichloroethene	11.9	ug/L	5.0	10/25/25 08:33	
EPA 5030/8260	cis-1,2-Dichloroethene	1500	ug/L	50.0	10/25/25 09:05	
EPA 5030/8260	trans-1,2-Dichloroethene	49.5	ug/L	5.0	10/25/25 08:33	
EPA 5030/8260	1,1,1-Trichloroethane	348	ug/L	50.0	10/25/25 09:05	
EPA 5030/8260	Vinyl chloride	479	ug/L	20.0	10/25/25 09:05	
50415413011	**MW-422D-20251014**					
EPA 5030/8260	cis-1,2-Dichloroethene	1170	ug/L	125	10/28/25 14:23	
EPA 5030/8260	Vinyl chloride	4820	ug/L	50.0	10/28/25 14:23	
50415413015	**MW-408D-20251014**					
EPA 5030/8260	Chloroethane	1000	ug/L	50.0	10/27/25 18:45	
EPA 5030/8260	cis-1,2-Dichloroethene	17.1	ug/L	5.0	10/27/25 18:13	
EPA 5030/8260	trans-1,2-Dichloroethene	5.6	ug/L	5.0	10/27/25 18:13	
EPA 5030/8260	Vinyl chloride	18.3	ug/L	2.0	10/27/25 18:13	
50415413016	**MW-404-20251014**					
EPA 5030/8260	Chloroethane	14400	ug/L	250	10/27/25 19:17	
EPA 5030/8260	1,1-Dichloroethane	56700	ug/L	2500	10/27/25 19:49	
EPA 5030/8260	1,2-Dichloroethane	475	ug/L	250	10/27/25 19:17	
EPA 5030/8260	1,1-Dichloroethene	503	ug/L	250	10/27/25 19:17	
EPA 5030/8260	cis-1,2-Dichloroethene	31500	ug/L	2500	10/27/25 19:49	
EPA 5030/8260	trans-1,2-Dichloroethene	2850	ug/L	250	10/27/25 19:17	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

SUMMARY OF DETECTION

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Lab Sample ID / Method	Client Sample ID / Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
EPA 5030/8260	1,1,1-Trichloroethane	1190	ug/L	250	10/27/25 19:17	
EPA 5030/8260	Vinyl chloride	26200	ug/L	1000	10/27/25 19:49	
50415413017	**MW-406S-20251014**					
EPA 5030/8260	Chloroethane	1050	ug/L	25.0	10/27/25 20:20	
EPA 5030/8260	1,1-Dichloroethane	1790	ug/L	250	10/27/25 20:52	
EPA 5030/8260	1,1-Dichloroethene	89.7	ug/L	25.0	10/27/25 20:20	
EPA 5030/8260	cis-1,2-Dichloroethene	12000	ug/L	250	10/27/25 20:52	
EPA 5030/8260	trans-1,2-Dichloroethene	164	ug/L	25.0	10/27/25 20:20	
EPA 5030/8260	1,1,1-Trichloroethane	129	ug/L	25.0	10/27/25 20:20	
EPA 5030/8260	Vinyl chloride	1920	ug/L	100	10/27/25 20:52	
50415413018	**MW-406D-20251014**					
EPA 5030/8260	Chloroethane	211	ug/L	25.0	10/27/25 21:24	
EPA 5030/8260	1,1-Dichloroethane	1840	ug/L	250	10/27/25 21:56	
EPA 5030/8260	1,1-Dichloroethene	514	ug/L	25.0	10/27/25 21:24	
EPA 5030/8260	cis-1,2-Dichloroethene	22000	ug/L	1000	10/28/25 14:55	
EPA 5030/8260	trans-1,2-Dichloroethene	152	ug/L	25.0	10/27/25 21:24	
EPA 5030/8260	Vinyl chloride	1490	ug/L	10.0	10/27/25 21:24	
50415413019	**MW-403-20251014**					
EPA 5030/8260	Chloroethane	167	ug/L	5.0	10/27/25 17:26	
EPA 5030/8260	1,1-Dichloroethane	141	ug/L	5.0	10/27/25 17:26	
EPA 5030/8260	1,1-Dichloroethene	13.9	ug/L	5.0	10/27/25 17:26	
EPA 5030/8260	cis-1,2-Dichloroethene	644	ug/L	50.0	10/27/25 17:57	
EPA 5030/8260	trans-1,2-Dichloroethene	7.5	ug/L	5.0	10/27/25 17:26	
EPA 5030/8260	1,1,1-Trichloroethane	8.4	ug/L	5.0	10/27/25 17:26	
EPA 5030/8260	Vinyl chloride	445	ug/L	20.0	10/27/25 17:57	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-331-20251014 **Lab ID: 50415413001** Collected: 10/14/25 08:48 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/25/25 04:03	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/25/25 04:03	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/25/25 04:03	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/25/25 04:03	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/25/25 04:03	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/25/25 04:03	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/25/25 04:03	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/25/25 04:03	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/25/25 04:03	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/25/25 04:03	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 04:03	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/25/25 04:03	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 04:03	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/25/25 04:03	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/25/25 04:03	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/25/25 04:03	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/25/25 04:03	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/25/25 04:03	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/25/25 04:03	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/25/25 04:03	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/25/25 04:03	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/25/25 04:03	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/25/25 04:03	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/25/25 04:03	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/25/25 04:03	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 04:03	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/25/25 04:03	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/25/25 04:03	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/25/25 04:03	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/25/25 04:03	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/25/25 04:03	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/25/25 04:03	75-35-4	
cis-1,2-Dichloroethene	**43.6**	ug/L	5.0	0.70	1		10/25/25 04:03	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/25/25 04:03	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/25/25 04:03	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/25/25 04:03	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/25/25 04:03	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/25/25 04:03	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/25/25 04:03	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/25/25 04:03	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 04:03	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/25/25 04:03	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/25/25 04:03	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-331-20251014 **Lab ID: 50415413001** Collected: 10/14/25 08:48 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/25/25 04:03	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/25/25 04:03	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/25/25 04:03	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/25/25 04:03	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/25/25 04:03	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/25/25 04:03	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 04:03	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 04:03	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/25/25 04:03	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/25/25 04:03	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/25/25 04:03	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 04:03	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/25/25 04:03	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/25/25 04:03	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/25/25 04:03	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/25/25 04:03	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/25/25 04:03	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/25/25 04:03	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 04:03	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/25/25 04:03	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/25/25 04:03	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/25/25 04:03	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/25/25 04:03	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/25/25 04:03	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/25/25 04:03	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/25/25 04:03	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/25/25 04:03	108-05-4	
Vinyl chloride	**29.0**	ug/L	2.0	0.68	1		10/25/25 04:03	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/25/25 04:03	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		10/25/25 04:03	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/25/25 04:03	460-00-4	
Toluene-d8 (S)	104	%.	73-122		1		10/25/25 04:03	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-321-20251014 **Lab ID: 50415413002** Collected: 10/14/25 09:12 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/25/25 04:35	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/25/25 04:35	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/25/25 04:35	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/25/25 04:35	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/25/25 04:35	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/25/25 04:35	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/25/25 04:35	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/25/25 04:35	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/25/25 04:35	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/25/25 04:35	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 04:35	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/25/25 04:35	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 04:35	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/25/25 04:35	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/25/25 04:35	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/25/25 04:35	108-90-7	
Chloroethane	**8.6**	ug/L	5.0	1.6	1		10/25/25 04:35	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/25/25 04:35	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/25/25 04:35	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/25/25 04:35	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/25/25 04:35	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/25/25 04:35	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/25/25 04:35	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/25/25 04:35	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/25/25 04:35	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 04:35	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/25/25 04:35	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/25/25 04:35	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/25/25 04:35	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/25/25 04:35	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/25/25 04:35	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/25/25 04:35	75-35-4	
cis-1,2-Dichloroethene	**386**	ug/L	50.0	8.2	10		10/27/25 16:38	156-59-2	
trans-1,2-Dichloroethene	**6.4**	ug/L	5.0	0.76	1		10/25/25 04:35	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/25/25 04:35	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/25/25 04:35	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/25/25 04:35	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/25/25 04:35	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/25/25 04:35	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/25/25 04:35	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 04:35	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/25/25 04:35	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/25/25 04:35	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-321-20251014 **Lab ID: 50415413002** Collected: 10/14/25 09:12 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/25/25 04:35	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/25/25 04:35	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/25/25 04:35	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/25/25 04:35	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/25/25 04:35	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/25/25 04:35	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 04:35	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 04:35	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/25/25 04:35	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/25/25 04:35	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/25/25 04:35	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 04:35	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/25/25 04:35	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/25/25 04:35	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/25/25 04:35	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/25/25 04:35	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/25/25 04:35	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/25/25 04:35	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 04:35	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/25/25 04:35	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/25/25 04:35	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/25/25 04:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/25/25 04:35	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/25/25 04:35	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/25/25 04:35	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/25/25 04:35	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/25/25 04:35	108-05-4	
Vinyl chloride	**327**	ug/L	20.0	6.6	10		10/27/25 16:38	75-01-4	M1
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/25/25 04:35	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	113	%.	82-128		1		10/25/25 04:35	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		10/25/25 04:35	460-00-4	
Toluene-d8 (S)	103	%.	73-122		1		10/25/25 04:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: W-4R-20251014 **Lab ID: 50415413003** Collected: 10/14/25 09:27 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/25/25 05:07	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/25/25 05:07	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/25/25 05:07	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/25/25 05:07	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/25/25 05:07	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/25/25 05:07	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/25/25 05:07	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/25/25 05:07	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/25/25 05:07	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/25/25 05:07	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 05:07	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/25/25 05:07	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 05:07	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/25/25 05:07	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/25/25 05:07	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/25/25 05:07	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/25/25 05:07	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/25/25 05:07	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/25/25 05:07	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/25/25 05:07	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/25/25 05:07	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/25/25 05:07	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/25/25 05:07	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/25/25 05:07	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/25/25 05:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 05:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/25/25 05:07	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/25/25 05:07	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/25/25 05:07	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/25/25 05:07	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/25/25 05:07	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/25/25 05:07	75-35-4	
cis-1,2-Dichloroethene	**454**	ug/L	50.0	8.2	10		10/27/25 16:06	156-59-2	
trans-1,2-Dichloroethene	**6.7**	ug/L	5.0	0.76	1		10/25/25 05:07	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/25/25 05:07	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/25/25 05:07	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/25/25 05:07	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/25/25 05:07	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/25/25 05:07	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/25/25 05:07	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 05:07	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/25/25 05:07	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/25/25 05:07	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: W-4R-20251014 **Lab ID: 50415413003** Collected: 10/14/25 09:27 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/25/25 05:07	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/25/25 05:07	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/25/25 05:07	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/25/25 05:07	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/25/25 05:07	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/25/25 05:07	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 05:07	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 05:07	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/25/25 05:07	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/25/25 05:07	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/25/25 05:07	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 05:07	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/25/25 05:07	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/25/25 05:07	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/25/25 05:07	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/25/25 05:07	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/25/25 05:07	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/25/25 05:07	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 05:07	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/25/25 05:07	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/25/25 05:07	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/25/25 05:07	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/25/25 05:07	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/25/25 05:07	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/25/25 05:07	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/25/25 05:07	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/25/25 05:07	108-05-4	
Vinyl chloride	**184**	ug/L	2.0	0.68	1		10/25/25 05:07	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/25/25 05:07	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		10/25/25 05:07	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		10/25/25 05:07	460-00-4	
Toluene-d8 (S)	102	%.	73-122		1		10/25/25 05:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-311-20251014 **Lab ID: 50415413004** Collected: 10/14/25 10:22 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	1000	391	10		10/25/25 05:38	67-64-1	
Acrolein	ND	ug/L	500	153	10		10/25/25 05:38	107-02-8	
Acrylonitrile	ND	ug/L	1000	40.8	10		10/25/25 05:38	107-13-1	
Benzene	ND	ug/L	50.0	7.2	10		10/25/25 05:38	71-43-2	
Bromobenzene	ND	ug/L	50.0	8.5	10		10/25/25 05:38	108-86-1	
Bromochloromethane	ND	ug/L	50.0	6.7	10		10/25/25 05:38	74-97-5	
Bromodichloromethane	ND	ug/L	50.0	7.4	10		10/25/25 05:38	75-27-4	
Bromoform	ND	ug/L	50.0	14.1	10		10/25/25 05:38	75-25-2	
Bromomethane	ND	ug/L	50.0	14.7	10		10/25/25 05:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	250	52.5	10		10/25/25 05:38	78-93-3	
n-Butylbenzene	ND	ug/L	50.0	7.6	10		10/25/25 05:38	104-51-8	
sec-Butylbenzene	ND	ug/L	50.0	6.9	10		10/25/25 05:38	135-98-8	
tert-Butylbenzene	ND	ug/L	50.0	6.5	10		10/25/25 05:38	98-06-6	
Carbon disulfide	ND	ug/L	100	8.6	10		10/25/25 05:38	75-15-0	
Carbon tetrachloride	ND	ug/L	50.0	8.2	10		10/25/25 05:38	56-23-5	
Chlorobenzene	ND	ug/L	50.0	7.9	10		10/25/25 05:38	108-90-7	
Chloroethane	**2600**	ug/L	50.0	15.9	10		10/25/25 05:38	75-00-3	
Chloroform	ND	ug/L	50.0	6.2	10		10/25/25 05:38	67-66-3	
Chloromethane	ND	ug/L	50.0	6.5	10		10/25/25 05:38	74-87-3	
2-Chlorotoluene	ND	ug/L	50.0	6.4	10		10/25/25 05:38	95-49-8	
4-Chlorotoluene	ND	ug/L	50.0	7.4	10		10/25/25 05:38	106-43-4	
Dibromochloromethane	ND	ug/L	50.0	7.0	10		10/25/25 05:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	50.0	8.6	10		10/25/25 05:38	106-93-4	
Dibromomethane	ND	ug/L	50.0	7.6	10		10/25/25 05:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	50.0	7.0	10		10/25/25 05:38	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	50.0	6.6	10		10/25/25 05:38	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	50.0	6.0	10		10/25/25 05:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1000	12.4	10		10/25/25 05:38	110-57-6	
Dichlorodifluoromethane	ND	ug/L	50.0	14.6	10		10/25/25 05:38	75-71-8	
1,1-Dichloroethane	**1480**	ug/L	50.0	7.3	10		10/25/25 05:38	75-34-3	
1,2-Dichloroethane	ND	ug/L	50.0	6.6	10		10/25/25 05:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	50.0	7.6	10		10/25/25 05:38	75-35-4	
cis-1,2-Dichloroethene	**1530**	ug/L	50.0	7.0	10		10/25/25 05:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	50.0	7.6	10		10/25/25 05:38	156-60-5	
1,2-Dichloropropane	ND	ug/L	50.0	7.7	10		10/25/25 05:38	78-87-5	
1,3-Dichloropropane	ND	ug/L	50.0	12.9	10		10/25/25 05:38	142-28-9	
2,2-Dichloropropane	ND	ug/L	50.0	8.8	10		10/25/25 05:38	594-20-7	
1,1-Dichloropropene	ND	ug/L	50.0	6.6	10		10/25/25 05:38	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	50.0	11.5	10		10/25/25 05:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	50.0	13.5	10		10/25/25 05:38	10061-02-6	
Ethylbenzene	ND	ug/L	50.0	7.6	10		10/25/25 05:38	100-41-4	
Ethyl methacrylate	ND	ug/L	1000	8.0	10		10/25/25 05:38	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	50.0	7.1	10		10/25/25 05:38	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-311-20251014 **Lab ID: 50415413004** Collected: 10/14/25 10:22 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	50.0	34.0	10		10/25/25 05:38	110-54-3	
2-Hexanone	ND	ug/L	250	52.9	10		10/25/25 05:38	591-78-6	
Iodomethane	ND	ug/L	100	8.2	10		10/25/25 05:38	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	50.0	8.2	10		10/25/25 05:38	98-82-8	
p-Isopropyltoluene	ND	ug/L	50.0	7.5	10		10/25/25 05:38	99-87-6	
Methylene Chloride	ND	ug/L	50.0	33.8	10		10/25/25 05:38	75-09-2	
1-Methylnaphthalene	ND	ug/L	100	6.6	10		10/25/25 05:38	90-12-0	
2-Methylnaphthalene	ND	ug/L	100	6.6	10		10/25/25 05:38	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	250	89.2	10		10/25/25 05:38	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	40.0	8.4	10		10/25/25 05:38	1634-04-4	
Naphthalene	ND	ug/L	12.0	5.7	10		10/25/25 05:38	91-20-3	
n-Propylbenzene	ND	ug/L	50.0	6.5	10		10/25/25 05:38	103-65-1	
Styrene	ND	ug/L	50.0	9.4	10		10/25/25 05:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	50.0	14.2	10		10/25/25 05:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	50.0	7.2	10		10/25/25 05:38	79-34-5	
Tetrachloroethene	ND	ug/L	50.0	7.0	10		10/25/25 05:38	127-18-4	
Toluene	ND	ug/L	50.0	7.9	10		10/25/25 05:38	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	50.0	5.2	10		10/25/25 05:38	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	50.0	6.6	10		10/25/25 05:38	120-82-1	
1,1,1-Trichloroethane	**365**	ug/L	50.0	8.4	10		10/25/25 05:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	50.0	13.3	10		10/25/25 05:38	79-00-5	
Trichloroethene	ND	ug/L	50.0	6.8	10		10/25/25 05:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	50.0	12.0	10		10/25/25 05:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	50.0	12.0	10		10/25/25 05:38	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	50.0	8.3	10		10/25/25 05:38	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	50.0	7.5	10		10/25/25 05:38	108-67-8	
Vinyl acetate	ND	ug/L	500	76.6	10		10/25/25 05:38	108-05-4	
Vinyl chloride	**498**	ug/L	20.0	6.8	10		10/25/25 05:38	75-01-4	
Xylene (Total)	ND	ug/L	100	13.3	10		10/25/25 05:38	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		10		10/25/25 05:38	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		10		10/25/25 05:38	460-00-4	
Toluene-d8 (S)	104	%.	73-122		10		10/25/25 05:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: W-2-20251014 **Lab ID: 50415413005** Collected: 10/14/25 10:39 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/25/25 06:42	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/25/25 06:42	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/25/25 06:42	107-13-1	
Benzene	**7.5**	ug/L	5.0	0.72	1		10/25/25 06:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/25/25 06:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/25/25 06:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/25/25 06:42	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/25/25 06:42	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/25/25 06:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/25/25 06:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 06:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/25/25 06:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 06:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/25/25 06:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/25/25 06:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/25/25 06:42	108-90-7	
Chloroethane	**645**	ug/L	50.0	15.9	10		10/25/25 07:14	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/25/25 06:42	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/25/25 06:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/25/25 06:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/25/25 06:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/25/25 06:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/25/25 06:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/25/25 06:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/25/25 06:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 06:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/25/25 06:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/25/25 06:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/25/25 06:42	75-71-8	
1,1-Dichloroethane	**8.1**	ug/L	5.0	0.73	1		10/25/25 06:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/25/25 06:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/25/25 06:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.70	1		10/25/25 06:42	156-59-2	
trans-1,2-Dichloroethene	**18.1**	ug/L	5.0	0.76	1		10/25/25 06:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/25/25 06:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/25/25 06:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/25/25 06:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/25/25 06:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/25/25 06:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/25/25 06:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 06:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/25/25 06:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/25/25 06:42	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: W-2-20251014 **Lab ID: 50415413005** Collected: 10/14/25 10:39 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/25/25 06:42	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/25/25 06:42	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/25/25 06:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/25/25 06:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/25/25 06:42	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/25/25 06:42	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 06:42	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 06:42	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/25/25 06:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/25/25 06:42	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/25/25 06:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 06:42	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/25/25 06:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/25/25 06:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/25/25 06:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/25/25 06:42	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/25/25 06:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/25/25 06:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 06:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/25/25 06:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/25/25 06:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/25/25 06:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/25/25 06:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/25/25 06:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/25/25 06:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/25/25 06:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/25/25 06:42	108-05-4	
Vinyl chloride	**7.9**	ug/L	2.0	0.68	1		10/25/25 06:42	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/25/25 06:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		10/25/25 06:42	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		10/25/25 06:42	460-00-4	
Toluene-d8 (S)	103	%.	73-122		1		10/25/25 06:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-401-20251014 **Lab ID: 50415413006** Collected: 10/14/25 11:06 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	196	5		10/25/25 07:45	67-64-1	
Acrolein	ND	ug/L	250	76.5	5		10/25/25 07:45	107-02-8	
Acrylonitrile	ND	ug/L	500	20.4	5		10/25/25 07:45	107-13-1	
Benzene	ND	ug/L	25.0	3.6	5		10/25/25 07:45	71-43-2	
Bromobenzene	ND	ug/L	25.0	4.2	5		10/25/25 07:45	108-86-1	
Bromochloromethane	ND	ug/L	25.0	3.3	5		10/25/25 07:45	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	3.7	5		10/25/25 07:45	75-27-4	
Bromoform	ND	ug/L	25.0	7.0	5		10/25/25 07:45	75-25-2	
Bromomethane	ND	ug/L	25.0	7.4	5		10/25/25 07:45	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	26.2	5		10/25/25 07:45	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	3.8	5		10/25/25 07:45	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	3.4	5		10/25/25 07:45	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	3.3	5		10/25/25 07:45	98-06-6	
Carbon disulfide	ND	ug/L	50.0	4.3	5		10/25/25 07:45	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	4.1	5		10/25/25 07:45	56-23-5	
Chlorobenzene	ND	ug/L	25.0	3.9	5		10/25/25 07:45	108-90-7	
Chloroethane	**262**	ug/L	25.0	8.0	5		10/25/25 07:45	75-00-3	
Chloroform	ND	ug/L	25.0	3.1	5		10/25/25 07:45	67-66-3	
Chloromethane	ND	ug/L	25.0	3.3	5		10/25/25 07:45	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	3.2	5		10/25/25 07:45	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	3.7	5		10/25/25 07:45	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	3.5	5		10/25/25 07:45	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	4.3	5		10/25/25 07:45	106-93-4	
Dibromomethane	ND	ug/L	25.0	3.8	5		10/25/25 07:45	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	3.5	5		10/25/25 07:45	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	3.3	5		10/25/25 07:45	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	3.0	5		10/25/25 07:45	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	6.2	5		10/25/25 07:45	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	7.3	5		10/25/25 07:45	75-71-8	
1,1-Dichloroethane	**133**	ug/L	25.0	3.7	5		10/25/25 07:45	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	3.3	5		10/25/25 07:45	107-06-2	
1,1-Dichloroethene	ND	ug/L	25.0	3.8	5		10/25/25 07:45	75-35-4	
cis-1,2-Dichloroethene	**1840**	ug/L	250	35.2	50		10/25/25 08:17	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	3.8	5		10/25/25 07:45	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	3.9	5		10/25/25 07:45	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	6.4	5		10/25/25 07:45	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	4.4	5		10/25/25 07:45	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	3.3	5		10/25/25 07:45	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	5.8	5		10/25/25 07:45	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	6.8	5		10/25/25 07:45	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	3.8	5		10/25/25 07:45	100-41-4	
Ethyl methacrylate	ND	ug/L	500	4.0	5		10/25/25 07:45	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	3.6	5		10/25/25 07:45	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-401-20251014 **Lab ID: 50415413006** Collected: 10/14/25 11:06 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	25.0	17.0	5		10/25/25 07:45	110-54-3	
2-Hexanone	ND	ug/L	125	26.4	5		10/25/25 07:45	591-78-6	
Iodomethane	ND	ug/L	50.0	4.1	5		10/25/25 07:45	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	4.1	5		10/25/25 07:45	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	3.7	5		10/25/25 07:45	99-87-6	
Methylene Chloride	ND	ug/L	25.0	16.9	5		10/25/25 07:45	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	3.3	5		10/25/25 07:45	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	3.3	5		10/25/25 07:45	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	44.6	5		10/25/25 07:45	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	4.2	5		10/25/25 07:45	1634-04-4	
Naphthalene	ND	ug/L	6.0	2.9	5		10/25/25 07:45	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	3.2	5		10/25/25 07:45	103-65-1	
Styrene	ND	ug/L	25.0	4.7	5		10/25/25 07:45	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	7.1	5		10/25/25 07:45	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	3.6	5		10/25/25 07:45	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	3.5	5		10/25/25 07:45	127-18-4	
Toluene	ND	ug/L	25.0	4.0	5		10/25/25 07:45	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	2.6	5		10/25/25 07:45	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	3.3	5		10/25/25 07:45	120-82-1	
1,1,1-Trichloroethane	**46.3**	ug/L	25.0	4.2	5		10/25/25 07:45	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	6.6	5		10/25/25 07:45	79-00-5	
Trichloroethene	ND	ug/L	25.0	3.4	5		10/25/25 07:45	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	6.0	5		10/25/25 07:45	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	6.0	5		10/25/25 07:45	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	4.2	5		10/25/25 07:45	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	3.7	5		10/25/25 07:45	108-67-8	
Vinyl acetate	ND	ug/L	250	38.3	5		10/25/25 07:45	108-05-4	
Vinyl chloride	**786**	ug/L	10.0	3.4	5		10/25/25 07:45	75-01-4	
Xylene (Total)	ND	ug/L	50.0	6.6	5		10/25/25 07:45	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		5		10/25/25 07:45	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		5		10/25/25 07:45	460-00-4	
Toluene-d8 (S)	103	%.	73-122		5		10/25/25 07:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-423S-20251014 **Lab ID: 50415413007** Collected: 10/14/25 11:23 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/25/25 08:49	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/25/25 08:49	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/25/25 08:49	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/25/25 08:49	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/25/25 08:49	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/25/25 08:49	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/25/25 08:49	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/25/25 08:49	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/25/25 08:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/25/25 08:49	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 08:49	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/25/25 08:49	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 08:49	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/25/25 08:49	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/25/25 08:49	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/25/25 08:49	108-90-7	
Chloroethane	**297**	ug/L	50.0	15.9	10		10/25/25 09:21	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/25/25 08:49	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/25/25 08:49	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/25/25 08:49	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/25/25 08:49	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/25/25 08:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/25/25 08:49	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/25/25 08:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/25/25 08:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 08:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/25/25 08:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/25/25 08:49	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/25/25 08:49	75-71-8	
1,1-Dichloroethane	**411**	ug/L	50.0	7.3	10		10/25/25 09:21	75-34-3	
1,2-Dichloroethane	**13.6**	ug/L	5.0	0.66	1		10/25/25 08:49	107-06-2	
1,1-Dichloroethene	**74.8**	ug/L	5.0	0.76	1		10/25/25 08:49	75-35-4	
cis-1,2-Dichloroethene	**1820**	ug/L	50.0	7.0	10		10/25/25 09:21	156-59-2	
trans-1,2-Dichloroethene	**22.6**	ug/L	5.0	0.76	1		10/25/25 08:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/25/25 08:49	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/25/25 08:49	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/25/25 08:49	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/25/25 08:49	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/25/25 08:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/25/25 08:49	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/25/25 08:49	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/25/25 08:49	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/25/25 08:49	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-423S-20251014 **Lab ID: 50415413007** Collected: 10/14/25 11:23 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/25/25 08:49	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/25/25 08:49	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/25/25 08:49	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/25/25 08:49	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/25/25 08:49	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/25/25 08:49	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 08:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/25/25 08:49	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/25/25 08:49	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/25/25 08:49	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/25/25 08:49	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/25/25 08:49	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/25/25 08:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/25/25 08:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/25/25 08:49	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/25/25 08:49	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/25/25 08:49	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/25/25 08:49	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/25/25 08:49	120-82-1	
1,1,1-Trichloroethane	**289**	ug/L	5.0	0.84	1		10/25/25 08:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/25/25 08:49	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/25/25 08:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/25/25 08:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/25/25 08:49	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/25/25 08:49	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/25/25 08:49	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/25/25 08:49	108-05-4	
Vinyl chloride	**671**	ug/L	20.0	6.8	10		10/25/25 09:21	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/25/25 08:49	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		10/25/25 08:49	1868-53-7	
4-Bromofluorobenzene (S)	97	%.	79-124		1		10/25/25 08:49	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		10/25/25 08:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-423D-20251014 **Lab ID: 50415413008** Collected: 10/14/25 11:35 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	72.0	5		10/25/25 06:26	67-64-1	
Acrolein	ND	ug/L	250	90.5	5		10/25/25 06:26	107-02-8	
Acrylonitrile	ND	ug/L	500	24.7	5		10/25/25 06:26	107-13-1	
Benzene	ND	ug/L	25.0	4.2	5		10/25/25 06:26	71-43-2	
Bromobenzene	ND	ug/L	25.0	5.2	5		10/25/25 06:26	108-86-1	
Bromochloromethane	ND	ug/L	25.0	4.7	5		10/25/25 06:26	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	4.0	5		10/25/25 06:26	75-27-4	
Bromoform	ND	ug/L	25.0	3.9	5		10/25/25 06:26	75-25-2	
Bromomethane	ND	ug/L	25.0	10.8	5		10/25/25 06:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	27.4	5		10/25/25 06:26	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	4.9	5		10/25/25 06:26	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	4.4	5		10/25/25 06:26	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	3.9	5		10/25/25 06:26	98-06-6	
Carbon disulfide	ND	ug/L	50.0	5.0	5		10/25/25 06:26	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	4.5	5		10/25/25 06:26	56-23-5	
Chlorobenzene	ND	ug/L	25.0	4.1	5		10/25/25 06:26	108-90-7	
Chloroethane	**190**	ug/L	25.0	8.0	5		10/25/25 06:26	75-00-3	
Chloroform	ND	ug/L	25.0	4.0	5		10/25/25 06:26	67-66-3	
Chloromethane	ND	ug/L	25.0	24.3	5		10/25/25 06:26	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	3.9	5		10/25/25 06:26	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	4.2	5		10/25/25 06:26	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	3.7	5		10/25/25 06:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	4.3	5		10/25/25 06:26	106-93-4	
Dibromomethane	ND	ug/L	25.0	4.2	5		10/25/25 06:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	3.7	5		10/25/25 06:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	4.1	5		10/25/25 06:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	3.6	5		10/25/25 06:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	8.4	5		10/25/25 06:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	12.2	5		10/25/25 06:26	75-71-8	
1,1-Dichloroethane	**180**	ug/L	25.0	4.5	5		10/25/25 06:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	4.0	5		10/25/25 06:26	107-06-2	
1,1-Dichloroethene	**36.0**	ug/L	25.0	4.8	5		10/25/25 06:26	75-35-4	
cis-1,2-Dichloroethene	**992**	ug/L	25.0	4.1	5		10/25/25 06:26	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	25.0	4.6	5		10/25/25 06:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	4.0	5		10/25/25 06:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	3.2	5		10/25/25 06:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	4.9	5		10/25/25 06:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	3.9	5		10/25/25 06:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	4.0	5		10/25/25 06:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	4.2	5		10/25/25 06:26	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	4.5	5		10/25/25 06:26	100-41-4	
Ethyl methacrylate	ND	ug/L	500	5.0	5		10/25/25 06:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	3.5	5		10/25/25 06:26	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-423D-20251014 **Lab ID: 50415413008** Collected: 10/14/25 11:35 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	25.0	15.9	5		10/25/25 06:26	110-54-3	
2-Hexanone	ND	ug/L	125	29.0	5		10/25/25 06:26	591-78-6	
Iodomethane	ND	ug/L	50.0	9.2	5		10/25/25 06:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5.2	5		10/25/25 06:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	4.6	5		10/25/25 06:26	99-87-6	
Methylene Chloride	ND	ug/L	25.0	16.1	5		10/25/25 06:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	7.6	5		10/25/25 06:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	5.0	5		10/25/25 06:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	29.2	5		10/25/25 06:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	3.4	5		10/25/25 06:26	1634-04-4	
Naphthalene	ND	ug/L	6.0	3.4	5		10/25/25 06:26	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	4.1	5		10/25/25 06:26	103-65-1	
Styrene	ND	ug/L	25.0	13.4	5		10/25/25 06:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	4.4	5		10/25/25 06:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	4.1	5		10/25/25 06:26	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	4.5	5		10/25/25 06:26	127-18-4	
Toluene	ND	ug/L	25.0	4.6	5		10/25/25 06:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	3.2	5		10/25/25 06:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	3.4	5		10/25/25 06:26	120-82-1	
1,1,1-Trichloroethane	**175**	ug/L	25.0	4.7	5		10/25/25 06:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	3.9	5		10/25/25 06:26	79-00-5	
Trichloroethene	ND	ug/L	25.0	4.3	5		10/25/25 06:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5.2	5		10/25/25 06:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	4.6	5		10/25/25 06:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	4.6	5		10/25/25 06:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	4.7	5		10/25/25 06:26	108-67-8	
Vinyl acetate	ND	ug/L	250	18.8	5		10/25/25 06:26	108-05-4	
Vinyl chloride	**603**	ug/L	10.0	3.3	5		10/25/25 06:26	75-01-4	
Xylene (Total)	ND	ug/L	50.0	7.8	5		10/25/25 06:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		5		10/25/25 06:26	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		5		10/25/25 06:26	460-00-4	
Toluene-d8 (S)	103	%.	73-122		5		10/25/25 06:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-422S-20251014 **Lab ID: 50415413009** Collected: 10/14/25 11:50 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/25/25 07:29	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/25/25 07:29	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/25/25 07:29	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/25/25 07:29	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/25/25 07:29	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/25/25 07:29	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/25/25 07:29	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/25/25 07:29	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/25/25 07:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/25/25 07:29	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/25/25 07:29	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/25/25 07:29	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/25/25 07:29	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/25/25 07:29	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/25/25 07:29	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/25/25 07:29	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/25/25 07:29	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/25/25 07:29	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/25/25 07:29	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/25/25 07:29	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/25/25 07:29	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/25/25 07:29	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/25/25 07:29	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/25/25 07:29	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/25/25 07:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/25/25 07:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/25/25 07:29	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/25/25 07:29	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/25/25 07:29	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/25/25 07:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/25/25 07:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/25/25 07:29	75-35-4	
cis-1,2-Dichloroethene	**651**	ug/L	50.0	8.2	10		10/25/25 08:01	156-59-2	
trans-1,2-Dichloroethene	**13.6**	ug/L	5.0	0.92	1		10/25/25 07:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/25/25 07:29	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/25/25 07:29	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/25/25 07:29	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/25/25 07:29	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/25/25 07:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/25/25 07:29	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/25/25 07:29	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/25/25 07:29	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/25/25 07:29	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-422S-20251014 **Lab ID: 50415413009** Collected: 10/14/25 11:50 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/25/25 07:29	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/25/25 07:29	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/25/25 07:29	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/25/25 07:29	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/25/25 07:29	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/25/25 07:29	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/25/25 07:29	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/25/25 07:29	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/25/25 07:29	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/25/25 07:29	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/25/25 07:29	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/25/25 07:29	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/25/25 07:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/25/25 07:29	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/25/25 07:29	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/25/25 07:29	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/25/25 07:29	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/25/25 07:29	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/25/25 07:29	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/25/25 07:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/25/25 07:29	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/25/25 07:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/25/25 07:29	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/25/25 07:29	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/25/25 07:29	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/25/25 07:29	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/25/25 07:29	108-05-4	
Vinyl chloride	**1060**	ug/L	20.0	6.6	10		10/25/25 08:01	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/25/25 07:29	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		10/25/25 07:29	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		10/25/25 07:29	460-00-4	
Toluene-d8 (S)	102	%.	73-122		1		10/25/25 07:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: AD-300-20251014 **Lab ID: 50415413010** Collected: 10/14/25 12:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/25/25 08:33	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/25/25 08:33	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/25/25 08:33	107-13-1	
Benzene	**18.7**	ug/L	5.0	0.83	1		10/25/25 08:33	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/25/25 08:33	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/25/25 08:33	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/25/25 08:33	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/25/25 08:33	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/25/25 08:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/25/25 08:33	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/25/25 08:33	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/25/25 08:33	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/25/25 08:33	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/25/25 08:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/25/25 08:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/25/25 08:33	108-90-7	
Chloroethane	**2180**	ug/L	50.0	15.9	10		10/25/25 09:05	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/25/25 08:33	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/25/25 08:33	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/25/25 08:33	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/25/25 08:33	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/25/25 08:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/25/25 08:33	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/25/25 08:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/25/25 08:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/25/25 08:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/25/25 08:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/25/25 08:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/25/25 08:33	75-71-8	
1,1-Dichloroethane	**1410**	ug/L	50.0	8.9	10		10/25/25 09:05	75-34-3	
1,2-Dichloroethane	**6.6**	ug/L	5.0	0.80	1		10/25/25 08:33	107-06-2	
1,1-Dichloroethene	**11.9**	ug/L	5.0	0.95	1		10/25/25 08:33	75-35-4	
cis-1,2-Dichloroethene	**1500**	ug/L	50.0	8.2	10		10/25/25 09:05	156-59-2	
trans-1,2-Dichloroethene	**49.5**	ug/L	5.0	0.92	1		10/25/25 08:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/25/25 08:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/25/25 08:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/25/25 08:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/25/25 08:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/25/25 08:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/25/25 08:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/25/25 08:33	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/25/25 08:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/25/25 08:33	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: AD-300-20251014 **Lab ID: 50415413010** Collected: 10/14/25 12:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/25/25 08:33	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/25/25 08:33	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/25/25 08:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/25/25 08:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/25/25 08:33	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/25/25 08:33	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/25/25 08:33	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/25/25 08:33	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/25/25 08:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/25/25 08:33	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/25/25 08:33	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/25/25 08:33	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/25/25 08:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/25/25 08:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/25/25 08:33	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/25/25 08:33	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/25/25 08:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/25/25 08:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/25/25 08:33	120-82-1	
1,1,1-Trichloroethane	**348**	ug/L	50.0	9.3	10		10/25/25 09:05	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/25/25 08:33	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/25/25 08:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/25/25 08:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/25/25 08:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/25/25 08:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/25/25 08:33	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/25/25 08:33	108-05-4	
Vinyl chloride	**479**	ug/L	20.0	6.6	10		10/25/25 09:05	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/25/25 08:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		10/25/25 08:33	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		10/25/25 08:33	460-00-4	
Toluene-d8 (S)	101	%.	73-122		1		10/25/25 08:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-422D-20251014 **Lab ID: 50415413011** Collected: 10/14/25 12:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/27/25 17:10	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/27/25 17:10	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/27/25 17:10	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/27/25 17:10	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/27/25 17:10	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/27/25 17:10	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/27/25 17:10	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/27/25 17:10	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/27/25 17:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/27/25 17:10	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/27/25 17:10	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/27/25 17:10	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/27/25 17:10	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/27/25 17:10	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/27/25 17:10	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/27/25 17:10	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/27/25 17:10	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/27/25 17:10	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/27/25 17:10	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/27/25 17:10	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/27/25 17:10	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/27/25 17:10	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/27/25 17:10	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/27/25 17:10	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/27/25 17:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/27/25 17:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/27/25 17:10	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/27/25 17:10	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/27/25 17:10	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/27/25 17:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/27/25 17:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/27/25 17:10	75-35-4	
cis-1,2-Dichloroethene	**1170**	ug/L	125	17.6	25		10/28/25 14:23	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/27/25 17:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/27/25 17:10	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/27/25 17:10	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/27/25 17:10	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/27/25 17:10	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/27/25 17:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/27/25 17:10	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/27/25 17:10	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/27/25 17:10	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/27/25 17:10	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-422D-20251014 **Lab ID: 50415413011** Collected: 10/14/25 12:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/27/25 17:10	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/27/25 17:10	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/27/25 17:10	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/27/25 17:10	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/27/25 17:10	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/27/25 17:10	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/27/25 17:10	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/27/25 17:10	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/27/25 17:10	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/27/25 17:10	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/27/25 17:10	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/27/25 17:10	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/27/25 17:10	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/27/25 17:10	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/27/25 17:10	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/27/25 17:10	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/27/25 17:10	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/27/25 17:10	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/27/25 17:10	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/27/25 17:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/27/25 17:10	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/27/25 17:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/27/25 17:10	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/27/25 17:10	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/27/25 17:10	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/27/25 17:10	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/27/25 17:10	108-05-4	
Vinyl chloride	**4820**	ug/L	50.0	16.9	25		10/28/25 14:23	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/27/25 17:10	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		1		10/27/25 17:10	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		10/27/25 17:10	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		10/27/25 17:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-419S-20251014 **Lab ID: 50415413012** Collected: 10/14/25 12:18 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/25/25 09:37	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/25/25 09:37	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/25/25 09:37	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/25/25 09:37	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/25/25 09:37	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/25/25 09:37	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/25/25 09:37	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/25/25 09:37	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/25/25 09:37	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/25/25 09:37	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/25/25 09:37	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/25/25 09:37	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/25/25 09:37	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/25/25 09:37	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/25/25 09:37	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/25/25 09:37	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/25/25 09:37	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/25/25 09:37	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/25/25 09:37	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/25/25 09:37	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/25/25 09:37	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/25/25 09:37	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/25/25 09:37	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/25/25 09:37	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/25/25 09:37	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/25/25 09:37	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/25/25 09:37	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/25/25 09:37	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/25/25 09:37	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/25/25 09:37	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/25/25 09:37	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/25/25 09:37	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.82	1		10/25/25 09:37	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/25/25 09:37	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/25/25 09:37	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/25/25 09:37	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/25/25 09:37	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/25/25 09:37	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/25/25 09:37	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/25/25 09:37	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/25/25 09:37	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/25/25 09:37	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/25/25 09:37	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-419S-20251014 **Lab ID: 50415413012** Collected: 10/14/25 12:18 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/25/25 09:37	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/25/25 09:37	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/25/25 09:37	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/25/25 09:37	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/25/25 09:37	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/25/25 09:37	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/25/25 09:37	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/25/25 09:37	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/25/25 09:37	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/25/25 09:37	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/25/25 09:37	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/25/25 09:37	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/25/25 09:37	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/25/25 09:37	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/25/25 09:37	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/25/25 09:37	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/25/25 09:37	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/25/25 09:37	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/25/25 09:37	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/25/25 09:37	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/25/25 09:37	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/25/25 09:37	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/25/25 09:37	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/25/25 09:37	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/25/25 09:37	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/25/25 09:37	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/25/25 09:37	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.66	1		10/25/25 09:37	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/25/25 09:37	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	110	%.	82-128		1		10/25/25 09:37	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	79-124		1		10/25/25 09:37	460-00-4	
Toluene-d8 (S)	103	%.	73-122		1		10/25/25 09:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-419D-20251014 **Lab ID: 50415413013** Collected: 10/14/25 12:28 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/28/25 15:42	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/28/25 15:42	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/28/25 15:42	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/28/25 15:42	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/28/25 15:42	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/28/25 15:42	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/28/25 15:42	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/28/25 15:42	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/28/25 15:42	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/28/25 15:42	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/28/25 15:42	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/28/25 15:42	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/28/25 15:42	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/28/25 15:42	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/28/25 15:42	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/28/25 15:42	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/28/25 15:42	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/28/25 15:42	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/28/25 15:42	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/28/25 15:42	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/28/25 15:42	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/28/25 15:42	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/28/25 15:42	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/28/25 15:42	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/28/25 15:42	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/28/25 15:42	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/28/25 15:42	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/28/25 15:42	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/28/25 15:42	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/28/25 15:42	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/28/25 15:42	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/28/25 15:42	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.82	1		10/28/25 15:42	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/28/25 15:42	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/28/25 15:42	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/28/25 15:42	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/28/25 15:42	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/28/25 15:42	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/28/25 15:42	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/28/25 15:42	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/28/25 15:42	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/28/25 15:42	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/28/25 15:42	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-419D-20251014 **Lab ID: 50415413013** Collected: 10/14/25 12:28 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/28/25 15:42	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/28/25 15:42	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/28/25 15:42	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/28/25 15:42	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/28/25 15:42	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/28/25 15:42	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/28/25 15:42	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/28/25 15:42	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/28/25 15:42	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/28/25 15:42	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/28/25 15:42	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/28/25 15:42	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/28/25 15:42	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/28/25 15:42	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/28/25 15:42	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/28/25 15:42	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/28/25 15:42	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/28/25 15:42	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/28/25 15:42	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/28/25 15:42	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/28/25 15:42	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/28/25 15:42	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/28/25 15:42	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/28/25 15:42	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/28/25 15:42	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/28/25 15:42	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/28/25 15:42	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.66	1		10/28/25 15:42	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/28/25 15:42	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%.	82-128		1		10/28/25 15:42	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		10/28/25 15:42	460-00-4	
Toluene-d8 (S)	96	%.	73-122		1		10/28/25 15:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-408S-20251014 **Lab ID: 50415413014** Collected: 10/14/25 12:44 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/27/25 22:27	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/27/25 22:27	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/27/25 22:27	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/27/25 22:27	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/27/25 22:27	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/27/25 22:27	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/27/25 22:27	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/27/25 22:27	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/27/25 22:27	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/27/25 22:27	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/27/25 22:27	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/27/25 22:27	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/27/25 22:27	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/27/25 22:27	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/27/25 22:27	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/27/25 22:27	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/27/25 22:27	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/27/25 22:27	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/27/25 22:27	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/27/25 22:27	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/27/25 22:27	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/27/25 22:27	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/27/25 22:27	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/27/25 22:27	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/27/25 22:27	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/27/25 22:27	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/27/25 22:27	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/27/25 22:27	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/27/25 22:27	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/27/25 22:27	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/27/25 22:27	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/27/25 22:27	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.82	1		10/27/25 22:27	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/27/25 22:27	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/27/25 22:27	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/27/25 22:27	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/27/25 22:27	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/27/25 22:27	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/27/25 22:27	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/27/25 22:27	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/27/25 22:27	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/27/25 22:27	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/27/25 22:27	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-408S-20251014 **Lab ID: 50415413014** Collected: 10/14/25 12:44 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/27/25 22:27	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/27/25 22:27	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/27/25 22:27	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/27/25 22:27	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/27/25 22:27	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/27/25 22:27	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/27/25 22:27	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/27/25 22:27	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/27/25 22:27	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/27/25 22:27	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/27/25 22:27	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/27/25 22:27	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/27/25 22:27	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/27/25 22:27	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/27/25 22:27	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/27/25 22:27	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/27/25 22:27	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/27/25 22:27	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/27/25 22:27	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/27/25 22:27	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/27/25 22:27	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/27/25 22:27	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/27/25 22:27	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/27/25 22:27	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/27/25 22:27	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/27/25 22:27	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/27/25 22:27	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.66	1		10/27/25 22:27	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/27/25 22:27	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		10/27/25 22:27	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		10/27/25 22:27	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		10/27/25 22:27	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-408D-20251014 **Lab ID: 50415413015** Collected: 10/14/25 12:55 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/27/25 18:13	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/27/25 18:13	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/27/25 18:13	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/27/25 18:13	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/27/25 18:13	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/27/25 18:13	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/27/25 18:13	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/27/25 18:13	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/27/25 18:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/27/25 18:13	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/27/25 18:13	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/27/25 18:13	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/27/25 18:13	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/27/25 18:13	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/27/25 18:13	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/27/25 18:13	108-90-7	
Chloroethane	**1000**	ug/L	50.0	15.9	10		10/27/25 18:45	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/27/25 18:13	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/27/25 18:13	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/27/25 18:13	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/27/25 18:13	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/27/25 18:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/27/25 18:13	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/27/25 18:13	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/27/25 18:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/27/25 18:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/27/25 18:13	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/27/25 18:13	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/27/25 18:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/27/25 18:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/27/25 18:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/27/25 18:13	75-35-4	
cis-1,2-Dichloroethene	**17.1**	ug/L	5.0	0.82	1		10/27/25 18:13	156-59-2	
trans-1,2-Dichloroethene	**5.6**	ug/L	5.0	0.92	1		10/27/25 18:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/27/25 18:13	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/27/25 18:13	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/27/25 18:13	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/27/25 18:13	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/27/25 18:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/27/25 18:13	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/27/25 18:13	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/27/25 18:13	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/27/25 18:13	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-408D-20251014 **Lab ID: 50415413015** Collected: 10/14/25 12:55 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/27/25 18:13	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/27/25 18:13	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/27/25 18:13	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/27/25 18:13	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/27/25 18:13	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/27/25 18:13	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/27/25 18:13	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/27/25 18:13	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/27/25 18:13	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/27/25 18:13	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/27/25 18:13	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/27/25 18:13	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/27/25 18:13	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/27/25 18:13	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/27/25 18:13	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/27/25 18:13	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/27/25 18:13	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/27/25 18:13	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/27/25 18:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/27/25 18:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/27/25 18:13	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/27/25 18:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/27/25 18:13	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/27/25 18:13	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/27/25 18:13	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/27/25 18:13	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/27/25 18:13	108-05-4	
Vinyl chloride	**18.3**	ug/L	2.0	0.66	1		10/27/25 18:13	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/27/25 18:13	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		10/27/25 18:13	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		10/27/25 18:13	460-00-4	
Toluene-d8 (S)	99	%.	73-122		1		10/27/25 18:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-404-20251014 **Lab ID: 50415413016** Collected: 10/14/25 13:12 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	5000	720	50		10/27/25 19:17	67-64-1	
Acrolein	ND	ug/L	2500	905	50		10/27/25 19:17	107-02-8	
Acrylonitrile	ND	ug/L	5000	247	50		10/27/25 19:17	107-13-1	
Benzene	ND	ug/L	250	41.6	50		10/27/25 19:17	71-43-2	
Bromobenzene	ND	ug/L	250	52.5	50		10/27/25 19:17	108-86-1	
Bromochloromethane	ND	ug/L	250	47.4	50		10/27/25 19:17	74-97-5	
Bromodichloromethane	ND	ug/L	250	40.4	50		10/27/25 19:17	75-27-4	
Bromoform	ND	ug/L	250	38.6	50		10/27/25 19:17	75-25-2	
Bromomethane	ND	ug/L	250	108	50		10/27/25 19:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	1250	274	50		10/27/25 19:17	78-93-3	
n-Butylbenzene	ND	ug/L	250	48.8	50		10/27/25 19:17	104-51-8	
sec-Butylbenzene	ND	ug/L	250	43.6	50		10/27/25 19:17	135-98-8	
tert-Butylbenzene	ND	ug/L	250	38.9	50		10/27/25 19:17	98-06-6	
Carbon disulfide	ND	ug/L	500	50.5	50		10/27/25 19:17	75-15-0	
Carbon tetrachloride	ND	ug/L	250	45.4	50		10/27/25 19:17	56-23-5	
Chlorobenzene	ND	ug/L	250	41.2	50		10/27/25 19:17	108-90-7	
Chloroethane	**14400**	ug/L	250	79.5	50		10/27/25 19:17	75-00-3	
Chloroform	ND	ug/L	250	39.8	50		10/27/25 19:17	67-66-3	
Chloromethane	ND	ug/L	250	243	50		10/27/25 19:17	74-87-3	
2-Chlorotoluene	ND	ug/L	250	38.6	50		10/27/25 19:17	95-49-8	
4-Chlorotoluene	ND	ug/L	250	42.2	50		10/27/25 19:17	106-43-4	
Dibromochloromethane	ND	ug/L	250	36.6	50		10/27/25 19:17	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	250	43.2	50		10/27/25 19:17	106-93-4	
Dibromomethane	ND	ug/L	250	41.9	50		10/27/25 19:17	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	250	37.2	50		10/27/25 19:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	250	40.8	50		10/27/25 19:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	250	36.2	50		10/27/25 19:17	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	5000	83.5	50		10/27/25 19:17	110-57-6	
Dichlorodifluoromethane	ND	ug/L	250	122	50		10/27/25 19:17	75-71-8	
1,1-Dichloroethane	**56700**	ug/L	2500	446	500		10/27/25 19:49	75-34-3	
1,2-Dichloroethane	**475**	ug/L	250	40.2	50		10/27/25 19:17	107-06-2	
1,1-Dichloroethene	**503**	ug/L	250	47.6	50		10/27/25 19:17	75-35-4	
cis-1,2-Dichloroethene	**31500**	ug/L	2500	408	500		10/27/25 19:49	156-59-2	
trans-1,2-Dichloroethene	**2850**	ug/L	250	45.8	50		10/27/25 19:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	250	40.2	50		10/27/25 19:17	78-87-5	
1,3-Dichloropropane	ND	ug/L	250	32.5	50		10/27/25 19:17	142-28-9	
2,2-Dichloropropane	ND	ug/L	250	49.0	50		10/27/25 19:17	594-20-7	
1,1-Dichloropropene	ND	ug/L	250	38.8	50		10/27/25 19:17	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	250	40.2	50		10/27/25 19:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	250	41.7	50		10/27/25 19:17	10061-02-6	
Ethylbenzene	ND	ug/L	250	44.9	50		10/27/25 19:17	100-41-4	
Ethyl methacrylate	ND	ug/L	5000	49.8	50		10/27/25 19:17	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	250	35.4	50		10/27/25 19:17	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-404-20251014 **Lab ID: 50415413016** Collected: 10/14/25 13:12 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	250	159	50		10/27/25 19:17	110-54-3	
2-Hexanone	ND	ug/L	1250	290	50		10/27/25 19:17	591-78-6	
Iodomethane	ND	ug/L	500	91.5	50		10/27/25 19:17	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	250	51.5	50		10/27/25 19:17	98-82-8	
p-Isopropyltoluene	ND	ug/L	250	46.5	50		10/27/25 19:17	99-87-6	
Methylene Chloride	ND	ug/L	250	161	50		10/27/25 19:17	75-09-2	
1-Methylnaphthalene	ND	ug/L	500	76.0	50		10/27/25 19:17	90-12-0	
2-Methylnaphthalene	ND	ug/L	500	50.0	50		10/27/25 19:17	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	1250	292	50		10/27/25 19:17	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	200	34.1	50		10/27/25 19:17	1634-04-4	
Naphthalene	ND	ug/L	60.0	34.5	50		10/27/25 19:17	91-20-3	
n-Propylbenzene	ND	ug/L	250	41.2	50		10/27/25 19:17	103-65-1	
Styrene	ND	ug/L	250	134	50		10/27/25 19:17	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	250	44.1	50		10/27/25 19:17	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	250	40.8	50		10/27/25 19:17	79-34-5	
Tetrachloroethene	ND	ug/L	250	45.2	50		10/27/25 19:17	127-18-4	
Toluene	ND	ug/L	250	46.2	50		10/27/25 19:17	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	250	32.2	50		10/27/25 19:17	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	250	34.2	50		10/27/25 19:17	120-82-1	
1,1,1-Trichloroethane	**1190**	ug/L	250	46.6	50		10/27/25 19:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	250	39.4	50		10/27/25 19:17	79-00-5	
Trichloroethene	ND	ug/L	250	42.8	50		10/27/25 19:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	250	52.5	50		10/27/25 19:17	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	250	46.4	50		10/27/25 19:17	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	250	45.9	50		10/27/25 19:17	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	250	46.8	50		10/27/25 19:17	108-67-8	
Vinyl acetate	ND	ug/L	2500	188	50		10/27/25 19:17	108-05-4	
Vinyl chloride	**26200**	ug/L	1000	330	500		10/27/25 19:49	75-01-4	
Xylene (Total)	ND	ug/L	500	78.5	50		10/27/25 19:17	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		50		10/27/25 19:17	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		50		10/27/25 19:17	460-00-4	
Toluene-d8 (S)	98	%.	73-122		50		10/27/25 19:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-406S-20251014 **Lab ID: 50415413017** Collected: 10/14/25 13:26 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	72.0	5		10/27/25 20:20	67-64-1	
Acrolein	ND	ug/L	250	90.5	5		10/27/25 20:20	107-02-8	
Acrylonitrile	ND	ug/L	500	24.7	5		10/27/25 20:20	107-13-1	
Benzene	ND	ug/L	25.0	4.2	5		10/27/25 20:20	71-43-2	
Bromobenzene	ND	ug/L	25.0	5.2	5		10/27/25 20:20	108-86-1	
Bromochloromethane	ND	ug/L	25.0	4.7	5		10/27/25 20:20	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	4.0	5		10/27/25 20:20	75-27-4	
Bromoform	ND	ug/L	25.0	3.9	5		10/27/25 20:20	75-25-2	
Bromomethane	ND	ug/L	25.0	10.8	5		10/27/25 20:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	27.4	5		10/27/25 20:20	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	4.9	5		10/27/25 20:20	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	4.4	5		10/27/25 20:20	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	3.9	5		10/27/25 20:20	98-06-6	
Carbon disulfide	ND	ug/L	50.0	5.0	5		10/27/25 20:20	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	4.5	5		10/27/25 20:20	56-23-5	
Chlorobenzene	ND	ug/L	25.0	4.1	5		10/27/25 20:20	108-90-7	
Chloroethane	**1050**	ug/L	25.0	8.0	5		10/27/25 20:20	75-00-3	
Chloroform	ND	ug/L	25.0	4.0	5		10/27/25 20:20	67-66-3	
Chloromethane	ND	ug/L	25.0	24.3	5		10/27/25 20:20	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	3.9	5		10/27/25 20:20	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	4.2	5		10/27/25 20:20	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	3.7	5		10/27/25 20:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	4.3	5		10/27/25 20:20	106-93-4	
Dibromomethane	ND	ug/L	25.0	4.2	5		10/27/25 20:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	3.7	5		10/27/25 20:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	4.1	5		10/27/25 20:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	3.6	5		10/27/25 20:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	8.4	5		10/27/25 20:20	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	12.2	5		10/27/25 20:20	75-71-8	
1,1-Dichloroethane	**1790**	ug/L	250	44.6	50		10/27/25 20:52	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	4.0	5		10/27/25 20:20	107-06-2	
1,1-Dichloroethene	**89.7**	ug/L	25.0	4.8	5		10/27/25 20:20	75-35-4	
cis-1,2-Dichloroethene	**12000**	ug/L	250	40.8	50		10/27/25 20:52	156-59-2	
trans-1,2-Dichloroethene	**164**	ug/L	25.0	4.6	5		10/27/25 20:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	4.0	5		10/27/25 20:20	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	3.2	5		10/27/25 20:20	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	4.9	5		10/27/25 20:20	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	3.9	5		10/27/25 20:20	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	4.0	5		10/27/25 20:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	4.2	5		10/27/25 20:20	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	4.5	5		10/27/25 20:20	100-41-4	
Ethyl methacrylate	ND	ug/L	500	5.0	5		10/27/25 20:20	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	3.5	5		10/27/25 20:20	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-406S-20251014 **Lab ID: 50415413017** Collected: 10/14/25 13:26 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	25.0	15.9	5		10/27/25 20:20	110-54-3	
2-Hexanone	ND	ug/L	125	29.0	5		10/27/25 20:20	591-78-6	
Iodomethane	ND	ug/L	50.0	9.2	5		10/27/25 20:20	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5.2	5		10/27/25 20:20	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	4.6	5		10/27/25 20:20	99-87-6	
Methylene Chloride	ND	ug/L	25.0	16.1	5		10/27/25 20:20	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	7.6	5		10/27/25 20:20	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	5.0	5		10/27/25 20:20	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	29.2	5		10/27/25 20:20	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	3.4	5		10/27/25 20:20	1634-04-4	
Naphthalene	ND	ug/L	6.0	3.4	5		10/27/25 20:20	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	4.1	5		10/27/25 20:20	103-65-1	
Styrene	ND	ug/L	25.0	13.4	5		10/27/25 20:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	4.4	5		10/27/25 20:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	4.1	5		10/27/25 20:20	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	4.5	5		10/27/25 20:20	127-18-4	
Toluene	ND	ug/L	25.0	4.6	5		10/27/25 20:20	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	3.2	5		10/27/25 20:20	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	3.4	5		10/27/25 20:20	120-82-1	
1,1,1-Trichloroethane	**129**	ug/L	25.0	4.7	5		10/27/25 20:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	3.9	5		10/27/25 20:20	79-00-5	
Trichloroethene	ND	ug/L	25.0	4.3	5		10/27/25 20:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5.2	5		10/27/25 20:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	4.6	5		10/27/25 20:20	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	4.6	5		10/27/25 20:20	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	4.7	5		10/27/25 20:20	108-67-8	
Vinyl acetate	ND	ug/L	250	18.8	5		10/27/25 20:20	108-05-4	
Vinyl chloride	**1920**	ug/L	100	33.0	50		10/27/25 20:52	75-01-4	
Xylene (Total)	ND	ug/L	50.0	7.8	5		10/27/25 20:20	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		5		10/27/25 20:20	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		5		10/27/25 20:20	460-00-4	
Toluene-d8 (S)	99	%.	73-122		5		10/27/25 20:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-406D-20251014 **Lab ID: 50415413018** Collected: 10/14/25 13:36 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	500	72.0	5		10/27/25 21:24	67-64-1	
Acrolein	ND	ug/L	250	90.5	5		10/27/25 21:24	107-02-8	
Acrylonitrile	ND	ug/L	500	24.7	5		10/27/25 21:24	107-13-1	
Benzene	ND	ug/L	25.0	4.2	5		10/27/25 21:24	71-43-2	
Bromobenzene	ND	ug/L	25.0	5.2	5		10/27/25 21:24	108-86-1	
Bromochloromethane	ND	ug/L	25.0	4.7	5		10/27/25 21:24	74-97-5	
Bromodichloromethane	ND	ug/L	25.0	4.0	5		10/27/25 21:24	75-27-4	
Bromoform	ND	ug/L	25.0	3.9	5		10/27/25 21:24	75-25-2	
Bromomethane	ND	ug/L	25.0	10.8	5		10/27/25 21:24	74-83-9	
2-Butanone (MEK)	ND	ug/L	125	27.4	5		10/27/25 21:24	78-93-3	
n-Butylbenzene	ND	ug/L	25.0	4.9	5		10/27/25 21:24	104-51-8	
sec-Butylbenzene	ND	ug/L	25.0	4.4	5		10/27/25 21:24	135-98-8	
tert-Butylbenzene	ND	ug/L	25.0	3.9	5		10/27/25 21:24	98-06-6	
Carbon disulfide	ND	ug/L	50.0	5.0	5		10/27/25 21:24	75-15-0	
Carbon tetrachloride	ND	ug/L	25.0	4.5	5		10/27/25 21:24	56-23-5	
Chlorobenzene	ND	ug/L	25.0	4.1	5		10/27/25 21:24	108-90-7	
Chloroethane	**211**	ug/L	25.0	8.0	5		10/27/25 21:24	75-00-3	
Chloroform	ND	ug/L	25.0	4.0	5		10/27/25 21:24	67-66-3	
Chloromethane	ND	ug/L	25.0	24.3	5		10/27/25 21:24	74-87-3	
2-Chlorotoluene	ND	ug/L	25.0	3.9	5		10/27/25 21:24	95-49-8	
4-Chlorotoluene	ND	ug/L	25.0	4.2	5		10/27/25 21:24	106-43-4	
Dibromochloromethane	ND	ug/L	25.0	3.7	5		10/27/25 21:24	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	25.0	4.3	5		10/27/25 21:24	106-93-4	
Dibromomethane	ND	ug/L	25.0	4.2	5		10/27/25 21:24	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	25.0	3.7	5		10/27/25 21:24	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	4.1	5		10/27/25 21:24	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	3.6	5		10/27/25 21:24	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	500	8.4	5		10/27/25 21:24	110-57-6	
Dichlorodifluoromethane	ND	ug/L	25.0	12.2	5		10/27/25 21:24	75-71-8	
1,1-Dichloroethane	**1840**	ug/L	250	44.6	50		10/27/25 21:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	25.0	4.0	5		10/27/25 21:24	107-06-2	
1,1-Dichloroethene	**514**	ug/L	25.0	4.8	5		10/27/25 21:24	75-35-4	
cis-1,2-Dichloroethene	**22000**	ug/L	1000	141	200		10/28/25 14:55	156-59-2	
trans-1,2-Dichloroethene	**152**	ug/L	25.0	4.6	5		10/27/25 21:24	156-60-5	
1,2-Dichloropropane	ND	ug/L	25.0	4.0	5		10/27/25 21:24	78-87-5	
1,3-Dichloropropane	ND	ug/L	25.0	3.2	5		10/27/25 21:24	142-28-9	
2,2-Dichloropropane	ND	ug/L	25.0	4.9	5		10/27/25 21:24	594-20-7	
1,1-Dichloropropene	ND	ug/L	25.0	3.9	5		10/27/25 21:24	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	25.0	4.0	5		10/27/25 21:24	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	25.0	4.2	5		10/27/25 21:24	10061-02-6	
Ethylbenzene	ND	ug/L	25.0	4.5	5		10/27/25 21:24	100-41-4	
Ethyl methacrylate	ND	ug/L	500	5.0	5		10/27/25 21:24	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	3.5	5		10/27/25 21:24	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-406D-20251014 **Lab ID: 50415413018** Collected: 10/14/25 13:36 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	25.0	15.9	5		10/27/25 21:24	110-54-3	
2-Hexanone	ND	ug/L	125	29.0	5		10/27/25 21:24	591-78-6	
Iodomethane	ND	ug/L	50.0	9.2	5		10/27/25 21:24	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	25.0	5.2	5		10/27/25 21:24	98-82-8	
p-Isopropyltoluene	ND	ug/L	25.0	4.6	5		10/27/25 21:24	99-87-6	
Methylene Chloride	ND	ug/L	25.0	16.1	5		10/27/25 21:24	75-09-2	
1-Methylnaphthalene	ND	ug/L	50.0	7.6	5		10/27/25 21:24	90-12-0	
2-Methylnaphthalene	ND	ug/L	50.0	5.0	5		10/27/25 21:24	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	125	29.2	5		10/27/25 21:24	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	20.0	3.4	5		10/27/25 21:24	1634-04-4	
Naphthalene	ND	ug/L	6.0	3.4	5		10/27/25 21:24	91-20-3	
n-Propylbenzene	ND	ug/L	25.0	4.1	5		10/27/25 21:24	103-65-1	
Styrene	ND	ug/L	25.0	13.4	5		10/27/25 21:24	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	25.0	4.4	5		10/27/25 21:24	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	25.0	4.1	5		10/27/25 21:24	79-34-5	
Tetrachloroethene	ND	ug/L	25.0	4.5	5		10/27/25 21:24	127-18-4	
Toluene	ND	ug/L	25.0	4.6	5		10/27/25 21:24	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	25.0	3.2	5		10/27/25 21:24	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	3.4	5		10/27/25 21:24	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	25.0	4.7	5		10/27/25 21:24	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	25.0	3.9	5		10/27/25 21:24	79-00-5	
Trichloroethene	ND	ug/L	25.0	4.3	5		10/27/25 21:24	79-01-6	
Trichlorofluoromethane	ND	ug/L	25.0	5.2	5		10/27/25 21:24	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	25.0	4.6	5		10/27/25 21:24	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	25.0	4.6	5		10/27/25 21:24	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	25.0	4.7	5		10/27/25 21:24	108-67-8	
Vinyl acetate	ND	ug/L	250	18.8	5		10/27/25 21:24	108-05-4	
Vinyl chloride	**1490**	ug/L	10.0	3.3	5		10/27/25 21:24	75-01-4	
Xylene (Total)	ND	ug/L	50.0	7.8	5		10/27/25 21:24	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		5		10/27/25 21:24	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		5		10/27/25 21:24	460-00-4	
Toluene-d8 (S)	96	%.	73-122		5		10/27/25 21:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-403-20251014 **Lab ID: 50415413019** Collected: 10/14/25 13:54 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/27/25 17:26	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/27/25 17:26	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/27/25 17:26	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/27/25 17:26	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/27/25 17:26	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/27/25 17:26	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/27/25 17:26	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/27/25 17:26	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/27/25 17:26	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/27/25 17:26	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 17:26	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/27/25 17:26	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 17:26	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/27/25 17:26	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/27/25 17:26	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/27/25 17:26	108-90-7	
Chloroethane	**167**	ug/L	5.0	1.6	1		10/27/25 17:26	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/27/25 17:26	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/27/25 17:26	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/27/25 17:26	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/27/25 17:26	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/27/25 17:26	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/27/25 17:26	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/27/25 17:26	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/27/25 17:26	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 17:26	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/27/25 17:26	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/27/25 17:26	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/27/25 17:26	75-71-8	
1,1-Dichloroethane	**141**	ug/L	5.0	0.73	1		10/27/25 17:26	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/27/25 17:26	107-06-2	
1,1-Dichloroethene	**13.9**	ug/L	5.0	0.76	1		10/27/25 17:26	75-35-4	
cis-1,2-Dichloroethene	**644**	ug/L	50.0	7.0	10		10/27/25 17:57	156-59-2	
trans-1,2-Dichloroethene	**7.5**	ug/L	5.0	0.76	1		10/27/25 17:26	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/27/25 17:26	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/27/25 17:26	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/27/25 17:26	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/27/25 17:26	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/27/25 17:26	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/27/25 17:26	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 17:26	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/27/25 17:26	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/27/25 17:26	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-403-20251014 **Lab ID: 50415413019** Collected: 10/14/25 13:54 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/27/25 17:26	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/27/25 17:26	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/27/25 17:26	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/27/25 17:26	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/27/25 17:26	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/27/25 17:26	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 17:26	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 17:26	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/27/25 17:26	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/27/25 17:26	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/27/25 17:26	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 17:26	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/27/25 17:26	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/27/25 17:26	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/27/25 17:26	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/27/25 17:26	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/27/25 17:26	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/27/25 17:26	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 17:26	120-82-1	
1,1,1-Trichloroethane	**8.4**	ug/L	5.0	0.84	1		10/27/25 17:26	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/27/25 17:26	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/27/25 17:26	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/27/25 17:26	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/27/25 17:26	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/27/25 17:26	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/27/25 17:26	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/27/25 17:26	108-05-4	
Vinyl chloride	**445**	ug/L	20.0	6.8	10		10/27/25 17:57	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/27/25 17:26	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		10/27/25 17:26	1868-53-7	
4-Bromofluorobenzene (S)	101	%.	79-124		1		10/27/25 17:26	460-00-4	
Toluene-d8 (S)	98	%.	73-122		1		10/27/25 17:26	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-251-20251015 **Lab ID: 50415413020** Collected: 10/15/25 08:33 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	14.4	1		10/28/25 16:14	67-64-1	
Acrolein	ND	ug/L	50.0	18.1	1		10/28/25 16:14	107-02-8	
Acrylonitrile	ND	ug/L	100	4.9	1		10/28/25 16:14	107-13-1	
Benzene	ND	ug/L	5.0	0.83	1		10/28/25 16:14	71-43-2	
Bromobenzene	ND	ug/L	5.0	1.0	1		10/28/25 16:14	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.95	1		10/28/25 16:14	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.81	1		10/28/25 16:14	75-27-4	
Bromoform	ND	ug/L	5.0	0.77	1		10/28/25 16:14	75-25-2	
Bromomethane	ND	ug/L	5.0	2.2	1		10/28/25 16:14	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.5	1		10/28/25 16:14	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.98	1		10/28/25 16:14	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.87	1		10/28/25 16:14	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.78	1		10/28/25 16:14	98-06-6	
Carbon disulfide	ND	ug/L	10.0	1.0	1		10/28/25 16:14	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.91	1		10/28/25 16:14	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.82	1		10/28/25 16:14	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/28/25 16:14	75-00-3	
Chloroform	ND	ug/L	5.0	0.80	1		10/28/25 16:14	67-66-3	
Chloromethane	ND	ug/L	5.0	4.9	1		10/28/25 16:14	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.77	1		10/28/25 16:14	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.84	1		10/28/25 16:14	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.73	1		10/28/25 16:14	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/28/25 16:14	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.84	1		10/28/25 16:14	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.74	1		10/28/25 16:14	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.82	1		10/28/25 16:14	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.72	1		10/28/25 16:14	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.7	1		10/28/25 16:14	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	2.4	1		10/28/25 16:14	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.89	1		10/28/25 16:14	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.80	1		10/28/25 16:14	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.95	1		10/28/25 16:14	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.82	1		10/28/25 16:14	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.92	1		10/28/25 16:14	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.80	1		10/28/25 16:14	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	0.65	1		10/28/25 16:14	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.98	1		10/28/25 16:14	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.78	1		10/28/25 16:14	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	0.80	1		10/28/25 16:14	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	0.83	1		10/28/25 16:14	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.90	1		10/28/25 16:14	100-41-4	
Ethyl methacrylate	ND	ug/L	100	1.0	1		10/28/25 16:14	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/28/25 16:14	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-251-20251015 **Lab ID: 50415413020** Collected: 10/15/25 08:33 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.2	1		10/28/25 16:14	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.8	1		10/28/25 16:14	591-78-6	
Iodomethane	ND	ug/L	10.0	1.8	1		10/28/25 16:14	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	1.0	1		10/28/25 16:14	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.93	1		10/28/25 16:14	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.2	1		10/28/25 16:14	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	1.5	1		10/28/25 16:14	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	1.0	1		10/28/25 16:14	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	5.8	1		10/28/25 16:14	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.68	1		10/28/25 16:14	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.69	1		10/28/25 16:14	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.82	1		10/28/25 16:14	103-65-1	
Styrene	ND	ug/L	5.0	2.7	1		10/28/25 16:14	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	0.88	1		10/28/25 16:14	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.82	1		10/28/25 16:14	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.90	1		10/28/25 16:14	127-18-4	
Toluene	ND	ug/L	5.0	0.92	1		10/28/25 16:14	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.64	1		10/28/25 16:14	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.68	1		10/28/25 16:14	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.93	1		10/28/25 16:14	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	0.79	1		10/28/25 16:14	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.86	1		10/28/25 16:14	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.0	1		10/28/25 16:14	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	0.93	1		10/28/25 16:14	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.92	1		10/28/25 16:14	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.94	1		10/28/25 16:14	108-67-8	
Vinyl acetate	ND	ug/L	50.0	3.8	1		10/28/25 16:14	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.66	1		10/28/25 16:14	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.6	1		10/28/25 16:14	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%.	82-128		1		10/28/25 16:14	1868-53-7	
4-Bromofluorobenzene (S)	102	%.	79-124		1		10/28/25 16:14	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		10/28/25 16:14	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-41-20251015 **Lab ID: 50415413021** Collected: 10/15/25 09:08 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/27/25 19:33	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/27/25 19:33	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/27/25 19:33	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/27/25 19:33	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/27/25 19:33	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/27/25 19:33	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/27/25 19:33	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/27/25 19:33	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/27/25 19:33	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/27/25 19:33	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 19:33	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/27/25 19:33	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 19:33	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/27/25 19:33	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/27/25 19:33	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/27/25 19:33	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/27/25 19:33	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/27/25 19:33	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/27/25 19:33	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/27/25 19:33	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/27/25 19:33	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/27/25 19:33	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/27/25 19:33	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/27/25 19:33	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/27/25 19:33	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 19:33	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/27/25 19:33	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/27/25 19:33	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/27/25 19:33	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/27/25 19:33	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/27/25 19:33	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/27/25 19:33	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.70	1		10/27/25 19:33	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/27/25 19:33	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/27/25 19:33	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/27/25 19:33	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/27/25 19:33	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/27/25 19:33	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/27/25 19:33	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/27/25 19:33	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 19:33	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/27/25 19:33	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/27/25 19:33	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-41-20251015 **Lab ID: 50415413021** Collected: 10/15/25 09:08 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/27/25 19:33	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/27/25 19:33	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/27/25 19:33	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/27/25 19:33	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/27/25 19:33	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/27/25 19:33	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 19:33	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 19:33	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/27/25 19:33	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/27/25 19:33	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/27/25 19:33	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 19:33	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/27/25 19:33	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/27/25 19:33	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/27/25 19:33	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/27/25 19:33	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/27/25 19:33	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/27/25 19:33	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 19:33	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/27/25 19:33	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/27/25 19:33	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/27/25 19:33	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/27/25 19:33	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/27/25 19:33	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/27/25 19:33	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/27/25 19:33	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/27/25 19:33	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.68	1		10/27/25 19:33	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/27/25 19:33	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	111	%.	82-128		1		10/27/25 19:33	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		10/27/25 19:33	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		10/27/25 19:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-241-20251015 **Lab ID: 50415413022** Collected: 10/15/25 09:42 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/27/25 21:08	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/27/25 21:08	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/27/25 21:08	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/27/25 21:08	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/27/25 21:08	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/27/25 21:08	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/27/25 21:08	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/27/25 21:08	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/27/25 21:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/27/25 21:08	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 21:08	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/27/25 21:08	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 21:08	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/27/25 21:08	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/27/25 21:08	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/27/25 21:08	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/27/25 21:08	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/27/25 21:08	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/27/25 21:08	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/27/25 21:08	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/27/25 21:08	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/27/25 21:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/27/25 21:08	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/27/25 21:08	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/27/25 21:08	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 21:08	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/27/25 21:08	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/27/25 21:08	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/27/25 21:08	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/27/25 21:08	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/27/25 21:08	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/27/25 21:08	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.70	1		10/27/25 21:08	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/27/25 21:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/27/25 21:08	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/27/25 21:08	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/27/25 21:08	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/27/25 21:08	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/27/25 21:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/27/25 21:08	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 21:08	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/27/25 21:08	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/27/25 21:08	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: MW-241-20251015 **Lab ID: 50415413022** Collected: 10/15/25 09:42 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/27/25 21:08	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/27/25 21:08	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/27/25 21:08	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/27/25 21:08	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/27/25 21:08	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/27/25 21:08	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 21:08	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 21:08	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/27/25 21:08	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/27/25 21:08	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/27/25 21:08	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 21:08	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/27/25 21:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/27/25 21:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/27/25 21:08	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/27/25 21:08	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/27/25 21:08	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/27/25 21:08	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 21:08	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/27/25 21:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/27/25 21:08	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/27/25 21:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/27/25 21:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/27/25 21:08	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/27/25 21:08	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/27/25 21:08	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/27/25 21:08	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.68	1		10/27/25 21:08	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/27/25 21:08	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	114	%.	82-128		1		10/27/25 21:08	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	79-124		1		10/27/25 21:08	460-00-4	
Toluene-d8 (S)	98	%.	73-122		1		10/27/25 21:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: W-10-20251015 **Lab ID: 50415413023** Collected: 10/15/25 08:50 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/27/25 21:40	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/27/25 21:40	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/27/25 21:40	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/27/25 21:40	71-43-2	R1
Bromobenzene	ND	ug/L	5.0	0.85	1		10/27/25 21:40	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/27/25 21:40	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/27/25 21:40	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/27/25 21:40	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/27/25 21:40	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/27/25 21:40	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 21:40	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/27/25 21:40	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 21:40	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/27/25 21:40	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/27/25 21:40	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/27/25 21:40	108-90-7	R1
Chloroethane	ND	ug/L	5.0	1.6	1		10/27/25 21:40	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/27/25 21:40	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/27/25 21:40	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/27/25 21:40	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/27/25 21:40	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/27/25 21:40	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/27/25 21:40	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/27/25 21:40	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/27/25 21:40	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 21:40	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/27/25 21:40	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/27/25 21:40	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/27/25 21:40	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/27/25 21:40	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/27/25 21:40	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/27/25 21:40	75-35-4	R1
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.70	1		10/27/25 21:40	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/27/25 21:40	156-60-5	R1
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/27/25 21:40	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/27/25 21:40	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/27/25 21:40	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/27/25 21:40	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/27/25 21:40	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/27/25 21:40	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 21:40	100-41-4	R1
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/27/25 21:40	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/27/25 21:40	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: W-10-20251015 **Lab ID: 50415413023** Collected: 10/15/25 08:50 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/27/25 21:40	110-54-3	R1
2-Hexanone	ND	ug/L	25.0	5.3	1		10/27/25 21:40	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/27/25 21:40	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/27/25 21:40	98-82-8	R1
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/27/25 21:40	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/27/25 21:40	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 21:40	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 21:40	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/27/25 21:40	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/27/25 21:40	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/27/25 21:40	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 21:40	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/27/25 21:40	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/27/25 21:40	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/27/25 21:40	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/27/25 21:40	127-18-4	R1
Toluene	ND	ug/L	5.0	0.79	1		10/27/25 21:40	108-88-3	R1
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/27/25 21:40	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 21:40	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/27/25 21:40	71-55-6	R1
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/27/25 21:40	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/27/25 21:40	79-01-6	R1
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/27/25 21:40	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/27/25 21:40	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/27/25 21:40	95-63-6	R1
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/27/25 21:40	108-67-8	R1
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/27/25 21:40	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.68	1		10/27/25 21:40	75-01-4	R1
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/27/25 21:40	1330-20-7	RS
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		10/27/25 21:40	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/27/25 21:40	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		10/27/25 21:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: Trip Blank-20251014 **Lab ID: 50415413024** Collected: 10/14/25 08:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
Acetone	ND	ug/L	100	39.1	1		10/27/25 22:11	67-64-1	
Acrolein	ND	ug/L	50.0	15.3	1		10/27/25 22:11	107-02-8	
Acrylonitrile	ND	ug/L	100	4.1	1		10/27/25 22:11	107-13-1	
Benzene	ND	ug/L	5.0	0.72	1		10/27/25 22:11	71-43-2	
Bromobenzene	ND	ug/L	5.0	0.85	1		10/27/25 22:11	108-86-1	
Bromochloromethane	ND	ug/L	5.0	0.67	1		10/27/25 22:11	74-97-5	
Bromodichloromethane	ND	ug/L	5.0	0.74	1		10/27/25 22:11	75-27-4	
Bromoform	ND	ug/L	5.0	1.4	1		10/27/25 22:11	75-25-2	
Bromomethane	ND	ug/L	5.0	1.5	1		10/27/25 22:11	74-83-9	
2-Butanone (MEK)	ND	ug/L	25.0	5.2	1		10/27/25 22:11	78-93-3	
n-Butylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 22:11	104-51-8	
sec-Butylbenzene	ND	ug/L	5.0	0.69	1		10/27/25 22:11	135-98-8	
tert-Butylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 22:11	98-06-6	
Carbon disulfide	ND	ug/L	10.0	0.86	1		10/27/25 22:11	75-15-0	
Carbon tetrachloride	ND	ug/L	5.0	0.82	1		10/27/25 22:11	56-23-5	
Chlorobenzene	ND	ug/L	5.0	0.79	1		10/27/25 22:11	108-90-7	
Chloroethane	ND	ug/L	5.0	1.6	1		10/27/25 22:11	75-00-3	
Chloroform	ND	ug/L	5.0	0.62	1		10/27/25 22:11	67-66-3	
Chloromethane	ND	ug/L	5.0	0.65	1		10/27/25 22:11	74-87-3	
2-Chlorotoluene	ND	ug/L	5.0	0.64	1		10/27/25 22:11	95-49-8	
4-Chlorotoluene	ND	ug/L	5.0	0.74	1		10/27/25 22:11	106-43-4	
Dibromochloromethane	ND	ug/L	5.0	0.70	1		10/27/25 22:11	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	0.86	1		10/27/25 22:11	106-93-4	
Dibromomethane	ND	ug/L	5.0	0.76	1		10/27/25 22:11	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	5.0	0.70	1		10/27/25 22:11	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 22:11	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	5.0	0.60	1		10/27/25 22:11	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	100	1.2	1		10/27/25 22:11	110-57-6	
Dichlorodifluoromethane	ND	ug/L	5.0	1.5	1		10/27/25 22:11	75-71-8	
1,1-Dichloroethane	ND	ug/L	5.0	0.73	1		10/27/25 22:11	75-34-3	
1,2-Dichloroethane	ND	ug/L	5.0	0.66	1		10/27/25 22:11	107-06-2	
1,1-Dichloroethene	ND	ug/L	5.0	0.76	1		10/27/25 22:11	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	5.0	0.70	1		10/27/25 22:11	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	5.0	0.76	1		10/27/25 22:11	156-60-5	
1,2-Dichloropropane	ND	ug/L	5.0	0.77	1		10/27/25 22:11	78-87-5	
1,3-Dichloropropane	ND	ug/L	5.0	1.3	1		10/27/25 22:11	142-28-9	
2,2-Dichloropropane	ND	ug/L	5.0	0.88	1		10/27/25 22:11	594-20-7	
1,1-Dichloropropene	ND	ug/L	5.0	0.66	1		10/27/25 22:11	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	5.0	1.2	1		10/27/25 22:11	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	5.0	1.4	1		10/27/25 22:11	10061-02-6	
Ethylbenzene	ND	ug/L	5.0	0.76	1		10/27/25 22:11	100-41-4	
Ethyl methacrylate	ND	ug/L	100	0.80	1		10/27/25 22:11	97-63-2	
Hexachloro-1,3-butadiene	ND	ug/L	5.0	0.71	1		10/27/25 22:11	87-68-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

ANALYTICAL RESULTS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Sample: Trip Blank-20251014 **Lab ID: 50415413024** Collected: 10/14/25 08:00 Received: 10/15/25 11:58 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Indiana	Analytical Method: EPA 5030/8260 Pace Analytical Services - Indianapolis								
n-Hexane	ND	ug/L	5.0	3.4	1		10/27/25 22:11	110-54-3	
2-Hexanone	ND	ug/L	25.0	5.3	1		10/27/25 22:11	591-78-6	
Iodomethane	ND	ug/L	10.0	0.82	1		10/27/25 22:11	74-88-4	
Isopropylbenzene (Cumene)	ND	ug/L	5.0	0.82	1		10/27/25 22:11	98-82-8	
p-Isopropyltoluene	ND	ug/L	5.0	0.75	1		10/27/25 22:11	99-87-6	
Methylene Chloride	ND	ug/L	5.0	3.4	1		10/27/25 22:11	75-09-2	
1-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 22:11	90-12-0	
2-Methylnaphthalene	ND	ug/L	10.0	0.66	1		10/27/25 22:11	91-57-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	25.0	8.9	1		10/27/25 22:11	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	4.0	0.84	1		10/27/25 22:11	1634-04-4	
Naphthalene	ND	ug/L	1.2	0.57	1		10/27/25 22:11	91-20-3	
n-Propylbenzene	ND	ug/L	5.0	0.65	1		10/27/25 22:11	103-65-1	
Styrene	ND	ug/L	5.0	0.94	1		10/27/25 22:11	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1.4	1		10/27/25 22:11	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	0.72	1		10/27/25 22:11	79-34-5	
Tetrachloroethene	ND	ug/L	5.0	0.70	1		10/27/25 22:11	127-18-4	
Toluene	ND	ug/L	5.0	0.79	1		10/27/25 22:11	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	5.0	0.52	1		10/27/25 22:11	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	5.0	0.66	1		10/27/25 22:11	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	5.0	0.84	1		10/27/25 22:11	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	5.0	1.3	1		10/27/25 22:11	79-00-5	
Trichloroethene	ND	ug/L	5.0	0.68	1		10/27/25 22:11	79-01-6	
Trichlorofluoromethane	ND	ug/L	5.0	1.2	1		10/27/25 22:11	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1.2	1		10/27/25 22:11	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	5.0	0.83	1		10/27/25 22:11	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	5.0	0.75	1		10/27/25 22:11	108-67-8	
Vinyl acetate	ND	ug/L	50.0	7.7	1		10/27/25 22:11	108-05-4	
Vinyl chloride	ND	ug/L	2.0	0.68	1		10/27/25 22:11	75-01-4	
Xylene (Total)	ND	ug/L	10.0	1.3	1		10/27/25 22:11	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	112	%.	82-128		1		10/27/25 22:11	1868-53-7	
4-Bromofluorobenzene (S)	98	%.	79-124		1		10/27/25 22:11	460-00-4	
Toluene-d8 (S)	97	%.	73-122		1		10/27/25 22:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

QC Batch	869562	Analysis Method:	EPA 5030/8260
QC Batch Method:	EPA 5030/8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415413001, 50415413002, 50415413003, 50415413004, 50415413005, 50415413006, 50415413007

METHOD BLANK: 3984549 Matrix: Water

Associated Lab Samples: 50415413001, 50415413002, 50415413003, 50415413004, 50415413005, 50415413006, 50415413007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	1.4	10/25/25 00:53	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.84	10/25/25 00:53	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.72	10/25/25 00:53	
1,1,2-Trichloroethane	ug/L	ND	5.0	1.3	10/25/25 00:53	
1,1-Dichloroethane	ug/L	ND	5.0	0.73	10/25/25 00:53	
1,1-Dichloroethene	ug/L	ND	5.0	0.76	10/25/25 00:53	
1,1-Dichloropropene	ug/L	ND	5.0	0.66	10/25/25 00:53	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.52	10/25/25 00:53	
1,2,3-Trichloropropane	ug/L	ND	5.0	1.2	10/25/25 00:53	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.66	10/25/25 00:53	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.83	10/25/25 00:53	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.86	10/25/25 00:53	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.70	10/25/25 00:53	
1,2-Dichloroethane	ug/L	ND	5.0	0.66	10/25/25 00:53	
1,2-Dichloropropane	ug/L	ND	5.0	0.77	10/25/25 00:53	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.75	10/25/25 00:53	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.66	10/25/25 00:53	
1,3-Dichloropropane	ug/L	ND	5.0	1.3	10/25/25 00:53	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.60	10/25/25 00:53	
1-Methylnaphthalene	ug/L	ND	10.0	0.66	10/25/25 00:53	
2,2-Dichloropropane	ug/L	ND	5.0	0.88	10/25/25 00:53	
2-Butanone (MEK)	ug/L	ND	25.0	5.2	10/25/25 00:53	
2-Chlorotoluene	ug/L	ND	5.0	0.64	10/25/25 00:53	
2-Hexanone	ug/L	ND	25.0	5.3	10/25/25 00:53	
2-Methylnaphthalene	ug/L	ND	10.0	0.66	10/25/25 00:53	
4-Chlorotoluene	ug/L	ND	5.0	0.74	10/25/25 00:53	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	8.9	10/25/25 00:53	
Acetone	ug/L	ND	100	39.1	10/25/25 00:53	
Acrolein	ug/L	ND	50.0	15.3	10/25/25 00:53	
Acrylonitrile	ug/L	ND	100	4.1	10/25/25 00:53	
Benzene	ug/L	ND	5.0	0.72	10/25/25 00:53	
Bromobenzene	ug/L	ND	5.0	0.85	10/25/25 00:53	
Bromochloromethane	ug/L	ND	5.0	0.67	10/25/25 00:53	
Bromodichloromethane	ug/L	ND	5.0	0.74	10/25/25 00:53	
Bromoform	ug/L	ND	5.0	1.4	10/25/25 00:53	
Bromomethane	ug/L	ND	5.0	1.5	10/25/25 00:53	
Carbon disulfide	ug/L	ND	10.0	0.86	10/25/25 00:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

METHOD BLANK: 3984549 Matrix: Water

Associated Lab Samples: 50415413001, 50415413002, 50415413003, 50415413004, 50415413005, 50415413006, 50415413007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon tetrachloride	ug/L	ND	5.0	0.82	10/25/25 00:53	
Chlorobenzene	ug/L	ND	5.0	0.79	10/25/25 00:53	
Chloroethane	ug/L	ND	5.0	1.6	10/25/25 00:53	
Chloroform	ug/L	ND	5.0	0.62	10/25/25 00:53	
Chloromethane	ug/L	ND	5.0	0.65	10/25/25 00:53	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.70	10/25/25 00:53	
cis-1,3-Dichloropropene	ug/L	ND	5.0	1.2	10/25/25 00:53	
Dibromochloromethane	ug/L	ND	5.0	0.70	10/25/25 00:53	
Dibromomethane	ug/L	ND	5.0	0.76	10/25/25 00:53	
Dichlorodifluoromethane	ug/L	ND	5.0	1.5	10/25/25 00:53	
Ethyl methacrylate	ug/L	ND	100	0.80	10/25/25 00:53	
Ethylbenzene	ug/L	ND	5.0	0.76	10/25/25 00:53	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.71	10/25/25 00:53	
Iodomethane	ug/L	ND	10.0	0.82	10/25/25 00:53	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.82	10/25/25 00:53	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.84	10/25/25 00:53	
Methylene Chloride	ug/L	ND	5.0	3.4	10/25/25 00:53	
n-Butylbenzene	ug/L	ND	5.0	0.76	10/25/25 00:53	
n-Hexane	ug/L	ND	5.0	3.4	10/25/25 00:53	
n-Propylbenzene	ug/L	ND	5.0	0.65	10/25/25 00:53	
Naphthalene	ug/L	ND	1.2	0.57	10/25/25 00:53	
p-Isopropyltoluene	ug/L	ND	5.0	0.75	10/25/25 00:53	
sec-Butylbenzene	ug/L	ND	5.0	0.69	10/25/25 00:53	
Styrene	ug/L	ND	5.0	0.94	10/25/25 00:53	
tert-Butylbenzene	ug/L	ND	5.0	0.65	10/25/25 00:53	
Tetrachloroethene	ug/L	ND	5.0	0.70	10/25/25 00:53	
Toluene	ug/L	ND	5.0	0.79	10/25/25 00:53	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.76	10/25/25 00:53	
trans-1,3-Dichloropropene	ug/L	ND	5.0	1.4	10/25/25 00:53	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.2	10/25/25 00:53	
Trichloroethene	ug/L	ND	5.0	0.68	10/25/25 00:53	
Trichlorofluoromethane	ug/L	ND	5.0	1.2	10/25/25 00:53	
Vinyl acetate	ug/L	ND	50.0	7.7	10/25/25 00:53	
Vinyl chloride	ug/L	ND	2.0	0.68	10/25/25 00:53	
Xylene (Total)	ug/L	ND	10.0	1.3	10/25/25 00:53	
4-Bromofluorobenzene (S)	%.	99	79-124		10/25/25 00:53	
Dibromofluoromethane (S)	%.	111	82-128		10/25/25 00:53	
Toluene-d8 (S)	%.	103	73-122		10/25/25 00:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

LABORATORY CONTROL SAMPLE: 3984550

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	42.2	84	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	45.5	91	69-126	
1,1-Dichloroethene	ug/L	50	40.9	82	59-128	
1,2,4-Trimethylbenzene	ug/L	50	40.1	80	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	42.0	84	78-125	
1,2-Dichloroethane	ug/L	50	44.4	89	61-127	
1,2-Dichloropropane	ug/L	50	46.6	93	75-124	
1,3,5-Trimethylbenzene	ug/L	50	40.5	81	71-122	
Benzene	ug/L	50	46.4	93	76-120	
Chlorobenzene	ug/L	50	43.9	88	77-118	
Chloroform	ug/L	50	43.5	87	74-122	
cis-1,2-Dichloroethene	ug/L	50	42.9	86	78-121	
Ethylbenzene	ug/L	50	44.1	88	76-124	
Isopropylbenzene (Cumene)	ug/L	50	43.3	87	66-113	
Methyl-tert-butyl ether	ug/L	50	45.3	91	74-124	
n-Hexane	ug/L	50	32.9	66	51-127	
Naphthalene	ug/L	50	42.7	85	66-143	
Tetrachloroethene	ug/L	50	45.3	91	71-122	
Toluene	ug/L	50	43.8	88	72-117	
trans-1,2-Dichloroethene	ug/L	50	41.6	83	74-121	
Trichloroethene	ug/L	50	45.8	92	75-124	
Vinyl chloride	ug/L	50	37.5	75	50-150	
Xylene (Total)	ug/L	150	127	85	73-119	
4-Bromofluorobenzene (S)	%.			98	79-124	
Dibromofluoromethane (S)	%.			95	82-128	
Toluene-d8 (S)	%.			104	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3984551 3984552

Parameter	Units	50415413002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	50	48.2	47.8	96	96	50-149	1	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	57.7	56.9	115	114	48-139	1	20	
1,1-Dichloroethene	ug/L	ND	50	50	46.4	44.8	93	90	45-146	3	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	42.0	39.4	84	79	37-139	6	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	51.4	51.0	103	102	56-140	1	20	
1,2-Dichloroethane	ug/L	ND	50	50	53.9	53.3	108	107	45-143	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	55.5	56.0	111	112	53-144	1	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	42.7	38.8	85	78	35-141	10	20	
Benzene	ug/L	ND	50	50	57.3	56.7	107	105	50-143	1	20	
Chlorobenzene	ug/L	ND	50	50	49.8	49.7	100	99	52-136	0	20	
Chloroform	ug/L	ND	50	50	50.0	49.5	100	99	53-143	1	20	
Ethylbenzene	ug/L	ND	50	50	49.1	48.4	98	97	43-145	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3984551 3984552

Parameter	Units	50415413002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Isopropylbenzene (Cumene)	ug/L	ND	50	50	48.3	48.2	97	96	39-128	0	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	55.7	55.3	111	111	50-144	1	20	
n-Hexane	ug/L	ND	50	50	36.9	36.1	74	72	39-132	2	20	
Naphthalene	ug/L	ND	50	50	50.7	50.5	101	101	43-148	0	20	
Tetrachloroethene	ug/L	ND	50	50	47.3	46.8	95	94	46-146	1	20	
Toluene	ug/L	ND	50	50	48.7	47.7	97	95	48-135	2	20	
trans-1,2-Dichloroethene	ug/L	6.4	50	50	47.6	46.7	82	81	52-139	2	20	
Trichloroethene	ug/L	ND	50	50	51.5	51.6	103	103	46-148	0	20	
Vinyl chloride	ug/L	327	50	50	269	239	-115	-174	38-167	12	20	M1
Xylene (Total)	ug/L	ND	150	150	139	134	93	89	45-139	4	20	
4-Bromofluorobenzene (S)	%.						97	97	79-124			
Dibromofluoromethane (S)	%.						94	93	82-128			
Toluene-d8 (S)	%.						103	101	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

QC Batch	869563	Analysis Method:	EPA 5030/8260
QC Batch Method:	EPA 5030/8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415413008, 50415413009, 50415413010, 50415413012

METHOD BLANK: 3984554 Matrix: Water

Associated Lab Samples: 50415413008, 50415413009, 50415413010, 50415413012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.88	10/25/25 01:08	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.93	10/25/25 01:08	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.82	10/25/25 01:08	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.79	10/25/25 01:08	
1,1-Dichloroethane	ug/L	ND	5.0	0.89	10/25/25 01:08	
1,1-Dichloroethene	ug/L	ND	5.0	0.95	10/25/25 01:08	
1,1-Dichloropropene	ug/L	ND	5.0	0.78	10/25/25 01:08	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.64	10/25/25 01:08	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.93	10/25/25 01:08	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.68	10/25/25 01:08	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.92	10/25/25 01:08	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.86	10/25/25 01:08	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.74	10/25/25 01:08	
1,2-Dichloroethane	ug/L	ND	5.0	0.80	10/25/25 01:08	
1,2-Dichloropropane	ug/L	ND	5.0	0.80	10/25/25 01:08	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.94	10/25/25 01:08	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.82	10/25/25 01:08	
1,3-Dichloropropane	ug/L	ND	5.0	0.65	10/25/25 01:08	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.72	10/25/25 01:08	
1-Methylnaphthalene	ug/L	ND	10.0	1.5	10/25/25 01:08	
2,2-Dichloropropane	ug/L	ND	5.0	0.98	10/25/25 01:08	
2-Butanone (MEK)	ug/L	ND	25.0	5.5	10/25/25 01:08	
2-Chlorotoluene	ug/L	ND	5.0	0.77	10/25/25 01:08	
2-Hexanone	ug/L	ND	25.0	5.8	10/25/25 01:08	
2-Methylnaphthalene	ug/L	ND	10.0	1.0	10/25/25 01:08	
4-Chlorotoluene	ug/L	ND	5.0	0.84	10/25/25 01:08	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	5.8	10/25/25 01:08	
Acetone	ug/L	ND	100	14.4	10/25/25 01:08	
Acrolein	ug/L	ND	50.0	18.1	10/25/25 01:08	
Acrylonitrile	ug/L	ND	100	4.9	10/25/25 01:08	
Benzene	ug/L	ND	5.0	0.83	10/25/25 01:08	
Bromobenzene	ug/L	ND	5.0	1.0	10/25/25 01:08	
Bromochloromethane	ug/L	ND	5.0	0.95	10/25/25 01:08	
Bromodichloromethane	ug/L	ND	5.0	0.81	10/25/25 01:08	
Bromoform	ug/L	ND	5.0	0.77	10/25/25 01:08	
Bromomethane	ug/L	ND	5.0	2.2	10/25/25 01:08	
Carbon disulfide	ug/L	ND	10.0	1.0	10/25/25 01:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

METHOD BLANK: 3984554 Matrix: Water

Associated Lab Samples: 50415413008, 50415413009, 50415413010, 50415413012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon tetrachloride	ug/L	ND	5.0	0.91	10/25/25 01:08	
Chlorobenzene	ug/L	ND	5.0	0.82	10/25/25 01:08	
Chloroethane	ug/L	ND	5.0	1.6	10/25/25 01:08	
Chloroform	ug/L	ND	5.0	0.80	10/25/25 01:08	
Chloromethane	ug/L	ND	5.0	4.9	10/25/25 01:08	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.82	10/25/25 01:08	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.80	10/25/25 01:08	
Dibromochloromethane	ug/L	ND	5.0	0.73	10/25/25 01:08	
Dibromomethane	ug/L	ND	5.0	0.84	10/25/25 01:08	
Dichlorodifluoromethane	ug/L	ND	5.0	2.4	10/25/25 01:08	
Ethyl methacrylate	ug/L	ND	100	1.0	10/25/25 01:08	
Ethylbenzene	ug/L	ND	5.0	0.90	10/25/25 01:08	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.71	10/25/25 01:08	
Iodomethane	ug/L	ND	10.0	1.8	10/25/25 01:08	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	1.0	10/25/25 01:08	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.68	10/25/25 01:08	
Methylene Chloride	ug/L	ND	5.0	3.2	10/25/25 01:08	
n-Butylbenzene	ug/L	ND	5.0	0.98	10/25/25 01:08	
n-Hexane	ug/L	ND	5.0	3.2	10/25/25 01:08	
n-Propylbenzene	ug/L	ND	5.0	0.82	10/25/25 01:08	
Naphthalene	ug/L	ND	1.2	0.69	10/25/25 01:08	
p-Isopropyltoluene	ug/L	ND	5.0	0.93	10/25/25 01:08	
sec-Butylbenzene	ug/L	ND	5.0	0.87	10/25/25 01:08	
Styrene	ug/L	ND	5.0	2.7	10/25/25 01:08	
tert-Butylbenzene	ug/L	ND	5.0	0.78	10/25/25 01:08	
Tetrachloroethene	ug/L	ND	5.0	0.90	10/25/25 01:08	
Toluene	ug/L	ND	5.0	0.92	10/25/25 01:08	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.92	10/25/25 01:08	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.83	10/25/25 01:08	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.7	10/25/25 01:08	
Trichloroethene	ug/L	ND	5.0	0.86	10/25/25 01:08	
Trichlorofluoromethane	ug/L	ND	5.0	1.0	10/25/25 01:08	
Vinyl acetate	ug/L	ND	50.0	3.8	10/25/25 01:08	
Vinyl chloride	ug/L	ND	2.0	0.66	10/25/25 01:08	
Xylene (Total)	ug/L	ND	10.0	1.6	10/25/25 01:08	
4-Bromofluorobenzene (S)	%.	102	79-124		10/25/25 01:08	
Dibromofluoromethane (S)	%.	109	82-128		10/25/25 01:08	
Toluene-d8 (S)	%.	103	73-122		10/25/25 01:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

LABORATORY CONTROL SAMPLE: 3984555

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	46.9	94	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	50.9	102	69-126	
1,1-Dichloroethene	ug/L	50	45.0	90	59-128	
1,2,4-Trimethylbenzene	ug/L	50	48.0	96	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	52.6	105	78-125	
1,2-Dichloroethane	ug/L	50	49.2	98	61-127	
1,2-Dichloropropane	ug/L	50	52.3	105	75-124	
1,3,5-Trimethylbenzene	ug/L	50	48.8	98	71-122	
Benzene	ug/L	50	51.8	104	76-120	
Chlorobenzene	ug/L	50	49.5	99	77-118	
Chloroform	ug/L	50	49.3	99	74-122	
cis-1,2-Dichloroethene	ug/L	50	48.8	98	78-121	
Ethylbenzene	ug/L	50	49.8	100	76-124	
Isopropylbenzene (Cumene)	ug/L	50	48.7	97	66-113	
Methyl-tert-butyl ether	ug/L	50	50.1	100	74-124	
n-Hexane	ug/L	50	37.2	74	51-127	
Naphthalene	ug/L	50	49.2	98	66-143	
Tetrachloroethene	ug/L	50	53.1	106	71-122	
Toluene	ug/L	50	48.7	97	72-117	
trans-1,2-Dichloroethene	ug/L	50	46.3	93	74-121	
Trichloroethene	ug/L	50	49.3	99	75-124	
Vinyl chloride	ug/L	50	41.3	83	50-150	
Xylene (Total)	ug/L	150	146	97	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			97	82-128	
Toluene-d8 (S)	%.			104	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3984556 3984557

Parameter	Units	50415423001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	50	46.7	46.5	93	93	50-149	0	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	54.3	55.4	109	111	48-139	2	20	
1,1-Dichloroethene	ug/L	ND	50	50	45.3	44.3	91	89	45-146	2	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	43.2	44.1	86	88	37-139	2	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	54.8	55.8	110	112	56-140	2	20	
1,2-Dichloroethane	ug/L	ND	50	50	50.4	50.9	101	102	45-143	1	20	
1,2-Dichloropropane	ug/L	ND	50	50	53.3	53.3	107	107	53-144	0	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	44.5	45.3	89	91	35-141	2	20	
Benzene	ug/L	ND	50	50	51.8	51.6	104	103	50-143	0	20	
Chlorobenzene	ug/L	ND	50	50	47.6	48.0	95	96	52-136	1	20	
Chloroform	ug/L	ND	50	50	49.4	49.4	99	99	53-143	0	20	
cis-1,2-Dichloroethene	ug/L	10.9	50	50	57.7	57.2	93	93	49-147	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3984556 3984557

Parameter	Units	50415423001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethylbenzene	ug/L	ND	50	50	47.7	48.4	95	97	43-145	1	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	46.4	47.1	93	94	39-128	2	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	51.9	53.1	104	106	50-144	2	20	
n-Hexane	ug/L	ND	50	50	38.8	38.2	78	76	39-132	2	20	
Naphthalene	ug/L	ND	50	50	49.9	51.9	100	104	43-148	4	20	
Tetrachloroethene	ug/L	ND	50	50	47.3	47.6	91	92	46-146	1	20	
Toluene	ug/L	ND	50	50	46.3	47.0	93	94	48-135	1	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	44.5	43.5	89	87	52-139	2	20	
Trichloroethene	ug/L	ND	50	50	48.4	48.6	97	97	46-148	0	20	
Vinyl chloride	ug/L	ND	50	50	42.0	41.3	84	83	38-167	2	20	
Xylene (Total)	ug/L	ND	150	150	139	142	93	94	45-139	2	20	
4-Bromofluorobenzene (S)	%.						100	100	79-124			
Dibromofluoromethane (S)	%.						99	98	82-128			
Toluene-d8 (S)	%.						103	102	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

QC Batch	869825	Analysis Method:	EPA 5030/8260
QC Batch Method:	EPA 5030/8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415413019, 50415413021, 50415413022, 50415413023, 50415413024

METHOD BLANK: 3986009 Matrix: Water

Associated Lab Samples: 50415413019, 50415413021, 50415413022, 50415413023, 50415413024

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	1.4	10/27/25 13:43	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.84	10/27/25 13:43	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.72	10/27/25 13:43	
1,1,2-Trichloroethane	ug/L	ND	5.0	1.3	10/27/25 13:43	
1,1-Dichloroethane	ug/L	ND	5.0	0.73	10/27/25 13:43	
1,1-Dichloroethene	ug/L	ND	5.0	0.76	10/27/25 13:43	
1,1-Dichloropropene	ug/L	ND	5.0	0.66	10/27/25 13:43	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.52	10/27/25 13:43	
1,2,3-Trichloropropane	ug/L	ND	5.0	1.2	10/27/25 13:43	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.66	10/27/25 13:43	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.83	10/27/25 13:43	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.86	10/27/25 13:43	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.70	10/27/25 13:43	
1,2-Dichloroethane	ug/L	ND	5.0	0.66	10/27/25 13:43	
1,2-Dichloropropane	ug/L	ND	5.0	0.77	10/27/25 13:43	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.75	10/27/25 13:43	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.66	10/27/25 13:43	
1,3-Dichloropropane	ug/L	ND	5.0	1.3	10/27/25 13:43	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.60	10/27/25 13:43	
1-Methylnaphthalene	ug/L	ND	10.0	0.66	10/27/25 13:43	
2,2-Dichloropropane	ug/L	ND	5.0	0.88	10/27/25 13:43	
2-Butanone (MEK)	ug/L	ND	25.0	5.2	10/27/25 13:43	
2-Chlorotoluene	ug/L	ND	5.0	0.64	10/27/25 13:43	
2-Hexanone	ug/L	ND	25.0	5.3	10/27/25 13:43	
2-Methylnaphthalene	ug/L	ND	10.0	0.66	10/27/25 13:43	
4-Chlorotoluene	ug/L	ND	5.0	0.74	10/27/25 13:43	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	8.9	10/27/25 13:43	
Acetone	ug/L	ND	100	39.1	10/27/25 13:43	
Acrolein	ug/L	ND	50.0	15.3	10/27/25 13:43	
Acrylonitrile	ug/L	ND	100	4.1	10/27/25 13:43	
Benzene	ug/L	ND	5.0	0.72	10/27/25 13:43	
Bromobenzene	ug/L	ND	5.0	0.85	10/27/25 13:43	
Bromochloromethane	ug/L	ND	5.0	0.67	10/27/25 13:43	
Bromodichloromethane	ug/L	ND	5.0	0.74	10/27/25 13:43	
Bromoform	ug/L	ND	5.0	1.4	10/27/25 13:43	
Bromomethane	ug/L	ND	5.0	1.5	10/27/25 13:43	
Carbon disulfide	ug/L	ND	10.0	0.86	10/27/25 13:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

METHOD BLANK: 3986009 Matrix: Water

Associated Lab Samples: 50415413019, 50415413021, 50415413022, 50415413023, 50415413024

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon tetrachloride	ug/L	ND	5.0	0.82	10/27/25 13:43	
Chlorobenzene	ug/L	ND	5.0	0.79	10/27/25 13:43	
Chloroethane	ug/L	ND	5.0	1.6	10/27/25 13:43	
Chloroform	ug/L	ND	5.0	0.62	10/27/25 13:43	
Chloromethane	ug/L	ND	5.0	0.65	10/27/25 13:43	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.70	10/27/25 13:43	
cis-1,3-Dichloropropene	ug/L	ND	5.0	1.2	10/27/25 13:43	
Dibromochloromethane	ug/L	ND	5.0	0.70	10/27/25 13:43	
Dibromomethane	ug/L	ND	5.0	0.76	10/27/25 13:43	
Dichlorodifluoromethane	ug/L	ND	5.0	1.5	10/27/25 13:43	
Ethyl methacrylate	ug/L	ND	100	0.80	10/27/25 13:43	
Ethylbenzene	ug/L	ND	5.0	0.76	10/27/25 13:43	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.71	10/27/25 13:43	
Iodomethane	ug/L	ND	10.0	0.82	10/27/25 13:43	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	0.82	10/27/25 13:43	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.84	10/27/25 13:43	
Methylene Chloride	ug/L	ND	5.0	3.4	10/27/25 13:43	
n-Butylbenzene	ug/L	ND	5.0	0.76	10/27/25 13:43	
n-Hexane	ug/L	ND	5.0	3.4	10/27/25 13:43	
n-Propylbenzene	ug/L	ND	5.0	0.65	10/27/25 13:43	
Naphthalene	ug/L	ND	1.2	0.57	10/27/25 13:43	
p-Isopropyltoluene	ug/L	ND	5.0	0.75	10/27/25 13:43	
sec-Butylbenzene	ug/L	ND	5.0	0.69	10/27/25 13:43	
Styrene	ug/L	ND	5.0	0.94	10/27/25 13:43	
tert-Butylbenzene	ug/L	ND	5.0	0.65	10/27/25 13:43	
Tetrachloroethene	ug/L	ND	5.0	0.70	10/27/25 13:43	
Toluene	ug/L	ND	5.0	0.79	10/27/25 13:43	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.76	10/27/25 13:43	
trans-1,3-Dichloropropene	ug/L	ND	5.0	1.4	10/27/25 13:43	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.2	10/27/25 13:43	
Trichloroethene	ug/L	ND	5.0	0.68	10/27/25 13:43	
Trichlorofluoromethane	ug/L	ND	5.0	1.2	10/27/25 13:43	
Vinyl acetate	ug/L	ND	50.0	7.7	10/27/25 13:43	
Vinyl chloride	ug/L	ND	2.0	0.68	10/27/25 13:43	
Xylene (Total)	ug/L	ND	10.0	1.3	10/27/25 13:43	
4-Bromofluorobenzene (S)	%.	101	79-124		10/27/25 13:43	
Dibromofluoromethane (S)	%.	110	82-128		10/27/25 13:43	
Toluene-d8 (S)	%.	99	73-122		10/27/25 13:43	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

LABORATORY CONTROL SAMPLE: 3986010

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	44.0	88	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	50.0	100	69-126	
1,1-Dichloroethene	ug/L	50	43.1	86	59-128	
1,2,4-Trimethylbenzene	ug/L	50	45.6	91	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	45.5	91	78-125	
1,2-Dichloroethane	ug/L	50	45.4	91	61-127	
1,2-Dichloropropane	ug/L	50	50.9	102	75-124	
1,3,5-Trimethylbenzene	ug/L	50	45.8	92	71-122	
Benzene	ug/L	50	49.0	98	76-120	
Chlorobenzene	ug/L	50	47.4	95	77-118	
Chloroform	ug/L	50	44.5	89	74-122	
cis-1,2-Dichloroethene	ug/L	50	44.8	90	78-121	
Ethylbenzene	ug/L	50	47.4	95	76-124	
Isopropylbenzene (Cumene)	ug/L	50	47.4	95	66-113	
Methyl-tert-butyl ether	ug/L	50	48.7	97	74-124	
n-Hexane	ug/L	50	34.9	70	51-127	
Naphthalene	ug/L	50	48.5	97	66-143	
Tetrachloroethene	ug/L	50	48.3	97	71-122	
Toluene	ug/L	50	45.3	91	72-117	
trans-1,2-Dichloroethene	ug/L	50	44.5	89	74-121	
Trichloroethene	ug/L	50	49.6	99	75-124	
Vinyl chloride	ug/L	50	37.2	74	50-150	
Xylene (Total)	ug/L	150	138	92	73-119	
4-Bromofluorobenzene (S)	%.			98	79-124	
Dibromofluoromethane (S)	%.			93	82-128	
Toluene-d8 (S)	%.			102	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3986011 3986012

Parameter	Units	50415413023 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	50	48.5	36.5	97	73	50-149	28	20	R1
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	55.4	54.0	111	108	48-139	3	20	
1,1-Dichloroethene	ug/L	ND	50	50	46.8	34.7	94	69	45-146	30	20	R1
1,2,4-Trimethylbenzene	ug/L	ND	50	50	46.4	35.2	93	70	37-139	28	20	R1
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	50.1	47.4	100	95	56-140	6	20	
1,2-Dichloroethane	ug/L	ND	50	50	51.2	47.6	102	95	45-143	7	20	
1,2-Dichloropropane	ug/L	ND	50	50	56.8	48.9	114	98	53-144	15	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	47.5	34.6	95	69	35-141	32	20	R1
Benzene	ug/L	ND	50	50	54.0	43.2	108	86	50-143	22	20	R1
Chlorobenzene	ug/L	ND	50	50	51.4	41.3	103	83	52-136	22	20	R1
Chloroform	ug/L	ND	50	50	50.4	41.2	101	82	53-143	20	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	50.7	41.8	98	81	49-147	19	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3986011 3986012

Parameter	Units	50415413023 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethylbenzene	ug/L	ND	50	50	51.6	39.1	103	78	43-145	28	20	R1
Isopropylbenzene (Cumene)	ug/L	ND	50	50	50.5	37.7	101	75	39-128	29	20	R1
Methyl-tert-butyl ether	ug/L	ND	50	50	53.5	51.9	107	104	50-144	3	20	
n-Hexane	ug/L	ND	50	50	37.0	26.7	74	53	39-132	32	20	R1
Naphthalene	ug/L	ND	50	50	53.1	51.3	106	103	43-148	3	20	
Tetrachloroethene	ug/L	ND	50	50	49.8	36.4	100	73	46-146	31	20	R1
Toluene	ug/L	ND	50	50	49.0	37.6	98	75	48-135	26	20	R1
trans-1,2-Dichloroethene	ug/L	ND	50	50	48.1	36.8	96	74	52-139	27	20	R1
Trichloroethene	ug/L	ND	50	50	53.9	41.3	108	83	46-148	27	20	R1
Vinyl chloride	ug/L	ND	50	50	39.1	28.7	78	57	38-167	31	20	R1
Xylene (Total)	ug/L	ND	150	150	147	113	98	75	45-139	27	20	RS
4-Bromofluorobenzene (S)	%.						97	99	79-124			
Dibromofluoromethane (S)	%.						94	97	82-128			
Toluene-d8 (S)	%.						100	97	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

QC Batch	869826	Analysis Method:	EPA 5030/8260
QC Batch Method:	EPA 5030/8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415413011, 50415413014, 50415413015, 50415413016, 50415413017, 50415413018

METHOD BLANK: 3986013 Matrix: Water

Associated Lab Samples: 50415413011, 50415413014, 50415413015, 50415413016, 50415413017, 50415413018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.88	10/27/25 13:59	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.93	10/27/25 13:59	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.82	10/27/25 13:59	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.79	10/27/25 13:59	
1,1-Dichloroethane	ug/L	ND	5.0	0.89	10/27/25 13:59	
1,1-Dichloroethene	ug/L	ND	5.0	0.95	10/27/25 13:59	
1,1-Dichloropropene	ug/L	ND	5.0	0.78	10/27/25 13:59	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.64	10/27/25 13:59	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.93	10/27/25 13:59	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.68	10/27/25 13:59	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.92	10/27/25 13:59	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.86	10/27/25 13:59	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.74	10/27/25 13:59	
1,2-Dichloroethane	ug/L	ND	5.0	0.80	10/27/25 13:59	
1,2-Dichloropropane	ug/L	ND	5.0	0.80	10/27/25 13:59	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.94	10/27/25 13:59	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.82	10/27/25 13:59	
1,3-Dichloropropane	ug/L	ND	5.0	0.65	10/27/25 13:59	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.72	10/27/25 13:59	
1-Methylnaphthalene	ug/L	ND	10.0	1.5	10/27/25 13:59	
2,2-Dichloropropane	ug/L	ND	5.0	0.98	10/27/25 13:59	
2-Butanone (MEK)	ug/L	ND	25.0	5.5	10/27/25 13:59	
2-Chlorotoluene	ug/L	ND	5.0	0.77	10/27/25 13:59	
2-Hexanone	ug/L	ND	25.0	5.8	10/27/25 13:59	
2-Methylnaphthalene	ug/L	ND	10.0	1.0	10/27/25 13:59	
4-Chlorotoluene	ug/L	ND	5.0	0.84	10/27/25 13:59	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	5.8	10/27/25 13:59	
Acetone	ug/L	ND	100	14.4	10/27/25 13:59	
Acrolein	ug/L	ND	50.0	18.1	10/27/25 13:59	
Acrylonitrile	ug/L	ND	100	4.9	10/27/25 13:59	
Benzene	ug/L	ND	5.0	0.83	10/27/25 13:59	
Bromobenzene	ug/L	ND	5.0	1.0	10/27/25 13:59	
Bromochloromethane	ug/L	ND	5.0	0.95	10/27/25 13:59	
Bromodichloromethane	ug/L	ND	5.0	0.81	10/27/25 13:59	
Bromoform	ug/L	ND	5.0	0.77	10/27/25 13:59	
Bromomethane	ug/L	ND	5.0	2.2	10/27/25 13:59	
Carbon disulfide	ug/L	ND	10.0	1.0	10/27/25 13:59	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

METHOD BLANK: 3986013 Matrix: Water

Associated Lab Samples: 50415413011, 50415413014, 50415413015, 50415413016, 50415413017, 50415413018

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon tetrachloride	ug/L	ND	5.0	0.91	10/27/25 13:59	
Chlorobenzene	ug/L	ND	5.0	0.82	10/27/25 13:59	
Chloroethane	ug/L	ND	5.0	1.6	10/27/25 13:59	
Chloroform	ug/L	ND	5.0	0.80	10/27/25 13:59	
Chloromethane	ug/L	ND	5.0	4.9	10/27/25 13:59	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.70	10/27/25 13:59	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.80	10/27/25 13:59	
Dibromochloromethane	ug/L	ND	5.0	0.73	10/27/25 13:59	
Dibromomethane	ug/L	ND	5.0	0.84	10/27/25 13:59	
Dichlorodifluoromethane	ug/L	ND	5.0	2.4	10/27/25 13:59	
Ethyl methacrylate	ug/L	ND	100	1.0	10/27/25 13:59	
Ethylbenzene	ug/L	ND	5.0	0.90	10/27/25 13:59	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.71	10/27/25 13:59	
Iodomethane	ug/L	ND	10.0	1.8	10/27/25 13:59	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	1.0	10/27/25 13:59	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.68	10/27/25 13:59	
Methylene Chloride	ug/L	ND	5.0	3.2	10/27/25 13:59	
n-Butylbenzene	ug/L	ND	5.0	0.98	10/27/25 13:59	
n-Hexane	ug/L	ND	5.0	3.2	10/27/25 13:59	
n-Propylbenzene	ug/L	ND	5.0	0.82	10/27/25 13:59	
Naphthalene	ug/L	ND	1.2	0.69	10/27/25 13:59	
p-Isopropyltoluene	ug/L	ND	5.0	0.93	10/27/25 13:59	
sec-Butylbenzene	ug/L	ND	5.0	0.87	10/27/25 13:59	
Styrene	ug/L	ND	5.0	2.7	10/27/25 13:59	
tert-Butylbenzene	ug/L	ND	5.0	0.78	10/27/25 13:59	
Tetrachloroethene	ug/L	ND	5.0	0.90	10/27/25 13:59	
Toluene	ug/L	ND	5.0	0.92	10/27/25 13:59	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.92	10/27/25 13:59	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.83	10/27/25 13:59	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.7	10/27/25 13:59	
Trichloroethene	ug/L	ND	5.0	0.86	10/27/25 13:59	
Trichlorofluoromethane	ug/L	ND	5.0	1.0	10/27/25 13:59	
Vinyl acetate	ug/L	ND	50.0	3.8	10/27/25 13:59	
Vinyl chloride	ug/L	ND	2.0	0.68	10/27/25 13:59	
Xylene (Total)	ug/L	ND	10.0	1.6	10/27/25 13:59	
4-Bromofluorobenzene (S)	%.	102	79-124		10/27/25 13:59	
Dibromofluoromethane (S)	%.	110	82-128		10/27/25 13:59	
Toluene-d8 (S)	%.	100	73-122		10/27/25 13:59	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

LABORATORY CONTROL SAMPLE: 3986014

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	47.9	96	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	53.5	107	69-126	
1,1-Dichloroethene	ug/L	50	45.7	91	59-128	
1,2,4-Trimethylbenzene	ug/L	50	51.3	103	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	54.6	109	78-125	
1,2-Dichloroethane	ug/L	50	49.7	99	61-127	
1,2-Dichloropropane	ug/L	50	54.0	108	75-124	
1,3,5-Trimethylbenzene	ug/L	50	52.2	104	71-122	
Benzene	ug/L	50	53.2	106	76-120	
Chlorobenzene	ug/L	50	51.5	103	77-118	
Chloroform	ug/L	50	50.0	100	74-122	
cis-1,2-Dichloroethene	ug/L	50	49.7	99	78-121	
Ethylbenzene	ug/L	50	51.8	104	76-124	
Isopropylbenzene (Cumene)	ug/L	50	51.4	103	66-113	
Methyl-tert-butyl ether	ug/L	50	52.3	105	74-124	
n-Hexane	ug/L	50	37.9	76	51-127	
Naphthalene	ug/L	50	54.7	109	66-143	
Tetrachloroethene	ug/L	50	53.5	107	71-122	
Toluene	ug/L	50	49.2	98	72-117	
trans-1,2-Dichloroethene	ug/L	50	48.6	97	74-121	
Trichloroethene	ug/L	50	52.2	104	75-124	
Vinyl chloride	ug/L	50	40.5	81	50-150	
Xylene (Total)	ug/L	150	154	103	73-119	
4-Bromofluorobenzene (S)	%.			99	79-124	
Dibromofluoromethane (S)	%.			97	82-128	
Toluene-d8 (S)	%.			102	73-122	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3986015 3986016

Parameter	Units	50415413014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	50	50	43.7	48.9	81	92	50-149	11	20	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	46.2	52.3	92	105	48-139	12	20	
1,1-Dichloroethene	ug/L	ND	50	50	39.9	44.4	80	89	45-146	11	20	
1,2,4-Trimethylbenzene	ug/L	ND	50	50	40.4	45.2	81	90	37-139	11	20	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	48.3	54.6	97	109	56-140	12	20	
1,2-Dichloroethane	ug/L	ND	50	50	44.0	49.7	88	99	45-143	12	20	
1,2-Dichloropropane	ug/L	ND	50	50	47.0	52.9	94	106	53-144	12	20	
1,3,5-Trimethylbenzene	ug/L	ND	50	50	41.1	46.0	82	92	35-141	11	20	
Benzene	ug/L	ND	50	50	45.8	51.7	92	103	50-143	12	20	
Chlorobenzene	ug/L	ND	50	50	43.8	49.0	88	98	52-136	11	20	
Chloroform	ug/L	ND	50	50	43.5	48.5	87	97	53-143	11	20	
cis-1,2-Dichloroethene	ug/L	ND	50	50	43.9	49.1	86	96	49-147	11	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3986015 3986016

Parameter	Units	50415413014 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Ethylbenzene	ug/L	ND	50	50	43.5	49.1	87	98	43-145	12	20	
Isopropylbenzene (Cumene)	ug/L	ND	50	50	42.5	48.4	85	97	39-128	13	20	
Methyl-tert-butyl ether	ug/L	ND	50	50	44.9	50.9	90	102	50-144	12	20	
n-Hexane	ug/L	ND	50	50	32.8	36.7	66	73	39-132	11	20	
Naphthalene	ug/L	ND	50	50	46.4	52.2	93	104	43-148	12	20	
Tetrachloroethene	ug/L	ND	50	50	42.8	47.9	86	96	46-146	11	20	
Toluene	ug/L	ND	50	50	41.4	46.4	83	93	48-135	11	20	
trans-1,2-Dichloroethene	ug/L	ND	50	50	41.3	45.9	83	92	52-139	11	20	
Trichloroethene	ug/L	ND	50	50	46.0	51.1	90	100	46-148	11	20	
Vinyl chloride	ug/L	ND	50	50	34.9	38.5	70	77	38-167	10	20	
Xylene (Total)	ug/L	ND	150	150	128	144	86	96	45-139	11	20	
4-Bromofluorobenzene (S)	%.						101	101	79-124			
Dibromofluoromethane (S)	%.						98	99	82-128			
Toluene-d8 (S)	%.						99	100	73-122			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

QC Batch	870031	Analysis Method:	EPA 5030/8260
QC Batch Method:	EPA 5030/8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50415413013, 50415413020

METHOD BLANK: 3986707 Matrix: Water

Associated Lab Samples: 50415413013, 50415413020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	0.88	10/28/25 14:07	
1,1,1-Trichloroethane	ug/L	ND	5.0	0.93	10/28/25 14:07	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	0.82	10/28/25 14:07	
1,1,2-Trichloroethane	ug/L	ND	5.0	0.79	10/28/25 14:07	
1,1-Dichloroethane	ug/L	ND	5.0	0.89	10/28/25 14:07	
1,1-Dichloroethene	ug/L	ND	5.0	0.95	10/28/25 14:07	
1,1-Dichloropropene	ug/L	ND	5.0	0.78	10/28/25 14:07	
1,2,3-Trichlorobenzene	ug/L	ND	5.0	0.64	10/28/25 14:07	
1,2,3-Trichloropropane	ug/L	ND	5.0	0.93	10/28/25 14:07	
1,2,4-Trichlorobenzene	ug/L	ND	5.0	0.68	10/28/25 14:07	
1,2,4-Trimethylbenzene	ug/L	ND	5.0	0.92	10/28/25 14:07	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	0.86	10/28/25 14:07	
1,2-Dichlorobenzene	ug/L	ND	5.0	0.74	10/28/25 14:07	
1,2-Dichloroethane	ug/L	ND	5.0	0.80	10/28/25 14:07	
1,2-Dichloropropane	ug/L	ND	5.0	0.80	10/28/25 14:07	
1,3,5-Trimethylbenzene	ug/L	ND	5.0	0.94	10/28/25 14:07	
1,3-Dichlorobenzene	ug/L	ND	5.0	0.82	10/28/25 14:07	
1,3-Dichloropropane	ug/L	ND	5.0	0.65	10/28/25 14:07	
1,4-Dichlorobenzene	ug/L	ND	5.0	0.72	10/28/25 14:07	
1-Methylnaphthalene	ug/L	ND	10.0	1.5	10/28/25 14:07	
2,2-Dichloropropane	ug/L	ND	5.0	0.98	10/28/25 14:07	
2-Butanone (MEK)	ug/L	ND	25.0	5.5	10/28/25 14:07	
2-Chlorotoluene	ug/L	ND	5.0	0.77	10/28/25 14:07	
2-Hexanone	ug/L	ND	25.0	5.8	10/28/25 14:07	
2-Methylnaphthalene	ug/L	ND	10.0	1.0	10/28/25 14:07	
4-Chlorotoluene	ug/L	ND	5.0	0.84	10/28/25 14:07	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	25.0	5.8	10/28/25 14:07	
Acetone	ug/L	ND	100	14.4	10/28/25 14:07	
Acrolein	ug/L	ND	50.0	18.1	10/28/25 14:07	
Acrylonitrile	ug/L	ND	100	4.9	10/28/25 14:07	
Benzene	ug/L	ND	5.0	0.83	10/28/25 14:07	
Bromobenzene	ug/L	ND	5.0	1.0	10/28/25 14:07	
Bromochloromethane	ug/L	ND	5.0	0.95	10/28/25 14:07	
Bromodichloromethane	ug/L	ND	5.0	0.81	10/28/25 14:07	
Bromoform	ug/L	ND	5.0	0.77	10/28/25 14:07	
Bromomethane	ug/L	ND	5.0	2.2	10/28/25 14:07	
Carbon disulfide	ug/L	ND	10.0	1.0	10/28/25 14:07	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

METHOD BLANK: 3986707 Matrix: Water

Associated Lab Samples: 50415413013, 50415413020

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Carbon tetrachloride	ug/L	ND	5.0	0.91	10/28/25 14:07	
Chlorobenzene	ug/L	ND	5.0	0.82	10/28/25 14:07	
Chloroethane	ug/L	ND	5.0	1.6	10/28/25 14:07	
Chloroform	ug/L	ND	5.0	0.80	10/28/25 14:07	
Chloromethane	ug/L	ND	5.0	4.9	10/28/25 14:07	
cis-1,2-Dichloroethene	ug/L	ND	5.0	0.82	10/28/25 14:07	
cis-1,3-Dichloropropene	ug/L	ND	5.0	0.80	10/28/25 14:07	
Dibromochloromethane	ug/L	ND	5.0	0.73	10/28/25 14:07	
Dibromomethane	ug/L	ND	5.0	0.84	10/28/25 14:07	
Dichlorodifluoromethane	ug/L	ND	5.0	2.4	10/28/25 14:07	
Ethyl methacrylate	ug/L	ND	100	1.0	10/28/25 14:07	
Ethylbenzene	ug/L	ND	5.0	0.90	10/28/25 14:07	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	0.71	10/28/25 14:07	
Iodomethane	ug/L	ND	10.0	1.8	10/28/25 14:07	
Isopropylbenzene (Cumene)	ug/L	ND	5.0	1.0	10/28/25 14:07	
Methyl-tert-butyl ether	ug/L	ND	4.0	0.68	10/28/25 14:07	
Methylene Chloride	ug/L	ND	5.0	3.2	10/28/25 14:07	
n-Butylbenzene	ug/L	ND	5.0	0.98	10/28/25 14:07	
n-Hexane	ug/L	ND	5.0	3.2	10/28/25 14:07	
n-Propylbenzene	ug/L	ND	5.0	0.82	10/28/25 14:07	
Naphthalene	ug/L	ND	1.2	0.69	10/28/25 14:07	
p-Isopropyltoluene	ug/L	ND	5.0	0.93	10/28/25 14:07	
sec-Butylbenzene	ug/L	ND	5.0	0.87	10/28/25 14:07	
Styrene	ug/L	ND	5.0	2.7	10/28/25 14:07	
tert-Butylbenzene	ug/L	ND	5.0	0.78	10/28/25 14:07	
Tetrachloroethene	ug/L	ND	5.0	0.90	10/28/25 14:07	
Toluene	ug/L	ND	5.0	0.92	10/28/25 14:07	
trans-1,2-Dichloroethene	ug/L	ND	5.0	0.92	10/28/25 14:07	
trans-1,3-Dichloropropene	ug/L	ND	5.0	0.83	10/28/25 14:07	
trans-1,4-Dichloro-2-butene	ug/L	ND	100	1.7	10/28/25 14:07	
Trichloroethene	ug/L	ND	5.0	0.86	10/28/25 14:07	
Trichlorofluoromethane	ug/L	ND	5.0	1.0	10/28/25 14:07	
Vinyl acetate	ug/L	ND	50.0	3.8	10/28/25 14:07	
Vinyl chloride	ug/L	ND	2.0	0.66	10/28/25 14:07	
Xylene (Total)	ug/L	ND	10.0	1.6	10/28/25 14:07	
4-Bromofluorobenzene (S)	%.	100	79-124		10/28/25 14:07	
Dibromofluoromethane (S)	%.	110	82-128		10/28/25 14:07	1d
Toluene-d8 (S)	%.	96	73-122		10/28/25 14:07	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA

Project: GE Indy Q4 2025
Pace Project No.: 50415413

LABORATORY CONTROL SAMPLE: 3986708

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	47.4	95	70-128	
1,1,2,2-Tetrachloroethane	ug/L	50	50.9	102	69-126	
1,1-Dichloroethene	ug/L	50	45.7	91	59-128	
1,2,4-Trimethylbenzene	ug/L	50	50.2	100	71-121	
1,2-Dibromoethane (EDB)	ug/L	50	53.2	106	78-125	
1,2-Dichloroethane	ug/L	50	48.7	97	61-127	
1,2-Dichloropropane	ug/L	50	53.9	108	75-124	
1,3,5-Trimethylbenzene	ug/L	50	50.6	101	71-122	
Benzene	ug/L	50	52.5	105	76-120	
Chlorobenzene	ug/L	50	51.1	102	77-118	
Chloroform	ug/L	50	48.9	98	74-122	
cis-1,2-Dichloroethene	ug/L	50	49.9	100	78-121	
Ethylbenzene	ug/L	50	52.3	105	76-124	
Isopropylbenzene (Cumene)	ug/L	50	51.7	103	66-113	
Methyl-tert-butyl ether	ug/L	50	49.9	100	74-124	
n-Hexane	ug/L	50	37.4	75	51-127	
Naphthalene	ug/L	50	53.3	107	66-143	
Tetrachloroethene	ug/L	50	53.0	106	71-122	
Toluene	ug/L	50	47.7	95	72-117	
trans-1,2-Dichloroethene	ug/L	50	48.6	97	74-121	
Trichloroethene	ug/L	50	52.7	105	75-124	
Vinyl chloride	ug/L	50	38.4	77	50-150	
Xylene (Total)	ug/L	150	154	103	73-119	
4-Bromofluorobenzene (S)	%.			100	79-124	
Dibromofluoromethane (S)	%.			96	82-128	
Toluene-d8 (S)	%.			101	73-122	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALIFIERS

Project: GE Indy Q4 2025
Pace Project No.: 50415413

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	Neither matrix spike nor matrix precision data could be provided for this analytical batch due to insufficient sample volume.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
R1	RPD value was outside control limits.
RS	The RPD value in one of the constituent analytes was outside the control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 10/29/2025 11:03 AM

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

METHOD CROSS REFERENCE TABLE

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Parameter	Matrix	Analytical Method	Preparation Method
8260 MSV Indiana	Water	SW-846 8260C	SW-846 5030B

8

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace Analytical Services, LLC
7726 Moller Road
Indianapolis, IN 46268
(317)228-3100

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: GE Indy Q4 2025
Pace Project No.: 50415413

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50415413001	**MW-331-20251014**	EPA 5030/8260	869562		
50415413002	**MW-321-20251014**	EPA 5030/8260	869562		
50415413003	**W-4R-20251014**	EPA 5030/8260	869562		
50415413004	**MW-311-20251014**	EPA 5030/8260	869562		
50415413005	**W-2-20251014**	EPA 5030/8260	869562		
50415413006	**MW-401-20251014**	EPA 5030/8260	869562		
50415413007	**MW-423S-20251014**	EPA 5030/8260	869562		
50415413008	**MW-423D-20251014**	EPA 5030/8260	869563		
50415413009	**MW-422S-20251014**	EPA 5030/8260	869563		
50415413010	**AD-300-20251014**	EPA 5030/8260	869563		
50415413012	**MW-419S-20251014**	EPA 5030/8260	869563		
50415413011	**MW-422D-20251014**	EPA 5030/8260	869826		
50415413014	**MW-408S-20251014**	EPA 5030/8260	869826		
50415413015	**MW-408D-20251014**	EPA 5030/8260	869826		
50415413016	**MW-404-20251014**	EPA 5030/8260	869826		
50415413017	**MW-406S-20251014**	EPA 5030/8260	869826		
50415413018	**MW-406D-20251014**	EPA 5030/8260	869826		
50415413013	**MW-419D-20251014**	EPA 5030/8260	870031		
50415413020	**MW-251-20251015**	EPA 5030/8260	870031		
50415413019	**MW-403-20251014**	EPA 5030/8260	869825		
50415413021	**MW-41-20251015**	EPA 5030/8260	869825		
50415413022	**MW-241-20251015**	EPA 5030/8260	869825		
50415413023	**W-10-20251015**	EPA 5030/8260	869825		
50415413024	**Trip Blank-20251014**	EPA 5030/8260	869825		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

WO# : 50415413

50415413

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	GE Indy Q4 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): **Indiana**

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [✓] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: Standard Turn Around

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC S04	353.2 Nitrogen, NO2/NO3	5310C TOC	6010 Dissolved Fe	8260 MSV Indiana	RSK 175 Headspace (DHG)	Sample Comment
MW-331-20251014	GW	G			10/14/2025	848	3							X		001
MW-324-20251014						912	3							X		002
W-4R-20251014						927	3							X		003
MW-311-20251014						1022	3							X		004
W-2-20251014						1039	3							X		005
~~MW-401-20251014~~ MW-401-20251014						1106	3							X		006
MW-4235-20251014						1123	3							X		007
MW-423D-20251014						1135	3							X		008
MW-422S-20251014						1150	3							X		009
~~AD-300~~ AD-300-20251014						1200	2							X		010

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3310396**

Preservation non-conformance identified for sample.

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Additional Instructions from Pace®:
N02/N03 has a short 48 hour hold; please return/ship samples on the day of collection
Please return samples to the lab on ice

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	#3	0.0	1.4	1.4	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbryke/Ramboll	10/15/25 - 1158	~~[illegible]~~ (PACE)	10/15/25 1158	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier [ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 1 of 3

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	GE Indy Q4 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): **Indiana**

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [✓] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: Standard turn around

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC S04	353.2 Nitrogen, NO2/NO3	5310C TOC	6010 Dissolved Fe	8260 MSV Indiana	RSK 175 Headspace (DHG)	Sample Comment
MW-422D-20251014	GW	G			10/14/25	1200	3							X		011
MW-418-20251014						1218	3							X		012
MW-419D-20251014						1228	3							X		013
MW-408S-20251014						1244	3							X		014
MW-408D-20251014						1255	3							X		015
MW-404-20251014						1312	3							X		016
MW-406S-20251014						1326	3							X		017
MW-406D-20251014						1336	3							X		018
MW-403-20251014						1354	3							X		019
MW-251-20251015	↓	↓			10/15/25	833	3							X		020

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3310396**

Preservation non-conformance identified for sample.

Additional Instructions from Pace®:
N02/N03 has a short 48 hour hold; please return/ship samples on the day of collection
Please return samples to the lab on ice

Collected By: (Printed Name) Patrick Verbrycke

Signature: Patrick Verbrycke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	#3	0.0	1.4	1.4	Y

Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Tracking Number:
Patrick Verbrycke/Ramboll	10/15/25 – 1158	(PACE)	10/15/25 1158	
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In-Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 2 of 3

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

Pace® Location Requested (City/State):
Pace Analytical Indianapolis
7726 Moller Road, Indianapolis, IN 46268

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name:	Ramboll IN	Contact/Report To:	Patrick Rohan
Street Address:	One Indiana Square Suite 2335 Indianapolis, IN 46204	Phone #:	317-803-4601
		E-Mail:	prohan@ramboll.com
		Cc E-Mail:	
Customer Project #:			
Project Name:	GE Indy Q4 2025	Invoice To:	Accounts Payable
		Invoice E-Mail:	ramboll.us@pdf.basware.com
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
		Quote #:	

Time Zone Collected: [ ] AK [ ] PT [ ] MT [ ] CT [✓] ET

County / State origin of sample(s): **Indiana**

Data Deliverables: [✓] Level II [ ] Level III [ ] Level IV [✓] EQUIS [ ] Other

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [ ] Yes [ ] No

Rush (Pre-approval required): [ ] Same Day [ ] 1 Day [ ] 2 Day [ ] 3 Day [ ] Other _____

DW PWSID # or WW Permit # as applicable:

Date Results Requested: Standard Turn Around

Field Filtered (if applicable): [ ] Yes [ ] No

Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW),Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Specify Container Size **

Identify Container Preservative Type***

Analysis Requested

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Composite Start Time	Collected or Composite End Date	Collected or Composite End Time	# Cont.	Res. Chlorine Results	Res. Chlorine Units	300.0 IC S04	353.2 Nitrogen, NO2/NO3	5310C TOC	6010 Dissolved Fe	8260 MSV Indiana	RSK 175 Headspace (DHG)	Sample Comment
MW-41-20251015	GW	G			10/15/25	908	3							X		021
MW-241-20251015	↓	↓			↓	942	3							X		022
W-10-20251015	↓	↓			↓	850	3							X		023
Trip Blank-20251014					10/15/25		3							X		024

**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other

*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other

Lab Use Only

Proj. Mgr: **Heather Patterson**

AcctNum / Client ID:

Table #:

Profile / Template: **2747-28**

Prelog / Bottle Ord. ID: **EZ 3310396**

Preservation non-conformance identified for sample:

Additional Instructions from Pace®:
N02/N03 has a short 48 hour hold; please return/ship samples on the day of collection
Please return samples to the lab on ice

Collected By: (Printed Name) Patrick Verbryke

Signature: Patrick Verbryke

Customer Remarks / Special Conditions / Possible Hazards:

# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C)	Corrected Temp. (°C)	On Ice:
1	#3	0.0	1.4	1.4	Y

Relinquished by/Company: (Signature) Patrick Verbryke / Ramboll	Date/Time: 10/15/2025 – 1158	Received by/Company: (Signature) Pace (PACE)	Date/Time: 10/15/25 1158	Tracking Number:
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Delivered by: [ ] In- Person [ ] Courier
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	[ ] FedEX [ ] UPS [ ] Other
Relinquished by/Company: (Signature)	Date/Time:	Received by/Company: (Signature)	Date/Time:	Page: 3 of 3

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/

ENV-FRM-CORQ-0019_v02_110123 ©

SAMPLE CONDITION UPON RECEIPT FORM

Date/Time and Initials of person examining contents:

LR 10/15/25 1410

1. **Thermometer:** 1 2 (3) 4 5 6 7 8 9 A B C D E F G H I

Cooler temp should be above freezing to 6°C

2A. **Cooler Temperature(s):** 1.4/1.4 | | | |

(Initial/Corrected) *RECORD TEMPS OF ALL COOLERS RECEIVED (use Comments below to add more)*

2B. Was the PM notified of out of temp cooler?: (leave blank if samples are in temp) Yes No

3. **Packing Material:** (Bubble Bags) Bubble Wrap None Other: _____

4. **Ice Type:** (Wet) Blue None

5. **Courier:** FedEx UPS (Client) Pace NOW Jett Other

6. **Custody Seal on Cooler/Box Present:** Yes (No)

(If yes)Seals Intact: Yes No *Leave blank if no seals were present*

All discrepancies will be written out in the comments section below.

	Yes	No	N/A
7. USDA Regulated Soils? (HI, ID, NY, WA, OR,CA, NM, TX, OK, AR, LA, TN, AL, MS, NC, SC, GA, FL, or Puerto Rico)		X	
8. Short Hold Time Analysis (48 hours or less)?:		X	
9. Time 5035A TC placed in Freezer or Short Holds To Lab:	**Time:**		
10. Rush TAT Requested (4 days or less):		X	
11. Custody Signatures Present?	X		
12. Containers intact?	X		
13. Sample Label (IDs/Dates/Times) Match COC?: **Except TCs, which only require sample ID**	X		
14. All containers needing acid/base preservation have been pH CHECKED?: **Exceptions: VOA, coliform, LLHg, O&G, RAD CHEM, and any container with a septum cap or preserved with HCl.** **Circle: HNO3 (<2) H2SO4 (<2) NaOH (>10) NaOH/ZnAc (>9)** Any non-conformance to pH recommendations will be noted on the container count form			X
15. Residual Chlorine **Present** (SVOC 625 Pest/PCB 608)			X
16. Residual Chlorine **Present** (Total/Amenable/Free Cyanide)			X
17. Headspace in **VOA Vials** (>6mm): See Containter Count form for details		X	
18. Trip Blank Present?	X		
19. Trip Blank Custody Seals?:	X		
20. Extra labels on Terracore Vials? (**soils only**)			X

Comments:

10.1

10

COC PAGE 1 of 3

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

			MeOH (only)						AMBER GLASS							PLASTIC										OTHER						Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
			SBS																												Red	Yellow	Green	Black
			DI																															
COC Line Item	WGFU	WGKU BG1U	R	DG9H VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix	HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9
1				3																								WT				
2																																	
3																																	
4																																	
5																																	
6																																	
7																																	
8																																	
9				↓																													
10				2																													
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT2U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

10.1

10

COC PAGE 2 of 3

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

COC Line Item	WGFU	WGKU BG1U	MeOH (only) SBS DI R	DG9H VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AMBER GLASS: AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	PLASTIC: BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	OTHER: CG3H	CG3F	Syringe Kit			Matrix
1				3																									W
2																													
3																													
4																													
5																													
6																													
7																													
8																													
9																													
10				4																									S
11																													
12																													

Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
Red	Yellow	Green	Black
HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT2U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous

Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe

10.1

10

COC PAGE 3 of 3

Sample Container Count

** Place a PINK dot on containers that are out of conformance **

			MeOH (only)						AMBER GLASS							PLASTIC									OTHER						Nitric	Sulfuric	Sodium Hydroxide	Sodium Hydroxide/ ZnAc
			SBS																												Red	Yellow	Green	Black
			DI																														
COC Line Item	WGFU	WGKU BG1U	R	DG9H VG9H	VOA VIAL HS (>6mm)	VG9U DG9U	VG9T	AG0U	AG1H	AG1U	AG3U	AG3S	AG3SF	AG3B	BP1U	BP1N	BP2U	BP3U	BP3N	BP3F	BP3S	BP3B	BP3Z	CG3H	CG3F	Syringe Kit			Matrix	HNO3 <2	H2SO4 <2	NaOH >10	NaOH/Zn Ac >9
1				3																								WT				
2				|																								|				
3				|																								|				
4				4																									4				
5																																	
6																																	
7																																	
8																																	
9																																	
10																																	
11																																	
12																																	

Container Codes

Glass

DG9H	40mL HCl amber voa vial	BG1T	1L Na Thiosulfate clear glass	BP1B	1L NaOH plastic
DG9P	40mL TSP amber vial	BG1U	1L unpreserved glass	BP1N	1L HNO3 plastic
DG9S	40mL H2SO4 amber vial	CG3H	250mL HCl Clear Glass	BP1S	1L H2SO4 plastic
DG9T	40mL Na Thio amber vial	CG3U	250mL Unpres Clear Glass	BP1U	1L unpreserved plastic
DG9U	40mL unpreserved amber vial	AG0U	100mL unpres amber glass	BP1Z	1L NaOH, Zn, Ac
VG9H	40mL HCl clear vial	AG1H	1L HCl amber glass	BP2N	500mL HNO3 plastic
VG9T	40mL Na Thio. clear vial	AG1S	1L H2SO4 amber glass	BP2C	500mL NaOH plastic
VG9U	40mL unpreserved clear vial	AG1T	1L Na Thiosulfate amber glass	BP2S	500mL H2SO4 plastic
I	40mL w/hexane wipe vial	AG1U	1liter unpres amber glass	BP2U	500mL unpreserved plastic
WGKU	8oz unpreserved clear jar	AG2N	500mL HNO3 amber glass	BP2Z	500mL NaOH, Zn Ac
WGFU	4oz clear soil jar	AG2S	500mL H2SO4 amber glass	BP3B	250mL NaOH plastic
JGFU	4oz unpreserved amber wide	AG2U	500mL unpres amber glass	BP3N	250mL HNO3 plastic
CG3H	250mL clear glass HCl	AG3S	250mL H2SO4 amber glass	BP3F	250mL HNO3 plastic-field filtered
CG3F	250mL clear glass HCl, Field Filter	AG3SF	250mL H2SO4 amb glass -field filtered	BP3U	250mL unpreserved plastic
BG1H	1L HCl clear glass	AG3U	250mL unpres amber glass	BP3S	250mL H2SO4 plastic
BG1S	1L H2SO4 clear glass	AG3B	250mL NaOH amber glass	BP3Z	250mL NaOH, ZnAc plastic

Plastic

NT2U	Non Teflon 250mL unpreserved plastic
BP4U	125mL unpreserved plastic
BP4N	125mL HNO3 plastic
BP4S	125mL H2SO4 plastic

Miscellaneous


Syringe Kit	LL Cr+6 sampling kit
ZPLC	Ziploc Bag
R	Terracore Kit
SP5T	120mL Coliform Sodium Thiosulfate
GN	General Container
U	Summa Can (air sample)
WT	Water
SL	Solid
OL:	Oil
NAL	Non-aqueous liquid
WP	Wipe


10.1

10


APPENDIX C
VOC CONCENTRATION TREND CHARTS


APPENDIX C-1
Upper Unit TCE and 1,1,1-TCA Breakdown Products Trend Charts







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented






bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented


APPENDIX C-2
Middle Unit TCE and 1,1,1-TCA Breakdown Products Trend Charts







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented






bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented


APPENDIX C-3
Lower Unit TCE and 1,1,1-TCA Breakdown Products Trend Charts







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented







bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented





bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented





bgs = below ground surface
µg/L = micrograms per liter
Field duplicates are not presented